

General Engineering Laboratories, Inc., Charleston, SC.
2040 Savage Rd
Charleston SC 29407

Chain of Custody/Analysis Request

COC/Lab Request #:
2013-728

Page 1 of 1

Client Contact:

Lab Agreement # : 126310011

Site Name: Los Alamos National Laboratory

Project Number :

Analysis Turnaround Time:

24 Hour - ☐ Other - ☐

7 Day - ☐

14 Day - ☐

21 Day - ☐

28 Day - ☒

WSP-8260B-VOA

WSP-8270C-SVOA

WSP-GENINORG

WSP-GrossA/B

WSP-Met+B+SN+SR+U

WSP-NH3+NO3/NO2+PO4

WSP-RAD

WSP-TKN+TOC

Rad Screening Info:

Yes, Below Background

Special Instructions:

Field Sample ID

Sample Date

Sample
Time

Sample
Matrix

CAPA-13-29666

Apr 15 2013

12:34

W

2

3

1

1

1

CAPA-13-29677

Apr 15 2013

12:34

W

1

1

1

CAPA-13-29659

Apr 15 2013

12:34

W

2

Special Instructions:

Relinquished by:

Relinquished by:

Relinquished by:

Date/Time:

Date/Time:

Date/Time:

Received by:

Received by:

Received by:

4/16/13 3:00

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 4164 EVENT NAME: Pajarito (General Surveillance
Monitoring Group) MY2013 Q3
Sampling Event_Pajarito Canyon

SAMPLE ID: CAPA-13-29659 WORK ORDER:

| | <u>AS PLANNED</u> | <u>AS COLLECTED</u> | | <u>AS PLANNED</u> | <u>AS COLLECTED</u> |
|---------------------------------|-----------------------|---------------------|----------------------|-----------------------|---------------------|
| DATE COLLECTED (MM/DD/YYYY): | | 04/15/2013 | FIELD MATRIX: | WG | ok |
| TIME COLLECTED (HH:MM): | | 1234 | MEDIA: | UA | |
| PRS ID: | | ok | SAMPLE TECH CODE: | UA | DC |
| LOCATION ID: PCI-2 | | | FIELD PREP: | UF | ok |
| LOCATION TYPE: | | | FIELD QC TYPE: | FTB | |
| PORT: SINGLE COMPLETION | | | SAMPLE USAGE: | QC | |

| PRIORITY | ORDER | CONTAINER | # PRESERVATIVE | COLLECTED Y/N | SPECIAL INSTRUCTIONS |
|----------|---------------|--------------------------|----------------|---------------|----------------------|
| N/A | WSP-8260B-VOA | 40 ML SEPTUM AMBER GLASS | 1 HCL | Y | N/A |

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Dissolved Oxygen mg/L Oxidation-Reduction Potential MV pH SU
Specific Conductance uS/cm Temperature deg C Turbidity NTU

COLLECTED BY (PRINT) A. Stuke

| | | | |
|--|------------------------------|--|------------------------------|
| RELINQUISHED BY (Printed Name) (Signature) | Date/Time 4/15/13 1350 | RECEIVED BY (Printed Name) (Signature) | Date/Time 4/15/13 1350 |
| RELINQUISHED BY (Printed Name) (Signature) | Date/Time | RECEIVED BY (Printed Name) (Signature) | Date/Time |

Report Date 04/03/2013

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 4164

EVENT NAME:

Pajarito (General Surveillance
Monitoring Group) MY2013 Q3
Sampling Event_Pajarito Canyon

SAMPLE ID: CAPA-13-29666

WORK ORDER: NA

| | <u>AS</u> <u>PLANNED</u> | <u>AS COLLECTED</u> | | <u>AS</u> <u>PLANNED</u> | <u>AS COLLECTED</u> |
|---------------------------------|-----------------------------|---------------------|----------------------|-----------------------------|---------------------|
| DATE COLLECTED (MM/DD/YYYY): | | 04/15/2013 | FIELD MATRIX: | WG | ok |
| TIME COLLECTED (HH:MM): | | 1234 | MEDIA: | UA | |
| PRS ID: | | ok | SAMPLE TECH CODE: | UA | RSP |
| LOCATION ID: PCI-2 | | | FIELD PREP: | UF | ok |
| LOCATION TYPE: MON | | | FIELD QC TYPE: REG | | |
| PORT: SINGLE COMPLETION | | | SAMPLE USAGE: INV | | |

| PRIORITY | ORDER | CONTAINER | # | PRESERVATIVE | COLLECTED Y/N | SPECIAL INSTRUCTIONS |
|----------|----------------|--------------------------|---|--------------|------------------|----------------------|
| N/A | WSP-8260B-VOA | 40 ML SEPTUM AMBER GLASS | 2 | HCL | Y | N/A |
| | WSP-8270C-SVOA | 1 LITER AMBER GLASS | 3 | ICE | | |
| | WSP-GrossA/B | 1 LITER POLY | 1 | NONE | | |
| | WSP-LL-H-3 | 1 LITER POLY | 1 | NONE | | |
| | WSP-RAD | 1 GAL POLY | 1 | HNO3 | | |
| | WSP-TKN+TOC | 500 ML AMBER GLASS | 1 | H2SO4 | | |

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Dissolved Oxygen 8.16 mg/L Oxidation-Reduction Potential 235.5 MV pH 7.08 SU
 Specific Conductance 105 uS/cm Temperature 13.42 deg C Turbidity 0.4 NTU

COLLECTED BY (PRINT)

| | | | |
|-----------------------------------|-----------------|-------------------------------|-----------------|
| RELINQUISHED BY (Printed Name) | Date/Time | RECEIVED BY (Printed Name) | Date/Time |
| (Signature) | 4/15/13 1350 | (Signature) | 4/15/13 1350 |
| RELINQUISHED BY (Printed Name) | Date/Time | RECEIVED BY (Printed Name) | Date/Time |
| (Signature) | | (Signature) | |

Report Date 04/03/2013

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 4164 EVENT NAME: Pajarito (General Surveillance Monitoring Group) MY2013 Q3
 Sampling Event_Pajarito Canyon
 SAMPLE ID: CAPA-13-29677 WORK ORDER: NA

| | <u>AS PLANNED</u> | <u>AS COLLECTED</u> | | <u>AS PLANNED</u> | <u>AS COLLECTED</u> |
|---------------------------------|-----------------------|---------------------|----------------------|-----------------------|---------------------|
| DATE COLLECTED (MM/DD/YYYY): | | 04/15/2013 | FIELD MATRIX: | WG | <i>OK</i> |
| TIME COLLECTED (HH:MM): | | 1234 | MEDIA: | UA | |
| PRS ID: | | <i>ok</i> | SAMPLE TECH CODE: | UA | <i>PSI</i> |
| LOCATION ID: PCI-2 | | <i>f</i> | FIELD PREP: | F | <i>ok</i> |
| LOCATION TYPE: MON | | | FIELD QC TYPE: | REG | |
| PORT: SINGLE COMPLETION | | <i>f</i> | SAMPLE USAGE: | INV | <i>f</i> |

| PRIORITY | ORDER | CONTAINER | # | PRESERVATIVE | COLLECTED Y/N | SPECIAL INSTRUCTIONS |
|-----------|---------------------|--------------------|---|--------------|---------------|----------------------|
| <i>2M</i> | WSP-GENINORG | 1 LITER POLY | 1 | ICE | <i>f</i> | <i>mt</i> |
| <i>f</i> | WSP-Met+B+SN+SR+U | 1 LITER POLY | 1 | HNO3 | <i>f</i> | <i>f</i> |
| <i>f</i> | WSP-NH3+NO3/NO2+PO4 | 500 ML AMBER GLASS | 1 | H2SO4 | <i>f</i> | <i>f</i> |

SAMPLE COMMENTS:

mt

LOCATION COMMENTS:

mt

FIELD PARAMETERS:

Dissolved Oxygen *mt* mg/L Oxidation-Reduction Potential *mt* MV pH *mt* SU
 Specific Conductance *mt* uS/cm Temperature *mt* deg C Turbidity *mt* NTU

COLLECTED BY (PRINT)

A. Straker - J. Brown

| | | | |
|---|------------------------------|--|------------------------------|
| RELINQUISHED BY (Printed Name) <i>A. Straker</i> (Signature) <i>[Signature]</i> | Date/Time 4/15/13 1350 | RECEIVED BY (Printed Name) <i>M. Martinez</i> (Signature) <i>[Signature]</i> | Date/Time 4/15/13 1350 |
| RELINQUISHED BY (Printed Name) (Signature) | Date/Time | RECEIVED BY (Printed Name) (Signature) | Date/Time |

Report Date 04/03/2013

Data Validation Report

Chain Of Custody No. 2013-728

1. Distribution Of Samples In EDD.

| SDG | Analytical Method | Regular Samples | Field Duplicates | Trip Blanks | Field Blanks | Equipment Blanks |
|-----|------------------------|--------------------|---------------------|----------------|-----------------|---------------------|
| | 323996 EPA:120.1 | 1 | | | | |
| | 323996 EPA:150.1 | 1 | | | | |
| | 323996 EPA:160.1 | 1 | | | | |
| | 323996 EPA:245.2 | 1 | | | | |
| | 323996 EPA:300.0 | 1 | | | | |
| | 323996 EPA:310.1 | 1 | | | | |
| | 323996 EPA:350.1 | 1 | | | | |
| | 323996 EPA:351.2 | 1 | | | | |
| | 323996 EPA:353.2 | 1 | | | | |
| | 323996 EPA:365.4 | 1 | | | | |
| | 323996 EPA:900 | 1 | | | | |
| | 323996 EPA:901.1 | 1 | | | | |
| | 323996 EPA:905.0 | 1 | | | | |
| | 323996 HASL-300:AM-241 | 1 | | | | |
| | 323996 HASL-300:ISOPU | 1 | | | | |
| | 323996 HASL-300:ISOU | 1 | | | | |
| | 323996 SM:A2340B | 1 | | | | |
| | 323996 SW-846:6010B | 1 | | | | |
| | 323996 SW-846:6020 | 1 | | | | |
| | 323996 SW-846:8260B | 1 | | | 1 | |
| | 323996 SW-846:8270C | 1 | | | | |
| | 323996 SW-846:9060 | 1 | | | | |

| SDG | Analytical Method | Analysis Lot ID | Prep Lot ID | Regular Samples | Field Duplicates | Trip Blanks | Field Blanks | Equipment Blanks | Method Blanks | Matrix Spikes | Matrix Spike Dups |
|-----|------------------------|--------------------|----------------|--------------------|---------------------|----------------|-----------------|---------------------|------------------|------------------|----------------------|
| | 323996 EPA:120.1 | 1296125 | 1296125 | 1 | | | | | | | |
| | 323996 EPA:150.1 | 1295777 | 1295777 | 1 | | | | | | | |
| | 323996 EPA:160.1 | 1295772 | 1295772 | 1 | | | | | | 1 | |
| | 323996 EPA:245.2 | 1295806 | 1295805 | 1 | | | | | | 1 | 1 |
| | 323996 EPA:300.0 | 1295339 | 1295339 | 1 | | | | | | 1 | |
| | 323996 EPA:310.1 | 1297264 | 1297264 | 1 | | | | | | 1 | 1 |
| | 323996 EPA:350.1 | 1295847 | 1295846 | 1 | | | | | | 1 | 1 |
| | 323996 EPA:351.2 | 1292106 | 1292105 | 1 | | | | | | 1 | 1 |
| | 323996 EPA:353.2 | 1295802 | 1295802 | 1 | | | | | | 1 | |
| | 323996 EPA:365.4 | 1295857 | 1295856 | 1 | | | | | | 1 | 2 |
| | 323996 EPA:900 | 1296612 | 1296612 | 1 | | | | | | 1 | 1 |
| | 323996 EPA:901.1 | 1296138 | 1296138 | 1 | | | | | | 1 | |
| | 323996 EPA:905.0 | 1296601 | 1296601 | 1 | | | | | | 1 | 1 |
| | 323996 HASL-300:AM-241 | 1295225 | 1295225 | 1 | | | | | | 1 | |
| | 323996 HASL-300:ISOPU | 1295226 | 1295226 | 1 | | | | | | 1 | |
| | 323996 HASL-300:ISOU | 1295227 | 1295227 | 1 | | | | | | 1 | |
| | 323996 SM:A2340B | 1300880 | 1300880 | 1 | | | | | | | |
| | 323996 SW-846:6010B | 1296991 | 1296990 | 1 | | | | | | 1 | 1 |
| | 323996 SW-846:6020 | 1296993 | 1296992 | 1 | | | | | | 1 | 1 |
| | 323996 SW-846:8260B | 1297297 | 1297297 | 1 | | | 1 | | | 1 | |
| | 323996 SW-846:8270C | 1295932 | 1295931 | 1 | | | | | | 1 | 1 |
| | 323996 SW-846:9060 | 1295844 | 1295844 | 1 | | | | | | 1 | |

| Analytical | Post-Digestion | Lab Control | Lab Control | Blank | Blank | Lab | Storage | Preparation | Reagent |
|------------|----------------|-------------|-------------|--------|------------|------------|---------|-------------|---------|
| Spikes | Spikes | Samples | Sample Dups | Spikes | Spike Dups | Duplicates | Blanks | Blanks | Blanks |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 2 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 1 | | | | 1 | | | |
| | | 2 | | | | | | | |
| | | 1 | | | | | | | |
| | | 1 | | | | 1 | | | |

2. Distribution Of Analytes In EDD.

| Analytical Method | Method Category | Field Sample ID | Lab Sample ID | Sample Purpose | Target Analytes | Surrogates | Spikes | TICS |
|-------------------|-------------------|-----------------|---------------|----------------|-----------------|------------|--------|------|
| EPA:120.1 | GENERAL CHEMISTRY | CAPA-13-29675 | 1202861630 | DUP | 1 | 0 | 0 | 0 |
| EPA:120.1 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| EPA:120.1 | GENERAL CHEMISTRY | LCS | 1202861632 | LCS | 0 | 0 | 1 | 0 |
| EPA:150.1 | GENERAL CHEMISTRY | CAPA-13-29675 | 1202860721 | DUP | 1 | 0 | 0 | 0 |
| EPA:150.1 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| EPA:150.1 | GENERAL CHEMISTRY | LCS | 1202860723 | LCS | 0 | 0 | 1 | 0 |
| EPA:160.1 | GENERAL CHEMISTRY | CAPA-13-29675 | 1202860708 | DUP | 1 | 0 | 0 | 0 |
| EPA:160.1 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| EPA:160.1 | GENERAL CHEMISTRY | LCS | 1202860712 | LCS | 0 | 0 | 1 | 0 |
| EPA:160.1 | GENERAL CHEMISTRY | MB | 1202860707 | MB | 1 | 0 | 0 | 0 |
| EPA:245.2 | INORGANIC | CAPA-13-29677 | 1202860821 | DUP | 1 | 0 | 0 | 0 |
| EPA:245.2 | INORGANIC | CAPA-13-29677 | 1202860822 | MS | 0 | 0 | 1 | 0 |
| EPA:245.2 | INORGANIC | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| EPA:245.2 | INORGANIC | LCS | 1202860820 | LCS | 0 | 0 | 1 | 0 |
| EPA:245.2 | INORGANIC | MB | 1202860819 | MB | 1 | 0 | 0 | 0 |
| EPA:300.0 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 4 | 0 | 0 | 0 |
| EPA:300.0 | GENERAL CHEMISTRY | LCS | 1202859567 | LCS | 0 | 0 | 4 | 0 |
| EPA:300.0 | GENERAL CHEMISTRY | MB | 1202859564 | MB | 4 | 0 | 0 | 0 |
| EPA:300.0 | GENERAL CHEMISTRY | WST08-13-29867 | 1202859565 | DUP | 4 | 0 | 0 | 0 |
| EPA:310.1 | GENERAL CHEMISTRY | CAPA-13-29607 | 1202864303 | DUP | 2 | 0 | 0 | 0 |
| EPA:310.1 | GENERAL CHEMISTRY | CAPA-13-29607 | 1202864305 | MS | 0 | 0 | 1 | 0 |
| EPA:310.1 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 2 | 0 | 0 | 0 |
| EPA:310.1 | GENERAL CHEMISTRY | LCS | 1202864306 | LCS | 0 | 0 | 1 | 0 |
| EPA:310.1 | GENERAL CHEMISTRY | MB | 1202864301 | MB | 2 | 0 | 0 | 0 |
| EPA:350.1 | GENERAL CHEMISTRY | CAPA-13-29677 | 1202860921 | DUP | 1 | 0 | 0 | 0 |
| EPA:350.1 | GENERAL CHEMISTRY | CAPA-13-29677 | 1202860922 | MS | 0 | 0 | 1 | 0 |
| EPA:350.1 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| EPA:350.1 | GENERAL CHEMISTRY | LCS | 1202860918 | LCS | 0 | 0 | 1 | 0 |
| EPA:350.1 | GENERAL CHEMISTRY | MB | 1202860917 | MB | 1 | 0 | 0 | 0 |
| EPA:351.2 | GENERAL CHEMISTRY | CAPA-13-29666 | 323996001 | REG | 1 | 0 | 0 | 0 |
| EPA:351.2 | GENERAL CHEMISTRY | CAWA-13-28822 | 1202851476 | DUP | 1 | 0 | 0 | 0 |
| EPA:351.2 | GENERAL CHEMISTRY | CAWA-13-28822 | 1202851477 | MS | 0 | 0 | 1 | 0 |
| EPA:351.2 | GENERAL CHEMISTRY | LCS | 1202851475 | LCS | 0 | 0 | 1 | 0 |
| EPA:351.2 | GENERAL CHEMISTRY | MB | 1202851474 | MB | 1 | 0 | 0 | 0 |
| EPA:353.2 | GENERAL CHEMISTRY | CAPA-13-29675 | 1202860811 | DUP | 1 | 0 | 0 | 0 |
| EPA:353.2 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| EPA:353.2 | GENERAL CHEMISTRY | LCS | 1202860816 | LCS | 0 | 0 | 1 | 0 |
| EPA:353.2 | GENERAL CHEMISTRY | MB | 1202860807 | MB | 1 | 0 | 0 | 0 |
| EPA:365.4 | GENERAL CHEMISTRY | CAPA-13-29675 | 1202860941 | DUP | 1 | 0 | 0 | 0 |
| EPA:365.4 | GENERAL CHEMISTRY | CAPA-13-29675 | 1202860943 | MS | 0 | 0 | 1 | 0 |
| EPA:365.4 | GENERAL CHEMISTRY | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| EPA:365.4 | GENERAL CHEMISTRY | LCS | 1202860945 | LCS | 0 | 0 | 1 | 0 |
| EPA:365.4 | GENERAL CHEMISTRY | MB | 1202860940 | MB | 1 | 0 | 0 | 0 |
| EPA:365.4 | GENERAL CHEMISTRY | NP181-13-30518 | 1202863094 | DUP | 1 | 0 | 0 | 0 |
| EPA:365.4 | GENERAL CHEMISTRY | NP181-13-30518 | 1202863095 | MS | 0 | 0 | 1 | 0 |
| EPA:900 | RAD | CAPA-13-29666 | 323996001 | REG | 2 | 0 | 0 | 0 |
| EPA:900 | RAD | CAPA-13-29670 | 1202862849 | DUP | 2 | 0 | 0 | 0 |
| EPA:900 | RAD | CAPA-13-29670 | 1202862850 | MS | 0 | 0 | 2 | 0 |
| EPA:900 | RAD | CAPA-13-29670 | 1202862851 | MSD | 0 | 0 | 2 | 0 |
| EPA:900 | RAD | LCS | 1202862852 | LCS | 0 | 0 | 2 | 0 |
| EPA:900 | RAD | MB | 1202862848 | MB | 2 | 0 | 0 | 0 |
| EPA:901.1 | RAD | CAPA-13-29666 | 323996001 | REG | 5 | 0 | 0 | 0 |
| EPA:901.1 | RAD | CAPA-13-29669 | 1202861666 | DUP | 5 | 0 | 0 | 0 |

| | | | | | | | | |
|-----------------|-------------------|----------------|------------|-----|----|---|----|---|
| EPA:901.1 | RAD | LCS | 1202861667 | LCS | 0 | 0 | 3 | 0 |
| EPA:901.1 | RAD | MB | 1202861665 | MB | 5 | 0 | 0 | 0 |
| EPA:905.0 | RAD | CAPA-13-29666 | 323996001 | REG | 1 | 0 | 0 | 0 |
| EPA:905.0 | RAD | CAPA-13-29669 | 1202862828 | DUP | 1 | 0 | 0 | 0 |
| EPA:905.0 | RAD | CAPA-13-29669 | 1202862829 | MS | 0 | 0 | 1 | 0 |
| EPA:905.0 | RAD | LCS | 1202862830 | LCS | 0 | 0 | 1 | 0 |
| EPA:905.0 | RAD | MB | 1202862827 | MB | 1 | 0 | 0 | 0 |
| HASL-300:AM-241 | RAD | CAPA-13-29664 | 1202859231 | DUP | 1 | 0 | 0 | 0 |
| HASL-300:AM-241 | RAD | CAPA-13-29666 | 323996001 | REG | 1 | 0 | 0 | 0 |
| HASL-300:AM-241 | RAD | LCS | 1202859232 | LCS | 0 | 0 | 1 | 0 |
| HASL-300:AM-241 | RAD | MB | 1202859230 | MB | 1 | 0 | 0 | 0 |
| HASL-300:ISOPU | RAD | CAPA-13-29664 | 1202859234 | DUP | 2 | 0 | 0 | 0 |
| HASL-300:ISOPU | RAD | CAPA-13-29666 | 323996001 | REG | 2 | 0 | 0 | 0 |
| HASL-300:ISOPU | RAD | LCS | 1202859235 | LCS | 0 | 0 | 1 | 0 |
| HASL-300:ISOPU | RAD | MB | 1202859233 | MB | 2 | 0 | 0 | 0 |
| HASL-300:ISOU | RAD | CAPA-13-29664 | 1202859237 | DUP | 3 | 0 | 0 | 0 |
| HASL-300:ISOU | RAD | CAPA-13-29666 | 323996001 | REG | 3 | 0 | 0 | 0 |
| HASL-300:ISOU | RAD | LCS | 1202859238 | LCS | 0 | 0 | 1 | 0 |
| HASL-300:ISOU | RAD | MB | 1202859236 | MB | 3 | 0 | 0 | 0 |
| SM:A2340B | INORGANIC | CAPA-13-29677 | 323996002 | REG | 1 | 0 | 0 | 0 |
| SW-846:6010B | INORGANIC | CAPA-13-29677 | 323996002 | REG | 17 | 0 | 0 | 0 |
| SW-846:6010B | INORGANIC | LCS | 1202863773 | LCS | 0 | 0 | 17 | 0 |
| SW-846:6010B | INORGANIC | MB | 1202863772 | MB | 17 | 0 | 0 | 0 |
| SW-846:6010B | INORGANIC | WST36-13-30956 | 1202863774 | DUP | 17 | 0 | 0 | 0 |
| SW-846:6010B | INORGANIC | WST36-13-30956 | 1202863775 | MS | 0 | 0 | 17 | 0 |
| SW-846:6020 | INORGANIC | CAPA-13-29677 | 323996002 | REG | 11 | 0 | 0 | 0 |
| SW-846:6020 | INORGANIC | CAPA-13-29680 | 1202863779 | DUP | 11 | 0 | 0 | 0 |
| SW-846:6020 | INORGANIC | CAPA-13-29680 | 1202863780 | MS | 0 | 0 | 11 | 0 |
| SW-846:6020 | INORGANIC | LCS | 1202863778 | LCS | 0 | 0 | 11 | 0 |
| SW-846:6020 | INORGANIC | MB | 1202863777 | MB | 11 | 0 | 0 | 0 |
| SW-846:8260B | VOC | CAPA-13-29659 | 323996003 | FTB | 80 | 3 | 0 | 0 |
| SW-846:8260B | VOC | CAPA-13-29666 | 323996001 | REG | 80 | 3 | 0 | 0 |
| SW-846:8260B | VOC | LCS | 1202864404 | LCS | 0 | 3 | 70 | 0 |
| SW-846:8260B | VOC | LCS | 1202864405 | LCS | 0 | 3 | 10 | 0 |
| SW-846:8260B | VOC | MB | 1202864401 | MB | 80 | 3 | 0 | 0 |
| SW-846:8270C | SVOC | CAPA-13-29666 | 1202861111 | MS | 0 | 6 | 76 | 0 |
| SW-846:8270C | SVOC | CAPA-13-29666 | 1202861112 | MSD | 0 | 6 | 76 | 0 |
| SW-846:8270C | SVOC | CAPA-13-29666 | 323996001 | REG | 80 | 6 | 0 | 0 |
| SW-846:8270C | SVOC | LCS | 1202861110 | LCS | 0 | 6 | 76 | 0 |
| SW-846:8270C | SVOC | MB | 1202861109 | MB | 80 | 6 | 0 | 0 |
| SW-846:9060 | GENERAL CHEMISTRY | CAPA-13-29532 | 1202860913 | DUP | 1 | 0 | 0 | 0 |
| SW-846:9060 | GENERAL CHEMISTRY | CAPA-13-29666 | 323996001 | REG | 1 | 0 | 0 | 0 |
| SW-846:9060 | GENERAL CHEMISTRY | LCS | 1202860916 | LCS | 0 | 0 | 1 | 0 |
| SW-846:9060 | GENERAL CHEMISTRY | MB | 1202860911 | MB | 1 | 0 | 0 | 0 |

3. Are any analytes missing?

No.

4. Were any holding times exceeded?

No.

5. Any contaminants in blanks?

No.

Any samples affected by the presence of contaminants in blanks?

No.

6. Any surrogate recoveries outside the control limits?

No.

7. Any MS/MSD recoveries or RPDs outside the control limits?

| Field | Matrix | Matrix | Analytical | Parameter | Analysis | Analysis | Sample | MS % | MSD % | Upper | Lower |
|----------------|------------|--------------|--------------|--------------------------|----------|-----------|--------|--------|--------|-------|-------|
| Sample ID | Spike ID | Spike Dup ID | Method | Name | Lot ID | Date | Matrix | Recvry | Recvry | Limit | Limit |
| WST36-13-30956 | 1202863775 | | SW-846:6010B | Boron | 1296990 | 5/8/2013 | W | 626 | | 125 | 75 |
| WST36-13-30956 | 1202863775 | | SW-846:6010B | Potassium | 1296990 | 5/8/2013 | W | 2870 | | 125 | 75 |
| WST36-13-30956 | 1202863775 | | SW-846:6010B | Silicon Dioxide | 1296990 | 5/8/2013 | W | 262 | | 125 | 75 |
| WST36-13-30956 | 1202863775 | | SW-846:6010B | Sodium | 1296990 | 5/8/2013 | W | 1110 | | 125 | 75 |
| CAPA-13-29666 | 1202861111 | 1202861112 | SW-846:8270C | Aniline | 1295931 | 4/19/2013 | W | 54 | 89 | 108 | 28 |
| CAPA-13-29666 | 1202861111 | 1202861112 | SW-846:8270C | Atrazine | 1295931 | 4/19/2013 | W | 34 | 30 | 119 | 36 |
| CAPA-13-29666 | 1202861111 | 1202861112 | SW-846:8270C | Benzidine | 1295931 | 4/19/2013 | W | 7 | 70 | 125 | 10 |
| CAPA-13-29666 | 1202861111 | 1202861112 | SW-846:8270C | Dichlorobenzidine[3,3'-] | 1295931 | 4/19/2013 | W | 38 | 60 | 109 | 27 |
| CAPA-13-29666 | 1202861111 | 1202861112 | SW-846:8270C | Nitroaniline[4-] | 1295931 | 4/19/2013 | W | 86 | 121 | 131 | 28 |
| CAPA-13-29666 | 1202861111 | 1202861112 | SW-846:8270C | Pyridine | 1295931 | 4/19/2013 | W | 17 | 74 | 93 | 21 |

8. Any LCS/LCSD or BS/BSD recoveries or RPDs outside the control limits?

| LCS | LCSD | Analytical | Parameter | Lab | Analysis | Sample | LCS | LCSD | Upper | Lower | Lower Reject |
|------------|-----------|--------------|---------------|---------|-----------|--------|----------|----------|-------|-------|--------------|
| Sample ID | Sample ID | Method | Name | Lot ID | Date | Matrix | Recovery | Recovery | Limit | Limit | Limit |
| 1202861110 | | SW-846:8270C | Atrazine | 1295931 | 4/19/2013 | W | 31 | | 115 | 47 | 10 |
| 1202861110 | | SW-846:8270C | Dioxane[1,4-] | 1295931 | 4/19/2013 | W | 38 | | 69 | 41 | 10 |

9. Any Field Duplicate RPDs outside the desired limits?

No.

10. Any Lab Duplicate RPDs outside the desired limits?

| Field | Lab | Lab Duplicate | Analytical | Parameter | Sample | Sample | Dup Sample | Units | Detected | Detected | |
|---------------|-----------|---------------|------------|---------------------|--------|--------|------------|-------|-----------|----------|------|
| Sample ID | SampleID | Sample ID | Method | Name | Matrix | Result | Result | | In Sample | in Dup | RPD |
| CAPA-13-29677 | 323996002 | 1202860921 | EPA:350.1 | Ammonia as Nitrogen | W | 0.0525 | 0.101 | mg/L | Y | Y | 63.2 |

11. Any required reporting limits exceeded?

No.

12. Additional Validator's Comments.

None.

13. Display Flagged Data.

| Location ID | Chain Of Custody No | Field Sample ID | Sample Purpose | Analysis Type Code | Analytical Suite | Analytical Method | Parameter Name | Lab Qualifier | Validation Qualifier | Validation Reason Codes | Detected |
|-------------|---------------------|-----------------|----------------|--------------------|------------------|-------------------|----------------|---------------|----------------------|-------------------------|----------|
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | HASL-300:AM-241 | Americium-241 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | SVOC | SW-846:8270C | Atrazine | U | UJ | SV12a | N |

| Rejection | RPD | RPD |
|-----------|-------|-------|
| Limit | Limit | Limit |
| 10 | | |
| 10 | | |
| 10 | | |
| 10 | | |
| 10 | | |
| 10 | 48 | 30 |
| 10 | 13 | 30 |
| 10 | 162 | 30 |
| 10 | | |
| 10 | 44 | 30 |
| 10 | 34 | 30 |
| 10 | 127 | 30 |

| Upper Reject | RPD |
|--------------|-------|
| Limit | Limit |
| | |
| | |

RPD
Limit

20

| Lab Result | Lab Units | Report Result | Report Units | Report MDA | Report Uncertainty | Lab Matrix | Sample Date | Percent Moisture | Analysis Lot ID | Validation Status Code | Use Flag |
|------------|-----------|---------------|--------------|------------|--------------------|------------|-------------|------------------|-----------------|------------------------|----------|
| 0.00632 | pCi/L | 0.00632 | pCi/L | 0.0368 | 0.00699 | W | 4/15/2013 | | 1295225 | VAL | Y |
| 10 | ug/L | 10 | ug/L | | | W | 4/15/2013 | | 1295932 | VAL | Y |

| | | | | | | | | | | | |
|-------|----------|---------------|-----|------|-------------------|----------------|---------------------|---|----|-------|---|
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:901.1 | Cesium-137 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:901.1 | Cobalt-60 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | SVOC | SW-846:8270C | Dioxane[1,4-] | U | UJ | SV12a | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:900 | Gross alpha | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:900 | Gross beta | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:901.1 | Neptunium-237 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | HASL-300:ISOPU | Plutonium-238 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | HASL-300:ISOPU | Plutonium-239/240 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:901.1 | Potassium-40 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:901.1 | Sodium-22 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | EPA:905.0 | Strontium-90 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29666 | REG | INIT | RAD | HASL-300:ISOU | Uranium-235/236 | U | U | R5 | N |
| PCI-2 | 2013-728 | CAPA-13-29677 | REG | INIT | GENERAL CHEMISTRY | EPA:350.1 | Ammonia as Nitrogen | | J | 110a | Y |

| Reason Code | Description |
|-------------|---|
| 110a | The sample and the duplicate sample results were >=5X the RL and the duplicate RPD was >20% for water samples and >35% for soil samples. |
| J_LAB | The analytical laboratory qualified the detected result as estimated (J) because the result was less the PQL but greater than the MDL |
| NQ | The analytical laboratory did not qualify the analyte as not detected and/or any other standard qualify. The analyte is detected in the sample. |
| R5 | Analyte is not detected because the amount reported is less than the MDC. |
| SV12a | The LCS percent recovery was < the LAL but >10%. Follow the external laboratory limits located within the associated data package. |
| U_LAB | The analytical laboratory qualified the analyte as not detected. |

14. Useable Result Count.

| Field | Location | Sample | Analytical | No. Unuseable | Total No. Of |
|---------------|----------|---------|-----------------|---------------|--------------|
| Sample ID | ID | Purpose | Method | Records | Records |
| CAPA-13-29659 | PCI-2 | FTB | SW-846:8260B | 0 | 80 |
| CAPA-13-29666 | PCI-2 | REG | EPA:351.2 | 0 | 1 |
| CAPA-13-29666 | PCI-2 | REG | EPA:900 | 0 | 2 |
| CAPA-13-29666 | PCI-2 | REG | EPA:901.1 | 0 | 5 |
| CAPA-13-29666 | PCI-2 | REG | EPA:905.0 | 0 | 1 |
| CAPA-13-29666 | PCI-2 | REG | HASL-300:AM-241 | 0 | 1 |
| CAPA-13-29666 | PCI-2 | REG | HASL-300:ISOPU | 0 | 2 |
| CAPA-13-29666 | PCI-2 | REG | HASL-300:ISOU | 0 | 3 |
| CAPA-13-29666 | PCI-2 | REG | SW-846:8260B | 0 | 80 |
| CAPA-13-29666 | PCI-2 | REG | SW-846:8270C | 0 | 80 |
| CAPA-13-29666 | PCI-2 | REG | SW-846:9060 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | EPA:120.1 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | EPA:150.1 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | EPA:160.1 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | EPA:245.2 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | EPA:300.0 | 0 | 4 |
| CAPA-13-29677 | PCI-2 | REG | EPA:310.1 | 0 | 2 |
| CAPA-13-29677 | PCI-2 | REG | EPA:350.1 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | EPA:353.2 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | EPA:365.4 | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | SM:A2340B | 0 | 1 |
| CAPA-13-29677 | PCI-2 | REG | SW-846:6010B | 0 | 17 |
| CAPA-13-29677 | PCI-2 | REG | SW-846:6020 | 0 | 11 |

| | | | | | | | | | | | |
|----------|-------|----------|-------|--------|---------|---|-----------|--|---------|-----|---|
| 2.46 | pCi/L | 2.46 | pCi/L | 4.59 | 1.09 | W | 4/15/2013 | | 1296138 | VAL | Y |
| 0.979 | pCi/L | 0.979 | pCi/L | 5.4 | 1.28 | W | 4/15/2013 | | 1296138 | VAL | Y |
| 10 | ug/L | 10 | ug/L | | | W | 4/15/2013 | | 1295932 | VAL | Y |
| 0.226 | pCi/L | 0.226 | pCi/L | 2.63 | 0.609 | W | 4/15/2013 | | 1296612 | VAL | Y |
| 1.5 | pCi/L | 1.5 | pCi/L | 2.58 | 0.79 | W | 4/15/2013 | | 1296612 | VAL | Y |
| 2.54 | pCi/L | 2.54 | pCi/L | 9.08 | 2.36 | W | 4/15/2013 | | 1296138 | VAL | Y |
| -0.00835 | pCi/L | -0.00835 | pCi/L | 0.065 | 0.00835 | W | 4/15/2013 | | 1295226 | VAL | Y |
| -0.00835 | pCi/L | -0.00835 | pCi/L | 0.0634 | 0.00835 | W | 4/15/2013 | | 1295226 | VAL | Y |
| -22.5 | pCi/L | -22.5 | pCi/L | 61 | 16.2 | W | 4/15/2013 | | 1296138 | VAL | Y |
| -0.308 | pCi/L | -0.308 | pCi/L | 4.87 | 1.31 | W | 4/15/2013 | | 1296138 | VAL | Y |
| 0.166 | pCi/L | 0.166 | pCi/L | 0.399 | 0.118 | W | 4/15/2013 | | 1296601 | VAL | Y |
| 0.00998 | pCi/L | 0.00998 | pCi/L | 0.0405 | 0.0088 | W | 4/15/2013 | | 1295227 | VAL | Y |
| 0.0525 | mg/L | 0.0525 | mg/L | | | W | 4/15/2013 | | 1295847 | VAL | Y |



May 14, 2013

www.gel.com

Keith Greene
Los Alamos National Laboratory
PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm111
Los Alamos, New Mexico 87545

Re: LANL-WQH Water Samples
Work Order: 323996
SDG: 2013-728

Dear Keith Greene:


GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the following analytical results for the sample(s) we received on April 17, 2013, and analyzed for GC/MS Semivolatile, GC/MS Volatile, General Chemistry, Metals and Radiochemistry. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4485.

Sincerely,

Valerie Davis
Project Manager

Purchase Order: 63641-10
Chain of Custody: 2013-728
Enclosures



ARS International (63641-10)
LANL-WQH Water Samples
Work Order #: 323996
SDG: 2013-728

Table of Contents

| | |
|--|-----|
| Case Narrative..... | 1 |
| Chain of Custody and Supporting Documentation..... | 4 |
| Data Review Qualifier Flag Definition Sheet..... | 8 |
| Volatile Analysis..... | 10 |
| Case Narrative..... | 11 |
| Sample Data Summary..... | 16 |
| Quality Control Summary..... | 23 |
| Quality Control Data..... | 39 |
| Semi-Volatile Analysis..... | 55 |
| Case Narrative..... | 56 |
| Sample Data Summary..... | 62 |
| Quality Control Summary..... | 66 |
| Quality Control Data..... | 81 |
| Miscellaneous..... | 94 |
| Metals Analysis..... | 96 |
| Case Narrative..... | 97 |
| Sample Data Summary..... | 103 |
| Quality Control Summary..... | 108 |
| General Chem Analysis..... | 122 |
| Case Narrative..... | 123 |

| | |
|------------------------------|-----|
| Sample Data Summary..... | 151 |
| Quality Control Summary..... | 156 |
| Miscellaneous..... | 161 |
| Radiological Analysis..... | 163 |
| Sample Data Summary..... | 176 |
| Quality Control Data..... | 179 |

Case Narrative

**Case Narrative for
ARS International (63641-10)
LANL-WQH Water Samples
Workorder #: 323996
SDG # : 2013-728**

May 14, 2013

Laboratory Identification:

GEL Laboratories LLC
2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

Summary

Sample receipt The samples arrived at GEL Laboratories LLC, Charleston, South Carolina on April 17, 2013 for analysis. The samples were delivered with proper chain of custody documentation and signatures. The samples were screened according to GEL Standard Operating Procedure. All sample containers arrived without any visible signs of tampering or breakage. Containers were checked for pH, where appropriate, and matched the preservative as documented on the accompanying chain of custody. Shipping container temperature was within specification (0 - 6C). Shipping container temperatures were checked, documented, and within specifications. There are no additional comments concerning sample receipt.

Sample Identification The laboratory received the following samples:

| <u>Laboratory ID</u> | <u>Client ID</u> |
|-----------------------------|-------------------------|
| 323996001 | CAPA-13-29666 |
| 323996002 | CAPA-13-29677 |
| 323996003 | CAPA-13-29659 |


Case Narrative

Sample analyses were conducted using methodology as outlined in GEL Laboratories, LLC (GEL) Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.

Data Package

The enclosed data package contains the following sections: Case Narrative, Chain of Custody, Cooler Receipt Checklist, Data Package Qualifier Definitions and data from the following fractions: GC/MS Semivolatile, GC/MS Volatile, General Chemistry, Metals and Radiochemistry.

I certify that this data report is in compliance with the terms and conditions of the subcontract and task order, both technically and for completeness, for other than the conditions detailed in the attached case narrative.



Valerie Davis
Project Manager

List of current GEL Certifications as of 14 May 2013

| State | Certification |
|---------------------------|------------------------------|
| Alaska | UST-110 |
| Arkansas | 88-0651 |
| CLIA | 42D0904046 |
| California NELAP | 01151CA |
| Colorado | SC00012 |
| Connecticut | PH-0169 |
| Delaware | SC00012 |
| DoD ELAP A2LA ISO 17025 | 2567.01 |
| Florida NELAP | E87156 |
| Foreign Soils Permit | P330-12-00283, P330-12-00284 |
| Georgia | SC00012 |
| Georgia SDWA | 967 |
| Hawaii | SC00012 |
| Idaho | SC00012 |
| Illinois NELAP | 200029 |
| Indiana | C-SC-01 |
| Kansas NELAP | E-10332 |
| Kentucky | 90129 |
| Louisiana NELAP | 03046 (AI33904) |
| Louisiana SDWA | LA130005 |
| Maryland | 270 |
| Massachusetts | M-SC012 |
| Nevada | SC000122011-1 |
| New Hampshire NELAP | 2054 |
| New Jersey NELAP | SC002 |
| New Mexico | SC00012 |
| New York NELAP | 11501 |
| North Carolina | 233 |
| North Carolina SDWA | 45709 |
| Oklahoma | 9904 |
| Pennsylvania NELAP | 68-00485 |
| Plant Material Permit | PDEP-12-00260 |
| South Carolina Chemistry | 10120001 |
| South Carolina Radiochemi | 10120002 |
| Tennessee | TN 02934 |
| Texas NELAP | T104704235-13-8 |
| Utah NELAP | SC000122013-8 |
| Vermont | VT87156 |
| Virginia NELAP | 460202 |
| Washington | C780-12 |
| Wisconsin | 999887790 |

Chain of Custody and Supporting Documentation

SAMPLE RECEIPT & REVIEW FORM

| | | |
|--|-----|---------------------------------|
| Client: LANL | | SDG/AR/COC/Work Order: 2013-729 |
| Received By: Patricia Dent | | Date Received: April 17, 2013 |
| Suspected Hazard Information | Yes | No |
| COC/Samples marked as radioactive? | | X |
| Classified Radioactive II or III by RSO? | | X |
| COC/Samples marked containing PCBs? | | X |
| Package, COC, and/or Samples marked as beryllium or asbestos containing? | | X |
| Shipped as a DOT Hazardous? | | X |
| Samples identified as Foreign Soil? | | X |

| Sample Receipt Criteria | Yes | NA | No | Comments/Qualifiers (Required for Non-Conforming Items) |
|---|-----|----|----|---|
| 1 Shipping containers received intact and sealed? | X | | | Circle Applicable: Seals broken Damaged container Leaking container Other (describe) |
| 2 Samples requiring cold preservation within (0 ≤ 6 deg. C)?* | X | | | Preservation Method: Ice bags Blue ice Dry ice None Other (describe) *all temperatures are recorded in Celsius 5C |
| 2a Daily check performed and passed on IR temperature gun? | X | | | Temperature Device Serial #: Secondary Temperature Device Serial # (If Applicable): 61524646 |
| 3 Chain of custody documents included with shipment? | X | | | |
| 4 Sample containers intact and sealed? | X | | | Circle Applicable: Seals broken Damaged container Leaking container Other (describe) |
| 5 Samples requiring chemical preservation at proper pH? | X | | | Sample ID's, containers affected and observed pH: If Preservation added, Lot# |
| 6 VOA vials free of headspace (defined as < 6mm bubble)? | X | | | Sample ID's and containers affected: |
| 7 Are Encore containers present? | | | X | (If yes, immediately deliver to Volatiles laboratory) |
| 8 Samples received within holding time? | X | | | ID's and tests affected: |
| 9 Sample ID's on COC match ID's on bottles? | X | | | Sample ID's and containers affected: Sample container reads |
| 10 Date & time on COC match date & time on bottles? | X | | | Sample ID's affected: |
| 11 Number of containers received match number indicated on COC? | X | | | Sample ID's affected: |
| 12 Are sample containers identifiable as GEL provided? | X | | | Client |
| 13 COC form is properly signed in relinquished/received sections? | X | | | |
| 14 Carrier and tracking number. | X | | | Circle Applicable: FedEx Air FedEx Ground UPS Field Services Courier Other 5462 9832 9383 5C |

ORIGIN ID: SAFA (505) 665-9966
KEITH GREENE
LOS ALAMOS NATL LAB
TA00 BLDG 1237 DPU 03

LOS ALAMOS, NM 87545
UNITED STATES US

SHIP DATE: 16APR13
ACTWGT: 53.0 LB MAN
CAD: 0014176/CAFE2511


BILL SENDER

VALERIE DAVIS
GENERAL ENGINEERING LAB
2040 SAVAGE RD

CHARLESTON SC 29407

(843) 556-8171

REF: WE991158W100



FedEx
Express



J111110660125

TRK#
0201

5462 9832 9383

WED - 17 APR 10:30A
PRIORITY OVERNIGHT

XX CHSA

29407
SC-US CHS

Post # 156148-434 RTZ 08/10



Data Review Qualifier Flag Definition Sheet

Data Review Qualifier Definitions

| Qualifier | Explanation |
|-----------|---|
| * | A quality control analyte recovery is outside of specified acceptance criteria |
| ** | Analyte is a surrogate compound |
| < | Result is less than value reported |
| > | Result is greater than value reported |
| ^ | RPD of sample and duplicate evaluated using +/-RL. Concentrations are <5X the RL |
| A | The TIC is a suspected aldol-condensation product |
| B | Target analyte was detected in the associated blank |
| B | Metals-Either presence of analyte detected in the associated blank, or MDL/IDL < sample value < PQL |
| BD | Results are either below the MDC or tracer recovery is low |
| C | Analyte has been confirmed by GC/MS analysis |
| D | Results are reported from a diluted aliquot of the sample |
| d | 5-day BOD-The 2:1 depletion requirement was not met for this sample |
| E | Organics-Concentration of the target analyte exceeds the instrument calibration range |
| E | Metals-%difference of sample and SD is >10%. Sample concentration must meet flagging criteria |
| H | Analytical holding time was exceeded |
| h | Preparation or preservation holding time was exceeded |
| J | Value is estimated |
| N | Metals-The Matrix spike sample recovery is not within specified control limits |
| N | Organics-Presumptive evidence based on mass spectral library search to make a tentative identification of the analyte (TIC). Quantitation is based on nearest internal standard response factor |
| N/A | Spike recovery limits do not apply. Sample concentration exceeds spike concentration by 4X or more |
| ND | Analyte concentration is not detected above the reporting limit |
| UI | Gamma Spectroscopy-Uncertain identification |
| X | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier |
| Y | QC Samples were not spiked with this compound |
| Z | Paint Filter Test-Particulates passed through the filter, however no free liquids were observed. |

Volatile Analysis

Case Narrative

**ChemStation Case Narrative
ARS International (ARSL)
SDG 2013-728**

Method/Analysis Information

Procedure: Volatile Organic Compounds (VOC) by Gas Chromatograph/Mass Spectrometer

Analytical Method: SW846 8260B DOE-AL

Analytical Batch Number: 1297297

Sample Analysis

The following client and quality control samples were analyzed to complete this SDG using the methods referenced in the Analysis Information section:

| Sample ID | Client ID |
|------------------|---|
| 323996001 | CAPA-13-29666 |
| 323996003 | CAPA-13-29659 |
| 1202864401 | Method Blank (MB) |
| 1202864402 | 323928001(CAPA-13-29664) Post Spike (PS) |
| 1202864403 | 323928001(CAPA-13-29664) Post Spike Duplicate (PSD) |
| 1202864404 | Laboratory Control Sample (LCS) |
| 1202864405 | Laboratory Control Sample (LCS) |

NOTE: For volatile organic analyses the matrix spike designations may be indicated as "PS" or "PSD". The "PS" designation (post spike) indicates that the matrix was fortified prior to analysis but after applying any prep factors, such as a dilution. The laboratory considers the MS/MSD and PS/PSD designations interchangeable.

The samples in this SDG were analyzed on an "as received" basis.

Preparation/Analytical Method Verification

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-038 REV# 19.

Raw data reports are processed and reviewed by the analyst using the Chemstation software package. False positives have been removed from the quantitation reports per standard operating procedures (SOP) section 19.1.2. False positive analytes are designated on the quantitation report with a 'd' qualifier.

Calibration Information

A complete list of the initial calibration data files with the correct dates and times of analysis are shown in the Calibration History report located in the Standard Data section of the data package.

The surrogate compounds were calibrated using a minimum five-point calibration curve. The surrogates were

added by the auto sampler at a concentration of 50 ug/L or 20 ug/L for low level analyses. GEL Laboratories LLC will not have surrogate recoveries reported for Dibromofluoromethane. This is due to increased regulations for this analyte and an industry shortage.

Initial Calibration

All initial calibration requirements have been met for this sample delivery group (SDG).

Continuing Calibration Verification Requirements

All associated calibration verification standard(s) (CCV) met the acceptance criteria.

Quality Control (QC) Information

Blank (MB) Statement

The blank analyzed with this SDG met the acceptance criteria.

Surrogate Recoveries

Surrogate recoveries in all client and quality control samples were within the acceptance limits.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

QC Sample Designation

Sample 323928001 (CAPA-13-29664) was designated for spike analysis.

Matrix Spike (PS) Recovery Statement

The spike recoveries were within the required acceptance limits.

Matrix Spike Duplicate (PSD) Recovery Statement

The spike duplicate recoveries were within the required acceptance limits.

Relative Percent Difference (RPD) Statement

The RPDs between the matrix spike pair met the acceptance limits.

Internal Standard (ISTD) Acceptance

The internal standard responses in all client and quality control samples met the required acceptance criteria.

Technical Information

Holding Time Specifications

GEL assigns holding times based on the associated methodology, which assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the ALPHALIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time.

Sample Preservation and Integrity

All samples met the sample preservation and integrity requirements.

Sample Dilutions/Methanol Dilutions

The samples in this SDG did not require dilutions.

Sample Re-extraction/Re-analysis

Re-analyses were not required for samples in this SDG.

Miscellaneous Information

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. An electronic signature page inserted after the case narrative will include the data validator's signature and title. The signature page also includes the data qualifiers used in the fractional package. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Data Exception (DER) Documentation

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Manual Integrations

Data files associated with the initial calibration, continuing calibration check, and samples did not require manual integrations.

TIC Comment

Tentatively identified compounds (TIC) may be requested for this sample delivery group/work order. Please note that non-requested target analytes that are reported on the quantitation reports will be present on the Form I. These detected analytes are included in the calibrated method and as a result will be reported on the Sample Data Summary (Form I) or Certificate of Analysis (C of A). TIC data, if requested, are included on the Sample Data Summary (Form I) and are also included with the sample raw data.

Additional Comments

Additional comments were not required for this SDG.

Residual Chlorine

Residual Chlorine was not detected in any of the samples in this SDG.

System Configuration

The Volatile-GC/MS analysis was performed on the following instrument configuration:

| Instrument ID | Instrument | System Configuration | Column ID | Column Description | P & T Trap |
|----------------------|--|-----------------------------|------------------|---------------------------------|-----------------------|
| VOA4.I | Agilent 6890/5973 GC/MS w/ OI 4560/Archon Autosampler | HP6890/HP5973 | DB-624 | J&W, 60m x 0.25mm x 1.4um | Trap 10 |

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ARSL001 ARS International (63641-10)

Client SDG: 2013-728 GEL Work Order: 323996

The Qualifiers in this report are defined as follows:


- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a surrogate compound
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature:



Name: Erin Haubert

Date: 09 MAY 2013

Title: Data Validator

Sample Data Summary

**Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 2013-728

Lab Sample ID: 323996001

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Client ID: CAPA-13-29666

Method: SW846 8260B DOE-AL

SOP Ref: GL-OA-E-038

Batch ID: 1297297

Inst: VOA4.I

Dilution: 1

Run Date: 04/24/2013 19:04

Analyst: ACJ

Purge Vol: 5 mL

Prep Date: 04/24/2013 19:04

Data File: 042413V4\4H319.D

Column: DB-624

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|-----------------------------|-----------|--------|-------|---------|---------|
| 75-71-8 | Dichlorodifluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-87-3 | Chloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-01-4 | Vinyl chloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-83-9 | Bromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-00-3 | Chloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-69-4 | Trichlorofluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 60-29-7 | Ethyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-64-1 | Acetone | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-05-8 | Acetonitrile | U | 25.0 | ug/L | 8.00 | 25.0 |
| 75-35-4 | 1,1-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-88-4 | Iodomethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-09-2 | Methylene chloride | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-15-0 | Carbon disulfide | U | 5.00 | ug/L | 1.50 | 5.00 |
| 1634-04-4 | tert-Butyl methyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 156-60-5 | trans-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-05-4 | Vinyl acetate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-34-3 | 1,1-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-93-3 | 2-Butanone | U | 5.00 | ug/L | 2.00 | 5.00 |
| 156-59-2 | cis-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 594-20-7 | 2,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-66-3 | Chloroform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-97-5 | Bromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-55-6 | 1,1,1-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 563-58-6 | 1,1-Dichloropropene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-36-3 | n-Butyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 56-23-5 | Carbon tetrachloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-06-2 | 1,2-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-43-2 | Benzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-01-6 | Trichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-87-5 | 1,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-27-4 | Bromodichloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-95-3 | Dibromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-10-1 | 4-Methyl-2-pentanone | U | 5.00 | ug/L | 1.50 | 5.00 |
| 10061-01-5 | cis-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-88-3 | Toluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 10061-02-6 | trans-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-00-5 | 1,1,2-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 591-78-6 | 2-Hexanone | U | 5.00 | ug/L | 2.20 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 2013-728

Lab Sample ID: 323996001

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Client ID: CAPA-13-29666

Method: SW846 8260B DOE-AL

SOP Ref: GL-OA-E-038

Batch ID: 1297297

Inst: VOA4.I

Dilution: 1

Run Date: 04/24/2013 19:04

Analyst: ACJ

Purge Vol: 5 mL

Prep Date: 04/24/2013 19:04

Data File: 042413V4\4H319.D

Column: DB-624

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-------------|-----------------------------|-----------|--------|-------|---------|---------|
| 142-28-9 | 1,3-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 127-18-4 | Tetrachloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 124-48-1 | Dibromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-93-4 | 1,2-Dibromoethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-90-7 | Chlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-41-4 | Ethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 179601-23-1 | m,p-Xylenes | U | 2.00 | ug/L | 0.300 | 2.00 |
| 95-47-6 | o-Xylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-42-5 | Styrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-25-2 | Bromoform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-18-4 | 1,2,3-Trichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-86-1 | Bromobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 103-65-1 | n-Propylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-49-8 | 2-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-82-8 | Isopropylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-67-8 | 1,3,5-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-43-4 | 4-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-06-6 | tert-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-63-6 | 1,2,4-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 135-98-8 | sec-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 99-87-6 | 4-Isopropyltoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 541-73-1 | 1,3-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-46-7 | 1,4-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 104-51-8 | n-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 87-68-3 | Hexachlorobutadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | U | 1.00 | ug/L | 0.400 | 1.00 |
| 87-61-6 | 1,2,3-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-02-8 | Acrolein | U | 5.00 | ug/L | 1.50 | 5.00 |
| 76-13-1 | Trichlorotrifluoroethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-05-1 | Allyl chloride | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-13-1 | Acrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-99-8 | 2-Chloro-1,3-butadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-12-0 | Propionitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-98-7 | Methacrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 78-83-1 | Isobutyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 80-62-6 | Methyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 2013-728

Lab Sample ID: 323996001

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Client ID: CAPA-13-29666

Method: SW846 8260B DOE-AL

SOP Ref: GL-OA-E-038

Batch ID: 1297297

Inst: VOA4.I

Dilution: 1

Run Date: 04/24/2013 19:04

Analyst: ACJ

Purge Vol: 5 mL

Prep Date: 04/24/2013 19:04

Data File: 042413V4\4H319.D

Column: DB-624

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|----------|---------------------------|-----------|--------|-------|---------|---------|
| 97-63-2 | Ethyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 120-82-1 | 1,2,4-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-50-1 | 1,2-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 1,2-Dichloroethane-d4 | 50.7 | 50.0 | ug/L 101 | (78%-124%) |
| Bromofluorobenzene | 51.4 | 50.0 | ug/L 103 | (80%-120%) |
| Toluene-d8 | 51.3 | 50.0 | ug/L 103 | (80%-120%) |

Tentatively Identified Compound Summary

| CAS No. | Tentatively Identified Compound (TIC) | RT | Estimated | Units | Fit | Qual |
|---------|---------------------------------------|--------|-----------|-------|-----|------|
| | unknown hydrocarbon | 4.482 | 19.9 | ug/L | 0 | J |
| | unknown siloxane | 12.467 | 6.22 | ug/L | 0 | J |
| | unknown siloxane | 14.82 | 24.6 | ug/L | 0 | J |
| | unknown siloxane | 16.783 | 8.6 | ug/L | 0 | J |

Volatile
Certificate of Analysis
Sample Summary

SDG Number: 2013-728

Lab Sample ID: 323996003

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Client ID: CAPA-13-29659

Method: SW846 8260B DOE-AL

SOP Ref: GL-OA-E-038

Batch ID: 1297297

Inst: VOA4.I

Dilution: 1

Run Date: 04/24/2013 19:32

Analyst: ACJ

Purge Vol: 5 mL

Prep Date: 04/24/2013 19:32

Data File: 042413V4\4H320.D

Column: DB-624

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|-----------------------------|-----------|--------|-------|---------|---------|
| 75-71-8 | Dichlorodifluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-87-3 | Chloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-01-4 | Vinyl chloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-83-9 | Bromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-00-3 | Chloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-69-4 | Trichlorofluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 60-29-7 | Ethyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-64-1 | Acetone | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-05-8 | Acetonitrile | U | 25.0 | ug/L | 8.00 | 25.0 |
| 75-35-4 | 1,1-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-88-4 | Iodomethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-09-2 | Methylene chloride | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-15-0 | Carbon disulfide | U | 5.00 | ug/L | 1.50 | 5.00 |
| 1634-04-4 | tert-Butyl methyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 156-60-5 | trans-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-05-4 | Vinyl acetate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-34-3 | 1,1-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-93-3 | 2-Butanone | U | 5.00 | ug/L | 2.00 | 5.00 |
| 156-59-2 | cis-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 594-20-7 | 2,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-66-3 | Chloroform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-97-5 | Bromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-55-6 | 1,1,1-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 563-58-6 | 1,1-Dichloropropene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-36-3 | n-Butyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 56-23-5 | Carbon tetrachloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-06-2 | 1,2-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-43-2 | Benzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-01-6 | Trichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-87-5 | 1,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-27-4 | Bromodichloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-95-3 | Dibromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-10-1 | 4-Methyl-2-pentanone | U | 5.00 | ug/L | 1.50 | 5.00 |
| 10061-01-5 | cis-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-88-3 | Toluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 10061-02-6 | trans-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-00-5 | 1,1,2-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 591-78-6 | 2-Hexanone | U | 5.00 | ug/L | 2.20 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 2013-728

Lab Sample ID: 323996003

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Client ID: CAPA-13-29659

Method: SW846 8260B DOE-AL

SOP Ref: GL-OA-E-038

Batch ID: 1297297

Inst: VOA4.I

Dilution: 1

Run Date: 04/24/2013 19:32

Analyst: ACJ

Purge Vol: 5 mL

Prep Date: 04/24/2013 19:32

Data File: 042413V4\4H320.D

Column: DB-624

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-------------|-----------------------------|-----------|--------|-------|---------|---------|
| 142-28-9 | 1,3-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 127-18-4 | Tetrachloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 124-48-1 | Dibromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-93-4 | 1,2-Dibromoethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-90-7 | Chlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-41-4 | Ethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 179601-23-1 | m,p-Xylenes | U | 2.00 | ug/L | 0.300 | 2.00 |
| 95-47-6 | o-Xylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-42-5 | Styrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-25-2 | Bromoform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-18-4 | 1,2,3-Trichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-86-1 | Bromobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 103-65-1 | n-Propylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-49-8 | 2-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-82-8 | Isopropylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-67-8 | 1,3,5-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-43-4 | 4-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-06-6 | tert-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-63-6 | 1,2,4-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 135-98-8 | sec-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 99-87-6 | 4-Isopropyltoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 541-73-1 | 1,3-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-46-7 | 1,4-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 104-51-8 | n-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 87-68-3 | Hexachlorobutadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | U | 1.00 | ug/L | 0.400 | 1.00 |
| 87-61-6 | 1,2,3-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-02-8 | Acrolein | U | 5.00 | ug/L | 1.50 | 5.00 |
| 76-13-1 | Trichlorotrifluoroethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-05-1 | Allyl chloride | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-13-1 | Acrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-99-8 | 2-Chloro-1,3-butadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-12-0 | Propionitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-98-7 | Methacrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 78-83-1 | Isobutyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 80-62-6 | Methyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 2013-728

Lab Sample ID: 323996003

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Client ID: CAPA-13-29659

Method: SW846 8260B DOE-AL

SOP Ref: GL-OA-E-038

Batch ID: 1297297

Inst: VOA4.I

Dilution: 1

Run Date: 04/24/2013 19:32

Analyst: ACJ

Purge Vol: 5 mL

Prep Date: 04/24/2013 19:32

Data File: 042413V4\4H320.D

Column: DB-624

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|----------|---------------------------|-----------|--------|-------|---------|---------|
| 97-63-2 | Ethyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 120-82-1 | 1,2,4-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-50-1 | 1,2-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 1,2-Dichloroethane-d4 | 50.5 | 50.0 | ug/L 101 | (78%-124%) |
| Bromofluorobenzene | 50.2 | 50.0 | ug/L 100 | (80%-120%) |
| Toluene-d8 | 50.7 | 50.0 | ug/L 101 | (80%-120%) |

Tentatively Identified Compound Summary

| CAS No. | Tentatively Identified Compound (TIC) | RT | Estimated | Units | Fit | Qual |
|---------|---------------------------------------|--------|-----------|-------|-----|------|
| | unknown hydrocarbon | 4.474 | 13.1 | ug/L | 0 | J |
| | unknown siloxane | 12.467 | 8.94 | ug/L | 0 | J |
| | unknown siloxane | 14.82 | 26.5 | ug/L | 0 | J |
| | unknown siloxane | 16.783 | 5.74 | ug/L | 0 | J |

Quality Control Summary

Volatile
Surrogate Recovery Report

Page 1 of 1

SDG Number: 2013-728**Matrix Type: LIQUID**

| Sample ID | Client ID | DCED4 %REC | TOL %REC | BFB %REC |
|------------|-----------------------|---------------|-------------|-------------|
| 1202864404 | LCS for batch 1297297 | 98 | 99 | 99 |
| 1202864405 | LCS for batch 1297297 | 100 | 100 | 105 |
| 1202864401 | MB for batch 1297297 | 102 | 100 | 104 |
| 323996001 | CAPA-13-29666 | 101 | 103 | 103 |
| 323996003 | CAPA-13-29659 | 101 | 101 | 100 |
| 1202864402 | CAPA-13-29664PS | 96 | 102 | 95 |
| 1202864403 | CAPA-13-29664PSD | 98 | 101 | 98 |

Surrogate**Acceptance Limits**

DCED4 = 1,2-Dichloroethane-d4 (78%-124%)

TOL = Toluene-d8 (80%-120%)

BFB = Bromofluorobenzene (80%-120%)

* Recovery outside Acceptance Limits

Column to be used to flag recovery values

D Sample Diluted

Volatile
Quality Control Summary
Spike Recovery Report

Page 1 of 8

SDG Number: 2013-728

Sample Type: Post Spike

Client ID: CAPA-13-29664PS

Matrix: W

Lab Sample ID: 1202864402

Instrument: VOA4.I

Analysis Date: 04/24/2013 21:52

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-----------|-------------------------------|----------------------|----------------------|---------------------|---------------|----------------------|
| 75-71-8 | PS Dichlorodifluoromethane | 50.0 | 0.00 U | 49.0 | 98 | 36-123 |
| 74-87-3 | PS Chloromethane | 50.0 | 0.00 U | 54.2 | 108 | 47-134 |
| 75-01-4 | PS Vinyl chloride | 50.0 | 0.00 U | 53.5 | 107 | 49-129 |
| 74-83-9 | PS Bromomethane | 50.0 | 0.00 U | 55.2 | 110 | 56-127 |
| 75-00-3 | PS Chloroethane | 50.0 | 0.00 U | 49.4 | 99 | 67-122 |
| 75-69-4 | PS Trichlorofluoromethane | 50.0 | 0.00 U | 47.7 | 95 | 60-123 |
| 60-29-7 | PS Ethyl ether | 50.0 | 0.00 U | 47.9 | 96 | 69-121 |
| 67-64-1 | PS Acetone | 250 | 0.00 U | 134 | 54 | 30-143 |
| 75-05-8 | PS Acetonitrile | 1250 | 0.00 U | 1350 | 108 | 60-133 |
| 75-35-4 | PS 1,1-Dichloroethylene | 50.0 | 0.00 U | 55.8 | 112 | 67-132 |
| 74-88-4 | PS Iodomethane | 250 | 0.00 U | 257 | 103 | 69-147 |
| 75-09-2 | PS Methylene chloride | 50.0 | 0.00 U | 50.8 | 102 | 56-135 |
| 75-15-0 | PS Carbon disulfide | 250 | 0.00 U | 299 | 120 | 65-153 |
| 1634-04-4 | PS tert-Butyl methyl ether | 50.0 | 0.00 U | 52.3 | 105 | 73-126 |
| 156-60-5 | PS trans-1,2-Dichloroethylene | 50.0 | 0.00 U | 55.2 | 110 | 69-128 |
| 108-05-4 | PS Vinyl acetate | 250 | 0.00 U | 253 | 101 | 50-143 |
| 75-34-3 | PS 1,1-Dichloroethane | 50.0 | 0.00 U | 55.9 | 112 | 75-124 |
| 78-93-3 | PS 2-Butanone | 250 | 0.00 U | 196 | 78 | 30-140 |
| 156-59-2 | PS cis-1,2-Dichloroethylene | 50.0 | 0.00 U | 54.2 | 108 | 52-147 |
| 594-20-7 | PS 2,2-Dichloropropane | 50.0 | 0.00 U | 49.2 | 98 | 67-143 |
| 67-66-3 | PS Chloroform | 50.0 | 0.00 U | 53.5 | 107 | 75-125 |
| 74-97-5 | PS Bromochloromethane | 50.0 | 0.00 U | 53.2 | 106 | 80-120 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 2 of 8

SDG Number: 2013-728

Sample Type: Post Spike

Client ID: CAPA-13-29664PS

Matrix: W

Lab Sample ID: 1202864402

Instrument: VOA4.I

Analysis Date: 04/24/2013 21:52

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|------------|--------------------------------|----------------------|----------------------|---------------------|---------------|----------------------|
| 71-55-6 | PS 1,1,1-Trichloroethane | 50.0 | 0.00 U | 52.8 | 106 | 69-140 |
| 563-58-6 | PS 1,1-Dichloropropene | 50.0 | 0.00 U | 54.1 | 108 | 71-130 |
| 71-36-3 | PS n-Butyl alcohol | 5000 | 0.00 U | 5770 | 115 | 53-150 |
| 56-23-5 | PS Carbon tetrachloride | 50.0 | 0.00 U | 53.1 | 106 | 69-142 |
| 107-06-2 | PS 1,2-Dichloroethane | 50.0 | 0.00 U | 53.1 | 106 | 72-126 |
| 71-43-2 | PS Benzene | 50.0 | 0.00 U | 53.1 | 106 | 73-119 |
| 79-01-6 | PS Trichloroethylene | 50.0 | 0.00 U | 52.0 | 104 | 54-147 |
| 78-87-5 | PS 1,2-Dichloropropane | 50.0 | 0.00 U | 53.4 | 107 | 78-123 |
| 75-27-4 | PS Bromodichloromethane | 50.0 | 0.00 U | 54.1 | 108 | 76-131 |
| 74-95-3 | PS Dibromomethane | 50.0 | 0.00 U | 52.5 | 105 | 79-120 |
| 108-10-1 | PS 4-Methyl-2-pentanone | 250 | 0.00 U | 279 | 112 | 68-136 |
| 10061-01-5 | PS cis-1,3-Dichloropropylene | 50.0 | 0.00 U | 53.6 | 107 | 72-134 |
| 108-88-3 | PS Toluene | 50.0 | 0.00 U | 53.1 | 106 | 62-126 |
| 10061-02-6 | PS trans-1,3-Dichloropropylene | 50.0 | 0.00 U | 53.9 | 108 | 72-133 |
| 79-00-5 | PS 1,1,2-Trichloroethane | 50.0 | 0.00 U | 53.6 | 107 | 74-120 |
| 591-78-6 | PS 2-Hexanone | 250 | 0.00 U | 246 | 98 | 31-132 |
| 142-28-9 | PS 1,3-Dichloropropane | 50.0 | 0.00 U | 54.6 | 109 | 73-121 |
| 127-18-4 | PS Tetrachloroethylene | 50.0 | 0.00 U | 50.5 | 101 | 54-139 |
| 124-48-1 | PS Dibromochloromethane | 50.0 | 0.00 U | 55.8 | 112 | 74-128 |
| 106-93-4 | PS 1,2-Dibromoethane | 50.0 | 0.00 U | 54.2 | 108 | 80-120 |
| 108-90-7 | PS Chlorobenzene | 50.0 | 0.00 U | 52.0 | 104 | 73-119 |
| 100-41-4 | PS Ethylbenzene | 50.0 | 0.00 U | 52.9 | 106 | 66-125 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 3 of 8

SDG Number: 2013-728

Sample Type: Post Spike

Client ID: CAPA-13-29664PS

Matrix: W

Lab Sample ID: 1202864402

Instrument: VOA4.I

Analysis Date: 04/24/2013 21:52

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-------------|--------------------------------|----------------------|----------------------|---------------------|---------------|----------------------|
| 179601-23-1 | PS m,p-Xylenes | 100 | 0.00 U | 105 | 105 | 56-134 |
| 95-47-6 | PS o-Xylene | 50.0 | 0.00 U | 54.2 | 108 | 68-126 |
| 100-42-5 | PS Styrene | 50.0 | 0.00 U | 56.3 | 113 | 57-138 |
| 75-25-2 | PS Bromoform | 50.0 | 0.00 U | 54.2 | 108 | 66-129 |
| 79-34-5 | PS 1,1,2,2-Tetrachloroethane | 50.0 | 0.00 U | 51.7 | 103 | 44-146 |
| 96-18-4 | PS 1,2,3-Trichloropropane | 50.0 | 0.00 U | 49.9 | 100 | 68-129 |
| 108-86-1 | PS Bromobenzene | 50.0 | 0.00 U | 50.0 | 100 | 70-122 |
| 103-65-1 | PS n-Propylbenzene | 50.0 | 0.00 U | 50.6 | 101 | 61-131 |
| 95-49-8 | PS 2-Chlorotoluene | 50.0 | 0.00 U | 51.3 | 103 | 66-126 |
| 98-82-8 | PS Isopropylbenzene | 50.0 | 0.00 U | 51.9 | 104 | 65-130 |
| 108-67-8 | PS 1,3,5-Trimethylbenzene | 50.0 | 0.00 U | 52.8 | 106 | 58-134 |
| 106-43-4 | PS 4-Chlorotoluene | 50.0 | 0.00 U | 50.8 | 102 | 63-125 |
| 98-06-6 | PS tert-Butylbenzene | 50.0 | 0.00 U | 51.6 | 103 | 66-129 |
| 95-63-6 | PS 1,2,4-Trimethylbenzene | 50.0 | 0.00 U | 52.4 | 105 | 60-131 |
| 135-98-8 | PS sec-Butylbenzene | 50.0 | 0.00 U | 52.9 | 106 | 62-130 |
| 99-87-6 | PS 4-Isopropyltoluene | 50.0 | 0.00 U | 51.2 | 102 | 62-132 |
| 541-73-1 | PS 1,3-Dichlorobenzene | 50.0 | 0.00 U | 50.4 | 101 | 66-121 |
| 106-46-7 | PS 1,4-Dichlorobenzene | 50.0 | 0.00 U | 50.3 | 101 | 65-119 |
| 104-51-8 | PS n-Butylbenzene | 50.0 | 0.00 U | 53.2 | 106 | 55-134 |
| 96-12-8 | PS 1,2-Dibromo-3-chloropropane | 50.0 | 0.00 U | 49.9 | 100 | 58-137 |
| 87-68-3 | PS Hexachlorobutadiene | 50.0 | 0.00 U | 44.7 | 89 | 49-139 |
| 91-20-3 | PS Naphthalene | 50.0 | 0.00 U | 46.9 | 94 | 46-145 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 4 of 8

SDG Number: 2013-728

Sample Type: Post Spike

Client ID: CAPA-13-29664PS

Matrix: W

Lab Sample ID: 1202864402

Instrument: VOA4.I

Analysis Date: 04/24/2013 21:52

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|----------|------------------------------|-------------------------|-------------------------|------------------------|---------------|----------------------|
| 87-61-6 | PS 1,2,3-Trichlorobenzene | 50.0 | 0.00 U | 44.6 | 89 | 54-134 |
| 630-20-6 | PS 1,1,1,2-Tetrachloroethane | 50.0 | 0.00 U | 54.7 | 109 | 79-128 |
| 120-82-1 | PS 1,2,4-Trichlorobenzene | 50.0 | 0.00 U | 44.4 | 89 | 55-128 |
| 95-50-1 | PS 1,2-Dichlorobenzene | 50.0 | 0.00 U | 51.7 | 103 | 68-121 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 5 of 8

SDG Number: 2013-728

Sample Type: Post Spike Duplicate

Client ID: CAPA-13-29664PSD

Matrix: W

Lab Sample ID: 1202864403

Instrument: VOA4.I

Analysis Date: 04/24/2013 22:20

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|-----------|--------------------------------|----------------------|----------------------|---------------------|---------------|-------------------|----------|-------------------|
| 75-71-8 | PSD Dichlorodifluoromethane | 50.0 | 0.00 | U 44.8 | 90 | 36-123 | 9 | 0-20 |
| 74-87-3 | PSD Chloromethane | 50.0 | 0.00 | U 49.7 | 99 | 47-134 | 9 | 0-20 |
| 75-01-4 | PSD Vinyl chloride | 50.0 | 0.00 | U 48.3 | 97 | 49-129 | 10 | 0-20 |
| 74-83-9 | PSD Bromomethane | 50.0 | 0.00 | U 51.1 | 102 | 56-127 | 8 | 0-20 |
| 75-00-3 | PSD Chloroethane | 50.0 | 0.00 | U 46.7 | 93 | 67-122 | 6 | 0-20 |
| 75-69-4 | PSD Trichlorofluoromethane | 50.0 | 0.00 | U 44.1 | 88 | 60-123 | 8 | 0-20 |
| 60-29-7 | PSD Ethyl ether | 50.0 | 0.00 | U 45.9 | 92 | 69-121 | 4 | 0-20 |
| 67-64-1 | PSD Acetone | 250 | 0.00 | U 130 | 52 | 30-143 | 3 | 0-20 |
| 75-05-8 | PSD Acetonitrile | 1250 | 0.00 | U 1270 | 102 | 60-133 | 6 | 0-20 |
| 75-35-4 | PSD 1,1-Dichloroethylene | 50.0 | 0.00 | U 51.9 | 104 | 67-132 | 7 | 0-20 |
| 74-88-4 | PSD Iodomethane | 250 | 0.00 | U 241 | 96 | 69-147 | 7 | 0-20 |
| 75-09-2 | PSD Methylene chloride | 50.0 | 0.00 | U 48.1 | 96 | 56-135 | 6 | 0-20 |
| 75-15-0 | PSD Carbon disulfide | 250 | 0.00 | U 278 | 111 | 65-153 | 7 | 0-20 |
| 1634-04-4 | PSD tert-Butyl methyl ether | 50.0 | 0.00 | U 50.1 | 100 | 73-126 | 4 | 0-20 |
| 156-60-5 | PSD trans-1,2-Dichloroethylene | 50.0 | 0.00 | U 52.3 | 105 | 69-128 | 5 | 0-20 |
| 108-05-4 | PSD Vinyl acetate | 250 | 0.00 | U 238 | 95 | 50-143 | 6 | 0-20 |
| 75-34-3 | PSD 1,1-Dichloroethane | 50.0 | 0.00 | U 52.0 | 104 | 75-124 | 7 | 0-20 |
| 78-93-3 | PSD 2-Butanone | 250 | 0.00 | U 189 | 75 | 30-140 | 4 | 0-20 |
| 156-59-2 | PSD cis-1,2-Dichloroethylene | 50.0 | 0.00 | U 50.5 | 101 | 52-147 | 7 | 0-20 |
| 594-20-7 | PSD 2,2-Dichloropropane | 50.0 | 0.00 | U 46.8 | 94 | 67-143 | 5 | 0-20 |
| 67-66-3 | PSD Chloroform | 50.0 | 0.00 | U 50.6 | 101 | 75-125 | 6 | 0-20 |
| 74-97-5 | PSD Bromochloromethane | 50.0 | 0.00 | U 50.1 | 100 | 80-120 | 6 | 0-20 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 6 of 8

SDG Number: 2013-728

Sample Type: Post Spike Duplicate

Client ID: CAPA-13-29664PSD

Matrix: W

Lab Sample ID: 1202864403

Instrument: VOA4.I

Analysis Date: 04/24/2013 22:20

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|------------|---------------------------------|----------------------|----------------------|---------------------|---------------|-------------------|----------|-------------------|
| 71-55-6 | PSD 1,1,1-Trichloroethane | 50.0 | 0.00 | U 49.5 | 99 | 69-140 | 6 | 0-20 |
| 563-58-6 | PSD 1,1-Dichloropropene | 50.0 | 0.00 | U 50.9 | 102 | 71-130 | 6 | 0-20 |
| 71-36-3 | PSD n-Butyl alcohol | 5000 | 0.00 | U 5660 | 113 | 53-150 | 2 | 0-20 |
| 56-23-5 | PSD Carbon tetrachloride | 50.0 | 0.00 | U 49.4 | 99 | 69-142 | 7 | 0-20 |
| 107-06-2 | PSD 1,2-Dichloroethane | 50.0 | 0.00 | U 50.8 | 102 | 72-126 | 4 | 0-20 |
| 71-43-2 | PSD Benzene | 50.0 | 0.00 | U 50.0 | 100 | 73-119 | 6 | 0-20 |
| 79-01-6 | PSD Trichloroethylene | 50.0 | 0.00 | U 49.3 | 99 | 54-147 | 5 | 0-20 |
| 78-87-5 | PSD 1,2-Dichloropropane | 50.0 | 0.00 | U 50.2 | 100 | 78-123 | 6 | 0-20 |
| 75-27-4 | PSD Bromodichloromethane | 50.0 | 0.00 | U 51.4 | 103 | 76-131 | 5 | 0-20 |
| 74-95-3 | PSD Dibromomethane | 50.0 | 0.00 | U 50.1 | 100 | 79-120 | 5 | 0-20 |
| 108-10-1 | PSD 4-Methyl-2-pentanone | 250 | 0.00 | U 268 | 107 | 68-136 | 4 | 0-20 |
| 10061-01-5 | PSD cis-1,3-Dichloropropylene | 50.0 | 0.00 | U 50.3 | 101 | 72-134 | 6 | 0-20 |
| 108-88-3 | PSD Toluene | 50.0 | 0.00 | U 51.0 | 102 | 62-126 | 4 | 0-20 |
| 10061-02-6 | PSD trans-1,3-Dichloropropylene | 50.0 | 0.00 | U 51.3 | 103 | 72-133 | 5 | 0-20 |
| 79-00-5 | PSD 1,1,2-Trichloroethane | 50.0 | 0.00 | U 51.1 | 102 | 74-120 | 5 | 0-20 |
| 591-78-6 | PSD 2-Hexanone | 250 | 0.00 | U 234 | 94 | 31-132 | 5 | 0-20 |
| 142-28-9 | PSD 1,3-Dichloropropane | 50.0 | 0.00 | U 52.1 | 104 | 73-121 | 5 | 0-20 |
| 127-18-4 | PSD Tetrachloroethylene | 50.0 | 0.00 | U 47.6 | 95 | 54-139 | 6 | 0-20 |
| 124-48-1 | PSD Dibromochloromethane | 50.0 | 0.00 | U 53.9 | 108 | 74-128 | 4 | 0-20 |
| 106-93-4 | PSD 1,2-Dibromoethane | 50.0 | 0.00 | U 51.1 | 102 | 80-120 | 6 | 0-20 |
| 108-90-7 | PSD Chlorobenzene | 50.0 | 0.00 | U 50.0 | 100 | 73-119 | 4 | 0-20 |
| 100-41-4 | PSD Ethylbenzene | 50.0 | 0.00 | U 50.5 | 101 | 66-125 | 5 | 0-20 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 7 of 8

SDG Number: 2013-728

Sample Type: Post Spike Duplicate

Client ID: CAPA-13-29664PSD

Matrix: W

Lab Sample ID: 1202864403

Instrument: VOA4.I

Analysis Date: 04/24/2013 22:20

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|-------------|---------------------------------|----------------------|----------------------|---------------------|---------------|-------------------|----------|-------------------|
| 179601-23-1 | PSD m,p-Xylenes | 100 | 0.00 | U 101 | 101 | 56-134 | 4 | 0-20 |
| 95-47-6 | PSD o-Xylene | 50.0 | 0.00 | U 51.1 | 102 | 68-126 | 6 | 0-20 |
| 100-42-5 | PSD Styrene | 50.0 | 0.00 | U 52.8 | 106 | 57-138 | 6 | 0-20 |
| 75-25-2 | PSD Bromoform | 50.0 | 0.00 | U 53.1 | 106 | 66-129 | 2 | 0-20 |
| 79-34-5 | PSD 1,1,2,2-Tetrachloroethane | 50.0 | 0.00 | U 50.5 | 101 | 44-146 | 2 | 0-20 |
| 96-18-4 | PSD 1,2,3-Trichloropropane | 50.0 | 0.00 | U 49.2 | 98 | 68-129 | 1 | 0-20 |
| 108-86-1 | PSD Bromobenzene | 50.0 | 0.00 | U 49.2 | 98 | 70-122 | 2 | 0-20 |
| 103-65-1 | PSD n-Propylbenzene | 50.0 | 0.00 | U 49.0 | 98 | 61-131 | 3 | 0-20 |
| 95-49-8 | PSD 2-Chlorotoluene | 50.0 | 0.00 | U 49.8 | 100 | 66-126 | 3 | 0-20 |
| 98-82-8 | PSD Isopropylbenzene | 50.0 | 0.00 | U 50.3 | 101 | 65-130 | 3 | 0-20 |
| 108-67-8 | PSD 1,3,5-Trimethylbenzene | 50.0 | 0.00 | U 50.7 | 101 | 58-134 | 4 | 0-20 |
| 106-43-4 | PSD 4-Chlorotoluene | 50.0 | 0.00 | U 49.2 | 98 | 63-125 | 3 | 0-20 |
| 98-06-6 | PSD tert-Butylbenzene | 50.0 | 0.00 | U 49.7 | 99 | 66-129 | 4 | 0-20 |
| 95-63-6 | PSD 1,2,4-Trimethylbenzene | 50.0 | 0.00 | U 50.4 | 101 | 60-131 | 4 | 0-20 |
| 135-98-8 | PSD sec-Butylbenzene | 50.0 | 0.00 | U 50.8 | 102 | 62-130 | 4 | 0-20 |
| 99-87-6 | PSD 4-Isopropyltoluene | 50.0 | 0.00 | U 49.7 | 99 | 62-132 | 3 | 0-20 |
| 541-73-1 | PSD 1,3-Dichlorobenzene | 50.0 | 0.00 | U 48.5 | 97 | 66-121 | 4 | 0-20 |
| 106-46-7 | PSD 1,4-Dichlorobenzene | 50.0 | 0.00 | U 48.0 | 96 | 65-119 | 5 | 0-20 |
| 104-51-8 | PSD n-Butylbenzene | 50.0 | 0.00 | U 51.0 | 102 | 55-134 | 4 | 0-20 |
| 96-12-8 | PSD 1,2-Dibromo-3-chloropropane | 50.0 | 0.00 | U 48.4 | 97 | 58-137 | 3 | 0-20 |
| 87-68-3 | PSD Hexachlorobutadiene | 50.0 | 0.00 | U 43.8 | 88 | 49-139 | 2 | 0-20 |
| 91-20-3 | PSD Naphthalene | 50.0 | 0.00 | U 45.8 | 92 | 46-145 | 2 | 0-20 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 8 of 8

SDG Number: 2013-728

Sample Type: Post Spike Duplicate

Client ID: CAPA-13-29664PSD

Matrix: W

Lab Sample ID: 1202864403

Instrument: VOA4.I

Analysis Date: 04/24/2013 22:20

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|----------|-------------------------------|-------------------------|-------------------------|------------------------|---------------|----------------------|----------|----------------------|
| 87-61-6 | PSD 1,2,3-Trichlorobenzene | 50.0 | 0.00 U | 43.1 | 86 | 54-134 | 4 | 0-20 |
| 630-20-6 | PSD 1,1,1,2-Tetrachloroethane | 50.0 | 0.00 U | 52.1 | 104 | 79-128 | 5 | 0-20 |
| 120-82-1 | PSD 1,2,4-Trichlorobenzene | 50.0 | 0.00 U | 43.4 | 87 | 55-128 | 2 | 0-20 |
| 95-50-1 | PSD 1,2-Dichlorobenzene | 50.0 | 0.00 U | 50.0 | 100 | 68-121 | 3 | 0-20 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 1 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1297297

Matrix: WATER

Lab Sample ID: 1202864404

Instrument: VOA4.I

Analysis Date: 04/24/2013 12:01

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-----------|--------------------------------|----------------------|----------------------|---------------------|---------------|----------------------|
| 75-71-8 | LCS Dichlorodifluoromethane | 50.0 | 0.0 | 52.5 | 105 | 39-124 |
| 74-87-3 | LCS Chloromethane | 50.0 | 0.0 | 48.5 | 97 | 57-126 |
| 75-01-4 | LCS Vinyl chloride | 50.0 | 0.0 | 48.1 | 96 | 62-121 |
| 74-83-9 | LCS Bromomethane | 50.0 | 0.0 | 49.5 | 99 | 68-120 |
| 75-00-3 | LCS Chloroethane | 50.0 | 0.0 | 49.3 | 99 | 73-120 |
| 75-69-4 | LCS Trichlorofluoromethane | 50.0 | 0.0 | 51.1 | 102 | 65-123 |
| 60-29-7 | LCS Ethyl ether | 50.0 | 0.0 | 49.4 | 99 | 74-120 |
| 67-64-1 | LCS Acetone | 250 | 0.0 | 275 | 110 | 36-163 |
| 75-05-8 | LCS Acetonitrile | 1250 | 0.0 | 1300 | 104 | 64-127 |
| 75-35-4 | LCS 1,1-Dichloroethylene | 50.0 | 0.0 | 55.5 | 111 | 76-127 |
| 74-88-4 | LCS Iodomethane | 250 | 0.0 | 249 | 100 | 80-134 |
| 75-09-2 | LCS Methylene chloride | 50.0 | 0.0 | 49.4 | 99 | 72-121 |
| 75-15-0 | LCS Carbon disulfide | 250 | 0.0 | 288 | 115 | 80-143 |
| 1634-04-4 | LCS tert-Butyl methyl ether | 50.0 | 0.0 | 52.1 | 104 | 76-123 |
| 156-60-5 | LCS trans-1,2-Dichloroethylene | 50.0 | 0.0 | 55.2 | 110 | 77-123 |
| 108-05-4 | LCS Vinyl acetate | 250 | 0.0 | 277 | 111 | 75-144 |
| 75-34-3 | LCS 1,1-Dichloroethane | 50.0 | 0.0 | 53.8 | 108 | 79-120 |
| 78-93-3 | LCS 2-Butanone | 250 | 0.0 | 309 | 124 | 46-158 |
| 156-59-2 | LCS cis-1,2-Dichloroethylene | 50.0 | 0.0 | 53.6 | 107 | 80-122 |
| 594-20-7 | LCS 2,2-Dichloropropane | 50.0 | 0.0 | 54.5 | 109 | 76-145 |
| 67-66-3 | LCS Chloroform | 50.0 | 0.0 | 53.1 | 106 | 80-120 |
| 74-97-5 | LCS Bromochloromethane | 50.0 | 0.0 | 52.1 | 104 | 83-120 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 2 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1297297

Matrix: WATER

Lab Sample ID: 1202864404

Instrument: VOA4.I

Analysis Date: 04/24/2013 12:01

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|------------|---------------------------------|----------------------|----------------------|---------------------|---------------|----------------------|
| 71-55-6 | LCS 1,1,1-Trichloroethane | 50.0 | 0.0 | 55.8 | 112 | 80-133 |
| 563-58-6 | LCS 1,1-Dichloropropene | 50.0 | 0.0 | 54.8 | 110 | 80-127 |
| 71-36-3 | LCS n-Butyl alcohol | 5000 | 0.0 | 5770 | 115 | 66-138 |
| 56-23-5 | LCS Carbon tetrachloride | 50.0 | 0.0 | 55.0 | 110 | 77-139 |
| 107-06-2 | LCS 1,2-Dichloroethane | 50.0 | 0.0 | 51.0 | 102 | 75-121 |
| 71-43-2 | LCS Benzene | 50.0 | 0.0 | 52.5 | 105 | 79-120 |
| 79-01-6 | LCS Trichloroethylene | 50.0 | 0.0 | 53.3 | 107 | 80-121 |
| 78-87-5 | LCS 1,2-Dichloropropane | 50.0 | 0.0 | 51.4 | 103 | 80-120 |
| 75-27-4 | LCS Bromodichloromethane | 50.0 | 0.0 | 53.5 | 107 | 80-127 |
| 74-95-3 | LCS Dibromomethane | 50.0 | 0.0 | 51.6 | 103 | 80-120 |
| 108-10-1 | LCS 4-Methyl-2-pentanone | 250 | 0.0 | 276 | 110 | 76-131 |
| 10061-01-5 | LCS cis-1,3-Dichloropropylene | 50.0 | 0.0 | 53.7 | 107 | 80-127 |
| 108-88-3 | LCS Toluene | 50.0 | 0.0 | 51.8 | 104 | 77-120 |
| 10061-02-6 | LCS trans-1,3-Dichloropropylene | 50.0 | 0.0 | 52.5 | 105 | 80-128 |
| 79-00-5 | LCS 1,1,2-Trichloroethane | 50.0 | 0.0 | 51.1 | 102 | 79-120 |
| 591-78-6 | LCS 2-Hexanone | 250 | 0.0 | 331 | 132 | 53-158 |
| 142-28-9 | LCS 1,3-Dichloropropane | 50.0 | 0.0 | 50.1 | 100 | 77-120 |
| 127-18-4 | LCS Tetrachloroethylene | 50.0 | 0.0 | 50.4 | 101 | 77-125 |
| 124-48-1 | LCS Dibromochloromethane | 50.0 | 0.0 | 54.8 | 110 | 77-126 |
| 106-93-4 | LCS 1,2-Dibromoethane | 50.0 | 0.0 | 52.5 | 105 | 80-120 |
| 108-90-7 | LCS Chlorobenzene | 50.0 | 0.0 | 50.5 | 101 | 80-120 |
| 100-41-4 | LCS Ethylbenzene | 50.0 | 0.0 | 51.9 | 104 | 78-120 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 3 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1297297

Matrix: WATER

Lab Sample ID: 1202864404

Instrument: VOA4.I

Analysis Date: 04/24/2013 12:01

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-------------|---------------------------------|----------------------|----------------------|---------------------|---------------|----------------------|
| 179601-23-1 | LCS m,p-Xylenes | 100 | 0.0 | 104 | 104 | 79-120 |
| 95-47-6 | LCS o-Xylene | 50.0 | 0.0 | 52.2 | 104 | 80-120 |
| 100-42-5 | LCS Styrene | 50.0 | 0.0 | 54.0 | 108 | 80-121 |
| 75-25-2 | LCS Bromoform | 50.0 | 0.0 | 56.1 | 112 | 72-125 |
| 79-34-5 | LCS 1,1,2,2-Tetrachloroethane | 50.0 | 0.0 | 51.9 | 104 | 73-120 |
| 96-18-4 | LCS 1,2,3-Trichloropropane | 50.0 | 0.0 | 51.8 | 104 | 74-121 |
| 108-86-1 | LCS Bromobenzene | 50.0 | 0.0 | 50.5 | 101 | 79-120 |
| 103-65-1 | LCS n-Propylbenzene | 50.0 | 0.0 | 51.6 | 103 | 75-125 |
| 95-49-8 | LCS 2-Chlorotoluene | 50.0 | 0.0 | 51.2 | 102 | 77-121 |
| 98-82-8 | LCS Isopropylbenzene | 50.0 | 0.0 | 53.7 | 107 | 76-125 |
| 108-67-8 | LCS 1,3,5-Trimethylbenzene | 50.0 | 0.0 | 53.3 | 107 | 77-123 |
| 106-43-4 | LCS 4-Chlorotoluene | 50.0 | 0.0 | 52.0 | 104 | 75-120 |
| 98-06-6 | LCS tert-Butylbenzene | 50.0 | 0.0 | 52.9 | 106 | 79-123 |
| 95-63-6 | LCS 1,2,4-Trimethylbenzene | 50.0 | 0.0 | 53.5 | 107 | 77-121 |
| 135-98-8 | LCS sec-Butylbenzene | 50.0 | 0.0 | 53.7 | 107 | 76-124 |
| 99-87-6 | LCS 4-Isopropyltoluene | 50.0 | 0.0 | 53.2 | 106 | 79-125 |
| 541-73-1 | LCS 1,3-Dichlorobenzene | 50.0 | 0.0 | 51.9 | 104 | 78-120 |
| 106-46-7 | LCS 1,4-Dichlorobenzene | 50.0 | 0.0 | 51.4 | 103 | 77-120 |
| 104-51-8 | LCS n-Butylbenzene | 50.0 | 0.0 | 55.5 | 111 | 75-127 |
| 96-12-8 | LCS 1,2-Dibromo-3-chloropropane | 50.0 | 0.0 | 54.1 | 108 | 69-128 |
| 87-68-3 | LCS Hexachlorobutadiene | 50.0 | 0.0 | 50.3 | 101 | 75-128 |
| 91-20-3 | LCS Naphthalene | 50.0 | 0.0 | 49.8 | 100 | 71-125 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 4 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1297297

Matrix: WATER

Lab Sample ID: 1202864404

Instrument: VOA4.I

Analysis Date: 04/24/2013 12:01

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|----------|-------------------------------|-------------------------|-------------------------|------------------------|---------------|----------------------|
| 87-61-6 | LCS 1,2,3-Trichlorobenzene | 50.0 | 0.0 | 48.2 | 96 | 73-125 |
| 630-20-6 | LCS 1,1,1,2-Tetrachloroethane | 50.0 | 0.0 | 51.9 | 104 | 80-124 |
| 120-82-1 | LCS 1,2,4-Trichlorobenzene | 50.0 | 0.0 | 50.0 | 100 | 75-123 |
| 95-50-1 | LCS 1,2-Dichlorobenzene | 50.0 | 0.0 | 52.3 | 105 | 79-120 |

Volatile
Quality Control Summary
Spike Recovery Report

Page 1 of 1

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1297297

Matrix: WATER

Lab Sample ID: 1202864405

Instrument: VOA4.I

Analysis Date: 04/24/2013 13:26

Dilution: 1

Analyst: ACJ

Prep Batch ID: 1297297

Purge Vol: 5 mL

Batch ID: 1297297

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|----------|------------------------------|-------------------------|-------------------------|------------------------|---------------|----------------------|
| 107-02-8 | LCS Acrolein | 250 | 0.0 | 261 | 104 | 28-152 |
| 76-13-1 | LCS Trichlorotrifluoroethane | 250 | 0.0 | 251 | 100 | 65-157 |
| 107-05-1 | LCS Allyl chloride | 250 | 0.0 | 255 | 102 | 60-135 |
| 107-13-1 | LCS Acrylonitrile | 250 | 0.0 | 247 | 99 | 64-131 |
| 126-99-8 | LCS 2-Chloro-1,3-butadiene | 50.0 | 0.0 | 41.3 | 83 | 45-159 |
| 107-12-0 | LCS Propionitrile | 250 | 0.0 | 248 | 99 | 67-135 |
| 126-98-7 | LCS Methacrylonitrile | 250 | 0.0 | 243 | 97 | 64-132 |
| 78-83-1 | LCS Isobutyl alcohol | 2500 | 0.0 | 2650 | 106 | 60-136 |
| 80-62-6 | LCS Methyl methacrylate | 250 | 0.0 | 241 | 97 | 66-129 |
| 97-63-2 | LCS Ethyl methacrylate | 250 | 0.0 | 248 | 99 | 66-132 |

Method Blank Summary

Page 1 of 1

| | | | | | |
|----------------|----------------------|----------------|------------------|------------|--------------------|
| SDG Number: | 2013-728 | Client: | ARSL001 | Matrix: | WATER |
| Client ID: | MB for batch 1297297 | Instrument ID: | VOA4.I | Data File: | 042413V4\4H309BA.D |
| Lab Sample ID: | 1202864401 | Prep Date: | 04/24/2013 14:22 | Analyzed: | 04/24/13 14:22 |
| Column: | DB-624 | | | | |

This method blank applies to the following samples and quality control samples:

| Client Sample ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|--------------------------|---------------|--------------------|---------------|---------------|
| 01 LCS for batch 1297297 | 1202864404 | 042413V4\4H304LA.D | 04/24/13 | 1201 |
| 02 LCS for batch 1297297 | 1202864405 | 042413V4\4H307SA.D | 04/24/13 | 1326 |
| 03 CAPA-13-29666 | 323996001 | 042413V4\4H319.D | 04/24/13 | 1904 |
| 04 CAPA-13-29659 | 323996003 | 042413V4\4H320.D | 04/24/13 | 1932 |
| 05 CAPA-13-29664PS | 1202864402 | 042413V4\4H325.D | 04/24/13 | 2152 |
| 06 CAPA-13-29664PSD | 1202864403 | 042413V4\4H326.D | 04/24/13 | 2220 |

Quality Control Data

Volatile
Certificate of Analysis
Sample Summary

| | | | |
|--|-----------------------------------|-------------------|-------------|
| SDG Number: 2013-728 | | Matrix: | WATER |
| Lab Sample ID: 1202864401 | | | |
| Client Sample: QC for batch 1297297 | Client: ARSL001 | Project: | QC |
| Client ID: MB for batch 1297297 | Method: SW846 8260B DOE-AL | SOP Ref: | GL-OA-E-038 |
| Batch ID: 1297297 | Inst: VOA4.I | Dilution: | 1 |
| Run Date: 04/24/2013 14:22 | Analyst: ACJ | Purge Vol: | 5 mL |
| Prep Date: 04/24/2013 14:22 | | | |
| Data File: 042413V4\4H309BA.D | Column: DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|-----------------------------|-----------|--------|-------|---------|---------|
| 75-71-8 | Dichlorodifluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-87-3 | Chloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-01-4 | Vinyl chloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-83-9 | Bromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-00-3 | Chloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-69-4 | Trichlorofluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 60-29-7 | Ethyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-64-1 | Acetone | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-05-8 | Acetonitrile | U | 25.0 | ug/L | 8.00 | 25.0 |
| 75-35-4 | 1,1-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-88-4 | Iodomethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-09-2 | Methylene chloride | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-15-0 | Carbon disulfide | U | 5.00 | ug/L | 1.50 | 5.00 |
| 1634-04-4 | tert-Butyl methyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 156-60-5 | trans-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-05-4 | Vinyl acetate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-34-3 | 1,1-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-93-3 | 2-Butanone | U | 5.00 | ug/L | 2.00 | 5.00 |
| 156-59-2 | cis-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 594-20-7 | 2,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-66-3 | Chloroform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-97-5 | Bromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-55-6 | 1,1,1-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 563-58-6 | 1,1-Dichloropropene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-36-3 | n-Butyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 56-23-5 | Carbon tetrachloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-06-2 | 1,2-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-43-2 | Benzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-01-6 | Trichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-87-5 | 1,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-27-4 | Bromodichloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-95-3 | Dibromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-10-1 | 4-Methyl-2-pentanone | U | 5.00 | ug/L | 1.50 | 5.00 |
| 10061-01-5 | cis-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-88-3 | Toluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 10061-02-6 | trans-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-00-5 | 1,1,2-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 591-78-6 | 2-Hexanone | U | 5.00 | ug/L | 2.20 | 5.00 |

Volatile
Certificate of Analysis
Sample Summary

| | | | |
|--|-----------------------------------|-----------------------------|--|
| SDG Number: 2013-728 | | Matrix: WATER | |
| Lab Sample ID: 1202864401 | | | |
| Client Sample: QC for batch 1297297 | Client: ARSL001 | Project: QC | |
| Client ID: MB for batch 1297297 | Method: SW846 8260B DOE-AL | SOP Ref: GL-OA-E-038 | |
| Batch ID: 1297297 | Inst: VOA4.I | Dilution: 1 | |
| Run Date: 04/24/2013 14:22 | Analyst: ACJ | Purge Vol: 5 mL | |
| Prep Date: 04/24/2013 14:22 | | | |
| Data File: 042413V4\4H309BA.D | Column: DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-------------|-----------------------------|-----------|--------|-------|---------|---------|
| 142-28-9 | 1,3-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 127-18-4 | Tetrachloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 124-48-1 | Dibromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-93-4 | 1,2-Dibromoethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-90-7 | Chlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-41-4 | Ethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 179601-23-1 | m,p-Xylenes | U | 2.00 | ug/L | 0.300 | 2.00 |
| 95-47-6 | o-Xylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-42-5 | Styrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-25-2 | Bromoform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-18-4 | 1,2,3-Trichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-86-1 | Bromobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 103-65-1 | n-Propylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-49-8 | 2-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-82-8 | Isopropylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-67-8 | 1,3,5-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-43-4 | 4-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-06-6 | tert-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-63-6 | 1,2,4-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 135-98-8 | sec-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 99-87-6 | 4-Isopropyltoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 541-73-1 | 1,3-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-46-7 | 1,4-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 104-51-8 | n-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 87-68-3 | Hexachlorobutadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | U | 1.00 | ug/L | 0.400 | 1.00 |
| 87-61-6 | 1,2,3-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-02-8 | Acrolein | U | 5.00 | ug/L | 1.50 | 5.00 |
| 76-13-1 | Trichlorotrifluoroethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-05-1 | Allyl chloride | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-13-1 | Acrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-99-8 | 2-Chloro-1,3-butadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-12-0 | Propionitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-98-7 | Methacrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 78-83-1 | Isobutyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 80-62-6 | Methyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | |
|-----------------------|----------------------|-------------------|--------------------|
| SDG Number: | 2013-728 | Matrix: | WATER |
| Lab Sample ID: | 1202864401 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 |
| Client ID: | MB for batch 1297297 | Method: | SW846 8260B DOE-AL |
| Batch ID: | 1297297 | Inst: | VOA4.I |
| Run Date: | 04/24/2013 14:22 | Analyst: | ACJ |
| Prep Date: | 04/24/2013 14:22 | Purge Vol: | 5 mL |
| Data File: | 042413V4\4H309BA.D | Column: | DB-624 |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|----------|---------------------------|-----------|--------|-------|---------|---------|
| 97-63-2 | Ethyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 120-82-1 | 1,2,4-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-50-1 | 1,2-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 1,2-Dichloroethane-d4 | 51.0 | 50.0 | ug/L 102 | (78%-124%) |
| Bromofluorobenzene | 51.9 | 50.0 | ug/L 104 | (80%-120%) |
| Toluene-d8 | 50.2 | 50.0 | ug/L 100 | (80%-120%) |

Tentatively Identified Compound Summary

| CAS No. | Tentatively Identified Compound (TIC) | RT | Estimated | Units | Fit | Qual |
|---------|---------------------------------------|-------|-----------|-------|-----|------|
| | unknown hydrocarbon | 4.482 | 7.58 | ug/L | 0 | J |

Volatile
Certificate of Analysis
Sample Summary

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/12/2013 10:30 | Matrix: W |
| Lab Sample ID: 1202864402 | Date Received: 04/16/2013 09:05 | |
| Client Sample: QC for batch 1297297 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29664PS | Method: SW846 8260B DOE-AL | SOP Ref: GL-OA-E-038 |
| Batch ID: 1297297 | Inst: VOA4.I | Dilution: 1 |
| Run Date: 04/24/2013 21:52 | Analyst: ACJ | Purge Vol: 5 mL |
| Prep Date: 04/24/2013 21:52 | | |
| Data File: 042413V4\4H325.D | Column: DB-624 | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|-----------------------------|-----------|--------|-------|---------|---------|
| 75-71-8 | Dichlorodifluoromethane | | 49.0 | ug/L | 0.300 | 1.00 |
| 74-87-3 | Chloromethane | | 54.2 | ug/L | 0.300 | 1.00 |
| 75-01-4 | Vinyl chloride | | 53.5 | ug/L | 0.300 | 1.00 |
| 74-83-9 | Bromomethane | | 55.2 | ug/L | 0.300 | 1.00 |
| 75-00-3 | Chloroethane | | 49.4 | ug/L | 0.300 | 1.00 |
| 75-69-4 | Trichlorofluoromethane | | 47.7 | ug/L | 0.300 | 1.00 |
| 60-29-7 | Ethyl ether | | 47.9 | ug/L | 0.300 | 1.00 |
| 67-64-1 | Acetone | | 134 | ug/L | 3.00 | 10.0 |
| 75-05-8 | Acetonitrile | | 1350 | ug/L | 8.00 | 25.0 |
| 75-35-4 | 1,1-Dichloroethylene | | 55.8 | ug/L | 0.300 | 1.00 |
| 74-88-4 | Iodomethane | | 257 | ug/L | 1.50 | 5.00 |
| 75-09-2 | Methylene chloride | | 50.8 | ug/L | 3.00 | 10.0 |
| 75-15-0 | Carbon disulfide | | 299 | ug/L | 1.50 | 5.00 |
| 1634-04-4 | tert-Butyl methyl ether | | 52.3 | ug/L | 0.300 | 1.00 |
| 156-60-5 | trans-1,2-Dichloroethylene | | 55.2 | ug/L | 0.300 | 1.00 |
| 108-05-4 | Vinyl acetate | | 253 | ug/L | 1.50 | 5.00 |
| 75-34-3 | 1,1-Dichloroethane | | 55.9 | ug/L | 0.300 | 1.00 |
| 78-93-3 | 2-Butanone | | 196 | ug/L | 2.00 | 5.00 |
| 156-59-2 | cis-1,2-Dichloroethylene | | 54.2 | ug/L | 0.300 | 1.00 |
| 594-20-7 | 2,2-Dichloropropane | | 49.2 | ug/L | 0.300 | 1.00 |
| 67-66-3 | Chloroform | | 53.5 | ug/L | 0.300 | 1.00 |
| 74-97-5 | Bromochloromethane | | 53.2 | ug/L | 0.300 | 1.00 |
| 71-55-6 | 1,1,1-Trichloroethane | | 52.8 | ug/L | 0.300 | 1.00 |
| 563-58-6 | 1,1-Dichloropropene | | 54.1 | ug/L | 0.300 | 1.00 |
| 71-36-3 | n-Butyl alcohol | | 5770 | ug/L | 15.0 | 50.0 |
| 56-23-5 | Carbon tetrachloride | | 53.1 | ug/L | 0.300 | 1.00 |
| 107-06-2 | 1,2-Dichloroethane | | 53.1 | ug/L | 0.300 | 1.00 |
| 71-43-2 | Benzene | | 53.1 | ug/L | 0.300 | 1.00 |
| 79-01-6 | Trichloroethylene | | 52.0 | ug/L | 0.300 | 1.00 |
| 78-87-5 | 1,2-Dichloropropane | | 53.4 | ug/L | 0.300 | 1.00 |
| 75-27-4 | Bromodichloromethane | | 54.1 | ug/L | 0.300 | 1.00 |
| 74-95-3 | Dibromomethane | | 52.5 | ug/L | 0.300 | 1.00 |
| 108-10-1 | 4-Methyl-2-pentanone | | 279 | ug/L | 1.50 | 5.00 |
| 10061-01-5 | cis-1,3-Dichloropropylene | | 53.6 | ug/L | 0.300 | 1.00 |
| 108-88-3 | Toluene | | 53.1 | ug/L | 0.300 | 1.00 |
| 10061-02-6 | trans-1,3-Dichloropropylene | | 53.9 | ug/L | 0.300 | 1.00 |
| 79-00-5 | 1,1,2-Trichloroethane | | 53.6 | ug/L | 0.300 | 1.00 |
| 591-78-6 | 2-Hexanone | | 246 | ug/L | 2.20 | 5.00 |

Volatile
Certificate of Analysis
Sample Summary

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/12/2013 10:30 | Matrix: W |
| Lab Sample ID: 1202864402 | Date Received: 04/16/2013 09:05 | |
| Client Sample: QC for batch 1297297 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29664PS | Method: SW846 8260B DOE-AL | SOP Ref: GL-OA-E-038 |
| Batch ID: 1297297 | Inst: VOA4.I | Dilution: 1 |
| Run Date: 04/24/2013 21:52 | Analyst: ACJ | Purge Vol: 5 mL |
| Prep Date: 04/24/2013 21:52 | | |
| Data File: 042413V4\4H325.D | Column: DB-624 | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-------------|-----------------------------|-----------|--------|-------|---------|---------|
| 142-28-9 | 1,3-Dichloropropane | | 54.6 | ug/L | 0.300 | 1.00 |
| 127-18-4 | Tetrachloroethylene | | 50.5 | ug/L | 0.300 | 1.00 |
| 124-48-1 | Dibromochloromethane | | 55.8 | ug/L | 0.300 | 1.00 |
| 106-93-4 | 1,2-Dibromoethane | | 54.2 | ug/L | 0.300 | 1.00 |
| 108-90-7 | Chlorobenzene | | 52.0 | ug/L | 0.300 | 1.00 |
| 100-41-4 | Ethylbenzene | | 52.9 | ug/L | 0.300 | 1.00 |
| 179601-23-1 | m,p-Xylenes | | 105 | ug/L | 0.300 | 2.00 |
| 95-47-6 | o-Xylene | | 54.2 | ug/L | 0.300 | 1.00 |
| 100-42-5 | Styrene | | 56.3 | ug/L | 0.300 | 1.00 |
| 75-25-2 | Bromoform | | 54.2 | ug/L | 0.300 | 1.00 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | | 51.7 | ug/L | 0.300 | 1.00 |
| 96-18-4 | 1,2,3-Trichloropropane | | 49.9 | ug/L | 0.300 | 1.00 |
| 108-86-1 | Bromobenzene | | 50.0 | ug/L | 0.300 | 1.00 |
| 103-65-1 | n-Propylbenzene | | 50.6 | ug/L | 0.300 | 1.00 |
| 95-49-8 | 2-Chlorotoluene | | 51.3 | ug/L | 0.300 | 1.00 |
| 98-82-8 | Isopropylbenzene | | 51.9 | ug/L | 0.300 | 1.00 |
| 108-67-8 | 1,3,5-Trimethylbenzene | | 52.8 | ug/L | 0.300 | 1.00 |
| 106-43-4 | 4-Chlorotoluene | | 50.8 | ug/L | 0.300 | 1.00 |
| 98-06-6 | tert-Butylbenzene | | 51.6 | ug/L | 0.300 | 1.00 |
| 95-63-6 | 1,2,4-Trimethylbenzene | | 52.4 | ug/L | 0.300 | 1.00 |
| 135-98-8 | sec-Butylbenzene | | 52.9 | ug/L | 0.300 | 1.00 |
| 99-87-6 | 4-Isopropyltoluene | | 51.2 | ug/L | 0.300 | 1.00 |
| 541-73-1 | 1,3-Dichlorobenzene | | 50.4 | ug/L | 0.300 | 1.00 |
| 106-46-7 | 1,4-Dichlorobenzene | | 50.3 | ug/L | 0.300 | 1.00 |
| 104-51-8 | n-Butylbenzene | | 53.2 | ug/L | 0.300 | 1.00 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | | 49.9 | ug/L | 0.300 | 1.00 |
| 87-68-3 | Hexachlorobutadiene | | 44.7 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | | 46.9 | ug/L | 0.400 | 1.00 |
| 87-61-6 | 1,2,3-Trichlorobenzene | | 44.6 | ug/L | 0.300 | 1.00 |
| 107-02-8 | Acrolein | U | 5.00 | ug/L | 1.50 | 5.00 |
| 76-13-1 | Trichlorotrifluoroethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-05-1 | Allyl chloride | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-13-1 | Acrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-99-8 | 2-Chloro-1,3-butadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-12-0 | Propionitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-98-7 | Methacrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 78-83-1 | Isobutyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 80-62-6 | Methyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | | | |
|-----------------------|----------------------|------------------------|--------------------|-------------------|-------------|
| SDG Number: | 2013-728 | Date Collected: | 04/12/2013 10:30 | Matrix: | W |
| Lab Sample ID: | 1202864402 | Date Received: | 04/16/2013 09:05 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 | Project: | QC |
| Client ID: | CAPA-13-29664PS | Method: | SW846 8260B DOE-AL | SOP Ref: | GL-OA-E-038 |
| Batch ID: | 1297297 | Inst: | VOA4.I | Dilution: | 1 |
| Run Date: | 04/24/2013 21:52 | Analyst: | ACJ | Purge Vol: | 5 mL |
| Prep Date: | 04/24/2013 21:52 | | | | |
| Data File: | 042413V4\4H325.D | Column: | DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|----------|---------------------------|-----------|--------|-------|---------|---------|
| 97-63-2 | Ethyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | | 54.7 | ug/L | 0.300 | 1.00 |
| 120-82-1 | 1,2,4-Trichlorobenzene | | 44.4 | ug/L | 0.300 | 1.00 |
| 95-50-1 | 1,2-Dichlorobenzene | | 51.7 | ug/L | 0.300 | 1.00 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 1,2-Dichloroethane-d4 | 48.0 | 50.0 | ug/L 96.0 | (78%-124%) |
| Bromofluorobenzene | 47.7 | 50.0 | ug/L 95.4 | (80%-120%) |
| Toluene-d8 | 50.8 | 50.0 | ug/L 102 | (80%-120%) |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | | | |
|-----------------------|-----------------------------|------------------------|---------------------------|-------------------|--------------------|
| SDG Number: | 2013-728 | Date Collected: | 04/12/2013 10:30 | Matrix: | W |
| Lab Sample ID: | 1202864403 | Date Received: | 04/16/2013 09:05 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 | Project: | QC |
| Client ID: | CAPA-13-29664PSD | Method: | SW846 8260B DOE-AL | SOP Ref: | GL-OA-E-038 |
| Batch ID: | 1297297 | Inst: | VOA4.I | Dilution: | 1 |
| Run Date: | 04/24/2013 22:20 | Analyst: | ACJ | Purge Vol: | 5 mL |
| Prep Date: | 04/24/2013 22:20 | | | | |
| Data File: | 042413V4\4H326.D | Column: | DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|-----------------------------|-----------|--------|-------|---------|---------|
| 75-71-8 | Dichlorodifluoromethane | | 44.8 | ug/L | 0.300 | 1.00 |
| 74-87-3 | Chloromethane | | 49.7 | ug/L | 0.300 | 1.00 |
| 75-01-4 | Vinyl chloride | | 48.3 | ug/L | 0.300 | 1.00 |
| 74-83-9 | Bromomethane | | 51.1 | ug/L | 0.300 | 1.00 |
| 75-00-3 | Chloroethane | | 46.7 | ug/L | 0.300 | 1.00 |
| 75-69-4 | Trichlorofluoromethane | | 44.1 | ug/L | 0.300 | 1.00 |
| 60-29-7 | Ethyl ether | | 45.9 | ug/L | 0.300 | 1.00 |
| 67-64-1 | Acetone | | 130 | ug/L | 3.00 | 10.0 |
| 75-05-8 | Acetonitrile | | 1270 | ug/L | 8.00 | 25.0 |
| 75-35-4 | 1,1-Dichloroethylene | | 51.9 | ug/L | 0.300 | 1.00 |
| 74-88-4 | Iodomethane | | 241 | ug/L | 1.50 | 5.00 |
| 75-09-2 | Methylene chloride | | 48.1 | ug/L | 3.00 | 10.0 |
| 75-15-0 | Carbon disulfide | | 278 | ug/L | 1.50 | 5.00 |
| 1634-04-4 | tert-Butyl methyl ether | | 50.1 | ug/L | 0.300 | 1.00 |
| 156-60-5 | trans-1,2-Dichloroethylene | | 52.3 | ug/L | 0.300 | 1.00 |
| 108-05-4 | Vinyl acetate | | 238 | ug/L | 1.50 | 5.00 |
| 75-34-3 | 1,1-Dichloroethane | | 52.0 | ug/L | 0.300 | 1.00 |
| 78-93-3 | 2-Butanone | | 189 | ug/L | 2.00 | 5.00 |
| 156-59-2 | cis-1,2-Dichloroethylene | | 50.5 | ug/L | 0.300 | 1.00 |
| 594-20-7 | 2,2-Dichloropropane | | 46.8 | ug/L | 0.300 | 1.00 |
| 67-66-3 | Chloroform | | 50.6 | ug/L | 0.300 | 1.00 |
| 74-97-5 | Bromochloromethane | | 50.1 | ug/L | 0.300 | 1.00 |
| 71-55-6 | 1,1,1-Trichloroethane | | 49.5 | ug/L | 0.300 | 1.00 |
| 563-58-6 | 1,1-Dichloropropene | | 50.9 | ug/L | 0.300 | 1.00 |
| 71-36-3 | n-Butyl alcohol | | 5660 | ug/L | 15.0 | 50.0 |
| 56-23-5 | Carbon tetrachloride | | 49.4 | ug/L | 0.300 | 1.00 |
| 107-06-2 | 1,2-Dichloroethane | | 50.8 | ug/L | 0.300 | 1.00 |
| 71-43-2 | Benzene | | 50.0 | ug/L | 0.300 | 1.00 |
| 79-01-6 | Trichloroethylene | | 49.3 | ug/L | 0.300 | 1.00 |
| 78-87-5 | 1,2-Dichloropropane | | 50.2 | ug/L | 0.300 | 1.00 |
| 75-27-4 | Bromodichloromethane | | 51.4 | ug/L | 0.300 | 1.00 |
| 74-95-3 | Dibromomethane | | 50.1 | ug/L | 0.300 | 1.00 |
| 108-10-1 | 4-Methyl-2-pentanone | | 268 | ug/L | 1.50 | 5.00 |
| 10061-01-5 | cis-1,3-Dichloropropylene | | 50.3 | ug/L | 0.300 | 1.00 |
| 108-88-3 | Toluene | | 51.0 | ug/L | 0.300 | 1.00 |
| 10061-02-6 | trans-1,3-Dichloropropylene | | 51.3 | ug/L | 0.300 | 1.00 |
| 79-00-5 | 1,1,2-Trichloroethane | | 51.1 | ug/L | 0.300 | 1.00 |
| 591-78-6 | 2-Hexanone | | 234 | ug/L | 2.20 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | | | |
|-----------------------|-----------------------------|------------------------|---------------------------|-------------------|--------------------|
| SDG Number: | 2013-728 | Date Collected: | 04/12/2013 10:30 | Matrix: | W |
| Lab Sample ID: | 1202864403 | Date Received: | 04/16/2013 09:05 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 | Project: | QC |
| Client ID: | CAPA-13-29664PSD | Method: | SW846 8260B DOE-AL | SOP Ref: | GL-OA-E-038 |
| Batch ID: | 1297297 | Inst: | VOA4.I | Dilution: | 1 |
| Run Date: | 04/24/2013 22:20 | Analyst: | ACJ | Purge Vol: | 5 mL |
| Prep Date: | 04/24/2013 22:20 | | | | |
| Data File: | 042413V4\4H326.D | Column: | DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-------------|-----------------------------|-----------|--------|-------|---------|---------|
| 142-28-9 | 1,3-Dichloropropane | | 52.1 | ug/L | 0.300 | 1.00 |
| 127-18-4 | Tetrachloroethylene | | 47.6 | ug/L | 0.300 | 1.00 |
| 124-48-1 | Dibromochloromethane | | 53.9 | ug/L | 0.300 | 1.00 |
| 106-93-4 | 1,2-Dibromoethane | | 51.1 | ug/L | 0.300 | 1.00 |
| 108-90-7 | Chlorobenzene | | 50.0 | ug/L | 0.300 | 1.00 |
| 100-41-4 | Ethylbenzene | | 50.5 | ug/L | 0.300 | 1.00 |
| 179601-23-1 | m,p-Xylenes | | 101 | ug/L | 0.300 | 2.00 |
| 95-47-6 | o-Xylene | | 51.1 | ug/L | 0.300 | 1.00 |
| 100-42-5 | Styrene | | 52.8 | ug/L | 0.300 | 1.00 |
| 75-25-2 | Bromoform | | 53.1 | ug/L | 0.300 | 1.00 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | | 50.5 | ug/L | 0.300 | 1.00 |
| 96-18-4 | 1,2,3-Trichloropropane | | 49.2 | ug/L | 0.300 | 1.00 |
| 108-86-1 | Bromobenzene | | 49.2 | ug/L | 0.300 | 1.00 |
| 103-65-1 | n-Propylbenzene | | 49.0 | ug/L | 0.300 | 1.00 |
| 95-49-8 | 2-Chlorotoluene | | 49.8 | ug/L | 0.300 | 1.00 |
| 98-82-8 | Isopropylbenzene | | 50.3 | ug/L | 0.300 | 1.00 |
| 108-67-8 | 1,3,5-Trimethylbenzene | | 50.7 | ug/L | 0.300 | 1.00 |
| 106-43-4 | 4-Chlorotoluene | | 49.2 | ug/L | 0.300 | 1.00 |
| 98-06-6 | tert-Butylbenzene | | 49.7 | ug/L | 0.300 | 1.00 |
| 95-63-6 | 1,2,4-Trimethylbenzene | | 50.4 | ug/L | 0.300 | 1.00 |
| 135-98-8 | sec-Butylbenzene | | 50.8 | ug/L | 0.300 | 1.00 |
| 99-87-6 | 4-Isopropyltoluene | | 49.7 | ug/L | 0.300 | 1.00 |
| 541-73-1 | 1,3-Dichlorobenzene | | 48.5 | ug/L | 0.300 | 1.00 |
| 106-46-7 | 1,4-Dichlorobenzene | | 48.0 | ug/L | 0.300 | 1.00 |
| 104-51-8 | n-Butylbenzene | | 51.0 | ug/L | 0.300 | 1.00 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | | 48.4 | ug/L | 0.300 | 1.00 |
| 87-68-3 | Hexachlorobutadiene | | 43.8 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | | 45.8 | ug/L | 0.400 | 1.00 |
| 87-61-6 | 1,2,3-Trichlorobenzene | | 43.1 | ug/L | 0.300 | 1.00 |
| 107-02-8 | Acrolein | U | 5.00 | ug/L | 1.50 | 5.00 |
| 76-13-1 | Trichlorotrifluoroethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-05-1 | Allyl chloride | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-13-1 | Acrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-99-8 | 2-Chloro-1,3-butadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-12-0 | Propionitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-98-7 | Methacrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 78-83-1 | Isobutyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 80-62-6 | Methyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | | | |
|-----------------------|----------------------|------------------------|--------------------|-------------------|-------------|
| SDG Number: | 2013-728 | Date Collected: | 04/12/2013 10:30 | Matrix: | W |
| Lab Sample ID: | 1202864403 | Date Received: | 04/16/2013 09:05 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 | Project: | QC |
| Client ID: | CAPA-13-29664PSD | Method: | SW846 8260B DOE-AL | SOP Ref: | GL-OA-E-038 |
| Batch ID: | 1297297 | Inst: | VOA4.I | Dilution: | 1 |
| Run Date: | 04/24/2013 22:20 | Analyst: | ACJ | Purge Vol: | 5 mL |
| Prep Date: | 04/24/2013 22:20 | | | | |
| Data File: | 042413V4\4H326.D | Column: | DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|----------|---------------------------|-----------|--------|-------|---------|---------|
| 97-63-2 | Ethyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | | 52.1 | ug/L | 0.300 | 1.00 |
| 120-82-1 | 1,2,4-Trichlorobenzene | | 43.4 | ug/L | 0.300 | 1.00 |
| 95-50-1 | 1,2-Dichlorobenzene | | 50.0 | ug/L | 0.300 | 1.00 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 1,2-Dichloroethane-d4 | 48.9 | 50.0 | ug/L 97.8 | (78%-124%) |
| Bromofluorobenzene | 48.9 | 50.0 | ug/L 97.7 | (80%-120%) |
| Toluene-d8 | 50.7 | 50.0 | ug/L 101 | (80%-120%) |

Volatile
Certificate of Analysis
Sample Summary

| | | | |
|--|-----------------------------------|-----------------------------|--|
| SDG Number: 2013-728 | | Matrix: WATER | |
| Lab Sample ID: 1202864404 | | | |
| Client Sample: QC for batch 1297297 | Client: ARSL001 | Project: QC | |
| Client ID: LCS for batch 1297297 | Method: SW846 8260B DOE-AL | SOP Ref: GL-OA-E-038 | |
| Batch ID: 1297297 | Inst: VOA4.I | Dilution: 1 | |
| Run Date: 04/24/2013 12:01 | Analyst: ACJ | Purge Vol: 5 mL | |
| Prep Date: 04/24/2013 12:01 | | | |
| Data File: 042413V4\4H304LA.D | Column: DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|-----------------------------|-----------|--------|-------|---------|---------|
| 75-71-8 | Dichlorodifluoromethane | | 52.5 | ug/L | 0.300 | 1.00 |
| 74-87-3 | Chloromethane | | 48.5 | ug/L | 0.300 | 1.00 |
| 75-01-4 | Vinyl chloride | | 48.1 | ug/L | 0.300 | 1.00 |
| 74-83-9 | Bromomethane | | 49.5 | ug/L | 0.300 | 1.00 |
| 75-00-3 | Chloroethane | | 49.3 | ug/L | 0.300 | 1.00 |
| 75-69-4 | Trichlorofluoromethane | | 51.1 | ug/L | 0.300 | 1.00 |
| 60-29-7 | Ethyl ether | | 49.4 | ug/L | 0.300 | 1.00 |
| 67-64-1 | Acetone | | 275 | ug/L | 3.00 | 10.0 |
| 75-05-8 | Acetonitrile | | 1300 | ug/L | 8.00 | 25.0 |
| 75-35-4 | 1,1-Dichloroethylene | | 55.5 | ug/L | 0.300 | 1.00 |
| 74-88-4 | Iodomethane | | 249 | ug/L | 1.50 | 5.00 |
| 75-09-2 | Methylene chloride | | 49.4 | ug/L | 3.00 | 10.0 |
| 75-15-0 | Carbon disulfide | | 288 | ug/L | 1.50 | 5.00 |
| 1634-04-4 | tert-Butyl methyl ether | | 52.1 | ug/L | 0.300 | 1.00 |
| 156-60-5 | trans-1,2-Dichloroethylene | | 55.2 | ug/L | 0.300 | 1.00 |
| 108-05-4 | Vinyl acetate | | 277 | ug/L | 1.50 | 5.00 |
| 75-34-3 | 1,1-Dichloroethane | | 53.8 | ug/L | 0.300 | 1.00 |
| 78-93-3 | 2-Butanone | | 309 | ug/L | 2.00 | 5.00 |
| 156-59-2 | cis-1,2-Dichloroethylene | | 53.6 | ug/L | 0.300 | 1.00 |
| 594-20-7 | 2,2-Dichloropropane | | 54.5 | ug/L | 0.300 | 1.00 |
| 67-66-3 | Chloroform | | 53.1 | ug/L | 0.300 | 1.00 |
| 74-97-5 | Bromochloromethane | | 52.1 | ug/L | 0.300 | 1.00 |
| 71-55-6 | 1,1,1-Trichloroethane | | 55.8 | ug/L | 0.300 | 1.00 |
| 563-58-6 | 1,1-Dichloropropene | | 54.8 | ug/L | 0.300 | 1.00 |
| 71-36-3 | n-Butyl alcohol | | 5770 | ug/L | 15.0 | 50.0 |
| 56-23-5 | Carbon tetrachloride | | 55.0 | ug/L | 0.300 | 1.00 |
| 107-06-2 | 1,2-Dichloroethane | | 51.0 | ug/L | 0.300 | 1.00 |
| 71-43-2 | Benzene | | 52.5 | ug/L | 0.300 | 1.00 |
| 79-01-6 | Trichloroethylene | | 53.3 | ug/L | 0.300 | 1.00 |
| 78-87-5 | 1,2-Dichloropropane | | 51.4 | ug/L | 0.300 | 1.00 |
| 75-27-4 | Bromodichloromethane | | 53.5 | ug/L | 0.300 | 1.00 |
| 74-95-3 | Dibromomethane | | 51.6 | ug/L | 0.300 | 1.00 |
| 108-10-1 | 4-Methyl-2-pentanone | | 276 | ug/L | 1.50 | 5.00 |
| 10061-01-5 | cis-1,3-Dichloropropylene | | 53.7 | ug/L | 0.300 | 1.00 |
| 108-88-3 | Toluene | | 51.8 | ug/L | 0.300 | 1.00 |
| 10061-02-6 | trans-1,3-Dichloropropylene | | 52.5 | ug/L | 0.300 | 1.00 |
| 79-00-5 | 1,1,2-Trichloroethane | | 51.1 | ug/L | 0.300 | 1.00 |
| 591-78-6 | 2-Hexanone | | 331 | ug/L | 2.20 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | |
|-----------------------|------------------------------|-------------------|---------------------------|
| SDG Number: | 2013-728 | Matrix: | WATER |
| Lab Sample ID: | 1202864404 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 |
| Client ID: | LCS for batch 1297297 | Method: | SW846 8260B DOE-AL |
| Batch ID: | 1297297 | Inst: | VOA4.I |
| Run Date: | 04/24/2013 12:01 | Analyst: | ACJ |
| Prep Date: | 04/24/2013 12:01 | Purge Vol: | 5 mL |
| Data File: | 042413V4\4H304LA.D | Column: | DB-624 |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-------------|-----------------------------|-----------|--------|-------|---------|---------|
| 142-28-9 | 1,3-Dichloropropane | | 50.1 | ug/L | 0.300 | 1.00 |
| 127-18-4 | Tetrachloroethylene | | 50.4 | ug/L | 0.300 | 1.00 |
| 124-48-1 | Dibromochloromethane | | 54.8 | ug/L | 0.300 | 1.00 |
| 106-93-4 | 1,2-Dibromoethane | | 52.5 | ug/L | 0.300 | 1.00 |
| 108-90-7 | Chlorobenzene | | 50.5 | ug/L | 0.300 | 1.00 |
| 100-41-4 | Ethylbenzene | | 51.9 | ug/L | 0.300 | 1.00 |
| 179601-23-1 | m,p-Xylenes | | 104 | ug/L | 0.300 | 2.00 |
| 95-47-6 | o-Xylene | | 52.2 | ug/L | 0.300 | 1.00 |
| 100-42-5 | Styrene | | 54.0 | ug/L | 0.300 | 1.00 |
| 75-25-2 | Bromoform | | 56.1 | ug/L | 0.300 | 1.00 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | | 51.9 | ug/L | 0.300 | 1.00 |
| 96-18-4 | 1,2,3-Trichloropropane | | 51.8 | ug/L | 0.300 | 1.00 |
| 108-86-1 | Bromobenzene | | 50.5 | ug/L | 0.300 | 1.00 |
| 103-65-1 | n-Propylbenzene | | 51.6 | ug/L | 0.300 | 1.00 |
| 95-49-8 | 2-Chlorotoluene | | 51.2 | ug/L | 0.300 | 1.00 |
| 98-82-8 | Isopropylbenzene | | 53.7 | ug/L | 0.300 | 1.00 |
| 108-67-8 | 1,3,5-Trimethylbenzene | | 53.3 | ug/L | 0.300 | 1.00 |
| 106-43-4 | 4-Chlorotoluene | | 52.0 | ug/L | 0.300 | 1.00 |
| 98-06-6 | tert-Butylbenzene | | 52.9 | ug/L | 0.300 | 1.00 |
| 95-63-6 | 1,2,4-Trimethylbenzene | | 53.5 | ug/L | 0.300 | 1.00 |
| 135-98-8 | sec-Butylbenzene | | 53.7 | ug/L | 0.300 | 1.00 |
| 99-87-6 | 4-Isopropyltoluene | | 53.2 | ug/L | 0.300 | 1.00 |
| 541-73-1 | 1,3-Dichlorobenzene | | 51.9 | ug/L | 0.300 | 1.00 |
| 106-46-7 | 1,4-Dichlorobenzene | | 51.4 | ug/L | 0.300 | 1.00 |
| 104-51-8 | n-Butylbenzene | | 55.5 | ug/L | 0.300 | 1.00 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | | 54.1 | ug/L | 0.300 | 1.00 |
| 87-68-3 | Hexachlorobutadiene | | 50.3 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | | 49.8 | ug/L | 0.400 | 1.00 |
| 87-61-6 | 1,2,3-Trichlorobenzene | | 48.2 | ug/L | 0.300 | 1.00 |
| 107-02-8 | Acrolein | U | 5.00 | ug/L | 1.50 | 5.00 |
| 76-13-1 | Trichlorotrifluoroethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-05-1 | Allyl chloride | U | 5.00 | ug/L | 1.50 | 5.00 |
| 107-13-1 | Acrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-99-8 | 2-Chloro-1,3-butadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-12-0 | Propionitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 126-98-7 | Methacrylonitrile | U | 5.00 | ug/L | 1.50 | 5.00 |
| 78-83-1 | Isobutyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 80-62-6 | Methyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | |
|-----------------------|-----------------------|-------------------|--------------------|
| SDG Number: | 2013-728 | Matrix: | WATER |
| Lab Sample ID: | 1202864404 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 |
| Client ID: | LCS for batch 1297297 | Method: | SW846 8260B DOE-AL |
| Batch ID: | 1297297 | Inst: | VOA4.I |
| Run Date: | 04/24/2013 12:01 | Analyst: | ACJ |
| Prep Date: | 04/24/2013 12:01 | | |
| Data File: | 042413V4\4H304LA.D | Column: | DB-624 |
| | | Project: | QC |
| | | SOP Ref: | GL-OA-E-038 |
| | | Dilution: | 1 |
| | | Purge Vol: | 5 mL |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|----------|---------------------------|-----------|--------|-------|---------|---------|
| 97-63-2 | Ethyl methacrylate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | | 51.9 | ug/L | 0.300 | 1.00 |
| 120-82-1 | 1,2,4-Trichlorobenzene | | 50.0 | ug/L | 0.300 | 1.00 |
| 95-50-1 | 1,2-Dichlorobenzene | | 52.3 | ug/L | 0.300 | 1.00 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 1,2-Dichloroethane-d4 | 49.2 | 50.0 | ug/L 98.4 | (78%-124%) |
| Bromofluorobenzene | 49.7 | 50.0 | ug/L 99.5 | (80%-120%) |
| Toluene-d8 | 49.7 | 50.0 | ug/L 99.5 | (80%-120%) |

Volatile
Certificate of Analysis
Sample Summary

| | | | |
|--|-----------------------------------|-----------------------------|--|
| SDG Number: 2013-728 | | Matrix: WATER | |
| Lab Sample ID: 1202864405 | | | |
| Client Sample: QC for batch 1297297 | Client: ARSL001 | Project: QC | |
| Client ID: LCS for batch 1297297 | Method: SW846 8260B DOE-AL | SOP Ref: GL-OA-E-038 | |
| Batch ID: 1297297 | Inst: VOA4.I | Dilution: 1 | |
| Run Date: 04/24/2013 13:26 | Analyst: ACJ | Purge Vol: 5 mL | |
| Prep Date: 04/24/2013 13:26 | | | |
| Data File: 042413V4\4H307SA.D | Column: DB-624 | | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|-----------------------------|-----------|--------|-------|---------|---------|
| 75-71-8 | Dichlorodifluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-87-3 | Chloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-01-4 | Vinyl chloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-83-9 | Bromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-00-3 | Chloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-69-4 | Trichlorofluoromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 60-29-7 | Ethyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-64-1 | Acetone | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-05-8 | Acetonitrile | U | 25.0 | ug/L | 8.00 | 25.0 |
| 75-35-4 | 1,1-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-88-4 | Iodomethane | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-09-2 | Methylene chloride | U | 10.0 | ug/L | 3.00 | 10.0 |
| 75-15-0 | Carbon disulfide | U | 5.00 | ug/L | 1.50 | 5.00 |
| 1634-04-4 | tert-Butyl methyl ether | U | 1.00 | ug/L | 0.300 | 1.00 |
| 156-60-5 | trans-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-05-4 | Vinyl acetate | U | 5.00 | ug/L | 1.50 | 5.00 |
| 75-34-3 | 1,1-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-93-3 | 2-Butanone | U | 5.00 | ug/L | 2.00 | 5.00 |
| 156-59-2 | cis-1,2-Dichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 594-20-7 | 2,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 67-66-3 | Chloroform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-97-5 | Bromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-55-6 | 1,1,1-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 563-58-6 | 1,1-Dichloropropene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-36-3 | n-Butyl alcohol | U | 50.0 | ug/L | 15.0 | 50.0 |
| 56-23-5 | Carbon tetrachloride | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-06-2 | 1,2-Dichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 71-43-2 | Benzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-01-6 | Trichloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 78-87-5 | 1,2-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-27-4 | Bromodichloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 74-95-3 | Dibromomethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-10-1 | 4-Methyl-2-pentanone | U | 5.00 | ug/L | 1.50 | 5.00 |
| 10061-01-5 | cis-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-88-3 | Toluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 10061-02-6 | trans-1,3-Dichloropropylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-00-5 | 1,1,2-Trichloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 591-78-6 | 2-Hexanone | U | 5.00 | ug/L | 2.20 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

| | | | |
|-----------------------|------------------------------|-------------------|---------------------------|
| SDG Number: | 2013-728 | Matrix: | WATER |
| Lab Sample ID: | 1202864405 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 |
| Client ID: | LCS for batch 1297297 | Method: | SW846 8260B DOE-AL |
| Batch ID: | 1297297 | Inst: | VOA4.I |
| Run Date: | 04/24/2013 13:26 | Analyst: | ACJ |
| Prep Date: | 04/24/2013 13:26 | Purge Vol: | 5 mL |
| Data File: | 042413V4\4H307SA.D | Column: | DB-624 |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-------------|-----------------------------|-----------|--------|-------|---------|---------|
| 142-28-9 | 1,3-Dichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 127-18-4 | Tetrachloroethylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 124-48-1 | Dibromochloromethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-93-4 | 1,2-Dibromoethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-90-7 | Chlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-41-4 | Ethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 179601-23-1 | m,p-Xylenes | U | 2.00 | ug/L | 0.300 | 2.00 |
| 95-47-6 | o-Xylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 100-42-5 | Styrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 75-25-2 | Bromoform | U | 1.00 | ug/L | 0.300 | 1.00 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-18-4 | 1,2,3-Trichloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-86-1 | Bromobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 103-65-1 | n-Propylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-49-8 | 2-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-82-8 | Isopropylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 108-67-8 | 1,3,5-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-43-4 | 4-Chlorotoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 98-06-6 | tert-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-63-6 | 1,2,4-Trimethylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 135-98-8 | sec-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 99-87-6 | 4-Isopropyltoluene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 541-73-1 | 1,3-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 106-46-7 | 1,4-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 104-51-8 | n-Butylbenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 87-68-3 | Hexachlorobutadiene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | U | 1.00 | ug/L | 0.400 | 1.00 |
| 87-61-6 | 1,2,3-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 107-02-8 | Acrolein | | 261 | ug/L | 1.50 | 5.00 |
| 76-13-1 | Trichlorotrifluoroethane | | 251 | ug/L | 1.50 | 5.00 |
| 107-05-1 | Allyl chloride | | 255 | ug/L | 1.50 | 5.00 |
| 107-13-1 | Acrylonitrile | | 247 | ug/L | 1.50 | 5.00 |
| 126-99-8 | 2-Chloro-1,3-butadiene | | 41.3 | ug/L | 0.300 | 1.00 |
| 107-12-0 | Propionitrile | | 248 | ug/L | 1.50 | 5.00 |
| 126-98-7 | Methacrylonitrile | | 243 | ug/L | 1.50 | 5.00 |
| 78-83-1 | Isobutyl alcohol | | 2650 | ug/L | 15.0 | 50.0 |
| 80-62-6 | Methyl methacrylate | | 241 | ug/L | 1.50 | 5.00 |

**Volatile
Certificate of Analysis
Sample Summary**

Page 3 of 3

| | | | |
|-----------------------|-----------------------|-------------------|--------------------|
| SDG Number: | 2013-728 | Matrix: | WATER |
| Lab Sample ID: | 1202864405 | | |
| Client Sample: | QC for batch 1297297 | Client: | ARSL001 |
| Client ID: | LCS for batch 1297297 | Method: | SW846 8260B DOE-AL |
| Batch ID: | 1297297 | Inst: | VOA4.I |
| Run Date: | 04/24/2013 13:26 | Analyst: | ACJ |
| Prep Date: | 04/24/2013 13:26 | Purge Vol: | 5 mL |
| Data File: | 042413V4\4H307SA.D | Column: | DB-624 |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|----------|---------------------------|-----------|--------|-------|---------|---------|
| 97-63-2 | Ethyl methacrylate | | 248 | ug/L | 1.50 | 5.00 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | U | 1.00 | ug/L | 0.300 | 1.00 |
| 120-82-1 | 1,2,4-Trichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 95-50-1 | 1,2-Dichlorobenzene | U | 1.00 | ug/L | 0.300 | 1.00 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 1,2-Dichloroethane-d4 | 49.8 | 50.0 | ug/L 99.5 | (78%-124%) |
| Bromofluorobenzene | 52.4 | 50.0 | ug/L 105 | (80%-120%) |
| Toluene-d8 | 50.1 | 50.0 | ug/L 100 | (80%-120%) |

Semi-Volatile Analysis

Case Narrative

**Semi-Volatile Case Narrative
ARS International (ARSL)
SDG 2013-728**

Method/Analysis Information

| | |
|--------------------------|---|
| Procedure: | Analysis of Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry |
| Analytical Method: | SW846 8270C |
| Prep Method: | SW846 3510C |
| Analytical Batch Number: | 1295932 |
| Prep Batch Number: | 1295931 |

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 8270C:

| Sample ID | Client ID |
|------------------|---|
| 323996001 | CAPA-13-29666 |
| 1202861109 | Method Blank (MB) |
| 1202861110 | Laboratory Control Sample (LCS) |
| 1202861111 | 323996001(CAPA-13-29666) Matrix Spike (MS) |
| 1202861112 | 323996001(CAPA-13-29666) Matrix Spike Duplicate (MSD) |

The samples in this SDG were analyzed on an "as received" basis.

Preparation/Analytical Method Verification

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-009 REV# 30.

Raw data reports are processed and reviewed by the analyst using the data analysis software package. False positives have been removed from the quantitation reports per standard operating procedures (SOP).

Calibration Information

A complete list of the initial calibration data files are shown in the Calibration History report located in the Standard Data section of the data package. The various calibration mixes may not be calibrated using all of the calibration levels. In addition, not all of the mixes are calibrated using the same levels.

Diphenylamine has now superseded N-Nitroso-diphenylamine on Quantitation Reports, Initial Calibration Reports, Calibration Check Standard Reports, etc. Previous versions of EPA Methodologies referenced N-Nitroso-diphenylamine. However, as stated in EPA Methodology, "N-Nitroso-diphenylamine decomposes in the gas chromatographic inlet and cannot be separated from Diphenylamine." Studies of these two compounds at

GEL, both independent of each other and together, showed that they not only co-elute, but also have similar mass spectra. N-Nitroso-diphenylamine and Diphenylamine will be reported as Diphenylamine on all reports and forms.

Initial Calibration

All initial calibration requirements have been met for this sample delivery group (SDG) in this batch. A second source initial calibration verification (ICV) was included in the standard section directly behind the initial calibration.

CCV Requirements

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG in this batch met the acceptance criteria.

Surrogate Recoveries

All the surrogate recoveries were within the established acceptance criteria for this SDG in this batch.

Laboratory Control Sample (LCS) Recovery

The LCS(1202861110) did not meet spike recovery acceptance limits for Atrazine and 1,4-Dioxane. Please see the QC Summary for specific failures. These failures represent less than 5% of the total spiked analytes and the data are in compliance with the client's guidelines. In addition, it should be noted that 1,4-Dioxane does not extract well from water and is subject to poor recoveries. Please note that Atrazine also recovered low in the MS and MSD. Atrazine was well within the %Drift acceptance criteria in the ICV and CCV. Since there was insufficient sample volume remaining to re-extract the parent sample 323996001(CAPA-13-29666) and associated MS/MSD pair, the data results have been reported.

QC Sample Designation

Sample 323996001 (CAPA-13-29666) was selected for analysis as the matrix spike and matrix spike duplicate.

Matrix Spike (MS) Recovery Statement

The MS(1202861111(CAPA-13-29666)) did not meet spike recovery acceptance limits for Pyridine, Atrazine and Benzidine. Please see the QC Summary for specific failures. Benzidine is subject to oxidative loss during extraction, as documented in method 8270. This may account for the low recovery of the analyte in the MS. Please note that Atrazine also recovered low in the MS and MSD. Atrazine was well within the %Drift acceptance criteria in the ICV and CCV. Since there was insufficient sample volume remaining to re-extract the parent sample 323996001(CAPA-13-29666) and associated MS/MSD pair, the data results have been reported.

Matrix Spike Duplicate (MSD) Recovery Statement

The MSD(1202861112(CAPA-13-29666)) did not meet spike recovery acceptance limits for Atrazine. Please see the QC Summary for specific failures. Benzidine is subject to oxidative loss during extraction, as documented in method 8270. This may account for the low recovery of the analyte in the MS. Please note that Atrazine also recovered low in the MS and MSD. Atrazine was well within the %Drift acceptance criteria in the ICV and CCV. Since there was insufficient sample volume remaining to re-extract the parent sample 323996001(CAPA-13-29666) and associated MS/MSD pair, the data results have been reported.

MS/MSD Relative Percent Difference (RPD) Statement

The MS(1202861111(CAPA-13-29666))/MSD(1202861112(CAPA-13-29666)) pair displayed RPD values outside of the acceptance criteria. Please see the QC Summary for specific failures. The higher recoveries in the MSD, when compared to the MS attributed to the RPD failures. Since there was insufficient sample volume remaining to re-extract the parent sample 323996001(CAPA-13-29666) and associated MS/MSD pair, the data results have been reported.

Internal Standard (ISTD) Acceptance

The internal standard responses used to quantitate the requested target analytes were within the required acceptance criteria for the SDG associated samples in this batch.

Technical Information:

Holding Time Specifications

All samples in this SDG in this batch met the specified holding time. GEL assigns holding times based on the associated methodology that assigns the date and time from sample collection or sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP. All reported compound mass spectra met the detection specifications in the method.

Sample Dilutions

The samples in this SDG in this batch did not require dilutions.

Sample Re-extraction/Re-analysis

Re-extractions or re-analyses were not required in this SDG in this analytical batch unless confirmations or dilutions were required.

Miscellaneous Information:

Data Exception (DER) Documentation

The following DER was generated for this SDG: 1179843

Manual Integrations

Some initial calibration standards, continuing calibration standards, and/or samples may require manual integrations due to software limitations. Manual integrations, if any, are included with the raw data.

TIC Comment

Tentatively identified compounds (TIC) may be requested for samples in this delivery group/work order. Please note that non-requested calibrated analytes detected in a client sample may be reported on the Form 1/Certificate of Analysis as TICs. TIC data, if requested, are included on the Sample Data Summary (Form 1) and are also included with the sample raw data.

Additional Comments

The additional comments field is used to address special issues associated with each analysis, clarify method/contractual issues pertaining to the analysis, and to list any report documents generated as a result of sample analysis or review. The following additional comments were required:

Due to rounding differences in the calculation, the data reported in the Surrogate Recovery Report may differ slightly from the raw data. Due to software issue, the raw data may not correctly display the updated SPC limits. Please see Sample Data Summary Report and Surrogate Recovery Report for the correct surrogate acceptance limits.

Electronic Package Comment

The following package was generated using an electronic data processing program referred to as "virtual packaging". In an effort to increase quality and efficiency, the laboratory is developing systems to eventually generate all data packages electronically. The following change from "traditional" packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. An electronic signature page inserted after the case narrative of each electronic package will indicate the reviewer name associated with the generation of the data and package. The data validator will always sign and date the

case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

System Configuration

The Semi-Volatile-GC/MS analysis was performed on the following instrument configuration:

| Instrument ID | Instrument | System Configuration | Column ID | Column Description |
|----------------------|---|-----------------------------|------------------|--|
| MSD8.I | Agilent 6890/5973 GC/MS w/ 7683 Autosampler | HP6890/HP5973 | DB-5MS | 25m x 0.2mm, 0.33um (5% Phenylmethylpolysiloxane) |

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ARSL001 ARS International (63641-10)

Client SDG: 2013-728 GEL Work Order: 323996


The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a surrogate compound
- J Value is estimated
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 10 MAY 2013

Title: Data Validator

Sample Data Summary

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 1 of 3

SDG Number: 2013-728

Lab Sample ID: 323996001

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Method: SW846 8270C

SOP Ref: GL-OA-E-009

Inst: MSD8.I

Dilution: 1

Batch ID: 1295932

Run Date: 04/19/2013 15:18

Analyst: RMB

Inj. Vol: 1 uL

Prep Date: 04/19/2013 07:12

Aliquot: 1000 mL

Final Volume: 1 mL

Data File: s041913.B\s8D1906.D

Column: DB-5ms

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|--------------------------------|-----------|--------|-------|---------|---------|
| 62-75-9 | N-Methyl-N-nitrosomethylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 110-86-1 | Pyridine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 62-53-3 | Aniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| 108-95-2 | Phenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 111-44-4 | bis(2-Chloroethyl) ether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-57-8 | 2-Chlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 541-73-1 | 1,3-Dichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 106-46-7 | 1,4-Dichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-50-1 | 1,2-Dichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 39638-32-9 | bis(2-Chloroisopropyl)ether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 100-51-6 | Benzyl alcohol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-48-7 | o-Cresol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 65794-96-9 | m,p-Cresols | U | 10.0 | ug/L | 3.00 | 10.0 |
| 621-64-7 | N-Nitrosodi--n-propylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>N-Nitrosodipropylamine</i> | | | | | |
| 67-72-1 | Hexachloroethane | U | 10.0 | ug/L | 3.00 | 10.0 |
| 98-95-3 | Nitrobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 78-59-1 | Isophorone | U | 10.0 | ug/L | 3.00 | 10.0 |
| 88-75-5 | 2-Nitrophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 105-67-9 | 2,4-Dimethylphenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 111-91-1 | bis(2-Chloroethoxy)methane | U | 10.0 | ug/L | 3.00 | 10.0 |
| 120-83-2 | 2,4-Dichlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 65-85-0 | Benzoic acid | U | 20.0 | ug/L | 6.00 | 20.0 |
| 106-47-8 | 4-Chloroaniline | U | 10.0 | ug/L | 3.30 | 10.0 |
| 87-68-3 | Hexachlorobutadiene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 59-50-7 | Parachlorometa cresol | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>4-Chloro-3-methylphenol</i> | | | | | |
| 91-57-6 | 2-Methylnaphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 90-12-0 | 1-Methylnaphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 77-47-4 | Hexachlorocyclopentadiene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 88-06-2 | 2,4,6-Trichlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-95-4 | 2,4,5-Trichlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 91-58-7 | 2-Chloronaphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 88-74-4 | 2-Nitroaniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>o-Nitroaniline</i> | | | | | |
| 99-09-2 | 3-Nitroaniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>m-Nitroaniline</i> | | | | | |
| 131-11-3 | Dimethylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 606-20-2 | 2,6-Dinitrotoluene | U | 10.0 | ug/L | 3.00 | 10.0 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 2013-728

Lab Sample ID: 323996001

Date Collected: 04/15/2013 12:34

Date Received: 04/17/2013 09:15

Matrix: W

Client: ARSL001

Project: ESHL00210

Method: SW846 8270C

SOP Ref: GL-OA-E-009

Inst: MSD8.I

Dilution: 1

Batch ID: 1295932

Run Date: 04/19/2013 15:18

Analyst: RMB

Inj. Vol: 1 uL

Prep Date: 04/19/2013 07:12

Aliquot: 1000 mL

Final Volume: 1 mL

Data File: s041913.B\s8D1906.D

Column: DB-5ms

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|------------------------------|-----------|--------|-------|---------|---------|
| 121-14-2 | 2,4-Dinitrotoluene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 208-96-8 | Acenaphthylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 83-32-9 | Acenaphthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 51-28-5 | 2,4-Dinitrophenol | U | 20.0 | ug/L | 5.00 | 20.0 |
| 132-64-9 | Dibenzofuran | U | 10.0 | ug/L | 3.00 | 10.0 |
| 58-90-2 | 2,3,4,6-Tetrachlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 84-66-2 | Diethylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 100-02-7 | 4-Nitrophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 86-73-7 | Fluorene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 7005-72-3 | 4-Chlorophenylphenylether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 100-01-6 | 4-Nitroaniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>p</i> -Nitroaniline | | | | | |
| 534-52-1 | 2-Methyl-4,6-dinitrophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 122-39-4 | Diphenylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 122-66-7 | Azobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>1,2-Diphenylhydrazine</i> | | | | | |
| 101-55-3 | 4-Bromophenylphenylether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 118-74-1 | Hexachlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 87-86-5 | Pentachlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 88-85-7 | Dinoseb | U | 10.0 | ug/L | 3.00 | 10.0 |
| 85-01-8 | Phenanthrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 120-12-7 | Anthracene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 84-74-2 | Di-n-butylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 206-44-0 | Fluoranthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 129-00-0 | Pyrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 85-68-7 | Butylbenzylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 56-55-3 | Benzo(a)anthracene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 218-01-9 | Chrysene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 117-84-0 | Di-n-octylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 205-99-2 | Benzo(b)fluoranthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 207-08-9 | Benzo(k)fluoranthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 50-32-8 | Benzo(a)pyrene | U | 1.00 | ug/L | 0.440 | 1.00 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 53-70-3 | Dibenzo(a,h)anthracene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 191-24-2 | Benzo(ghi)perylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 123-91-1 | 1,4-Dioxane | U | 10.0 | ug/L | 3.00 | 10.0 |
| 55-18-5 | N-Nitrosodiethylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 930-55-2 | N-Nitrosopyrrolidine | U | 10.0 | ug/L | 3.00 | 10.0 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 3 of 3

SDG Number: 2013-728
Lab Sample ID: 323996001

Date Collected: 04/15/2013 12:34
Date Received: 04/17/2013 09:15
Client: ARSL001
Method: SW846 8270C
Inst: MSD8.I
Analyst: RMB
Aliquot: 1000 mL
Column: DB-5ms

Matrix: W
Project: ESHL00210
SOP Ref: GL-OA-E-009
Dilution: 1
Inj. Vol: 1 uL
Final Volume: 1 mL

Client ID: CAPA-13-29666
Batch ID: 1295932
Run Date: 04/19/2013 15:18
Prep Date: 04/19/2013 07:12
Data File: s041913.B\s8D1906.D

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|----------------------------|-----------|--------|-------|---------|---------|
| 924-16-3 | N-Nitrosodi-n-butylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-94-3 | 1,2,4,5-Tetrachlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 608-93-5 | Pentachlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 1912-24-9 | Atrazine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 92-87-5 | Benzidine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 91-94-1 | 3,3'-Dichlorobenzidine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 120-82-1 | 1,2,4-Trichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 2,4,6-Tribromophenol | 60.1 | 100 | ug/L 60.1 | (23%-130%) |
| 2-Fluorobiphenyl | 25.5 | 50.0 | ug/L 50.9 | (30%-104%) |
| 2-Fluorophenol | 33.3 | 100 | ug/L 33.3 | (14%-77%) |
| Nitrobenzene-d5 | 28.0 | 50.0 | ug/L 56.0 | (34%-125%) |
| Phenol-d5 | 22.0 | 100 | ug/L 22.0 | (10%-78%) |
| p-Terphenyl-d14 | 41.6 | 50.0 | ug/L 83.3 | (33%-136%) |

Tentatively Identified Compound Summary

| CAS No. | Tentatively Identified Compound (TIC) | RT | Estimated | Units | Fit | Qual |
|-------------|---------------------------------------|-------|-----------|-------|-----|------|
| 000067-66-3 | Trichloromethane | 2.283 | 28 | ug/L | 95 | NJ |
| | unknown | 2.625 | 15.3 | ug/L | 0 | J |

Quality Control Summary

Semi-Volatile
Surrogate Recovery Report

Page 1 of 1

SDG Number: 2013-728**Matrix Type: LIQUID**

| Sample ID | Client ID | 2FP %REC | PHL %REC | NBZ %REC | FBP %REC | TBP %REC | TPH %REC |
|------------|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1202861109 | MB for batch 1295931 | 36 | 24 | 64 | 56 | 69 | 82 |
| 1202861110 | LCS for batch 1295931 | 33 | 21 | 71 | 68 | 85 | 77 |
| 323996001 | CAPA-13-29666 | 33 | 22 | 56 | 51 | 60 | 83 |
| 1202861111 | CAPA-13-29666MS | 53 | 46 | 65 | 61 | 84 | 85 |
| 1202861112 | CAPA-13-29666MSD | 54 | 46 | 67 | 61 | 79 | 71 |

Surrogate**Acceptance Limits**

| | | |
|-----|------------------------|------------|
| 2FP | = 2-Fluorophenol | (14%-77%) |
| PHL | = Phenol-d5 | (10%-78%) |
| NBZ | = Nitrobenzene-d5 | (34%-125%) |
| FBP | = 2-Fluorobiphenyl | (30%-104%) |
| TBP | = 2,4,6-Tribromophenol | (23%-130%) |
| TPH | = p-Terphenyl-d14 | (33%-136%) |

* Recovery outside Acceptance Limits

Column to be used to flag recovery values

D Sample Diluted

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 1 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1295931

Matrix: WATER

Lab Sample ID: 1202861110

Instrument: MSD8.I

Analysis Date: 04/19/2013 14:45

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|------------|---|----------------------|----------------------|---------------------|---------------|----------------------|
| 62-75-9 | LCS N-Methyl-N-nitrosomethylam | 50.0 | 0.0 | 19.2 | 38 | 29-86 |
| 110-86-1 | LCS Pyridine | 50.0 | 0.0 | 30.4 | 61 | 25-96 |
| 62-53-3 | LCS Aniline | 50.0 | 0.0 | 42.0 | 84 | 38-105 |
| 108-95-2 | LCS Phenol | 50.0 | 0.0 | 10.9 | 22 | 13-137 |
| 111-44-4 | LCS bis(2-Chloroethyl) ether | 50.0 | 0.0 | 33.9 | 68 | 37-110 |
| 95-57-8 | LCS 2-Chlorophenol | 50.0 | 0.0 | 32.3 | 65 | 41-98 |
| 541-73-1 | LCS 1,3-Dichlorobenzene | 50.0 | 0.0 | 28.0 | 56 | 33-86 |
| 106-46-7 | LCS 1,4-Dichlorobenzene | 50.0 | 0.0 | 28.2 | 56 | 33-87 |
| 95-50-1 | LCS 1,2-Dichlorobenzene | 50.0 | 0.0 | 28.7 | 57 | 34-86 |
| 39638-32-9 | LCS bis(2-Chloroisopropyl)ether | 50.0 | 0.0 | 29.0 | 58 | 30-118 |
| 100-51-6 | LCS Benzyl alcohol | 50.0 | 0.0 | 30.2 | 60 | 39-88 |
| 95-48-7 | LCS o-Cresol | 50.0 | 0.0 | 26.3 | 53 | 37-89 |
| 65794-96-9 | LCS m,p-Cresols | 50.0 | 0.0 | 26.7 | 53 | 33-99 |
| 621-64-7 | LCS N-Nitrosodi--n-propylamine <i>N-Nitrosodipropylamine</i> | 50.0 | 0.0 | 38.7 | 77 | 40-112 |
| 67-72-1 | LCS Hexachloroethane | 50.0 | 0.0 | 28.0 | 56 | 31-87 |
| 98-95-3 | LCS Nitrobenzene | 50.0 | 0.0 | 36.3 | 73 | 42-118 |
| 78-59-1 | LCS Isophorone | 50.0 | 0.0 | 35.6 | 71 | 50-132 |
| 88-75-5 | LCS 2-Nitrophenol | 50.0 | 0.0 | 34.3 | 69 | 45-109 |
| 105-67-9 | LCS 2,4-Dimethylphenol | 50.0 | 0.0 | 31.3 | 63 | 44-98 |
| 111-91-1 | LCS bis(2-Chloroethoxy)methane | 50.0 | 0.0 | 36.4 | 73 | 45-109 |
| 120-83-2 | LCS 2,4-Dichlorophenol | 50.0 | 0.0 | 33.8 | 68 | 46-106 |
| 65-85-0 | LCS Benzoic acid | 100 | 0.0 | 23.1 | 23 | 10-134 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 2 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1295931

Matrix: WATER

Lab Sample ID: 1202861110

Instrument: MSD8.I

Analysis Date: 04/19/2013 14:45

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|----------|--|----------------------|----------------------|---------------------|---------------|----------------------|
| 106-47-8 | LCS 4-Chloroaniline | 50.0 | 0.0 | 48.8 | 98 | 50-122 |
| 87-68-3 | LCS Hexachlorobutadiene | 50.0 | 0.0 | 26.4 | 53 | 29-94 |
| 59-50-7 | LCS Parachlorometa cresol 4-Chloro-3-methylphenol | 50.0 | 0.0 | 33.1 | 66 | 47-110 |
| 91-57-6 | LCS 2-Methylnaphthalene | 50.0 | 0.0 | 28.0 | 56 | 37-100 |
| 91-20-3 | LCS Naphthalene | 50.0 | 0.0 | 29.6 | 59 | 35-97 |
| 90-12-0 | LCS 1-Methylnaphthalene | 50.0 | 0.0 | 29.9 | 60 | 38-105 |
| 77-47-4 | LCS Hexachlorocyclopentadiene | 50.0 | 0.0 | 22.1 | 44 | 38-79 |
| 88-06-2 | LCS 2,4,6-Trichlorophenol | 50.0 | 0.0 | 36.4 | 73 | 43-108 |
| 95-95-4 | LCS 2,4,5-Trichlorophenol | 50.0 | 0.0 | 38.6 | 77 | 43-110 |
| 91-58-7 | LCS 2-Chloronaphthalene | 50.0 | 0.0 | 35.6 | 71 | 40-96 |
| 88-74-4 | LCS 2-Nitroaniline o-Nitroaniline | 50.0 | 0.0 | 45.0 | 90 | 45-116 |
| 99-09-2 | LCS 3-Nitroaniline m-Nitroaniline | 50.0 | 0.0 | 57.0 | 114 | 46-123 |
| 131-11-3 | LCS Dimethylphthalate | 50.0 | 0.0 | 38.1 | 76 | 53-111 |
| 606-20-2 | LCS 2,6-Dinitrotoluene | 50.0 | 0.0 | 39.6 | 79 | 52-117 |
| 121-14-2 | LCS 2,4-Dinitrotoluene | 50.0 | 0.0 | 40.3 | 81 | 46-124 |
| 208-96-8 | LCS Acenaphthylene | 50.0 | 0.0 | 34.4 | 69 | 42-105 |
| 83-32-9 | LCS Acenaphthene | 50.0 | 0.0 | 33.7 | 67 | 42-103 |
| 51-28-5 | LCS 2,4-Dinitrophenol | 50.0 | 0.0 | 27.7 | 55 | 33-105 |
| 132-64-9 | LCS Dibenzofuran | 50.0 | 0.0 | 36.8 | 74 | 46-106 |
| 58-90-2 | LCS 2,3,4,6-Tetrachlorophenol | 50.0 | 0.0 | 39.0 | 78 | 46-119 |
| 84-66-2 | LCS Diethylphthalate | 50.0 | 0.0 | 37.5 | 75 | 52-115 |
| 100-02-7 | LCS 4-Nitrophenol | 50.0 | 0.0 | 13.8 | 28 | 12-130 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 3 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1295931

Matrix: WATER

Lab Sample ID: 1202861110

Instrument: MSD8.I

Analysis Date: 04/19/2013 14:45

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-----------|--|----------------------|----------------------|---------------------|---------------|----------------------|
| 86-73-7 | LCS Fluorene | 50.0 | 0.0 | 36.3 | 73 | 44-110 |
| 7005-72-3 | LCS 4-Chlorophenylphenylether | 50.0 | 0.0 | 36.6 | 73 | 41-113 |
| 100-01-6 | LCS 4-Nitroaniline <i>p-Nitroaniline</i> | 50.0 | 0.0 | 65.5 | 131 | 39-132 |
| 534-52-1 | LCS 2-Methyl-4,6-dinitrophenol | 50.0 | 0.0 | 38.1 | 76 | 39-111 |
| 122-39-4 | LCS Diphenylamine | 50.0 | 0.0 | 37.5 | 75 | 47-111 |
| 122-66-7 | LCS Azobenzene <i>1,2-Diphenylhydrazine</i> | 50.0 | 0.0 | 34.6 | 69 | 41-111 |
| 101-55-3 | LCS 4-Bromophenylphenylether | 50.0 | 0.0 | 36.7 | 73 | 42-113 |
| 118-74-1 | LCS Hexachlorobenzene | 50.0 | 0.0 | 37.0 | 74 | 44-115 |
| 87-86-5 | LCS Pentachlorophenol | 50.0 | 0.0 | 28.8 | 58 | 36-99 |
| 85-01-8 | LCS Phenanthrene | 50.0 | 0.0 | 34.3 | 69 | 47-111 |
| 120-12-7 | LCS Anthracene | 50.0 | 0.0 | 34.7 | 69 | 46-109 |
| 84-74-2 | LCS Di-n-butylphthalate | 50.0 | 0.0 | 33.9 | 68 | 49-115 |
| 206-44-0 | LCS Fluoranthene | 50.0 | 0.0 | 34.4 | 69 | 45-118 |
| 129-00-0 | LCS Pyrene | 50.0 | 0.0 | 33.7 | 67 | 39-126 |
| 85-68-7 | LCS Butylbenzylphthalate | 50.0 | 0.0 | 32.4 | 65 | 41-121 |
| 117-81-7 | LCS bis(2-Ethylhexyl)phthalate | 50.0 | 0.0 | 31.8 | 64 | 38-124 |
| 56-55-3 | LCS Benzo(a)anthracene | 50.0 | 0.0 | 34.3 | 69 | 49-110 |
| 218-01-9 | LCS Chrysene | 50.0 | 0.0 | 35.1 | 70 | 45-117 |
| 117-84-0 | LCS Di-n-octylphthalate | 50.0 | 0.0 | 30.6 | 61 | 34-121 |
| 205-99-2 | LCS Benzo(b)fluoranthene | 50.0 | 0.0 | 36.2 | 72 | 47-116 |
| 207-08-9 | LCS Benzo(k)fluoranthene | 50.0 | 0.0 | 37.2 | 74 | 47-119 |
| 50-32-8 | LCS Benzo(a)pyrene | 50.0 | 0.0 | 32.1 | 64 | 48-109 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 4 of 4

SDG Number: 2013-728

Sample Type: Laboratory Control Sample

Client ID: LCS for batch 1295931

Matrix: WATER

Lab Sample ID: 1202861110

Instrument: MSD8.I

Analysis Date: 04/19/2013 14:45

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-----------|--------------------------------|-------------------------|-------------------------|------------------------|---------------|----------------------|
| 193-39-5 | LCS Indeno(1,2,3-cd)pyrene | 50.0 | 0.0 | 29.2 | 58 | 38-124 |
| 53-70-3 | LCS Dibenzo(a,h)anthracene | 50.0 | 0.0 | 28.5 | 57 | 38-124 |
| 191-24-2 | LCS Benzo(ghi)perylene | 50.0 | 0.0 | 29.9 | 60 | 36-124 |
| 123-91-1 | LCS 1,4-Dioxane | 50.0 | 0.0 | 19.2 | 38 * | 41-69 |
| 930-55-2 | LCS N-Nitrosopyrrolidine | 50.0 | 0.0 | 34.5 | 69 | 42-105 |
| 95-94-3 | LCS 1,2,4,5-Tetrachlorobenzene | 50.0 | 0.0 | 31.7 | 63 | 40-93 |
| 1912-24-9 | LCS Atrazine | 50.0 | 0.0 | 15.5 | 31 * | 47-115 |
| 92-87-5 | LCS Benzidine | 100 | 0.0 | 46.5 | 47 | 19-124 |
| 91-94-1 | LCS 3,3'-Dichlorobenzidine | 50.0 | 0.0 | 29.0 | 58 | 36-111 |
| 120-82-1 | LCS 1,2,4-Trichlorobenzene | 50.0 | 0.0 | 28.0 | 56 | 32-92 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 1 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike

Client ID: CAPA-13-29666MS

Matrix: W

Lab Sample ID: 1202861111

Instrument: MSD8.I

Analysis Date: 04/19/2013 15:50

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|------------|--|----------------------|----------------------|---------------------|---------------|----------------------|
| 62-75-9 | MS N-Methyl-N-nitrosomethylam | 114 | 0.00 U | 57.4 | 51 | 27-85 |
| 110-86-1 | MS Pyridine | 114 | 0.00 U | 18.8 | 17 * | 21-93 |
| 62-53-3 | MS Aniline | 114 | 0.00 U | 61.9 | 54 | 28-108 |
| 108-95-2 | MS Phenol | 114 | 0.00 U | 53.9 | 47 | 15-100 |
| 111-44-4 | MS bis(2-Chloroethyl) ether | 114 | 0.00 U | 69.8 | 61 | 27-114 |
| 95-57-8 | MS 2-Chlorophenol | 114 | 0.00 U | 75.4 | 66 | 32-103 |
| 541-73-1 | MS 1,3-Dichlorobenzene | 114 | 0.00 U | 55.0 | 48 | 23-84 |
| 106-46-7 | MS 1,4-Dichlorobenzene | 114 | 0.00 U | 55.2 | 49 | 23-88 |
| 95-50-1 | MS 1,2-Dichlorobenzene | 114 | 0.00 U | 56.1 | 49 | 24-86 |
| 39638-32-9 | MS bis(2-Chloroisopropyl)ether | 114 | 0.00 U | 61.5 | 54 | 19-122 |
| 100-51-6 | MS Benzyl alcohol | 114 | 0.00 U | 77.7 | 68 | 34-98 |
| 95-48-7 | MS o-Cresol | 114 | 0.00 U | 73.2 | 64 | 29-96 |
| 65794-96-9 | MS m,p-Cresols | 114 | 0.00 U | 85.2 | 75 | 26-111 |
| 621-64-7 | MS N-Nitrosodi--n-propylamine <i>N-Nitrosodipropylamine</i> | 114 | 0.00 U | 82.9 | 73 | 32-115 |
| 67-72-1 | MS Hexachloroethane | 114 | 0.00 U | 54.6 | 48 | 25-82 |
| 98-95-3 | MS Nitrobenzene | 114 | 0.00 U | 76.4 | 67 | 35-124 |
| 78-59-1 | MS Isophorone | 114 | 0.00 U | 76.9 | 68 | 37-140 |
| 88-75-5 | MS 2-Nitrophenol | 114 | 0.00 U | 71.5 | 63 | 33-115 |
| 105-67-9 | MS 2,4-Dimethylphenol | 114 | 0.00 U | 70.2 | 62 | 31-106 |
| 111-91-1 | MS bis(2-Chloroethoxy)methane | 114 | 0.00 U | 77.5 | 68 | 35-112 |
| 120-83-2 | MS 2,4-Dichlorophenol | 114 | 0.00 U | 72.3 | 64 | 36-110 |
| 65-85-0 | MS Benzoic acid | 227 | 0.00 U | 110 | 49 | 12-108 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 2 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike

Client ID: CAPA-13-29666MS

Matrix: W

Lab Sample ID: 1202861111

Instrument: MSD8.I

Analysis Date: 04/19/2013 15:50

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|----------|---|----------------------|----------------------|---------------------|---------------|----------------------|
| 106-47-8 | MS 4-Chloroaniline | 114 | 0.00 U | 96.4 | 85 | 33-120 |
| 87-68-3 | MS Hexachlorobutadiene | 114 | 0.00 U | 49.8 | 44 | 19-96 |
| 59-50-7 | MS Parachlorometa cresol 4-Chloro-3-methylphenol | 114 | 0.00 U | 78.3 | 69 | 36-116 |
| 91-57-6 | MS 2-Methylnaphthalene | 114 | 0.00 U | 55.3 | 49 | 27-103 |
| 91-20-3 | MS Naphthalene | 114 | 0.00 U | 59.3 | 52 | 28-99 |
| 90-12-0 | MS 1-Methylnaphthalene | 114 | 0.00 U | 59.8 | 53 | 29-107 |
| 77-47-4 | MS Hexachlorocyclopentadiene | 114 | 0.00 U | 34.3 | 30 | 25-75 |
| 88-06-2 | MS 2,4,6-Trichlorophenol | 114 | 0.00 U | 78.5 | 69 | 36-111 |
| 95-95-4 | MS 2,4,5-Trichlorophenol | 114 | 0.00 U | 85.0 | 75 | 34-115 |
| 91-58-7 | MS 2-Chloronaphthalene | 114 | 0.00 U | 69.8 | 61 | 33-96 |
| 88-74-4 | MS 2-Nitroaniline o-Nitroaniline | 114 | 0.00 U | 97.8 | 86 | 31-120 |
| 99-09-2 | MS 3-Nitroaniline m-Nitroaniline | 114 | 0.00 U | 107 | 94 | 32-123 |
| 131-11-3 | MS Dimethylphthalate | 114 | 0.00 U | 86.5 | 76 | 43-115 |
| 606-20-2 | MS 2,6-Dinitrotoluene | 114 | 0.00 U | 89.7 | 79 | 42-121 |
| 121-14-2 | MS 2,4-Dinitrotoluene | 114 | 0.00 U | 92.4 | 81 | 37-125 |
| 208-96-8 | MS Acenaphthylene | 114 | 0.00 U | 71.3 | 63 | 34-103 |
| 83-32-9 | MS Acenaphthene | 114 | 0.00 U | 70.2 | 62 | 31-104 |
| 51-28-5 | MS 2,4-Dinitrophenol | 114 | 0.00 U | 59.1 | 52 | 25-108 |
| 132-64-9 | MS Dibenzofuran | 114 | 0.00 U | 76.4 | 67 | 38-106 |
| 58-90-2 | MS 2,3,4,6-Tetrachlorophenol | 114 | 0.00 U | 87.8 | 77 | 33-123 |
| 84-66-2 | MS Diethylphthalate | 114 | 0.00 U | 87.3 | 77 | 43-116 |
| 100-02-7 | MS 4-Nitrophenol | 114 | 0.00 U | 50.0 | 44 | 26-72 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 3 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike

Client ID: CAPA-13-29666MS

Matrix: W

Lab Sample ID: 1202861111

Instrument: MSD8.I

Analysis Date: 04/19/2013 15:50

Dilution: 1

Analyst: RMB

Prep Batch II 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | | Parmname | Amount Added ug/L | Sample Conc. ug/L | | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-----------|----|--|-------------------------|-------------------------|---|------------------------|---------------|----------------------|
| 86-73-7 | MS | Fluorene | 114 | 0.00 | U | 80.0 | 70 | 33-110 |
| 7005-72-3 | MS | 4-Chlorophenylphenylether | 114 | 0.00 | U | 78.9 | 69 | 30-112 |
| 100-01-6 | MS | 4-Nitroaniline <i>p</i> -Nitroaniline | 114 | 0.00 | U | 97.3 | 86 | 28-131 |
| 534-52-1 | MS | 2-Methyl-4,6-dinitrophenol | 114 | 0.00 | U | 91.5 | 81 | 31-113 |
| 122-39-4 | MS | Diphenylamine | 114 | 0.00 | U | 87.9 | 77 | 36-110 |
| 122-66-7 | MS | Azobenzene <i>1,2-Diphenylhydrazine</i> | 114 | 0.00 | U | 80.3 | 71 | 33-110 |
| 101-55-3 | MS | 4-Bromophenylphenylether | 114 | 0.00 | U | 84.5 | 74 | 33-111 |
| 118-74-1 | MS | Hexachlorobenzene | 114 | 0.00 | U | 89.3 | 79 | 36-113 |
| 87-86-5 | MS | Pentachlorophenol | 114 | 0.00 | U | 68.9 | 61 | 25-110 |
| 85-01-8 | MS | Phenanthrene | 114 | 0.00 | U | 81.4 | 72 | 36-111 |
| 120-12-7 | MS | Anthracene | 114 | 0.00 | U | 80.7 | 71 | 36-107 |
| 84-74-2 | MS | Di-n-butylphthalate | 114 | 0.00 | U | 81.8 | 72 | 38-116 |
| 206-44-0 | MS | Fluoranthene | 114 | 0.00 | U | 78.1 | 69 | 35-116 |
| 129-00-0 | MS | Pyrene | 114 | 0.00 | U | 87.1 | 77 | 28-126 |
| 85-68-7 | MS | Butylbenzylphthalate | 114 | 0.00 | U | 79.5 | 70 | 32-120 |
| 117-81-7 | MS | bis(2-Ethylhexyl)phthalate | 114 | 0.00 | U | 71.3 | 63 | 30-121 |
| 56-55-3 | MS | Benzo(a)anthracene | 114 | 0.00 | U | 79.9 | 70 | 38-110 |
| 218-01-9 | MS | Chrysene | 114 | 0.00 | U | 82.1 | 72 | 35-115 |
| 117-84-0 | MS | Di-n-octylphthalate | 114 | 0.00 | U | 64.5 | 57 | 30-115 |
| 205-99-2 | MS | Benzo(b)fluoranthene | 114 | 0.00 | U | 78.6 | 69 | 37-115 |
| 207-08-9 | MS | Benzo(k)fluoranthene | 114 | 0.00 | U | 80.5 | 71 | 36-118 |
| 50-32-8 | MS | Benzo(a)pyrene | 114 | 0.00 | U | 74.0 | 65 | 36-109 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 4 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike

Client ID: CAPA-13-29666MS

Matrix: W

Lab Sample ID: 1202861111

Instrument: MSD8.I

Analysis Date: 04/19/2013 15:50

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits |
|-----------|-------------------------------|----------------------|----------------------|---------------------|---------------|----------------------|
| 193-39-5 | MS Indeno(1,2,3-cd)pyrene | 114 | 0.00 U | 73.5 | 65 | 28-121 |
| 53-70-3 | MS Dibenzo(a,h)anthracene | 114 | 0.00 U | 69.1 | 61 | 26-124 |
| 191-24-2 | MS Benzo(ghi)perylene | 114 | 0.00 U | 79.4 | 70 | 25-122 |
| 123-91-1 | MS 1,4-Dioxane | 114 | 0.00 U | 57.8 | 51 | 26-90 |
| 930-55-2 | MS N-Nitrosopyrrolidine | 114 | 0.00 U | 81.8 | 72 | 40-113 |
| 95-94-3 | MS 1,2,4,5-Tetrachlorobenzene | 114 | 0.00 U | 59.8 | 53 | 32-94 |
| 1912-24-9 | MS Atrazine | 114 | 0.00 U | 38.3 | 34 * | 36-119 |
| 92-87-5 | MS Benzidine | 227 | 0.00 U | 16.6 | 7 * | 10-125 |
| 91-94-1 | MS 3,3'-Dichlorobenzidine | 114 | 0.00 U | 43.3 | 38 | 27-109 |
| 120-82-1 | MS 1,2,4-Trichlorobenzene | 114 | 0.00 U | 54.4 | 48 | 23-90 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 5 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike Duplicate

Client ID: CAPA-13-29666MSD

Matrix: W

Lab Sample ID: 1202861112

Instrument: MSD8.I

Analysis Date: 04/19/2013 16:23

Dilution: 1

Analyst: RMB

Prep Batch II 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|------------|---|----------------------|----------------------|---------------------|---------------|-------------------|----------|-------------------|
| 62-75-9 | MSD N-Methyl-N-nitrosomethylam | 114 | 0.00 U | 60.9 | 54 | 27-85 | 6 | 0-30 |
| 110-86-1 | MSD Pyridine | 114 | 0.00 U | 83.8 | 74 | 21-93 | 127 * | 0-30 |
| 62-53-3 | MSD Aniline | 114 | 0.00 U | 101 | 89 | 28-108 | 48 * | 0-30 |
| 108-95-2 | MSD Phenol | 114 | 0.00 U | 53.9 | 47 | 15-100 | 0 | 0-30 |
| 111-44-4 | MSD bis(2-Chloroethyl) ether | 114 | 0.00 U | 70.4 | 62 | 27-114 | 1 | 0-30 |
| 95-57-8 | MSD 2-Chlorophenol | 114 | 0.00 U | 75.1 | 66 | 32-103 | 0 | 0-30 |
| 541-73-1 | MSD 1,3-Dichlorobenzene | 114 | 0.00 U | 56.4 | 50 | 23-84 | 3 | 0-30 |
| 106-46-7 | MSD 1,4-Dichlorobenzene | 114 | 0.00 U | 56.8 | 50 | 23-88 | 3 | 0-30 |
| 95-50-1 | MSD 1,2-Dichlorobenzene | 114 | 0.00 U | 57.4 | 51 | 24-86 | 2 | 0-30 |
| 39638-32-9 | MSD bis(2-Chloroisopropyl)ether | 114 | 0.00 U | 61.7 | 54 | 19-122 | 0 | 0-30 |
| 100-51-6 | MSD Benzyl alcohol | 114 | 0.00 U | 75.5 | 66 | 34-98 | 3 | 0-30 |
| 95-48-7 | MSD o-Cresol | 114 | 0.00 U | 71.6 | 63 | 29-96 | 2 | 0-30 |
| 65794-96-9 | MSD m,p-Cresols | 114 | 0.00 U | 83.2 | 73 | 26-111 | 2 | 0-30 |
| 621-64-7 | MSD N-Nitrosodi--n-propylamine <i>N-Nitrosodipropylamine</i> | 114 | 0.00 U | 80.4 | 71 | 32-115 | 3 | 0-30 |
| 67-72-1 | MSD Hexachloroethane | 114 | 0.00 U | 56.3 | 50 | 25-82 | 3 | 0-30 |
| 98-95-3 | MSD Nitrobenzene | 114 | 0.00 U | 77.6 | 68 | 35-124 | 2 | 0-30 |
| 78-59-1 | MSD Isophorone | 114 | 0.00 U | 76.2 | 67 | 37-140 | 1 | 0-30 |
| 88-75-5 | MSD 2-Nitrophenol | 114 | 0.00 U | 73.2 | 64 | 33-115 | 2 | 0-30 |
| 105-67-9 | MSD 2,4-Dimethylphenol | 114 | 0.00 U | 69.8 | 61 | 31-106 | 1 | 0-30 |
| 111-91-1 | MSD bis(2-Chloroethoxy)methane | 114 | 0.00 U | 77.8 | 69 | 35-112 | 0 | 0-30 |
| 120-83-2 | MSD 2,4-Dichlorophenol | 114 | 0.00 U | 72.8 | 64 | 36-110 | 1 | 0-30 |
| 65-85-0 | MSD Benzoic acid | 227 | 0.00 U | 108 | 47 | 12-108 | 2 | 0-30 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 6 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike Duplicate

Client ID: CAPA-13-29666MSD

Matrix: W

Lab Sample ID: 1202861112

Instrument: MSD8.I

Analysis Date: 04/19/2013 16:23

Dilution: 1

Analyst: RMB

Prep Batch II 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|----------|--|----------------------|----------------------|---------------------|---------------|-------------------|----------|-------------------|
| 106-47-8 | MSD 4-Chloroaniline | 114 | 0.00 U | 110 | 97 | 33-120 | 13 | 0-30 |
| 87-68-3 | MSD Hexachlorobutadiene | 114 | 0.00 U | 52.7 | 46 | 19-96 | 6 | 0-30 |
| 59-50-7 | MSD Parachlorometa cresol 4-Chloro-3-methylphenol | 114 | 0.00 U | 76.3 | 67 | 36-116 | 3 | 0-30 |
| 91-57-6 | MSD 2-Methylnaphthalene | 114 | 0.00 U | 56.0 | 49 | 27-103 | 1 | 0-30 |
| 91-20-3 | MSD Naphthalene | 114 | 0.00 U | 60.3 | 53 | 28-99 | 2 | 0-30 |
| 90-12-0 | MSD 1-Methylnaphthalene | 114 | 0.00 U | 59.5 | 52 | 29-107 | 1 | 0-30 |
| 77-47-4 | MSD Hexachlorocyclopentadiene | 114 | 0.00 U | 42.8 | 38 | 25-75 | 22 | 0-30 |
| 88-06-2 | MSD 2,4,6-Trichlorophenol | 114 | 0.00 U | 78.3 | 69 | 36-111 | 0 | 0-30 |
| 95-95-4 | MSD 2,4,5-Trichlorophenol | 114 | 0.00 U | 82.8 | 73 | 34-115 | 3 | 0-30 |
| 91-58-7 | MSD 2-Chloronaphthalene | 114 | 0.00 U | 71.3 | 63 | 33-96 | 2 | 0-30 |
| 88-74-4 | MSD 2-Nitroaniline o-Nitroaniline | 114 | 0.00 U | 98.0 | 86 | 31-120 | 0 | 0-30 |
| 99-09-2 | MSD 3-Nitroaniline m-Nitroaniline | 114 | 0.00 U | 120 | 106 | 32-123 | 12 | 0-30 |
| 131-11-3 | MSD Dimethylphthalate | 114 | 0.00 U | 81.1 | 71 | 43-115 | 6 | 0-30 |
| 606-20-2 | MSD 2,6-Dinitrotoluene | 114 | 0.00 U | 85.0 | 75 | 42-121 | 5 | 0-30 |
| 121-14-2 | MSD 2,4-Dinitrotoluene | 114 | 0.00 U | 87.3 | 77 | 37-125 | 6 | 0-30 |
| 208-96-8 | MSD Acenaphthylene | 114 | 0.00 U | 71.7 | 63 | 34-103 | 1 | 0-30 |
| 83-32-9 | MSD Acenaphthene | 114 | 0.00 U | 67.7 | 60 | 31-104 | 4 | 0-30 |
| 51-28-5 | MSD 2,4-Dinitrophenol | 114 | 0.00 U | 68.3 | 60 | 25-108 | 15 | 0-30 |
| 132-64-9 | MSD Dibenzofuran | 114 | 0.00 U | 76.2 | 67 | 38-106 | 0 | 0-30 |
| 58-90-2 | MSD 2,3,4,6-Tetrachlorophenol | 114 | 0.00 U | 84.8 | 75 | 33-123 | 4 | 0-30 |
| 84-66-2 | MSD Diethylphthalate | 114 | 0.00 U | 80.7 | 71 | 43-116 | 8 | 0-30 |
| 100-02-7 | MSD 4-Nitrophenol | 114 | 0.00 U | 53.8 | 47 | 26-72 | 7 | 0-30 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 7 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike Duplicate

Client ID: CAPA-13-29666MSD

Matrix: W

Lab Sample ID: 1202861112

Instrument: MSD8.I

Analysis Date: 04/19/2013 16:23

Dilution: 1

Analyst: RMB

Prep Batch II 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|-----------|--|----------------------|----------------------|---------------------|---------------|-------------------|----------|-------------------|
| 86-73-7 | MSD Fluorene | 114 | 0.00 U | 77.0 | 68 | 33-110 | 4 | 0-30 |
| 7005-72-3 | MSD 4-Chlorophenylphenylether | 114 | 0.00 U | 75.7 | 67 | 30-112 | 4 | 0-30 |
| 100-01-6 | MSD 4-Nitroaniline <i>p</i> -Nitroaniline | 114 | 0.00 U | 137 | 121 | 28-131 | 34 * | 0-30 |
| 534-52-1 | MSD 2-Methyl-4,6-dinitrophenol | 114 | 0.00 U | 91.6 | 81 | 31-113 | 0 | 0-30 |
| 122-39-4 | MSD Diphenylamine | 114 | 0.00 U | 82.3 | 72 | 36-110 | 7 | 0-30 |
| 122-66-7 | MSD Azobenzene <i>1,2-Diphenylhydrazine</i> | 114 | 0.00 U | 76.8 | 68 | 33-110 | 4 | 0-30 |
| 101-55-3 | MSD 4-Bromophenylphenylether | 114 | 0.00 U | 79.2 | 70 | 33-111 | 7 | 0-30 |
| 118-74-1 | MSD Hexachlorobenzene | 114 | 0.00 U | 81.8 | 72 | 36-113 | 9 | 0-30 |
| 87-86-5 | MSD Pentachlorophenol | 114 | 0.00 U | 67.3 | 59 | 25-110 | 2 | 0-30 |
| 85-01-8 | MSD Phenanthrene | 114 | 0.00 U | 75.5 | 66 | 36-111 | 7 | 0-30 |
| 120-12-7 | MSD Anthracene | 114 | 0.00 U | 75.8 | 67 | 36-107 | 6 | 0-30 |
| 84-74-2 | MSD Di-n-butylphthalate | 114 | 0.00 U | 74.8 | 66 | 38-116 | 9 | 0-30 |
| 206-44-0 | MSD Fluoranthene | 114 | 0.00 U | 73.8 | 65 | 35-116 | 6 | 0-30 |
| 129-00-0 | MSD Pyrene | 114 | 0.00 U | 70.9 | 62 | 28-126 | 21 | 0-30 |
| 85-68-7 | MSD Butylbenzylphthalate | 114 | 0.00 U | 67.7 | 60 | 32-120 | 16 | 0-30 |
| 117-81-7 | MSD bis(2-Ethylhexyl)phthalate | 114 | 0.00 U | 64.8 | 57 | 30-121 | 9 | 0-30 |
| 56-55-3 | MSD Benzo(a)anthracene | 114 | 0.00 U | 73.6 | 65 | 38-110 | 8 | 0-30 |
| 218-01-9 | MSD Chrysene | 114 | 0.00 U | 75.1 | 66 | 35-115 | 9 | 0-30 |
| 117-84-0 | MSD Di-n-octylphthalate | 114 | 0.00 U | 65.4 | 58 | 30-115 | 1 | 0-30 |
| 205-99-2 | MSD Benzo(b)fluoranthene | 114 | 0.00 U | 74.0 | 65 | 37-115 | 6 | 0-30 |
| 207-08-9 | MSD Benzo(k)fluoranthene | 114 | 0.00 U | 76.8 | 68 | 36-118 | 5 | 0-30 |
| 50-32-8 | MSD Benzo(a)pyrene | 114 | 0.00 U | 70.2 | 62 | 36-109 | 5 | 0-30 |

Semi-Volatile
Quality Control Summary
Spike Recovery Report

Page 8 of 8

SDG Number: 2013-728

Sample Type: Matrix Spike Duplicate

Client ID: CAPA-13-29666MSD

Matrix: W

Lab Sample ID: 1202861112

Instrument: MSD8.I

Analysis Date: 04/19/2013 16:23

Dilution: 1

Analyst: RMB

Prep Batch ID: 1295931

Inj. Vol: 1 uL

Batch ID: 1295932

| CAS No | Parmname | Amount Added ug/L | Sample Conc. ug/L | Spike Conc. ug/L | Recovery % | Acceptance Limits | RPD % | Acceptance Limits |
|-----------|--------------------------------|-------------------------|-------------------------|------------------------|---------------|----------------------|----------|----------------------|
| 193-39-5 | MSD Indeno(1,2,3-cd)pyrene | 114 | 0.00 | U 63.8 | 56 | 28-121 | 14 | 0-30 |
| 53-70-3 | MSD Dibenzo(a,h)anthracene | 114 | 0.00 | U 63.0 | 55 | 26-124 | 9 | 0-30 |
| 191-24-2 | MSD Benzo(ghi)perylene | 114 | 0.00 | U 64.3 | 57 | 25-122 | 21 | 0-30 |
| 123-91-1 | MSD 1,4-Dioxane | 114 | 0.00 | U 60.1 | 53 | 26-90 | 4 | 0-30 |
| 930-55-2 | MSD N-Nitrosopyrrolidine | 114 | 0.00 | U 76.0 | 67 | 40-113 | 7 | 0-30 |
| 95-94-3 | MSD 1,2,4,5-Tetrachlorobenzene | 114 | 0.00 | U 61.8 | 54 | 32-94 | 3 | 0-30 |
| 1912-24-9 | MSD Atrazine | 114 | 0.00 | U 33.7 | 30 * | 36-119 | 13 | 0-30 |
| 92-87-5 | MSD Benzidine | 227 | 0.00 | U 159 | 70 | 10-125 | 162 * | 0-30 |
| 91-94-1 | MSD 3,3'-Dichlorobenzidine | 114 | 0.00 | U 67.8 | 60 | 27-109 | 44 * | 0-30 |
| 120-82-1 | MSD 1,2,4-Trichlorobenzene | 114 | 0.00 | U 55.4 | 49 | 23-90 | 2 | 0-30 |

Method Blank Summary

Page 1 of 1

| | | | | | |
|----------------|----------------------|----------------|------------------|------------|---------------------|
| SDG Number: | 2013-728 | Client: | ARSL001 | Matrix: | WATER |
| Client ID: | MB for batch 1295931 | Instrument ID: | MSD8.I | Data File: | s041913.B\s8D1904.D |
| Lab Sample ID: | 1202861109 | Prep Date: | 04/19/2013 07:12 | Analyzed: | 04/19/13 14:13 |
| Column: | DB-5ms | | | | |

This method blank applies to the following samples and quality control samples:

| Client Sample ID | Lab Sample ID | File ID | Date Analyzed | Time Analyzed |
|--------------------------|---------------|---------------------|---------------|---------------|
| 01 LCS for batch 1295931 | 1202861110 | s041913.B\s8D1905.D | 04/19/13 | 1445 |
| 02 CAPA-13-29666 | 323996001 | s041913.B\s8D1906.D | 04/19/13 | 1518 |
| 03 CAPA-13-29666MS | 1202861111 | s041913.B\s8D1907.D | 04/19/13 | 1550 |
| 04 CAPA-13-29666MSD | 1202861112 | s041913.B\s8D1908.D | 04/19/13 | 1623 |

Quality Control Data

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 1 of 3

SDG Number: 2013-728

Lab Sample ID: 1202861109

Client Sample: QC for batch 1295931

Client ID: MB for batch 1295931

Batch ID: 1295932

Run Date: 04/19/2013 14:13

Prep Date: 04/19/2013 07:12

Data File: s041913.B\s8D1904.D

Matrix: WATER

Project: QC

SOP Ref: GL-OA-E-009

Dilution: 1

Inj. Vol: 1 uL

Final Volume: 1 mL

Client: ARSL001

Method: SW846 8270C

Inst: MSD8.I

Analyst: RMB

Aliquot: 1000 mL

Column: DB-5ms

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|--------------------------------|-----------|--------|-------|---------|---------|
| 62-75-9 | N-Methyl-N-nitrosomethylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 110-86-1 | Pyridine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 62-53-3 | Aniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| 108-95-2 | Phenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 111-44-4 | bis(2-Chloroethyl) ether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-57-8 | 2-Chlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 541-73-1 | 1,3-Dichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 106-46-7 | 1,4-Dichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-50-1 | 1,2-Dichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 39638-32-9 | bis(2-Chloroisopropyl)ether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 100-51-6 | Benzyl alcohol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-48-7 | o-Cresol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 65794-96-9 | m,p-Cresols | U | 10.0 | ug/L | 3.00 | 10.0 |
| 621-64-7 | N-Nitrosodi--n-propylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>N-Nitrosodipropylamine</i> | | | | | |
| 67-72-1 | Hexachloroethane | U | 10.0 | ug/L | 3.00 | 10.0 |
| 98-95-3 | Nitrobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 78-59-1 | Isophorone | U | 10.0 | ug/L | 3.00 | 10.0 |
| 88-75-5 | 2-Nitrophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 105-67-9 | 2,4-Dimethylphenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 111-91-1 | bis(2-Chloroethoxy)methane | U | 10.0 | ug/L | 3.00 | 10.0 |
| 120-83-2 | 2,4-Dichlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 65-85-0 | Benzoic acid | U | 20.0 | ug/L | 6.00 | 20.0 |
| 106-47-8 | 4-Chloroaniline | U | 10.0 | ug/L | 3.30 | 10.0 |
| 87-68-3 | Hexachlorobutadiene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 59-50-7 | Parachlorometa cresol | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>4-Chloro-3-methylphenol</i> | | | | | |
| 91-57-6 | 2-Methylnaphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 90-12-0 | 1-Methylnaphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 77-47-4 | Hexachlorocyclopentadiene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 88-06-2 | 2,4,6-Trichlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-95-4 | 2,4,5-Trichlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 91-58-7 | 2-Chloronaphthalene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 88-74-4 | 2-Nitroaniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>o-Nitroaniline</i> | | | | | |
| 99-09-2 | 3-Nitroaniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>m-Nitroaniline</i> | | | | | |
| 131-11-3 | Dimethylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 606-20-2 | 2,6-Dinitrotoluene | U | 10.0 | ug/L | 3.00 | 10.0 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 2 of 3

SDG Number: 2013-728

Lab Sample ID: 1202861109

Client Sample: QC for batch 1295931

Client ID: MB for batch 1295931

Batch ID: 1295932

Run Date: 04/19/2013 14:13

Prep Date: 04/19/2013 07:12

Data File: s041913.B\s8D1904.D

Client: ARSL001

Method: SW846 8270C

Inst: MSD8.I

Analyst: RMB

Aliquot: 1000 mL

Column: DB-5ms

Matrix: WATER

Project: QC

SOP Ref: GL-OA-E-009

Dilution: 1

Inj. Vol: 1 uL

Final Volume: 1 mL

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|------------------------------|-----------|--------|-------|---------|---------|
| 121-14-2 | 2,4-Dinitrotoluene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 208-96-8 | Acenaphthylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 83-32-9 | Acenaphthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 51-28-5 | 2,4-Dinitrophenol | U | 20.0 | ug/L | 5.00 | 20.0 |
| 132-64-9 | Dibenzofuran | U | 10.0 | ug/L | 3.00 | 10.0 |
| 58-90-2 | 2,3,4,6-Tetrachlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 84-66-2 | Diethylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 100-02-7 | 4-Nitrophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 86-73-7 | Fluorene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 7005-72-3 | 4-Chlorophenylphenylether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 100-01-6 | 4-Nitroaniline | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>p</i> -Nitroaniline | | | | | |
| 534-52-1 | 2-Methyl-4,6-dinitrophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 122-39-4 | Diphenylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 122-66-7 | Azobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| | <i>1,2-Diphenylhydrazine</i> | | | | | |
| 101-55-3 | 4-Bromophenylphenylether | U | 10.0 | ug/L | 3.00 | 10.0 |
| 118-74-1 | Hexachlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 87-86-5 | Pentachlorophenol | U | 10.0 | ug/L | 3.00 | 10.0 |
| 88-85-7 | Dinoseb | U | 10.0 | ug/L | 3.00 | 10.0 |
| 85-01-8 | Phenanthrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 120-12-7 | Anthracene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 84-74-2 | Di-n-butylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 206-44-0 | Fluoranthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 129-00-0 | Pyrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 85-68-7 | Butylbenzylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 56-55-3 | Benzo(a)anthracene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 218-01-9 | Chrysene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 117-84-0 | Di-n-octylphthalate | U | 10.0 | ug/L | 3.00 | 10.0 |
| 205-99-2 | Benzo(b)fluoranthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 207-08-9 | Benzo(k)fluoranthene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 50-32-8 | Benzo(a)pyrene | U | 1.00 | ug/L | 0.440 | 1.00 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 53-70-3 | Dibenzo(a,h)anthracene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 191-24-2 | Benzo(ghi)perylene | U | 1.00 | ug/L | 0.300 | 1.00 |
| 123-91-1 | 1,4-Dioxane | U | 10.0 | ug/L | 3.00 | 10.0 |
| 55-18-5 | N-Nitrosodiethylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 930-55-2 | N-Nitrosopyrrolidine | U | 10.0 | ug/L | 3.00 | 10.0 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 3 of 3

SDG Number: 2013-728

Lab Sample ID: 1202861109

Client Sample: QC for batch 1295931

Client ID: MB for batch 1295931

Batch ID: 1295932

Run Date: 04/19/2013 14:13

Prep Date: 04/19/2013 07:12

Data File: s041913.B\s8D1904.D

Matrix: WATER

Project: QC

SOP Ref: GL-OA-E-009

Dilution: 1

Inj. Vol: 1 uL

Final Volume: 1 mL

Client: ARSL001

Method: SW846 8270C

Inst: MSD8.I

Analyst: RMB

Aliquot: 1000 mL

Column: DB-5ms

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|----------------------------|-----------|--------|-------|---------|---------|
| 924-16-3 | N-Nitrosodi-n-butylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-94-3 | 1,2,4,5-Tetrachlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 608-93-5 | Pentachlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 1912-24-9 | Atrazine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 92-87-5 | Benzidine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 91-94-1 | 3,3'-Dichlorobenzidine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 120-82-1 | 1,2,4-Trichlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |

| Surrogate/Tracer recovery | Result | Nominal | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|-----------|-------------------|
| 2,4,6-Tribromophenol | 68.7 | 100 | ug/L 68.7 | (23%-130%) |
| 2-Fluorobiphenyl | 28.2 | 50.0 | ug/L 56.3 | (30%-104%) |
| 2-Fluorophenol | 36.0 | 100 | ug/L 36.0 | (14%-77%) |
| Nitrobenzene-d5 | 32.2 | 50.0 | ug/L 64.4 | (34%-125%) |
| Phenol-d5 | 24.1 | 100 | ug/L 24.1 | (10%-78%) |
| p-Terphenyl-d14 | 40.9 | 50.0 | ug/L 81.7 | (33%-136%) |

Tentatively Identified Compound Summary

| CAS No. | Tentatively Identified Compound (TIC) | RT | Estimated | Units | Fit | Qual |
|-------------|---------------------------------------|-------|-----------|-------|-----|------|
| 000067-66-3 | Trichloromethane | 2.283 | 33.2 | ug/L | 94 | NJ |
| | unknown | 2.625 | 16.8 | ug/L | 0 | J |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 1 of 3

SDG Number: 2013-728

Lab Sample ID: 1202861110

Client Sample: QC for batch 1295931

Client ID: LCS for batch 1295931

Batch ID: 1295932

Run Date: 04/19/2013 14:45

Prep Date: 04/19/2013 07:12

Data File: s041913.B\s8D1905.D

Client: ARSL001

Method: SW846 8270C

Inst: MSD8.I

Analyst: RMB

Aliquot: 1000 mL

Column: DB-5ms

Matrix: WATER

Project: QC

SOP Ref: GL-OA-E-009

Dilution: 1

Inj. Vol: 1 uL

Final Volume: 1 mL

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|--------------------------------|-----------|--------|-------|---------|---------|
| 62-75-9 | N-Methyl-N-nitrosomethylamine | | 19.2 | ug/L | 3.00 | 10.0 |
| 110-86-1 | Pyridine | | 30.4 | ug/L | 3.00 | 10.0 |
| 62-53-3 | Aniline | | 42.0 | ug/L | 3.00 | 10.0 |
| 108-95-2 | Phenol | | 10.9 | ug/L | 3.00 | 10.0 |
| 111-44-4 | bis(2-Chloroethyl) ether | | 33.9 | ug/L | 3.00 | 10.0 |
| 95-57-8 | 2-Chlorophenol | | 32.3 | ug/L | 3.00 | 10.0 |
| 541-73-1 | 1,3-Dichlorobenzene | | 28.0 | ug/L | 3.00 | 10.0 |
| 106-46-7 | 1,4-Dichlorobenzene | | 28.2 | ug/L | 3.00 | 10.0 |
| 95-50-1 | 1,2-Dichlorobenzene | | 28.7 | ug/L | 3.00 | 10.0 |
| 39638-32-9 | bis(2-Chloroisopropyl)ether | | 29.0 | ug/L | 3.00 | 10.0 |
| 100-51-6 | Benzyl alcohol | | 30.2 | ug/L | 3.00 | 10.0 |
| 95-48-7 | o-Cresol | | 26.3 | ug/L | 3.00 | 10.0 |
| 65794-96-9 | m,p-Cresols | | 26.7 | ug/L | 3.00 | 10.0 |
| 621-64-7 | N-Nitrosodi--n-propylamine | | 38.7 | ug/L | 3.00 | 10.0 |
| | <i>N-Nitrosodipropylamine</i> | | | | | |
| 67-72-1 | Hexachloroethane | | 28.0 | ug/L | 3.00 | 10.0 |
| 98-95-3 | Nitrobenzene | | 36.3 | ug/L | 3.00 | 10.0 |
| 78-59-1 | Isophorone | | 35.6 | ug/L | 3.00 | 10.0 |
| 88-75-5 | 2-Nitrophenol | | 34.3 | ug/L | 3.00 | 10.0 |
| 105-67-9 | 2,4-Dimethylphenol | | 31.3 | ug/L | 3.00 | 10.0 |
| 111-91-1 | bis(2-Chloroethoxy)methane | | 36.4 | ug/L | 3.00 | 10.0 |
| 120-83-2 | 2,4-Dichlorophenol | | 33.8 | ug/L | 3.00 | 10.0 |
| 65-85-0 | Benzoic acid | | 23.1 | ug/L | 6.00 | 20.0 |
| 106-47-8 | 4-Chloroaniline | | 48.8 | ug/L | 3.30 | 10.0 |
| 87-68-3 | Hexachlorobutadiene | | 26.4 | ug/L | 3.00 | 10.0 |
| 59-50-7 | Parachlorometa cresol | | 33.1 | ug/L | 3.00 | 10.0 |
| | <i>4-Chloro-3-methylphenol</i> | | | | | |
| 91-57-6 | 2-Methylnaphthalene | | 28.0 | ug/L | 0.300 | 1.00 |
| 91-20-3 | Naphthalene | | 29.6 | ug/L | 0.300 | 1.00 |
| 90-12-0 | 1-Methylnaphthalene | | 29.9 | ug/L | 0.300 | 1.00 |
| 77-47-4 | Hexachlorocyclopentadiene | | 22.1 | ug/L | 3.00 | 10.0 |
| 88-06-2 | 2,4,6-Trichlorophenol | | 36.4 | ug/L | 3.00 | 10.0 |
| 95-95-4 | 2,4,5-Trichlorophenol | | 38.6 | ug/L | 3.00 | 10.0 |
| 91-58-7 | 2-Chloronaphthalene | | 35.6 | ug/L | 0.300 | 1.00 |
| 88-74-4 | 2-Nitroaniline | | 45.0 | ug/L | 3.00 | 10.0 |
| | <i>o-Nitroaniline</i> | | | | | |
| 99-09-2 | 3-Nitroaniline | | 57.0 | ug/L | 3.00 | 10.0 |
| | <i>m-Nitroaniline</i> | | | | | |
| 131-11-3 | Dimethylphthalate | | 38.1 | ug/L | 3.00 | 10.0 |
| 606-20-2 | 2,6-Dinitrotoluene | | 39.6 | ug/L | 3.00 | 10.0 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 2 of 3

SDG Number: 2013-728

Lab Sample ID: 1202861110

Client Sample: QC for batch 1295931

Client ID: LCS for batch 1295931

Batch ID: 1295932

Run Date: 04/19/2013 14:45

Prep Date: 04/19/2013 07:12

Data File: s041913.B\s8D1905.D

Matrix: WATER

Project: QC

SOP Ref: GL-OA-E-009

Dilution: 1

Inj. Vol: 1 uL

Final Volume: 1 mL

Client: ARSL001

Method: SW846 8270C

Inst: MSD8.I

Analyst: RMB

Aliquot: 1000 mL

Column: DB-5ms

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|------------------------------|-----------|--------|-------|---------|---------|
| 121-14-2 | 2,4-Dinitrotoluene | | 40.3 | ug/L | 3.00 | 10.0 |
| 208-96-8 | Acenaphthylene | | 34.4 | ug/L | 0.300 | 1.00 |
| 83-32-9 | Acenaphthene | | 33.7 | ug/L | 0.300 | 1.00 |
| 51-28-5 | 2,4-Dinitrophenol | | 27.7 | ug/L | 5.00 | 20.0 |
| 132-64-9 | Dibenzofuran | | 36.8 | ug/L | 3.00 | 10.0 |
| 58-90-2 | 2,3,4,6-Tetrachlorophenol | | 39.0 | ug/L | 3.00 | 10.0 |
| 84-66-2 | Diethylphthalate | | 37.5 | ug/L | 3.00 | 10.0 |
| 100-02-7 | 4-Nitrophenol | | 13.8 | ug/L | 3.00 | 10.0 |
| 86-73-7 | Fluorene | | 36.3 | ug/L | 0.300 | 1.00 |
| 7005-72-3 | 4-Chlorophenylphenylether | | 36.6 | ug/L | 3.00 | 10.0 |
| 100-01-6 | 4-Nitroaniline | | 65.5 | ug/L | 3.00 | 10.0 |
| | <i>p</i> -Nitroaniline | | | | | |
| 534-52-1 | 2-Methyl-4,6-dinitrophenol | | 38.1 | ug/L | 3.00 | 10.0 |
| 122-39-4 | Diphenylamine | | 37.5 | ug/L | 3.00 | 10.0 |
| 122-66-7 | Azobenzene | | 34.6 | ug/L | 3.00 | 10.0 |
| | <i>1,2-Diphenylhydrazine</i> | | | | | |
| 101-55-3 | 4-Bromophenylphenylether | | 36.7 | ug/L | 3.00 | 10.0 |
| 118-74-1 | Hexachlorobenzene | | 37.0 | ug/L | 3.00 | 10.0 |
| 87-86-5 | Pentachlorophenol | | 28.8 | ug/L | 3.00 | 10.0 |
| 88-85-7 | Dinoseb | U | 10.0 | ug/L | 3.00 | 10.0 |
| 85-01-8 | Phenanthrene | | 34.3 | ug/L | 0.300 | 1.00 |
| 120-12-7 | Anthracene | | 34.7 | ug/L | 0.300 | 1.00 |
| 84-74-2 | Di-n-butylphthalate | | 33.9 | ug/L | 3.00 | 10.0 |
| 206-44-0 | Fluoranthene | | 34.4 | ug/L | 0.300 | 1.00 |
| 129-00-0 | Pyrene | | 33.7 | ug/L | 0.300 | 1.00 |
| 85-68-7 | Butylbenzylphthalate | | 32.4 | ug/L | 3.00 | 10.0 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | | 31.8 | ug/L | 3.00 | 10.0 |
| 56-55-3 | Benzo(a)anthracene | | 34.3 | ug/L | 0.300 | 1.00 |
| 218-01-9 | Chrysene | | 35.1 | ug/L | 0.300 | 1.00 |
| 117-84-0 | Di-n-octylphthalate | | 30.6 | ug/L | 3.00 | 10.0 |
| 205-99-2 | Benzo(b)fluoranthene | | 36.2 | ug/L | 0.300 | 1.00 |
| 207-08-9 | Benzo(k)fluoranthene | | 37.2 | ug/L | 0.300 | 1.00 |
| 50-32-8 | Benzo(a)pyrene | | 32.1 | ug/L | 0.440 | 1.00 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | | 29.2 | ug/L | 0.300 | 1.00 |
| 53-70-3 | Dibenzo(a,h)anthracene | | 28.5 | ug/L | 0.300 | 1.00 |
| 191-24-2 | Benzo(ghi)perylene | | 29.9 | ug/L | 0.300 | 1.00 |
| 123-91-1 | 1,4-Dioxane | | 19.2 | ug/L | 3.00 | 10.0 |
| 55-18-5 | N-Nitrosodiethylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 930-55-2 | N-Nitrosopyrrolidine | | 34.5 | ug/L | 3.00 | 10.0 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 3 of 3

SDG Number: 2013-728

Lab Sample ID: 1202861110

Client Sample: QC for batch 1295931

Client ID: LCS for batch 1295931

Batch ID: 1295932

Run Date: 04/19/2013 14:45

Prep Date: 04/19/2013 07:12

Data File: s041913.B\s8D1905.D

Client: ARSL001

Method: SW846 8270C

Inst: MSD8.I

Analyst: RMB

Aliquot: 1000 mL

Column: DB-5ms

Matrix: WATER

Project: QC

SOP Ref: GL-OA-E-009

Dilution: 1

Inj. Vol: 1 uL

Final Volume: 1 mL

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|----------------------------|-----------|--------|-------|---------|---------|
| 924-16-3 | N-Nitrosodi-n-butylamine | U | 10.0 | ug/L | 3.00 | 10.0 |
| 95-94-3 | 1,2,4,5-Tetrachlorobenzene | | 31.7 | ug/L | 3.00 | 10.0 |
| 608-93-5 | Pentachlorobenzene | U | 10.0 | ug/L | 3.00 | 10.0 |
| 1912-24-9 | Atrazine | | 15.5 | ug/L | 3.00 | 10.0 |
| 92-87-5 | Benzidine | | 46.5 | ug/L | 3.00 | 10.0 |
| 91-94-1 | 3,3'-Dichlorobenzidine | | 29.0 | ug/L | 3.00 | 10.0 |
| 120-82-1 | 1,2,4-Trichlorobenzene | | 28.0 | ug/L | 3.00 | 10.0 |

| Surrogate/Tracer recovery | Result | Nominal | | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|------|-----------|-------------------|
| 2,4,6-Tribromophenol | 84.7 | 100 | ug/L | 84.7 | (23%-130%) |
| 2-Fluorobiphenyl | 33.9 | 50.0 | ug/L | 67.9 | (30%-104%) |
| 2-Fluorophenol | 33.0 | 100 | ug/L | 33.0 | (14%-77%) |
| Nitrobenzene-d5 | 35.7 | 50.0 | ug/L | 71.4 | (34%-125%) |
| Phenol-d5 | 20.8 | 100 | ug/L | 20.8 | (10%-78%) |
| p-Terphenyl-d14 | 38.3 | 50.0 | ug/L | 76.7 | (33%-136%) |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/15/2013 12:34 | Matrix: W |
| Lab Sample ID: 1202861111 | Date Received: 04/17/2013 09:15 | |
| Client Sample: QC for batch 1295931 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29666MS | Method: SW846 8270C | SOP Ref: GL-OA-E-009 |
| Batch ID: 1295932 | Inst: MSD8.I | Dilution: 1 |
| Run Date: 04/19/2013 15:50 | Analyst: RMB | Inj. Vol: 1 uL |
| Prep Date: 04/19/2013 07:12 | Aliquot: 440 mL | Final Volume: 1 mL |
| Data File: s041913.B\s8D1907.D | Column: DB-5ms | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|--------------------------------|-----------|--------|-------|---------|---------|
| 62-75-9 | N-Methyl-N-nitrosomethylamine | | 57.4 | ug/L | 6.82 | 22.7 |
| 110-86-1 | Pyridine | J | 18.8 | ug/L | 6.82 | 22.7 |
| 62-53-3 | Aniline | | 61.9 | ug/L | 6.82 | 22.7 |
| 108-95-2 | Phenol | | 53.9 | ug/L | 6.82 | 22.7 |
| 111-44-4 | bis(2-Chloroethyl) ether | | 69.8 | ug/L | 6.82 | 22.7 |
| 95-57-8 | 2-Chlorophenol | | 75.4 | ug/L | 6.82 | 22.7 |
| 541-73-1 | 1,3-Dichlorobenzene | | 55.0 | ug/L | 6.82 | 22.7 |
| 106-46-7 | 1,4-Dichlorobenzene | | 55.2 | ug/L | 6.82 | 22.7 |
| 95-50-1 | 1,2-Dichlorobenzene | | 56.1 | ug/L | 6.82 | 22.7 |
| 39638-32-9 | bis(2-Chloroisopropyl)ether | | 61.5 | ug/L | 6.82 | 22.7 |
| 100-51-6 | Benzyl alcohol | | 77.7 | ug/L | 6.82 | 22.7 |
| 95-48-7 | o-Cresol | | 73.2 | ug/L | 6.82 | 22.7 |
| 65794-96-9 | m,p-Cresols | | 85.2 | ug/L | 6.82 | 22.7 |
| 621-64-7 | N-Nitrosodi--n-propylamine | | 82.9 | ug/L | 6.82 | 22.7 |
| | <i>N-Nitrosodipropylamine</i> | | | | | |
| 67-72-1 | Hexachloroethane | | 54.6 | ug/L | 6.82 | 22.7 |
| 98-95-3 | Nitrobenzene | | 76.4 | ug/L | 6.82 | 22.7 |
| 78-59-1 | Isophorone | | 76.9 | ug/L | 6.82 | 22.7 |
| 88-75-5 | 2-Nitrophenol | | 71.5 | ug/L | 6.82 | 22.7 |
| 105-67-9 | 2,4-Dimethylphenol | | 70.2 | ug/L | 6.82 | 22.7 |
| 111-91-1 | bis(2-Chloroethoxy)methane | | 77.5 | ug/L | 6.82 | 22.7 |
| 120-83-2 | 2,4-Dichlorophenol | | 72.3 | ug/L | 6.82 | 22.7 |
| 65-85-0 | Benzoic acid | | 110 | ug/L | 13.6 | 45.5 |
| 106-47-8 | 4-Chloroaniline | | 96.4 | ug/L | 7.50 | 22.7 |
| 87-68-3 | Hexachlorobutadiene | | 49.8 | ug/L | 6.82 | 22.7 |
| 59-50-7 | Parachlorometa cresol | | 78.3 | ug/L | 6.82 | 22.7 |
| | <i>4-Chloro-3-methylphenol</i> | | | | | |
| 91-57-6 | 2-Methylnaphthalene | | 55.3 | ug/L | 0.682 | 2.27 |
| 91-20-3 | Naphthalene | | 59.3 | ug/L | 0.682 | 2.27 |
| 90-12-0 | 1-Methylnaphthalene | | 59.8 | ug/L | 0.682 | 2.27 |
| 77-47-4 | Hexachlorocyclopentadiene | | 34.3 | ug/L | 6.82 | 22.7 |
| 88-06-2 | 2,4,6-Trichlorophenol | | 78.5 | ug/L | 6.82 | 22.7 |
| 95-95-4 | 2,4,5-Trichlorophenol | | 85.0 | ug/L | 6.82 | 22.7 |
| 91-58-7 | 2-Chloronaphthalene | | 69.8 | ug/L | 0.682 | 2.27 |
| 88-74-4 | 2-Nitroaniline | | 97.8 | ug/L | 6.82 | 22.7 |
| | <i>o-Nitroaniline</i> | | | | | |
| 99-09-2 | 3-Nitroaniline | | 107 | ug/L | 6.82 | 22.7 |
| | <i>m-Nitroaniline</i> | | | | | |
| 131-11-3 | Dimethylphthalate | | 86.5 | ug/L | 6.82 | 22.7 |
| 606-20-2 | 2,6-Dinitrotoluene | | 89.7 | ug/L | 6.82 | 22.7 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/15/2013 12:34 | Matrix: W |
| Lab Sample ID: 1202861111 | Date Received: 04/17/2013 09:15 | |
| Client Sample: QC for batch 1295931 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29666MS | Method: SW846 8270C | SOP Ref: GL-OA-E-009 |
| Batch ID: 1295932 | Inst: MSD8.I | Dilution: 1 |
| Run Date: 04/19/2013 15:50 | Analyst: RMB | Inj. Vol: 1 uL |
| Prep Date: 04/19/2013 07:12 | Aliquot: 440 mL | Final Volume: 1 mL |
| Data File: s041913.B\s8D1907.D | Column: DB-5ms | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|------------------------------|-----------|--------|-------|---------|---------|
| 121-14-2 | 2,4-Dinitrotoluene | | 92.4 | ug/L | 6.82 | 22.7 |
| 208-96-8 | Acenaphthylene | | 71.3 | ug/L | 0.682 | 2.27 |
| 83-32-9 | Acenaphthene | | 70.2 | ug/L | 0.682 | 2.27 |
| 51-28-5 | 2,4-Dinitrophenol | | 59.1 | ug/L | 11.4 | 45.5 |
| 132-64-9 | Dibenzofuran | | 76.4 | ug/L | 6.82 | 22.7 |
| 58-90-2 | 2,3,4,6-Tetrachlorophenol | | 87.8 | ug/L | 6.82 | 22.7 |
| 84-66-2 | Diethylphthalate | | 87.3 | ug/L | 6.82 | 22.7 |
| 100-02-7 | 4-Nitrophenol | | 50.0 | ug/L | 6.82 | 22.7 |
| 86-73-7 | Fluorene | | 80.0 | ug/L | 0.682 | 2.27 |
| 7005-72-3 | 4-Chlorophenylphenylether | | 78.9 | ug/L | 6.82 | 22.7 |
| 100-01-6 | 4-Nitroaniline | | 97.3 | ug/L | 6.82 | 22.7 |
| | <i>p</i> -Nitroaniline | | | | | |
| 534-52-1 | 2-Methyl-4,6-dinitrophenol | | 91.5 | ug/L | 6.82 | 22.7 |
| 122-39-4 | Diphenylamine | | 87.9 | ug/L | 6.82 | 22.7 |
| 122-66-7 | Azobenzene | | 80.3 | ug/L | 6.82 | 22.7 |
| | <i>1,2-Diphenylhydrazine</i> | | | | | |
| 101-55-3 | 4-Bromophenylphenylether | | 84.5 | ug/L | 6.82 | 22.7 |
| 118-74-1 | Hexachlorobenzene | | 89.3 | ug/L | 6.82 | 22.7 |
| 87-86-5 | Pentachlorophenol | | 68.9 | ug/L | 6.82 | 22.7 |
| 88-85-7 | Dinoseb | U | 22.7 | ug/L | 6.82 | 22.7 |
| 85-01-8 | Phenanthrene | | 81.4 | ug/L | 0.682 | 2.27 |
| 120-12-7 | Anthracene | | 80.7 | ug/L | 0.682 | 2.27 |
| 84-74-2 | Di-n-butylphthalate | | 81.8 | ug/L | 6.82 | 22.7 |
| 206-44-0 | Fluoranthene | | 78.1 | ug/L | 0.682 | 2.27 |
| 129-00-0 | Pyrene | | 87.1 | ug/L | 0.682 | 2.27 |
| 85-68-7 | Butylbenzylphthalate | | 79.5 | ug/L | 6.82 | 22.7 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | | 71.3 | ug/L | 6.82 | 22.7 |
| 56-55-3 | Benzo(a)anthracene | | 79.9 | ug/L | 0.682 | 2.27 |
| 218-01-9 | Chrysene | | 82.1 | ug/L | 0.682 | 2.27 |
| 117-84-0 | Di-n-octylphthalate | | 64.5 | ug/L | 6.82 | 22.7 |
| 205-99-2 | Benzo(b)fluoranthene | | 78.6 | ug/L | 0.682 | 2.27 |
| 207-08-9 | Benzo(k)fluoranthene | | 80.5 | ug/L | 0.682 | 2.27 |
| 50-32-8 | Benzo(a)pyrene | | 74.0 | ug/L | 1.00 | 2.27 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | | 73.5 | ug/L | 0.682 | 2.27 |
| 53-70-3 | Dibenzo(a,h)anthracene | | 69.1 | ug/L | 0.682 | 2.27 |
| 191-24-2 | Benzo(ghi)perylene | | 79.4 | ug/L | 0.682 | 2.27 |
| 123-91-1 | 1,4-Dioxane | | 57.8 | ug/L | 6.82 | 22.7 |
| 55-18-5 | N-Nitrosodiethylamine | U | 22.7 | ug/L | 6.82 | 22.7 |
| 930-55-2 | N-Nitrosopyrrolidine | | 81.8 | ug/L | 6.82 | 22.7 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 3 of 3

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/15/2013 12:34 | Matrix: W |
| Lab Sample ID: 1202861111 | Date Received: 04/17/2013 09:15 | |
| Client Sample: QC for batch 1295931 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29666MS | Method: SW846 8270C | SOP Ref: GL-OA-E-009 |
| Batch ID: 1295932 | Inst: MSD8.I | Dilution: 1 |
| Run Date: 04/19/2013 15:50 | Analyst: RMB | Inj. Vol: 1 uL |
| Prep Date: 04/19/2013 07:12 | Aliquot: 440 mL | Final Volume: 1 mL |
| Data File: s041913.B\s8D1907.D | Column: DB-5ms | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|----------------------------|-----------|--------|-------|---------|---------|
| 924-16-3 | N-Nitrosodi-n-butylamine | U | 22.7 | ug/L | 6.82 | 22.7 |
| 95-94-3 | 1,2,4,5-Tetrachlorobenzene | | 59.8 | ug/L | 6.82 | 22.7 |
| 608-93-5 | Pentachlorobenzene | U | 22.7 | ug/L | 6.82 | 22.7 |
| 1912-24-9 | Atrazine | | 38.3 | ug/L | 6.82 | 22.7 |
| 92-87-5 | Benzidine | J | 16.6 | ug/L | 6.82 | 22.7 |
| 91-94-1 | 3,3'-Dichlorobenzidine | | 43.3 | ug/L | 6.82 | 22.7 |
| 120-82-1 | 1,2,4-Trichlorobenzene | | 54.4 | ug/L | 6.82 | 22.7 |

| Surrogate/Tracer recovery | Result | Nominal | | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|------|-----------|-------------------|
| 2,4,6-Tribromophenol | 190 | 227 | ug/L | 83.6 | (23%-130%) |
| 2-Fluorobiphenyl | 68.9 | 114 | ug/L | 60.6 | (30%-104%) |
| 2-Fluorophenol | 120 | 227 | ug/L | 52.9 | (14%-77%) |
| Nitrobenzene-d5 | 73.5 | 114 | ug/L | 64.7 | (34%-125%) |
| Phenol-d5 | 104 | 227 | ug/L | 45.8 | (10%-78%) |
| p-Terphenyl-d14 | 96.5 | 114 | ug/L | 85.0 | (33%-136%) |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/15/2013 12:34 | Matrix: W |
| Lab Sample ID: 1202861112 | Date Received: 04/17/2013 09:15 | |
| Client Sample: QC for batch 1295931 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29666MSD | Method: SW846 8270C | SOP Ref: GL-OA-E-009 |
| Batch ID: 1295932 | Inst: MSD8.I | Dilution: 1 |
| Run Date: 04/19/2013 16:23 | Analyst: RMB | Inj. Vol: 1 uL |
| Prep Date: 04/19/2013 07:12 | Aliquot: 440 mL | Final Volume: 1 mL |
| Data File: s041913.B\s8D1908.D | Column: DB-5ms | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|------------|--------------------------------|-----------|--------|-------|---------|---------|
| 62-75-9 | N-Methyl-N-nitrosomethylamine | | 60.9 | ug/L | 6.82 | 22.7 |
| 110-86-1 | Pyridine | | 83.8 | ug/L | 6.82 | 22.7 |
| 62-53-3 | Aniline | | 101 | ug/L | 6.82 | 22.7 |
| 108-95-2 | Phenol | | 53.9 | ug/L | 6.82 | 22.7 |
| 111-44-4 | bis(2-Chloroethyl) ether | | 70.4 | ug/L | 6.82 | 22.7 |
| 95-57-8 | 2-Chlorophenol | | 75.1 | ug/L | 6.82 | 22.7 |
| 541-73-1 | 1,3-Dichlorobenzene | | 56.4 | ug/L | 6.82 | 22.7 |
| 106-46-7 | 1,4-Dichlorobenzene | | 56.8 | ug/L | 6.82 | 22.7 |
| 95-50-1 | 1,2-Dichlorobenzene | | 57.4 | ug/L | 6.82 | 22.7 |
| 39638-32-9 | bis(2-Chloroisopropyl)ether | | 61.7 | ug/L | 6.82 | 22.7 |
| 100-51-6 | Benzyl alcohol | | 75.5 | ug/L | 6.82 | 22.7 |
| 95-48-7 | o-Cresol | | 71.6 | ug/L | 6.82 | 22.7 |
| 65794-96-9 | m,p-Cresols | | 83.2 | ug/L | 6.82 | 22.7 |
| 621-64-7 | N-Nitrosodi--n-propylamine | | 80.4 | ug/L | 6.82 | 22.7 |
| | <i>N-Nitrosodipropylamine</i> | | | | | |
| 67-72-1 | Hexachloroethane | | 56.3 | ug/L | 6.82 | 22.7 |
| 98-95-3 | Nitrobenzene | | 77.6 | ug/L | 6.82 | 22.7 |
| 78-59-1 | Isophorone | | 76.2 | ug/L | 6.82 | 22.7 |
| 88-75-5 | 2-Nitrophenol | | 73.2 | ug/L | 6.82 | 22.7 |
| 105-67-9 | 2,4-Dimethylphenol | | 69.8 | ug/L | 6.82 | 22.7 |
| 111-91-1 | bis(2-Chloroethoxy)methane | | 77.8 | ug/L | 6.82 | 22.7 |
| 120-83-2 | 2,4-Dichlorophenol | | 72.8 | ug/L | 6.82 | 22.7 |
| 65-85-0 | Benzoic acid | | 108 | ug/L | 13.6 | 45.5 |
| 106-47-8 | 4-Chloroaniline | | 110 | ug/L | 7.50 | 22.7 |
| 87-68-3 | Hexachlorobutadiene | | 52.7 | ug/L | 6.82 | 22.7 |
| 59-50-7 | Parachlorometa cresol | | 76.3 | ug/L | 6.82 | 22.7 |
| | <i>4-Chloro-3-methylphenol</i> | | | | | |
| 91-57-6 | 2-Methylnaphthalene | | 56.0 | ug/L | 0.682 | 2.27 |
| 91-20-3 | Naphthalene | | 60.3 | ug/L | 0.682 | 2.27 |
| 90-12-0 | 1-Methylnaphthalene | | 59.5 | ug/L | 0.682 | 2.27 |
| 77-47-4 | Hexachlorocyclopentadiene | | 42.8 | ug/L | 6.82 | 22.7 |
| 88-06-2 | 2,4,6-Trichlorophenol | | 78.3 | ug/L | 6.82 | 22.7 |
| 95-95-4 | 2,4,5-Trichlorophenol | | 82.8 | ug/L | 6.82 | 22.7 |
| 91-58-7 | 2-Chloronaphthalene | | 71.3 | ug/L | 0.682 | 2.27 |
| 88-74-4 | 2-Nitroaniline | | 98.0 | ug/L | 6.82 | 22.7 |
| | <i>o-Nitroaniline</i> | | | | | |
| 99-09-2 | 3-Nitroaniline | | 120 | ug/L | 6.82 | 22.7 |
| | <i>m-Nitroaniline</i> | | | | | |
| 131-11-3 | Dimethylphthalate | | 81.1 | ug/L | 6.82 | 22.7 |
| 606-20-2 | 2,6-Dinitrotoluene | | 85.0 | ug/L | 6.82 | 22.7 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/15/2013 12:34 | Matrix: W |
| Lab Sample ID: 1202861112 | Date Received: 04/17/2013 09:15 | |
| Client Sample: QC for batch 1295931 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29666MSD | Method: SW846 8270C | SOP Ref: GL-OA-E-009 |
| Batch ID: 1295932 | Inst: MSD8.I | Dilution: 1 |
| Run Date: 04/19/2013 16:23 | Analyst: RMB | Inj. Vol: 1 uL |
| Prep Date: 04/19/2013 07:12 | Aliquot: 440 mL | Final Volume: 1 mL |
| Data File: s041913.B\s8D1908.D | Column: DB-5ms | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|------------------------------|-----------|--------|-------|---------|---------|
| 121-14-2 | 2,4-Dinitrotoluene | | 87.3 | ug/L | 6.82 | 22.7 |
| 208-96-8 | Acenaphthylene | | 71.7 | ug/L | 0.682 | 2.27 |
| 83-32-9 | Acenaphthene | | 67.7 | ug/L | 0.682 | 2.27 |
| 51-28-5 | 2,4-Dinitrophenol | | 68.3 | ug/L | 11.4 | 45.5 |
| 132-64-9 | Dibenzofuran | | 76.2 | ug/L | 6.82 | 22.7 |
| 58-90-2 | 2,3,4,6-Tetrachlorophenol | | 84.8 | ug/L | 6.82 | 22.7 |
| 84-66-2 | Diethylphthalate | | 80.7 | ug/L | 6.82 | 22.7 |
| 100-02-7 | 4-Nitrophenol | | 53.8 | ug/L | 6.82 | 22.7 |
| 86-73-7 | Fluorene | | 77.0 | ug/L | 0.682 | 2.27 |
| 7005-72-3 | 4-Chlorophenylphenylether | | 75.7 | ug/L | 6.82 | 22.7 |
| 100-01-6 | 4-Nitroaniline | | 137 | ug/L | 6.82 | 22.7 |
| | <i>p</i> -Nitroaniline | | | | | |
| 534-52-1 | 2-Methyl-4,6-dinitrophenol | | 91.6 | ug/L | 6.82 | 22.7 |
| 122-39-4 | Diphenylamine | | 82.3 | ug/L | 6.82 | 22.7 |
| 122-66-7 | Azobenzene | | 76.8 | ug/L | 6.82 | 22.7 |
| | <i>1,2-Diphenylhydrazine</i> | | | | | |
| 101-55-3 | 4-Bromophenylphenylether | | 79.2 | ug/L | 6.82 | 22.7 |
| 118-74-1 | Hexachlorobenzene | | 81.8 | ug/L | 6.82 | 22.7 |
| 87-86-5 | Pentachlorophenol | | 67.3 | ug/L | 6.82 | 22.7 |
| 88-85-7 | Dinoseb | U | 22.7 | ug/L | 6.82 | 22.7 |
| 85-01-8 | Phenanthrene | | 75.5 | ug/L | 0.682 | 2.27 |
| 120-12-7 | Anthracene | | 75.8 | ug/L | 0.682 | 2.27 |
| 84-74-2 | Di-n-butylphthalate | | 74.8 | ug/L | 6.82 | 22.7 |
| 206-44-0 | Fluoranthene | | 73.8 | ug/L | 0.682 | 2.27 |
| 129-00-0 | Pyrene | | 70.9 | ug/L | 0.682 | 2.27 |
| 85-68-7 | Butylbenzylphthalate | | 67.7 | ug/L | 6.82 | 22.7 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | | 64.8 | ug/L | 6.82 | 22.7 |
| 56-55-3 | Benzo(a)anthracene | | 73.6 | ug/L | 0.682 | 2.27 |
| 218-01-9 | Chrysene | | 75.1 | ug/L | 0.682 | 2.27 |
| 117-84-0 | Di-n-octylphthalate | | 65.4 | ug/L | 6.82 | 22.7 |
| 205-99-2 | Benzo(b)fluoranthene | | 74.0 | ug/L | 0.682 | 2.27 |
| 207-08-9 | Benzo(k)fluoranthene | | 76.8 | ug/L | 0.682 | 2.27 |
| 50-32-8 | Benzo(a)pyrene | | 70.2 | ug/L | 1.00 | 2.27 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | | 63.8 | ug/L | 0.682 | 2.27 |
| 53-70-3 | Dibenzo(a,h)anthracene | | 63.0 | ug/L | 0.682 | 2.27 |
| 191-24-2 | Benzo(ghi)perylene | | 64.3 | ug/L | 0.682 | 2.27 |
| 123-91-1 | 1,4-Dioxane | | 60.1 | ug/L | 6.82 | 22.7 |
| 55-18-5 | N-Nitrosodiethylamine | U | 22.7 | ug/L | 6.82 | 22.7 |
| 930-55-2 | N-Nitrosopyrrolidine | | 76.0 | ug/L | 6.82 | 22.7 |

**Semi-Volatile
Certificate of Analysis
Sample Summary**

Page 3 of 3

| | | |
|--|---|-----------------------------|
| SDG Number: 2013-728 | Date Collected: 04/15/2013 12:34 | Matrix: W |
| Lab Sample ID: 1202861112 | Date Received: 04/17/2013 09:15 | |
| Client Sample: QC for batch 1295931 | Client: ARSL001 | Project: QC |
| Client ID: CAPA-13-29666MSD | Method: SW846 8270C | SOP Ref: GL-OA-E-009 |
| Batch ID: 1295932 | Inst: MSD8.I | Dilution: 1 |
| Run Date: 04/19/2013 16:23 | Analyst: RMB | Inj. Vol: 1 uL |
| Prep Date: 04/19/2013 07:12 | Aliquot: 440 mL | Final Volume: 1 mL |
| Data File: s041913.B\s8D1908.D | Column: DB-5ms | |

| CAS No. | Parmname | Qualifier | Result | Units | MDL/LOD | PQL/LOQ |
|-----------|----------------------------|-----------|--------|-------|---------|---------|
| 924-16-3 | N-Nitrosodi-n-butylamine | U | 22.7 | ug/L | 6.82 | 22.7 |
| 95-94-3 | 1,2,4,5-Tetrachlorobenzene | | 61.8 | ug/L | 6.82 | 22.7 |
| 608-93-5 | Pentachlorobenzene | U | 22.7 | ug/L | 6.82 | 22.7 |
| 1912-24-9 | Atrazine | | 33.7 | ug/L | 6.82 | 22.7 |
| 92-87-5 | Benzidine | | 159 | ug/L | 6.82 | 22.7 |
| 91-94-1 | 3,3'-Dichlorobenzidine | | 67.8 | ug/L | 6.82 | 22.7 |
| 120-82-1 | 1,2,4-Trichlorobenzene | | 55.4 | ug/L | 6.82 | 22.7 |

| Surrogate/Tracer recovery | Result | Nominal | | Recovery% | Acceptable Limits |
|---------------------------|--------|---------|------|-----------|-------------------|
| 2,4,6-Tribromophenol | 180 | 227 | ug/L | 79.4 | (23%-130%) |
| 2-Fluorobiphenyl | 69.0 | 114 | ug/L | 60.7 | (30%-104%) |
| 2-Fluorophenol | 123 | 227 | ug/L | 54.1 | (14%-77%) |
| Nitrobenzene-d5 | 75.9 | 114 | ug/L | 66.8 | (34%-125%) |
| Phenol-d5 | 104 | 227 | ug/L | 45.6 | (10%-78%) |
| p-Terphenyl-d14 | 80.4 | 114 | ug/L | 70.7 | (33%-136%) |

Miscellaneous

DATA EXCEPTION REPORT

| | | | |
|--|--------------------------------------|--|-----------------------------|
| Mo.Day Yr. 22-APR-13 | Division: Industrial | Quality Criteria: Specifications | Type: Process |
| Instrument Type: SEMIOVA GC/MS | Test / Method: SW846 8270C | Matrix Type: Liquid | Client Code: ESHL |
| Batch ID: 1295932 | Sample Numbers: See Below | | |

Potentially affected work order(s)(SDG): 323996(2013-728)

Application Issues:

Failed Recovery for MS/PS
Failed RPD for MS/MSD, or PS/PSD
Failed Recovery for LCS/LCSD
Failed Recovery for MSD/PSD

**Specification and Requirements
Exception Description:**

1. The LCS(1202861110) did not meet spike recovery acceptance limits for Atrazine and 1,4-Dioxane. Please see the QC Summary for specific failures.
2. The MS(1202861111) did not meet spike recovery acceptance limits for Pyridine, Atrazine and Benzidine. Please see the QC Summary for specific failures.
3. The MSD(1202861112) did not meet spike recovery acceptance limits for Atrazine. Please see the QC Summary for specific failures.
4. The MS(1202861111)/MSD(1202861112) pair displayed RPD values outside of the acceptance criteria. Please see the QC Summary for specific failures.

DER Disposition:

1. These failures represent less than 5% of the total spiked analytes and the data are in compliance with the client's guidelines. In addition, it should be noted that 1,4-Dioxane does not extract well from water and is subject to poor recoveries. Please note that Atrazine also recovered low in the MS and MSD. Atrazine was well within the %Drift acceptance criteria in the ICV and CCV. Since there was insufficient sample volume remaining to re-extract the parent sample 323996001 and associated MS/MSD pair, the data results have been reported.
- 2., 3. Benzidine is subject to oxidative loss during extraction, as documented in method 8270. This may account for the low recovery of the analyte in the MS. Please note that Atrazine also recovered low in the MS and MSD. Atrazine was well within the %Drift acceptance criteria in the ICV and CCV. Since there was insufficient sample volume remaining to re-extract the parent sample 323996001 and associated MS/MSD pair, the data results have been reported.
4. The higher recoveries in the MSD, when compared to the MS attributed to the RPD failures. Since there was insufficient sample volume remaining to re-extract the parent sample 323996001 and associated MS/MSD pair, the data results have been reported.

Originator's Name:

Richard Bomar 22-APR-13

Data Validator/Group Leader:

Barbara Bailey 10-MAY-13

Metals Analysis

Case Narrative

**Metals Fractional Narrative
ARS International (ARSL)
SDG 2013-728**

Sample Analysis

| Sample ID | Client ID |
|------------------|---|
| 323996002 | CAPA-13-29677 |
| 1202863772 | Method Blank (MB) ICP |
| 1202863773 | Laboratory Control Sample (LCS) |
| 1202863776 | 324376001(WST36-13-30956L) Serial Dilution (SD) |
| 1202863774 | 324376001(WST36-13-30956D) Sample Duplicate (DUP) |
| 1202863775 | 324376001(WST36-13-30956S) Matrix Spike (MS) |
| 1202863777 | Method Blank (MB) ICP-MS |
| 1202863778 | Laboratory Control Sample (LCS) |
| 1202863781 | 324205002(CAPA-13-29680L) Serial Dilution (SD) |
| 1202863779 | 324205002(CAPA-13-29680D) Sample Duplicate (DUP) |
| 1202863780 | 324205002(CAPA-13-29680S) Matrix Spike (MS) |
| 1202860819 | Method Blank (MB) CVAA |
| 1202860820 | Laboratory Control Sample (LCS) |
| 1202860823 | 323996002(CAPA-13-29677L) Serial Dilution (SD) |
| 1202860821 | 323996002(CAPA-13-29677D) Sample Duplicate (DUP) |
| 1202860822 | 323996002(CAPA-13-29677S) Matrix Spike (MS) |

Method/Analysis Information

| | |
|---------------------------------------|--|
| Analytical Batch: | 1296991, 1296993, 1295806 and 1300880 |
| Prep Batch : | 1296990, 1296992 and 1295805 |
| Standard Operating Procedures: | GL-MA-E-013 REV# 22, GL-MA-E-006 REV# 9, GL-MA-E-014 REV# 25, GL-MA-E-010 REV# 25 and GL-GC-E-107 REV# 8 |
| Analytical Method: | SW846 3005/6010B, SW846 3005/6020 DOE-AL, EPA 245.1/245.2 and SM 2340 B |
| Prep Method : | SW846 3005A and EPA 245.1/245.2 Prep |

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

System Configuration

The Hardness as CaCO₃ is calculated from Calcium and Magnesium results.

The Metals analysis-ICP was performed on a P E 5300 Optima radial/axial-viewing inductively coupled plasma atomic emission spectrometer. The instrument is equipped with a Burgener nebulizer, cyclonic spray chamber, and yttrium or scandium internal standard. Operating conditions for the ICP are set at a power level of 1500 watts. The instrument has a peristaltic pump flow rate of 1.4L/min, argon gas flows of 15 L/min and 0.2 L/min for the torch and auxiliary gases, and a flow setting of 0.65L/min for the nebulizer.

The Metals analysis - ICPMS was performed on a Perkin Elmer ELAN 9000 inductively coupled plasma mass spectrometer (ICP-MS). The instrument is equipped with a cross-flow nebulizer, quadrupole mass spectrometer, and dual mode electron multiplier detector. Internal standards of scandium, germanium, indium, tantalum, and/or lutetium were utilized to cover the mass spectrum. Operating conditions are set at 1400W power and combined argon pressures of 360+/-7 kPa for the plasma and auxiliary gases, and 0.85 L/min carrier gas flow, and an initial lens voltage of 5.2.

The Metals analysis-Mercury was performed on a Perkin-Elmer Flow Injection Mercury System (FIMS-100) automated mercury analyzer. The instrument consists of a cold vapor atomic absorption spectrometer set to detect mercury at a wavelength of 253.7 nm. Sample introduction through the flow injection system is performed via a peristaltic pump at 9 mL/min and nitrogen carrier gas rate of 80 mL/min.

Calibration Information

Instrument Calibration

All initial calibration requirements have been met for this sample delivery group (SDG).

CRDL Requirements

All CRDL standard(s) met the referenced advisory control limits.

ICSA/ICSAB Statement

All interference check samples (ICSA and ICSAB) associated with this SDG met the established acceptance criteria.

Continuing Calibration Blank (CCB) Requirements

All continuing calibration blanks (CCB) bracketing this batch met the established

acceptance criteria for all applicable analytes with the exception of potassium. CCB04 (analyzed at 10:04 on 05/08/13) and CCB05 (analyzed at 10:29 on 05/08/13) recovered high for potassium; however, the bracketed QC samples contained potassium at levels 10x greater than PQL/RDL.

Continuing Calibration Verification (CCV) Requirements

All continuing calibration verifications (CCV) bracketing this SDG met the acceptance criteria.

Quality Control (QC) Information

Method Blank (MB) Statement

The MBs analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

Quality Control (QC) Sample Statement

The following samples were selected as the quality control (QC) samples for this SDG: 324376001 (WST36-13-30956)-ICP, 324205002 (CAPA-13-29680)-ICP-MS and 323996002 (CAPA-13-29677)-CVAA.

Matrix Spike (MS) Recovery Statement

The percent recoveries (%R) obtained from the MS analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The MS met the recommended quality control acceptance criteria for percent recoveries for all applicable analytes.

Duplicate Relative Percent Difference (RPD) Statement

The RPD obtained from the designated sample duplicate (DUP) is evaluated based on acceptance criteria of 20% when the sample is >5X the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control of +/-RL is used to evaluate the DUP results. All applicable analytes met these requirements.

Serial Dilution % Difference Statement

The serial dilution is used to assess matrix suppression or enhancement. Raw element concentrations that are 25X the IDL/MDL for CVAA, 50X the IDL/MDL for ICP, and 100X the IDL/MDL for ICP-MS analyses are applicable for serial dilution assessment. All applicable analytes met the acceptance criteria of less than 10% difference (%D).

Technical Information

Holding Time Specifications

GEL assigns holding times based on the associated methodology, which assigns the date and time from sample collection of sample receipt. Those holding times expressed in

hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

Dilutions are performed to minimize matrix interferences resulting from elevated mineral element concentrations present in solid samples and/or to bring over range target analyte concentrations into the linear calibration range of the instrument. The samples in this SDG did not require dilutions.

Preparation Information

The sample in this SDG was prepared with less starting material than the SOP calls for due to the reactivity of the sample.

Miscellaneous Information

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. An electronic signature page inserted after the case narrative will include the data validator's signature and title. The signature page also includes the data qualifiers used in the fractional package. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Data Exception (DER) Documentation

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

Additional comments were not required for this SDG.

Total Hardness by Calculation is determined using the results of Total Calcium (Ca) and Total Magnesium (Mg) determined by ICP or ICP-MS.

$$\text{Hardness} = 2.497 (\text{Ca}) + 4.118 (\text{Mg})$$

Please refer to the Total Ca and Total Mg data to validate results appearing on the

Hardness Summary sheet. Both results are in the Inorganic/metals section of the package. There is no Batch QC for calculated results, and thus no QC Summary for the Hardness by Calculation Batch. The MDLs and PQLs are calculated using the higher of the two calculated values of Ca or Mg.


Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer:  Date: 05/10/13

Sample Data Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ARSL001 ARS International (63641-10)

Client SDG: 2013-728 GEL Work Order: 323996

The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- J Value is estimated
- N Metals--The Matrix spike sample recovery is not within specified control limits
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the Certificate of Analysis.

The designation ND, if present, appears in the result column when the analyte concentration is not detected above the limit as defined in the 'U' qualifier above.

This data report has been prepared and reviewed in accordance with GEL Laboratories LLC standard operating procedures. Please direct any questions to your Project Manager, Valerie Davis.

Reviewed by



05/10/13

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2013-728**CONTRACT:** ESHL00210**METHOD TYPE:** EPA**SAMPLE ID:** 323996002**BASIS:** As Received**DATE COLLECTED** 15-APR-13**CLIENT ID:** CAPA-13-29677**LEVEL:** Low**DATE RECEIVED** 17-APR-13**MATRIX:** W**%SOLIDS:** 0

| CAS No. | Analyte | Result | Units | Qual | MDL | PQL | CRDL | DF | M* | Analyst | Run Date | Analytical Run | Analytical Batch |
|-----------|---------|--------|-------|------|-------|-----|------|----|----|---------|----------------|----------------|------------------|
| 7439-97-6 | Mercury | 0.20 | ug/L | U | 0.067 | 0.2 | 0.2 | 1 | AV | BCD1 | 04/19/13 10:03 | 041913W1-5 | 1295806 |

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2013-728

CONTRACT: ESHL00210

METHOD TYPE: SW846

SAMPLE ID: 323996002

BASIS: As Received

DATE COLLECTED 15-APR-13

CLIENT ID: CAPA-13-29677

LEVEL: Low

DATE RECEIVED 17-APR-13

MATRIX: W

%SOLIDS: 0

| CAS No. | Analyte | Result | Units | Qual | MDL | PQL | CRDL | DF | M* | Analyst | Run Date | Analytical Run | Analytical Batch |
|-----------|------------|--------|-------|------|-------|-----|------|----|----|---------|----------------|----------------|------------------|
| 7429-90-5 | Aluminum | 200 | ug/L | U | 68 | 200 | 200 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-36-0 | Antimony | 3 | ug/L | U | 1 | 3 | 3 | 1 | MS | BAJ | 05/07/13 20:57 | 130507-3 | 1296993 |
| 7440-38-2 | Arsenic | 5 | ug/L | U | 1.7 | 5 | 5 | 1 | MS | BAJ | 05/08/13 14:46 | 130508-4 | 1296993 |
| 7440-39-3 | Barium | 4.23 | ug/L | J | 1 | 5 | 5 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-41-7 | Beryllium | 5 | ug/L | U | 1 | 5 | 5 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-42-8 | Boron | 50 | ug/L | U | 15 | 50 | 50 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-43-9 | Cadmium | 1 | ug/L | U | 0.11 | 1 | 1 | 1 | MS | BAJ | 05/07/13 20:57 | 130507-3 | 1296993 |
| 7440-70-2 | Calcium | 9040 | ug/L | | 50 | 200 | 200 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-47-3 | Chromium | 10 | ug/L | U | 2 | 10 | 10 | 1 | MS | BAJ | 05/08/13 14:46 | 130508-4 | 1296993 |
| 7440-48-4 | Cobalt | 5 | ug/L | U | 1 | 5 | 5 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-50-8 | Copper | 10 | ug/L | U | 3 | 10 | 10 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7439-89-6 | Iron | 100 | ug/L | U | 30 | 100 | 100 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7439-92-1 | Lead | 2 | ug/L | U | 0.5 | 2 | 2 | 1 | MS | BAJ | 05/07/13 20:57 | 130507-3 | 1296993 |
| 7439-95-4 | Magnesium | 2250 | ug/L | | 110 | 300 | 300 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7439-96-5 | Manganese | 10 | ug/L | U | 2 | 10 | 10 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7439-98-7 | Molybdenum | 1.03 | ug/L | | 0.165 | 0.5 | 0.5 | 1 | MS | BAJ | 05/08/13 14:46 | 130508-4 | 1296993 |
| 7440-02-0 | Nickel | 2 | ug/L | U | 0.5 | 2 | 2 | 1 | MS | BAJ | 05/08/13 14:46 | 130508-4 | 1296993 |
| 7440-09-7 | Potassium | 292 | ug/L | | 50 | 150 | 150 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7782-49-2 | Selenium | 5 | ug/L | U | 1.5 | 5 | 5 | 1 | MS | BAJ | 05/08/13 14:46 | 130508-4 | 1296993 |
| 7631-86-9 | Silica | 70400 | ug/L | | 53 | 213 | 213 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-22-4 | Silver | 1 | ug/L | U | 0.2 | 1 | 1 | 1 | MS | BAJ | 05/07/13 20:57 | 130507-3 | 1296993 |
| 7440-23-5 | Sodium | 11700 | ug/L | | 100 | 300 | 300 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-24-6 | Strontium | 48 | ug/L | | 1 | 5 | 5 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-28-0 | Thallium | 2 | ug/L | U | 0.45 | 2 | 2 | 1 | MS | BAJ | 05/07/13 20:57 | 130507-3 | 1296993 |
| 7440-31-5 | Tin | 10 | ug/L | U | 2.5 | 10 | 10 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-61-1 | Uranium | 0.349 | ug/L | | 0.067 | 0.2 | 0.2 | 1 | MS | BAJ | 05/08/13 14:46 | 130508-4 | 1296993 |
| 7440-62-2 | Vanadium | 1.58 | ug/L | J | 1 | 5 | 5 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |
| 7440-66-6 | Zinc | 10 | ug/L | U | 3.3 | 10 | 10 | 1 | P | HSC | 05/07/13 15:10 | 050713A-1 | 1296991 |

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2013-728**CONTRACT:** ESHL00210**METHOD TYPE:****SAMPLE ID:** 323996002**BASIS:** As Received**DATE COLLECTED** 15-APR-13**CLIENT ID:** CAPA-13-29677**LEVEL:** Low**DATE RECEIVED** 17-APR-13**MATRIX:** W**%SOLIDS:** 0

| CAS No. | Analyte | Result | Units | Qual | MDL | PQL | CRDL | DF | M* | Analyst | Run Date | Analytical Run | Analytical Batch |
|---------|-------------------|--------|-------|------|-------|------|------|----|----|---------|----------------|----------------|------------------|
| | Hardness as CaCO3 | 31.8 | mg/L | | 0.453 | 1.24 | 1.24 | 1 | | JJ2 | 05/09/13 17:28 | | 1300880 |

Prep Information:

| Analytical Batch | Prep Batch | Prep Method | Initial wt./vol. | Units | Final wt./vol. | Units | Date | Analyst |
|------------------|------------|----------------------|------------------|-------|----------------|-------|----------|---------|
| 1295806 | 1295805 | EPA 245.1/245.2 Prep | 20 | mL | 20 | mL | 04/18/13 | AXS5 |
| 1296991 | 1296990 | SW846 3005A | 50 | mL | 50 | mL | 05/07/13 | AXG2 |
| 1296993 | 1296992 | SW846 3005A | 50 | mL | 50 | mL | 05/07/13 | AXG2 |

Analytical Methods:*MS** SW846 3005/6020 DOE-AL**P** SW846 3005/6010B**AV** EPA 245.1/245.2

Quality Control Summary

METALS
-3b-
PREPARATION BLANK SUMMARY

SDG NO. 2013-728
Contract: ESHL00210
Matrix: W

| <u>Sample ID</u> | <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Acceptance Window</u> | <u>Conc Qual</u> | <u>M*</u> | <u>MDL</u> | <u>RDL</u> |
|------------------|----------------|---------------|--------------|--------------------------|------------------|-----------|------------|------------|
| 1202860819 | Mercury | 0.067 | ug/L | +/-0.2 | U | AV | 0.067 | 0.2 |
| 1202863772 | Tin | 2.5 | ug/L | +/-10 | U | P | 2.5 | 10 |
| | Vanadium | 1 | ug/L | +/-5 | U | P | 1 | 5 |
| | Zinc | 3.3 | ug/L | +/-10 | U | P | 3.3 | 10 |
| | Aluminum | 68 | ug/L | +/-200 | U | P | 68 | 200 |
| | Beryllium | 1 | ug/L | +/-5 | U | P | 1 | 5 |
| | Calcium | 50 | ug/L | +/-200 | U | P | 50 | 200 |
| | Copper | 3 | ug/L | +/-10 | U | P | 3 | 10 |
| | Magnesium | 110 | ug/L | +/-300 | U | P | 110 | 300 |
| | Strontium | 1 | ug/L | +/-5 | U | P | 1 | 5 |
| | Sodium | 100 | ug/L | +/-300 | U | P | 100 | 300 |
| | Silica | 53 | ug/L | +/-213 | U | P | 53 | 213 |
| | Potassium | 50 | ug/L | +/-150 | U | P | 50 | 150 |
| | Manganese | 2 | ug/L | +/-10 | U | P | 2 | 10 |
| | Iron | 30 | ug/L | +/-100 | U | P | 30 | 100 |
| | Cobalt | 1 | ug/L | +/-5 | U | P | 1 | 5 |
| | Boron | 15 | ug/L | +/-50 | U | P | 15 | 50 |
| | Barium | 1 | ug/L | +/-5 | U | P | 1 | 5 |
| 1202863777 | Antimony | 1 | ug/L | +/-3 | U | MS | 1 | 3 |
| | Arsenic | 1.7 | ug/L | +/-5 | U | MS | 1.7 | 5 |
| | Cadmium | 0.11 | ug/L | +/-1 | U | MS | 0.11 | 1 |
| | Chromium | 2 | ug/L | +/-10 | U | MS | 2 | 10 |
| | Lead | 0.5 | ug/L | +/-2 | U | MS | 0.5 | 2 |
| | Molybdenum | 0.165 | ug/L | +/-0.5 | U | MS | 0.165 | 0.5 |
| | Nickel | 0.5 | ug/L | +/-2 | U | MS | 0.5 | 2 |
| | Selenium | 1.5 | ug/L | +/-5 | U | MS | 1.5 | 5 |
| | Silver | 0.2 | ug/L | +/-1 | U | MS | 0.2 | 1 |
| | Thallium | 0.45 | ug/L | +/-2 | U | MS | 0.45 | 2 |
| | Uranium | 0.067 | ug/L | +/-0.2 | U | MS | 0.067 | 0.2 |

***Analytical Methods:**

MS SW846 3005/6020 DOE-AL
P SW846 3005/6010B
AV EPA 245.1/245.2

METALS

-5a-

Matrix Spike Summary

SDG NO. 2013-728

Client ID: CAPA-13-29677S

Contract: ESHL00210

Level: Low

Matrix: WATER

% Solids:

Sample ID: 323996002

Spike ID: 1202860822

| <u>Analyte</u> | <u>Units</u> | <u>Acceptance Limit</u> | <u>Spiked Result</u> | <u>C</u> | <u>Sample Result</u> | <u>C</u> | <u>Spike Added</u> | <u>% Recovery</u> | <u>Qual</u> | <u>M*</u> |
|----------------|--------------|-----------------------------|--------------------------|----------|--------------------------|----------|------------------------|-----------------------|-------------|-----------|
| Mercury | ug/L | 75-125 | 1.93 | | 0.067 | U | 2 | 96.6 | | AV |

*Analytical Methods:

AV EPA 245.1/245.2

METALS

-5a-

Matrix Spike Summary

SDG NO. 2013-728

Client ID: WST36-13-30956S

Contract: ESHL00210

Level: Low

Matrix: WATER

% Solids:

Sample ID: 324376001

Spike ID: 1202863775

| <u>Analyte</u> | <u>Units</u> | <u>Acceptance Limit</u> | <u>Spiked Result</u> | <u>C</u> | <u>Sample Result</u> | <u>C</u> | <u>Spike Added</u> | <u>% Recovery</u> | <u>Qual</u> | <u>M*</u> |
|----------------|--------------|-----------------------------|--------------------------|----------|--------------------------|----------|------------------------|-----------------------|-------------|-----------|
| Aluminum | ug/L | 75-125 | 5030 | | 481 | J | 5000 | 90.9 | | P |
| Barium | ug/L | 75-125 | 493 | | 33.2 | | 500 | 91.9 | | P |
| Beryllium | ug/L | 75-125 | 528 | | 5 | U | 500 | 106 | | P |
| Boron | ug/L | | 35400 | | 32200 | | 500 | 626 | N/A | P |
| Calcium | ug/L | 75-125 | 11600 | | 6210 | | 5000 | 107 | | P |
| Cobalt | ug/L | 75-125 | 480 | | 5 | U | 500 | 96 | | P |
| Copper | ug/L | 75-125 | 708 | | 203 | | 500 | 101 | | P |
| Iron | ug/L | 75-125 | 6480 | | 1260 | | 5000 | 104 | | P |
| Magnesium | ug/L | 75-125 | 6930 | | 1860 | | 5000 | 102 | | P |
| Manganese | ug/L | 75-125 | 530 | | 44.9 | J | 500 | 97 | | P |
| Potassium | ug/L | | 2810000 | | 2660000 | | 5000 | 2870 | N/A | P |
| Silica | ug/L | | 199000 | | 171000 | | 10700 | 262 | N/A | P |
| Sodium | ug/L | | 575000 | | 519000 | | 5000 | 1110 | N/A | P |
| Strontium | ug/L | 75-125 | 467 | | 13.8 | J | 500 | 90.7 | | P |
| Tin | ug/L | 75-125 | 844 | | 322 | | 500 | 104 | | P |
| Vanadium | ug/L | 75-125 | 515 | | 16.8 | J | 500 | 99.7 | | P |
| Zinc | ug/L | 75-125 | 2250 | | 1650 | | 500 | 120 | | P |

*Analytical Methods:

P SW846 3005/6010B

METALS

-5a-

Matrix Spike Summary

SDG NO. 2013-728

Client ID: CAPA-13-29680S

Contract: ESHL00210

Level: Low

Matrix: WATER

% Solids:

Sample ID: 324205002

Spike ID: 1202863780

| <u>Analyte</u> | <u>Units</u> | <u>Acceptance Limit</u> | <u>Spiked Result</u> | <u>C</u> | <u>Sample Result</u> | <u>C</u> | <u>Spike Added</u> | <u>% Recovery</u> | <u>Qual</u> | <u>M*</u> |
|----------------|--------------|-----------------------------|--------------------------|----------|--------------------------|----------|------------------------|-----------------------|-------------|-----------|
| Thallium | ug/L | 75-125 | 47.9 | | 0.45 | U | 50 | 95.9 | | MS |
| Uranium | ug/L | 75-125 | 48.8 | | 0.306 | | 50 | 96.9 | | MS |
| Silver | ug/L | 75-125 | 51.9 | | 0.2 | U | 50 | 104 | | MS |
| Antimony | ug/L | 75-125 | 53.4 | | 1 | U | 50 | 106 | | MS |
| Arsenic | ug/L | 75-125 | 48 | | 1.7 | U | 50 | 94.5 | | MS |
| Cadmium | ug/L | 75-125 | 50.1 | | 0.11 | U | 50 | 100 | | MS |
| Chromium | ug/L | 75-125 | 48.5 | | 2 | U | 50 | 93.4 | | MS |
| Lead | ug/L | 75-125 | 50.3 | | 0.5 | U | 50 | 101 | | MS |
| Molybdenum | ug/L | 75-125 | 50.8 | | 1.27 | | 50 | 99.1 | | MS |
| Nickel | ug/L | 75-125 | 45.9 | | 0.5 | U | 50 | 90.9 | | MS |
| Selenium | ug/L | 75-125 | 51 | | 1.5 | U | 50 | 101 | | MS |

*Analytical Methods:

MS SW846 3005/6020 DOE-AL

Metals
–6–
Duplicate Sample Summary

SDG No.: 2013–728**Lab Code:** GEL**Contract:** ESHL00210**Client ID:** CAPA–13–29677D**Matrix:** LIQUID**Level:** Low**Sample ID:** 323996002**Duplicate ID:** 1202860821**Percent Solids for Dup:** N/A

| Analyte | Units | Acceptance Limit | Sample Result | C | Duplicate Result | C | RPD | Qual | M* |
|---------|-------|---------------------|------------------|---|---------------------|---|-----|------|----|
| Mercury | ug/L | | 0.067 | U | 0.067 | U | | | AV |

***Analytical Methods:**

AV EPA 245.1/245.2

Metals
-6-
Duplicate Sample Summary

SDG No.: 2013-728

Lab Code: GEL

Contract: ESHL00210

Client ID: WST36-13-30956D

Matrix: LIQUID

Level: Low

Sample ID: 324376001

Duplicate ID: 1202863774

Percent Solids for Dup: N/A

| Analyte | Units | Acceptance Limit | Sample Result | C | Duplicate Result | C | RPD | Qual | M* |
|-----------|-------|------------------|---------------|---|------------------|---|------|------|----|
| Aluminum | ug/L | +/-1000 | 481 J | | 525 J | | 8.73 | | P |
| Barium | ug/L | +/-25 | 33.2 | | 34.3 | | 3.5 | | P |
| Beryllium | ug/L | | 5 U | | 5 U | | | | P |
| Boron | ug/L | +/-20% | 32200 | | 35300 | | 9.08 | | P |
| Calcium | ug/L | +/-20% | 6210 | | 6740 | | 8.3 | | P |
| Cobalt | ug/L | | 5 U | | 5 U | | | | P |
| Copper | ug/L | +/-50 | 203 | | 228 | | 11.4 | | P |
| Iron | ug/L | +/-500 | 1260 | | 1440 | | 13.5 | | P |
| Magnesium | ug/L | +/-1500 | 1860 | | 1910 | | 2.95 | | P |
| Manganese | ug/L | +/-50 | 44.9 J | | 49.2 J | | 9.04 | | P |
| Potassium | ug/L | +/-20% | 2660000 | | 2850000 | | 6.6 | | P |
| Silica | ug/L | +/-20% | 171000 | | 192000 | | 11.6 | | P |
| Sodium | ug/L | +/-20% | 519000 | | 570000 | | 9.33 | | P |
| Strontium | ug/L | +/-25 | 13.8 J | | 16.3 J | | 16.5 | | P |
| Tin | ug/L | +/-20% | 322 | | 359 | | 10.8 | | P |
| Vanadium | ug/L | +/-25 | 16.8 J | | 16.7 J | | .41 | | P |
| Zinc | ug/L | +/-20% | 1650 | | 1810 | | 8.76 | | P |

*Analytical Methods:

P SW846 3005/6010B

Metals
-6-
Duplicate Sample Summary

SDG No.: 2013-728

Lab Code: GEL

Contract: ESHL00210

Client ID: CAPA-13-29680D

Matrix: LIQUID

Level: Low

Sample ID: 324205002

Duplicate ID: 1202863779

Percent Solids for Dup: N/A

| Analyte | Units | Acceptance Limit | Sample Result | C | Duplicate Result | C | RPD | Qual | M* |
|------------|-------|------------------|---------------|---|------------------|---|------|------|----|
| Antimony | ug/L | | 1 U | | 1 U | | | | MS |
| Arsenic | ug/L | | 1.7 U | | 1.7 U | | | | MS |
| Cadmium | ug/L | | 0.11 U | | 0.11 U | | | | MS |
| Chromium | ug/L | | 2 U | | 2 U | | | | MS |
| Lead | ug/L | | 0.5 U | | 0.5 U | | | | MS |
| Molybdenum | ug/L | +/- .5 | 1.27 | | 1.24 | | 2.23 | | MS |
| Nickel | ug/L | | 0.5 U | | 0.5 U | | | | MS |
| Selenium | ug/L | | 1.5 U | | 1.5 U | | | | MS |
| Silver | ug/L | | 0.2 U | | 0.2 U | | | | MS |
| Thallium | ug/L | | 0.45 U | | 0.45 U | | | | MS |
| Uranium | ug/L | +/- .2 | 0.306 | | 0.298 | | 2.65 | | MS |

*Analytical Methods:

MS SW846 3005/6020 DOE-AL

METALS

-7-

Laboratory Control Sample Summary

SDG NO. 2013-728

Contract: ESHL00210

Aqueous LCS Source: GEL

Solid LCS Source:

| <u>Sample ID</u> | <u>Analyte</u> | <u>Units</u> | <u>True Value</u> | <u>Result</u> | <u>C</u> | <u>% Recovery</u> | <u>Acceptance Limit</u> | <u>M*</u> |
|------------------|----------------|--------------|-------------------|---------------|----------|-------------------|-------------------------|-----------|
| 1202860820 | Mercury | ug/L | 2 | 2.02 | | 101 | 85-115 | AV |

*Analytical Methods:

AV EPA 245.1/245.2

METALS

-7-

Laboratory Control Sample Summary

SDG NO. 2013-728

Contract: ESHL00210

Aqueous LCS Source:OS2I

Solid LCS Source:

| <u>Sample ID</u> | <u>Analyte</u> | <u>Units</u> | <u>True Value</u> | <u>Result</u> | <u>C</u> | <u>% Recovery</u> | <u>Acceptance Limit</u> | <u>M*</u> |
|------------------|----------------|--------------|-------------------|---------------|----------|-------------------|-------------------------|-----------|
| 1202863773 | | | | | | | | |
| | Aluminum | ug/L | 5000 | 5050 | | 101 | 80-120 | P |
| | Barium | ug/L | 500 | 484 | | 96.9 | 80-120 | P |
| | Beryllium | ug/L | 500 | 481 | | 96.3 | 80-120 | P |
| | Boron | ug/L | 500 | 478 | | 95.6 | 80-120 | P |
| | Calcium | ug/L | 5000 | 5000 | | 100 | 80-120 | P |
| | Cobalt | ug/L | 500 | 483 | | 96.7 | 80-120 | P |
| | Copper | ug/L | 500 | 486 | | 97.1 | 80-120 | P |
| | Iron | ug/L | 5000 | 5050 | | 101 | 80-120 | P |
| | Magnesium | ug/L | 5000 | 5080 | | 102 | 80-120 | P |
| | Manganese | ug/L | 500 | 493 | | 98.6 | 80-120 | P |
| | Potassium | ug/L | 5000 | 4930 | | 98.6 | 80-120 | P |
| | Silica | ug/L | 10700 | 10000 | | 93.6 | 80-120 | P |
| | Sodium | ug/L | 5000 | 4970 | | 99.3 | 80-120 | P |
| | Strontium | ug/L | 500 | 497 | | 99.4 | 80-120 | P |
| | Tin | ug/L | 500 | 494 | | 98.8 | 80-120 | P |
| | Vanadium | ug/L | 500 | 497 | | 99.3 | 80-120 | P |
| | Zinc | ug/L | 500 | 485 | | 97 | 80-120 | P |

*Analytical Methods:

P SW846 3005/6010B

METALS

-7-

Laboratory Control Sample Summary

SDG NO. 2013-728

Contract: ESHL00210

Aqueous LCS Source: O2Si

Solid LCS Source:

| <u>Sample ID</u> | <u>Analyte</u> | <u>Units</u> | <u>True Value</u> | <u>Result</u> | <u>C</u> | <u>% Recovery</u> | <u>Acceptance Limit</u> | <u>M*</u> |
|------------------|----------------|--------------|-------------------|---------------|----------|-------------------|-------------------------|-----------|
| 1202863778 | | | | | | | | |
| | Antimony | ug/L | 50 | 52 | | 104 | 80-120 | MS |
| | Arsenic | ug/L | 50 | 48.1 | | 96.3 | 80-120 | MS |
| | Cadmium | ug/L | 50 | 50.6 | | 101 | 80-120 | MS |
| | Chromium | ug/L | 50 | 49.5 | | 99.1 | 80-120 | MS |
| | Lead | ug/L | 50 | 49.8 | | 99.6 | 80-120 | MS |
| | Molybdenum | ug/L | 50 | 50.3 | | 101 | 80-120 | MS |
| | Nickel | ug/L | 50 | 49.3 | | 98.6 | 80-120 | MS |
| | Selenium | ug/L | 50 | 50.2 | | 100 | 80-120 | MS |
| | Silver | ug/L | 50 | 51.7 | | 103 | 80-120 | MS |
| | Thallium | ug/L | 50 | 47.9 | | 95.8 | 80-120 | MS |
| | Uranium | ug/L | 50 | 51.5 | | 103 | 80-120 | MS |

*Analytical Methods:

MS SW846 3005/6020 DOE-AL

METALS

-9-

Serial Dilution Sample Summary

SDG NO. 2013-728 **Client ID:** CAPA-13-29677L**Contract:** ESHL00210**Matrix:** LIQUID **Level:** Low**Sample ID:** 323996002 **Serial Dilution ID:** 1202860823

| <u>Analyte</u> | <u>Initial Value ug/L</u> | <u>C</u> | <u>Serial Value ug/L</u> | <u>C</u> | <u>% Difference</u> | <u>Qual</u> | <u>Acceptance Limit</u> | <u>M*</u> |
|----------------|-----------------------------------|----------|----------------------------------|----------|-------------------------|-------------|-----------------------------|-----------|
| Mercury | .067 | U | .335 | U | | | | AV |

*Analytical Methods:

AV EPA 245.1/245.2

METALS

-9-

Serial Dilution Sample Summary

SDG NO. 2013-728

Client ID: WST36-13-30956L

Contract: ESHL00210

Matrix: LIQUID

Level: Low

Sample ID: 324376001

Serial Dilution ID: 1202863776

| <u>Analyte</u> | <u>Initial Value ug/L</u> | <u>C</u> | <u>Serial Value ug/L</u> | <u>C</u> | <u>% Difference</u> | <u>Qual</u> | <u>Acceptance Limit</u> | <u>M*</u> |
|----------------|-----------------------------------|----------|----------------------------------|----------|-------------------------|-------------|-----------------------------|-----------|
| Aluminum | 96.3 | J | 340 | U | 100 | | | P |
| Barium | 6.63 | | 5.79 | J | 12.7 | | | P |
| Beryllium | 1 | U | 5 | U | | | | P |
| Boron | 6450 | | 6270 | | 2.72 | | 10 | P |
| Calcium | 1240 | | 1210 | | 2.57 | | | P |
| Cobalt | 1 | U | 5 | U | | | | P |
| Copper | 40.6 | | 46.2 | J | 13.6 | | | P |
| Iron | 252 | | 245 | J | 2.66 | | | P |
| Magnesium | 372 | | 550 | U | 100 | | | P |
| Manganese | 8.98 | J | 10 | U | 100 | | | P |
| Potassium | 53300 | | 55900 | | 4.89 | | 10 | P |
| Silica | 34200 | | 32600 | | 4.49 | | 10 | P |
| Sodium | 104000 | | 106000 | | 1.76 | | 10 | P |
| Strontium | 2.77 | J | 5 | U | 100 | | | P |
| Tin | 64.5 | | 57.6 | | 10.7 | | | P |
| Vanadium | 3.35 | J | 5 | U | 100 | | | P |
| Zinc | 331 | | 329 | | .452 | | 10 | P |

*Analytical Methods:

P SW846 3005/6010B

METALS

-9-

Serial Dilution Sample Summary

SDG NO. 2013-728

Client ID: CAPA-13-29680L

Contract: ESHL00210

Matrix: LIQUID

Level: Low

Sample ID: 324205002

Serial Dilution ID: 1202863781

| <u>Analyte</u> | <u>Initial Value ug/L</u> | <u>C</u> | <u>Serial Value ug/L</u> | <u>C</u> | <u>% Difference</u> | <u>Qual</u> | <u>Acceptance Limit</u> | <u>M*</u> |
|----------------|-----------------------------------|----------|----------------------------------|----------|-------------------------|-------------|-----------------------------|-----------|
| Antimony | 1 | U | 5 | U | | | | MS |
| Arsenic | 1.7 | U | 8.5 | U | | | | MS |
| Cadmium | .11 | U | .55 | U | | | | MS |
| Chromium | 2 | U | 10 | U | | | | MS |
| Lead | .5 | U | 2.5 | U | | | | MS |
| Molybdenum | 1.27 | | 1.54 | J | 21 | | | MS |
| Nickel | .5 | U | 2.5 | U | | | | MS |
| Selenium | 1.5 | U | 7.5 | U | | | | MS |
| Silver | .2 | U | 1 | U | | | | MS |
| Thallium | .45 | U | 2.25 | U | | | | MS |
| Uranium | .306 | | .53 | J | 73.2 | | | MS |

*Analytical Methods:

MS SW846 3005/6020 DOE-AL

General Chem Analysis

Case Narrative

**General Chemistry Narrative
ARS International (ARSL)
SDG 2013-728**

Method/Analysis Information

Product: Carbon, Total Organic

Analytical Batch: 1295844

Method: SW 9060 Total Organic Carbon

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW846 9060:

| Sample ID | Client ID |
|------------------|---|
| 323996001 | CAPA-13-29666 |
| 1202860911 | Method Blank (MB) |
| 1202860913 | 324097008(CAPA-13-29532) Sample Duplicate (DUP) |
| 1202860915 | 324097008(CAPA-13-29532) Post Spike (PS) |
| 1202860916 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-093 REV# 12.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Carbon analysis was performed on a O-I Analytical Model 1010 Total Organic Carbon Analyzer.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 324097008 (CAPA-13-29532).

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recovery for this sample set was within the required acceptance limits.

Duplicate Relative Percent Difference (RPD) Statement

The values for the sample and duplicate are less than the Practical Quantitation Limit (PQL); therefore, the RPD is not applicable. 1202860913 (CAPA-13-29532).

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information

Data Exception (DER) Documentation

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

A 15 mg/L Total Inorganic Carbon check standard is analyzed with each analytical run to prove that the instrument is effectively sparging away the inorganic carbon.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an

effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Specific Conductivity

Analytical Batch: 1296125

Method: EPA120.1 Specific Conductivity

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 120.1:

| Sample ID | Client ID |
|------------------|---|
| 323996002 | CAPA-13-29677 |
| 1202861630 | 323928003(CAPA-13-29675) Sample Duplicate (DUP) |
| 1202861632 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-009 REV# 11.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Conductivity analysis was performed on a Orion 160 Conductivity Meter.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Calibration Verification Information

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria.

Quality Control (QC) Information

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 323928003 (CAPA-13-29675).

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Data Exception (DER) Documentation**

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: pH

Analytical Batch: 1295777 **Method:** EPA 150.1 pH

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 150.1:

| Sample ID | Client ID |
|------------------|---|
| 323996002 | CAPA-13-29677 |
| 1202860721 | 323928003(CAPA-13-29675) Sample Duplicate (DUP) |
| 1202860723 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-008 REV# 21.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Electrode analysis was performed on a PerpHect pH Meter Orion 370.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Quality Control (QC) Information

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 323928003 (CAPA-13-29675).

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

The following samples from this sample group were received by the lab outside of the method specified holding time: 1202860721 (CAPA-13-29675) and 323996002 (CAPA-13-29677).

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information

Data Exception (DER) Documentation

The following DER was generated for this SDG: 1180319 1202860721 (CAPA-13-29675) and 323996002 (CAPA-13-29677).

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Ion Chromatography

Analytical Batch: 1295339

Method: EPA 300.0 Anions Liquid 28 day

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 300.0:

| Sample ID | Client ID |
|------------------|--|
| 323996002 | CAPA-13-29677 |
| 1202859564 | Method Blank (MB) |
| 1202859565 | 323464001(WST08-13-29867) Sample Duplicate (DUP) |
| 1202859566 | 323464001(WST08-13-29867) Post Spike (PS) |
| 1202859567 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-086 REV# 21.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Ion Chromatography analysis was performed on a Dionex ICS-5000 Ion Chromatograph.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 323464001 (WST08-13-29867).

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recoveries for this sample set were within the required acceptance limits.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The following samples in this sample group were diluted due to high concentration: 1202859565 (WST08-13-29867) and 1202859566 (WST08-13-29867).

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Manual Integrations**

The following samples from this sample group had to be manually integrated due to errors in the instrument software peak integration: 1202859565 (WST08-13-29867), 1202859566 (WST08-13-29867) and 323996002 (CAPA-13-29677).

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:
Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are

present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Ammonia Nitrogen

Analytical Batch: 1295847 **Method:** EPA 350.1 Nitrogen and Ammonia L

Prep Batch : 1295846 **Method:** EEPA 350.2 Prep

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 350.1:

| Sample ID | Client ID |
|------------------|---|
| 323996002 | CAPA-13-29677 |
| 1202860917 | Method Blank (MB) |
| 1202860918 | Laboratory Control Sample (LCS) |
| 1202860921 | 323996002(CAPA-13-29677) Sample Duplicate (DUP) |
| 1202860922 | 323996002(CAPA-13-29677) Matrix Spike (MS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-106 REV# 9.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8000 Series.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Calibration Verification Information

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 323996002 (CAPA-13-29677).

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recovery for this sample set was within the required acceptance limits.

Duplicate Relative Percent Difference (RPD) Statement

One or more of the values for the sample and/or duplicate are less than 5 times the Practical Quantitation Limit (PQL), and the difference is within one PQL value; therefore, the RPD is not applicable. 1202860921 (CAPA-13-29677).

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Data Exception (DER) Documentation**

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

| | | | |
|--------------------------|--------------------------------|----------------|-----------------------------------|
| Product: | Total Kjeldahl Nitrogen | | |
| Analytical Batch: | 1292106 | Method: | Nitrogen and Total Kjeldahl (TKN) |
| Prep Batch : | 1292105 | Method: | EEPA 351.2 Prep |

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 351.2:

| Sample ID | Client ID |
|------------------|---|
| 323996001 | CAPA-13-29666 |
| 1202851474 | Method Blank (MB) |
| 1202851475 | Laboratory Control Sample (LCS) |
| 1202851476 | 322799002(CAWA-13-28822) Sample Duplicate (DUP) |
| 1202851477 | 322799002(CAWA-13-28822) Matrix Spike (MS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-104 REV# 14.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8000 Series.

Calibration Verification Information

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 322799002 (CAWA-13-28822).

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recovery for this sample set was within the required acceptance limits.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The following samples were re-analyzed due to CCV failure: 1202851474 (MB), 1202851475 (LCS), 1202851476 (CAWA-13-28822) and 1202851477 (CAWA-13-28822).

Miscellaneous Information**Data Exception (DER) Documentation**

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an

effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

| | | | |
|--------------------------|---|----------------|--|
| Product: | Nitrate Nitrite by Cadmium Reduction | | |
| Analytical Batch: | 1295802 | Method: | EPA 353.2 Nitrogen and Nitrate/Nitrite |

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 353.2:

| Sample ID | Client ID |
|------------------|---|
| 323996002 | CAPA-13-29677 |
| 1202860807 | Method Blank (MB) |
| 1202860811 | 323928003(CAPA-13-29675) Sample Duplicate (DUP) |
| 1202860815 | 323928003(CAPA-13-29675) Post Spike (PS) |
| 1202860816 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-128 REV# 8.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8500 Series.

Calibration Verification Information

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within

acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 323928003 (CAPA-13-29675).

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recovery for this sample set was within the required acceptance limits.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Data Exception (DER) Documentation**

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an

effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

| | | | |
|--------------------------|-------------------------|----------------|-----------------------------------|
| Product: | Total Phosphorus | | |
| Analytical Batch: | 1295857 | Method: | EPA 365.4 Phosphorus and Total in |
| Prep Batch : | 1295856 | Method: | EEPA 365.4 Prep |

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 365.4:

| Sample ID | Client ID |
|------------------|--|
| 323996002 | CAPA-13-29677 |
| 1202860940 | Method Blank (MB) |
| 1202860941 | 323928003(CAPA-13-29675) Sample Duplicate (DUP) |
| 1202860943 | 323928003(CAPA-13-29675) Matrix Spike (MS) |
| 1202860945 | Laboratory Control Sample (LCS) |
| 1202863094 | 323995001(NP181-13-30518) Sample Duplicate (DUP) |
| 1202863095 | 323995001(NP181-13-30518) Matrix Spike (MS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-103 REV# 10.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8000 Series.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following samples were selected for QC analysis: 323928003 (CAPA-13-29675) and 323995001 (NP181-13-30518).

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recoveries for this sample set were within the required acceptance limits.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The following samples in this sample group were diluted due to high concentration: 1202863094 (NP181-13-30518) and 1202863095 (NP181-13-30518).

Sample Re-analysis

The following samples were re-analyzed due to CCV failure: 1202860940 (MB), 1202860941 (CAPA-13-29675), 1202860943 (CAPA-13-29675) and 1202860945 (LCS).

Miscellaneous Information**Data Exception (DER) Documentation**

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Solids, Total Dissolved

Analytical Batch: 1295772

Method: EPA 160.1 Solids and Dissolved-F

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 160.1:

| Sample ID | Client ID |
|------------------|---|
| 323996002 | CAPA-13-29677 |
| 1202860707 | Method Blank (MB) |
| 1202860708 | 323928003(CAPA-13-29675) Sample Duplicate (DUP) |
| 1202860712 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-001 REV# 13.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Solids analysis was performed on a Sartorius Balance BAL216. Solids lab

Initial Calibration

All initial calibration requirements have been met for this SDG.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 323928003 (CAPA-13-29675).

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Sample Aliquot

A sufficient amount of sample was provided by the client for analysis.

Miscellaneous Information

Data Exception (DER) Documentation

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Alkalinity

Analytical Batch: 1297264 **Method:** EPA 310.1 Total Alkalinity

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 310.1:

| Sample ID | Client ID |
|------------------|---|
| 323996002 | CAPA-13-29677 |
| 1202864301 | Method Blank (MB) |
| 1202864303 | 324097006(CAPA-13-29607) Sample Duplicate (DUP) |
| 1202864305 | 324097006(CAPA-13-29607) Matrix Spike (MS) |
| 1202864306 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-033 REV# 10.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Titration analysis was performed on a manually operated buret.

Initial Standardization

The titrant was properly standardized

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

The following sample was selected for QC analysis: 324097006 (CAPA-13-29607).

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recoveries for this sample set were within the required acceptance limits.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Data Exception (DER) Documentation**

Data exception reports (DERs) are generated to document procedural anomalies that may deviate from referenced SOP or contractual documents.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Certification Statement


Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

Review Validation:

GEL requires all analytical data to be verified by a qualified data validator. In addition, all data designated for CLP or CLP-like packaging will receive a third level validation upon completion of the data package.

The following data validator verified the information presented in this case narrative:

Reviewer:



Date:

14May13

Sample Data Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis Report for

ARSL001 ARS International (63641-10)

Client SDG: 2013-728 GEL Work Order: 323996

The Qualifiers in this report are defined as follows:


- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a Tracer compound
- ** Analyte is a surrogate compound
- H Analytical holding time was exceeded
- J Value is estimated
- N Metals--The Matrix spike sample recovery is not within specified control limits
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the Certificate of Analysis.

The designation ND, if present, appears in the result column when the analyte concentration is not detected above the limit as defined in the 'U' qualifier above.

This data report has been prepared and reviewed in accordance with GEL Laboratories LLC standard operating procedures. Please direct any questions to your Project Manager, Valerie Davis.

Reviewed by



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: May 9, 2013

Company : Los Alamos National Laboratory
Address : PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm111
Los Alamos, New Mexico 87545
Contact: Keith Greene
Project: LANL-WQH Water Samples

Client SDG: 2013-728

Client Sample ID: CAPA-13-29666
Sample ID: 323996001
Matrix: W
Collect Date: 15-APR-13 12:34
Receive Date: 17-APR-13
Collector: Client

Project: ESHL00210
Client ID: ARSL001

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|--|-----------|--------|-------|-------|-------|----|---------|----------|------|---------|--------|
| Carbon Analysis | | | | | | | | | | | |
| SW 9060 Total Organic Carbon "As Received" | | | | | | | | | | | |
| Total Organic Carbon Average | J | 0.480 | 0.330 | 1.00 | mg/L | 1 | TSM | 04/22/13 | 1425 | 1295844 | 1 |
| Nutrient Analysis | | | | | | | | | | | |
| Nitrogen, Total Kjeldahl (TKN) "As Received" | | | | | | | | | | | |
| Nitrogen, Total Kjeldahl | U | ND | 0.033 | 0.100 | mg/L | 1 | KLP1 | 04/23/13 | 1353 | 1292106 | 2 |

The following Prep Methods were performed:

| Method | Description | Analyst | Date | Time | Prep Batch |
|----------------|--|---------|----------|------|------------|
| EPA 351.2 Prep | EPA 351.2 Total Kjeldahl Nitrogen Prep | KLP1 | 04/22/13 | 1700 | 1292105 |

The following Analytical Methods were performed:

| Method | Description | Analyst Comments |
|--------|-------------|------------------|
| 1 | SW846 9060 | |
| 2 | EPA 351.2 | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: May 9, 2013

Company : Los Alamos National Laboratory
Address : PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm111
Los Alamos, New Mexico 87545

Contact: Keith Greene
Project: LANL-WQH Water Samples

Client SDG: 2013-728

Client Sample ID: CAPA-13-29677
Sample ID: 323996002
Matrix: W
Collect Date: 15-APR-13 12:34
Receive Date: 17-APR-13
Collector: Client

Project: ESHL00210
Client ID: ARSL001

| Parameter | Qualifier | Result | DL | RL | Units | DF | Analyst | Date | Time | Batch | Method |
|---|-----------|--------|-------|-------|----------|----|---------|----------|------|---------|--------|
| Conductivity Analysis | | | | | | | | | | | |
| EPA120.1 Specific Conductivity "As Received" | | | | | | | | | | | |
| Conductivity | | 112 | 1.00 | 1.00 | umhos/cm | 1 | TXT1 | 04/19/13 | 1454 | 1296125 | 1 |
| Electrode Analysis | | | | | | | | | | | |
| EPA 150.1 pH "As Received" | | | | | | | | | | | |
| pH at Temp 12.0C | H | 7.33 | 0.010 | 0.100 | SU | 1 | LYG1 | 04/18/13 | 0805 | 1295777 | 2 |
| Ion Chromatography | | | | | | | | | | | |
| EPA 300.0 Anions Liquid 28 day "As Received" | | | | | | | | | | | |
| Bromide | U | ND | 0.067 | 0.200 | mg/L | 1 | VH1 | 04/18/13 | 2227 | 1295339 | 3 |
| Chloride | | 1.41 | 0.067 | 0.200 | mg/L | 1 | | | | | |
| Fluoride | | 0.219 | 0.033 | 0.100 | mg/L | 1 | | | | | |
| Sulfate | | 1.71 | 0.133 | 0.400 | mg/L | 1 | | | | | |
| Nutrient Analysis | | | | | | | | | | | |
| EPA 350.1 Nitrogen, Ammonia L "As Received" | | | | | | | | | | | |
| Nitrogen, Ammonia | | 0.0525 | 0.017 | 0.050 | mg/L | 1 | KLP1 | 04/22/13 | 1321 | 1295847 | 4 |
| EPA 353.2 Nitrogen, Nitrate/Nitrite "As Received" | | | | | | | | | | | |
| Nitrogen, Nitrate/Nitrite | | 0.102 | 0.017 | 0.050 | mg/L | 1 | KLP1 | 04/23/13 | 1456 | 1295802 | 5 |
| EPA 365.4 Phosphorus, Total in "As Received" | | | | | | | | | | | |
| Phosphorus, Total as P | J | 0.0381 | 0.017 | 0.050 | mg/L | 1 | KLP1 | 04/23/13 | 1612 | 1295857 | 6 |
| Solids Analysis | | | | | | | | | | | |
| EPA 160.1 Solids, Dissolved-F "As Received" | | | | | | | | | | | |
| Total Dissolved Solids | | 78.6 | 3.40 | 14.3 | mg/L | | LYG1 | 04/18/13 | 0947 | 1295772 | 7 |
| Titration Analysis | | | | | | | | | | | |
| EPA 310.1 Total Alkalinity "As Received" | | | | | | | | | | | |
| Alkalinity, Total as CaCO3 | | 51.9 | 0.725 | 1.00 | mg/L | | LYG1 | 04/24/13 | 1430 | 1297264 | 8 |
| Carbonate alkalinity (CaCO3) | U | ND | 0.725 | 1.00 | mg/L | | | | | | |

The following Prep Methods were performed:

| Method | Description | Analyst | Date | Time | Prep Batch |
|----------------|--|---------|----------|------|------------|
| EPA 350.2 Prep | EPA 350.1 Ammonia Nitrogen Prep | KLP1 | 04/22/13 | 1205 | 1295846 |
| EPA 365.4 Prep | EPA 365.4 Phosphorus, Total in liquid PR | KLP1 | 04/22/13 | 1700 | 1295856 |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: May 9, 2013

Company : Los Alamos National Laboratory
Address : PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm111
Los Alamos, New Mexico 87545
Contact: Keith Greene
Project: LANL-WQH Water Samples

Client SDG: 2013-728

Client Sample ID: CAPA-13-29677
Sample ID: 323996002

Project: ESHL00210
Client ID: ARSL001

The following Analytical Methods were performed:

| Method | Description | Analyst Comments |
|--------|-------------|------------------|
| 1 | EPA 120.1 | |
| 2 | EPA 150.1 | |
| 3 | EPA 300.0 | |
| 4 | EPA 350.1 | |
| 5 | EPA 353.2 | |
| 6 | EPA 365.4 | |
| 7 | EPA 160.1 | |
| 8 | EPA 310.1 | |

Quality Control Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: May 9, 2013

Page 1 of 4

Los Alamos National Laboratory
PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm111
Los Alamos, New Mexico

Contact: Keith Greene

Workorder: 323996

| Parmname | NOM | Sample | Qual | QC | Units | RPD% | REC% | Range | Anlst | Date | Time |
|------------------------------|-----------|--------|-------|-------|----------|------|-------|------------|------------|----------|-------|
| Carbon Analysis | | | | | | | | | | | |
| Batch | 1295844 | | | | | | | | | | |
| QC1202860913 | 324097008 | DUP | | | | | | | | | |
| Total Organic Carbon Average | J | 0.586 | J | 0.473 | mg/L | 21.3 | ^ | (+/-1.00) | TSM | 04/22/13 | 18:05 |
| QC1202860916 | LCS | | | | | | | | | | |
| Total Organic Carbon Average | 10.0 | | | 10.1 | mg/L | | | (85%-115%) | | 04/22/13 | 13:07 |
| QC1202860911 | MB | | | | | | | | | | |
| Total Organic Carbon Average | | | U | ND | mg/L | | | | | 04/22/13 | 12:58 |
| QC1202860915 | 324097008 | PS | | | | | | | | | |
| Total Organic Carbon Average | 10.0 | J | 0.586 | 10.8 | mg/L | | | (65%-120%) | | 04/22/13 | 18:25 |
| Conductivity Analysis | | | | | | | | | | | |
| Batch | 1296125 | | | | | | | | | | |
| QC1202861630 | 323928003 | DUP | | | | | | | | | |
| Conductivity | | | 263 | 263 | umhos/cm | 0.00 | | (0%-10%) | TXT1 | 04/19/13 | 14:51 |
| QC1202861632 | LCS | | | | | | | | | | |
| Conductivity | 1410 | | | 1460 | umhos/cm | | | (95%-105%) | | 04/19/13 | 14:47 |
| Electrode Analysis | | | | | | | | | | | |
| Batch | 1295777 | | | | | | | | | | |
| QC1202860721 | 323928003 | DUP | | | | | | | | | |
| pH | | H | 7.92 | H | 7.94 | SU | 0.252 | (0%-10%) | LYG1 | 04/18/13 | 07:57 |
| QC1202860723 | LCS | | | | | | | | | | |
| pH | 7.00 | | | 7.03 | SU | | | (99%-101%) | | 04/18/13 | 07:53 |
| Ion Chromatography | | | | | | | | | | | |
| Batch | 1295339 | | | | | | | | | | |
| QC1202859565 | 323464001 | DUP | | | | | | | | | |
| Bromide | | U | ND | U | ND | mg/L | N/A | | VH1 | 04/18/13 | 20:52 |
| Chloride | | | 18.7 | | 18.7 | mg/L | 0.192 | (0%-20%) | | 04/19/13 | 20:35 |
| Fluoride | | | 1.62 | | 1.56 | mg/L | 3.86 | (0%-20%) | | 04/18/13 | 20:52 |
| Sulfate | | | 2.71 | | 2.61 | mg/L | 3.86 | (0%-20%) | | | |
| QC1202859567 | LCS | | | | | | | | | | |
| Bromide | 2.50 | | | | 2.55 | mg/L | | 102 | (90%-110%) | 04/18/13 | 19:49 |
| Chloride | 10.0 | | | | 9.53 | mg/L | | 95.3 | (90%-110%) | | |
| Fluoride | 5.00 | | | | 4.88 | mg/L | | 97.7 | (90%-110%) | | |
| Sulfate | 20.0 | | | | 19.4 | mg/L | | 96.8 | (90%-110%) | | |
| QC1202859564 | MB | | | | | | | | | | |
| Bromide | | | U | | ND | mg/L | | | | 04/18/13 | 19:18 |
| Chloride | | | U | | ND | mg/L | | | | | |
| Fluoride | | | U | | ND | mg/L | | | | | |
| Sulfate | | | U | | ND | mg/L | | | | | |
| QC1202859566 | 323464001 | PS | | | | | | | | | |
| Bromide | 2.50 | U | ND | | 2.55 | mg/L | | 102 | (90%-110%) | 04/18/13 | 21:24 |
| Chloride | 10.0 | | 1.87 | | 12.7 | mg/L | | 108 | (90%-110%) | 04/19/13 | 21:07 |
| Fluoride | 5.00 | | 1.62 | | 6.60 | mg/L | | 99.6 | (90%-110%) | 04/18/13 | 21:24 |

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 2 of 4

| Parmname | NOM | Sample | Qual | QC | Units | RPD% | REC% | Range | Anlst | Date | Time |
|----------------------------|---------|--------|------|--------|-------|--------|------|------------|-------|----------|-------|
| Ion Chromatography | | | | | | | | | | | |
| Batch | 1295339 | | | | | | | | | | |
| Sulfate | 20.0 | 2.71 | | 22.5 | mg/L | | 99 | (90%-110%) | | | |
| Nutrient Analysis | | | | | | | | | | | |
| Batch | 1292106 | | | | | | | | | | |
| QC1202851476 322799002 DUP | | | | | | | | | | | |
| Nitrogen, Total Kjeldahl | | 0.490 | | 0.521 | mg/L | 6.13 ^ | | (+/-0.100) | KLP1 | 04/23/13 | 13:49 |
| QC1202851475 LCS | | | | | | | | | | | |
| Nitrogen, Total Kjeldahl | 1.00 | | | 1.01 | mg/L | | 101 | (90%-110%) | | 04/23/13 | 13:47 |
| QC1202851474 MB | | | | | | | | | | | |
| Nitrogen, Total Kjeldahl | | | U | ND | mg/L | | | | | 04/23/13 | 13:46 |
| QC1202851477 322799002 MS | | | | | | | | | | | |
| Nitrogen, Total Kjeldahl | 1.00 | 0.490 | | 1.56 | mg/L | | 107 | (90%-110%) | | 04/23/13 | 13:49 |
| Batch | 1295802 | | | | | | | | | | |
| QC1202860811 323928003 DUP | | | | | | | | | | | |
| Nitrogen, Nitrate/Nitrite | | 0.369 | | 0.369 | mg/L | 0.00 | | (0%-20%) | KLP1 | 04/23/13 | 14:51 |
| QC1202860816 LCS | | | | | | | | | | | |
| Nitrogen, Nitrate/Nitrite | 1.00 | | | 1.09 | mg/L | | 109 | (90%-110%) | | 04/23/13 | 14:16 |
| QC1202860807 MB | | | | | | | | | | | |
| Nitrogen, Nitrate/Nitrite | | | U | ND | mg/L | | | | | 04/23/13 | 14:15 |
| QC1202860815 323928003 PS | | | | | | | | | | | |
| Nitrogen, Nitrate/Nitrite | 1.00 | 0.369 | | 1.43 | mg/L | | 106 | (90%-110%) | | 04/23/13 | 14:52 |
| Batch | 1295847 | | | | | | | | | | |
| QC1202860921 323996002 DUP | | | | | | | | | | | |
| Nitrogen, Ammonia | | 0.0525 | | 0.101 | mg/L | 63.2 ^ | | (+/-0.050) | KLP1 | 04/22/13 | 13:22 |
| QC1202860918 LCS | | | | | | | | | | | |
| Nitrogen, Ammonia | 1.00 | | | 1.03 | mg/L | | 103 | (90%-110%) | | 04/22/13 | 13:07 |
| QC1202860917 MB | | | | | | | | | | | |
| Nitrogen, Ammonia | | | U | ND | mg/L | | | | | 04/22/13 | 13:06 |
| QC1202860922 323996002 MS | | | | | | | | | | | |
| Nitrogen, Ammonia | 1.00 | 0.0525 | | 1.10 | mg/L | | 105 | (90%-110%) | | 04/22/13 | 13:23 |
| Batch | 1295857 | | | | | | | | | | |
| QC1202860941 323928003 DUP | | | | | | | | | | | |
| Phosphorus, Total as P | | 0.0571 | | 0.0508 | mg/L | 11.7 ^ | | (+/-0.050) | KLP1 | 04/23/13 | 16:04 |
| QC1202863094 323995001 DUP | | | | | | | | | | | |
| Phosphorus, Total as P | | 3.70 | | 3.57 | mg/L | 3.58 | | (0%-31%) | | 04/23/13 | 16:27 |
| QC1202860945 LCS | | | | | | | | | | | |
| Phosphorus, Total as P | 1.00 | | | 1.06 | mg/L | | 106 | (76%-120%) | | 04/23/13 | 16:02 |
| QC1202860940 MB | | | | | | | | | | | |
| Phosphorus, Total as P | | | U | ND | mg/L | | | | | 04/23/13 | 16:01 |
| QC1202860943 323928003 MS | | | | | | | | | | | |
| Phosphorus, Total as P | 1.00 | 0.0571 | | 1.05 | mg/L | | 99.3 | (62%-139%) | | 04/23/13 | 16:05 |
| QC1202863095 323995001 MS | | | | | | | | | | | |
| Phosphorus, Total as P | 1.00 | 3.70 | | 4.54 | mg/L | | 84.5 | (62%-139%) | | 04/23/13 | 16:28 |
| Solids Analysis | | | | | | | | | | | |
| Batch | 1295772 | | | | | | | | | | |
| QC1202860708 323928003 DUP | | | | | | | | | | | |
| Total Dissolved Solids | | 144 | | 151 | mg/L | 4.83 | | (0%-10%) | LYG1 | 04/18/13 | 09:47 |
| QC1202860712 LCS | | | | | | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 3 of 4

| Parmname | NOM | Sample | Qual | QC | Units | RPD% | REC% | Range | Anlst | Date | Time |
|------------------------------|---------|--------|------|------|-------|-------|------|------------|-------|----------|-------|
| Solids Analysis | | | | | | | | | | | |
| Batch | 1295772 | | | | | | | | | | |
| Total Dissolved Solids | 300 | | | 294 | mg/L | | 98.1 | (95%-105%) | | 04/18/13 | 09:47 |
| QC1202860707 MB | | | | | | | | | | | |
| Total Dissolved Solids | | | U | ND | mg/L | | | | LYG1 | 04/18/13 | 09:47 |
| Titration Analysis | | | | | | | | | | | |
| Batch | 1297264 | | | | | | | | | | |
| QC1202864303 324097006 DUP | | | | | | | | | | | |
| Alkalinity, Total as CaCO3 | | 58.6 | | 59.1 | mg/L | 0.881 | | (0%-20%) | LYG1 | 04/24/13 | 14:19 |
| Carbonate alkalinity (CaCO3) | U | ND | U | ND | mg/L | N/A | | | | | |
| QC1202864306 LCS | | | | | | | | | | | |
| Alkalinity, Total as CaCO3 | 50.0 | | | 51.3 | mg/L | | 103 | (90%-110%) | | 04/24/13 | 14:03 |
| QC1202864301 MB | | | | | | | | | | | |
| Alkalinity, Total as CaCO3 | | | U | ND | mg/L | | | | | 04/24/13 | 13:56 |
| Carbonate alkalinity (CaCO3) | | | U | ND | mg/L | | | | | | |
| QC1202864305 324097006 MS | | | | | | | | | | | |
| Alkalinity, Total as CaCO3 | 50.0 | 58.6 | | 108 | mg/L | | 99.6 | (80%-120%) | | 04/24/13 | 14:24 |

Notes:

RER is calculated at the 95% confidence level (2-sigma).

The Qualifiers in this report are defined as follows:

- ** Analyte is a Tracer compound
- ** Analyte is a surrogate compound
- < Result is less than value reported
- > Result is greater than value reported
- A The TIC is a suspected aldol-condensation product
- B The target analyte was detected in the associated blank.
- BD Results are either below the MDC or tracer recovery is low
- C Analyte has been confirmed by GC/MS analysis
- D Results are reported from a diluted aliquot of the sample
- E %difference of sample and SD is >10%. Sample concentration must meet flagging criteria
- E Concentration of the target analyte exceeds the instrument calibration range
- E General Chemistry--Concentration of the target analyte exceeds the instrument calibration range
- FA Failed analysis.
- FB Mercury was found present at quantifiable concentrations in field blanks received with these samples. Data associated with the blank are deemed invalid for reporting to regulatory agencies
- H Analytical holding time was exceeded
- J Value is estimated
- JNX Non Calibrated Compound
- K Analyte present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte present. Reported value may be biased low. Actual value is expected to be higher.
- M M if above MDC and less than LLD
- M REMP Result > MDC/CL and < RDL

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 4 of 4

| Parmname | NOM | Sample | Qual | QC | Units | RPD% | REC% | Range | Anlst | Date | Time |
|----------|--|--|------|----|-------|------|------|-------|-------|------|------|
| N | Metals-- | The Matrix spike sample recovery is not within specified control limits | | | | | | | | | |
| N | Organics-- | Presumptive evidence based on mass spectral library search to make a tentative identification of the analyte (TIC). Quantitation is based on nearest internal standard response factor | | | | | | | | | |
| N | Presumptive evidence based on mass spectral library search to make a tentative identification of the analyte (TIC). Quantitation is based on nearest internal standard response factor | | | | | | | | | | |
| N/A | RPD or %Recovery limits do not apply. | | | | | | | | | | |
| N1 | See case narrative | | | | | | | | | | |
| ND | Analyte concentration is not detected above the detection limit | | | | | | | | | | |
| NJ | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier | | | | | | | | | | |
| P | Organics-- | The concentrations between the primary and confirmation columns/detectors is >40% different. For HPLC, difference is also <70% | | | | | | | | | |
| Q | One or more quality control criteria have not been met. Refer to the applicable narrative or DER. | | | | | | | | | | |
| R | Per section 9.3.4.1 of Method 1664 Revision B, due to matrix spike recovery issues, this result may not be reported or used for regulatory compliance purposes. | | | | | | | | | | |
| R | Sample results are rejected | | | | | | | | | | |
| U | Analyte was analyzed for, but not detected above the MDL, MDA, or LOD. | | | | | | | | | | |
| UI | Gamma Spectroscopy--Uncertain identification | | | | | | | | | | |
| UJ | Compound cannot be extracted | | | | | | | | | | |
| UJ | Gamma Spectroscopy--Uncertain identification | | | | | | | | | | |
| UL | Not considered detected. The associated number is the reported concentration, which may be inaccurate due to a low bias. | | | | | | | | | | |
| X | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier | | | | | | | | | | |
| Y | Other specific qualifiers were required to properly define the results. Consult case narrative. | | | | | | | | | | |
| Y | QC Samples were not spiked with this compound | | | | | | | | | | |
| Z | Paint Filter Test--Particulates passed through the filter, however no free liquids were observed. | | | | | | | | | | |
| ^ | RPD of sample and duplicate evaluated using +/-RL. Concentrations are <5X the RL. Qualifier Not Applicable for Radiochemistry. | | | | | | | | | | |
| d | 5-day BOD--The 2:1 depletion requirement was not met for this sample | | | | | | | | | | |
| h | Preparation or preservation holding time was exceeded | | | | | | | | | | |

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

Miscellaneous

| DATA EXCEPTION REPORT | | | |
|--|-------------------------------------|--|--|
| Mo.Day Yr. 23-APR-13 | Division: Industrial | Quality Criteria: Specifications | Type: Process |
| Instrument Type: ELECTRODE | Test / Method: EPA 150.1 | Matrix Type: Liquid | Client Code: ENRG, ESHL, GELC, NFSR, |
| Batch ID: 1295777 | Sample Numbers: See Below | | |
| Potentially affected work order(s)(SDG): 323922(PMA-13-006),323923(PMA-13-007),323928(2013-724),323994,323996(2013-728),324008,324010 Application Issues: Sample received out of holding | | | |
| Specification and Requirements | | DER Disposition: | |
| Exception Description: | | | |
| 1. Sample received out of holding: 323922 001,003 323923 001,003 323928 003 323994 001,002 323996 002 324008 004 324010 004,007,010 QC 1202860721DUP,1202860722DUP | | 1. Sample received out of holding | |

Originator's Name:
Lisa Gregory 23-APR-13

Data Validator/Group Leader:
Thomas Lewis 23-APR-13

Radiological Analysis

**Radiochemistry Case Narrative
ARS International (ARSL)
SDG 2013-728
Work Order 323996**

Method/Analysis Information

Product: Alphaspec Am241 Liquid
Analytical Method: DOE EML HASL-300, Am-05-RC Modified
Analytical Batch Number: 1295225

| Sample ID | Client ID |
|------------------|---|
| 323996001 | CAPA-13-29666 |
| 1202859230 | Method Blank (MB) |
| 1202859231 | 323928002(CAPA-13-29664) Sample Duplicate (DUP) |
| 1202859232 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-011 REV# 23.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. Calibrations are performed monthly using mixed alpha standards comprised of the following: Gd-148, Np-237, and Cm-244.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

Aliquots for samples 1202859230 (MB) and 1202859232 (LCS) were changed to 1.0 per client request.

Designated QC

The following sample was used for QC: 323928002 (CAPA-13-29664). The QC was from ARSL work order 323928.

QC Information

All of the QC samples met the required acceptance limits.

CSU

The blank result is greater than 1.65 times the CSU but less than the MDC.

Technical Information:

Holding Time

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

None of the samples in this sample set required reprep or reanalysis.

Miscellaneous Information:

Data Exception (DER) Documentation

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Manual Integration

No manual integrations were performed on data in this batch.

Additional Comments

Additional comments were not required for this sample set.

Blank Decision Level

The blank result is less than the decision level.

Qualifier Information

Manual qualifiers were not required.

Method/Analysis Information

| | |
|--------------------------|-------------------------------------|
| Product: | Alphaspec Pu, Liquid |
| Analytical Method: | DOE EML HASL-300, Pu-11-RC Modified |
| Analytical Batch Number: | 1295226 |

| | |
|------------------|---|
| Sample ID | Client ID |
| 323996001 | CAPA-13-29666 |
| 1202859233 | Method Blank (MB) |
| 1202859234 | 323928002(CAPA-13-29664) Sample Duplicate (DUP) |
| 1202859235 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as

Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-011 REV# 23.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. Calibrations are performed monthly using mixed alpha standards comprised of the following: Gd-148, Np-237, and Cm-244.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

Aliquots for samples 1202859233 (MB) and 1202859235 (LCS) were changed to 1.0 per client request.

Designated QC

The following sample was used for QC: 323928002 (CAPA-13-29664). The QC was from ARSL work order 323928.

QC Information

All of the QC samples met the required acceptance limits.

CSU

The blank result is less than 1.65 times the CSU.

Technical Information:

Holding Time

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

The batch was recounted due to suspected blank false positive. The recounts are being reported with the exception of samples 323928002 and 1202859233. Sample 323928002 was previously recounted due to peak shift and the third count is reported. Sample 1202859233 was previously recounted due to a suspected false positive and the third recount is reported.

Miscellaneous Information:

Data Exception (DER) Documentation

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. The following DER was generated for this SDG: DER 1181054 was generated due to RDL less than MDA. 1. Sample 323996001 did not meet the Pu-238 and Pu-239/240 detection limits due to lower tracer yield. 1. Sample did meet the client tracer yield requirement and has over 400 tracer counts. Sample was counted the maximum count time of a 1000 minutes in order to achieve the lowest possible MDC. Reporting results.

Manual Integration

No manual integrations were performed on data in this batch.

Additional Comments

Additional comments were not required for this sample set.

Blank Decision Level

The blank result is less than the decision level.

Qualifier Information

Manual qualifiers were not required.

Method/Analysis Information

Product: Alphaspec U, Liquid

Analytical Method: DOE EML HASL-300, U-02-RC Modified

Analytical Batch Number: 1295227

| Sample ID | Client ID |
|------------------|---|
| 323996001 | CAPA-13-29666 |
| 1202859236 | Method Blank (MB) |
| 1202859237 | 323928002(CAPA-13-29664) Sample Duplicate (DUP) |
| 1202859238 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-011 REV# 23.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. Calibrations are performed monthly using mixed alpha standards comprised of the following: Gd-148, Np-237, and Cm-244.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

Aliquots for samples 1202859236 (MB) and 1202859238 (LCS) were changed to 1.0 per client request.

Designated QC

The following sample was used for QC: 323928002 (CAPA-13-29664). The QC was from ARSL work order

323928.

QC Information

All of the QC samples met the required acceptance limits.

CSU

The blank result is less than 1.65 times the CSU.

Technical Information:

Holding Time

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

None of the samples in this sample set required reprep or reanalysis.

Miscellaneous Information:

Data Exception (DER) Documentation

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Manual Integration

No manual integrations were performed on data in this batch.

Additional Comments

Additional comments were not required for this sample set.

Blank Decision Level

The blank result is less than the decision level.

Qualifier Information

Manual qualifiers were not required.

Method/Analysis Information

Product: **Gammasec**

Analytical Method: EPA 901.1

Analytical Batch Number: 1296138

| Sample ID | Client ID |
|------------------|---|
| 323996001 | CAPA-13-29666 |
| 1202861665 | Method Blank (MB) |
| 1202861666 | 324205001(CAPA-13-29669) Sample Duplicate (DUP) |
| 1202861667 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-013 REV# 25.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. The initial Calibrations were performed in July 2012, August 2012 and February 2013.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

The blank volume is representative of the sample volume in this batch.

Designated QC

The following sample was used for QC: 324205001 (CAPA-13-29669). The QC was from ARSL work order 324205.

QC Information

All of the QC samples met the required acceptance limits.

CSU

The blank result is less than 1.65 times the CSU.

Technical Information:

Holding Time

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

None of the samples in this sample set required reprep or reanalysis.

Miscellaneous Information:

Data Exception (DER) Documentation

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

Additional comments were not required for this sample set.

Blank Decision Level

The blank result is less than the decision level.

Qualifier Information

| Qualifier | Reason | Analyte | Sample | Client Sample |
|-----------|-------------------------------------|------------|------------|-----------------------------|
| UI | Data rejected due to no valid peak. | Cesium-137 | 1202861666 | CAPA-13-29669(324205001DUP) |

Method/Analysis Information

Product: GFPC, Sr90, liquid
Analytical Method: EPA 905.0 Modified
Analytical Batch Number: 1296601

| Sample ID | Client ID |
|------------|---|
| 323996001 | CAPA-13-29666 |
| 1202862827 | Method Blank (MB) |
| 1202862828 | 324205001(CAPA-13-29669) Sample Duplicate (DUP) |
| 1202862829 | 324205001(CAPA-13-29669) Matrix Spike (MS) |
| 1202862830 | Laboratory Control Sample (LCS) |

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-004 REV# 16.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. The initial Calibration was performed in March 2013.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

Aliquots for samples 1202862827 (MB) and 1202862830 (LCS) were changed to 1.0 per client request.

Designated QC

The following sample was used for QC: 324205001 (CAPA-13-29669). The QC was from ARSL work order 324205.

QC Information

All of the QC samples met the required acceptance limits.

CSU

The blank 1202862827 (MB) result is greater than 1.65 times the CSU but less than the MDC.

Technical Information:**Holding Time**

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

Sample 1202862828 (CAPA-13-29669) was recounted due to high MDC. The recount is reported.

Chemical Recoveries

All chemical recoveries meet the required acceptance limits for this sample set.

Miscellaneous Information:**Data Exception (DER) Documentation**

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

The matrix spike, 1202862829 (CAPA-13-29669), aliquot was reduced to conserve sample volume.

Blank Decision Level

The blank 1202862827 (MB) result is greater than the decision level but less than the MDC.

Qualifier Information

Manual qualifiers were not required.

Method/Analysis Information

| | |
|--------------------------|----------------------|
| Product: | WSP-GrossA/B |
| Analytical Method: | EPA 900.0/SW846 9310 |
| Analytical Batch Number: | 1296612 |

| | |
|------------------|---|
| Sample ID | Client ID |
| 323996001 | CAPA-13-29666 |
| 1202862848 | Method Blank (MB) |
| 1202862849 | 324095001(CAPA-13-29670) Sample Duplicate (DUP) |
| 1202862850 | 324095001(CAPA-13-29670) Matrix Spike (MS) |

1202862851 324095001(CAPA-13-29670) Matrix Spike Duplicate (MSD)
1202862852 Laboratory Control Sample (LCS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-RAD-A-001 REV# 16.

Calibration Information:

Calibration Information

All initial and continuing calibration requirements have been met. The initial Calibration was performed in December 2012.

Standards Information

Standard solutions for these analysis are NIST traceable or verified with a NIST traceable standard and used before the expiration dates.

Sample Geometry

All counting sources were prepared in the same geometry as the calibration standards.

Quality Control (QC) Information:

Blank Information

Aliquots for samples 1202862848 (MB) and 1202862852 (LCS) were changed to 1.0 per client request.

Designated QC

The following sample was used for QC: 324095001 (CAPA-13-29670). The QC was from ARSL work order 324095.

QC Information

All of the QC samples met the required acceptance limits.

CSU

The blank result is less than 1.65 times the CSU.

Technical Information:

Holding Time

All sample procedures for this sample set were performed within the required holding time.

Sample Re-prep/Re-analysis

None of the samples in this sample set required prep or reanalysis.

Chemical Recoveries

All chemical recoveries meet the required acceptance limits for this sample set.

Gross Alpha/Beta Preparation Information

High hygroscopic salt content in evaporated samples can cause the sample mass to fluctuate due to moisture absorption. To minimize this interference, the salts are converted to oxides by heating the sample under a flame until a dull red color is obtained. The conversion to oxides stabilizes the sample weight and ensures that proper alpha/beta efficiencies are assigned for each sample. Volatile radioisotopes of carbon, hydrogen, technetium, polonium and cesium may be lost during sample heating, especially to a dull red heat. For this sample set, the

prepared planchet was counted for beta activity before being flamed. After flaming, the planchet was counted for alpha activity.

Miscellaneous Information:

Data Exception (DER) Documentation

Data exception reports are generated to document any procedural anomalies that may deviate from referenced SOP or contractual documents. A data exception report (DER) was not generated for this SDG.

Additional Comments

The matrix spike and matrix spike duplicate, 1202862850 (CAPA-13-29670) and 1202862851 (CAPA-13-29670), aliquots were reduced to conserve sample volume.

Blank Decision Level

The blank result is less than the decision level.

Qualifier Information

Manual qualifiers were not required.

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ARSL001 ARS International (63641-10)

Client SDG: 2013-728 GEL Work Order: 323996


The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a Tracer compound
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.
- UI Gamma Spectroscopy--Uncertain identification

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Heather McCarty

Date: 10 MAY 2013

Title: Analyst II

| DATA EXCEPTION REPORT | | | |
|--|---|--|-----------------------------|
| Mo.Day Yr. 25-APR-13 | Division: Radiochemistry | Quality Criteria: Specifications | Type: Process |
| Instrument Type: ALPHA SPECTROMETER | Test / Method: DOE EML HASL-300, Pu-11-RC Modified | Matrix Type: Liquid | Client Code: ESHL |
| Batch ID: 1295226 | Sample Numbers: See Below | | |
| Potentially affected work order(s)(SDG): 323928(2013-724),323996(2013-728) Application Issues: RDL less than MDA | | | |
| Specification and Requirements | | DER Disposition: | |
| Exception Description: | | | |
| 1. Sample 323996001 did not meet the Pu-238 and Pu-239/240 detection limits due to lower tracer yield. | | 1. Sample did meet the client tracer yield requirement and has over 400 tracer counts. Sample was counted the maximum count time of a 1000 minutes in order to achieve the lowest possible MDC. Reporting results. | |

Originator's Name:
Ashley Drochter 25-APR-13

Data Validator/Group Leader:
Kate Gellatly 10-MAY-13

Sample Data Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Los Alamos National Laboratory
Address : PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm111
Los Alamos, New Mexico 87545
Contact: Keith Greene
Project: LANL-WQH Water Samples

Report Date: May 10, 2013

Client Sample ID: CAPA-13-29666
Sample ID: 323996001
Matrix: W
Collect Date: 15-APR-13
Receive Date: 17-APR-13
Collector: Client

Project: ESHL00210
Client ID: ARSL001

| Parameter | Qualifier | Result | Uncertainty | MDC | TPU | RL | Units | DF | Analyst | Date | Time | Batch | Mtd. |
|-----------|-----------|--------|-------------|-----|-----|----|-------|----|---------|------|------|-------|------|
|-----------|-----------|--------|-------------|-----|-----|----|-------|----|---------|------|------|-------|------|

Rad Alpha Spec Analysis

Alphaspec Am241 Liquid "As Received"

| | | | | | | | | | | | | | |
|---------------|---|---------|------------|--------|------------|-------|-------|--|------|----------|------|---------|---|
| Americium-241 | U | 0.00632 | +/-0.00699 | 0.0368 | +/-0.00699 | 0.050 | pCi/L | | HAKB | 04/19/13 | 0900 | 1295225 | 1 |
|---------------|---|---------|------------|--------|------------|-------|-------|--|------|----------|------|---------|---|

Alphaspec Pu, Liquid "As Received"

| | | | | | | | | | | | | | |
|-------------------|---|----------|------------|--------|------------|-------|-------|--|------|----------|------|---------|---|
| Plutonium-238 | U | -0.00835 | +/-0.00835 | 0.065 | +/-0.00835 | 0.050 | pCi/L | | HAKB | 04/23/13 | 1054 | 1295226 | 2 |
| Plutonium-239/240 | U | -0.00835 | +/-0.00835 | 0.0634 | +/-0.00835 | 0.050 | pCi/L | | | | | | |

Alphaspec U, Liquid "As Received"

| | | | | | | | | | | | | | |
|-----------------|---|---------|-----------|--------|------------|-------|-------|--|------|----------|------|---------|---|
| Uranium-234 | | 0.213 | +/-0.0251 | 0.066 | +/-0.0286 | 1.00 | pCi/L | | HAKB | 04/19/13 | 0900 | 1295227 | 3 |
| Uranium-235/236 | U | 0.00998 | +/-0.0088 | 0.0405 | +/-0.00883 | 1.00 | pCi/L | | | | | | |
| Uranium-238 | | 0.102 | +/-0.0174 | 0.037 | +/-0.0187 | 0.500 | pCi/L | | | | | | |

Rad Gamma Spec Analysis

Gammasespec "As Received"

| | | | | | | | | | | | | | |
|---------------|---|--------|---------|------|---------|------|-------|--|------|----------|------|---------|---|
| Cesium-137 | U | 2.46 | +/-1.09 | 4.59 | +/-1.09 | 8.00 | pCi/L | | MXR1 | 05/02/13 | 0746 | 1296138 | 4 |
| Cobalt-60 | U | 0.979 | +/-1.28 | 5.40 | +/-1.30 | 8.00 | pCi/L | | | | | | |
| Neptunium-237 | U | 2.54 | +/-2.36 | 9.08 | +/-2.43 | 10.0 | pCi/L | | | | | | |
| Potassium-40 | U | -22.5 | +/-16.2 | 61.0 | +/-17.1 | 10.0 | pCi/L | | | | | | |
| Sodium-22 | U | -0.308 | +/-1.31 | 4.87 | +/-1.32 | 10.0 | pCi/L | | | | | | |

Rad Gas Flow Proportional Counting

GFPC, Sr90, liquid "As Received"

| | | | | | | | | | | | | | |
|--------------|---|-------|----------|-------|----------|-------|-------|--|------|----------|------|---------|---|
| Strontium-90 | U | 0.166 | +/-0.118 | 0.399 | +/-0.119 | 0.500 | pCi/L | | BXF1 | 05/06/13 | 0845 | 1296601 | 5 |
|--------------|---|-------|----------|-------|----------|-------|-------|--|------|----------|------|---------|---|

WSP-GrossA/B "As Received"

| | | | | | | | | | | | | | |
|-------|---|-------|----------|------|----------|------|-------|--|------|----------|------|---------|---|
| Beta | U | 1.50 | +/-0.790 | 2.58 | +/-0.800 | 3.00 | pCi/L | | DYT1 | 05/07/13 | 1434 | 1296612 | 6 |
| Alpha | U | 0.226 | +/-0.609 | 2.63 | +/-0.609 | 3.00 | pCi/L | | DYT1 | 05/08/13 | 1132 | 1296612 | 7 |

The following Analytical Methods were performed

| Method | Description |
|--------|-------------------------------------|
| 1 | DOE EML HASL-300, Am-05-RC Modified |
| 2 | DOE EML HASL-300, Pu-11-RC Modified |
| 3 | DOE EML HASL-300, U-02-RC Modified |
| 4 | EPA 901.1 |
| 5 | EPA 905.0 Modified |
| 6 | EPA 900.0/SW846 9310 |
| 7 | EPA 900.0/SW846 9310 |

| Surrogate/Tracer | Recovery | Test | Batch ID | Recovery% | Acceptable Limits |
|----------------------|----------|--------------------------------------|----------|-----------|-------------------|
| Americium-243 Tracer | | Alphaspec Am241 Liquid "As Received" | 1295225 | 87.3 | (50%-105%) |
| Plutonium-242 Tracer | | Alphaspec Pu, Liquid "As Received" | 1295226 | 51.7 | (50%-105%) |
| Uranium-232 Tracer | | Alphaspec U, Liquid "As Received" | 1295227 | 79.1 | (50%-105%) |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : Los Alamos National Laboratory
Address : PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm111
Los Alamos, New Mexico 87545

Report Date: May 10, 2013

Contact: Keith Greene

Project: LANL-WQH Water Samples

Client Sample ID: CAPA-13-29666
Sample ID: 323996001

Project: ESHL00210
Client ID: ARSL001

| Parameter | Qualifier | Result | Uncertainty | MDC | TPU | RL | Units | DF | Analyst | Date | Time | Batch | Mtd. |
|---------------------------|-----------|----------------------------------|-------------|-----|-----|----|----------|-----------|-------------------|------|------|-------|------|
| Surrogate/Tracer Recovery | | Test | | | | | Batch ID | Recovery% | Acceptable Limits | | | | |
| Strontium Carrier | | GFPC, Sr90, liquid "As Received" | | | | | 1296601 | 88.9 | (50%-105%) | | | | |

Notes:

TPU and Uncertainty are calculated at the 68% confidence level (1-sigma).

Quality Control Data

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: May 10, 2013

Page 1 of 6

Client : Los Alamos National Laboratory
PO Box 1663
TA-03, SM271, Drop Pt. 02U, Rm
Los Alamos, New Mexico
Contact: Keith Greene
Workorder: 323996

| Parmname | NOM | Sample | Qual | QC | Units | RER | REC% | Range | Anlst | Date | Time |
|------------------------|-----------|------------|------|------------|-------|--------|------|------------|-------|---------------|------|
| Rad Alpha Spec | | | | | | | | | | | |
| Batch | 1295225 | | | | | | | | | | |
| QC1202859231 | 323928002 | DUP | | | | | | | | | |
| Americium-241 | U | 0.00225 | U | 0.00858 | pCi/L | 0.317 | | (0-1) | HAKB | 04/19/1309:00 | |
| | Uncert: | +/-0.00391 | | +/-0.00607 | | | | | | | |
| | TPU: | +/-0.00391 | | +/-0.00608 | | | | | | | |
| **Americium-243 Tracer | 2.62 | 2.39 | | 2.51 | pCi/L | | 96.1 | (50%-105%) | | | |
| | Uncert: | +/-0.0765 | | +/-0.0747 | | | | | | | |
| | TPU: | +/-0.131 | | +/-0.129 | | | | | | | |
| QC1202859232 | LCS | | | | | | | | | | |
| Americium-241 | 1.41 | | | 1.49 | pCi/L | | 105 | (80%-120%) | HAKB | 04/19/1309:00 | |
| | Uncert: | | | +/-0.0501 | | | | | | | |
| | TPU: | | | +/-0.0775 | | | | | | | |
| **Americium-243 Tracer | 2.09 | | | 1.72 | pCi/L | | 82 | (50%-105%) | | | |
| | Uncert: | | | +/-0.0591 | | | | | | | |
| | TPU: | | | +/-0.102 | | | | | | | |
| QC1202859230 | MB | | | | | | | | | | |
| Americium-241 | | | U | 0.00921 | pCi/L | | | | HAKB | 04/19/1309:00 | |
| | Uncert: | | | +/-0.00532 | | | | | | | |
| | TPU: | | | +/-0.00533 | | | | | | | |
| **Americium-243 Tracer | 2.09 | | | 1.94 | pCi/L | | 92.9 | (50%-105%) | | | |
| | Uncert: | | | +/-0.0563 | | | | | | | |
| | TPU: | | | +/-0.0991 | | | | | | | |
| Batch | 1295226 | | | | | | | | | | |
| QC1202859234 | 323928002 | DUP | | | | | | | | | |
| Plutonium-238 | U | 0.00 | U | 0.00276 | pCi/L | 0.0941 | | (0-1) | HAKB | 04/23/1310:54 | |
| | Uncert: | +/-0.0047 | | +/-0.00994 | | | | | | | |
| | TPU: | +/-0.0047 | | +/-0.00994 | | | | | | | |
| Plutonium-239/240 | U | 0.0047 | U | -0.00276 | pCi/L | 0.287 | | (0-1) | | | |
| | Uncert: | +/-0.0047 | | +/-0.00827 | | | | | | | |
| | TPU: | +/-0.00471 | | +/-0.00827 | | | | | | | |
| **Plutonium-242 Tracer | 2.44 | 2.29 | | 1.94 | pCi/L | | 79.5 | (50%-105%) | | | |
| | Uncert: | +/-0.0758 | | +/-0.0822 | | | | | | | |
| | TPU: | +/-0.127 | | +/-0.135 | | | | | | | |
| QC1202859235 | LCS | | | | | | | | | | |
| Plutonium-238 | | | U | 0.00628 | pCi/L | | | (80%-120%) | HAKB | 04/23/1310:54 | |
| | Uncert: | | | +/-0.00468 | | | | | | | |
| | TPU: | | | +/-0.00469 | | | | | | | |
| Plutonium-239/240 | 1.97 | | | 2.02 | pCi/L | | 103 | (80%-120%) | | | |
| | Uncert: | | | +/-0.0653 | | | | | | | |
| | TPU: | | | +/-0.109 | | | | | | | |
| **Plutonium-242 Tracer | 1.95 | | | 1.61 | pCi/L | | 82.7 | (50%-105%) | | | |
| | Uncert: | | | +/-0.0644 | | | | | | | |
| | TPU: | | | +/-0.106 | | | | | | | |
| QC1202859233 | MB | | | | | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 2 of 6

| Parmname | NOM | Sample | Qual | QC | Units | RER | REC% | Range | Anlst | Date | Time |
|------------------------|-----------|--------------------|------|--------------------|-------|-------|------|------------|-------|---------------|------|
| Rad Alpha Spec | | | | | | | | | | | |
| Batch | 1295226 | | | | | | | | | | |
| Plutonium-238 | | | U | 0.00 | pCi/L | | | | HAKB | 04/23/1310:54 | |
| | | | | Uncert: +/-0.00383 | | | | | | | |
| | | | | TPU: +/-0.00383 | | | | | | | |
| Plutonium-239/240 | | | U | -0.0135 | pCi/L | | | | | | |
| | | | | Uncert: +/-0.0124 | | | | | | | |
| | | | | TPU: +/-0.0124 | | | | | | | |
| **Plutonium-242 Tracer | 1.95 | | | 1.27 | pCi/L | | 65 | (50%-105%) | | | |
| | | | | Uncert: +/-0.0731 | | | | | | | |
| | | | | TPU: +/-0.117 | | | | | | | |
| Batch | 1295227 | | | | | | | | | | |
| QC1202859237 | 323928002 | DUP | | | | | | | | | |
| Uranium-234 | | 0.130 | | 0.173 | pCi/L | 0.444 | | (0-1) | HAKB | 04/19/1309:00 | |
| | | Uncert: +/-0.0212 | | +/-0.0229 | | | | | | | |
| | | TPU: +/-0.0228 | | +/-0.0255 | | | | | | | |
| Uranium-235/236 | | U 0.00683 | U | 0.010 | pCi/L | 0.101 | | (0-1) | | | |
| | | Uncert: +/-0.00683 | | +/-0.00882 | | | | | | | |
| | | TPU: +/-0.00684 | | +/-0.00884 | | | | | | | |
| Uranium-238 | | 0.102 | | 0.135 | pCi/L | 0.400 | | (0-1) | | | |
| | | Uncert: +/-0.0177 | | +/-0.0202 | | | | | | | |
| | | TPU: +/-0.0189 | | +/-0.022 | | | | | | | |
| **Uranium-232 Tracer | 2.70 | 2.10 | | 2.12 | pCi/L | | 78.7 | (50%-105%) | | | |
| | | Uncert: +/-0.0866 | | +/-0.0855 | | | | | | | |
| | | TPU: +/-0.195 | | +/-0.194 | | | | | | | |
| QC1202859238 | LCS | | | | | | | | | | |
| Uranium-234 | | | | 2.68 | pCi/L | | | | HAKB | 04/19/1309:00 | |
| | | Uncert: +/-0.0786 | | +/-0.192 | | | | | | | |
| | | TPU: +/-0.192 | | 0.0961 | pCi/L | | | | | | |
| Uranium-235/236 | | Uncert: +/-0.0174 | | +/-0.0185 | | | | | | | |
| | | TPU: +/-0.0185 | | 2.57 | pCi/L | | 95 | (80%-120%) | | | |
| Uranium-238 | 2.70 | | | 2.57 | pCi/L | | | | | | |
| | | Uncert: +/-0.0767 | | +/-0.184 | | | | | | | |
| | | TPU: +/-0.184 | | 1.64 | pCi/L | | 76.1 | (50%-105%) | | | |
| **Uranium-232 Tracer | 2.16 | | | 1.64 | pCi/L | | | | | | |
| | | Uncert: +/-0.0705 | | +/-0.157 | | | | | | | |
| | | TPU: +/-0.157 | | | | | | | | | |
| QC1202859236 | MB | | | | | | | | | | |
| Uranium-234 | | | U | 0.00793 | pCi/L | | | | HAKB | 04/19/1309:00 | |
| | | Uncert: +/-0.00627 | | +/-0.00629 | | | | | | | |
| | | TPU: +/-0.00629 | | 0.00245 | pCi/L | | | | | | |
| Uranium-235/236 | | Uncert: +/-0.00548 | U | +/-0.00548 | | | | | | | |
| | | TPU: +/-0.00548 | | 0.00594 | pCi/L | | | | | | |
| Uranium-238 | | Uncert: +/-0.00594 | U | +/-0.00596 | | | | | | | |
| | | TPU: +/-0.00596 | | 1.88 | pCi/L | | 87.2 | (50%-105%) | | | |
| **Uranium-232 Tracer | 2.16 | | | 1.88 | pCi/L | | | | | | |
| | | Uncert: +/-0.0656 | | | | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 3 of 6

| Parmname | NOM | Sample | Qual | QC | Units | RER | REC% | Range | Anlst | Date | Time | |
|----------------|-----------|---------|---------|----------|---------|-------|--------|-------|------------|----------|----------|----------|
| Rad Alpha Spec | | | | | | | | | | | | |
| Batch | 1295227 | | | | | | | | | | | |
| | | TPU: | | +/-0.153 | | | | | | | | |
| Rad Gamma Spec | | | | | | | | | | | | |
| Batch | 1296138 | | | | | | | | | | | |
| QC1202861666 | 324205001 | DUP | | | | | | | | | | |
| Cesium-137 | | UI | 8.74 | UI | 5.79 | pCi/L | 0.354 | (0-1) | MXR1 | 05/02/13 | 12:21 | |
| | | Uncert: | +/-2.36 | | +/-1.75 | | | | | | | |
| | | TPU: | +/-2.40 | | +/-1.77 | | | | | | | |
| Cobalt-60 | | U | -0.869 | U | -2.77 | pCi/L | 0.301 | (0-1) | | | | |
| | | Uncert: | +/-1.67 | | +/-1.34 | | | | | | | |
| | | TPU: | +/-1.68 | | +/-1.49 | | | | | | | |
| Neptunium-237 | | U | -2.51 | U | -2.83 | pCi/L | 0.0276 | (0-1) | | | | |
| | | Uncert: | +/-2.77 | | +/-2.85 | | | | | | | |
| | | TPU: | +/-2.83 | | +/-2.93 | | | | | | | |
| Potassium-40 | | U | 27.3 | U | -32.5 | pCi/L | 0.876 | (0-1) | | | | |
| | | Uncert: | +/-17.0 | | +/-14.1 | | | | | | | |
| | | TPU: | +/-18.1 | | +/-16.0 | | | | | | | |
| Sodium-22 | | U | 2.94 | U | -0.389 | pCi/L | 0.558 | (0-1) | | | | |
| | | Uncert: | +/-1.43 | | +/-1.39 | | | | | | | |
| | | TPU: | +/-1.59 | | +/-1.39 | | | | | | | |
| QC1202861667 | LCS | | | | | | | | | | | |
| Americium-241 | | 2780 | | | 2860 | pCi/L | | 103 | (80%-120%) | MXR1 | 05/02/13 | |
| | | Uncert: | | | +/-183 | | | | | | | |
| | | TPU: | | | +/-257 | | | | | | | |
| Cesium-137 | | 6030 | | | 6090 | pCi/L | | 101 | (80%-120%) | | | |
| | | Uncert: | | | +/-57.4 | | | | | | | |
| | | TPU: | | | +/-267 | | | | | | | |
| Cobalt-60 | | 5330 | | | 5300 | pCi/L | | 99.3 | (80%-120%) | | | |
| | | Uncert: | | | +/-60.3 | | | | | | | |
| | | TPU: | | | +/-228 | | | | | | | |
| Neptunium-237 | | | | U | 44.7 | pCi/L | | | | | | |
| | | Uncert: | | | +/-31.6 | | | | | | | |
| | | TPU: | | | +/-33.3 | | | | | | | |
| Potassium-40 | | | | U | -13.5 | pCi/L | | | | | | |
| | | Uncert: | | | +/-45.4 | | | | | | | |
| | | TPU: | | | +/-45.5 | | | | | | | |
| Sodium-22 | | | | U | 10.7 | pCi/L | | | | | | |
| | | Uncert: | | | +/-7.22 | | | | | | | |
| | | TPU: | | | +/-7.64 | | | | | | | |
| QC1202861665 | MB | | | | | | | | | | | |
| Cesium-137 | | | | U | 0.124 | pCi/L | | | | | MXR1 | 05/02/13 |
| | | Uncert: | | | +/-1.55 | | | | | | | |
| | | TPU: | | | +/-1.55 | | | | | | | |
| Cobalt-60 | | | | U | 2.12 | pCi/L | | | | | | |
| | | Uncert: | | | +/-1.46 | | | | | | | |
| | | TPU: | | | +/-1.54 | | | | | | | |
| Neptunium-237 | | | | U | -1.31 | pCi/L | | | | | | |
| | | Uncert: | | | +/-2.51 | | | | | | | |
| | | TPU: | | | +/-2.53 | | | | | | | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 4 of 6

| Parmname | NOM | Sample | Qual | QC | Units | RER | REC% | Range | Anlst | Date | Time |
|-----------------------|-----------|----------|----------|-----------|-------|-------|------|------------|-------|---------------|------|
| Rad Gamma Spec | | | | | | | | | | | |
| Batch | 1296138 | | | | | | | | | | |
| Potassium-40 | | | U | -12.3 | pCi/L | | | | | | |
| | Uncert: | | | +/-19.1 | | | | | | | |
| | TPU: | | | +/-19.3 | | | | | | | |
| Sodium-22 | | | U | -0.971 | pCi/L | | | | | | |
| | Uncert: | | | +/-1.27 | | | | | | | |
| | TPU: | | | +/-1.29 | | | | | | | |
| Rad Gas Flow | | | | | | | | | | | |
| Batch | 1296601 | | | | | | | | | | |
| QC1202862828 | 324205001 | DUP | | | | | | | | | |
| Strontium-90 | U | -0.204 | U | -0.275 | pCi/L | 0.132 | | (0-1) | BXF1 | 05/07/1311:56 | |
| | Uncert: | +/-0.134 | | +/-0.136 | | | | | | | |
| | TPU: | +/-0.134 | | +/-0.136 | | | | | | | |
| **Strontium Carrier | 8.55 | 6.90 | | 7.50 | mg | | 87.7 | (50%-105%) | | | |
| QC1202862830 | LCS | | | | | | | | | | |
| Strontium-90 | 24.3 | | | 25.6 | pCi/L | | 105 | (80%-120%) | BXF1 | 05/06/1308:46 | |
| | Uncert: | | | +/-0.532 | | | | | | | |
| | TPU: | | | +/-2.10 | | | | | | | |
| **Strontium Carrier | 8.55 | | | 7.60 | mg | | 88.9 | (50%-105%) | | | |
| QC1202862827 | MB | | | | | | | | | | |
| Strontium-90 | | | U | 0.157 | pCi/L | | | | BXF1 | 05/06/1308:46 | |
| | Uncert: | | | +/-0.0664 | | | | | | | |
| | TPU: | | | +/-0.0675 | | | | | | | |
| **Strontium Carrier | 8.55 | | | 7.50 | mg | | 87.7 | (50%-105%) | | | |
| QC1202862829 | 324205001 | MS | | | | | | | | | |
| Strontium-90 | 243 | U | -0.204 | 261 | pCi/L | | 107 | (75%-125%) | BXF1 | 05/06/1308:46 | |
| | Uncert: | | +/-0.134 | +/-5.36 | | | | | | | |
| | TPU: | | +/-0.134 | +/-21.5 | | | | | | | |
| **Strontium Carrier | 8.55 | 6.90 | | 7.70 | mg | | 90.1 | (50%-105%) | | | |
| Batch | 1296612 | | | | | | | | | | |
| QC1202862849 | 324095001 | DUP | | | | | | | | | |
| Alpha | U | 0.961 | U | -0.277 | pCi/L | 0.533 | | (0-1) | DYT1 | 05/08/1311:33 | |
| | Uncert: | +/-0.699 | | +/-0.457 | | | | | | | |
| | TPU: | +/-0.703 | | +/-0.458 | | | | | | | |
| Beta | U | 0.790 | U | 1.91 | pCi/L | 0.313 | | (0-1) | | 05/07/1314:38 | |
| | Uncert: | +/-0.882 | | +/-0.891 | | | | | | | |
| | TPU: | +/-0.885 | | +/-0.908 | | | | | | | |
| QC1202862852 | LCS | | | | | | | | | | |
| Alpha | 12.3 | | | 12.6 | pCi/L | | 102 | (80%-120%) | DYT1 | 05/08/1311:33 | |
| | Uncert: | | | +/-0.636 | | | | | | | |
| | TPU: | | | +/-1.24 | | | | | | | |
| Beta | 48.6 | | | 53.3 | pCi/L | | 110 | (80%-120%) | | 05/07/1313:33 | |
| | Uncert: | | | +/-0.943 | | | | | | | |
| | TPU: | | | +/-4.54 | | | | | | | |
| QC1202862848 | MB | | | | | | | | | | |
| Alpha | | | U | 0.0364 | pCi/L | | | | DYT1 | 05/08/1311:33 | |
| | Uncert: | | | +/-0.0807 | | | | | | | |
| | TPU: | | | +/-0.0808 | | | | | | | |
| Beta | | | U | -0.00605 | pCi/L | | | | | 05/07/1314:37 | |

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 5 of 6

| Parmname | NOM | Sample | Qual | QC | Units | RER | REC% | Range | Anlst | Date | Time |
|---------------------|-----------|---------|----------|----------|-------|-------|------|------------|-------|----------|-------|
| Rad Gas Flow | | | | | | | | | | | |
| Batch | 1296612 | | | | | | | | | | |
| | | Uncert: | | +/-0.113 | | | | | | | |
| | | TPU: | | +/-0.113 | | | | | | | |
| QC1202862850 | 324095001 | MS | | | | | | | | | |
| Alpha | 494 | U | 0.961 | 552 | pCi/L | | 112 | (75%-125%) | DYT1 | 05/08/13 | 11:33 |
| | | Uncert: | +/-0.699 | +/-26.2 | | | | | | | |
| | | TPU: | +/-0.703 | +/-54.5 | | | | | | | |
| Beta | 1940 | U | 0.790 | 2150 | pCi/L | | 110 | (75%-125%) | | 05/07/13 | 14:38 |
| | | Uncert: | +/-0.882 | +/-38.0 | | | | | | | |
| | | TPU: | +/-0.885 | +/-182 | | | | | | | |
| QC1202862851 | 324095001 | MSD | | | | | | | | | |
| Alpha | 494 | U | 0.961 | 462 | pCi/L | 0.450 | 93.5 | (0-1) | DYT1 | 05/08/13 | 11:33 |
| | | Uncert: | +/-0.699 | +/-24.7 | | | | | | | |
| | | TPU: | +/-0.703 | +/-46.2 | | | | | | | |
| Beta | 1940 | U | 0.790 | 2070 | pCi/L | 0.109 | 106 | (0-1) | | 05/07/13 | 13:33 |
| | | Uncert: | +/-0.882 | +/-37.5 | | | | | | | |
| | | TPU: | +/-0.885 | +/-176 | | | | | | | |

Notes:

The Qualifiers in this report are defined as follows:

- ** Analyte is a Tracer compound
- ** Analyte is a surrogate compound
- < Result is less than value reported
- > Result is greater than value reported
- A The TIC is a suspected aldol-condensation product
- B The target analyte was detected in the associated blank.
- BD Results are either below the MDC or tracer recovery is low
- C Analyte has been confirmed by GC/MS analysis
- D Results are reported from a diluted aliquot of the sample
- E %difference of sample and SD is >10%. Sample concentration must meet flagging criteria
- E Concentration of the target analyte exceeds the instrument calibration range
- E General Chemistry--Concentration of the target analyte exceeds the instrument calibration range
- FA Failed analysis.
- FB Mercury was found present at quantifiable concentrations in field blanks received with these samples. Data associated with the blank are deemed invalid for reporting to regulatory agencies
- H Analytical holding time was exceeded
- J Value is estimated
- JNX Non Calibrated Compound
- K Analyte present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte present. Reported value may be biased low. Actual value is expected to be higher.
- M M if above MDC and less than LLD
- M REMP Result > MDC/CL and < RDL
- N Metals--The Matrix spike sample recovery is not within specified control limits
- N Organics--Presumptive evidence based on mass spectral library search to make a tentative identification of the analyte (TIC). Quantitation is based on nearest internal standard response factor

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 323996

Page 6 of 6

| Parmname | NOM | Sample Qual | QC | Units | RER | REC% | Range | Anlst | Date | Time |
|----------|--|-------------|----|-------|-----|------|-------|-------|------|------|
| N | Presumptive evidence based on mass spectral library search to make a tentative identification of the analyte (TIC). Quantitation is based on nearest internal standard response factor | | | | | | | | | |
| N/A | RPD or %Recovery limits do not apply. | | | | | | | | | |
| N1 | See case narrative | | | | | | | | | |
| ND | Analyte concentration is not detected above the detection limit | | | | | | | | | |
| NJ | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier | | | | | | | | | |
| P | Organics--The concentrations between the primary and confirmation columns/detectors is >40% different. For HPLC, difference is also <70% | | | | | | | | | |
| Q | One or more quality control criteria have not been met. Refer to the applicable narrative or DER. | | | | | | | | | |
| R | Per section 9.3.4.1 of Method 1664 Revision B, due to matrix spike recovery issues, this result may not be reported or used for regulatory compliance purposes. | | | | | | | | | |
| R | Sample results are rejected | | | | | | | | | |
| U | Analyte was analyzed for, but not detected above the MDL, MDA, or LOD. | | | | | | | | | |
| UI | Gamma Spectroscopy--Uncertain identification | | | | | | | | | |
| UJ | Compound cannot be extracted | | | | | | | | | |
| UJ | Gamma Spectroscopy--Uncertain identification | | | | | | | | | |
| UL | Not considered detected. The associated number is the reported concentration, which may be inaccurate due to a low bias. | | | | | | | | | |
| X | Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier | | | | | | | | | |
| Y | Other specific qualifiers were required to properly define the results. Consult case narrative. | | | | | | | | | |
| Y | QC Samples were not spiked with this compound | | | | | | | | | |
| Z | Paint Filter Test--Particulates passed through the filter, however no free liquids were observed. | | | | | | | | | |
| ^ | RPD of sample and duplicate evaluated using +/-RL. Concentrations are <5X the RL. Qualifier Not Applicable for Radiochemistry. | | | | | | | | | |
| d | 5-day BOD--The 2:1 depletion requirement was not met for this sample | | | | | | | | | |
| h | Preparation or preservation holding time was exceeded | | | | | | | | | |

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

** Indicates analyte is a surrogate/tracer compound.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.