

Location	Screen Top Depth (ft)	Screen Bottom Depth (ft)	COC	Sample	Collection Date	Collection Time	Fld Prep	Fld Matrix	Lab Matrix	Fld QC Type	Lab QC Type	Method	CAS	Analyte	Detect Flag	Result	Units	Lab Qual	Val Qual	Val Reason	Lab	1-s TPU	MDA	MDL	PQL	DF	Sample Usage	FSRR	Best Select Flag	Northing	Easting	Web Date
NPDES Outfall 01A001			2015-2365	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-900_CALC	GROSSA-Adj	Adjusted Gross Alpha	Y	1.36	pCi/L		NQ	NQ	GELC	0.1	0.573			1	COMP	12256108	Y	1773374.91	1619888.857	02/03/16
NPDES Outfall 01A001			2015-2365	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-200.8	Al	Aluminum	N	15	ug/L	U	U	U LAB	GELC			15	50	1	COMP	12101857	Y	1773374.91	1619888.857	09/30/15
NPDES Outfall 01A001			2016-396	SWWS46-15-107040	11/23/15	15:15	UF	WOE	W	REG	INIT	EPA-350.1	NH3-N	Ammonia as Nitrogen	Y	0.181	mg/L	U	NQ	NQ	GELC			0.017	0.05	1	COMP	12172140	Y	1773374.91	1619888.857	12/03/15
NPDES Outfall 01A001			2015-2254	SWWS46-15-104066	08/25/15	11:44	UF	WOE	W	REG	INIT	EPA-350.1	NH3-N	Ammonia as Nitrogen	N	0.0608	mg/L	U	NQ	NQ	GELC			0.017	0.05	1	COMP	12054001	Y	1773374.91	1619888.857	09/01/15
NPDES Outfall 01A001			2015-1274	SWWS46-15-97515	05/26/15	11:54	UF	WOE	W	REG	INIT	EPA-350.1	NH3-N	Ammonia as Nitrogen	Y	0.132	mg/L	U	NQ	NQ	GELC			0.017	0.05	1	COMP	11960708	Y	1773374.91	1619888.857	06/16/15
NPDES Outfall 01A001			2015-969	SWWS46-15-95505	03/31/15	16:28	UF	WOE	W	REG	INIT	EPA-350.1	NH3-N	Ammonia as Nitrogen	Y	0.413	mg/L	J	I4a	I4a	GELC			0.017	0.05	1	COMP	11899732	Y	1773374.91	1619888.857	04/09/15
NPDES Outfall 01A001			2016-396	SWWS46-15-107040	11/23/15	15:15	UF	WOE	W	REG	INIT	EPA-300.0	Cl(-1)	Chloride	Y	32.6	mg/L	NQ	NQ	NQ	GELC			0.335	1	5	COMP	12172133	Y	1773374.91	1619888.857	12/03/15
NPDES Outfall 01A001			2015-2254	SWWS46-15-104066	08/25/15	11:44	UF	WOE	W	REG	INIT	EPA-300.0	Cl(-1)	Chloride	Y	17.5	mg/L	NQ	NQ	NQ	GELC			0.268	0.8	4	COMP	12054004	Y	1773374.91	1619888.857	09/01/15
NPDES Outfall 01A001			2015-1274	SWWS46-15-97515	05/26/15	11:54	UF	WOE	W	REG	INIT	EPA-300.0	Cl(-1)	Chloride	Y	40.9	mg/L	NQ	NQ	NQ	GELC			0.67	2	10	COMP	11960711	Y	1773374.91	1619888.857	06/16/15
NPDES Outfall 01A001			2015-969	SWWS46-15-95505	03/31/15	16:28	UF	WOE	W	REG	INIT	EPA-300.0	Cl(-1)	Chloride	Y	56.7	mg/L	NQ	NQ	NQ	GELC			0.67	2	10	COMP	11899735	Y	1773374.91	1619888.857	04/09/15
NPDES Outfall 01A001			2015-2348	NP001-15-104290	09/17/15	11:38	F	WOE	W	REG	INIT	EPA-200.8	Cu	Copper	Y	1.2	ug/L	NQ	NQ	NQ	GELC			0.35	1	1	COMP	12101845	Y	1773374.91	1619888.857	09/30/15
NPDES Outfall 01A001			2016-554	NP001-16-109634	12/21/15	12:05	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	12251713	Y	1773374.91	1619888.857	01/12/16
NPDES Outfall 01A001			2016-485	NP001-16-109633	12/09/15	13:36	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	1	cfu/100ml		NQ	NQ	ARS				1	1	COMP	12251711	Y	1773374.91	1619888.857	01/12/16
NPDES Outfall 01A001			2016-346	NP001-16-106963	11/16/15	12:01	NA	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	12211949	Y	1773374.91	1619888.857	12/16/15
NPDES Outfall 01A001			2016-277	NP001-16-106962	11/05/15	14:49	NA	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	12140412	Y	1773374.91	1619888.857	11/12/15
NPDES Outfall 01A001			2016-95	NP001-16-105521	10/21/15	12:00	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	12140415	Y	1773374.91	1619888.857	11/12/15
NPDES Outfall 01A001			2016-21	NP001-16-105520	10/06/15	10:42	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	9.8	cfu/100ml		NQ	NQ	ARS				1	1	COMP	12140414	Y	1773374.91	1619888.857	11/12/15
NPDES Outfall 01A001			2015-2341	NP001-15-104287	09/16/15	11:58	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	3.1	cfu/100ml		NQ	NQ	ARS				1	1	COMP	12110994	Y	1773374.91	1619888.857	10/08/15
NPDES Outfall 01A001			2015-2281	NP001-15-104286	09/01/15	14:21	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	4.1	cfu/100ml		NQ	NQ	ARS				1	1	COMP	12110992	Y	1773374.91	1619888.857	10/08/15
NPDES Outfall 01A001			2015-2212	NP001-15-103350	08/20/15	11:13	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	2	cfu/100ml		NQ	NQ	ARS				1	1	COMP	12085352	Y	1773374.91	1619888.857	09/15/15
NPDES Outfall 01A001			2015-2005	NP001-15-103349	08/04/15	13:36	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	8.5	cfu/100ml		NQ	NQ	ARS				1	1	COMP	12085354	Y	1773374.91	1619888.857	09/15/15
NPDES Outfall 01A001			2015-1772	NP001-15-102247	07/21/15	11:31	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	12032658	Y	1773374.91	1619888.857	08/19/15
NPDES Outfall 01A001			2015-1576	NP001-15-102246	07/08/15	13:20	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	3.1	cfu/100ml		NQ	NQ	ARS				1	1	COMP	12032655	Y	1773374.91	1619888.857	08/19/15
NPDES Outfall 01A001			2015-1416	NP001-15-99449	06/17/15	12:00	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11964335	Y	1773374.91	1619888.857	06/23/15
NPDES Outfall 01A001			2015-1334	NP001-15-99448	06/02/15	14:37	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11964334	Y	1773374.91	1619888.857	06/23/15
NPDES Outfall 01A001			2015-1240	NP001-15-973358	05/21/15	11:51	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11964339	Y	1773374.91	1619888.857	06/23/15
NPDES Outfall 01A001			2015-1155	NP001-15-973357	05/05/15	13:49	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11964338	Y	1773374.91	1619888.857	06/23/15
NPDES Outfall 01A001			2015-1079	NP001-15-95511	04/21/15	11:01	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	1	cfu/100ml		NQ	NQ	ARS				1	1	COMP	11930071	Y	1773374.91	1619888.857	05/13/15
NPDES Outfall 01A001			2015-1014	NP001-15-95510	04/09/15	13:43	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	1	cfu/100ml		NQ	NQ	ARS				1	1	COMP	11930073	Y	1773374.91	1619888.857	05/13/15
NPDES Outfall 01A001			2015-914	NP001-15-92926	03/19/15	10:07	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11902684	Y	1773374.91	1619888.857	04/10/15
NPDES Outfall 01A001			2015-849	NP001-15-92925	03/03/15	14:16	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11902682	Y	1773374.91	1619888.857	04/10/15
NPDES Outfall 01A001			2015-822	NP001-15-92649	02/24/15	11:36	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	Y	1	cfu/100ml		NQ	NQ	ARS				1	1	COMP	11877422	Y	1773374.91	1619888.857	03/06/15
NPDES Outfall 01A001			2015-787	NP001-15-92648	02/11/15	13:59	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11877420	Y	1773374.91	1619888.857	03/06/15
NPDES Outfall 01A001			2015-697	NP001-15-92645	01/21/15	11:44	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11860908	Y	1773374.91	1619888.857	02/09/15
NPDES Outfall 01A001			2015-644	NP001-15-92418	01/08/15	14:00	UF	WOE	W	REG	INIT	EPA-1603	E. coli	Escherichia coli	N	1	cfu/100ml	U	U	U LAB	ARS				1	1	COMP	11860906	Y	1773374.91	1619888.857	02/09/15
NPDES Outfall 01A001			2016-396	SWWS46-15-107040	11/23/15	15:15	UF	WOE	W	REG	INIT	EPA-353.2	NO3+NO2-N	Nitrate-Nitrite as Nitrogen	Y	10.5	mg/L		NQ	NQ	GELC			0.17	0.5	10	COMP	12172146	Y	1773374.91	1619888.857	12/03/15
NPDES Outfall 01A001			2016-396	SWWS46-15-107040	11/23/15	15:15	UF	WOE	W	REG	RE	EPA-353.2	NO3+NO2-N	Nitrate-Nitrite as Nitrogen	Y	8.99	mg/L	H	J-	I9a	GELC			0.17	0.5	10	COMP	12260718	Y	1773374.91	1619888.857	02/09/16
NPDES Outfall 01A001			2015-2254	SWWS46-15-104066	08/25/15	11:44	UF	WOE	W	REG	INIT	EPA-353.2	NO3+NO2-N	Nitrate-Nitrite as Nitrogen	Y	0.348	mg/L		NQ	NQ	GELC			0.017	0.05	1	COMP	12054002	Y	1773374.91	1619888.857	09/01/15
NPDES Outfall 01A001			2015-1274	SWWS46-15-97515	05/26/15	11:54	UF	WOE	W	REG	INIT	EPA-353.2	NO3+NO2-N	Nitrate-Nitrite as Nitrogen	Y	0.935	mg/L		NQ	NQ	GELC			0.017	0.05	1	COMP	11960709	Y	1773374.91	1619888.857	06/16/15
NPDES Outfall 01A001			2015-969	SWWS46-15-95505	03/31/15	16:28	UF	WOE	W	REG	INIT	EPA-353.2	NO3+NO2-N	Nitrate-Nitrite as Nitrogen	Y	0.584	mg/L		NQ	NQ	GELC			0.017	0.05	1	COMP	11899733	Y	1773374.91	1619888.857	04/09/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	2051-60-7	PCB-1	N	0.000021	ug/L	U	U	U LAB	CFA			0.00000699	0.000021	1	COMP	12116597	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	33146-45-1	PCB-10	N	0.0000214	ug/L	U	U	U LAB	CFA			0.00000699	0.000021	1	COMP	12116605	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001			2015-2364																													

NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	32774-16-6	PCB-169	N	0.000021	ug/L	U	U	U	LAB	CFA		0.00000699	0.000021	1	COMP	1216733	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	37680-66-3	PCB-17	N	0.000021	ug/L	U	U	U	LAB	CFA		0.00000699	0.000021	1	COMP	1216612	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	35065-30-6	PCB-170	Y	0.00013	ug/L	U	U	NQ	NQ	CFA		0.00000699	0.000021	1	COMP	1216734	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	PCB-171/173	PCB-171/PCB-173	N	0.000042	ug/L	U	U	U	LAB	CFA		0.000014	0.000042	1	COMP	1216769	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	52663-74-8	PCB-172	N	0.000021	ug/L	U	U	U	LAB	CFA		0.00000699	0.000021	1	COMP	1216750	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	38411-25-5	PCB-174	Y	0.0000984	ug/L	U	U	NQ	NQ	CFA		0.00000699	0.000021	1	COMP	1216736	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	40186-70-7	PCB-175	N	0.000021	ug/L	U	U	U	LAB	CFA		0.00000699	0.000021	1	COMP	1216739	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	52663-65-7	PCB-176	N	0.000021	ug/L	U	U	U	LAB	CFA		0.00000699	0.000021	1	COMP	1216745	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	52663-70-4	PCB-177	Y	0.0000598	ug/L	U	U	NQ	NQ	CFA		0.00000699	0.000021	1	COMP	1216748	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	52663-67-9	PCB-178	N	0.000021	ug/L	U	U	U	LAB	CFA		0.00000699	0.000021	1	COMP	1216746	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	52663-64-6	PCB-179	Y	0.0000221	ug/L	U	U	NQ	NQ	CFA		0.00000699	0.000021	1	COMP	1216744	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	PCB-18/30	PCB-18/PCB-30	Y	0.0000545	ug/L	U	U	NQ	NQ	CFA		0.000014	0.000042	1	COMP	1216623	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA-1668A	PCB-180/193	PCB-180/PCB-193	Y	0.000284	ug/L	U	U	NQ	NQ	CFA		0.000014	0.000042	1	COMP	121				

NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA:1668A	PCB-85-117	PCB-85/PCB-116/PCB-117	N	0.0000624	ug/L	U	U	U	LAB	CFA			0.0000208	0.000062	1	COMP	12132546	Y	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	PCB-86-125	PCB-86/87/97/109/119/125	N	0.000126	ug/L	U	U	U	LAB	CFA			0.000042	0.00013	1	COMP	12116718	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	PCB-88/91	PCB-88/PCB-91	N	0.000042	ug/L	U	U	U	LAB	CFA			0.000014	0.000042	1	COMP	12116719	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	73575-57-2	PCB-89	N	0.000021	ug/L	U	U	U	LAB	CFA			0.00000699	0.000021	1	COMP	12116700	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	34883-39-1	PCB-9	N	0.0000212	ug/L	U	U	U	LAB	CFA			0.00000699	0.000021	1	COMP	12116607	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	PCB-90-113	PCB-90/PCB-101/PCB-113	Y	0.0000953	ug/L	U	NQ	NQ	CFA			0.000021	0.000063	1	COMP	12116720	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	52663-61-3	PCB-92	N	0.000021	ug/L	U	U	U	LAB	CFA			0.00000699	0.000021	1	COMP	12116677	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	PCB-93/100	PCB-93/PCB-100	N	0.000042	ug/L	U	U	U	LAB	CFA			0.000014	0.000042	1	COMP	12116721	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	73575-55-0	PCB-94	N	0.000021	ug/L	U	U	U	LAB	CFA			0.00000699	0.000021	1	COMP	12116699	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	38379-99-6	PCB-95	Y	0.0000797	ug/L	U	NQ	NQ	CFA			0.00000699	0.000021	1	COMP	12116665	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	73575-54-9	PCB-96	N	0.000021	ug/L	U	U	U	LAB	CFA			0.00000699	0.000021	1	COMP	12116698	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	PCB-98/102	PCB-98/PCB-102	N	0.000042	ug/L	U	U	U	LAB	CFA			0.000014	0.000042	1	COMP	12116722	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	38380-01-7	WOE	Y	0.0000274	ug/L	U	NQ	NQ	CFA			0.00000699	0.000021	1	COMP	12116666	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	DECACB(Tot)	Total decaCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12116768	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA:1668A	DECACB(Tot)	Total decaCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12132597	Y	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	25512-42-9	Total diCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12116728	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA:1668A	25512-42-9	Total diCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12132557	Y	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001				2016-396	SWWS46-15-107040	11/23/15	15:15	UF	WOE	W	REG	INIT	EPA:160.1	TDS	Total Dissolved Solids	Y	343	mg/L		NQ	NQ	GELC			3.4	14.3	1	COMP	12172130	Y	1773374.91	1619888.857	12/03/15	
NPDES Outfall 01A001				2015-2254	SWWS46-15-104066	08/25/15	11:44	UF	WOE	W	REG	INIT	EPA:160.1	TDS	Total Dissolved Solids	Y	200	mg/L		NQ	NQ	GELC			3.4	14.3	1	COMP	12054003	Y	1773374.91	1619888.857	09/01/15	
NPDES Outfall 01A001				2015-1274	SWWS46-15-97515	05/26/15	11:54	UF	WOE	W	REG	INIT	EPA:160.1	TDS	Total Dissolved Solids	Y	316	mg/L		NQ	NQ	GELC			3.4	14.3	1	COMP	11960712	Y	1773374.91	1619888.857	06/16/15	
NPDES Outfall 01A001				2015-969	SWWS46-15-95505	03/31/15	16:28	UF	WOE	W	REG	INIT	EPA:160.1	TDS	Total Dissolved Solids	Y	353	mg/L		NQ	NQ	GELC			3.4	14.3	1	COMP	11899736	Y	1773374.91	1619888.857	04/09/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	28655-71-2	Total heptaCB	Y	0.00079	ug/L		NQ	NQ	CFA					1	COMP	12116732	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	26601-64-9	Total hexaCB	Y	0.000768	ug/L		NQ	NQ	CFA					1	COMP	12116729	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA:1668A	26601-64-9	Total hexaCB	Y	0.000782	ug/L		NQ	NQ	CFA					1	COMP	12132558	Y	1773374.91	1619888.857	11/05/15	
NPDES Outfall 01A001				2016-396	SWWS46-15-107040	11/23/15	15:15	UF	WOE	W	REG	INIT	EPA:351.2	TKN	Total Kjeldahl Nitrogen	Y	0.516	mg/L	J	+	I6b	GELC			0.033	0.1	1	COMP	12172143	Y	1773374.91	1619888.857	12/03/15	
NPDES Outfall 01A001				2015-2254	SWWS46-15-104066	08/25/15	11:44	UF	WOE	W	REG	INIT	EPA:351.2	TKN	Total Kjeldahl Nitrogen	Y	0.18	mg/L	J	+	I6b	GELC			0.033	0.1	1	COMP	12054006	Y	1773374.91	1619888.857	09/01/15	
NPDES Outfall 01A001				2015-1274	SWWS46-15-97515	05/26/15	11:54	UF	WOE	W	REG	INIT	EPA:351.2	TKN	Total Kjeldahl Nitrogen	Y	0.365	mg/L		NQ	NQ	GELC			0.033	0.1	1	COMP	11960710	Y	1773374.91	1619888.857	06/16/15	
NPDES Outfall 01A001				2015-969	SWWS46-15-95505	03/31/15	16:28	UF	WOE	W	REG	INIT	EPA:351.2	TKN	Total Kjeldahl Nitrogen	Y	0.799	mg/L		J	+	I6b	GELC			0.033	0.1	1	COMP	11899734	Y	1773374.91	1619888.857	04/09/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	27323-18-8	Total monoCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12116731	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA:1668A	27323-18-8	Total monoCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12132560	Y	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	53742-07-7	Total nonaCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12116755	Y	1773374.91	1619888.857	10/15/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA:1668A	53742-07-7	Total nonaCB	N	0	ug/L	U	U	U	LAB	CFA					1	COMP	12132584	Y	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	55722-26-4	Total octaCB	Y	0.000202	ug/L		NQ	NQ	CFA					1	COMP	12116756	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	1336-36-3	Total PCB	Y	0.00257	ug/L		NQ	NQ	CFA					1	COMP	12116723	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	INIT	EPA:1668A	25429-29-2	Total pentaCB	Y	0.00043	ug/L		NQ	NQ	CFA					1	COMP	12116727	Y	1773374.91	1619888.857	10/15/15	
NPDES Outfall 01A001				2016-565	NP001-16-109635	12/22/15	12:00	UF	WOE	W	REG	INIT	SM-2540D	TSS	Total Suspended Solids	Y	0.7	mg/L	J	J	J	LAB	GELC			0.57	2.5	1	COMP	12234169	Y	1773374.91	1619888.857	12/29/15
NPDES Outfall 01A001				2016-310	NP001-16-106970	11/10/15	12:00	UF	WOE	W	REG	INIT	SM-2540D	TSS	Total Suspended Solids	Y	0.8	mg/L	J	J	J	LAB	GELC			0.57	2.5	1	COMP	12148666	Y	1773374.91	1619888.857	11/19/15
NPDES Outfall 01A001				2016-60	NP001-16-105626	10/14/15	12:00	UF	WOE	W	REG	INIT	SM-2540D	TSS	Total Suspended Solids	Y	2.5	mg/L		NQ	NQ	GELC			0.57	2.5	1	COMP	12124842	Y	1773374.91	1619888.857	10/22/15	
NPDES Outfall 01A001				2015-2333	NP001-15-104288	09/14/15	12:00	UF	WOE	W	REG	INIT	SM-2540D	TSS	Total Suspended Solids	Y	3.1	mg/L		J	J	I10a	GELC			0.57	2.5	1	COMP	12110119	Y	1773374.91	1619888.857	09/22/15
NPDES Outfall 01A001				2015-2184	NP001-15-103351	08/17/15	12:00	UF	WOE	W	REG	INIT	SM-2540D	TSS	Total Suspended Solids	Y	1.3	mg/L	J	J	J	LAB	GELC			0.57	2.5	1	COMP	12040671	Y	1773374.91	1619888.857	08/25/15
NPDES Outfall 01A001				2015-1698	NP001-15-102248	07/14/15	12:00	UF	WOE	W	REG	INIT	SM-2540D	TSS	Total Suspended Solids	Y	1.3	mg/L	J	J	J	LAB	GELC			0.57	2.5	1	COMP	11994573	Y	1		

NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	70362-46-8	PCB-43	N	0.0000213	ug/L	U	U	U	U	LAB	CFA					0.00000709	0.000021	1	COMP	12116822	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	PCB-44/47/65	PCB-44/PCB-47/PCB-65	N	0.0000639	ug/L	U	U	U	U	LAB	CFA					0.0000213	0.000064	1	COMP	12116840	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	PCB-45/51	PCB-45/PCB-51	N	0.0000426	ug/L	U	U	U	U	LAB	CFA					0.0000142	0.000043	1	COMP	12116841	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	41464-47-5	PCB-46	N	0.0000213	ug/L	U	U	U	U	LAB	CFA					0.00000709	0.000021	1	COMP	12116809	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	70362-47-9	PCB-48	N	0.0000213	ug/L	U	U	U	U	LAB	CFA					0.00000709	0.000021	1	COMP	12116823	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	PCB-49/69	PCB-49/PCB-69	N	0.0000426	ug/L	U	U	U	U	LAB	CFA					0.0000142	0.000043	1	COMP	12116842	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	16605-91-7	PCB-5	N	0.0000253	ug/L	U	U	U	U	LAB	CFA					0.00000709	0.000025	1	COMP	12116776	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	PCB-50/53	PCB-50/PCB-53	N	0.0000426	ug/L	U	U	U	U	LAB	CFA					0.0000142	0.000043	1	COMP	12116843	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	35693-99-3	PCB-52	Y	0.0000727	ug/L			NQ	NQ	CFA					0.00000709	0.000021	1	COMP	12116793	Y	1773395.636	1619936.641	10/15/15	
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	15968-05-5	PCB-54	N	0.0000213	ug/L	U	U	U	U	LAB	CFA					0.00000709	0.000021	1	COMP	12116775	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	74338-24-2	PCB-55	N	0.0000213	ug/L	U	U	U	U	LAB	CFA					0.00000709	0.000021	1	COMP	12116832	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027				2015-2364	NP027-15-104295	09/22/15	10:18	UF	WOE	W	REG	INIT	EPA-1668A	41464-43-1	PCB-56	N	0.0000213	ug/L	U	U	U	U	LAB	CFA					0.00000709	0.000021	1	COMP	12116808	Y	1773395.636	1619936.641	10/15/15
NPDES Outfall 03A027																																					