

DATA ENTRY SHEET

SL-ADV
Version 3.1; 02/04

CALCULATE RISK-BASED SOIL CONCENTRATION (enter "X" in "YES" box)

YES
OR

Reset to
Defaults

CALCULATE INCREMENTAL RISKS FROM ACTUAL SOIL CONCENTRATION (enter "X" in "YES" box and initial soil conc. below)

YES

ENTER Initial
Chemical
soil
conc.,
 C_0
($\mu\text{g}/\text{kg}$)

108883

Chemical

Toluene

ENTER Depth
below grade
to bottom
of enclosed
space floor,
 L_F
(cm)

ENTER Depth below
grade to top
of contamination,
 L_t
(cm)

ENTER Depth below
grade to bottom
of contamination,
(enter value of 0
if value is unknown)
 L_b
(cm)

ENTER Totals must add up to value of L_t (cell G28)

Thickness
of soil
stratum A,
 h_A
(cm)

Thickness
of soil
stratum B,
 h_B
(cm)

Thickness
of soil
stratum C,
 h_C
(cm)

ENTER Soil
stratum A
SCS
soil type
(used to estimate
soil vapor
permeability)

ENTER User-defined
stratum A
soil vapor
permeability,
 k_v
(cm^2)

MORE

↓

10

1

1

31

1

0

0

1.00E-08

ENTER Stratum A
SCS
soil type
Lookup Soil
Parameters

 p_b^A (g/cm³)

bulk density,

 n^A

(unitless)

 n^A

soil total

porosity,

 θ_w^A (cm³/cm³) f_{oc}^A

(unitless)

ENTER Stratum A
soil water-filled
porosity,
 θ_w^A
(cm³/cm³)

ENTER Stratum B
SCS
soil type
Lookup Soil
Parameters

ENTER Stratum B
soil dry
bulk density,
 p_b^B
(g/cm³)

ENTER Stratum B
soil total
porosity,
 n^B
(unitless)

ENTER Stratum B
soil water-filled
porosity,
 θ_w^B
(cm³/cm³)

ENTER Stratum B
soil organic
carbon fraction,
 f_{oc}^B
(unitless)

ENTER Enclosed
space
floor
thickness,
 L_{crack}
(cm)

ENTER Soil-bldg.
pressure
differential,
 ΔP
(g/cm⁻²)

 p_b^C (g/cm³)

bulk density,

 n^C

(unitless)

 n^C

soil total

porosity,

 θ_w^C (cm³/cm³) f_{oc}^C

(unitless)

ENTER Enclosed
space
floor
length,
 L_b
(cm)

ENTER Enclosed
space
width,
 W_B
(cm)

ENTER Floor-wall
seam crack
width,
 H_B
(cm)

ENTER Indoor
air exchange
rate,
 ER
(1/h)

ENTER Average vapor
flow rate into bldg.
OR
Leave blank to calculate
 Q_{sol}
(L/m)

ENTER Enclosed
space
floor
thickness,
 L_{crack}
(cm)

ENTER Soil-bldg.
pressure
differential,
 ΔP
(g/cm⁻²)

10

40

1000

1000

244

0.1

0.25

ENTER Averaging
time for
carcinogens,
 AT_C
(yrs)

 AT_{NC}

(yrs)

Averaging
time for
noncarcinogens,Exposure
duration,
 ED

(yrs)

Exposure
frequency,
 EF

(days/yr)

Target
risk for
carcinogens,
 TR

(unitless)

Target hazard
quotient for
noncarcinogens,
 THQ

(unitless)

ENTER 70

30

30

350

1.0E-05

1

Used to calculate risk-based
soil concentration.

END

CHEMICAL PROPERTIES SHEET

Diffusivity in air, D _a (cm ² /s)	Diffusivity in water, D _w (cm ² /s)	Henry's law constant at reference temperature, H (atm-m ³ /mol)	Henry's law constant reference temperature, T _R (°C)	Enthalpy of vaporization at the normal boiling point, ΔH _{v,b} (cal/mol)	Normal boiling point, T _B (°K)	Critical temperature, T _c (°K)	Organic carbon partition coefficient, K _{oc} (cm ³ /g)	Pure component water solubility, S (mg/L)	Unit risk factor, URF (μg/m ³) ⁻¹	Reference conc., RfC (mg/m ³)	Physical state at soil temperature, (S,L,G)
8.70E-02	8.60E-06	6.62E-03	25	7.930	383.78	591.79	1.82E+02	5.26E+02	0.0E+00	5.0E+00	L
END											

INTERMEDIATE CALCULATIONS SHEET

Exposure duration, τ (sec)	Source-building separation, L_T (cm)	Stratum A soil air-filled porosity, θ_a^A (cm^3/cm^3)	Stratum B soil air-filled porosity, θ_a^B (cm^3/cm^3)	Stratum C soil air-filled porosity, θ_a^C (cm^3/cm^3)	Stratum A effective total fluid saturation, S_{te} (cm^3/cm^3)	Stratum A soil intrinsic permeability, k_i (cm^2)	Stratum A soil relative air permeability, k_{rg} (cm^2)	Stratum A soil effective vapor permeability, k_v (cm^2)	Floor-wall seam perimeter, X_{crack} (cm)	Initial soil concentration used, C_R ($\mu\text{g}/\text{kg}$)	Bldg. ventilation rate, $Q_{building}$ (cm^3/s)
9.46E+08	1	0.394	ERROR	ERROR	#N/A	#N/A	#N/A	1.00E-08	4,000	1.00E+00	1.69E+04

Area of enclosed space below grade, A_B (cm^2)	Crack-to-total area ratio, η	Crack depth below grade, Z_{crack} (cm)	Enthalpy of vaporization at ave. soil temperature, $\Delta H_{v,TS}$ (cal/mol)	Henry's law constant at ave. soil temperature, H_{TS} ($\text{atm}\cdot\text{m}^3/\text{mol}$)	Henry's law constant at ave. soil temperature, H'_{TS} (unitless)	Vapor viscosity at ave. soil temperature, μ_{TS} ($\text{g}/\text{cm}\cdot\text{s}$)	Stratum A effective diffusion coefficient, D^{eff}_A (cm^2/s)	Stratum B effective diffusion coefficient, D^{eff}_B (cm^2/s)	Stratum C effective diffusion coefficient, D^{eff}_C (cm^2/s)	Total overall effective diffusion coefficient, D^{eff}_T (cm^2/s)	Diffusion path length, L_d (cm)	Convection path length, L_p (cm)
1.00E+06	4.00E-04	1	9,154	2.92E-03	1.26E-01	1.75E-04	2.03E-02	0.00E+00	0.00E+00	2.03E-02	1	1

Soil-water partition coefficient, K_d (cm^3/g)	Source vapor conc., C_{source} ($\mu\text{g}/\text{m}^3$)	Crack radius, r_{crack} (cm)	Average vapor flow rate into bldg., Q_{soil} (cm^3/s)	Crack effective diffusion coefficient, D^{crack} (cm^2/s)	Area of crack, A_{crack} (cm^2)	Exponent of equivalent foundation Peclet number, $\exp(Pe^l)$ (unitless)	Infinite source indoor attenuation coefficient, α (unitless)	Infinite source bldg. conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Finite source β term (unitless)	Finite source ψ term (unitless)	Time for source depletion, τ_D (sec)	Exposure duration > time for source depletion, (YES/NO)
3.64E-01	2.98E+02	0.10	1.91E+01	2.03E-02	4.00E+02	1.70E+10	NA	NA	1.06E+03	3.67E-03	8.80E+06	YES

Finite source indoor attenuation coefficient, $<\alpha>$	Mass conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Finite source conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Final finite source bldg. conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Unit risk factor, URF	Reference conc., RfC (mg/m^3)
NA	3.09E-03	NA	3.09E-03	NA	5.0E+00

END

RESULTS SHEET

RISK-BASED SOIL CONCENTRATION CALCULATIONS:

INCREMENTAL RISK CALCULATIONS:

Indoor exposure soil conc., carcinogen ($\mu\text{g}/\text{kg}$)	Indoor exposure soil conc., noncarcinogen ($\mu\text{g}/\text{kg}$)	Risk-based indoor exposure soil conc., ($\mu\text{g}/\text{kg}$)	Soil saturation C_{sat} ($\mu\text{g}/\text{kg}$)	Final indoor exposure soil conc., ($\mu\text{g}/\text{kg}$)	Incremental risk from vapor intrusion to indoor air, carcinogen (unitless)	Hazard quotient from vapor intrusion to indoor air, noncarcinogen (unitless)
NA	1.69E+06	1.69E+06	2.22E+05	2.22E+05	NA	NA

MESSAGE AND ERROR SUMMARY BELOW: (DO NOT USE RESULTS IF ERRORS ARE PRESENT)

MESSAGE: The values of Csource and Cbuilding on the INTERCALCS worksheet are based on unity and do not represent actual values.

SCROLL
DOWN
TO "END"

END

VLOOKUP TABLES

106423 p-Xylene	3.89E+02	7.69E-02	8.44E-06	1.85E+02	3.13E-01	7.64E-03	25	411.52	616.20	8.525	0.0E+00	1.0E-01	L
106467 1,4-Dichlorobenzene	6.17E+02	6.90E-02	7.90E-06	7.90E+01	9.82E-02	2.39E-03	25	447.21	684.75	9.271	1.1E-05	8.0E-01	S
106934 1,2-Dibromoethane (ethylene dibr	2.50E+01	2.17E-02	1.19E-05	4.18E+03	3.04E-02	7.41E-04	25	404.60	583.00	8.310	6.0E-04	9.0E-03	L
106990 1,3-Butadiene	1.91E+01	2.49E-01	1.08E-05	7.35E+02	3.01E+00	7.34E-02	25	268.60	425.00	5.370	3.0E-02	2.0E-03	L
107028 Acrolein	2.76E+00	1.05E-01	1.22E-05	2.13E+05	4.99E-03	1.22E-04	25	325.60	506.00	6.731	0.0E+00	2.0E-05	L
107062 1,2-Dichloroethane	1.74E+01	1.04E-01	9.90E-06	8.52E+03	4.00E-02	9.77E-04	25	356.65	561.00	7.643	2.6E-05	7.0E-03	L
107131 Acrylonitrile	5.90E+00	1.22E-01	1.34E-05	7.40E+04	4.21E-03	1.03E-04	25	350.30	519.00	7.786	6.8E-05	2.0E-03	L
108054 Vinyl acetate	5.25E+00	8.50E-02	9.20E-06	2.00E+04	2.09E-02	5.10E-04	25	345.65	519.13	7.800	0.0E+00	2.0E-01	L
108101 Methylisobutylketone (4-methyl-2-	9.06E+00	7.50E-02	7.80E-06	1.90E+04	5.64E-03	1.38E-04	25	389.50	571.00	8.243	0.0E+00	3.0E+00	L
108383 m-Xylene	4.07E+02	7.00E-02	7.80E-06	1.61E+02	3.00E-01	7.32E-03	25	412.27	617.05	8.523	0.0E+00	1.0E-01	L
108678 1,3,5-Trimethylbenzene	1.35E+03	6.02E-02	8.67E-06	2.00E+00	2.41E-01	5.87E-03	25	437.89	637.25	9.321	0.0E+00	7.0E-03	L
108872 Methylcyclohexane	7.85E+01	7.35E-02	8.52E-06	1.40E+01	4.22E+00	1.03E-01	25	373.90	572.20	7.474	0.0E+00	3.0E+00	L
108883 Toluene	1.82E+02	8.70E-02	8.60E-06	5.26E+02	2.72E-01	6.62E-03	25	383.78	591.79	7.930	0.0E+00	5.0E+00	L
108907 Chlorobenzene	2.19E+02	7.30E-02	8.70E-06	4.72E+02	1.51E-01	3.69E-03	25	404.87	632.40	8.410	0.0E+00	5.0E-02	L
109593 1-Chlorobutane	1.72E+01	8.26E-03	1.00E-05	1.10E+03	6.93E-01	1.69E-02	25	361.60	542.00	7.263	0.0E+00	1.4E-00	X
110009 Furan	1.86E+01	1.04E-01	1.22E-05	1.00E+04	2.21E-01	5.39E-03	25	304.60	490.20	6.477	0.0E+00	3.5E-03	X X
110543 Hexane	4.34E+01	2.00E-01	7.77E-06	1.24E+01	6.82E+01	1.66E+00	25	341.70	508.00	6.895	0.0E+00	2.0E-01	L
111444 Bis(2-chloroethyl)ether	1.55E+01	6.92E-02	7.53E-06	1.72E+04	7.36E-04	1.80E-05	25	451.15	659.79	10.803	3.3E-04	0.0E+00	L
115297 Endosulfan	2.14E+03	1.15E-02	4.55E-06	5.10E+01	4.58E-04	1.12E-05	25	674.43	942.94	14.000	0.0E+00	2.1E-02	S
118741 Hexachlorobenzene	5.50E+04	5.42E-02	5.91E-06	5.00E-03	5.40E-02	1.32E-03	25	582.55	825.00	14.447	4.6E-04	0.0E+00	S
120821 1,2,4-Trichlorobenzene	1.78E+03	3.00E-02	8.23E-06	4.88E+01	5.81E-02	1.42E-03	25	486.15	725.00	10.471	0.0E+00	2.0E-03	L
123739 Crotonaldehyde (2-butenal)	4.82E+00	9.56E-02	1.07E-05	3.69E+04	7.99E-04	1.95E-05	25	375.20	568.00	9	5.4E-04	0.0E+00	L X
124481 Chlorodibromomethane	6.31E+01	1.96E-02	1.05E-05	2.60E+03	3.20E-02	7.81E-04	25	416.14	678.20	5.900	2.7E-05	0.0E+00	L X X
126987 Methacrylonitrile	3.58E+01	1.12E-01	1.32E-05	2.54E+02	1.01E-02	2.46E-04	25	363.30	554.00	7.600	0.0E+00	7.0E-04	L
126998 2-Chloro-1,3-butadiene (chloroprene)	6.73E+01	8.58E-02	1.03E-05	2.12E+03	4.91E-01	1.20E-02	25	332.40	525.00	8.075	0.0E+00	7.0E-03	L
127184 Tetrachloroethylene	1.55E+02	7.20E-02	8.20E-06	2.00E+02	7.53E-01	1.84E-02	25	394.40	620.20	8.288	2.6E-07	6.0E-04	L
129000 Pyrene	1.05E+05	2.72E-02	7.24E-06	1.35E+00	4.50E-04	1.10E-05	25	667.95	936	14370	0.0E+00	0.0E+00	S X
132649 Dibenzofuran	5.15E+00	2.38E-02	6.00E-06	3.10E-00	5.15E-04	1.26E-05	25	560	824	66400	0.0E+00	0.0E+00	S X
135988 sec-Butylbenzene	9.66E+02	5.70E-02	8.12E-06	3.94E+00	5.68E-01	1.39E-02	25	446.5	679	88730	0.0E+00	3.0E-02	L X
141786 Ethylacetate	6.44E+00	7.32E-02	9.70E-06	8.03E+04	5.64E-03	1.38E-04	25	350.26	523.3	7633.66	0.0E+00	3.2E+00	L X
156592 cis-1,2-Dichloroethylene	3.55E+01	7.36E-02	1.13E-05	3.50E+03	1.67E-01	4.07E-03	25	333.65	544	7192	0.0E+00	6.0E-02	L X
156605 trans-1,2-Dichloroethylene	5.25E+01	7.07E-02	1.19E-05	6.30E+03	3.84E-01	9.36E-03	25	320.55	516.5	6717	0.0E+00	6.0E-02	L X
541731 1,3-Dichlorobenzene	1.98E+03	6.92E-02	7.86E-06	1.34E+02	1.27E-01	3.09E-03	25	446	684	9230.18	0.0E+00	2.0E-01	L X
319846 alpha-HCH (alpha-BHC)	1.23E+03	1.42E-02	7.34E-06	2.00E+00	4.34E-04	1.06E-05	25	596.55	839.36	15000	1.8E-03	0.0E+00	S
542756 1,3-Dichloropropene	4.57E+01	6.28E-02	1.00E-05	2.80E+03	7.24E-01	1.77E-02	25	381.15	587.38	7900	4.0E-06	2.0E-02	L
630206 1,1,2-Tetrachloroethane	1.16E+02	7.10E-02	7.80E-06	1.10E+03	9.90E-02	2.41E-03	25	403.5	624	9768.282525	7.4E-06	0.0E+00	L X
1634044 MTBE	7.26E+00	1.02E-01	1.05E-05	5.10E+04	2.56E-02	6.23E-04	25	328.3	497.1	6677.68	0.0E+00	3.0E+00	L
7439976 Mercury (elemental)	5.20E+01	3.07E-02	6.30E-06	2.00E+01	4.40E-01	1.07E-02	25	629.88	1750	14127	0.0E+00	3.0E-04	L
591786 2-Hexanone	1.50E+01	7.00E-02	8.40E-06	1.70E+04	3.80E-03	9.30E-05	25	400.8	587	8554	0.0E+00	3.0E-02	L

Highlighted chemicals do not have inhalation toxicity values or a surrogate.

