

DATA ENTRY SHEET

SL-ADV
Version 3.1; 02/04

CALCULATE RISK-BASED SOIL CONCENTRATION (enter "X" in "YES" box)

YES
OR

Reset to
Defaults

CALCULATE INCREMENTAL RISKS FROM ACTUAL SOIL CONCENTRATION (enter "X" in "YES" box and initial soil conc. below)

YES

ENTER Initial
Chemical
soil
conc.,
 C_0
($\mu\text{g}/\text{kg}$)

98828

Chemical

Cumene

ENTER Depth
below grade
to bottom
of enclosed
space floor,
 L_F
(cm)

ENTER Depth below
grade to top
of contamination,
 L_t
(cm)

Average
soil
temperature,
 T_s
(°C)

10

Depth below
grade to bottom
of contamination,
(enter value of 0
if value is unknown)
 L_b
(cm)

15

ENTER Thickness
of soil
stratum A,
 h_A
(cm)

ENTER Thickness
of soil
stratum B,
 h_B
(cm)

ENTER Thickness
of soil
stratum C,
 h_C
(cm)

31

ENTER Depth below
grade to bottom
of contamination,
(enter value or 0)
 L_t
(cm)

61

ENTER Thickness
of soil
stratum A,
 h_A
(cm)

ENTER Thickness
of soil
stratum B,
 h_B
(cm)

ENTER Thickness
of soil
stratum C,
 h_C
(cm)

31

ENTER Soil
stratum A
SCS
soil type
(used to estimate
soil vapor
permeability)

0

ENTER Soil
stratum B
SCS
soil type
(used to estimate
soil vapor
permeability)

0

ENTER Soil
stratum C
SCS
soil type
(used to estimate
soil vapor
permeability)

1.00E-08

MORE

ENTER Stratum A
SCS
soil type
Lookup Soil
Parameters

 p_b^A
(g/cm^3)

ENTER Stratum A
soil dry
bulk density,
 p_b^A
(g/cm^3)

 n^A
(unitless)

ENTER Stratum A
soil total
porosity,
 n^A
(cm^3/cm^3)

 θ_w^A
(cm^3/cm^3)

ENTER Stratum A
soil water-filled
porosity,
 f_{oc}^A
(unitless)

1.65

ENTER Stratum B
SCS
soil type
Lookup Soil
Parameters

 p_b^B
(g/cm^3)

ENTER Stratum B
soil dry
bulk density,
 p_b^B
(g/cm^3)

 n^B
(unitless)

ENTER Stratum B
soil total
porosity,
 n^B
(cm^3/cm^3)

 θ_w^B
(cm^3/cm^3)

ENTER Stratum B
soil organic
carbon fraction,
 f_{oc}^B
(unitless)

0.439

ENTER Stratum C
SCS
soil type
Lookup Soil
Parameters

 p_b^C
(g/cm^3)

ENTER Stratum C
soil dry
bulk density,
 p_b^C
(g/cm^3)

 n^C
(unitless)

ENTER Stratum C
soil water-filled
porosity,
 n^C
(cm^3/cm^3)

 θ_w^C
(cm^3/cm^3)

ENTER Stratum C
soil organic
carbon fraction,
 f_{oc}^C
(unitless)

0.045

MORE

ENTER Enclosed
space
floor
thickness,
 L_{crack}
(cm)

10

ENTER Soil-bldg.
pressure
differential,
 ΔP
($\text{g}/\text{cm} \cdot \text{s}^2$)

40

ENTER Enclosed
space
floor
length,
 L_b
(cm)

1000

ENTER Enclosed
space
floor
width,
 W_b
(cm)

1000

ENTER Enclosed
space
floor
height,
 H_b
(cm)

244

ENTER Floor-wall
seam crack
width,
 w
(cm)

0.1

ENTER Indoor
air exchange
rate,
ER
(1/h)

0.25

ENTER User-defined
stratum A
soil vapor
permeability,
 k_v
(cm^2)

OR

ENTER Soil
stratum A
SCS
soil type
(used to estimate
soil vapor
permeability)

1.00E-08

ENTER Average vapor
flow rate into bldg.
OR
Leave blank to calculate
 Q_{sol}
(L/m)

ENTER Averaging
time for
carcinogens,
 AT_c
(yrs)

70

ENTER Averaging
time for
noncarcinogens,
 AT_{NC}
(yrs)

30

ENTER Exposure
duration,
 ED
(yrs)

30

ENTER Exposure
frequency,
 EF
(days/yr)

350

ENTER Target
risk for
carcinogens,
 TR
(unitless)

1.0E-05

ENTER Target hazard
quotient for
noncarcinogens,
 THQ
(unitless)

1

Used to calculate risk-based
soil concentration.

END

CHEMICAL PROPERTIES SHEET

Diffusivity in air, D _a (cm ² /s)	Diffusivity in water, D _w (cm ² /s)	Henry's law constant at reference temperature, H (atm-m ³ /mol)	Henry's law constant reference temperature, T _R (°C)	Enthalpy of vaporization at the normal boiling point, ΔH _{v,b} (cal/mol)	Normal boiling point, T _B (°K)	Critical temperature, T _c (°K)	Organic carbon partition coefficient, K _{oc} (cm ³ /g)	Pure component water solubility, S (mg/L)	Unit risk factor, URF (μg/m ³) ⁻¹	Reference conc., RfC (mg/m ³)	Physical state at soil temperature, (S,L,G)
6.50E-02	7.10E-06	1.46E-02	25	10.335	425.56	631.10	4.89E+02	6.13E+01	0.0E+00	4.0E-01	L
END											

INTERMEDIATE CALCULATIONS SHEET

Exposure duration, τ (sec)	Source-building separation, L_T (cm)	Stratum A soil air-filled porosity, θ_a^A (cm^3/cm^3)	Stratum B soil air-filled porosity, θ_a^B (cm^3/cm^3)	Stratum C soil air-filled porosity, θ_a^C (cm^3/cm^3)	Stratum A effective total fluid saturation, S_{te} (cm^3/cm^3)	Stratum A soil intrinsic permeability, k_i (cm^2)	Stratum A soil relative air permeability, k_{rg} (cm^2)	Stratum A soil effective vapor permeability, k_v (cm^2)	Floor-wall seam perimeter, X_{crack} (cm)	Initial soil concentration used, C_R ($\mu\text{g}/\text{kg}$)	Bldg. ventilation rate, $Q_{building}$ (cm^3/s)
9.46E+08	16	0.394	ERROR	ERROR	#N/A	#N/A	#N/A	1.00E-08	4,000	1.00E+00	1.69E+04

Area of enclosed space below grade, A_B (cm^2)	Crack-to-total area ratio, η	Crack depth below grade, Z_{crack} (cm)	Enthalpy of vaporization at ave. soil temperature, $\Delta H_{v,TS}$ (cal/mol)	Henry's law constant at ave. soil temperature, H_{TS} (atm· m^3/mol)	Henry's law constant at ave. soil temperature, H'_{TS} (unitless)	Vapor viscosity at ave. soil temperature, μ_{TS} ($\text{g}/\text{cm}\cdot\text{s}$)	Stratum A effective diffusion coefficient, D^{eff}_A (cm^2/s)	Stratum B effective diffusion coefficient, D^{eff}_B (cm^2/s)	Stratum C effective diffusion coefficient, D^{eff}_C (cm^2/s)	Total overall effective diffusion coefficient, D^{eff}_T (cm^2/s)	Diffusion path length, L_d (cm)	Convection path length, L_p (cm)
1.06E+06	3.77E-04	15	12,644	4.71E-03	2.03E-01	1.75E-04	1.52E-02	0.00E+00	0.00E+00	1.52E-02	16	15

Soil-water partition coefficient, K_d (cm^3/g)	Source vapor conc., C_{source} ($\mu\text{g}/\text{m}^3$)	Crack radius, r_{crack} (cm)	Average vapor flow rate into bldg., Q_{soil} (cm^3/s)	Crack effective diffusion coefficient, D^{crack} (cm^2/s)	Area of crack, A_{crack} (cm^2)	Exponent of equivalent foundation Peclet number, $\exp(Pe^l)$ (unitless)	Infinite source indoor attenuation coefficient, α (unitless)	Infinite source bldg. conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Finite source β term (unitless)	Finite source ψ term (unitless)	Time for source depletion, τ_D (sec) ⁻¹	Exposure duration > time for source depletion, (YES/NO)
9.77E-01	1.93E+02	0.10	1.00E+01	1.52E-02	4.00E+02	1.55E+07	NA	NA	1.01E+02	6.92E-06	2.76E+07	YES

Finite source indoor attenuation coefficient, $<\alpha>$	Mass conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Finite source conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Final finite source bldg. conc., $C_{building}$ ($\mu\text{g}/\text{m}^3$)	Unit risk factor, URF	Reference conc., RfC (mg/m^3)
NA	3.27E-03	NA	3.27E-03	NA	4.0E-01

END

RESULTS SHEET

RISK-BASED SOIL CONCENTRATION CALCULATIONS:

INCREMENTAL RISK CALCULATIONS:

Indoor exposure soil conc., carcinogen ($\mu\text{g}/\text{kg}$)	Indoor exposure soil conc., noncarcinogen ($\mu\text{g}/\text{kg}$)	Risk-based indoor exposure soil conc., ($\mu\text{g}/\text{kg}$)	Soil saturation conc., C_{sat} ($\mu\text{g}/\text{kg}$)	Final indoor exposure soil conc., ($\mu\text{g}/\text{kg}$)	Incremental risk from vapor intrusion to indoor air, carcinogen (unitless)	Hazard quotient from vapor intrusion to indoor air, noncarcinogen (unitless)
NA	1.27E+05	1.27E+05	6.46E+04	6.46E+04	NA	NA

MESSAGE AND ERROR SUMMARY BELOW: (DO NOT USE RESULTS IF ERRORS ARE PRESENT)

MESSAGE: The values of Csource and Cbuilding on the INTERCALCS worksheet are based on unity and do not represent actual values.

SCROLL
DOWN
TO "END"

END

VLOOKUP TABLES

SCS Soil Type	Soil Properties Lookup Table						Bulk Density			SCS Soil Name
	K _s (cm/h)	α _t (1/cm)	N (unitless)	M (unitless)	n (cm ³ /cm ³)	θ _r (cm ³ /cm ³)	Mean Grain Diameter (cm)	(g/cm ³)	θ _w (cm ³ /cm ³)	
C	0.61	0.01496	1.253	0.2019	0.459	0.098	0.0092	1.43	0.215	Clay
CL	0.34	0.01581	1.416	0.2938	0.442	0.079	0.016	1.48	0.168	Clay Loam
L	0.50	0.01112	1.472	0.3207	0.399	0.061	0.020	1.59	0.148	Loam
LS	4.38	0.03475	1.746	0.4273	0.390	0.049	0.040	1.62	0.076	Loamy Sand
S	26.78	0.0524	3.177	0.6852	0.375	0.053	0.044	1.66	0.054	Sand
SC	0.47	0.03342	1.208	0.1722	0.385	0.117	0.025	1.63	0.197	Sandy Clay
SCL	0.55	0.02109	1.330	0.2461	0.384	0.063	0.029	1.63	0.146	Sandy Clay Loam
SI	1.82	0.00658	1.679	0.4044	0.489	0.050	0.0046	1.35	0.167	Silt
SIC	0.40	0.01622	1.321	0.2430	0.481	0.111	0.0039	1.38	0.216	Silty Clay
SICL	0.46	0.00839	1.521	0.3425	0.482	0.090	0.0056	1.37	0.198	Silty Clay Loam
SIL	0.76	0.00506	1.663	0.3987	0.439	0.065	0.011	1.49	0.180	Silt Loam
SL	1.60	0.02667	1.449	0.3099	0.387	0.039	0.030	1.62	0.103	Sandy Loam

CAS No.	Chemical	Chemical Properties Lookup Table												Surrogate toxicity values (red numbers) used with the surrogate chemical presented below.		
		Organic carbon partition coefficient, K _{oc} (cm ³ /g)	Diffusivity in air, D _a (cm ² /s)	Diffusivity in water, D _w (cm ² /s)	Pure component water solubility, S (mg/L)	Henry's law constant H (unitless)	Henry's law constant at reference temperature, H (atm·m ³ /mol)	Henry's law constant reference temperature, T _R (°C)	Normal boiling point, T _b (°C)	Critical temperature, T _c (°K)	Enthalpy of vaporization at the normal boiling point, ΔH _{v,b} (cal/mol)	Unit risk factor, URF	Reference conc., RfC (µg/m ³) ⁻¹	Physical state at temperature, URF (mg/m ³) (S,L,G)	Physical state at extrapolated temperature, URF (X)	Physical state at extrapolated temperature, RfC (X)
56235	Carbon tetrachloride	1.74E+02	7.80E-02	8.80E-06	7.93E+02	1.24E+00	3.03E-02	25	349.90	556.60	7,127	6.0E-06	1.0E-01	L		
57749	Chlordane	1.20E+05	1.18E-02	4.37E-06	5.60E-02	1.99E-03	4.85E-05	25	624.24	885.73	14,000	1.0E-04	7.0E-04	S	X	
58899	gamma-HCH (Lindane)	1.07E+03	1.42E-02	7.34E-06	7.30E-03	5.73E-04	1.40E-05	25	596.55	839.36	15,000	3.7E-04	1.1E-03	S	X	
60297	Ethyl ether	5.73E+00	7.82E-02	8.61E-06	5.68E+04	1.35E+00	3.29E-02	25	307.50	466.74	6,338	0.0E+00	7.0E-01	L	X	
60571	Diekridin	2.14E+04	1.25E-02	4.74E-06	1.95E-01	6.18E-04	1.51E-05	25	613.32	842.25	17,000	4.6E-03	1.8E-04	S	X	
67641	Acetone	5.75E-01	1.24E-01	1.10E+06	1.59E-03	3.87E-05	25	329.20	508.10	6,955	0.0E+00	3.1E+01	L			
67663	Chloroform	3.98E+01	1.04E-01	1.00E+05	7.92E+03	1.50E-01	3.66E-03	25	334.32	536.40	6,988	2.3E-05	9.8E-02	L	X	
67721	Hexachloroethane	1.78E+03	2.50E-03	6.80E-06	5.00E+01	1.59E-01	3.88E-03	25	458.00	695.00	9,510	1.1E-05	3.0E-02	S		
71432	Benzene	5.08E+00	8.80E-02	9.80E-06	1.79E+03	2.27E-01	5.54E-03	25	353.24	562.16	7,342	7.8E-06	3.0E-02	L		
71556	1,1,1-Trichloroethane	1.10E+02	7.80E-02	8.80E-06	1.33E-03	7.03E-01	1.72E-02	25	347.24	545.00	7,136	0.0E+00	5.0E+00	L		
72435	Methoxychlor	9.77E+04	1.56E-02	4.46E-06	1.00E-01	6.46E-04	1.58E-05	25	551.02	848.49	16,000	0.0E+00	1.8E-02	S	X	
72559	DDE	4.47E+06	1.44E-02	5.87E-06	1.20E-01	8.59E-04	2.09E-05	25	636.44	860.38	15,000	9.7E-05	0.0E+00	S	X	
74839	Methyl bromide	1.05E+01	7.28E-02	1.21E-06	1.52E+04	2.58E-01	6.22E-03	25	276.71	467.00	5,714	0.0E+00	5.0E-03	G		
74873	Methyl chloride (chloromethane)	2.12E+00	1.26E-01	6.50E-06	5.33E-03	3.61E-01	8.80E-03	25	249.00	416.25	5,115	1.8E-06	9.0E-02	L		
74908	Hydrogen cyanide	3.80E+00	1.93E-01	2.10E-05	1.00E+06	5.44E-03	1.33E-04	25	299.00	456.70	6,676	0.0E+00	3.0E-03	L		
74953	Methylene bromide	1.26E+01	4.30E-02	8.44E-06	1.19E+04	3.52E-02	8.59E-04	25	370.00	583.00	7,868	0.0E+00	4.0E-04	L	X	
75003	Chloroethane (ethyl chloride)	4.40E+00	2.71E-01	1.15E-05	5.68E-03	3.61E-01	8.80E-03	25	285.30	460.40	5,879	0.0E+00	1.0E+01	L	X	
75014	Vinyl chloride (chloroethene)	1.86E+01	1.06E-01	1.23E-05	8.80E-03	1.10E+00	2.69E-02	25	259.25	432.00	5,250	4.4E-06	1.0E-01	G		
75058	Acetonitrile	4.20E+00	1.28E-01	1.66E-05	1.00E+06	1.42E-03	3.45E-05	25	354.60	545.50	7,110	0.0E+00	6.0E-02	L		
75070	Acetaldehyde	1.06E+00	1.24E-01	1.41E-05	1.00E+06	3.23E-03	7.87E-05	25	293.10	466.00	6,157	2.2E-06	9.0E-03	L		
75092	Methylene chloride	1.17E+01	1.01E-01	1.17E-05	1.30E+04	8.96E-02	2.18E-03	25	313.00	510.00	6,706	1.0E-08	6.0E-01	L		
75150	Carbon disulfide	4.57E+01	1.04E-01	1.00E-05	1.19E+03	1.24E+00	3.02E-02	25	319.00	552.00	6,391	0.0E+00	7.0E-01	L		
75218	Ethylene oxide	1.33E+00	1.04E-01	1.45E-05	3.04E+05	2.27E-02	5.54E-04	25	283.60	469.00	6,104	1.0E-04	0.0E+00	L		
75252	Bromoform	8.71E+01	1.49E-02	1.03E-05	3.10E-03	2.41E-02	5.88E-04	25	422.35	696.00	9,479	1.1E-06	0.0E+00	L	X	
75274	Bromodichloromethane	5.50E+01	2.98E-02	1.06E-05	6.74E-03	6.54E-02	1.60E-03	25	363.15	585.85	7,800	3.7E-05	0.0E+00	L	X	
75296	2-Chloropropane	9.14E+00	8.88E-02	1.01E-05	3.73E-03	5.93E-01	1.45E-02	25	308.70	485.00	6,286	0.0E+00	1.0E-01	L		
75343	1,1-Dichloroethane	3.16E+01	7.42E-02	1.05E-05	5.06E-03	2.30E-01	5.61E-03	25	330.55	523.00	6,895	1.6E-06	0.0E+00	L		
75354	1,1-Dichloroethylene	5.89E+01	9.00E-02	1.04E-05	2.25E-03	1.07E+00	2.60E-02	25	304.75	576.05	6,247	0.0E+00	2.0E-01	L		
75446	Chlorodifluoromethane	4.79E+01	1.01E-01	1.28E-05	2.00E+00	1.10E+00	2.70E-02	25	232.40	369.30	4,836	0.0E+00	5.0E+01	L		
75694	Trichlorofluoromethane	4.97E+02	8.70E-02	9.70E-06	1.10E-03	3.97E+00	9.68E-02	25	296.70	471.00	5,999	0.0E+00	7.0E-01	L		
75718	Dichlorofluoromethane	4.57E+02	6.65E-02	9.92E-06	2.80E-02	1.40E-01	3.42E-01	25	243.20	384.95	9,421	0.0E+00	1.0E-01	L		
76131	1,1,2-Trichloro-1,2,2-trifluoroether	1.11E+04	7.80E-02	8.20E-06	1.70E-02	1.97E+01	4.80E-01	25	320.70	487.30	6,463	0.0E+00	3.0E+01	L		
76448	Dichloroethane	1.41E+06	1.12E-02	5.69E-06	1.80E-01	6.05E+01	1.48E+00	25	603.69	846.31	13,000	1.3E-03	1.8E-03	S	X	
77474	Hexachlorocyclopentadiene	2.00E+05	1.61E-02	7.21E-06	1.80E+00	1.10E+00	2.69E-02	25	512.15	746.00	10,931	0.0E+00	2.0E-04	L		
78331	Isobutanol	2.59E+00	8.60E-02	9.30E-06	8.50E-04	4.83E-04	1.18E-05	25	381.04	547.78	10,936	0.0E+00	1.1E+00	L	X	
78375	1,2-Dichloropropane	4.37E+01	7.82E-02	8.73E-06	2.80E+03	1.15E-01	2.79E-03	25	369.52	572.00	7,590	1.0E-05	4.0E-03	L	X	
78533	Methyl ethylketone	2.30E+00	8.08E-02	9.80E-06	2.23E-05	2.29E-03	5.58E-05	25	352.50	536.78	7,481	0.0E+00	5.0E+00	L		
79005	1,1,2-Trichloroethane	5.01E+01	7.80E-02	8.80E-06	4.42E-03	3.73E-02	9.11E-04	25	386.15	602.00	8,322	1.6E-05	2.0E-04	L	X	
79016	Trichloroethylene	1.66E+02	7.90E-02	9.10E-06	1.47E-03	4.21E-01	1.03E-02	25	360.36	544.20	7,505	4.1E-06	3.0E-03	L	X	
79209	Methyl acetate	3.26E+00	1.04E-01	1.00E-05	2.00E+03	4.84E-03	1.18E-04	25	329.80	506.70	7,260	0.0E+00	3.5E+00	L	X	
79345	1,1,2-Tetrachloroethane	9.33E+01	7.10E-02	7.90E-06	2.96E-03	1.41E-02	3.44E-04	25	419.60	661.15	8,996	5.8E-05	0.0E+00	L	X	
79469	2-Nitropropane	1.17E+01	9.23E-02	1.01E-05	1.70E+04	5.03E-03	1.23E-04	25	393.20	594.00	8,383	2.7E-03	2.0E-02	L		
80626	Methylmethacrylate	6.98E+00	7.02E-02	8.60E-06	1.50E-01	1.38E-02	3.36E-04	25	373.50	567.00	8,975	0.0E+00	7.0E-01	L		
83329	Acenaphthene	7.08E+03	4.21E-02	7.69E-06	3.57E-03	6.34E-03	1.55E-04	25	550.54	803.15	12,155	0.0E+00	0.0E+00	S	X	
86737	Fluorene	1.38E+04	3.63E-0													

VLOOKUP TABLES

106467 1,4-Dichlorobenzene	6.17E+02	6.90E-02	7.90E-06	7.90E+01	9.82E-02	2.39E-03	25	447.21	684.75	9.271	1.1E-05	8.0E-01	S
106534 1,2-Dibromoethane (ethylene dibr	2.50E+01	2.17E-02	1.19E-05	4.18E+03	3.04E-02	7.41E-04	25	404.60	583.00	8.310	6.0E-04	9.0E-03	L
106590 1,3-Butadiene	1.91E+01	2.49E-01	1.08E-05	7.35E+02	3.01E+00	7.34E-02	25	268.60	425.00	5.370	3.0E-02	2.0E-03	L
107028 Acrolein	2.76E+00	1.05E-01	1.22E-05	2.13E+05	4.99E-03	1.22E-04	25	325.60	506.00	6.731	0.0E+00	2.0E-05	L
107062 1,2-Dichloroethane	1.74E+01	1.04E-01	9.90E-06	8.52E+03	4.00E-02	9.77E-04	25	356.65	561.00	7.643	2.6E-05	7.0E-03	L
107131 Acrylonitrile	5.90E+00	1.22E-01	1.34E-05	7.40E+04	4.21E-03	1.03E-04	25	350.30	519.00	7.786	6.8E-05	2.0E-03	L
108054 Vinyl acetate	5.25E+00	8.50E-02	9.20E-06	2.00E+04	2.09E-02	5.10E-04	25	345.65	519.13	7.800	0.0E+00	2.0E-01	L
108101 Methylisobutylketone (4-methyl-2-	9.06E+00	7.50E-02	7.80E-06	1.90E+04	5.64E-03	1.38E-04	25	389.50	571.00	8.243	0.0E+00	3.0E+00	L
108383 m-Xylene	4.07E+02	7.00E-02	7.80E-06	1.61E+02	3.00E-01	7.32E-03	25	412.27	617.05	8.523	0.0E+00	1.0E-01	L
108678 1,3,5-Trimethylbenzene	1.35E+03	6.02E-02	8.67E-06	2.00E+00	2.41E-01	5.87E-03	25	437.89	637.25	9.321	0.0E+00	7.0E-03	L
108872 Methylcyclohexane	7.85E+01	7.35E-02	8.52E-06	1.40E+01	4.22E+00	1.03E-01	25	373.90	572.20	7.474	0.0E+00	3.0E+00	L
108883 Toluene	1.82E+02	8.70E-02	8.60E-06	5.26E+02	2.72E-01	6.62E-03	25	383.78	591.79	7.930	0.0E+00	5.0E+00	L
108907 Chlorobenzene	2.19E+02	7.30E-02	8.70E-06	4.72E+02	1.51E-01	3.69E-03	25	404.87	632.40	8.410	0.0E+00	5.0E-02	L
109693 1-Chlorobutane	1.72E+01	8.26E-02	1.00E-05	1.10E+03	6.93E-01	1.69E-02	25	351.60	542.00	7.263	0.0E+00	1.4E+00	L
110009 Furane	1.66E-01	1.04E-01	1.22E-05	1.00E+04	2.21E-01	5.30E-03	25	304.60	400.20	6.477	0.0E+00	3.5E-03	X
110543 Hexane	4.34E-01	2.00E-01	7.77E-06	1.24E+01	6.82E-01	1.66E+00	25	341.70	508.00	6.895	0.0E+00	2.0E-01	L
111444 Bis(2-chloroethyl)ether	1.55E+01	6.92E-02	7.53E-06	1.72E+04	7.36E-04	1.80E-05	25	451.15	659.79	10.803	3.3E-04	0.0E+00	L
115297 Endosulfan	2.14E+03	1.15E-02	4.55E-06	5.10E-01	4.58E-04	1.12E-05	25	674.43	942.94	14.000	0.0E+00	2.1E-02	S
118741 Hexachlorobenzene	5.50E+04	5.42E-02	5.91E-06	5.00E-03	5.40E-02	1.32E-03	25	582.55	825.00	14.447	4.6E-04	0.0E+00	S
120621 1,2,4-Trichlorobenzene	1.78E+03	3.00E-02	8.23E-06	4.88E+01	5.81E-02	1.42E-03	25	486.15	725.00	10.471	0.0E+00	2.0E-03	L
123739 Crotonaldehyde (2-butenal)	4.82E+00	9.56E-02	1.07E-05	3.69E+04	7.99E-04	1.95E-05	25	375.20	568.00	9	5.4E-04	0.0E+00	L
124481 Chlordibromomethane	6.31E+01	1.96E-02	1.05E-05	2.60E+00	3.20E-02	7.81E-04	25	416.14	678.20	5.900	2.7E-05	0.0E+00	L
126987 Methacrylonitrile	3.58E+01	1.12E-01	1.32E-05	2.54E+04	1.01E-02	2.46E-04	25	363.30	554.00	7.600	0.0E+00	7.0E-04	L
126998 2-Chloro-1,3-butadiene (chloropre	6.73E+01	8.58E-02	1.03E-05	2.12E+03	4.91E-01	1.20E-02	25	332.40	525.00	8.075	0.0E+00	7.0E-03	L
127184 Tetrachloroethylene	1.55E+02	7.20E-02	8.20E-06	2.00E+02	7.53E-01	1.84E-02	25	394.40	620.20	8.288	2.6E-07	6.0E-04	L
129000 Pyrene	1.05E+05	2.72E-02	7.24E-06	1.35E+00	4.50E-04	1.10E-05	25	667.95	936	14370	0.0E+00	0.0E+00	S
132649 Dibenzofuran	5.15E+03	2.38E-02	6.00E-06	3.10E+00	5.15E-04	1.26E-05	25	560	824	66400	0.0E+00	0.0E+00	S
135988 sec-Butylbenzene	9.66E+02	5.70E-02	8.12E-06	3.94E+00	5.68E-01	1.39E-02	25	446.5	679	88730	0.0E+00	3.0E-02	L
141786 Ethylacetate	6.44E+00	7.32E-02	9.70E-06	8.03E+04	5.64E-03	1.38E-04	25	350.26	523.3	7633.66	0.0E+00	3.2E+00	L
156592 cis-1,2-Dichloroethylene	3.55E+01	7.36E-02	1.13E-05	3.50E+03	1.67E-01	4.07E-03	25	333.65	544	7192	0.0E+00	6.0E-02	L
156605 trans-1,2-Dichloroethylene	5.25E+01	7.07E-02	1.19E-05	6.30E+03	3.84E-01	9.36E-03	25	320.85	516.5	6717	0.0E+00	6.0E-02	L
541731 1,3-Dichlorobenzene	1.98E+03	6.92E-02	7.86E-06	1.34E+02	1.27E-01	3.09E-03	25	446	684	9230.18	0.0E+00	2.0E-01	L
309002 Aldrin	2.45E+06	1.32E-02	4.86E-06	1.70E-02	6.95E-03	1.70E-04	25	603.01	839.37	15000	4.9E-03	1.1E-04	S
319846 alpha-HCH (alpha-BHC)	1.23E+03	1.42E-02	7.34E-06	2.00E+00	4.34E-04	1.06E-05	25	596.55	839.36	15000	1.8E-03	0.0E+00	S
542756 1,3-Dichloropropene	4.57E+01	6.26E-02	1.00E-05	2.80E+03	7.24E-01	1.77E-02	25	381.15	587.38	7900	4.0E-06	2.0E-02	L
630206 1,1,1,2-Tetrachloroethane	1.16E+02	7.10E-02	7.90E-06	1.10E+03	9.90E-02	2.41E-03	25	403.5	624	9768.282525	7.4E-06	0.0E+00	L
1634044 MTBE	7.26E+00	1.02E-01	1.05E-05	5.10E+04	2.56E-02	6.23E-04	25	328.3	497.1	6677.66	0.0E+00	3.0E+00	L
7439576 Mercury (elemental)	5.20E+01	3.07E-02	6.30E-06	2.00E+01	4.40E-01	1.07E-02	25	629.88	1750	14127	0.0E+00	3.0E-04	L
591786 2-Hexanone	1.50E+01	7.00E-02	8.40E-06	1.70E+04	3.80E-03	9.30E-05	25	400.8	587	8554	0.0E+00	3.0E-02	L

Highlighted chemicals do not have inhalation toxicity values or a surrogate.

