

Environmental Programs P.O. Box 1663, MS M991 Los Alamos, New Mexico 87545 (505) 606-2337/FAX (505) 665-1812





National Nuclear Security Administration Los Alamos Site Office, MS A316 Environmental Restoration Program Los Alamos, New Mexico 87544 (505) 667-4255/FAX (505) 606-2132

Date: December 21, 2007 *Refer To*: EP2007-0765

James P. Bearzi, Bureau Chief Hazardous Waste Bureau New Mexico Environment Department 2905 Rodeo Park Drive East, Building 1 Santa Fe, NM 87505-6303

Subject: Submittal of the Monthly Progress Report Corrective Measures Study for Potential Release Site 16-021(c)-99

Dear Mr. Bearzi:

Enclosed are two hard copies with electronic files of the Corrective Measures Study (CMS) Progress Report for Potential Release Site (PRS) 16-021(c)-99, the 260 Outfall. The report is submitted according to the approved CMS plan for PRS 16-021(c)-99.

If you have questions, please call Don Hickmott at (505) 667-8753 (dhickmott@lanl.gov) or Woody Woodworth at (505) 665-5820 (lwoodworth@doeal.gov).

Sincerely,

Susan G. Stiger, Associate Director Environmental Programs Los Alamos National Laboratory

Sincerely,

David R. Gregory, Project Director Environmental Operations Los Alamos Site Office

James P. Bearzi EP2007-0765

SS/DR/GD/DH:sm

- Enclosures: 1) Two hard copies with electronic files Corrective Measures Study (CMS) Progress Report for Potential Release Site (PRS) 16-021(c)-99, the 260 Outfall (EP2007-0765)
- Cy: (w/enc.) Woody Woodworth, DOE-LASO, MS A316 Don Hickmott, EES-6, MS D462 RPF, MS M707 (two CDs) Public Reading Room, MS M992
- Cy: (Letter and CD only) Laurie King, EPA Region 6, Dallas, TX Steve Yanicak, NMED-OB, White Rock, NM Jeff Heikoop, EES-6, MS D462 Peggy Reneau, EP-WES, MS M992 EP-CAP File, MS M992
- Cy: (w/o enc.) Tom Skibitski, NMED-OB, Santa Fe, NM Bonita Eichorst, DOE-LASO (date-stamped copy emailed) Susan G. Stiger, ADEP, MS J591 Carolyn A. Mangeng, ADEP, MS J591 Alison M. Dorries, EP-WES, MS M992 Gordon Dover, EP-CAP, MS M992 Dave McInroy, EP-CAP, MS M992 IRM-RMMSO, MS A150