

Environmental Programs P.O. Box 1663, MS M991 Los Alamos, New Mexico 87545 (505) 606-2337/FAX (505) 665-1812





National Nuclear Security Administration Los Alamos Site Office, MS A316 Environmental Restoration Program Los Alamos, New Mexico 87544 (505) 667-4255/FAX (505) 606-2132

Date: JANUARY 21,2010 Refer To: EP2010-0016

James Bearzi, Bureau Chief Hazardous Waste Bureau New Mexico Environment Department 2905 Rodeo Park Drive East, Building 1 Santa Fe, NM 87505-6303

Subject: Submittal of the December 2009 Monthly Progress Report Corrective Measures Study/Corrective Measures Implementation for Consolidated Unit 16-021(c)-99

Dear Mr. Bearzi:

Enclosed are two hard copies with electronic files of the December 2009 Monthly Progress Report Corrective Measures Study/Corrective Measures Implementation for Consolidated Unit 16-021(c)-99. The report is submitted according to the approved corrective measures study plan for Consolidated Unit 16-021(c)-99.

If you have questions, please call John McCann at (505) 665-1091 (jmccann@lanl.gov) or Woody Woodworth at (505) 665-5820 (lwoodworth@doeal.gov).

Sincerely,

Michael J. Graham, Associate Director Environmental Programs Los Alamos National Laboratory

Sincerely,

David R. Gregory, Project Director Environmental Operations Los Alamos Site Office

MG/DG/DM/JM/DH:sm

- Enclosures: Two hard copies with electronic files December 2009 Monthly Progress Report Corrective Measures Study for Potential Release Site 16-021(c)-99 (LA-UR-10-0085)
- Cy: (w/enc.) Neil Weber, San Ildefonso Pueblo Woody Woodworth, DOE-LASO, MS A316 John McCann, EP-CAP, MS M992 RPF, MS M707 (two CDs) Public Reading Room, MS M992
- Cy: (Letter and CD only) Laurie King, EPA Region 6, Dallas, TX Steve Yanicak, NMED-DOE-OB, MS M894 Jeff Heikoop, EES-6, MS D462 Kristine Smeltz, EP-WES, MS M992
- Cy: (w/o enc.) Tom Skibitski, NMED-OB, Santa Fe, NM Annette Russell, DOE-LASO (date-stamp copy emailed) Dave McInroy, EP-CAP, MS M992 Michael J. Graham, ADEP, MS M991 IRM-RMMSO, MS A150 (date-stamp copy emailed)