ERID-204630



## **IRM-RMMSO**

# **Official Correspondence Form**

Name:	U1101257
Title:	Approval with Modifications Completion Report for Regional Aquifer Well R-54 Los Alamos National Laboratory EPA ID#NM0890010515 HWB-LANL-10-047
Date Received:	7/15/2011
Addressee Name:	Michael J. Graham, ADEP
Originator:	John E. Kieling, NMED, Santa Fe, New Mexico
Action Item Description:	
Action Due Date:	8/5/2011
Responsible for Action:	Search Graham, Michael J
Responsible Office:	ADEP
Distribution:	Michael Graham Deborah K. Woitte Roland Knapp Charles McMillan William Alexander Isaac Richardsonlll Phoebe K. Suina Richard Marquez Anthony R. Grieggs Paul Henry Tina Sandoval James Cantwell Scotty Jones





### NEW MEXICO ENVIRONMENT DEPARTMENT

### Hazardous Waste Bureau

2905 Rodeo Park Drive East, Building 1 Santa Fe, New Mexico 87505-6303 Phone (505) 476-6000 Fax (505) 476-6030

www.nmenv.state.nm.us



DAVE MARTIN Secretary RAJ SOLOMON, P.E. Deputy Secretary JAMES H. DAVIS, Ph.D. Division Director

EP2011-5340

#### CERTIFIED MAIL - RETURN RECEIPT REQUESTED

July 14, 2011

George J. Rael Assistant Manager U.S. Department of Energy National Nuclear Security Administration Los Alamos Site Office 3747 West Jemez Rd, MSA316 Los Alamos, NM 87544

Michael J. Graham Associate Director Environmental Programs Los Alamos National Security, L.L.C. P.O. Box 1663, MS M991 Los Alamos, NM 87545

RE: APPROVAL WITH MODIFICATIONS

COMPLETION REPORT FOR REGIONAL AQUIFER WELL R-54

LOS ALAMOS NATIONAL LABORATORY

EPA ID#NM0890010515 HWB-LANL-10-047

Dear Messrs Rael and Graham:

The New Mexico Environment Department (NMED) is in receipt of the United States Department of Energy (DOE) and Los Alamos National Security, L.L.C.'s (collectively, the Permittees) document entitled *Completion Report for Regional Aquifer Well R-54* (Report) dated June, 2010 and referenced by EP2010-0143. NMED hereby approves the Report, with the following modifications.

### 1. Section 5.2, Groundwater, page 6:

The Permittees state that groundwater was first observed at a depth of 767 feet below ground surface (bgs) with an estimated production capacity of 15 gallons per minute (gpm). The Report also states that after reaching the total drilling depth of 944.5 ft bgs, the water level stabilized at 815 ft bgs, which is 48 ft below the apparent top of saturation at 767 ft bgs. This description suggests that perched

groundwater is present at or near 767 ft bgs or that a discrepancy exists with respect to determining the top of saturation of the regional aquifer at this location. A review of the Permittees' open-hole video log along the 767 to 783 ft (top of water) bgs interval indicates unsaturated conditions and the absence of free-flowing groundwater. A discussion of this apparent discrepancy should have been presented in the Report. In future submittals, the Permittees must clearly state whether discrepancies exist and attempt to resolve such discrepancies.

# 2. Section 8.1.1, Well Development Field Parameters, page 9 and Section 8.2, Aquifer Testing, page 10:

During well development and aquifer testing, flow-through cells were not used to measure water quality parameters. This introduces uncertainty with sensitive measurements such as dissolved oxygen and temperature. The direction to use flow-through cells during well development and aquifer testing is documented in other NMED correspondence to the Permittees (e.g., *Approval with Modifications Completion Report for Regional Aquifer Well R-46*, November 24, 2009). The Permittees must use flow-through cells during development and aquifer testing of all new regional and intermediate aquifer wells.

# 3. Appendix B, Groundwater Analytical Results, Table B-1.2-1, pages B-5 through B-8

Dissolved oxygen (DO) results as presented in the table appear to be a combination of DO measurements in concentration units (mg/L) and values that may represent DO saturation in percent units. The reported values ranged from 4.12 mg/L, a value within the range observed in the regional aquifer, to as high as 100.6 mg/L, which is much greater than the possible dissolved oxygen saturation range. DO results that exceed approximately 7.7 mg/L are likely not representative of aquifer conditions at R-54. The Permittees must correct the reported values and send of replacement table.

The corrected table must be submitted to NMED no later than August 5, 2011. With the exception of the required replacement table, no other revision of the Report is necessary.

Messrs. Rael and Graham July 14, 2011 Page 3

Should you have any questions or comments regarding this approval, please contact Michael Dale at (505) 661-2673.

Sincerely,

John E. Kieling Acting Chief

Hazardous Waste Bureau

cc:

D. Cobrain, NMED HWB

N. Dhawan, NMED HWB

J. Kulis, NMED HWB

M. Dale, NMED HWB

T. Skibitski, NMED DOE OB

S. Yanicak, NMED DOE OB, MS M894

B. Olson, NMED GWQB

L. King, EPA 6PD-N

M. Everett, EP-ET, MS M992

T. Ball, EP-CAP, MS M992

W. Alexander, EP-BPS, MS M992

H. Shen, DOE-LASO, MS A316

File: Reading and LANL 2011 - R-54 Groundwater LANL-10-047

NAME ENELYPTICAGE

Z# 080133 Lucas

DATE 7/05/11

State of New Mexico
ENVIRONMENT DEPARTMENT
Hazardous Waste Bureau
2905 Rodeo Park Drive East-Building 1
Santa Fo. New Mexico 87505

CERTIFIED MAIL



7010 1670 0000 8697 4666



016H26523547

\$05.590 07/14/2011 Mailed From 87505 US POSTAGE

Michael J. Graham, Associate Director
Environmental Programs
Los Alamos National Security, LLC
P.O. Box 1663, MS M991
Los Alamos, NM 31535

07-15-11P12:14 RCVD

87544\$0600 B900

Haddaddadadadhadladladladdaddaddadd