

LA-UR-14-20519
February 2014
EP2014-0007

Periodic Monitoring Report for Mortandad and Sandia Watersheds General Surveillance Monitoring Group, July 9–July 26, 2013



Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.


Periodic Monitoring Report
for Mortandad and Sandia Watersheds
General Surveillance Monitoring Group,
July 9–July 26, 2013

February 2014


Responsible project manager:

Steve Paris		Project Manager	Environmental Programs	2/19/14
Printed Name	Signature	Title	Organization	Date

Responsible LANS representative:

Jeff Mousseau		Associate Director	Environmental Programs	2/19/14
Printed Name	Signature	Title	Organization	Date

Responsible DOE representative:

Peter Maggiore		Assistant Manager	DOE-NA-00-LA	2-21-2014
Printed Name	Signature	Title	Organization	Date

EXECUTIVE SUMMARY

This periodic monitoring report (PMR) provides the results of the fiscal year 2013, fourth quarter, periodic monitoring event (PME) conducted by Los Alamos National Laboratory in the Mortandad and Sandia watersheds portion of the General Surveillance monitoring group. This PME was conducted pursuant to the Interim Facility-Wide Groundwater Monitoring Plan for the 2013 Monitoring Year, October 2012–September 2013, prepared in accordance with the Compliance Order on Consent.

The PME documented in this report occurred from July 9 to July 26, 2013, and included the monitoring of groundwater wells and well screens and surface-water locations. This report also includes any results from previous PMEs that were unreported in their respective PMRs because validated laboratory data were not available (in some cases because of data release agreements). Any additional results from sampling that occurred outside the time frame of the current PME are also included in this report.

Water samples collected from various locations during this PME were analyzed for metals; volatile organic compounds; semivolatile organic compounds; high explosives; radionuclides, including low-level tritium; general inorganic chemicals, including perchlorate; stable isotopes; and field parameters (alkalinity, dissolved oxygen, pH, specific conductance, temperature, and turbidity).

No results from previous sampling of PME surface-water monitoring locations are reported in this PMR. No results from surface-water locations sampled during the current PME were above applicable screening levels.

No results from previous sampling of PME groundwater monitoring locations reported in this PMR were above applicable screening levels. No results from groundwater locations sampled during the current PME were above applicable screening levels.

CONTENTS

1.0	INTRODUCTION.....	1
1.1	Background.....	1
2.0	SCOPE OF ACTIVITIES	2
3.0	MONITORING RESULTS	3
3.1	Methods and Procedures	3
3.2	Field Parameter Results	3
3.3	Groundwater Elevations and Base-Flow Observations.....	3
3.4	Deviations from Planned Scope	3
4.0	ANALYTICAL DATA RESULTS.....	3
4.1	Methods and Procedures	3
4.2	Analytical Data.....	4
4.2.1	Surface Water (Base Flow)	6
4.2.2	Groundwater.....	6
4.3	Sampling Program Modifications.....	6
5.0	SUMMARY AND INTERPRETATIONS.....	6
5.1	Monitoring Results	6
5.2	Analytical Results	6
5.2.1	Surface Water (Base Flow)	6
5.2.2	Groundwater.....	7
5.3	Data Gaps.....	7
5.4	Remediation System Monitoring.....	7
6.0	REFERENCES	7

Figures

Figure 2.0-1	Locations monitored for this PME.....	9
Figure 3.3-1	Base-flow measurements	10

Tables

Table 2.0-1	Mortandad and Sandia Watersheds General Surveillance Monitoring Group Locations and General Information	11
Table 3.4-1	Mortandad and Sandia Watersheds General Surveillance Monitoring Group PME Observations and Deviations	11
Table 3.4-2	Analytes with PQLs above Screening Levels	12
Table 4.2-1	Sources of Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory.....	13
Table 4.2-2	Base-Flow Location Type and Hardness Assignments Used to Select Screening Levels	13
Table 4.2-3	Mortandad and Sandia Watersheds General Surveillance Monitoring Group Groundwater Results above Screening Levels.....	14

Appendices

- Appendix A Field Parameter Results, Including Results from Previous Four Monitoring Events if Available
- Appendix B Groundwater-Elevation Measurements (on CD included with this document)
- Appendix C Analytical Chemistry Results, Including Results from Previous Four Monitoring Events if Available
- Appendix D Groundwater Results Greater Than Half of Screening Levels
- Appendix E Analytical Chemistry Graphs of Screening-Level Exceedances
- Appendix F Analytical Reports (on CD included with this document)

Plate

- Plate 1 Groundwater elevations

Acronyms and Abbreviations

amsl	above mean sea level
AOC	area of concern
AQA	Analytical Quality Associates, Inc.
BCG	Biota Concentration Guide (DOE)
CAS	Chemical Abstracts Service
CFR	Code of Federal Regulations (U.S.)
Consent Order	Compliance Order on Consent
DCG	Derived Concentration Guide (DOE)
DOE	Department of Energy (U.S.)
EPA	Environmental Protection Agency (U.S.)
gpm	gallons per minute
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan
LANL	Los Alamos National Laboratory
MCL	maximum contaminant level (EPA)
MCPA	2-methyl-4-chlorophenoxyacetic acid
MCPP	2-(4-chloro-2-methylphenoxy)propanoic acid
MDL	method detection limit
N	no (best value flag code)
NMAC	New Mexico Administrative Code
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
PME	periodic monitoring event
PMR	periodic monitoring report
PQL	practical quantitation limit
QC	quality control
RLWTF	Radioactive Liquid Waste Treatment Facility
RPF	Records Processing Facility
SOP	standard operating procedure
SWMU	solid waste management unit
TA	technical area
Y	yes (best value flag code)

1.0 INTRODUCTION

This periodic monitoring report (PMR) provides documentation of fiscal year 2013, fourth quarter, annual groundwater and surface-water monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Mortandad and Sandia watersheds portion of the General Surveillance monitoring group. Monitoring was conducted pursuant to the Interim Facility-Wide Groundwater Monitoring Plan for the 2013 Monitoring Year, October 2012–September 2013 (2013 IFGMP) (LANL 2012, 225493), which was prepared in accordance with the Compliance Order on Consent (the Consent Order). This periodic monitoring event (PME) occurred from July 9 to July 26, 2013, and included sampling of groundwater wells and well screens and surface-water locations.

This report also includes any results from previous PMEs that were unreported in their respective PMRs because validated laboratory data were not available (in some cases because of data release agreements). Any additional results from sampling that occurred outside the time frame of a PME are also included in this report.

Sections VIII.A and VIII.C of the Consent Order identify New Mexico Water Quality Control Commission (NMWQCC) groundwater and surface-water standards, including alternative abatement standards and U.S. Environmental Protection Agency (EPA) drinking water maximum contaminant levels (MCLs), as cleanup levels for groundwater when corrective action is implemented. NMWQCC groundwater standards, MCLs, and EPA regional screening levels for tap water are used as screening levels for monitoring data and are provided in this report.

This report presents the following information:

- general background information on the monitoring group
- field-measurement monitoring results
- water-quality monitoring results
- screening analysis results (comparing these PME results with regulatory standards and results from previous reports)
- a summary based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy.

1.1 Background

Most of the monitoring wells discussed in the 2013 IFGMP (LANL 2012, 225493) are assigned to area-specific monitoring groups related to project areas that may be located in more than one watershed. Locations that are not included within one of these six area-specific monitoring groups are assigned to the General Surveillance monitoring group. This PMR presents results from the Mortandad and Sandia watersheds portion of the General Surveillance monitoring group.

The Chromium Investigation monitoring group is located in Sandia and Mortandad Canyons. Monitoring focuses on the characterization and fate and transport of chromium contamination in intermediate-perched groundwater and within the regional aquifer. The distribution of wells in the monitoring group also addresses historical releases from Outfall 051, which discharges from the Radioactive Liquid Waste

Treatment Facility (RLWTF) in the Mortandad Canyon watershed. Effluent volumes were considerably reduced or eliminated in 2010 and 2011 because of process changes at the RLWTF.

Sandia Canyon heads on Laboratory property within Technical Area 03 (TA-03) at an elevation of approximately 7300 ft and trends east-southeast across the Laboratory, Bandelier National Monument, and San Ildefonso Pueblo. Sandia Canyon empties into the Rio Grande in White Rock Canyon at an elevation of 5450 ft. The area of the Sandia Canyon watershed is approximately 5.5 mi². Perennial stream flow and saturated alluvial groundwater conditions occur in the upper and middle portions of the canyon system because sanitary wastewater and cooling tower effluent discharge to the canyon from operating facilities. A wetland of approximately 7 acres has developed as a result of the effluent discharge. The only known perennial spring in the watershed (Sandia Spring) is located in lower Sandia Canyon near the Rio Grande. TAs located in the Sandia Canyon watershed include TA-03, TA-53, TA-60, TA-61, TA-72, and former TA-20. A total of 264 solid waste management units (SWMUs) and areas of concern (AOCs) are located within the portions of these TAs in the Sandia Canyon watershed.

Mortandad Canyon is an east-to-southeast trending canyon that heads on the Pajarito Plateau near the main Laboratory complex at TA-03 at an elevation of 7380 ft. The drainage extends about 9.6 mi from its headwaters to its confluence with the Rio Grande at an elevation of 5440 ft. The canyon crosses San Ildefonso Pueblo land for several miles before joining the Rio Grande (LANL 1997, 056835). The Mortandad Canyon watershed is located in the central portion of the Laboratory and covers approximately 10 mi². The Mortandad Canyon watershed contains several tributary canyons that have received contaminants released during Laboratory operations, including Ten Site Canyon, Pratt Canyon, Effluent Canyon, and Cañada del Buey. TAs located in the Mortandad Canyon watershed include TA-03, TA-05, TA-35, TA-48, TA-50, TA-52, TA-55, TA-60, TA-63, former TA-04, and former TA-42. A total of 257 SWMUs and AOCs are located within the portions of these TAs in the Mortandad Canyon watershed.

Chromium concentrations exceed the NMED groundwater standard in Mortandad Canyon regional aquifer wells R-28, R-62, R-42, R-43, and R-50. Other constituents detected above background in wells in the monitoring group include nitrate, perchlorate, and tritium. A conceptual model for the sources and distribution of these contaminants is presented in the Investigation Report for Sandia Canyon (LANL 2009, 107453) and the Phase II Investigation Report for Sandia Canyon (LANL 2012, 228624).

The conceptual model hypothesizes that chromium and other contaminants originate from releases into Sandia Canyon with lateral migration pathways that move contamination to locations beneath Mortandad Canyon. For this reason, intermediate-perched and regional wells beneath Mortandad Canyon are included in the Chromium Investigation monitoring group. Other areas of contamination beneath Sandia and Mortandad Canyons may be associated with Mortandad Canyon sources. These sources and the migration pathways are described in the Investigation Report for Sandia Canyon (LANL 2009, 107453) and the Phase II Investigation Report for Sandia Canyon (LANL 2012, 228624).

2.0 SCOPE OF ACTIVITIES

The PME for the Mortandad and Sandia Watersheds General Surveillance monitoring group was conducted pursuant to the 2013 IFGMP (LANL 2012, 225493).

Table 2.0-1 provides the location name, sample collection date, screened interval, top and bottom screen depths, casing volume, purge volume, and purge or flow rate for each of the locations scheduled to be monitored. These locations are shown in Figure 2.0-1. Some locations on this map may not have been sampled.

3.0 MONITORING RESULTS

3.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the PME are documented in the 2013 IFGMP (LANL 2012, 225493).

3.2 Field Parameter Results

Appendix A contains the field parameter results for this PME and the four previous PMEs.

3.3 Groundwater Elevations and Base-Flow Observations

The periodic monitoring water-level data for the previous 2 yr are presented in Appendix B (on CD included with this document). For wells equipped with transducers, the reported water level is the water-level measurement taken earliest on the day of sampling. All manual measurements were recorded immediately before sampling. The groundwater-elevation measurements are shown graphically on Plate 1. Similarly, base-flow measurements are shown graphically in Figure 3.3-1.

3.4 Deviations from Planned Scope

Table 3.4-1 describes the fieldwork deviations from the planned scope of the PME. Table 3.4-2 presents a list of analytes for which the practical quantitation limits (PQLs) are greater than screening levels.

4.0 ANALYTICAL DATA RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the analytical activities of the PME are documented in the 2013 IFGMP (LANL 2012, 225493). Purge water is managed and characterized in accordance with waste profile form 39268, a copy of which was included in Appendix F of a previous PMR (LANL 2008, 103737), and ENV-RCRA-QP-010.3, Land Application of Groundwater. ENV-RCRA-QP-010.3 implements the NMED-approved Notice of Intent Decision Tree for land application of drilling, development, rehabilitation, and sampling of purge water.

All sampling, data reviews, and data package validations were conducted using standard operating procedures (SOPs) that are part of a comprehensive quality assurance program. The procedures are available at <http://www.lanl.gov/community-environment/environmental-stewardship/plans-procedures.php>. Completed chain-of-custody forms serve as analytical request forms and include the requester or owner, sample number, program code, date and time of sample collection, total number of bottles, list of analytes to be measured, bottle sizes, and preservatives for each required analysis.

The required analytical laboratory batch quality control (QC) is defined by the analytical method, the analytical statement of work, and generally accepted laboratory practices. The analytical laboratory assigns qualifiers to the data to indicate the quality of the analytical results. The laboratory batch QC is used in the secondary data validation process to evaluate the quality of individual analytical results, evaluate the appropriateness of the analytical methodologies, and measure the routine performance of the analytical laboratory.

In addition to batch QC performed by laboratories, the Laboratory submitted field QC samples to test the overall sampling and analytical laboratory process and to spot-check for analytical problems. These results are used in secondary validation along with information provided by the analytical laboratory.

After the Laboratory receives the analytical laboratory data packages, the packages receive secondary validation. For data collected before March 2012, validation was done by an independent contractor, Analytical Quality Associates, Inc. (AQA). After that date, validation is done by an automated process after data are loaded.

Data validation determines the quality of an analytical data set. Data validation focuses on specific quality assurance samples, such as matrix spikes, duplicates, surrogates, method blanks, laboratory control samples, and holding times, which indicate the accuracy and precision of the analyses. Based on the results, data qualifiers are applied to indicate data quality issues as well as the usability of results. This process also includes a description of the reasons for any failure to meet method, procedural, or contractual requirements and an evaluation of the impact of such failure on the overall data set.

AQA's reviews follow the guidelines set in the DOE model SOP for data validation, which includes reviewing the data quality and the documentation's correctness and completeness, verifying that holding times were met, and ensuring that analytical laboratory QC measures were applied, documented, and kept within contract requirements. As a result of secondary validation, a second set of qualifiers was assigned to the analytical results.

Auto validation (1) ensures that the electronic data deliverable contains all the required fields, (2) verifies that results of all QC checks and procedures are within valid criteria limits, and (3) applies specific qualifiers and reason codes per the EPA's National Functional Guidelines for data review as well as the Laboratory's SOPs. Once auto validation is complete, the data are uploaded into the Laboratory's database system and the public database (<http://intellusnm.com/>).

The Laboratory assigns detection status to the analytical result based on the analytical laboratory and secondary validation qualifiers. A detect flag of "N" indicates that, based on the qualifiers, the result was not detected.

4.2 Analytical Data

Appendix C presents the analytical data from this PME and from the four sampling events at these locations immediately before the PME. The analytical laboratory reports (including chain-of-custody forms and data validation forms) are provided in Appendix F (on CD included with this document).

Appendix C contains all data collected during the PME (i.e., all data that have been independently reviewed for conformance with Laboratory requirements) with the following constraints.

- All data
 - ❖ Data that are R-qualified (rejected because of noncompliance regarding QC acceptance criteria) during independent validation are considered unusable but are still reported.
 - ❖ Analytical laboratory QC results, including matrix spike and matrix spike duplicates, and field blanks, trip blanks, and equipment blanks are not included in the data set.
 - ❖ Field duplicates, reanalyses, and results from different analytical methods are reported.

- Radionuclides
 - ❖ Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
 - ❖ Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.
 - ❖ Otherwise, all results are reported at all locations.
- Nonradionuclides
 - ❖ All detected results are reported.

Multiple analyses of a sample, including dilutions and reanalyses, create redundant results. These multiple results have the same sample ID, analytical laboratory code, and analytical method. The analytical and validation information is used to designate the preferred result, which is marked with a best value flag of "Y" (yes). The redundant values of lower quality are assigned a best value flag of "N" (no). In cases where a reanalysis gives a significantly different result than an earlier value, the original result may be rejected and assigned a best value flag of N, and the reanalysis result may be marked with a best value flag of Y. The best value flag is included in Appendix C.

Data for PMRs are evaluated using the following screening process. The sources of screening levels with which the results are compared are listed in Table 4.2-1.

- The base-flow monitoring locations are assigned to one of two screening categories—perennial or ephemeral (Table 4.2-2). Along with a hardness value, this category determines the screening levels used for data at each monitoring location. Hardness-dependent screening levels used to screen data at each base-flow monitoring location are determined using the geometric mean of hardness data (mg/L as calcium carbonate) collected from 2006 to 2010 at each location (Table 4.2-2). Hardness-dependent acute and chronic criteria were used for total aluminum and dissolved cadmium, chromium, copper, lead, manganese, nickel, silver, and zinc in accordance with the requirements of 20 New Mexico Administrative Code (NMAC) 6.4.
- Surface-water and groundwater perchlorate data were compared with the screening level of 4 µg/L established in Section VIII.A.1.a of the Consent Order.
- Other groundwater data are screened to Groundwater Cleanup Levels described in Section VIII.A.1 of the Consent Order; for an individual substance, the lesser of the EPA MCL or the NMWQCC groundwater standard is used.
- If an NMWQCC standard or an MCL has not been established for a specific substance for which toxicological information is published, the EPA Regional Screening Levels for Tap Water (formerly Region 6 Screening Levels for Tap Water) are used as the Groundwater Cleanup Level. These screening levels are for either a cancer- or noncancer-risk type. The Consent Order specifies screening at a 10^{-5} excess cancer risk. The EPA screening levels are for 10^{-6} excess cancer risk, so 10 times the EPA 10^{-6} screening levels are used for screening.
- The NMWQCC groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous-phase liquids apply to the total unfiltered concentrations of the contaminants. EPA MCLs are applied to both filtered and unfiltered sample results.
- The analytical results for radioactivity are compared with the DOE Biota Concentration Guides (BCGs) for surface water and Derived Concentration Guides (DCGs) for groundwater.

The results of data screening for this PMR are presented in Appendix D. This appendix shows all analytical results greater than half the lowest applicable screening levels. Results with a best value flag of N are included in Appendix D but not discussed in the text. No results for this PME were greater than half the lowest applicable screening levels, so none are reported in Appendix D.

Table 4.2-3 provides groundwater analytical results (by hydrogeologic zone for a specific analytical suite) that are above screening levels. Multiple detections of a particular constituent at a location are counted as one result. For example, if aluminum is detected above a screening level in both a primary sample and a field duplicate, only the highest result is shown. No results for this PME were greater than lowest applicable screening levels, so none are reported in Table 4.2-3.

Graphs in Appendix E display concentration histories of analytes for locations where the analyte was above its screening level at least once during the three most recent PMEs. Concentrations of the analyte are plotted for a 3-yr period. If 3 yr of data are not available, then all available results for the analyte are plotted. When shown, the solid red lines depict applicable screening levels. Results with a best value flag of N are not included in Appendix E.

No analytes from the current PME exceeded their screening level at more than one sampling location, so no maps showing concentrations are included.

4.2.1 Surface Water (Base Flow)

No results from previous sampling of PME surface-water monitoring locations are reported in this PMR. No results from surface-water locations sampled during the current PME were above applicable screening levels.

4.2.2 Groundwater

No results from previous sampling of PME groundwater monitoring locations reported in this PMR were above applicable screening levels. No results from groundwater locations sampled during the current PME were above applicable screening levels.

4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the Mortandad and Sandia Watersheds General Surveillance monitoring group are proposed at this time.

5.0 SUMMARY AND INTERPRETATIONS

5.1 Monitoring Results

The field parameter monitoring results are presented in Appendix A.

5.2 Analytical Results

5.2.1 Surface Water (Base Flow)

No results from previous sampling of PME surface-water monitoring locations are reported in this PMR. No results from surface-water locations sampled during the current PME were above applicable screening levels.

5.2.2 Groundwater

No results from previous sampling of PME groundwater monitoring locations reported in this PMR were above applicable screening levels. No results from groundwater locations sampled during the current PME were above applicable screening levels.

5.3 Data Gaps

Table 3.4-1 summarizes the field deviations encountered during the PME. The table also provides a detailed account of sampling event deviations.

5.4 Remediation System Monitoring

Remediation system monitoring is not applicable to the Mortandad and Sandia Watersheds General Surveillance monitoring group because no systems are installed in the monitoring group area.

6.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), September 1997. "Work Plan for Mortandad Canyon," Los Alamos National Laboratory document LA-UR-97-3291, Los Alamos, New Mexico. (LANL 1997, 056835)

LANL (Los Alamos National Laboratory), September 2008. "Periodic Monitoring Report for White Rock Watershed, April 23–April 30, 2008," Los Alamos National Laboratory document LA-UR-08-5847, Los Alamos, New Mexico. (LANL 2008, 103737)

LANL (Los Alamos National Laboratory), October 2009. "Investigation Report for Sandia Canyon," Los Alamos National Laboratory document LA-UR-09-6450, Los Alamos, New Mexico. (LANL 2009, 107453)

LANL (Los Alamos National Laboratory), August 2012. "Interim Facility-Wide Groundwater Monitoring Plan for the 2013 Monitoring Year, October 2012–September 2013," Los Alamos National Laboratory document LA-UR-12-21331, Los Alamos, New Mexico. (LANL 2012, 225493)

LANL (Los Alamos National Laboratory), September 2012. "Phase II Investigation Report for Sandia Canyon," Los Alamos National Laboratory document LA-UR-12-24593, Los Alamos, New Mexico. (LANL 2012, 228624)




Figure 2.0-1 Locations monitored for this PME. Some locations on this map may not have been sampled (see Table 3.4-1).




Figure 3.3-1 Base-flow measurements

Table 2.0-1
Mortandad and Sandia Watersheds General Surveillance
Monitoring Group Locations and General Information

Location Name	Sample Collection Date	Screened Interval (ft)	Screen Top Depth (ft)	Screen Bottom Depth (ft)	Calculated Single Casing Volume (gal.)	Purge Volume (gal.)	Purge Rate (gpm ^a)
Base Flow							
Sandia below Wetlands	n/a ^b	n/a	n/a	n/a	n/a	n/a	n/a
Sandia right fork at Pwr Plant	07/22/13	n/a	n/a	n/a	n/a	n/a	139
Alluvial							
CDBO-6	n/a	10	34	44	n/a	n/a	n/a
MCO-5	n/a	25	21	46	n/a	n/a	n/a
MCO-7	n/a	30	39	69	n/a	n/a	n/a
SCA-2	n/a	5	10	15	n/a	n/a	n/a
Intermediate							
R-12 S1	07/25/13	8.5	459	468	33	108	0.9
R-12 S2	07/22/13	4	505	508	53.8	323	11.9
Regional							
R-10 S1	07/17/13	23	874	897	207.4	625	12.5
R-10 S2	07/17/13	23	1042	1065	130.8	400	12.5
R-10a	07/17/13	10	690	700	66.7	235	4.7
R-16 S2	07/24/13	7.5	863	871	217.8	656	5
R-16 S4	07/25/13	7.6	1237	1245	44.4	266.5	3.29
R-16r	07/24/13	17.6	600	617.6	54.5	163.5	5.45
R-33 S1	07/10/13	23	995.5	1018.5	74.9	226.3	3.1
R-33 S2	07/11/13	9.9	1112.4	1122.3	40.4	124	2.7
R-34	07/17/13	22.9	883.7	906.6	100.9	354	2.70

^a gpm = Gallons per minute.

^b n/a = Not applicable.

Table 3.4-1
Mortandad and Sandia Watersheds General Surveillance
Monitoring Group PME Observations and Deviations

Location	Deviation	Cause	Comment
CDBO-6, MCO-5, MCO-7, and SCA-2	Not sampled	These locations were not sampled because they were dry.	These locations will be sampled during the next scheduled PME.
Sandia below Wetlands	Not sampled	Construction in the Sandia Wetlands disrupted the flow of water in the area, compromising water quality.	This location will be sampled during the next scheduled PME.

Table 3.4-2
Analytes with PQLs above Screening Levels

Analyte or CAS ^a No.	Analyte Name	MDL ^b	PQL	Screening Level	Unit	Screening-Level Type
Herbicides						
94-74-6	MCPA ^c	12	53	18	µg/L	EPA Regional Tap
93-65-2	MCPP ^d	11	53	37	µg/L	EPA Regional Tap
Metals						
Be	Beryllium	1	5	4	µg/L	EPA MCL
Semivolatile Organic Compounds						
1912-24-9	Atrazine	3	10	3	µg/L	EPA MCL
103-33-3	Azobenzene	2	10	1.3	µg/L	EPA Regional Tap
92-87-5	Benzidine	3	10	0.00094	µg/L	EPA Regional Tap
56-55-3	Benzo(a)anthracene	0.2	1	0.29	µg/L	EPA Regional Tap
50-32-8	Benzo(a)pyrene	0.2	1	0.2	µg/L	EPA MCL
205-99-2	Benzo(b)fluoranthene	0.2	1	0.29	µg/L	EPA Regional Tap
111-44-4	Bis(2-chloroethyl)ether	2	10	0.12	µg/L	EPA Regional Tap
117-81-7	Bis(2-ethylhexyl)phthalate	2	10	6	µg/L	EPA MCL
106-47-8	Chloroaniline[4-]	2	10	3.4	µg/L	EPA Regional Tap
53-70-3	Dibenz(a,h)anthracene	0.2	1	0.029	µg/L	EPA Regional Tap
91-94-1	Dichlorobenzidine[3,3'-]	2	10	1.5	µg/L	EPA Regional Tap
534-52-1	Dinitro-2-methylphenol[4,6-]	3	10	2.9	µg/L	EPA Regional Tap
123-91-1	Dioxane[1,4-]	2	10	6.7	µg/L	EPA Regional Tap
118-74-1	Hexachlorobenzene	2	10	1	µg/L	EPA MCL
193-39-5	Indeno(1,2,3-cd)pyrene	0.2	1	0.29	µg/L	EPA Regional Tap
55-18-5	Nitrosodiethylamine[N-]	2	10	0.0014	µg/L	EPA Regional Tap
62-75-9	Nitrosodimethylamine[N-]	2	10	0.0042	µg/L	EPA Regional Tap
924-16-3	Nitroso-di-n-butylamine[N-]	3	10	0.024	µg/L	EPA Regional Tap
621-64-7	Nitroso-di-n-propylamine[N-]	2	10	0.096	µg/L	EPA Regional Tap
930-55-2	Nitrosopyrrolidine[N-]	2	10	0.32	µg/L	EPA Regional Tap
108-60-1	Oxybis(1-chloropropane) [2,2'-]	2	10	3.2	µg/L	EPA Regional Tap
87-86-5	Pentachlorophenol	2	10	1	µg/L	EPA MCL
108-95-2	Phenol	1	10	5	µg/L	NMWQCC Groundwater Standard
Volatile Organic Compounds						
107-02-8	Acrolein	1.3	5	0.042	µg/L	EPA Regional Tap
107-13-1	Acrylonitrile	1	5	0.45	µg/L	EPA Regional Tap
126-99-8	Chloro-1,3-butadiene[2-]	0.3	1	0.16	µg/L	EPA Regional Tap
96-12-8	Dibromo-3-chloropropane[1,2-]	0.3	1	0.2	µg/L	EPA MCL
106-93-4	Dibromoethane[1,2-]	0.25	1	0.05	µg/L	EPA MCL
126-98-7	Methacrylonitrile	1	5	1	µg/L	EPA Regional Tap

Table 3.4-2 (continued)

Analyte or CAS ^a No.	Analyte Name	MDL ^b	PQL	Screening Level	Unit	Screening-Level Type
75-09-2	Methylene chloride	3	10	5	µg/L	EPA MCL
96-18-4	Trichloropropane[1,2,3-]	0.3	1	0.0072	µg/L	EPA Regional Tap

Note: This table is applicable to all samples reported in all PMRs.

^a CAS = Chemical Abstracts Service.

^b MDL = Method detection limit.

^c MCPA = 2-Methyl-4-chlorophenoxyacetic acid.

^d MCPP = 2-(4-Chloro-2-methylphenoxy)propanoic acid.

Table 4.2-1
Sources of Screening Levels for Groundwater
and Surface Water at Los Alamos National Laboratory

Standard Source	Standard Type	Groundwater	Surface Water
DOE Order 5400.5	DOE BCGs	n/a ^a	X ^b
DOE Order 5400.5	DOE 100-mrem Public Dose DCG	X	n/a
DOE Order 5400.5	DOE 4-mrem Drinking Water DCG	X	n/a
40 CFR ^c 141	EPA Primary Drinking Water Standard	X	n/a
EPA Regional Screening Levels for Chemical Contaminants at Superfund Sites	EPA Regional Screening Levels for Tap Water	X	n/a
20 NMAC.3.4	New Mexico Environmental Improvement Board Radiation Protection Standards	X	X
20 NMAC 6.2	NMWQCC Groundwater Standard	X	n/a
20 NMAC 6.4	NMWQCC Irrigation Standard	n/a	X
20 NMAC 6.4	NMWQCC Livestock Watering Standard	n/a	X
20 NMAC 6.4	NMWQCC Wildlife Habitat Standard	n/a	X
20 NMAC 6.4	NMWQCC Aquatic Life Standards Acute	n/a	X
20 NMAC 6.4	NMWQCC Aquatic Life Standards Chronic	n/a	X
20 NMAC 6.4	NMWQCC Human Health Standard	n/a	X

^a n/a = Not applicable.

^b X = Applied to data screen for this report.

^c CFR = Code of Federal Regulations.

Table 4.2-2
Base-Flow Location Type and Hardness Assignments Used to Select Screening Levels

Watershed	Location	Stream Type	Hardness (mg/L as CaCO ₃)
Sandia	Sandia right fork at Power Plant	Perennial	100
Sandia	Sandia below Wetlands	Perennial	100

Table 4.2-3
Mortandad and Sandia Watersheds General Surveillance
Monitoring Group Groundwater Results above Screening Levels

Location	Date	Analyte	Field Prep Code	Result	Unit	Screening Level	Screening-Level Type
Intermediate Groundwater							
n/a*	n/a	No results above screening levels for this PME	n/a	n/a	n/a	n/a	n/a

*n/a = Not applicable.

Appendix A

*Field Parameter Results, Including Results from
Previous Four Monitoring Events if Available*

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-10 S1	874	07/17/13	WG ^a	Dissolved Oxygen	6.07	mg/L	CASA-13-37007
R-10 S1	874	08/22/12	WG	Dissolved Oxygen	5.94	mg/L	CASA-12-21766
R-10 S1	874	08/09/11	WG	Dissolved Oxygen	6.01	mg/L	CASA-11-24769
R-10 S1	874	05/26/11	WG	Dissolved Oxygen	5.94	mg/L	CASA-11-10826
R-10 S1	874	02/15/11	WG	Dissolved Oxygen	6.02	mg/L	CASA-11-4571
R-10 S1	874	07/17/13	WG	Oxidation-Reduction Potential	147.2	mV	CASA-13-37007
R-10 S1	874	08/22/12	WG	Oxidation-Reduction Potential	60.5	mV	CASA-12-21766
R-10 S1	874	08/09/11	WG	Oxidation-Reduction Potential	162	mV	CASA-11-24769
R-10 S1	874	05/26/11	WG	Oxidation-Reduction Potential	181.1	mV	CASA-11-10826
R-10 S1	874	02/15/11	WG	Oxidation-Reduction Potential	112.6	mV	CASA-11-4571
R-10 S1	874	07/17/13	WG	pH	8.14	SU ^b	CASA-13-37007
R-10 S1	874	08/22/12	WG	pH	9.02	SU	CASA-12-21766
R-10 S1	874	08/09/11	WG	pH	8.17	SU	CASA-11-24769
R-10 S1	874	05/26/11	WG	pH	8.16	SU	CASA-11-10826
R-10 S1	874	02/15/11	WG	pH	8.12	SU	CASA-11-4571
R-10 S1	874	07/17/13	WG	Specific Conductance	180	µS/cm	CASA-13-37007
R-10 S1	874	08/22/12	WG	Specific Conductance	157	µS/cm	CASA-12-21766
R-10 S1	874	08/09/11	WG	Specific Conductance	182	µS/cm	CASA-11-24769
R-10 S1	874	05/26/11	WG	Specific Conductance	18.6	µS/cm	CASA-11-10826
R-10 S1	874	02/15/11	WG	Specific Conductance	185	µS/cm	CASA-11-4571
R-10 S1	874	07/17/13	WG	Temperature	23.46	deg C	CASA-13-37007
R-10 S1	874	08/22/12	WG	Temperature	23.35	deg C	CASA-12-21766
R-10 S1	874	08/09/11	WG	Temperature	24.01	deg C	CASA-11-24769
R-10 S1	874	05/26/11	WG	Temperature	23.73	deg C	CASA-11-10826
R-10 S1	874	02/15/11	WG	Temperature	23.39	deg C	CASA-11-4571
R-10 S1	874	07/17/13	WG	Turbidity	0.3	NTU ^c	CASA-13-37007
R-10 S1	874	08/22/12	WG	Turbidity	0.35	NTU	CASA-12-21766
R-10 S1	874	08/09/11	WG	Turbidity	0.43	NTU	CASA-11-24769

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-10 S1	874	05/26/11	WG	Turbidity	0.21	NTU	CASA-11-10826
R-10 S1	874	02/15/11	WG	Turbidity	0.34	NTU	CASA-11-4571
R-10 S2	1042	07/17/13	WG	Dissolved Oxygen	6.33	mg/L	CASA-13-37008
R-10 S2	1042	08/22/12	WG	Dissolved Oxygen	6.28	mg/L	CASA-12-21767
R-10 S2	1042	08/09/11	WG	Dissolved Oxygen	6.16	mg/L	CASA-11-24773
R-10 S2	1042	02/15/11	WG	Dissolved Oxygen	6.25	mg/L	CASA-11-4573
R-10 S2	1042	11/17/10	WG	Dissolved Oxygen	5.36	mg/L	CASA-11-1367
R-10 S2	1042	07/17/13	WG	Oxidation-Reduction Potential	144.1	mV	CASA-13-37008
R-10 S2	1042	08/22/12	WG	Oxidation-Reduction Potential	65.2	mV	CASA-12-21767
R-10 S2	1042	08/09/11	WG	Oxidation-Reduction Potential	156.1	mV	CASA-11-24773
R-10 S2	1042	02/15/11	WG	Oxidation-Reduction Potential	115.8	mV	CASA-11-4573
R-10 S2	1042	11/17/10	WG	Oxidation-Reduction Potential	285.3	mV	CASA-11-1367
R-10 S2	1042	07/17/13	WG	pH	8.08	SU	CASA-13-37008
R-10 S2	1042	08/22/12	WG	pH	8.97	SU	CASA-12-21767
R-10 S2	1042	08/09/11	WG	pH	8.09	SU	CASA-11-24773
R-10 S2	1042	02/15/11	WG	pH	8.06	SU	CASA-11-4573
R-10 S2	1042	11/17/10	WG	pH	7.99	SU	CASA-11-1367
R-10 S2	1042	07/17/13	WG	Specific Conductance	198	µS/cm	CASA-13-37008
R-10 S2	1042	08/22/12	WG	Specific Conductance	176	µS/cm	CASA-12-21767
R-10 S2	1042	08/09/11	WG	Specific Conductance	203	µS/cm	CASA-11-24773
R-10 S2	1042	02/15/11	WG	Specific Conductance	205	µS/cm	CASA-11-4573
R-10 S2	1042	11/17/10	WG	Specific Conductance	202	µS/cm	CASA-11-1367
R-10 S2	1042	07/17/13	WG	Temperature	24.62	deg C	CASA-13-37008
R-10 S2	1042	08/22/12	WG	Temperature	24.87	deg C	CASA-12-21767
R-10 S2	1042	08/09/11	WG	Temperature	25.25	deg C	CASA-11-24773
R-10 S2	1042	02/15/11	WG	Temperature	24.73	deg C	CASA-11-4573
R-10 S2	1042	11/17/10	WG	Temperature	24.05	deg C	CASA-11-1367
R-10 S2	1042	07/17/13	WG	Turbidity	0.8	NTU	CASA-13-37008

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-10 S2	1042	08/22/12	WG	Turbidity	0.86	NTU	CASA-12-21767
R-10 S2	1042	08/09/11	WG	Turbidity	0.72	NTU	CASA-11-24773
R-10 S2	1042	02/15/11	WG	Turbidity	0.6	NTU	CASA-11-4573
R-10 S2	1042	11/17/10	WG	Turbidity	1.1	NTU	CASA-11-1367
R-10a	690	07/17/13	WG	Dissolved Oxygen	5.81	mg/L	CASA-13-37009
R-10a	690	08/22/12	WG	Dissolved Oxygen	5.16	mg/L	CASA-12-21768
R-10a	690	08/09/11	WG	Dissolved Oxygen	5.32	mg/L	CASA-11-24757
R-10a	690	08/09/11	WG	Dissolved Oxygen	5.36	mg/L	CASA-11-24759
R-10a	690	08/09/11	WG	Dissolved Oxygen	5.43	mg/L	CASA-11-24777
R-10a	690	08/09/11	WG	Dissolved Oxygen	4.79	mg/L	CASA-11-24745
R-10a	690	08/09/11	WG	Dissolved Oxygen	5.37	mg/L	CASA-11-24747
R-10a	690	08/09/11	WG	Dissolved Oxygen	5.2	mg/L	CASA-11-24749
R-10a	690	05/26/11	WG	Dissolved Oxygen	5.93	mg/L	CASA-11-10830
R-10a	690	05/26/11	WG	Dissolved Oxygen	5.15	mg/L	CASA-11-11627
R-10a	690	05/26/11	WG	Dissolved Oxygen	5.8	mg/L	CASA-11-11629
R-10a	690	05/26/11	WG	Dissolved Oxygen	5.82	mg/L	CASA-11-11631
R-10a	690	02/15/11	WG	Dissolved Oxygen	5.77	mg/L	CASA-11-4576
R-10a	690	07/17/13	WG	Oxidation-Reduction Potential	98.5	mV	CASA-13-37009
R-10a	690	08/22/12	WG	Oxidation-Reduction Potential	188.9	mV	CASA-12-21768
R-10a	690	08/09/11	WG	Oxidation-Reduction Potential	226	mV	CASA-11-24757
R-10a	690	08/09/11	WG	Oxidation-Reduction Potential	229.2	mV	CASA-11-24759
R-10a	690	08/09/11	WG	Oxidation-Reduction Potential	229.7	mV	CASA-11-24777
R-10a	690	08/09/11	WG	Oxidation-Reduction Potential	219.2	mV	CASA-11-24745
R-10a	690	08/09/11	WG	Oxidation-Reduction Potential	221.5	mV	CASA-11-24747
R-10a	690	08/09/11	WG	Oxidation-Reduction Potential	223.7	mV	CASA-11-24749
R-10a	690	05/26/11	WG	Oxidation-Reduction Potential	254.1	mV	CASA-11-10830
R-10a	690	05/26/11	WG	Oxidation-Reduction Potential	250.4	mV	CASA-11-11627
R-10a	690	05/26/11	WG	Oxidation-Reduction Potential	252.5	mV	CASA-11-11629

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-10a	690	05/26/11	WG	Oxidation-Reduction Potential	255.2	mV	CASA-11-11631
R-10a	690	02/15/11	WG	Oxidation-Reduction Potential	138.1	mV	CASA-11-4576
R-10a	690	07/17/13	WG	pH	7.77	SU	CASA-13-37009
R-10a	690	08/22/12	WG	pH	7.9	SU	CASA-12-21768
R-10a	690	08/09/11	WG	pH	7.96	SU	CASA-11-24757
R-10a	690	08/09/11	WG	pH	7.94	SU	CASA-11-24759
R-10a	690	08/09/11	WG	pH	7.94	SU	CASA-11-24777
R-10a	690	08/09/11	WG	pH	7.95	SU	CASA-11-24745
R-10a	690	08/09/11	WG	pH	7.96	SU	CASA-11-24747
R-10a	690	08/09/11	WG	pH	7.96	SU	CASA-11-24749
R-10a	690	05/26/11	WG	pH	7.97	SU	CASA-11-10830
R-10a	690	05/26/11	WG	pH	7.87	SU	CASA-11-11627
R-10a	690	05/26/11	WG	pH	7.99	SU	CASA-11-11629
R-10a	690	05/26/11	WG	pH	7.98	SU	CASA-11-11631
R-10a	690	02/15/11	WG	pH	8.01	SU	CASA-11-4576
R-10a	690	07/17/13	WG	Specific Conductance	240	µS/cm	CASA-13-37009
R-10a	690	08/22/12	WG	Specific Conductance	218	µS/cm	CASA-12-21768
R-10a	690	08/09/11	WG	Specific Conductance	204	µS/cm	CASA-11-24757
R-10a	690	08/09/11	WG	Specific Conductance	234	µS/cm	CASA-11-24759
R-10a	690	08/09/11	WG	Specific Conductance	233	µS/cm	CASA-11-24777
R-10a	690	08/09/11	WG	Specific Conductance	214	µS/cm	CASA-11-24745
R-10a	690	08/09/11	WG	Specific Conductance	203	µS/cm	CASA-11-24747
R-10a	690	08/09/11	WG	Specific Conductance	219	µS/cm	CASA-11-24749
R-10a	690	05/26/11	WG	Specific Conductance	191	µS/cm	CASA-11-10830
R-10a	690	05/26/11	WG	Specific Conductance	220	µS/cm	CASA-11-11627
R-10a	690	05/26/11	WG	Specific Conductance	204	µS/cm	CASA-11-11629
R-10a	690	05/26/11	WG	Specific Conductance	193	µS/cm	CASA-11-11631
R-10a	690	02/15/11	WG	Specific Conductance	190	µS/cm	CASA-11-4576

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-10a	690	07/17/13	WG	Temperature	20.84	deg C	CASA-13-37009
R-10a	690	08/22/12	WG	Temperature	21.08	deg C	CASA-12-21768
R-10a	690	08/09/11	WG	Temperature	21.91	deg C	CASA-11-24757
R-10a	690	08/09/11	WG	Temperature	21.72	deg C	CASA-11-24759
R-10a	690	08/09/11	WG	Temperature	21.73	deg C	CASA-11-24777
R-10a	690	08/09/11	WG	Temperature	21.3	deg C	CASA-11-24745
R-10a	690	08/09/11	WG	Temperature	21.58	deg C	CASA-11-24747
R-10a	690	08/09/11	WG	Temperature	21.72	deg C	CASA-11-24749
R-10a	690	05/26/11	WG	Temperature	21.27	deg C	CASA-11-10830
R-10a	690	05/26/11	WG	Temperature	20.52	deg C	CASA-11-11627
R-10a	690	05/26/11	WG	Temperature	20.99	deg C	CASA-11-11629
R-10a	690	05/26/11	WG	Temperature	21.18	deg C	CASA-11-11631
R-10a	690	02/15/11	WG	Temperature	20.43	deg C	CASA-11-4576
R-10a	690	07/17/13	WG	Turbidity	3.2	NTU	CASA-13-37009
R-10a	690	08/22/12	WG	Turbidity	0.84	NTU	CASA-12-21768
R-10a	690	08/09/11	WG	Turbidity	0.41	NTU	CASA-11-24757
R-10a	690	08/09/11	WG	Turbidity	0.23	NTU	CASA-11-24759
R-10a	690	08/09/11	WG	Turbidity	1.86	NTU	CASA-11-24777
R-10a	690	08/09/11	WG	Turbidity	0.35	NTU	CASA-11-24745
R-10a	690	08/09/11	WG	Turbidity	0.83	NTU	CASA-11-24747
R-10a	690	08/09/11	WG	Turbidity	0.57	NTU	CASA-11-24749
R-10a	690	05/26/11	WG	Turbidity	1.18	NTU	CASA-11-10830
R-10a	690	05/26/11	WG	Turbidity	0.56	NTU	CASA-11-11627
R-10a	690	05/26/11	WG	Turbidity	0.24	NTU	CASA-11-11629
R-10a	690	05/26/11	WG	Turbidity	0.84	NTU	CASA-11-11631
R-10a	690	02/15/11	WG	Turbidity	2.89	NTU	CASA-11-4576
R-12 S1	459	07/25/13	WG	Dissolved Oxygen	0.16	mg/L	CASA-13-37010
R-12 S1	459	08/20/12	WG	Dissolved Oxygen	0.27	mg/L	CASA-12-21769

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-12 S1	459	06/03/11	WG	Dissolved Oxygen	0.2	mg/L	CASA-11-11638
R-12 S1	459	06/03/11	WG	Dissolved Oxygen	0.24	mg/L	CASA-11-10823
R-12 S1	459	06/03/11	WG	Dissolved Oxygen	0.25	mg/L	CASA-11-11633
R-12 S1	459	06/03/11	WG	Dissolved Oxygen	0.22	mg/L	CASA-11-11635
R-12 S1	459	11/17/10	WG	Dissolved Oxygen	0.45	mg/L	CASA-11-1356
R-12 S1	459	05/05/10	WG	Dissolved Oxygen	0.23	mg/L	CASA-10-16747
R-12 S1	459	07/25/13	WG	Oxidation-Reduction Potential	-112	mV	CASA-13-37010
R-12 S1	459	08/20/12	WG	Oxidation-Reduction Potential	-164	mV	CASA-12-21769
R-12 S1	459	06/03/11	WG	Oxidation-Reduction Potential	-193	mV	CASA-11-11638
R-12 S1	459	06/03/11	WG	Oxidation-Reduction Potential	-177	mV	CASA-11-10823
R-12 S1	459	06/03/11	WG	Oxidation-Reduction Potential	-219	mV	CASA-11-11633
R-12 S1	459	06/03/11	WG	Oxidation-Reduction Potential	-203	mV	CASA-11-11635
R-12 S1	459	11/17/10	WG	Oxidation-Reduction Potential	-174	mV	CASA-11-1356
R-12 S1	459	05/05/10	WG	Oxidation-Reduction Potential	-146	mV	CASA-10-16747
R-12 S1	459	07/25/13	WG	pH	8.4	SU	CASA-13-37010
R-12 S1	459	08/20/12	WG	pH	8.33	SU	CASA-12-21769
R-12 S1	459	06/03/11	WG	pH	8.33	SU	CASA-11-11638
R-12 S1	459	06/03/11	WG	pH	8.32	SU	CASA-11-10823
R-12 S1	459	06/03/11	WG	pH	8.35	SU	CASA-11-11633
R-12 S1	459	06/03/11	WG	pH	8.36	SU	CASA-11-11635
R-12 S1	459	11/17/10	WG	pH	8.14	SU	CASA-11-1356
R-12 S1	459	05/05/10	WG	pH	7.97	SU	CASA-10-16747
R-12 S1	459	07/25/13	WG	Specific Conductance	201	µS/cm	CASA-13-37010
R-12 S1	459	08/20/12	WG	Specific Conductance	272	µS/cm	CASA-12-21769
R-12 S1	459	06/03/11	WG	Specific Conductance	191	µS/cm	CASA-11-11638
R-12 S1	459	06/03/11	WG	Specific Conductance	229	µS/cm	CASA-11-10823
R-12 S1	459	06/03/11	WG	Specific Conductance	157	µS/cm	CASA-11-11633
R-12 S1	459	06/03/11	WG	Specific Conductance	168	µS/cm	CASA-11-11635

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-12 S1	459	11/17/10	WG	Specific Conductance	237	µS/cm	CASA-11-1356
R-12 S1	459	05/05/10	WG	Specific Conductance	244	µS/cm	CASA-10-16747
R-12 S1	459	07/25/13	WG	Temperature	18.76	deg C	CASA-13-37010
R-12 S1	459	08/20/12	WG	Temperature	17.67	deg C	CASA-12-21769
R-12 S1	459	06/03/11	WG	Temperature	18.12	deg C	CASA-11-11638
R-12 S1	459	06/03/11	WG	Temperature	18.18	deg C	CASA-11-10823
R-12 S1	459	06/03/11	WG	Temperature	18.01	deg C	CASA-11-11633
R-12 S1	459	06/03/11	WG	Temperature	18.07	deg C	CASA-11-11635
R-12 S1	459	11/17/10	WG	Temperature	17.7	deg C	CASA-11-1356
R-12 S1	459	05/05/10	WG	Temperature	18.07	deg C	CASA-10-16747
R-12 S1	459	07/25/13	WG	Turbidity	1.2	NTU	CASA-13-37010
R-12 S1	459	08/20/12	WG	Turbidity	0.31	NTU	CASA-12-21769
R-12 S1	459	06/03/11	WG	Turbidity	0.33	NTU	CASA-11-11638
R-12 S1	459	06/03/11	WG	Turbidity	0.34	NTU	CASA-11-10823
R-12 S1	459	06/03/11	WG	Turbidity	0.37	NTU	CASA-11-11633
R-12 S1	459	06/03/11	WG	Turbidity	0.24	NTU	CASA-11-11635
R-12 S1	459	11/17/10	WG	Turbidity	0.58	NTU	CASA-11-1356
R-12 S1	459	05/05/10	WG	Turbidity	0.57	NTU	CASA-10-16747
R-12 S2	504.5	07/22/13	WG	Dissolved Oxygen	4.92	mg/L	CASA-13-37011
R-12 S2	504.5	08/20/12	WG	Dissolved Oxygen	4.55	mg/L	CASA-12-21770
R-12 S2	504.5	05/26/11	WG	Dissolved Oxygen	3.95	mg/L	CASA-11-11642
R-12 S2	504.5	05/26/11	WG	Dissolved Oxygen	3.94	mg/L	CASA-11-11643
R-12 S2	504.5	05/26/11	WG	Dissolved Oxygen	4.42	mg/L	CASA-11-11665
R-12 S2	504.5	05/26/11	WG	Dissolved Oxygen	4.41	mg/L	CASA-11-10824
R-12 S2	504.5	05/26/11	WG	Dissolved Oxygen	2.39	mg/L	CASA-11-11639
R-12 S2	504.5	05/26/11	WG	Dissolved Oxygen	4.43	mg/L	CASA-11-11664
R-12 S2	504.5	11/17/10	WG	Dissolved Oxygen	3.27	mg/L	CASA-11-1359
R-12 S2	504.5	05/17/10	WG	Dissolved Oxygen	2.79	mg/L	CASA-10-16749

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-12 S2	504.5	07/22/13	WG	Oxidation-Reduction Potential	66.9	mV	CASA-13-37011
R-12 S2	504.5	08/20/12	WG	Oxidation-Reduction Potential	-9.3	mV	CASA-12-21770
R-12 S2	504.5	05/26/11	WG	Oxidation-Reduction Potential	-23.9	mV	CASA-11-11642
R-12 S2	504.5	05/26/11	WG	Oxidation-Reduction Potential	-4.7	mV	CASA-11-11643
R-12 S2	504.5	05/26/11	WG	Oxidation-Reduction Potential	-1.5	mV	CASA-11-11665
R-12 S2	504.5	05/26/11	WG	Oxidation-Reduction Potential	2.5	mV	CASA-11-10824
R-12 S2	504.5	05/26/11	WG	Oxidation-Reduction Potential	9.8	mV	CASA-11-11639
R-12 S2	504.5	05/26/11	WG	Oxidation-Reduction Potential	-1.7	mV	CASA-11-11664
R-12 S2	504.5	11/17/10	WG	Oxidation-Reduction Potential	5.1	mV	CASA-11-1359
R-12 S2	504.5	05/17/10	WG	Oxidation-Reduction Potential	354.3	mV	CASA-10-16749
R-12 S2	504.5	07/22/13	WG	pH	8.33	SU	CASA-13-37011
R-12 S2	504.5	08/20/12	WG	pH	8.31	SU	CASA-12-21770
R-12 S2	504.5	05/26/11	WG	pH	8.26	SU	CASA-11-11642
R-12 S2	504.5	05/26/11	WG	pH	8.29	SU	CASA-11-11643
R-12 S2	504.5	05/26/11	WG	pH	8.3	SU	CASA-11-11665
R-12 S2	504.5	05/26/11	WG	pH	8.31	SU	CASA-11-10824
R-12 S2	504.5	05/26/11	WG	pH	8	SU	CASA-11-11639
R-12 S2	504.5	05/26/11	WG	pH	8.3	SU	CASA-11-11664
R-12 S2	504.5	11/17/10	WG	pH	8.25	SU	CASA-11-1359
R-12 S2	504.5	05/17/10	WG	pH	8.13	SU	CASA-10-16749
R-12 S2	504.5	07/22/13	WG	Specific Conductance	172	µS/cm	CASA-13-37011
R-12 S2	504.5	08/20/12	WG	Specific Conductance	171	µS/cm	CASA-12-21770
R-12 S2	504.5	05/26/11	WG	Specific Conductance	164	µS/cm	CASA-11-11642
R-12 S2	504.5	05/26/11	WG	Specific Conductance	164	µS/cm	CASA-11-11643
R-12 S2	504.5	05/26/11	WG	Specific Conductance	174	µS/cm	CASA-11-11665
R-12 S2	504.5	05/26/11	WG	Specific Conductance	173	µS/cm	CASA-11-10824
R-12 S2	504.5	05/26/11	WG	Specific Conductance	164	µS/cm	CASA-11-11639
R-12 S2	504.5	05/26/11	WG	Specific Conductance	174	µS/cm	CASA-11-11664

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-12 S2	504.5	11/17/10	WG	Specific Conductance	170	µS/cm	CASA-11-1359
R-12 S2	504.5	05/17/10	WG	Specific Conductance	164	µS/cm	CASA-10-16749
R-12 S2	504.5	07/22/13	WG	Temperature	20.48	deg C	CASA-13-37011
R-12 S2	504.5	08/20/12	WG	Temperature	19.86	deg C	CASA-12-21770
R-12 S2	504.5	05/26/11	WG	Temperature	20.14	deg C	CASA-11-11642
R-12 S2	504.5	05/26/11	WG	Temperature	20.42	deg C	CASA-11-11643
R-12 S2	504.5	05/26/11	WG	Temperature	20.39	deg C	CASA-11-11665
R-12 S2	504.5	05/26/11	WG	Temperature	20.48	deg C	CASA-11-10824
R-12 S2	504.5	05/26/11	WG	Temperature	18.58	deg C	CASA-11-11639
R-12 S2	504.5	05/26/11	WG	Temperature	20.44	deg C	CASA-11-11664
R-12 S2	504.5	11/17/10	WG	Temperature	19.2	deg C	CASA-11-1359
R-12 S2	504.5	05/17/10	WG	Temperature	20.63	deg C	CASA-10-16749
R-12 S2	504.5	07/22/13	WG	Turbidity	0.4	NTU	CASA-13-37011
R-12 S2	504.5	08/20/12	WG	Turbidity	0.82	NTU	CASA-12-21770
R-12 S2	504.5	05/26/11	WG	Turbidity	0.59	NTU	CASA-11-11642
R-12 S2	504.5	05/26/11	WG	Turbidity	0.66	NTU	CASA-11-11643
R-12 S2	504.5	05/26/11	WG	Turbidity	0.06	NTU	CASA-11-11665
R-12 S2	504.5	05/26/11	WG	Turbidity	0.03	NTU	CASA-11-10824
R-12 S2	504.5	05/26/11	WG	Turbidity	1.41	NTU	CASA-11-11639
R-12 S2	504.5	05/26/11	WG	Turbidity	0.27	NTU	CASA-11-11664
R-12 S2	504.5	11/17/10	WG	Turbidity	0.38	NTU	CASA-11-1359
R-12 S2	504.5	05/17/10	WG	Turbidity	0.63	NTU	CASA-10-16749
R-16 S2	863.4	07/24/13	WG	Dissolved Oxygen	5.83	mg/L	CAMO-13-37034
R-16 S2	863.4	08/09/12	WG	Dissolved Oxygen	5.85	mg/L	CAMO-12-21785
R-16 S2	863.4	08/18/11	WG	Dissolved Oxygen	5.07	mg/L	CAMO-11-24502
R-16 S2	863.4	08/18/11	WG	Dissolved Oxygen	5.64	mg/L	CAMO-11-24504
R-16 S2	863.4	08/18/11	WG	Dissolved Oxygen	5.83	mg/L	CAMO-11-24691
R-16 S2	863.4	08/18/11	WG	Dissolved Oxygen	5.82	mg/L	CAMO-11-24506

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-16 S2	863.4	05/27/11	WG	Dissolved Oxygen	5.53	mg/L	CAMO-11-11326
R-16 S2	863.4	05/27/11	WG	Dissolved Oxygen	4.96	mg/L	CAMO-11-11323
R-16 S2	863.4	05/27/11	WG	Dissolved Oxygen	5.53	mg/L	CAMO-11-11325
R-16 S2	863.4	05/27/11	WG	Dissolved Oxygen	5.78	mg/L	CAMO-11-11327
R-16 S2	863.4	02/16/11	WG	Dissolved Oxygen	5.63	mg/L	CAMO-11-4641
R-16 S2	863.4	07/24/13	WG	Oxidation-Reduction Potential	73.5	mV	CAMO-13-37034
R-16 S2	863.4	08/09/12	WG	Oxidation-Reduction Potential	106.8	mV	CAMO-12-21785
R-16 S2	863.4	08/18/11	WG	Oxidation-Reduction Potential	60.2	mV	CAMO-11-24502
R-16 S2	863.4	08/18/11	WG	Oxidation-Reduction Potential	128	mV	CAMO-11-24504
R-16 S2	863.4	08/18/11	WG	Oxidation-Reduction Potential	145.6	mV	CAMO-11-24691
R-16 S2	863.4	08/18/11	WG	Oxidation-Reduction Potential	145.6	mV	CAMO-11-24506
R-16 S2	863.4	05/27/11	WG	Oxidation-Reduction Potential	94.8	mV	CAMO-11-11326
R-16 S2	863.4	05/27/11	WG	Oxidation-Reduction Potential	42.6	mV	CAMO-11-11323
R-16 S2	863.4	05/27/11	WG	Oxidation-Reduction Potential	94.8	mV	CAMO-11-11325
R-16 S2	863.4	05/27/11	WG	Oxidation-Reduction Potential	115.2	mV	CAMO-11-11327
R-16 S2	863.4	02/16/11	WG	Oxidation-Reduction Potential	81.6	mV	CAMO-11-4641
R-16 S2	863.4	07/24/13	WG	pH	8.24	SU	CAMO-13-37034
R-16 S2	863.4	08/09/12	WG	pH	8.27	SU	CAMO-12-21785
R-16 S2	863.4	08/18/11	WG	pH	8.24	SU	CAMO-11-24502
R-16 S2	863.4	08/18/11	WG	pH	8.22	SU	CAMO-11-24504
R-16 S2	863.4	08/18/11	WG	pH	8.21	SU	CAMO-11-24691
R-16 S2	863.4	08/18/11	WG	pH	8.21	SU	CAMO-11-24506
R-16 S2	863.4	05/27/11	WG	pH	8.17	SU	CAMO-11-11326
R-16 S2	863.4	05/27/11	WG	pH	8.19	SU	CAMO-11-11323
R-16 S2	863.4	05/27/11	WG	pH	8.17	SU	CAMO-11-11325
R-16 S2	863.4	05/27/11	WG	pH	8.16	SU	CAMO-11-11327
R-16 S2	863.4	02/16/11	WG	pH	8.21	SU	CAMO-11-4641
R-16 S2	863.4	07/24/13	WG	Specific Conductance	172	µS/cm	CAMO-13-37034

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-16 S2	863.4	08/09/12	WG	Specific Conductance	174	µS/cm	CAMO-12-21785
R-16 S2	863.4	08/18/11	WG	Specific Conductance	176	µS/cm	CAMO-11-24502
R-16 S2	863.4	08/18/11	WG	Specific Conductance	175	µS/cm	CAMO-11-24504
R-16 S2	863.4	08/18/11	WG	Specific Conductance	174	µS/cm	CAMO-11-24691
R-16 S2	863.4	08/18/11	WG	Specific Conductance	174	µS/cm	CAMO-11-24506
R-16 S2	863.4	05/27/11	WG	Specific Conductance	181	µS/cm	CAMO-11-11326
R-16 S2	863.4	05/27/11	WG	Specific Conductance	184	µS/cm	CAMO-11-11323
R-16 S2	863.4	05/27/11	WG	Specific Conductance	181	µS/cm	CAMO-11-11325
R-16 S2	863.4	05/27/11	WG	Specific Conductance	180	µS/cm	CAMO-11-11327
R-16 S2	863.4	02/16/11	WG	Specific Conductance	164	µS/cm	CAMO-11-4641
R-16 S2	863.4	07/24/13	WG	Temperature	23.75	deg C	CAMO-13-37034
R-16 S2	863.4	08/09/12	WG	Temperature	23.63	deg C	CAMO-12-21785
R-16 S2	863.4	08/18/11	WG	Temperature	22.12	deg C	CAMO-11-24502
R-16 S2	863.4	08/18/11	WG	Temperature	22.41	deg C	CAMO-11-24504
R-16 S2	863.4	08/18/11	WG	Temperature	22.59	deg C	CAMO-11-24691
R-16 S2	863.4	08/18/11	WG	Temperature	22.59	deg C	CAMO-11-24506
R-16 S2	863.4	05/27/11	WG	Temperature	22.92	deg C	CAMO-11-11326
R-16 S2	863.4	05/27/11	WG	Temperature	22.89	deg C	CAMO-11-11323
R-16 S2	863.4	05/27/11	WG	Temperature	22.92	deg C	CAMO-11-11325
R-16 S2	863.4	05/27/11	WG	Temperature	23.06	deg C	CAMO-11-11327
R-16 S2	863.4	02/16/11	WG	Temperature	22.53	deg C	CAMO-11-4641
R-16 S2	863.4	07/24/13	WG	Turbidity	0.9	NTU	CAMO-13-37034
R-16 S2	863.4	08/09/12	WG	Turbidity	0.48	NTU	CAMO-12-21785
R-16 S2	863.4	08/18/11	WG	Turbidity	0.1	NTU	CAMO-11-24502
R-16 S2	863.4	08/18/11	WG	Turbidity	0.24	NTU	CAMO-11-24504
R-16 S2	863.4	08/18/11	WG	Turbidity	0.25	NTU	CAMO-11-24691
R-16 S2	863.4	08/18/11	WG	Turbidity	0.25	NTU	CAMO-11-24506
R-16 S2	863.4	05/27/11	WG	Turbidity	0.38	NTU	CAMO-11-11326

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-16 S2	863.4	05/27/11	WG	Turbidity	0.52	NTU	CAMO-11-11323
R-16 S2	863.4	05/27/11	WG	Turbidity	0.38	NTU	CAMO-11-11325
R-16 S2	863.4	05/27/11	WG	Turbidity	0.44	NTU	CAMO-11-11327
R-16 S2	863.4	02/16/11	WG	Turbidity	0.34	NTU	CAMO-11-4641
R-16 S4	1237	07/25/13	WG	Dissolved Oxygen	3.47	mg/L	CAMO-13-37035
R-16 S4	1237	08/09/12	WG	Dissolved Oxygen	2.85	mg/L	CAMO-12-21786
R-16 S4	1237	08/18/11	WG	Dissolved Oxygen	2.25	mg/L	CAMO-11-24689
R-16 S4	1237	08/18/11	WG	Dissolved Oxygen	0.94	mg/L	CAMO-11-24510
R-16 S4	1237	08/18/11	WG	Dissolved Oxygen	2.03	mg/L	CAMO-11-24512
R-16 S4	1237	08/18/11	WG	Dissolved Oxygen	0.33	mg/L	CAMO-11-24508
R-16 S4	1237	05/27/11	WG	Dissolved Oxygen	1.32	mg/L	CAMO-11-11331
R-16 S4	1237	05/27/11	WG	Dissolved Oxygen	2.24	mg/L	CAMO-11-10760
R-16 S4	1237	05/27/11	WG	Dissolved Oxygen	2.39	mg/L	CAMO-11-11334
R-16 S4	1237	02/16/11	WG	Dissolved Oxygen	2.2	mg/L	CAMO-11-4644
R-16 S4	1237	07/25/13	WG	Oxidation-Reduction Potential	67.8	mV	CAMO-13-37035
R-16 S4	1237	08/09/12	WG	Oxidation-Reduction Potential	54.2	mV	CAMO-12-21786
R-16 S4	1237	08/18/11	WG	Oxidation-Reduction Potential	148.8	mV	CAMO-11-24689
R-16 S4	1237	08/18/11	WG	Oxidation-Reduction Potential	136.4	mV	CAMO-11-24510
R-16 S4	1237	08/18/11	WG	Oxidation-Reduction Potential	146.4	mV	CAMO-11-24512
R-16 S4	1237	08/18/11	WG	Oxidation-Reduction Potential	120.5	mV	CAMO-11-24508
R-16 S4	1237	05/27/11	WG	Oxidation-Reduction Potential	10.4	mV	CAMO-11-11331
R-16 S4	1237	05/27/11	WG	Oxidation-Reduction Potential	58.8	mV	CAMO-11-10760
R-16 S4	1237	05/27/11	WG	Oxidation-Reduction Potential	65.3	mV	CAMO-11-11334
R-16 S4	1237	02/16/11	WG	Oxidation-Reduction Potential	62.6	mV	CAMO-11-4644
R-16 S4	1237	07/25/13	WG	pH	8.09	SU	CAMO-13-37035
R-16 S4	1237	08/09/12	WG	pH	8.18	SU	CAMO-12-21786
R-16 S4	1237	08/18/11	WG	pH	8.17	SU	CAMO-11-24689
R-16 S4	1237	08/18/11	WG	pH	8.14	SU	CAMO-11-24510

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-16 S4	1237	08/18/11	WG	pH	8.17	SU	CAMO-11-24512
R-16 S4	1237	08/18/11	WG	pH	8.37	SU	CAMO-11-24508
R-16 S4	1237	05/27/11	WG	pH	8.15	SU	CAMO-11-11331
R-16 S4	1237	05/27/11	WG	pH	8.16	SU	CAMO-11-10760
R-16 S4	1237	05/27/11	WG	pH	8.15	SU	CAMO-11-11334
R-16 S4	1237	02/16/11	WG	pH	8.22	SU	CAMO-11-4644
R-16 S4	1237	07/25/13	WG	Specific Conductance	182	µS/cm	CAMO-13-37035
R-16 S4	1237	08/09/12	WG	Specific Conductance	184	µS/cm	CAMO-12-21786
R-16 S4	1237	08/18/11	WG	Specific Conductance	186	µS/cm	CAMO-11-24689
R-16 S4	1237	08/18/11	WG	Specific Conductance	190	µS/cm	CAMO-11-24510
R-16 S4	1237	08/18/11	WG	Specific Conductance	187	µS/cm	CAMO-11-24512
R-16 S4	1237	08/18/11	WG	Specific Conductance	200	µS/cm	CAMO-11-24508
R-16 S4	1237	05/27/11	WG	Specific Conductance	197	µS/cm	CAMO-11-11331
R-16 S4	1237	05/27/11	WG	Specific Conductance	193	µS/cm	CAMO-11-10760
R-16 S4	1237	05/27/11	WG	Specific Conductance	193	µS/cm	CAMO-11-11334
R-16 S4	1237	02/16/11	WG	Specific Conductance	189	µS/cm	CAMO-11-4644
R-16 S4	1237	07/25/13	WG	Temperature	22.71	deg C	CAMO-13-37035
R-16 S4	1237	08/09/12	WG	Temperature	22.57	deg C	CAMO-12-21786
R-16 S4	1237	08/18/11	WG	Temperature	22.59	deg C	CAMO-11-24689
R-16 S4	1237	08/18/11	WG	Temperature	22.44	deg C	CAMO-11-24510
R-16 S4	1237	08/18/11	WG	Temperature	22.62	deg C	CAMO-11-24512
R-16 S4	1237	08/18/11	WG	Temperature	22.26	deg C	CAMO-11-24508
R-16 S4	1237	05/27/11	WG	Temperature	21.95	deg C	CAMO-11-11331
R-16 S4	1237	05/27/11	WG	Temperature	22.24	deg C	CAMO-11-10760
R-16 S4	1237	05/27/11	WG	Temperature	22.17	deg C	CAMO-11-11334
R-16 S4	1237	02/16/11	WG	Temperature	20.96	deg C	CAMO-11-4644
R-16 S4	1237	07/25/13	WG	Turbidity	0.16	NTU	CAMO-13-37035
R-16 S4	1237	08/09/12	WG	Turbidity	0.21	NTU	CAMO-12-21786

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-16 S4	1237	08/18/11	WG	Turbidity	0.37	NTU	CAMO-11-24689
R-16 S4	1237	08/18/11	WG	Turbidity	0.6	NTU	CAMO-11-24510
R-16 S4	1237	08/18/11	WG	Turbidity	0.37	NTU	CAMO-11-24512
R-16 S4	1237	08/18/11	WG	Turbidity	0.41	NTU	CAMO-11-24508
R-16 S4	1237	05/27/11	WG	Turbidity	0.36	NTU	CAMO-11-11331
R-16 S4	1237	05/27/11	WG	Turbidity	0.11	NTU	CAMO-11-10760
R-16 S4	1237	05/27/11	WG	Turbidity	0.23	NTU	CAMO-11-11334
R-16 S4	1237	02/16/11	WG	Turbidity	0.2	NTU	CAMO-11-4644
R-16r	600	07/24/13	WG	Dissolved Oxygen	6.46	mg/L	CAMO-13-37036
R-16r	600	08/09/12	WG	Dissolved Oxygen	6.35	mg/L	CAMO-12-21787
R-16r	600	08/10/11	WG	Dissolved Oxygen	6.53	mg/L	CAMO-11-24514
R-16r	600	08/10/11	WG	Dissolved Oxygen	6.56	mg/L	CAMO-11-24516
R-16r	600	08/10/11	WG	Dissolved Oxygen	6.53	mg/L	CAMO-11-24518
R-16r	600	08/10/11	WG	Dissolved Oxygen	6.53	mg/L	CAMO-11-24681
R-16r	600	05/20/11	WG	Dissolved Oxygen	6.57	mg/L	CAMO-11-10750
R-16r	600	05/20/11	WG	Dissolved Oxygen	6.58	mg/L	CAMO-11-11335
R-16r	600	05/20/11	WG	Dissolved Oxygen	6.65	mg/L	CAMO-11-11458
R-16r	600	05/20/11	WG	Dissolved Oxygen	6.5	mg/L	CAMO-11-11460
R-16r	600	05/20/11	WG	Dissolved Oxygen	6.57	mg/L	CAMO-11-10752
R-16r	600	02/16/11	WG	Dissolved Oxygen	6	mg/L	CAMO-11-4647
R-16r	600	07/24/13	WG	Oxidation-Reduction Potential	72.1	mV	CAMO-13-37036
R-16r	600	08/09/12	WG	Oxidation-Reduction Potential	92.3	mV	CAMO-12-21787
R-16r	600	08/10/11	WG	Oxidation-Reduction Potential	202.3	mV	CAMO-11-24514
R-16r	600	08/10/11	WG	Oxidation-Reduction Potential	198.2	mV	CAMO-11-24516
R-16r	600	08/10/11	WG	Oxidation-Reduction Potential	196.4	mV	CAMO-11-24518
R-16r	600	08/10/11	WG	Oxidation-Reduction Potential	196.4	mV	CAMO-11-24681
R-16r	600	05/20/11	WG	Oxidation-Reduction Potential	238.6	mV	CAMO-11-10750
R-16r	600	05/20/11	WG	Oxidation-Reduction Potential	244.7	mV	CAMO-11-11335

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-16r	600	05/20/11	WG	Oxidation-Reduction Potential	238.9	mV	CAMO-11-11460
R-16r	600	05/20/11	WG	Oxidation-Reduction Potential	238.6	mV	CAMO-11-10752
R-16r	600	02/16/11	WG	Oxidation-Reduction Potential	161.2	mV	CAMO-11-4647
R-16r	600	07/24/13	WG	pH	8.09	SU	CAMO-13-37036
R-16r	600	08/09/12	WG	pH	8.08	SU	CAMO-12-21787
R-16r	600	08/10/11	WG	pH	8.21	SU	CAMO-11-24514
R-16r	600	08/10/11	WG	pH	8.22	SU	CAMO-11-24516
R-16r	600	08/10/11	WG	pH	8.22	SU	CAMO-11-24518
R-16r	600	08/10/11	WG	pH	8.22	SU	CAMO-11-24681
R-16r	600	05/20/11	WG	pH	8.23	SU	CAMO-11-10750
R-16r	600	05/20/11	WG	pH	8.24	SU	CAMO-11-11335
R-16r	600	05/20/11	WG	pH	8.23	SU	CAMO-11-11458
R-16r	600	05/20/11	WG	pH	8.22	SU	CAMO-11-11460
R-16r	600	05/20/11	WG	pH	8.23	SU	CAMO-11-10752
R-16r	600	02/16/11	WG	pH	8.22	SU	CAMO-11-4647
R-16r	600	07/24/13	WG	Specific Conductance	182	µS/cm	CAMO-13-37036
R-16r	600	08/09/12	WG	Specific Conductance	180	µS/cm	CAMO-12-21787
R-16r	600	08/10/11	WG	Specific Conductance	181	µS/cm	CAMO-11-24514
R-16r	600	08/10/11	WG	Specific Conductance	181	µS/cm	CAMO-11-24516
R-16r	600	08/10/11	WG	Specific Conductance	181	µS/cm	CAMO-11-24518
R-16r	600	08/10/11	WG	Specific Conductance	181	µS/cm	CAMO-11-24681
R-16r	600	05/20/11	WG	Specific Conductance	181	µS/cm	CAMO-11-10750
R-16r	600	05/20/11	WG	Specific Conductance	182	µS/cm	CAMO-11-11335
R-16r	600	05/20/11	WG	Specific Conductance	182	µS/cm	CAMO-11-11458
R-16r	600	05/20/11	WG	Specific Conductance	182	µS/cm	CAMO-11-11460
R-16r	600	05/20/11	WG	Specific Conductance	181	µS/cm	CAMO-11-10752
R-16r	600	02/16/11	WG	Specific Conductance	179	µS/cm	CAMO-11-4647
R-16r	600	07/24/13	WG	Temperature	21.37	deg C	CAMO-13-37036

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-16r	600	08/09/12	WG	Temperature	21.46	deg C	CAMO-12-21787
R-16r	600	08/10/11	WG	Temperature	20.47	deg C	CAMO-11-24514
R-16r	600	08/10/11	WG	Temperature	20.75	deg C	CAMO-11-24516
R-16r	600	08/10/11	WG	Temperature	20.88	deg C	CAMO-11-24518
R-16r	600	08/10/11	WG	Temperature	20.88	deg C	CAMO-11-24681
R-16r	600	05/20/11	WG	Temperature	19.98	deg C	CAMO-11-10750
R-16r	600	05/20/11	WG	Temperature	19.99	deg C	CAMO-11-11335
R-16r	600	05/20/11	WG	Temperature	20.06	deg C	CAMO-11-11458
R-16r	600	05/20/11	WG	Temperature	19.96	deg C	CAMO-11-11460
R-16r	600	05/20/11	WG	Temperature	19.98	deg C	CAMO-11-10752
R-16r	600	02/16/11	WG	Temperature	20.62	deg C	CAMO-11-4647
R-16r	600	07/24/13	WG	Turbidity	0.2	NTU	CAMO-13-37036
R-16r	600	08/09/12	WG	Turbidity	0.6	NTU	CAMO-12-21787
R-16r	600	08/10/11	WG	Turbidity	0.52	NTU	CAMO-11-24514
R-16r	600	08/10/11	WG	Turbidity	0.43	NTU	CAMO-11-24516
R-16r	600	08/10/11	WG	Turbidity	0.29	NTU	CAMO-11-24518
R-16r	600	08/10/11	WG	Turbidity	0.29	NTU	CAMO-11-24681
R-16r	600	05/20/11	WG	Turbidity	0.24	NTU	CAMO-11-10750
R-16r	600	05/20/11	WG	Turbidity	0.87	NTU	CAMO-11-11335
R-16r	600	05/20/11	WG	Turbidity	0.41	NTU	CAMO-11-11458
R-16r	600	05/20/11	WG	Turbidity	0.16	NTU	CAMO-11-11460
R-16r	600	05/20/11	WG	Turbidity	0.24	NTU	CAMO-11-10752
R-16r	600	02/16/11	WG	Turbidity	0.64	NTU	CAMO-11-4647
R-33 S1	995.5	07/10/13	WG	Dissolved Oxygen	5.02	mg/L	CAMO-13-37037
R-33 S1	995.5	08/21/12	WG	Dissolved Oxygen	5.12	mg/L	CAMO-12-21788
R-33 S1	995.5	08/04/11	WG	Dissolved Oxygen	5.19	mg/L	CAMO-11-24664
R-33 S1	995.5	05/16/11	WG	Dissolved Oxygen	5.04	mg/L	CAMO-11-10762
R-33 S1	995.5	02/10/11	WG	Dissolved Oxygen	5.02	mg/L	CAMO-11-4661

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-33 S1	995.5	07/10/13	WG	Oxidation-Reduction Potential	61.3	mV	CAMO-13-37037
R-33 S1	995.5	08/21/12	WG	Oxidation-Reduction Potential	122.3	mV	CAMO-12-21788
R-33 S1	995.5	08/04/11	WG	Oxidation-Reduction Potential	232.1	mV	CAMO-11-24664
R-33 S1	995.5	05/16/11	WG	Oxidation-Reduction Potential	136.2	mV	CAMO-11-10762
R-33 S1	995.5	02/10/11	WG	Oxidation-Reduction Potential	88.5	mV	CAMO-11-4661
R-33 S1	995.5	07/10/13	WG	pH	7.54	SU	CAMO-13-37037
R-33 S1	995.5	08/21/12	WG	pH	7.43	SU	CAMO-12-21788
R-33 S1	995.5	08/04/11	WG	pH	7.48	SU	CAMO-11-24664
R-33 S1	995.5	05/16/11	WG	pH	7.52	SU	CAMO-11-10762
R-33 S1	995.5	02/10/11	WG	pH	7.56	SU	CAMO-11-4661
R-33 S1	995.5	07/10/13	WG	Specific Conductance	145	µS/cm	CAMO-13-37037
R-33 S1	995.5	08/21/12	WG	Specific Conductance	145	µS/cm	CAMO-12-21788
R-33 S1	995.5	08/04/11	WG	Specific Conductance	144	µS/cm	CAMO-11-24664
R-33 S1	995.5	05/16/11	WG	Specific Conductance	146	µS/cm	CAMO-11-10762
R-33 S1	995.5	02/10/11	WG	Specific Conductance	144	µS/cm	CAMO-11-4661
R-33 S1	995.5	07/10/13	WG	Temperature	22.19	deg C	CAMO-13-37037
R-33 S1	995.5	08/21/12	WG	Temperature	21.62	deg C	CAMO-12-21788
R-33 S1	995.5	08/04/11	WG	Temperature	21.83	deg C	CAMO-11-24664
R-33 S1	995.5	05/16/11	WG	Temperature	21.87	deg C	CAMO-11-10762
R-33 S1	995.5	02/10/11	WG	Temperature	21.03	deg C	CAMO-11-4661
R-33 S1	995.5	07/10/13	WG	Turbidity	0.7	NTU	CAMO-13-37037
R-33 S1	995.5	08/21/12	WG	Turbidity	0.38	NTU	CAMO-12-21788
R-33 S1	995.5	08/04/11	WG	Turbidity	0.39	NTU	CAMO-11-24664
R-33 S1	995.5	05/16/11	WG	Turbidity	0.49	NTU	CAMO-11-10762
R-33 S1	995.5	02/10/11	WG	Turbidity	0.24	NTU	CAMO-11-4661
R-33 S2	1112.4	07/11/13	WG	Dissolved Oxygen	6.62	mg/L	CAMO-13-37038
R-33 S2	1112.4	08/21/12	WG	Dissolved Oxygen	6.54	mg/L	CAMO-12-21789
R-33 S2	1112.4	08/04/11	WG	Dissolved Oxygen	6.57	mg/L	CAMO-11-24669

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-33 S2	1112.4	05/16/11	WG	Dissolved Oxygen	6.38	mg/L	CAMO-11-10768
R-33 S2	1112.4	02/11/11	WG	Dissolved Oxygen	6.53	mg/L	CAMO-11-4667
R-33 S2	1112.4	07/11/13	WG	Oxidation-Reduction Potential	69.2	mV	CAMO-13-37038
R-33 S2	1112.4	08/21/12	WG	Oxidation-Reduction Potential	149.4	mV	CAMO-12-21789
R-33 S2	1112.4	08/04/11	WG	Oxidation-Reduction Potential	244.8	mV	CAMO-11-24669
R-33 S2	1112.4	05/16/11	WG	Oxidation-Reduction Potential	117.5	mV	CAMO-11-10768
R-33 S2	1112.4	02/11/11	WG	Oxidation-Reduction Potential	82.1	mV	CAMO-11-4667
R-33 S2	1112.4	07/11/13	WG	pH	7.63	SU	CAMO-13-37038
R-33 S2	1112.4	08/21/12	WG	pH	7.71	SU	CAMO-12-21789
R-33 S2	1112.4	08/04/11	WG	pH	7.67	SU	CAMO-11-24669
R-33 S2	1112.4	05/16/11	WG	pH	7.7	SU	CAMO-11-10768
R-33 S2	1112.4	02/11/11	WG	pH	7.77	SU	CAMO-11-4667
R-33 S2	1112.4	07/11/13	WG	Specific Conductance	144	µS/cm	CAMO-13-37038
R-33 S2	1112.4	08/21/12	WG	Specific Conductance	142	µS/cm	CAMO-12-21789
R-33 S2	1112.4	08/04/11	WG	Specific Conductance	137	µS/cm	CAMO-11-24669
R-33 S2	1112.4	05/16/11	WG	Specific Conductance	143	µS/cm	CAMO-11-10768
R-33 S2	1112.4	02/11/11	WG	Specific Conductance	144	µS/cm	CAMO-11-4667
R-33 S2	1112.4	07/11/13	WG	Temperature	21.71	deg C	CAMO-13-37038
R-33 S2	1112.4	08/21/12	WG	Temperature	21.15	deg C	CAMO-12-21789
R-33 S2	1112.4	08/04/11	WG	Temperature	21.61	deg C	CAMO-11-24669
R-33 S2	1112.4	05/16/11	WG	Temperature	22.28	deg C	CAMO-11-10768
R-33 S2	1112.4	02/11/11	WG	Temperature	20.93	deg C	CAMO-11-4667
R-33 S2	1112.4	07/11/13	WG	Turbidity	0.31	NTU	CAMO-13-37038
R-33 S2	1112.4	08/21/12	WG	Turbidity	0.52	NTU	CAMO-12-21789
R-33 S2	1112.4	08/04/11	WG	Turbidity	0.43	NTU	CAMO-11-24669
R-33 S2	1112.4	05/16/11	WG	Turbidity	0.35	NTU	CAMO-11-10768
R-33 S2	1112.4	02/11/11	WG	Turbidity	0.32	NTU	CAMO-11-4667
R-34	883.7	07/17/13	WG	Dissolved Oxygen	6.85	mg/L	CAMO-13-37039

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-34	883.7	05/15/13	WG	Dissolved Oxygen	6.26	mg/L	CAMO-13-30614
R-34	883.7	02/13/13	WG	Dissolved Oxygen	7.23	mg/L	CAMO-13-28423
R-34	883.7	11/14/12	WG	Dissolved Oxygen	5.64	mg/L	CAMO-13-24277
R-34	883.7	08/23/12	WG	Dissolved Oxygen	5.54	mg/L	CAMO-12-21790
R-34	883.7	07/17/13	WG	Oxidation-Reduction Potential	83.7	mV	CAMO-13-37039
R-34	883.7	05/15/13	WG	Oxidation-Reduction Potential	91.8	mV	CAMO-13-30614
R-34	883.7	02/13/13	WG	Oxidation-Reduction Potential	50.7	mV	CAMO-13-28423
R-34	883.7	11/14/12	WG	Oxidation-Reduction Potential	162.7	mV	CAMO-13-24277
R-34	883.7	08/23/12	WG	Oxidation-Reduction Potential	212.3	mV	CAMO-12-21790
R-34	883.7	07/17/13	WG	pH	8.06	SU	CAMO-13-37039
R-34	883.7	05/15/13	WG	pH	8.3	SU	CAMO-13-30614
R-34	883.7	02/13/13	WG	pH	8.34	SU	CAMO-13-28423
R-34	883.7	11/14/12	WG	pH	8.36	SU	CAMO-13-24277
R-34	883.7	08/23/12	WG	pH	8.36	SU	CAMO-12-21790
R-34	883.7	07/17/13	WG	Specific Conductance	160	µS/cm	CAMO-13-37039
R-34	883.7	05/15/13	WG	Specific Conductance	152	µS/cm	CAMO-13-30614
R-34	883.7	02/13/13	WG	Specific Conductance	156	µS/cm	CAMO-13-28423
R-34	883.7	11/14/12	WG	Specific Conductance	150	µS/cm	CAMO-13-24277
R-34	883.7	08/23/12	WG	Specific Conductance	152	µS/cm	CAMO-12-21790
R-34	883.7	07/17/13	WG	Temperature	22.34	deg C	CAMO-13-37039
R-34	883.7	05/15/13	WG	Temperature	21.71	deg C	CAMO-13-30614
R-34	883.7	02/13/13	WG	Temperature	20.43	deg C	CAMO-13-28423
R-34	883.7	11/14/12	WG	Temperature	20.95	deg C	CAMO-13-24277
R-34	883.7	08/23/12	WG	Temperature	22.45	deg C	CAMO-12-21790
R-34	883.7	07/17/13	WG	Turbidity	1.5	NTU	CAMO-13-37039
R-34	883.7	05/15/13	WG	Turbidity	0.9	NTU	CAMO-13-30614
R-34	883.7	02/13/13	WG	Turbidity	2.82	NTU	CAMO-13-28423
R-34	883.7	11/14/12	WG	Turbidity	1.27	NTU	CAMO-13-24277

Location	Depth (ft)	Date	Field Matrix	Analyte	Result	Unit	Sample
R-34	883.7	08/23/12	WG	Turbidity	1.55	NTU	CAMO-12-21790
Sandia right fork at Pwr Plant	— ^d	07/22/13	WS ^e	Dissolved Oxygen	7.16	mg/L	CASA-13-37013
Sandia right fork at Pwr Plant	—	05/19/11	WS	Dissolved Oxygen	7.43	mg/L	CASA-11-10791
Sandia right fork at Pwr Plant	—	11/09/10	WS	Dissolved Oxygen	7.56	mg/L	CASA-11-1337
Sandia right fork at Pwr Plant	—	07/12/10	WS	Dissolved Oxygen	7.37	mg/L	CASA-10-22569
Sandia right fork at Pwr Plant	—	05/07/10	WS	Dissolved Oxygen	7.28	mg/L	CASA-10-16680
Sandia right fork at Pwr Plant	—	07/22/13	WS	pH	8	SU	CASA-13-37013
Sandia right fork at Pwr Plant	—	05/19/11	WS	pH	8.29	SU	CASA-11-10791
Sandia right fork at Pwr Plant	—	11/09/10	WS	pH	8.23	SU	CASA-11-1337
Sandia right fork at Pwr Plant	—	07/12/10	WS	pH	8.18	SU	CASA-10-22569
Sandia right fork at Pwr Plant	—	05/07/10	WS	pH	8.13	SU	CASA-10-16680
Sandia right fork at Pwr Plant	—	07/22/13	WS	Specific Conductance	346	µS/cm	CASA-13-37013
Sandia right fork at Pwr Plant	—	05/19/11	WS	Specific Conductance	593	µS/cm	CASA-11-10791
Sandia right fork at Pwr Plant	—	11/09/10	WS	Specific Conductance	708	µS/cm	CASA-11-1337
Sandia right fork at Pwr Plant	—	07/12/10	WS	Specific Conductance	603	µS/cm	CASA-10-22569
Sandia right fork at Pwr Plant	—	05/07/10	WS	Specific Conductance	468	µS/cm	CASA-10-16680
Sandia right fork at Pwr Plant	—	07/22/13	WS	Temperature	20.22	deg C	CASA-13-37013
Sandia right fork at Pwr Plant	—	05/19/11	WS	Temperature	16.6	deg C	CASA-11-10791
Sandia right fork at Pwr Plant	—	11/09/10	WS	Temperature	15.97	deg C	CASA-11-1337
Sandia right fork at Pwr Plant	—	07/12/10	WS	Temperature	22.21	deg C	CASA-10-22569
Sandia right fork at Pwr Plant	—	05/07/10	WS	Temperature	17.39	deg C	CASA-10-16680

^a WG = Groundwater.^b SU = Standard unit.^c NTU = Nephelometric turbidity unit.^d — = Not applicable.^e WS = Base flow.

Appendix B

*Groundwater-Elevation Measurements
(on CD included with this document)*

Appendix C

*Analytical Chemistry Results, Including Results from
Previous Four Monitoring Events if Available*

The following pages provide lists of (1) acronyms, abbreviations, symbols, and various analytical codes; (2) analytical laboratory qualifier codes; and (3) secondary validation flag codes that may be used in Appendix C. Please note that these are comprehensive lists, and this periodic monitoring report may not include all of the terms in the lists.

Acronyms and Abbreviations

Acronym, Abbreviation, or Symbol	Description
Miscellaneous	
%	percent
%D	percent difference
%R	percent recovery
%RSD	percent relative standard deviation
<	Based on qualifiers, the result was a nondetection.
—	none
4,4'-DDD	4,4'-dichlorodiphenyldichloroethane
4,4'-DDT	4,4'-dichlorodiphenyltrichloroethane
BHC	benzene hexachloride
CB	chlorinated biphenyl
CCB	continuing calibration blank
CCV	continuing calibration verification
CLP	Control Laboratory Program
CRDL	contract-required detection limit
CRI	CDRL check standard
DCG	Derived Concentration Guide (DOE)
DDE	dichlorodiphenyldichloroethylene
DNX	dinitroso-RDX (or hexahydro-1,3-dinitroso-5-nitro-1,3,5-triazine)
DOE	Department of Energy (U.S.)
DQO	data quality objective
EPA	Environmental Protection Agency (U.S.)
GC	gas chromatography
GC/MS	gas chromatography/mass spectrometry
GFAA	graphite furnace atomic absorption
GFPC	gas-flow proportional counter
GW	groundwater
HH OO	Human Health—Organism Only (NMWQCC standard)
HMX	1,3,5,7-tetranitro-1,3,5,7-tetrazocine
HPLC	high-pressure liquid chromatography
ICAL	initial calibration
ICPAES	inductively coupled plasma atomic (optical) emission spectroscopy
ICV	initial calibration verification
IDL	instrument detection limit

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Miscellaneous (continued)	
IS	internal standard
LAL	lower acceptance limit
LANL	Los Alamos National Laboratory
LCS	laboratory control sample
LLEE	low-level electrolytic extraction
LOC	level of chlorination
LSC	liquid scintillation counting
Lvl	level
MCL	maximum contaminant level (EPA)
MDA	minimum detectable activity
MDC	minimum detectable concentration
MDL	method detection limit
MNX	mononitroso-RDX (or hexahydro-1-nitroso-3,5-dinitro-1,3,5-triazine)
MS	matrix spike
MSD	matrix spike duplicate
NM	NMWQCC
NMED	New Mexico Environmental Department
NMWQCC	New Mexico Water Quality Control Commission
OPR	ongoing precision recovery
PCB	polychlorinated biphenyl
PCDD	polychlorinated dibenzo-p-dioxin
PCDF	polychlorinated dibenzofuran
PQL	practical quantitation limit
Prelim	preliminary
QC	quality control
RDX	hexahydro-1,3,5-trinitro-1,3,5-triazine
RF	response factor
RL	reporting limit
RPD	relative percent difference
RRF	relative response factor
RRT	relative retention time
RT	retention time
Scr	screening
SDG	sample delivery group
SMO	Sample Management Office
SSC	suspended sediment concentration
SU	standard unit
TCDD	tetrachlorodibenzo-p-dioxin

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Miscellaneous (continued)	
TCDF	tetrachlorodibenzofuran
TDS	total dissolved solids
TPH-DRO	total petroleum hydrocarbons—diesel range organics
TNX	trinitroso-RDX (or hexahydro-1,3,5-trinitroso-1,3,5-triazine)
TPU	total propagated uncertainty
UAL	upper acceptance limit
Field Matrix Codes	
W	water
WG	groundwater
WM	snowmelt
WP	persistent flow
WS	base flow
WT	storm runoff
Field Prep Codes	
F	filtered
UF	unfiltered
Lab Sample Type Codes	
CS	client sample
DL	dilution
DUP	duplicate
INIT	initial
RE	reanalysis
REDL	reanalysis dilution
REDP	reanalysis duplicate
RI	reissue
TRP	triplicate
Field QC Type Codes	
EQB	equipment rinsate blank
FB	field blank
FD	field duplicate
FR	field rinsate
FS	field split
FTB	field trip blank
FTR	field triplicate
INB	equipment blank taken during installation and not associated with a sampling event
ITB	trip blank taken during installation and not associated with a sampling event
NA	not applicable
PEB	performance evaluation blank

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Field QC Type Codes (continued)	
PEK	performance evaluation known
REG	regular
RES	resample
SS	special sampling event, data unique
SS-EQB	equipment blank of special sampling event, data unique
SS-FB	field blank of special sampling event, data unique
SS-FD	field duplicate of special sampling event, data unique
SS-FTB	field trip blank of special sampling event, data unique
Analytical Suite Codes	
DIOX/FUR, Diox/Fur	dioxins and furans
DRO	diesel range organics
Geninorg, GENINORG, General Chemistry	general inorganics
GRO	gasoline range organics
HERB	herbicides
HEXP	high explosives
INORGANIC	inorganics
ISOTOPE, Isotope	isotope ratios
LCMS/MS	liquid chromatography mass spectrometry/mass spectrometry
METALS, Metals	metals
PEST/PCB, PESTPCB	pesticides and PCBs
RAD, Rad	radiochemistry
SVOC, SVOA	semivolatile organic compounds
VOC, VOA	volatile organic compounds
Detect Flag and Best Value Flag Codes	
N	no
Y	yes
Lab Codes	
ALTC	Alta Analytical Laboratory, Inc., San Diego, CA
ARSL	American Radiation Services, Inc.
CFA	Cape Fear Analytical, LLC, Wilmington, NC
C-INC	Isotope and Nuclear Chemistry Division (LANL)
COAST	Coastal Science Laboratories, Austin, TX
CST	Chemical Sciences and Technology Division (LANL)
EES6	Hydrology, Geochemistry, and Geology Group (LANL)
ESE	Environmental Sciences & Engineering, Inc., Gainesville, FL
FLD	measurement taken in field
GEL	General Engineering Laboratories, Inc.

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Lab Codes (continued)	
GELC	General Engineering Laboratories, Inc., Charleston, SC
GEO	Geochron Laboratories, Boston, MA
HENV	Health and Environmental Laboratory (Johnson Controls, Northern New Mexico)
HUFFMAN	Huffman Laboratories, Inc., Golden, CO
KA	KEMRON Environmental Services, Inc., Vienna, VA
LVLI	Lionville Laboratory, Inc., Philadelphia, PA
PARA	Paragon Analytics, Inc., Salt Lake City, UT
PEC	Pacific Ecorisk Laboratories, Fairfield, CA
QESL	Quanterra Environmental Services, St. Louis, MO
QST	QST Environmental, Newberry, FL
RECRAP	RCRA Labnet, Lionville, PA
RFWC	Roy F. Weston, Inc., West Chester, PA
SGSW	Paradigm Analytical Laboratories, Inc., Wilmington, NC
SILENS	Stable Isotope Laboratory, Woods Hole, MA
STL2, STR	Severn Trent Laboratories, Inc., Richland, WA (historical)
STLA	Severn Trent Laboratories, Inc., Los Angeles, CA
STSL	Severn Trent Laboratories, Inc., St. Louis, MO
SwRI	Southwest Research Institute, San Antonio, TX
UAZ	University of Arizona, Tucson
UIL	University of Illinois, Urbana-Champaign
UMTL	University of Miami Tritium Lab

Note: A combination of analytical laboratory qualifier codes means that several codes apply.

Analytical Laboratory Qualifier Codes

Code	Description
*	(Inorganic)—Duplicate analysis (relative percent difference [RPD]) not within control limits.
B	(Organic) —Analyte was present in the blank and the sample. (Inorganic) —Reported value was obtained from a reading that was less than the contract-required detection limit (CRDL) but greater than or equal to the instrument detection limit (IDL).
BJ	See B code and see J code.
BJP	See B code, see J code, and see P code.
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the IDL but less than the CRDL. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary gas chromatography (GC) columns were greater than 25% difference. (P) (SW-846 EPA Method 8310, High-Pressure Liquid Chromatography, [HPLC] Results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
D	The result for this analyte was reported from a dilution.
DJ	See D code and see J code.
DNA	Did not analyze because equipment was broken.
E	(Organic) Analyte exceeded the concentration range. (Inorganic) The serial dilution was exceeded.
E*	See E code and see * code.
EJ	See E code and see J code.
EJ*	See E code, see J code, and see * code.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma atomic [optical] emission spectroscopy [ICPAES])—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption [GFAA])—The result for this analyte failed one or more Control Laboratory Program (CLP) acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike (MS) sample was outside acceptance criteria.
EN	See E code and see N code.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICPAES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a TIC. (N) (Inorganic)—The result for this analyte in the MS sample was outside acceptance criteria. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
H	(Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.

Analytical Laboratory Qualifier Codes (continued)

Code	Description
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ	See H code and see J code.
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
INS	(d15N)—The d15N of nitrate is a signature of the nitrate present in a sample. Therefore, nitrate has to be present to have a signature. A d15N value cannot be given to a blank because the blank does not have nitrate. This is different from most analytical methods, where a blank is run with the designator “nondetect” or “detected, but below detection limit.”
J	(Inorganic)—The associated numerical value is an estimated quantity. (Organic)—The associated numerical value is an estimated quantity.
J*	See J code and see * code.
JB	See J code and see B code
JN	See J code and see N code.
JN*	See J code, see N code, and see * code.
JP	See J code and see P code.
N	(Inorganic)—Spiked sample recovery was not within control limits.
N*	See N code and see * code.
N*E	See N code, see * code, and see E code.
NE	See N code and see E code.
P	Percent difference between the results on the two columns during the analysis differed by more than 40%.
PJ	See P code and see J code.
Q	One or more quality control criteria have not been met. Refer to the applicable narrative or data exception report.
U	The material was analyzed for but was not detected above the level of the associated numeric value.
U*	See U code and see * code.
UD	See U code and see D code.
UE	See U code and see E code.
UE*	See U code, see E code, and see * code.
UEN	See U code, see E code, and see N code.
UH	See U code and see H code.

Analytical Laboratory Qualifier Codes (continued)

UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UI	(Rad) Gamma spectroscopy result should be regarded as an uncertain identification.
UN	EPA flag (Inorganic)—Compound was analyzed for but was not detected. Spiked sample recovery was not within control limits.
UN*	EPA flag (Inorganic)—See U code, see N code, and see * code.
UUI	(Rad) Gamma spectroscopy result should be regarded as an uncertain identification, and the analytical lab assigned these gamma spectroscopy results as not detected.
X	The analytical laboratory suspects the result is a nondetect despite positive quantification results.

Secondary Validation Flag Codes

Code	Description
A	The contractually required supporting documentation for this datum is absent.
I	The calculated sums are considered incomplete because of the lack of one or more congener results.
J	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual.
J-	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
N	There is presumptive evidence of the presence of the material.
NJ	(Organic) Analyte has been tentatively identified, and the associated numerical value is estimated based upon a 1:1 response factor to the nearest eluting internal standard.
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impact data use.
R	The reported sample result is classified as rejected because of serious noncompliances regarding quality control (QC) acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
U	The analyte is classified as not detected.
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.

Table C-1 Mortandad and Sandia Watershed General Surveillance Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.3	—	—	0.01	SU	Y	H	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.29	—	—	0.01	SU	Y	H	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.45	—	—	0.01	SU	Y	H	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.41	—	—	0.01	SU	Y	H	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.43	—	—	0.01	SU	Y	H	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.35	—	—	0.01	SU	Y	H	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.32	—	—	0.01	SU	Y	H	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.38	—	—	0.01	SU	Y	H	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.21	—	—	0.01	SU	Y	H	J-	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	69	—	—	0.725	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	75.3	—	—	0.725	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	69	—	—	0.725	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	70.8	—	—	0.725	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	71.3	—	—	0.725	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	365	—	—	0.725	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	72.8	—	—	0.725	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	72.3	—	—	0.725	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	71	—	—	0.73	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH ₃ -N	Y	0.106	—	—	0.017	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH ₃ -N	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH ₃ -N	N	0.019	—	—	0.017	mg/L	Y	J	U	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH ₃ -N	N	0.0687	—	—	0.017	mg/L	Y	—	U	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH ₃ -N	Y	0.018	—	—	0.017	mg/L	Y	J	J	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH ₃ -N	Y	0.168	—	—	0.016	mg/L	Y	—	J-	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH ₃ -N	N	0.0662	—	—	0.016	mg/L	Y	—	U	12-1054	CAMO-12-12013	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	27.8	—	—	1	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	27.9	—	—	1	µg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	25.8	—	—	1	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	24.6	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	25.5	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	25.8	—	—	1	µg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	24.6	—	—	1	µg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	23.4	—	—	1	µg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	27.2	—	—	1	µg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	17	—	—	15	µg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12</td																				

Table C-1 Mortandad and Sandia Watershed General Surveillance Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	15.6	—	—	0.05	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	16.1	—	—	0.05	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	15.8	—	—	0.05	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	15.7	—	—	0.05	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	15.6	—	—	0.05	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	17	—	—	0.05	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.4	—	—	0.067	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.26	—	—	0.067	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.36	—	—	0.067	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.24	—	—	0.067	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.23	—	—	0.067	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.35	—	—	0.067	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.35	—	—	0.067	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.33	—	—	0.067	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.25	—	—	0.066	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.75	—	—	2	µg/L	Y	J	J	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.61	—	—	2	µg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	5.06	—	—	2	µg/L	Y	J	J	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	6.23	—	—	2	µg/L	Y	J	J	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	6.39	—	—	2	µg/L	Y	J	J	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.44	—	—	2	µg/L	Y	J	J	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.17	—	—	2	µg/L	Y	J	J	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.56	—	—	2	µg/L	Y	J	J	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	50	—	—	10	µg/L	Y	U	U	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.319	—	—	0.033	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.342	—	—	0.033	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.34	—	—	0.033	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.304	—	—	0.033	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.302	—	—	0.033	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.353	—	—	0.033	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.327	—	—	0.033	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.324	—	—	0.033	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.338	—	—	0.033	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	57.7	—	—	0.453	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	58.2	—	—	0.453	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	56.8	—	—	0.453	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	53.6	—	—	0.453	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	0																				

Table C-1 Mortandad and Sandia Watershed General Surveillance Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.58	—	—	0.11	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.7	—	—	0.11	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.61	—	—	0.11	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.56	—	—	0.11	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.56	—	—	0.11	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.77	—	—	0.11	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.972	—	—	0.165	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.04	—	—	0.165	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.996	—	—	0.165	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.04	—	—	0.165	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.885	—	—	0.165	µg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.1	—	—	0.165	µg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.01	—	—	0.165	µg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.963	—	—	0.17	µg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.681	—	—	0.5	µg/L	Y	J	J	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.05	—	—	0.5	µg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.676	—	—	0.5	µg/L	Y	J	J	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.817	—	—	0.5	µg/L	Y	J	J	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.798	—	—	0.5	µg/L	Y	J	J	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	N	2	—	—	0.5	µg/L	Y	U	U	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	N	10	—	—	2.5	µg/L	Y	U	U	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.446	—	—	0.017	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.451	—	—	0.017	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.454	—	—	0.017	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.449	—	—	0.017	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.456	—	—	0.017	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.57	—	—	0.085	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.453	—	—	0.05	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.461	—	—	0.05	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.52	—	—	0.05	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.82	—	—	0.05	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.87	—	—	0.05	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.78	—	—	0.05	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.68	—	—	0.05	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Potassium	K	Y											

Table C-1 Mortandad and Sandia Watershed General Surveillance Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	70.6	—	—	0.053	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	70.2	—	—	0.053	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	69.9	—	—	0.053	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	69.6	—	—	0.053	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	75	—	—	0.053	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.2	—	—	0.1	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.6	—	—	0.1	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.9	—	—	0.1	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11	—	—	0.1	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	159	—	—	1	µS/cm	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	153	—	—	1	µS/cm	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	156	—	—	1	µS/cm	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	156	—	—	1	µS/cm	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	156	—	—	1	µS/cm	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	155	—	—	1	µS/cm	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	291	—	—	1	µS/cm	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	156	—	—	1	µS/cm	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	158	—	—	1	µS/cm	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	61.9	—	—	1	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	60.3	—	—	1	µg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	61.2	—	—	1	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	57.7	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	60	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	59.6	—	—	1	µg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	59	—	—	1	µg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	58.7	—	—	1	µg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	62.6	—	—	1	µg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.72	—	—	0.133	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.88	—	—	0.133	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.86	—	—	0.133	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.59	—	—	0.133	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.63	—	—	0.133	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7																					

Table C-1 Mortandad and Sandia Watershed General Surveillance Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	127	—	—	3.4	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	116	—	—	3.4	mg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	150	—	—	3.4	mg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	146	—	—	3.4	mg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	144	—	—	3.4	mg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	02/13/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	Y	0.037	—	—	0.033	mg/L	Y	J	J	2013-534	CAMO-13-28423	GELC
R-34	883.7	11/14/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.033	mg/L	Y	U	U	2013-323	CAMO-13-24277	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.035	mg/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	Y	0.0807	—	—	0.035	mg/L	Y	J	J	12-1515	CAMO-12-21779	GELC
R-34	883.7	05/30/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.035	mg/L	Y	U	U	12-1330	CAMO-12-14034	GELC
R-34	883.7	03/06/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.035	mg/L	Y	U	U	12-1054	CAMO-12-12019	GELC
R-34	883.7	03/06/12	WG	UF	INIT	FD	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.035	mg/L	Y	U	U	12-1054	CAMO-12-12012	GELC
R-34	883.7	05/15/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.582	—	—	0.33	mg/L	Y	J	J	2013-855	CAMO-13-30614	GELC
R-34	883.7	02/13/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.63	—	—	0.33	mg/L	Y	J	J	2013-534	CAMO-13-28423	GELC
R-34	883.7	11/14/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.387	—	—	0.33	mg/L	Y	J	J	2013-323	CAMO-13-24277	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.566	—	—	0.33	mg/L	Y	J	J	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.605	—	—	0.33	mg/L	Y	J	J	12-1515	CAMO-12-21779	GELC
R-34	883.7	05/30/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.489	—	—	0.33	mg/L	Y	J	J	12-1330	CAMO-12-14034	GELC
R-34	883.7	03/06/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.458	—	—	0.33	mg/L	Y	J	J	12-1054	CAMO-12-12019	GELC
R-34	883.7	03/06/12	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.447	—	—	0.33	mg/L	Y	J	J	12-1054	CAMO-12-12012	GELC
R-34	883.7	11/10/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.624	—	—	0.33	mg/L	Y	J	J	12-323	CAMO-12-1532	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0294	—	—	0.017	mg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.017	mg/L	Y	U	U	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0443	—	—	0.017	mg/L	Y	J	U	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0502	—	—	0.017	mg/L	Y	—	U	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0375	—	—	0.017	mg/L	Y	J	J	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.015	mg/L	Y	U	UJ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.015	mg/L	Y	U	UJ	12-1054	CAMO-12-12013	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.453	—	—	0.067	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.463	—	—	0.067	µg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.485	—	—	0.067	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.465	—	—	0.067	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.476	—	—	0.067	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.401	—	—	0.067	µg/L	Y	—	NQ	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.488	—	—	0.067	µg/L	Y	—	NQ	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.432	—	—	0.067	µg/L	Y	—	NQ	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.473	—	—	0.067</td							

Table C-1 Mortandad and Sandia Watershed General Surveillance Monitoring Group Previously Unreported Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.36	—	—	1	µg/L	Y	—	NQ	12-323	CAMO-12-1533	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	7.67	—	—	3.3	µg/L	Y	J	J	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	7	—	—	3.3	µg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	3.95	—	—	3.3	µg/L	Y	J	J	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	4.63	—	—	3.3	µg/L	Y	J	J	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Zinc	Zn	Y	4.17	—	—	3.3	µg/L	Y	J	J	12-1515	CAMO-12-21780	GELC
R-34	883.7	05/30/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	4.52	—	—	3.3	µg/L	Y	J	J	12-1330	CAMO-12-14035	GELC
R-34	883.7	03/06/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	5.09	—	—	3.3	µg/L	Y	J	J	12-1054	CAMO-12-12028	GELC
R-34	883.7	03/06/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Zinc	Zn	Y	3.92	—	—	3.3	µg/L	Y	J	J	12-1054	CAMO-12-12013	GELC
R-34	883.7	11/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	N	10	—	—	3.3	µg/L	Y	U	U	12-323	CAMO-12-1533	GELC

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S1	874	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.07	—	—	0.01	SU	Y	H	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.11	—	—	0.01	SU	Y	H	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.24	—	—	0.01	SU	Y	H	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.14	—	—	0.01	SU	Y	H	J-	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.04	—	—	0.01	SU	Y	H	J-	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.13	—	—	0.01	SU	Y	H	J-	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	82.2	—	—	0.725	mg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	82.7	—	—	0.725	mg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	80.7	—	—	0.725	mg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	82.3	—	—	0.73	mg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	84.1	—	—	0.73	mg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	79.2	—	—	0.73	mg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Aluminum	AI	N	200	—	—	68	µg/L	Y	U	U	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Aluminum	AI	Y	68.6	—	—	68	µg/L	Y	J	J	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Aluminum	AI	N	200	—	—	68	µg/L	Y	U	U	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Aluminum	AI	N	200	—	—	68	µg/L	Y	U	U	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Aluminum	AI	N	200	—	—	68	µg/L	Y	U	U	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Aluminum	AI	N	200	—	—	68	µg/L	Y	U	U	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00696	0.0356	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.003	0.00795	0.0376	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00496	0.048	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00375	0.0027	0.014	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00254	0.0057	0.036	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.000268	0.0015	0.029	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.86	—	—	1.7	µg/L	Y	J	J	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	Y	2.19	—	—	1.7	µg/L	Y	J	J	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.77	—	—	1.7	µg/L	Y	J	J	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.22	—	—	1.7	µg/L	Y	J	J	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	46.3	—	—	1	µg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	44.2	—	—	1	µg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	45.5	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	49.3	—	—	1	µg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	46.5	—	—	1	µg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	48.8	—	—	1	µg/L	Y	—	NQ	11-1		

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.127	2	6.4	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.422	1.4	4.7	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.62	—	—	0.067	mg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.62	—	—	0.067	mg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.5	—	—	0.067	mg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.65	—	—	0.066	mg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.79	—	—	0.066	mg/L	Y	—	J+	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.63	—	—	0.066	mg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.9	—	—	2	µg/L	Y	J	J	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.86	—	—	2	µg/L	Y	J	J	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	6	—	—	2	µg/L	Y	J	J	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.11	—	—	2	µg/L	Y	J	J	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	N	10	—	—	2	µg/L	Y	U	U	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	2.47	—	—	2	µg/L	Y	J	J	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.49	1.45	4.49	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.3	1.77	6.16	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.906	1.08	3.91	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.23	1.4	4.2	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	4.11	1.8	7.4	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.3	1.6	5.7	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.294	—	—	0.033	mg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.291	—	—	0.033	mg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.285	—	—	0.033	mg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.294	—	—	0.033	mg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.319	—	—	0.033	mg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.242	—	—	0.033	mg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.67	0.6	2.2	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.309	0.455	1.95	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.883	0.644	2.16	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.83	0.74	2.5	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.918	0.76	2.6	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.758	0.56	1.9	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	2.19	0.813	2.44	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	Y	3.92	0.966	2.94	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	2.86	0.955	2.84	—	pCi/L	Y	—	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.568	0.63	2.2	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.513	0.86	3	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	EPA:900	Gross													

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	EPA:245.2	Mercury	Hg	N	0.2	—	—	0.067	µg/L	Y	U	U	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	EPA:245.2	Mercury	Hg	N	0.2	—	—	0.066	µg/L	Y	U	U	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	EPA:245.2	Mercury	Hg	N	0.2	—	—	0.066	µg/L	Y	U	U	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	EPA:245.2	Mercury	Hg	N	0.2	—	—	0.066	µg/L	Y	U	U	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.22	—	—	0.165	µg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.18	—	—	0.165	µg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.18	—	—	0.165	µg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.26	—	—	0.17	µg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.11	—	—	0.17	µg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.14	—	—	0.17	µg/L	Y	—	J	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.47	3.31	11.4	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.47	3.1	11.2	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.23	2.29	8.28	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.32	2.2	7.1	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	7.21	2.8	10	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	02/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	9.02	15	51	—	pCi/L	Y	U	U	10-1780	CASA-10-9475	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.438	—	—	0.017	mg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.434	—	—	0.017	mg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.486	—	—	0.017	mg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.376	—	—	0.05	mg/L	Y	—	J	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.515	—	—	0.05	mg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.54	—	—	0.05	mg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.435	—	—	0.05	µg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.459	—	—	0.05	µg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.474	—	—	0.05	µg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.476	—	—	0.05	µg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.495	—	—	0.05	µg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.517	—	—	0.05	µg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00262	0.00586	0.0297	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00288	0.005	0.0326	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00716	0.0241	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00249	0.0035	0.043	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	1.73E-10	0.0041	0.035	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0016	0.021	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00524	0.00829	0.0338	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00288	0.00763	0.0371	—	pCi/L	Y					

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	61.8	—	—	0.053	mg/L	Y	—	J-	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	60.8	—	—	0.053	mg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	60.4	—	—	0.053	mg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	64.8	—	—	0.053	mg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	60.8	—	—	0.053	mg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	60.8	—	—	0.053	mg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.4	—	—	0.1	mg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	11	—	—	0.1	mg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.5	—	—	0.1	mg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.1	—	—	0.1	mg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.8	—	—	0.1	mg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.1	—	—	0.1	mg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.68	1.6	5.77	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	0.654	1.49	5.9	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.0692	0.897	3.64	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.165	1.2	4	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.02	2	5.9	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.946	1.5	5.3	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	179	—	—	1	µS/cm	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	179	—	—	1	µS/cm	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	180	—	—	1	µS/cm	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	179	—	—	1	µS/cm	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	185	—	—	1	µS/cm	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	181	—	—	1	µS/cm	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	102	—	—	1	µg/L	Y	E	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	100	—	—	1	µg/L	Y	E	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	100	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	105	—	—	1	µg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	101	—	—	1	µg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	106	—	—	1	µg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0678	0.131	0.463	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.374	0.148	0.476	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.105	0.14	0.489	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.128	0.14	0.47	—	pCi/L	Y	U	U	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.00322	0.13	0.48	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.00944	0.12	0.46	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	4.02	—	—	0.133	mg/L	Y	—	NQ	2013-1217	CASA-13-37015	

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S1	874	05/26/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.514	—	—	0.33	mg/L	Y	J	J	11-2564	CASA-11-10826	GELC
R-10 S1	874	02/15/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.519	—	—	0.33	mg/L	Y	J	J	11-1359	CASA-11-4571	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.554	0.702	2.14	—	pCi/L	Y	U	U	2013-1200	CASA-13-37007	ARSL
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.487	0.685	2.096	—	pCi/L	Y	U	U	2013-1200	CASA-13-36997	ARSL
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.867	0.752	2.244	—	pCi/L	Y	U	UJ	12-1530	CASA-12-21766	ARSL
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-1.1592	0.7084	2.3828	—	pCi/L	Y	U	U	11-3132	CASA-11-24769	ARSL
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.8694	0.9016	2.9624	—	pCi/L	Y	U	U	11-2590	CASA-11-10826	ARSL
R-10 S1	874	11/17/10	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	Y	31.8136	4.8944	2.415	—	pCi/L	N	—	R	11-571	CASA-11-1365	ARSL
R-10 S1	874	11/17/10	WG	UF	RE	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.8354	0.805	2.415	—	pCi/L	Y	U	U	11-571	CASA-11-1365	ARSL
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.12	—	—	0.067	µg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	1.1	—	—	0.067	µg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.15	—	—	0.067	µg/L	Y	—	NQ	12-1513	CASA-12-21772	GELC
R-10 S1	874	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.13	—	—	0.067	µg/L	Y	—	NQ	11-3127	CASA-11-24770	GELC
R-10 S1	874	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.16	—	—	0.067	µg/L	Y	—	NQ	11-2564	CASA-11-10827	GELC
R-10 S1	874	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.31	—	—	0.067	µg/L	Y	—	NQ	11-1359	CASA-11-4572	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.668	0.0399	0.0478	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.718	0.0432	0.0521	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.707	0.0522	0.0951	—	pCi/L	Y	—	J	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.801	0.069	0.042	—	pCi/L	Y	—	NQ	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.709	0.062	0.056	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.717	0.069	0.073	—	pCi/L	Y	—	NQ	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0256	0.00945	0.0279	—	pCi/L	Y	U	U	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0217	0.00931	0.0304	—	pCi/L	Y	U	U	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.022	0.0132	0.0614	—	pCi/L	Y	U	U	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0377	0.01	0.026	—	pCi/L	Y	—	NQ	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.03	0.0089	0.032	—	pCi/L	Y	U	U	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0387	0.012	0.044	—	pCi/L	Y	U	U	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.35	0.0288	0.0386	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-37007	GELC
R-10 S1	874	07/17/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.404	0.0323	0.042	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-36997	GELC
R-10 S1	874	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.381	0.0378	0.0483	—	pCi/L	Y	—	J	12-1513	CASA-12-21766	GELC
R-10 S1	874	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.378	0.039	0.032	—	pCi/L	Y	—	NQ	11-3127	CASA-11-24769	GELC
R-10 S1	874	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.307	0.033	0.025	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10826	GELC
R-10 S1	874	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.401	0.044	0.051	—	pCi/L	Y	—	NQ	10-3621	CASA-10-22713	GELC
R-10 S1	874	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	12.5	—	—	1	µg/L	Y	—	NQ	2013-1217	CASA-13-37015	GELC
R-10 S1	874	07/17/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Vanadium	V	Y	12.1	—	—	1	µg/L	Y	—	NQ	2013-1217	CASA-13-36998	GELC
R-10 S1	874	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	10.6	—									

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S2	1042	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	91.8	—	—	0.73	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	92.6	—	—	0.73	mg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	83.7	—	—	0.73	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00284	0.00635	0.0356	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00379	0.0367	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00528	0.0039	0.013	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0211	0.007	0.027	—	pCi/L	Y	U	U	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00554	0.0047	0.034	—	pCi/L	Y	U	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.94	—	—	1.7	µg/L	Y	J	J	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.51	—	—	1.7	µg/L	Y	J	J	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.29	—	—	1.7	µg/L	Y	J	J	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	38.2	—	—	1	µg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	36.4	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	40.8	—	—	1	µg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	37.4	—	—	1	µg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	38.7	—	—	1	µg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	27.5	—	—	15	µg/L	Y	J	J	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	27.3	—	—	15	µg/L	Y	J	J	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	31.2	—	—	15	µg/L	Y	J	J	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	28	—	—	15	µg/L	Y	J	J	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	27.9	—	—	15	µg/L	Y	J	J	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	20.7	—	—	0.05	mg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	20.4	—	—	0.05	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	22.4	—	—	0.05	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	20.6	—	—	0.05	mg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	21.2	—	—	0.05	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.24	1.53	6.01	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.632	1.56	5.36	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	3.47	2	7.3	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.23	1.5	5.2	—	pCi/L	Y	U	U	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.25	1.6	5.9	—	pCi/L	Y	U	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	3.31	—	—	0.067	mg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	3.11	—	—	0.067	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	3.18	—	—	0.066	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	3.34										

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S2	1042	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.212	—	0.033	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC	
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.18	0.582	2.46	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.000692	0.381	2.03	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.424	0.64	2.5	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.265	0.51	2.3	—	pCi/L	Y	U	U	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	2.19	0.8	2	—	pCi/L	Y	—	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.74	0.748	2.41	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	2.84	0.847	2.4	—	pCi/L	Y	—	NQ	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.46	0.79	2.5	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.49	0.97	2.8	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.85	0.88	2.7	—	pCi/L	Y	U	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	69.9	—	—	0.453	mg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	69.1	—	—	0.453	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	75.1	—	—	0.45	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	69.2	—	—	0.45	mg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	71.4	—	—	0.45	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.43	—	—	0.11	mg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.45	—	—	0.11	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.63	—	—	0.11	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.34	—	—	0.11	mg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.45	—	—	0.11	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.05	—	—	0.165	µg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.04	—	—	0.165	µg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.18	—	—	0.17	µg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.988	—	—	0.17	µg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.14	—	—	0.17	µg/L	Y	—	J	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	2.72	2.89	10.8	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.82	2.79	9.62	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	5.23	2.9	10	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.981	2.8	9.3	—	pCi/L	Y	U	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	02/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-11.1	12	39	—	pCi/L	Y	U	U	10-1777	CASA-10-9479	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.477	—	—	0.017	mg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.53	—	—	0.017	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.55	—	—	0.05	mg/L	Y	—	J	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	1.24	—	—	0.05	mg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.499	—	—	0.05	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.519	—	—	0.05	µg/L	Y	—	NQ</			

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.7	—	—	0.05	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.93	—	—	0.05	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.68	—	—	0.05	mg/L	Y	—	J	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.74	—	—	0.05	mg/L	Y	E	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	49.5	21.8	52.2	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	13.1	19	72.7	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	2.09	21	76	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	9.84	20	70	—	pCi/L	Y	U	U	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	14.4	18	65	—	pCi/L	Y	U	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	65	—	—	0.053	mg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	63.9	—	—	0.053	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	70.1	—	—	0.053	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	63.2	—	—	0.053	mg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	63.2	—	—	0.053	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.3	—	—	0.1	mg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.5	—	—	0.1	mg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	13.3	—	—	0.1	mg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.3	—	—	0.1	mg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.8	—	—	0.1	mg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.71	1.63	5.47	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.55	1.3	4.3	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.37	1.6	4.7	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	2.7	1.8	5.8	—	pCi/L	Y	U	U	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.01	1.9	6.4	—	pCi/L	Y	U	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	198	—	—	1	µS/cm	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	203	—	—	1	µS/cm	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	196	—	—	1	µS/cm	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	202	—	—	1	µS/cm	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	198	—	—	1	µS/cm	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	105	—	—	1	µg/L	Y	E	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	103	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	109	—	—	1	µg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	100	—	—	1	µg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	106	—	—	1	µg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.116	0.14	0.494	—	pCi/L	Y	U	U	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.211	0.11	0.469	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0826	0.14	0.49	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	1.04	—	—	0.33	mg/L	Y	—	NQ	11-2564	CASA-11-10828	GELC
R-10 S2	1042	02/15/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.555	—	—	0.33	mg/L	Y	J	J	11-1359	CASA-11-4573	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.991	0.617	1.97	—	pCi/L	Y	U	U	2013-1200	CASA-13-37008	ARSL
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.532	0.67	2.228	—	pCi/L	Y	U	UJ	12-1530	CASA-12-21767	ARSL
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.7406	0.7084	2.415	—	pCi/L	Y	U	U	11-3132	CASA-11-24773	ARSL
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.3542	0.6762	2.3184	—	pCi/L	Y	U	U	11-2590	CASA-11-10828	ARSL
R-10 S2	1042	11/17/10	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	Y	34.454	5.313	2.6082	—	pCi/L	N	—	R	11-571	CASA-11-1367	ARSL
R-10 S2	1042	11/17/10	WG	UF	RE	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.288	0.805	2.6082	—	pCi/L	Y	U	U	11-571	CASA-11-1367	ARSL
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.41	—	—	0.067	µg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.39	—	—	0.067	µg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.42	—	—	0.067	µg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.38	—	—	0.067	µg/L	Y	—	NQ	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.53	—	—	0.067	µg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.833	0.0465	0.0522	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.78	0.0516	0.0859	—	pCi/L	Y	—	NQ	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.876	0.078	0.05	—	pCi/L	Y	—	NQ	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.84	0.072	0.058	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.636	0.062	0.072	—	pCi/L	Y	—	NQ	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0435	0.0124	0.0305	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0199	0.0119	0.0555	—	pCi/L	Y	U	U	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0274	0.0093	0.031	—	pCi/L	Y	U	U	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0334	0.01	0.033	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0241	0.0093	0.043	—	pCi/L	Y	U	U	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.455	0.0342	0.0421	—	pCi/L	Y	—	NQ	2013-1217	CASA-13-37008	GELC
R-10 S2	1042	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.405	0.0367	0.0436	—	pCi/L	Y	—	NQ	12-1513	CASA-12-21767	GELC
R-10 S2	1042	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.446	0.046	0.039	—	pCi/L	Y	—	NQ	11-3127	CASA-11-24773	GELC
R-10 S2	1042	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.41	0.041	0.026	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10828	GELC
R-10 S2	1042	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.337	0.039	0.05	—	pCi/L	Y	—	NQ	10-3621	CASA-10-22718	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	12.6	—	—	1	µg/L	Y	—	NQ	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	11	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	11.5	—	—	1	µg/L	Y	—	NQ	11-3127	CASA-11-24772	GELC
R-10 S2	1042	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	11.3	—	—	1	µg/L	Y	J	J	11-2564	CASA-11-10829	GELC
R-10 S2	1042	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	10.7	—	—	1	µg/L	Y	—	NQ	11-1359	CASA-11-4574	GELC
R-10 S2	1042	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	8.77	—	—	3.3	µg/L	Y	J	J	2013-1217	CASA-13-37016	GELC
R-10 S2	1042	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	6.77	—	—	3.3	µg/L	Y	J	J	12-1513	CASA-12-21773	GELC
R-10 S2	1042	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	7.9	—	—	3.3	µg/L	Y	J	J			

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.004	0.0387	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00184	0.0032	0.014	—	pCi/L	Y	U	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00399	0.004	0.028	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00154	0.0018	0.033	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2	—	—	1.7	µg/L	Y	J	J	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.84	—	—	1.7	µg/L	Y	J	J	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.03	—	—	1.7	µg/L	Y	J	J	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	78.1	—	—	1	µg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	77	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	74.6	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	80.7	—	—	1	µg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	76	—	—	1	µg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	77.6	—	—	1	µg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	25	—	—	15	µg/L	Y	J	J	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	18.2	—	—	15	µg/L	Y	J	J	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Boron	B	Y	17.1	—	—	15	µg/L	Y	J	J	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	20.7	—	—	15	µg/L	Y	J	J	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	18.3	—	—	15	µg/L	Y	J	J	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	18.1	—	—	15	µg/L	Y	J	J	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.111	—	—	0.067	mg/L	Y	J	J	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.118	—	—	0.067	mg/L	Y	J	J	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.115	—	—	0.067	mg/L	Y	J	J	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	N	0.2	—	—	0.066	mg/L	Y	U	U	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.119	—	—	0.066	mg/L	Y	J	J	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.101	—	—	0.066	mg/L	Y	J	J	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	28.2	—	—	0.05	mg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	27.8	—	—	0.05	mg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	26.6	—	—	0.05	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	28.7	—	—	0.05	mg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	27.4	—	—	0.05	mg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	27.7	—	—	0.05	mg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.706	1.32	4.89	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.73	1.82	4.46	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.36	1.54	5.18	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	C													

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.64	1.64	7.01	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.97	0.924	4.65	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.12	1.47	5.14	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.38	1.4	4.9	—	pCi/L	Y	U	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.391	2	6.7	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	3.43	1.3	5.8	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.419	—	—	0.033	mg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.412	—	—	0.033	mg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.402	—	—	0.033	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.419	—	—	0.033	mg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.435	—	—	0.033	mg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.362	—	—	0.033	mg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.41	0.878	2.81	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.741	0.625	2.17	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	1.42	0.751	2.11	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	2.96	1.1	2.3	—	pCi/L	Y	—	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.81	0.91	2.5	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.27	0.66	1.9	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	4	0.96	2.93	—	pCi/L	Y	—	NQ	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.987	0.753	2.55	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	2.42	0.834	2.46	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.59	0.88	2.8	—	pCi/L	Y	U	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	4.13	1	2.8	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.97	0.87	2.7	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	86.2	—	—	0.453	mg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	85.1	—	—	0.453	mg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	81.7	—	—	0.453	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	87.1	—	—	0.45	mg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	83.3	—	—	0.45	mg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	84.4	—	—	0.45	mg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.82	—	—	0.11	mg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.82	—	—	0.11	mg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.69	—	—	0.11	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.75	—	—	0.11	mg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.65	—	—	0.11	mg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.71	—	—	0.11	mg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	3.32	—	—	2	µg/L	Y	J	J	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	N	10	—	—	2							

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.64	3.6	12	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	02/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-3.93	14	45	—	pCi/L	Y	U	U	10-1777	CASA-10-9456	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	9.35	—	—	0.5	µg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	7.03	—	—	0.5	µg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	6.82	—	—	0.5	µg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.528	—	—	0.5	µg/L	Y	J	J	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.869	—	—	0.5	µg/L	Y	J	J	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.913	—	—	0.5	µg/L	Y	J	J	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	1.17	—	—	0.017	mg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	1.2	—	—	0.085	mg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	1.21	—	—	0.085	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	1.3	—	—	0.05	mg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	1.64	—	—	0.05	mg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	1.17	—	—	0.05	mg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.764	—	—	0.05	µg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.777	—	—	0.05	µg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.832	—	—	0.05	µg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.831	—	—	0.05	µg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.845	—	—	0.05	µg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.796	—	—	0.05	µg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00672	0.0311	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00367	0.00636	0.0247	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00337	0.00583	0.0227	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.0022	0.0038	0.038	—	pCi/L	Y	U	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00649	0.0057	0.026	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00328	0.0033	0.022	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00823	0.00614	0.0353	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00735	0.00735	0.0443	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00673	0.00673	0.0406	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00439	0.0054	0.054	—	pCi/L	Y	U	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00216	0.0037	0.04	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00328	0.0028	0.022	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.07	—	—	0.05	mg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.12	—	—	0.05	mg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Potassium	K	Y	2.97	—	—	0.05	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.18	—	—	0.05</							

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	13.3	—	0.1	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC	
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	14.6	—	0.1	mg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC	
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	13.8	—	0.1	mg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC	
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	14.2	—	0.1	mg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC	
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.69	1.49	5.62	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.161	1.15	4.49	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.62	1.35	4.53	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.73	1.5	4.4	—	pCi/L	Y	U	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.78	1.6	6.3	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.37	1.7	6.1	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	233	—	—	1	µS/cm	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	237	—	—	1	µS/cm	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	1.73	—	—	1	µS/cm	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	233	—	—	1	µS/cm	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	240	—	—	1	µS/cm	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	242	—	—	1	µS/cm	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	196	—	—	1	µg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	195	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	187	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	197	—	—	1	µg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	188	—	—	1	µg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	195	—	—	1	µg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0256	0.0994	0.338	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.00657	0.13	0.497	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0343	0.131	0.484	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0741	0.14	0.49	—	pCi/L	Y	U	U	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.249	0.12	0.49	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.212	0.14	0.46	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	10.6	—	—	0.133	mg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	9.72	—	—	0.133	mg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	9.68	—	—	0.133	mg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	10.1	—	—	0.1	mg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	10.6	—	—	0.1	mg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	10.1	—	—	0.1	mg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Thallium	Tl	Y	0.464	—	—	0.45	µg/L	Y	J	J	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Thallium	Tl	N	2	—	—	0.45	µg/L	Y	U	U	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Thallium	Tl	N	2	—	—	0.45	µg/L	Y	U	U	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Thallium	Tl												

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.304	0.707	2.221	—	pCi/L	Y	U	U	2013-1324	CASA-13-37009	ARSL
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.479	0.661	2.201	—	pCi/L	Y	U	UJ	12-1530	CASA-12-21768	ARSL
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.084	0.635	2.157	—	pCi/L	Y	U	UJ	12-1530	CASA-12-21760	ARSL
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.7406	0.6762	2.3184	—	pCi/L	Y	U	U	11-3132	CASA-11-24777	ARSL
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.9338	0.805	2.7048	—	pCi/L	Y	U	U	11-2590	CASA-11-10830	ARSL
R-10a	690	11/09/10	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.3846	0.644	1.932	—	pCi/L	N	U	R	11-475	CASA-11-1368	ARSL
R-10a	690	11/09/10	WG	UF	RE	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.3542	0.6118	2.0608	—	pCi/L	Y	U	U	11-475	CASA-11-1368	ARSL
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	2.08	—	—	0.067	µg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	2.14	—	—	0.067	µg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	2.06	—	—	0.067	µg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	2.13	—	—	0.067	µg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	2.17	—	—	0.067	µg/L	Y	—	NQ	11-2564	CASA-11-10831	GELC
R-10a	690	02/15/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	2.59	—	—	0.067	µg/L	Y	—	NQ	11-1368	CASA-11-4575	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	1.14	0.0581	0.0609	—	pCi/L	Y	—	NQ	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	1.11	0.0585	0.0786	—	pCi/L	Y	—	NQ	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.954	0.0746	0.126	—	pCi/L	Y	—	NQ	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	1.13	0.092	0.04	—	pCi/L	Y	—	NQ	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.399	0.047	0.084	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	1.19	0.1	0.066	—	pCi/L	Y	—	NQ	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0145	0.0103	0.0356	—	pCi/L	Y	U	U	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0364	0.0126	0.0508	—	pCi/L	Y	U	U	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0233	0.0185	0.0814	—	pCi/L	Y	U	U	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0342	0.01	0.025	—	pCi/L	Y	—	NQ	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0225	0.0093	0.048	—	pCi/L	Y	U	U	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0253	0.011	0.04	—	pCi/L	Y	U	U	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.675	0.0449	0.0491	—	pCi/L	Y	—	NQ	2013-1223	CASA-13-37009	GELC
R-10a	690	08/22/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.624	0.0431	0.0399	—	pCi/L	Y	—	NQ	12-1513	CASA-12-21768	GELC
R-10a	690	08/22/12	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.604	0.0542	0.064	—	pCi/L	Y	—	NQ	12-1513	CASA-12-21760	GELC
R-10a	690	08/09/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.593	0.054	0.031	—	pCi/L	Y	—	NQ	11-3120	CASA-11-24777	GELC
R-10a	690	05/26/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.304	0.038	0.038	—	pCi/L	Y	—	NQ	11-2565	CASA-11-10830	GELC
R-10a	690	07/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.7	0.065	0.045	—	pCi/L	Y	—	NQ	10-3621	CASA-10-22719	GELC
R-10a	690	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.48	—	—	1	µg/L	Y	—	NQ	2013-1223	CASA-13-37017	GELC
R-10a	690	08/22/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.2	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21774	GELC
R-10a	690	08/22/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Vanadium	V	Y	6.99	—	—	1	µg/L	Y	—	NQ	12-1513	CASA-12-21761	GELC
R-10a	690	08/09/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.19	—	—	1	µg/L	Y	—	NQ	11-3120	CASA-11-24776	GELC
R-10a	690	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.55	—	—	1	µg/L	Y	—	J	11-2564	CASA-11-1	

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.88	—	—	0.01	SU	Y	H	J-	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.27	—	—	0.01	SU	Y	H	J-	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.25	—	—	0.01	SU	Y	H	J-	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	62.4	—	—	0.725	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	60.3	—	—	0.725	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	60.8	—	—	0.73	mg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	57.6	—	—	0.73	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59.1	—	—	0.73	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0101	0.00891	0.0422	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00673	0.00594	0.0308	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00554	0.0039	0.04	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00655	0.0037	0.033	—	pCi/L	Y	U	U	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00493	0.0028	0.03	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	13.8	—	—	1	µg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	13.2	—	—	1	µg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	11.6	—	—	1	µg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	13.5	—	—	1	µg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	12	—	—	1	µg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	53.3	—	—	15	µg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	18.5	—	—	15	µg/L	Y	J	J	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	17.8	—	—	15	µg/L	Y	J	J	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	19.3	—	—	15	µg/L	Y	J	J	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	20.7	—	—	15	µg/L	Y	J	J	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.0796	—	—	0.067	mg/L	Y	J	J	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.0951	—	—	0.067	mg/L	Y	J	J	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.103	—	—	0.066	mg/L	Y	J	J	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	N	0.2	—	—	0.066	mg/L	Y	U	U	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.0983	—	—	0.066	mg/L	Y	J	J	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	18.6	—	—	0.05	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	18.3	—	—	0.05	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	17.8	—	—	0.05	mg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	18.6	—	—	0.05	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	17.3	—	—	0.05	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.34	1.47	5.57	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.848	1.38	5.01	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-2.18	1.7	5.1	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF																		

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.32	—	0.033	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC	
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.219	0.592	2.85	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.375	0.501	2.41	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.82	0.61	2	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.989	0.76	2.6	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	08/05/09	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.435	0.62	2.5	—	pCi/L	Y	U	U	09-2800	CASA-09-10383	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.79	0.799	2.5	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.37	0.858	2.83	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.17	0.72	2.3	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	5.75	1.3	3.3	—	pCi/L	Y	—	NQ	10-483	CASA-10-3825	GELC
R-12 S2	504.5	08/05/09	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.54	0.68	2.2	—	pCi/L	Y	U	U	09-2800	CASA-09-10383	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	62.3	—	—	0.453	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	61.7	—	—	0.453	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	59.6	—	—	0.45	mg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	63	—	—	0.35	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	58.5	—	—	0.35	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.86	—	—	0.11	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.88	—	—	0.11	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.72	—	—	0.11	mg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.02	—	—	0.085	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.7	—	—	0.085	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	31.2	—	—	2	µg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	31.6	—	—	2	µg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	31.5	—	—	2	µg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	38	—	—	2	µg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	36.9	—	—	2	µg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.5	—	—	0.165	µg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.49	—	—	0.165	µg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.39	—	—	0.17	µg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	N	1.95	—	—	0.1	µg/L	Y	—	U	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.54	—	—	0.1	µg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	2.41	2.44	8.67	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.608	3.11	11.2	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.98	3.6	11	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-11.6	8.5	26	—	pCi/L	Y	U	U	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-5.07	10	33	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	3.8	—	—	0.5	µg/L	Y	*	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	5																					

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00488	0.0164	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0018	0.021	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.0234	0.011	0.051	—	pCi/L	Y	U	U	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00745	0.011	0.031	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00599	0.00599	0.0386	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00488	0.00488	0.0294	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.0233	0.0074	0.038	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.0237	0.0083	0.035	—	pCi/L	Y	U	U	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0168	0.0068	0.031	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.34	—	—	0.05	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.3	—	—	0.05	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.22	—	—	0.05	mg/L	Y	—	J	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.55	—	—	0.05	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.27	—	—	0.05	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	33.7	19	71.4	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	7.36	17.5	71.5	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-3	19	65	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	20.5	24	85	—	pCi/L	Y	U	U	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-17.4	16	51	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	50.4	—	—	0.053	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	48	—	—	0.053	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	46.4	—	—	0.053	mg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	48.8	—	—	0.053	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	46.7	—	—	0.053	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.3	—	—	0.1	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.3	—	—	0.1	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	9.78	—	—	0.1	mg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.7	—	—	0.1	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.7	—	—	0.1	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.45	1.52	5.58	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.0886	1.27	4.98	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.51	2.1	6.2	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.4	1.8	6.3	—	pCi/L	Y	U	U	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.102	1.5	4.8	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	171	—	—	1	µS/cm	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	169	—	—	1	µS/cm	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2</td																						

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	7.97	—	—	0.1	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	7.52	—	—	0.1	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	124	—	—	3.4	mg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	85.7	—	—	3.4	mg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	119	—	—	2.4	mg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	126	—	—	2.4	mg/L	Y	—	NQ	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	148	—	—	2.4	mg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	1.63	—	—	0.33	mg/L	Y	—	NQ	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.706	—	—	0.33	mg/L	Y	J	J	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	05/26/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.703	—	—	0.33	mg/L	Y	J	J	11-2564	CASA-11-10824	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.493	—	—	0.33	mg/L	Y	J	J	11-589	CASA-11-1359	GELC
R-12 S2	504.5	05/17/10	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.695	—	—	0.33	mg/L	Y	J	J	10-3195	CASA-10-16749	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0171	—	—	0.017	mg/L	Y	J	J	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.065	—	—	0.017	mg/L	Y	—	U	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.105	—	—	0.015	mg/L	Y	—	U	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.049	—	—	0.015	mg/L	Y	J	U	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.092	—	—	0.015	mg/L	Y	—	U	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.453	—	—	0.067	µg/L	Y	—	NQ	2013-1294	CASA-13-37019	GELC
R-12 S2	504.5	08/20/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.45	—	—	0.067	µg/L	Y	—	NQ	12-1510	CASA-12-21776	GELC
R-12 S2	504.5	05/26/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.433	—	—	0.067	µg/L	Y	—	NQ	11-2564	CASA-11-10825	GELC
R-12 S2	504.5	11/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	N	0.492	—	—	0.05	µg/L	Y	—	U	11-590	CASA-11-1358	GELC
R-12 S2	504.5	05/17/10	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.504	—	—	0.05	µg/L	Y	—	NQ	10-3195	CASA-10-16751	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.293	0.025	0.0408	—	pCi/L	Y	—	NQ	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.273	0.0279	0.0617	—	pCi/L	Y	—	NQ	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.319	0.04	0.064	—	pCi/L	Y	—	NQ	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.311	0.042	0.062	—	pCi/L	Y	—	NQ	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.299	0.033	0.065	—	pCi/L	Y	—	NQ	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00973	0.00769	0.0238	—	pCi/L	Y	U	U	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00286	0.00756	0.0398	—	pCi/L	Y	U	U	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0113	0.0066	0.042	—	pCi/L	Y	U	U	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0363	0.014	0.049	—	pCi/L	Y	U	U	10-1774	CASA-10-9447	GELC
R-12 S2	504.5	11/12/09	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0203	0.0082	0.033	—	pCi/L	Y	U	U	10-483	CASA-10-3825	GELC
R-12 S2	504.5	07/22/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.157	0.0182	0.0329	—	pCi/L	Y	—	NQ	2013-1294	CASA-13-37011	GELC
R-12 S2	504.5	08/20/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.127	0.0177	0.0313	—	pCi/L	Y	—	NQ	12-1510	CASA-12-21770	GELC
R-12 S2	504.5	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.196	0.028	0.043	—	pCi/L	Y	—	NQ	11-590	CASA-11-1359	GELC
R-12 S2	504.5	02/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.127	0.025	0.044								

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	77	—	0.73	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	78.3	—	0.73	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	84.1	—	0.73	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC	
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	74.1	—	0.73	mg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC	
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0028	0.00484	0.035	—	pCi/L	Y	U	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0194	0.00941	0.0296	—	pCi/L	Y	U	U	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00642	0.0054	0.03	—	pCi/L	Y	U	U	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.0107	0.0057	0.021	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00853	0.0052	0.03	—	pCi/L	Y	U	U	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.74	—	1.7	µg/L	Y	J	J	2013-1334	CAMO-13-37043	GELC	
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	3.08	—	1.7	µg/L	Y	J	J	12-1492	CAMO-12-21794	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	1.7	µg/L	Y	U	U	11-3264	CAMO-11-24692	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	1.7	µg/L	Y	U	U	11-3264	CAMO-11-24693	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	1.7	µg/L	Y	U	U	11-2573	CAMO-11-10753	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	1.7	µg/L	Y	U	U	11-2573	CAMO-11-10757	GELC	
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.91	—	1.7	µg/L	Y	J	J	11-1382	CAMO-11-4643	GELC	
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	19.4	—	1	µg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC	
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	19.5	—	1	µg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	18.9	—	1	µg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	19.4	—	1	µg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	17.9	—	1	µg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	16.5	—	1	µg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC	
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	18.5	—	1	µg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC	
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	16	—	15	µg/L	Y	J	J	2013-1334	CAMO-13-37043	GELC	
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	20	—	15	µg/L	Y	J	J	12-1492	CAMO-12-21794	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	20.3	—	15	µg/L	Y	J	J	11-3264	CAMO-11-24692	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Boron	B	Y	21	—	15	µg/L	Y	J	J	11-3264	CAMO-11-24693	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	19.4	—	15	µg/L	Y	J	J	11-2573	CAMO-11-10753	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Boron	B	Y	16.9	—	15	µg/L	Y	J	J	11-2573	CAMO-11-10757	GELC	
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	19	—	15	µg/L	Y	J	J	11-1382	CAMO-11-4643	GELC	
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	19.3	—	0.05	mg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC	
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	20.2	—	0.05	mg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	20.5	—	0.05	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC	
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	21.1	—	0.05	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	19.6	—	0.05	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC	
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	18	—	0.05	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC	
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	20.2	—	0.05	mg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC	
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	EPA:90														

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.828	1.3	4	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.388	1.1	3.7	—	pCi/L	Y	U	U	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.362	—	—	0.033	mg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.334	—	—	0.033	mg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.35	—	—	0.033	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.343	—	—	0.033	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.311	—	—	0.033	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.354	—	—	0.033	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.349	—	—	0.033	mg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.537	0.267	2.19	—	pCi/L	Y	U	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.0397	0.428	2.24	—	pCi/L	Y	U	U	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.771	0.45	2.7	—	pCi/L	Y	U	U	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.59	0.8	2.2	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	11/19/09	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.29	0.72	2.1	—	pCi/L	Y	U	U	10-633	CAMO-10-3150	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.83	0.844	2.73	—	pCi/L	Y	U	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.05	0.845	2.33	—	pCi/L	Y	—	NQ	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.83	1	2.6	—	pCi/L	Y	—	NQ	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.0574	0.67	2.5	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.33	0.7	2.2	—	pCi/L	Y	U	U	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	55.7	—	—	0.453	mg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	57.8	—	—	0.453	mg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	58.5	—	—	0.45	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	60	—	—	0.45	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	55.6	—	—	0.45	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	51.1	—	—	0.45	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	57.2	—	—	0.45	mg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.81	—	—	0.11	mg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.81	—	—	0.11	mg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.77	—	—	0.11	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.8	—	—	0.11	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.65	—	—	0.11	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.51	—	—	0.11	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.67	—	—	0.11	mg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	13.2	—	—	2	µg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	13.9	—	—	2	µg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	12.8	—	—	2	µg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Manganese	Mn	Y	12.3	—	—	2	µg/L	Y	—	NQ	11-3264	CAMO-11	

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.679	—	—	0.5	µg/L	Y	J	J	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.971	—	—	0.5	µg/L	Y	J	J	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.661	—	—	0.5	µg/L	Y	J	J	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.591	—	—	0.5	µg/L	Y	J	J	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.589	—	—	0.5	µg/L	Y	J	J	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.554	—	—	0.5	µg/L	Y	J	J	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.754	—	—	0.5	µg/L	Y	J	J	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.417	—	—	0.017	mg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.875	—	—	0.085	mg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.191	—	—	0.01	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.181	—	—	0.01	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.535	—	—	0.05	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.488	—	—	0.05	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.433	—	—	0.05	mg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.461	—	—	0.05	µg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.447	—	—	0.05	µg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.429	—	—	0.05	µg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.433	—	—	0.05	µg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.433	—	—	0.05	µg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.427	—	—	0.05	µg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.453	—	—	0.05	µg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0066	0.0305	—	pCi/L	Y	U	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00593	0.02	—	pCi/L	Y	U	U	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00227	0.0032	0.03	—	pCi/L	Y	U	U	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0021	0.034	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00403	0.0035	0.034	—	pCi/L	Y	U	U	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00539	0.00539	0.0347	—	pCi/L	Y	U	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00297	0.00663	0.0357	—	pCi/L	Y	U	U	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00227	0.0039	0.031	—	pCi/L	Y	U	U	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0106	0.0077	0.031	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00201	0.0035	0.023	—	pCi/L	Y	U	U	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.75	—	—	0.05	mg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.98	—	—	0.05	mg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.93	—	—	0.05	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Potassium	K	Y	3.01	—	—	0.05	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/																				

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	13.4	—	—	0.1	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	14	—	—	0.1	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.6	—	—	0.1	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.5	—	—	0.1	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.9	—	—	0.1	mg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.77	1.71	7.06	—	pCi/L	Y	U	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.04	1.56	6.29	—	pCi/L	Y	U	U	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.95	1.6	4.8	—	pCi/L	Y	U	U	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.197	1.3	4.3	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.307	1	3.3	—	pCi/L	Y	U	U	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	169	—	—	1	µS/cm	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	172	—	—	1	µS/cm	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	173	—	—	1	µS/cm	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	173	—	—	1	µS/cm	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	175	—	—	1	µS/cm	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	174	—	—	1	µS/cm	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	171	—	—	1	µS/cm	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	176	—	—	1	µg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	186	—	—	1	µg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	191	—	—	1	µg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	195	—	—	1	µg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	177	—	—	1	µg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	161	—	—	1	µg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	185	—	—	1	µg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.297	0.152	0.496	—	pCi/L	Y	U	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.258	0.155	0.51	—	pCi/L	Y	U	U	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0528	0.13	0.48	—	pCi/L	Y	U	U	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.203	0.12	0.49	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0607	0.092	0.37	—	pCi/L	Y	U	U	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.82	—	—	0.133	mg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.74	—	—	0.133	mg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.84	—	—	0.1	mg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.88	—	—	0.1	mg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.72	—	—	0.1	mg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.79	—	—	0.1	mg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.82	—	—	0.1	mg/L	Y	—	J+	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	114	—	—	3.4	mg/L	Y</td					

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S2	863.4	08/18/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-3264	CAMO-11-24691	GELC
R-16 S2	863.4	08/18/11	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-3264	CAMO-11-24695	GELC
R-16 S2	863.4	05/27/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.701	—	—	0.33	mg/L	Y	J	J	11-2572	CAMO-11-10755	GELC
R-16 S2	863.4	05/27/11	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.683	—	—	0.33	mg/L	Y	J	J	11-2572	CAMO-11-10756	GELC
R-16 S2	863.4	02/16/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.607	—	—	0.33	mg/L	Y	J	J	11-1381	CAMO-11-4641	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.19	—	—	0.067	µg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.24	—	—	0.067	µg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.2	—	—	0.067	µg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	1.14	—	—	0.067	µg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.07	—	—	0.067	µg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	1.03	—	—	0.067	µg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.22	—	—	0.067	µg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.512	0.0359	0.0518	—	pCi/L	Y	—	J	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.568	0.0457	0.0846	—	pCi/L	Y	—	J	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.617	0.072	0.15	—	pCi/L	Y	—	NQ	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.597	0.065	0.059	—	pCi/L	Y	—	NQ	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.587	0.051	0.047	—	pCi/L	Y	—	NQ	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0309	0.0107	0.0303	—	pCi/L	Y	—	U	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0274	0.013	0.0546	—	pCi/L	Y	U	U	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0253	0.013	0.07	—	pCi/L	Y	U	U	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0223	0.01	0.054	—	pCi/L	Y	U	U	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0332	0.0086	0.027	—	pCi/L	Y	—	NQ	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.395	0.0316	0.0418	—	pCi/L	Y	—	J	2013-1334	CAMO-13-37034	GELC
R-16 S2	863.4	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.367	0.035	0.0429	—	pCi/L	Y	—	J	12-1492	CAMO-12-21785	GELC
R-16 S2	863.4	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.434	0.056	0.09	—	pCi/L	Y	—	NQ	10-3657	CAMO-10-22896	GELC
R-16 S2	863.4	05/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.387	0.047	0.054	—	pCi/L	Y	—	NQ	10-3019	CAMO-10-16855	GELC
R-16 S2	863.4	02/08/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.356	0.035	0.03	—	pCi/L	Y	—	NQ	10-1722	CAMO-10-9388	GELC
R-16 S2	863.4	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.7	—	—	1	µg/L	Y	—	NQ	2013-1334	CAMO-13-37043	GELC
R-16 S2	863.4	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	14.5	—	—	1	µg/L	Y	—	NQ	12-1492	CAMO-12-21794	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.6	—	—	1	µg/L	Y	—	NQ	11-3264	CAMO-11-24692	GELC
R-16 S2	863.4	08/18/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.7	—	—	1	µg/L	Y	—	NQ	11-3264	CAMO-11-24693	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	14.2	—	—	1	µg/L	Y	—	NQ	11-2573	CAMO-11-10753	GELC
R-16 S2	863.4	05/27/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Vanadium	V	Y	14.8	—	—	1	µg/L	Y	—	NQ	11-2573	CAMO-11-10757	GELC
R-16 S2	863.4	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.8	—	—	1	µg/L	Y	—	NQ	11-1382	CAMO-11-4643	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.1	—	—	0.01	SU	Y	H	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH												

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S4	1237	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.016	mg/L	Y	U	U	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.016	mg/L	Y	U	UJ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	11/17/10	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.048	—	—	0.016	mg/L	Y	J	J-	11-585	CAMO-11-1306	GELC
R-16 S4	1237	11/17/10	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.044	—	—	0.016	mg/L	Y	J	J-	11-585	CAMO-11-1309	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	3.4	—	—	1.7	µg/L	Y	J	J	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	3.37	—	—	1.7	µg/L	Y	J	J	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.65	—	—	1.7	µg/L	Y	J	J	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	47.8	—	—	1	µg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	46.5	—	—	1	µg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	44.6	—	—	1	µg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	41.4	—	—	1	µg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	40.7	—	—	1	µg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	21.6	—	—	15	µg/L	Y	J	J	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	25.6	—	—	15	µg/L	Y	J	J	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	25	—	—	15	µg/L	Y	J	J	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	21.7	—	—	15	µg/L	Y	J	J	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	20.9	—	—	15	µg/L	Y	J	J	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	20.7	—	—	0.05	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	21.7	—	—	0.05	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	22.1	—	—	0.05	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	21.2	—	—	0.05	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	21	—	—	0.05	mg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.99	1.28	5.17	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.527	1.64	5.92	—	pCi/L	Y	U	U	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.88	1.5	5.5	—	pCi/L	Y	U	U	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.619	1.4	4.5	—	pCi/L	Y	U	U	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.6	1.2	4.4	—	pCi/L	Y	U	U	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.705	1.6	5.3	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.32	—	—	0.067	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.35	—	—	0.067	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.35	—	—	0.066	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.31	—	—	0.066	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.41	—	—	0.066	mg/L	Y	—	J+	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.67	1.16	3.9	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.628	1.29	5.25	—	pCi/L	Y	U	U	12-1492	CAMO-12-	

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	2.13	0.895	2.83	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.39	0.619	1.91	—	pCi/L	Y	U	U	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	4.38	1	2.3	—	pCi/L	Y	—	NQ	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.57	0.92	2.2	—	pCi/L	Y	—	NQ	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	Y	3.53	0.92	2.2	—	pCi/L	Y	—	NQ	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.35	0.89	2.9	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	57.3	—	—	0.453	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	60.4	—	—	0.453	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	61.6	—	—	0.45	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	58.8	—	—	0.45	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	58.4	—	—	0.45	mg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.35	—	—	0.11	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.49	—	—	0.11	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.54	—	—	0.11	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.43	—	—	0.11	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	1.45	—	—	0.11	mg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	68	—	—	2	µg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	66.2	—	—	2	µg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	54.9	—	—	2	µg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	40.4	—	—	2	µg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Manganese	Mn	Y	28.4	—	—	2	µg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.51	—	—	0.165	µg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.69	—	—	0.165	µg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.56	—	—	0.17	µg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.38	—	—	0.17	µg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.62	—	—	0.17	µg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.454	2.36	8.43	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-5.68	2.49	7.95	—	pCi/L	Y	U	U	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	4.64	2.9	10	—	pCi/L	Y	U	U	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.03	2.5	8.1	—	pCi/L	Y	U	U	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.19	2.7	9	—	pCi/L	Y	U	U	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	3.63	3	10	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.733	—	—	0.5	µg/L	Y	J	J	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.874	—	—	0.5	µg/L	Y	J	J	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.709	—	—	0.5	µg/L	Y	J	J	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.932	—	—	0.5	µg/L	Y	J	J	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.764	—	—	0.5	µg/L	Y	J	J	11-1382	CAMO-11-4	

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0018	0.024	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0184	0.0467	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00526	0.00744	0.0317	—	pCi/L	Y	U	U	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0029	0.037	—	pCi/L	Y	U	U	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00452	0.0039	0.047	—	pCi/L	Y	U	U	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00218	0.0049	0.045	—	pCi/L	Y	U	U	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00184	0.0032	0.025	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.85	—	—	0.05	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.09	—	—	0.05	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.02	—	—	0.05	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	3.04	—	—	0.05	mg/L	Y	—	J	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.76	—	—	0.05	mg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	6.54	16.8	62.9	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	5.18	18.2	46.5	—	pCi/L	Y	U	U	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	8.52	19	69	—	pCi/L	Y	U	U	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	20.9	14	52	—	pCi/L	Y	U	U	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	-22.3	17	54	—	pCi/L	Y	U	U	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-17.8	20	67	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	45.7	—	—	0.053	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	49.7	—	—	0.053	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	49.5	—	—	0.053	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	48.4	—	—	0.053	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	47.6	—	—	0.053	mg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	15.4	—	—	0.1	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	14.7	—	—	0.1	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	14.4	—	—	0.1	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	13.6	—	—	0.1	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	13.2	—	—	0.1	mg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.359	1.27	5.04	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.75	1.09	3.56	—	pCi/L	Y	U	U	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.17	1.3	4.1	—	pCi/L	Y	U	U	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.705	1.3	4.2	—	pCi/L	Y	U	U	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.986	1.2	3.5	—	pCi/L	Y	U	U	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-2.5	1.5	4	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	179	—	—	1	µS/cm	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	181	—	—	1	µS/cm	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	0																				

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16 S4	1237	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.69	—	—	0.1	mg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.64	—	—	0.1	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.75	—	—	0.1	mg/L	Y	—	J+	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	111	—	—	3.4	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	106	—	—	3.4	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	61.4	—	—	3.4	mg/L	Y	—	J	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	117	—	—	2.4	mg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	144	—	—	2.4	mg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.741	—	—	0.33	mg/L	Y	J	J	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	1.05	—	—	0.33	mg/L	Y	—	NQ	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	08/18/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-3264	CAMO-11-24689	GELC
R-16 S4	1237	05/27/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.842	—	—	0.33	mg/L	Y	J	J	11-2572	CAMO-11-10760	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	0.679	—	—	0.33	mg/L	Y	J	U	11-1381	CAMO-11-4644	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.139	—	—	0.017	mg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.129	—	—	0.017	mg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0941	—	—	0.015	mg/L	Y	—	U	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.134	—	—	0.015	mg/L	Y	—	U	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.109	—	—	0.015	mg/L	Y	—	U	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.38	—	—	0.067	µg/L	Y	—	NQ	2013-1370	CAMO-13-37044	GELC
R-16 S4	1237	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.31	—	—	0.067	µg/L	Y	—	NQ	12-1492	CAMO-12-21795	GELC
R-16 S4	1237	08/18/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.36	—	—	0.067	µg/L	Y	—	NQ	11-3264	CAMO-11-24688	GELC
R-16 S4	1237	05/27/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.32	—	—	0.067	µg/L	Y	—	NQ	11-2573	CAMO-11-10761	GELC
R-16 S4	1237	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.64	—	—	0.067	µg/L	Y	—	NQ	11-1382	CAMO-11-4645	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.758	0.0455	0.0581	—	pCi/L	Y	—	J	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.663	0.0448	0.0773	—	pCi/L	Y	—	NQ	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.77	0.065	0.037	—	pCi/L	Y	—	NQ	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.673	0.064	0.055	—	pCi/L	Y	—	NQ	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.676	0.064	0.056	—	pCi/L	Y	—	NQ	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.762	0.081	0.13	—	pCi/L	Y	—	NQ	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0265	0.0105	0.0356	—	pCi/L	Y	U	U	2013-1370	CAMO-13-37035	GELC
R-16 S4	1237	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0215	0.0101	0.0499	—	pCi/L	Y	U	U	12-1492	CAMO-12-21786	GELC
R-16 S4	1237	02/16/11	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0481	0.011	0.027	—	pCi/L	Y	—	NQ	11-1382	CAMO-11-4644	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0258	0.0093	0.036	—	pCi/L	Y	U	U	11-585	CAMO-11-1305	GELC
R-16 S4	1237	11/17/10	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0362	0.011	0.037	—	pCi/L	Y	U	U	11-585	CAMO-11-1308	GELC
R-16 S4	1237	07/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0287	0.013	0.063	—	pCi/L	Y	U	U	10-3657	CAMO-10-22899	GELC
R-16 S4	1237	07/25/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.429	0.0345	0.0504	—	pCi/L</td						

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.08	—	—	0.01	SU	Y	H	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.15	—	—	0.01	SU	Y	H	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.13	—	—	0.01	SU	Y	H	J-	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.18	—	—	0.01	SU	Y	H	J-	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.1	—	—	0.01	SU	Y	H	J-	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	79.6	—	—	0.725	mg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	79	—	—	0.725	mg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	78.8	—	—	0.725	mg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	81.2	—	—	0.73	mg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	81.5	—	—	0.73	mg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	77.2	—	—	0.73	mg/L	Y	—	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.014	0.00742	0.0351	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00269	0.00713	0.0337	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0122	0.00645	0.028	—	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00583	0.0033	0.035	—	pCi/L	Y	U	U	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00285	0.0026	0.041	—	pCi/L	Y	U	U	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.0105	0.0086	0.033	—	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0527	—	—	0.017	mg/L	Y	—	U	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.576	—	—	0.017	mg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0846	—	—	0.017	mg/L	Y	—	U	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.016	mg/L	Y	U	U	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.016	mg/L	Y	U	U	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.05	—	—	0.016	mg/L	Y	U	UJ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.49	—	—	1.7	µg/L	Y	J	J	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	Y	3.37	—	—	1.7	µg/L	Y	J	J	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	2.74	—	—	1.7	µg/L	Y	J	J	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	62.7	—	—	1	µg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	63.8	—	—	1	µg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	62.2	—	—	1	µg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	63.9	—	—	1	µg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	57.3	—	—	1	µg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	63.4	—	—	1	µg/L	Y	—	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	17.3	—	—	15	µg/L	Y	J	J	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	IN															

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.119	1.4	4.5	—	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.4	—	—	0.067	mg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.39	—	—	0.067	mg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.35	—	—	0.067	mg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.31	—	—	0.066	mg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.46	—	—	0.066	mg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.38	—	—	0.066	mg/L	Y	—	J+	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.64	—	—	2	µg/L	Y	J	J	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.23	—	—	2	µg/L	Y	J	J	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	5.73	—	—	2	µg/L	Y	J	J	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	7.47	—	—	2	µg/L	Y	J	J	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.34	—	—	2	µg/L	Y	J	J	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.71	—	—	2	µg/L	Y	J	J	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.38	1.62	5.1	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.531	1.41	5.18	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-2.55	1.33	4.12	—	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.65	1.2	3.5	—	pCi/L	Y	U	U	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.379	2	6.8	—	pCi/L	Y	U	U	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.43	1.4	4.1	—	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.398	—	—	0.033	mg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.401	—	—	0.033	mg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.382	—	—	0.033	mg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.402	—	—	0.033	mg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.427	—	—	0.033	mg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.389	—	—	0.033	mg/L	Y	—	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.869	0.767	2.72	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.457	0.596	2.36	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.503	0.508	1.97	—	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	2.05	0.94	2.5	—	pCi/L	Y	U	U	10-3712	CAMO-10-22861	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	Y	1.86	0.41	0.98	—	pCi/L	Y	—	NQ	09-2841	CAMO-09-9556	GELC
R-16r	600	08/20/07	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.08	0.485	1.29	—	pCi/L	Y	U	U	192106	GU07080GR16A01	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.7	0.974	2.8	—	pCi/L	Y	—	NQ	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	2.1	0.838	2.67	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	2.85	0.837	2.54	—	pCi/L	Y	—	NQ	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.14	1	2.9	—	pCi/L	Y	—	NQ	10-3712	CAMO-10-22861	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	-0.458	0.49	2.1	—	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	08/20/07	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	2.74	0.8	2.33	—	pCi/L	Y	—	J	192106	GU07080GR16A01	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hard													

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.1	—	—	0.17	µg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.08	—	—	0.17	µg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.21	—	—	0.17	µg/L	Y	—	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.939	2.63	9.55	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	2.48	2.66	9.84	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.164	3.21	11.1	—	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	2.37	2.4	8.2	—	pCi/L	Y	U	U	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	6.51	9.3	32	—	pCi/L	Y	U	U	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-10.2	13	39	—	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.628	—	—	0.5	µg/L	Y	J	J	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.91	—	—	0.5	µg/L	Y	J	J	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	0.964	—	—	0.5	µg/L	Y	J	J	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.07	—	—	0.5	µg/L	Y	J	J	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.83	—	—	0.5	µg/L	Y	J	J	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.15	—	—	0.5	µg/L	Y	J	J	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.439	—	—	0.017	mg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.435	—	—	0.017	mg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.441	—	—	0.017	mg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.52	—	—	0.05	mg/L	Y	—	J	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.51	—	—	0.05	mg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.449	—	—	0.05	mg/L	Y	—	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.384	—	—	0.05	µg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.387	—	—	0.05	µg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.409	—	—	0.05	µg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.387	—	—	0.05	µg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.369	—	—	0.05	µg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.401	—	—	0.05	µg/L	Y	—	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00275	0.00615	0.0311	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00303	0.00526	0.0343	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00566	0.00566	0.019	—	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.0096	0.0068	0.032	—	pCi/L	Y	U	U	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.0026	0.043	—	pCi/L	Y	U	U	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00198	0.0034	0.032	—	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0193	0.00825	0.0354	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.00607	0.0391	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00283	0.0049	0.0341</								

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	41.3	--	--	0.053	mg/L	Y	--	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	41.3	--	--	0.053	mg/L	Y	--	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	41.9	--	--	0.053	mg/L	Y	--	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	37.8	--	--	0.053	mg/L	Y	--	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	40.9	--	--	0.053	mg/L	Y	--	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	16.4	--	--	0.1	mg/L	Y	--	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	16.5	--	--	0.1	mg/L	Y	--	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	16	--	--	0.1	mg/L	Y	--	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	15.3	--	--	0.1	mg/L	Y	--	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	15.9	--	--	0.1	mg/L	Y	--	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	15.9	--	--	0.1	mg/L	Y	--	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.531	1.28	4.82	--	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.867	1.19	4.66	--	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.15	1.24	4.4	--	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.02	1.3	4.3	--	pCi/L	Y	U	U	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.77	2.1	7.1	--	pCi/L	Y	U	U	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.454	1.1	3.3	--	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	174	--	--	1	µS/cm	Y	--	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	175	--	--	1	µS/cm	Y	--	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	180	--	--	1	µS/cm	Y	--	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	173	--	--	1	µS/cm	Y	--	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	180	--	--	1	µS/cm	Y	--	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	172	--	--	1	µS/cm	Y	--	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	184	--	--	1	µg/L	Y	--	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	185	--	--	1	µg/L	Y	--	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	187	--	--	1	µg/L	Y	--	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	187	--	--	1	µg/L	Y	--	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	173	--	--	1	µg/L	Y	--	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	189	--	--	1	µg/L	Y	--	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.251	0.133	0.494	--	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.00286	0.141	0.496	--	pCi/L	Y	U	U	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.105	0.139	0.491	--	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0286	0.13	0.48	--	pCi/L	Y	U	U	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.193	0.14	0.47	--	pCi/L	Y	U	U	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0903	0.12	0.39	--	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	4.43	--	--	0.133	mg/L	Y	--	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	4.41	--	--	0.133	mg/L	Y	--	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulf													

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	600	02/16/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.1	—	—	0.033	mg/L	Y	U	UJ	11-1381	CAMO-11-4647	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.456	—	—	0.33	mg/L	Y	J	J	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.413	—	—	0.33	mg/L	Y	J	J	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.51	—	—	0.33	mg/L	Y	J	J	12-1492	CAMO-12-21787	GELC
R-16r	600	08/10/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-3144	CAMO-11-24681	GELC
R-16r	600	05/20/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-2493	CAMO-11-10752	GELC
R-16r	600	02/16/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.429	—	—	0.33	mg/L	Y	J	J	11-1381	CAMO-11-4647	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.24	—	—	0.067	µg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	1.28	—	—	0.067	µg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.26	—	—	0.067	µg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.997	—	—	0.067	µg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.19	—	—	0.067	µg/L	Y	—	NQ	11-2493	CAMO-11-10750	GELC
R-16r	600	02/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.3	—	—	0.067	µg/L	Y	—	NQ	11-1382	CAMO-11-4650	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.76	0.0412	0.0426	—	pCi/L	Y	—	NQ	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.727	0.0378	0.0397	—	pCi/L	Y	—	NQ	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.715	0.0455	0.0716	—	pCi/L	Y	—	NQ	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.754	0.064	0.044	—	pCi/L	Y	—	NQ	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.763	0.067	0.061	—	pCi/L	Y	—	NQ	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.738	0.07	0.099	—	pCi/L	Y	—	NQ	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0127	0.00984	0.0249	—	pCi/L	Y	U	U	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.026	0.00853	0.0232	—	pCi/L	Y	—	NQ	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0364	0.0119	0.0462	—	pCi/L	Y	U	U	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0471	0.011	0.027	—	pCi/L	Y	—	NQ	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0271	0.0088	0.035	—	pCi/L	Y	U	U	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0224	0.0086	0.048	—	pCi/L	Y	U	U	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.407	0.0296	0.0344	—	pCi/L	Y	—	NQ	2013-1331	CAMO-13-37036	GELC
R-16r	600	07/24/13	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.371	0.0268	0.032	—	pCi/L	Y	—	NQ	2013-1331	CAMO-13-37027	GELC
R-16r	600	08/09/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.506	0.0376	0.0363	—	pCi/L	Y	—	NQ	12-1492	CAMO-12-21787	GELC
R-16r	600	07/15/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.31	0.032	0.031	—	pCi/L	Y	—	NQ	10-3712	CAMO-10-22861	GELC
R-16r	600	02/04/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.355	0.038	0.04	—	pCi/L	Y	—	NQ	10-1646	CAMO-10-9337	GELC
R-16r	600	08/11/09	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.451	0.048	0.049	—	pCi/L	Y	—	NQ	09-2841	CAMO-09-9556	GELC
R-16r	600	07/24/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.8	—	—	1	µg/L	Y	—	NQ	2013-1331	CAMO-13-37045	GELC
R-16r	600	07/24/13	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.9	—	—	1	µg/L	Y	—	NQ	2013-1331	CAMO-13-37028	GELC
R-16r	600	08/09/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.5	—	—	1	µg/L	Y	—	NQ	12-1492	CAMO-12-21796	GELC
R-16r	600	08/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	13.5	—	—	1	µg/L	Y	—	NQ	11-3144	CAMO-11-24682	GELC
R-16r	600	05/20/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	12.4	—	—	1	µg						

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	65.5	—	0.725	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	63.8	—	0.73	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	63.8	—	0.73	mg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC	
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	61.6	—	0.73	mg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC	
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	57.4	—	0.73	mg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC	
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	65	—	0.73	mg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC	
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	61	—	0.73	mg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC	
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00649	0.00649	0.0407	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0126	0.00755	0.0345	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00509	0.0038	0.032	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0199	0.0066	0.03	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00518	0.012	0.037	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	33.4	—	1	µg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC	
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	31.2	—	1	µg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	34.1	—	1	µg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	33.5	—	1	µg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC	
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	28.9	—	1	µg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC	
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	30.1	—	1	µg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC	
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	33.8	—	1	µg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC	
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	32.8	—	1	µg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC	
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	12.2	—	0.05	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC	
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	11.6	—	0.05	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	12.6	—	0.05	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	12.2	—	0.05	mg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC	
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	10.9	—	0.05	mg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC	
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	11.7	—	0.05	mg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC	
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	12.4	—	0.05	mg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC	
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	12.1	—	0.05	mg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC	
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.391	1.6	5.89	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.565	1.76	6.25	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.442	1.6	5.3	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.67	2.2	8	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-2.48	1.4	4	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.24	—	0.067	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC	
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.25	—	0.067	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.28	—	0.066	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC	
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.3	—	0								

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-1.5	1.8	5.6	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.0141	1.3	4.4	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.361	—	—	0.033	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.225	—	—	0.033	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.236	—	—	0.033	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.228	—	—	0.033	mg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.26	—	—	0.033	mg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.256	—	—	0.033	mg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.204	—	—	0.033	mg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.202	—	—	0.033	mg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.657	0.613	2.26	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.327	0.542	2.03	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.927	0.83	2.9	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.33	0.65	2.7	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.165	0.5	2.6	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.37	0.895	2.44	—	pCi/L	Y	—	NQ	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.68	0.888	2.88	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.66	0.75	2.3	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.702	0.69	2.4	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.84	0.83	2.6	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	47	—	—	0.453	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	44.6	—	—	0.453	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	48.1	—	—	0.45	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	47	—	—	0.45	mg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	42.1	—	—	0.45	mg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	45	—	—	0.45	mg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	47.6	—	—	0.45	mg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	46.2	—	—	0.45	mg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4	—	—	0.11	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.81	—	—	0.11	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.02	—	—	0.11	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.01	—	—	0.11	mg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.63	—	—	0.11	mg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.85	—	—	0.11	mg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.01	—	—	0.11	mg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.87	—	—	0.11	mg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.28	—	—	0.165	µg/L	Y	—	NQ	2013-1100</td		

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.69	—	—	0.5	µg/L	Y	J	J	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.15	—	—	0.5	µg/L	Y	J	J	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.19	—	—	0.5	µg/L	Y	J	J	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.12	—	—	0.5	µg/L	Y	J	J	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Nickel	Ni	Y	1.15	—	—	0.5	µg/L	Y	J	J	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.517	—	—	0.017	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.902	—	—	0.17	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.595	—	—	0.05	mg/L	Y	—	J	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.59	—	—	0.05	mg/L	Y	—	J	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.545	—	—	0.05	mg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.55	—	—	0.05	mg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.515	—	—	0.05	mg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.54	—	—	0.05	mg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.396	—	—	0.05	µg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.413	—	—	0.05	µg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.422	—	—	0.05	µg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.436	—	—	0.05	µg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.385	—	—	0.05	µg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.377	—	—	0.05	µg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.412	—	—	0.05	µg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	CIO4	Y	0.416	—	—	0.05	µg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0	0.00632	0.0358	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00287	0.00498	0.0193	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.0189	0.011	0.028	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.006	0.0035	0.032	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00442	0.0031	0.037	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00632	0.00632	0.0407	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00287	0.00498	0.0346	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0105	0.0063	0.028	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.002	0.0028	0.03	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00221	0.0022	0.026	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.46	—	—	0.05	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.53	—	—	0.05	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.55	—	—	0.05	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Potassium	K	Y	1.53	—	—	0.05	mg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995																					

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.4	—	—	0.1	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.1	—	—	0.1	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.4	—	—	0.1	mg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.7	—	—	0.1	mg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.4	—	—	0.1	mg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.9	—	—	0.1	mg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.6	—	—	0.1	mg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.3	—	—	0.1	mg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	2.38	1.32	5.85	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.79	1.51	5.55	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.138	1.6	5.2	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-3.55	1.7	4.1	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.354	1.6	5.2	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	142	—	—	1	µS/cm	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	144	—	—	1	µS/cm	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	135	—	—	1	µS/cm	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	135	—	—	1	µS/cm	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	138	—	—	1	µS/cm	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	142	—	—	1	µS/cm	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	139	—	—	1	µS/cm	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	142	—	—	1	µS/cm	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	52	—	—	1	µg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	50.9	—	—	1	µg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	53.7	—	—	1	µg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	52.2	—	—	1	µg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	46.8	—	—	1	µg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	49	—	—	1	µg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	52.8	—	—	1	µg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	51.8	—	—	1	µg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.149	0.133	0.475	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.079	0.127	0.474	—	pCi/L	Y	U	U	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.118	0.11	0.49	—	pCi/L	Y	U	U	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.142	0.14	0.46	—	pCi/L	Y	U	U	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.298	0.14	0.45	—	pCi/L	Y	U	U	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.13	—	—	0.133	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.1	—	—	0.133	mg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	3.23	—	—	0.1	mg/L</td						

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S1	995.5	08/04/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-3044	CAMO-11-24664	GELC
R-33 S1	995.5	08/04/11	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-3044	CAMO-11-24666	GELC
R-33 S1	995.5	05/16/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-2414	CAMO-11-10762	GELC
R-33 S1	995.5	05/16/11	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.342	—	—	0.33	mg/L	Y	J	J	11-2414	CAMO-11-10765	GELC
R-33 S1	995.5	02/10/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-1332	CAMO-11-4661	GELC
R-33 S1	995.5	02/10/11	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-1332	CAMO-11-4665	GELC
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.144	—	—	0.017	mg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0654	—	—	0.017	mg/L	Y	—	U	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.293	—	—	0.015	mg/L	Y	—	J	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.29	—	—	0.015	mg/L	Y	—	J	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0557	—	—	0.015	mg/L	Y	—	U	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0667	—	—	0.015	mg/L	Y	—	U	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.015	mg/L	Y	U	U	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.015	mg/L	Y	U	U	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.983	0.644	2.063	—	pCi/L	Y	U	U	2013-1100ARS	CAMO-13-37037	ARSL
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.319	0.672	2.256	—	pCi/L	Y	U	UJ	12-1512	CAMO-12-21788	ARSL
R-33 S1	995.5	05/16/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.7728	0.6762	2.254	—	pCi/L	Y	U	U	11-2435	CAMO-11-10762	ARSL
R-33 S1	995.5	05/16/11	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.2254	0.6118	2.093	—	pCi/L	Y	U	U	11-2435	CAMO-11-10765	ARSL
R-33 S1	995.5	11/18/10	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	Y	3.5742	1.1914	2.415	—	pCi/L	N	—	R	11-748	CAMO-11-1297	ARSL
R-33 S1	995.5	11/18/10	WG	UF	RE	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.3846	0.7728	2.415	—	pCi/L	Y	U	U	11-748	CAMO-11-1297	ARSL
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.7728	0.5474	1.8032	—	pCi/L	Y	U	U	10-3219	CAMO-10-16816	ARSL
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.964	—	—	0.067	µg/L	Y	—	NQ	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.869	—	—	0.067	µg/L	Y	—	NQ	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.807	—	—	0.067	µg/L	Y	—	NQ	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.729	—	—	0.067	µg/L	Y	—	NQ	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.738	—	—	0.067	µg/L	Y	—	NQ	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.768	—	—	0.067	µg/L	Y	—	NQ	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.863	—	—	0.067	µg/L	Y	—	NQ	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.853	—	—	0.067	µg/L	Y	—	NQ	11-1332	CAMO-11-4666	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.501	0.0375	0.0571	—	pCi/L	Y	—	J	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.492	0.0373	0.07	—	pCi/L	Y	—	J	12-1511	CAMO-12-21788	GELC
R-33 S1	995.5	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.447	0.043	0.049	—	pCi/L	Y	—	NQ	10-3636	CAMO-10-22883	GELC
R-33 S1	995.5	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.457	0.044	0.03	—	pCi/L	Y	—	NQ	10-3157	CAMO-10-16816	GELC
R-33 S1	995.5	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.472	0.048	0.071	—	pCi/L	Y	—	NQ	10-1497	CAMO-10-9361	GELC
R-33 S1	995.5	07/10/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0102	0.0102	0.0333	—	pCi/L	Y	U	U	2013-1100	CAMO-13-37037	GELC
R-33 S1	995.5	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.013	0.00793	0.0452	—	pCi/L	Y	U	U			

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S1	995.5	07/10/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	5.44	—	—	3.3	µg/L	Y	J	J	2013-1100	CAMO-13-37046	GELC
R-33 S1	995.5	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	6.88	—	—	3.3	µg/L	Y	J	J	12-1511	CAMO-12-21797	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	N	10	—	—	3.3	µg/L	Y	U	U	11-3044	CAMO-11-24662	GELC
R-33 S1	995.5	08/04/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Zinc	Zn	N	10	—	—	3.3	µg/L	Y	U	U	11-3044	CAMO-11-24667	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	5.69	—	—	3.3	µg/L	Y	J	J	11-2415	CAMO-11-10763	GELC
R-33 S1	995.5	05/16/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Zinc	Zn	Y	5.48	—	—	3.3	µg/L	Y	J	J	11-2415	CAMO-11-10766	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	N	10	—	—	3.3	µg/L	Y	U	U	11-1332	CAMO-11-4664	GELC
R-33 S1	995.5	02/10/11	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Zinc	Zn	N	10	—	—	3.3	µg/L	Y	U	U	11-1332	CAMO-11-4666	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.85	—	—	0.01	SU	Y	H	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.83	—	—	0.01	SU	Y	H	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.91	—	—	0.01	SU	Y	H	J-	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.86	—	—	0.01	SU	Y	H	J-	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.9	—	—	0.01	SU	Y	H	J-	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	62.9	—	—	0.725	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	64.5	—	—	0.725	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	64.9	—	—	0.73	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	62.6	—	—	0.73	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	65	—	—	0.73	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00311	0.00695	0.039	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00471	0.00666	0.0323	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00894	0.004	0.033	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0127	0.0065	0.028	—	pCi/L	Y	U	U	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00323	0.0026	0.032	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	36	—	—	1	µg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	34	—	—	1	µg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	37.7	—	—	1	µg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	33.2	—	—	1	µg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	37.5	—	—	1	µg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	10.9	—	—	0.05	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	10.6	—	—	0.05	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	11.7	—	—	0.05	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	10.5	—	—	0.05	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	11.6	—	—	0.05	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.69	1.42	5	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.217	1.21	4.34	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	EPA:														

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.26	1.4	4.5	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.191	—	—	0.033	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.187	—	—	0.033	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.221	—	—	0.033	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.248	—	—	0.033	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.205	—	—	0.033	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.69	0.713	1.71	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.416	0.566	2.27	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.8	0.74	2.6	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.37	0.77	2.3	—	pCi/L	Y	U	U	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.487	0.59	2.3	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.68	0.861	2.79	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	2.47	0.913	2.83	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.11	0.69	2.3	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.01	0.95	2.6	—	pCi/L	Y	—	NQ	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.44	0.91	2.6	—	pCi/L	Y	—	NQ	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	44	—	—	0.453	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	42.8	—	—	0.453	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	46.9	—	—	0.45	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	42.8	—	—	0.45	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	46.4	—	—	0.45	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.1	—	—	0.11	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.94	—	—	0.11	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.3	—	—	0.11	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.01	—	—	0.11	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.21	—	—	0.11	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.17	—	—	0.165	µg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.977	—	—	0.165	µg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.924	—	—	0.17	µg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.96	—	—	0.17	µg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	N	0.927	—	—	0.17	µg/L	Y	—	U	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-3.29	2.75	9.4	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.41	2.81	10.4	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-5.35	3	8.9	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.18	3.3	11	—	pCi/L	Y	U	U	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	15	11	37	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen													

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00286	0.0064	0.0345	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00203	0.002	0.028	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00413	0.012	0.03	—	pCi/L	Y	U	U	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	1.06E-09	0.0077	0.026	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.37	—	—	0.05	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.22	—	—	0.05	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.38	—	—	0.05	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.28	—	—	0.05	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	2.43	—	—	0.05	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	7.77	24.8	52.6	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	44.8	19.2	36.9	—	pCi/L	Y	UI	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	23	20	75	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-14.3	20	69	—	pCi/L	Y	U	U	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	9.15	16	54	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	80.7	—	—	0.053	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	76.4	—	—	0.053	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	82.7	—	—	0.053	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	74	—	—	0.053	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	80.9	—	—	0.053	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.9	—	—	0.1	mg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.3	—	—	0.1	mg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.3	—	—	0.1	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12	—	—	0.1	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.03	1.12	3.99	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.0741	1.28	5.07	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.437	1.2	3.8	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.651	1.3	4.7	—	pCi/L	Y	U	U	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.478	1.2	3.8	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	137	—	—	1	µS/cm	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	140	—	—	1	µS/cm	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	133	—	—	1	µS/cm	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	139	—	—	1	µS/cm	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	142	—	—	1	µS/cm	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.3	—	—	1	µg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	48.4	—	—	1	µg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	140	—	—	2.4	mg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	149	—	—	2.4	mg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.431	—	—	0.33	mg/L	Y	J	J	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.421	—	—	0.33	mg/L	Y	J	J	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	08/04/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-3044	CAMO-11-24669	GELC
R-33 S2	1112.4	05/16/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	N	1	—	—	0.33	mg/L	Y	U	U	11-2414	CAMO-11-10768	GELC
R-33 S2	1112.4	02/11/11	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.394	—	—	0.33	mg/L	Y	J	J	11-1338	CAMO-11-4667	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0349	—	—	0.017	mg/L	Y	J	J	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.061	—	—	0.017	mg/L	Y	—	U	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.313	—	—	0.015	mg/L	Y	—	J	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0625	—	—	0.015	mg/L	Y	—	U	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.05	—	—	0.015	mg/L	Y	U	U	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.1	—	—	0.067	µg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.997	—	—	0.067	µg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.859	—	—	0.067	µg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.876	—	—	0.067	µg/L	Y	—	NQ	11-2415	CAMO-11-10770	GELC
R-33 S2	1112.4	02/11/11	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.982	—	—	0.067	µg/L	Y	—	NQ	11-1338	CAMO-11-4668	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.544	0.0413	0.0631	—	pCi/L	Y	—	J	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.532	0.0404	0.074	—	pCi/L	Y	—	NQ	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.596	0.055	0.057	—	pCi/L	Y	—	NQ	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.543	0.05	0.029	—	pCi/L	Y	—	NQ	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.58	0.056	0.07	—	pCi/L	Y	—	NQ	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0188	0.0113	0.0368	—	pCi/L	Y	U	U	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0171	0.0103	0.0478	—	pCi/L	Y	U	U	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0327	0.012	0.034	—	pCi/L	Y	U	U	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0134	0.0078	0.027	—	pCi/L	Y	U	U	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00932	0.0054	0.04	—	pCi/L	Y	U	U	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.261	0.0292	0.0509	—	pCi/L	Y	—	J	2013-1128	CAMO-13-37038	GELC
R-33 S2	1112.4	08/21/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.294	0.0291	0.0376	—	pCi/L	Y	—	NQ	12-1511	CAMO-12-21789	GELC
R-33 S2	1112.4	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.329	0.036	0.039	—	pCi/L	Y	—	NQ	10-3636	CAMO-10-22885	GELC
R-33 S2	1112.4	05/12/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.308	0.032	0.027	—	pCi/L	Y	—	NQ	10-3157	CAMO-10-16818	GELC
R-33 S2	1112.4	01/28/10	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.259	0.032	0.046	—	pCi/L	Y	—	NQ	10-1497	CAMO-10-9367	GELC
R-33 S2	1112.4	07/11/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	6.24	—	—	1	µg/L	Y	—	NQ	2013-1128	CAMO-13-37047	GELC
R-33 S2	1112.4	08/21/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.22	—	—	1	µg/L	Y	—	NQ	12-1511	CAMO-12-21798	GELC
R-33 S2	1112.4	08/04/11	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	5.66	—	—	1	µg/L	Y	—	NQ	11-3044	CAMO-11-24670	GELC
R-33 S2	1112.4	05/16/11																				

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00259	0.0026	0.019	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00819	0.0058	0.029	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00482	0.0036	0.031	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	27.2	—	—	1	µg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	27.8	—	—	1	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	27.9	—	—	1	µg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	25.8	—	—	1	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Barium	Ba	Y	24.6	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Barium	Ba	Y	25.5	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	19.8	—	—	15	µg/L	Y	J	J	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	N	50	—	—	15	µg/L	Y	U	U	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	17	—	—	15	µg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	16.1	—	—	15	µg/L	Y	J	J	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Boron	B	Y	16.2	—	—	15	µg/L	Y	J	J	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Boron	B	Y	17.8	—	—	15	µg/L	Y	J	J	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	16.9	—	—	0.05	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	16.9	—	—	0.05	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	16.9	—	—	0.05	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	16.3	—	—	0.05	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	15.6	—	—	0.05	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	16.1	—	—	0.05	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.22	1.67	4.81	—	pCi/L	Y	U	U	2013-1224	CAMO-13-37039	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.81	1.51	5.86	—	pCi/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	-3.21	1.51	4.9	—	pCi/L	Y	U	U	12-1515	CAMO-12-21779	GELC
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.36	2	6.2	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.733	2.3	5.1	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	2.75	2	7.3	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.36	—	—	0.067	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.4	—	—	0.067	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.26	—	—	0.067	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.36	—	—	0.067	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.24	—	—	0.067	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	2.23	—	—	0.067	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.34	—	—	2	µg/L	Y	J	J	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	3.75	—	—	2	µg/L	Y	J	J	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	4.61	—	—	2	µg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Chromium	Cr	Y	5.06	—	—	2	µg/L	Y	J	J	2013-3		

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.418	0.282	2.22	—	pCi/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	-0.22	0.265	1.91	—	pCi/L	Y	U	U	12-1515	CAMO-12-21779	GELC
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.2	0.66	1.9	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.137	0.74	3.1	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.435	0.71	2.7	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	3.58	0.806	1.95	—	pCi/L	Y	—	NQ	2013-1224	CAMO-13-37039	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.91	0.88	2.79	—	pCi/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	N	0.717	0.689	2.4	—	pCi/L	Y	U	U	12-1515	CAMO-12-21779	GELC
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.849	0.87	3	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	2.14	0.92	2.9	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.86	0.84	2.6	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	58.1	—	—	0.453	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	57.7	—	—	0.453	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	58.2	—	—	0.453	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	56.8	—	—	0.453	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	53.6	—	—	0.453	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	55.4	—	—	0.453	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.87	—	—	0.11	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.77	—	—	0.11	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.9	—	—	0.11	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.9	—	—	0.11	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.58	—	—	0.11	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	3.7	—	—	0.11	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.02	—	—	0.165	µg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.972	—	—	0.165	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	N	1.18	—	—	0.165	µg/L	Y	—	U	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.04	—	—	0.165	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	0.996	—	—	0.165	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	1.04	—	—	0.165	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.69	2.4	8.3	—	pCi/L	Y	U	U	2013-1224	CAMO-13-37039	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	1.63	3.38	11.9	—	pCi/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	INORGANIC	SW-846:6020	Neptunium-237	Np-237	N	1.1	2.57	9.26	—	pCi/L	Y	U	U	12-1515	CAMO-12-21779	GELC
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.78	3.5	11	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	3.01	2.1	7.5	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	02/10/10	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-3.18	10	33	—	pCi/L	Y	U	U	10-1807	CAMO-10-9350	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.442	—	—	0.017	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.446	—	—	0.017	mg/L	Y	—	NQ	20		

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00598	0.0035	0.027	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0115	0.0371	—	pCi/L	Y	U	U	2013-1224	CAMO-13-37039	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00248	0.00429	0.0298	—	pCi/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00273	0.00723	0.0329	—	pCi/L	Y	U	U	12-1515	CAMO-12-21779	GELC
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00623	0.0046	0.051	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00487	0.0049	0.044	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00199	0.0035	0.027	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.77	—	—	0.05	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.82	—	—	0.05	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.87	—	—	0.05	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.78	—	—	0.05	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Potassium	K	Y	1.68	—	—	0.05	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Potassium	K	Y	1.73	—	—	0.05	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-10.9	18.6	71	—	pCi/L	Y	U	U	2013-1224	CAMO-13-37039	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	5.2	18.2	73.6	—	pCi/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	-0.54	18	70	—	pCi/L	Y	U	U	12-1515	CAMO-12-21779	GELC
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-28.8	21	69	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-3.51	18	64	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-14.9	14	42	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	75	—	—	0.053	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	75.7	—	—	0.053	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	75	—	—	0.053	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	72.9	—	—	0.053	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	68.1	—	—	0.053	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	70.6	—	—	0.053	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.2	—	—	0.1	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	11.1	—	—	0.1	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.8	—	—	0.1	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	12.2	—	—	0.1	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.6	—	—	0.1	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	10.9	—	—	0.1	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.95	1.34	3.97	—	pCi/L	Y	U	U	2013-1224	CAMO-13-37039	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.29	1.21	4.25	—	pCi/L	Y	U	U	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.993	1.25	4.47	—	pCi/L	Y	U	U	12-1515	CAMO-12-21779	GELC
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.168	1.6	5.1	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.48	1.8	5.8	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34																						

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.0393	0.12	0.47	—	pCi/L	Y	U	U	11-3174	CAMO-11-24650	GELC
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.105	0.11	0.39	—	pCi/L	Y	U	U	11-2549	CAMO-11-10771	GELC
R-34	883.7	07/09/10	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.216	0.12	0.48	—	pCi/L	Y	U	U	10-3632	CAMO-10-22881	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.67	—	—	0.133	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.72	—	—	0.133	mg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.88	—	—	0.133	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.86	—	—	0.133	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.59	—	—	0.133	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Sulfate	SO4(-2)	Y	2.63	—	—	0.133	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	126	—	—	3.4	mg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	121	—	—	3.4	mg/L	Y	—	J	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	90	—	—	3.4	mg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	131	—	—	3.4	mg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	120	—	—	3.4	mg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	GENERAL CHEMISTRY	EPA:160.1	Total Dissolved Solids	TDS	Y	127	—	—	3.4	mg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.491	—	—	0.33	mg/L	Y	J	J	2013-1224	CAMO-13-37039	GELC
R-34	883.7	05/15/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.582	—	—	0.33	mg/L	Y	J	J	2013-855	CAMO-13-30614	GELC
R-34	883.7	02/13/13	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.63	—	—	0.33	mg/L	Y	J	J	2013-534	CAMO-13-28423	GELC
R-34	883.7	11/14/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.387	—	—	0.33	mg/L	Y	J	J	2013-323	CAMO-13-24277	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.566	—	—	0.33	mg/L	Y	J	J	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	0.605	—	—	0.33	mg/L	Y	J	J	12-1515	CAMO-12-21779	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.444	0.593	2.044	—	pCi/L	Y	U	U	2013-1325	CAMO-13-37039	ARSL
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.713	0.646	2.117	—	pCi/L	Y	U	UJ	12-1515ARS	CAMO-12-21790	ARSL
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.827	0.665	2.165	—	pCi/L	Y	U	UJ	12-1515ARS	CAMO-12-21779	ARSL
R-34	883.7	08/11/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.483	0.7084	2.4794	—	pCi/L	Y	U	U	11-3305	CAMO-11-24650	ARSL
R-34	883.7	05/25/11	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.644	0.6762	2.254	—	pCi/L	Y	U	U	11-2539	CAMO-11-10771	ARSL
R-34	883.7	11/09/10	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	Y	3.1234	0.8372	2.1574	—	pCi/L	N	—	R	11-474	CAMO-11-1302	ARSL
R-34	883.7	11/09/10	WG	UF	RE	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.7084	0.6762	2.1574	—	pCi/L	Y	U	U	11-474	CAMO-11-1302	ARSL
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.469	—	—	0.067	µg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.453	—	—	0.067	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.463	—	—	0.067	µg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.485	—	—	0.067	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.465	—	—	0.067	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.476	—	—	0.067	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.357	0.0318	0.0534	—	pCi/L	Y	—	J	2013-1224	CAMO-13-37039	GELC
R-34	883.7	08/23/12	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.288	0.0303	0.0713	—	pCi/L	Y	—	NQ	12-1515	CAMO-12-21790	GELC
R-34	883.7	08/23/12	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.352										

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.67	—	—	1	µg/L	Y	—	NQ	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	8.24	—	—	1	µg/L	Y	—	NQ	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.53	—	—	1	µg/L	Y	—	NQ	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.28	—	—	1	µg/L	Y	—	NQ	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.73	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Vanadium	V	Y	7.34	—	—	1	µg/L	Y	—	NQ	12-1515	CAMO-12-21780	GELC
R-34	883.7	07/17/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	5.35	—	—	3.3	µg/L	Y	J	J	2013-1224	CAMO-13-37048	GELC
R-34	883.7	05/15/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	7.67	—	—	3.3	µg/L	Y	J	J	2013-855	CAMO-13-30618	GELC
R-34	883.7	02/13/13	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	7	—	—	3.3	µg/L	Y	J	J	2013-534	CAMO-13-28424	GELC
R-34	883.7	11/14/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	3.95	—	—	3.3	µg/L	Y	J	J	2013-323	CAMO-13-24281	GELC
R-34	883.7	08/23/12	WG	F	INIT	REG	INORGANIC	SW-846:6010B	Zinc	Zn	Y	4.63	—	—	3.3	µg/L	Y	J	J	12-1515	CAMO-12-21799	GELC
R-34	883.7	08/23/12	WG	F	INIT	FD	INORGANIC	SW-846:6010B	Zinc	Zn	Y	4.17	—	—	3.3	µg/L	Y	J	J	12-1515	CAMO-12-21780	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.17	—	—	0.01	SU	Y	H	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.34	—	—	0.01	SU	Y	H	J-	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.3	—	—	0.01	SU	Y	H	J-	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.27	—	—	0.01	SU	Y	H	J-	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.36	—	—	0.01	SU	Y	H	J-	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.2	—	—	0.01	SU	Y	H	J-	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	85.3	—	—	0.725	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	141	—	—	0.73	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	156	—	—	0.73	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	155	—	—	0.73	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	96.5	—	—	0.73	mg/L	Y	—	NQ	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:310.1	Alkalinity-CO ₃ +HCO ₃	ALK-CO ₃ +HCO ₃	Y	153	—	—	0.73	mg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0	0.00999	0.0361	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00167	0.0023	0.029	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.00668	0.0048	0.03	—	pCi/L	Y	U	U	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0213	0.0065	0.036	—	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00422	0.0027	0.03	—	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	05/17/06	WP	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0179	0.00731	0.0454	—	pCi/L	Y	U	U	163267	GU060500P12101	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.72	—	—	1.7	µg/L	Y	J	J	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	N	5	—	—	1.7	µg/L	Y	U	U	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	3.13	—	—	1.5	µg/L	Y	J	J	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6020	Arsenic	As	Y	2.69	—	—	1.5	µg/L	Y	J	J	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.54	—	—	1.5	µg/L	Y	J	J	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Arsenic	As	Y	1.72	—	—	1.5	µg/L	Y	J	J	1		

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.2	—	—	0.066	mg/L	Y	—	NQ	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Bromide	Br(-1)	Y	0.178	—	—	0.066	mg/L	Y	J	J	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	VOC	SW-846:8260B	Bromodichloromethane	75-27-4	Y	0.82	—	—	0.3	µg/L	Y	J	J	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Bromodichloromethane	75-27-4	Y	6.37	—	—	0.25	µg/L	Y	—	NQ	11-445	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	VOC	SW-846:8260B	Bromodichloromethane	75-27-4	Y	7.99	—	—	0.25	µg/L	Y	—	NQ	11-445	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Bromodichloromethane	75-27-4	Y	3.96	—	—	0.25	µg/L	Y	—	NQ	10-3644	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Bromodichloromethane	75-27-4	Y	7.07	—	—	0.25	µg/L	Y	—	NQ	10-3090	CASA-10-16680	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Bromodichloromethane	75-27-4	Y	5.33	—	—	0.25	µg/L	Y	—	NQ	10-1538	CASA-10-9111	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	14	—	—	0.05	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	24.5	—	—	0.05	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	37	—	—	0.05	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6010B	Calcium	Ca	Y	35.6	—	—	0.05	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	22.4	—	—	0.05	mg/L	Y	—	NQ	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Calcium	Ca	Y	28.2	—	—	0.05	mg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.382	1.29	4.8	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.45	1.7	4.9	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.398	1.4	4.6	—	pCi/L	Y	U	U	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.482	1.6	5.3	—	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.79	1.3	4.4	—	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	06/09/05	WS	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.224	0.674	2.31	—	pCi/L	Y	U	U	138450	GU05060P12101	GELC
Sandia right fork at Pwr Plant	—	06/09/05	WS	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.599	0.642	2.13	—	pCi/L	Y	U	U	138450	GU05060P12190	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	25.2	—	—	0.67	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	67.2	—	—	0.66	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	100	—	—	0.66	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	101	—	—	0.66	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	87.6	—	—	0.66	mg/L	Y	—	NQ	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Chloride	Cl(-1)	Y	176	—	—	6.6	mg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	VOC	SW-846:8260B	Chlorodibromomethane	124-48-1	Y	0.56	—	—	0.3	µg/L	Y	J	J	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Chlorodibromomethane	124-48-1	Y	4.14	—	—	0.3	µg/L	Y	—	NQ	11-445	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	VOC	SW-846:8260B	Chlorodibromomethane	124-48-1	Y	4.94	—	—	0.3	µg/L	Y	—	NQ	11-445	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Chlorodibromomethane	124-48-1	Y	1.09	—	—	0.3	µg/L	Y	—	NQ	10-3644	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Chlorodibromomethane	124-48-1	Y	2.95	—	—	0.3	µg/L	Y	—	NQ	10-3090	CASA-10-16680	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Chlorodibromomethane	124-48-1	Y	1.78	—	—	0.3	µg/L	Y	—	NQ	10-1538	CASA-10-9111	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	VOC	SW-846:8260B	Chloroform	67-66-3	Y	0.72	—	—	0.3	µg/L	Y	J	J	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	VOC	SW-846:8260B	Chloroform	67-66-3	Y	5.38	—	—	0.25	µg/L	Y	—	NQ	11-445	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	VOC	SW-846:8260B	Chloroform	67-66-3	Y	6.73	—	—	0.25	µg/L	Y	—	NQ	11-445	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT</td																	

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Copper	Cu	Y	3.84	—	—	3	µg/L	Y	J	J	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Copper	Cu	Y	3.23	—	—	3	µg/L	Y	J	J	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Copper	Cu	Y	6.39	—	—	3	µg/L	Y	J	J	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6010B	Copper	Cu	Y	5.67	—	—	3	µg/L	Y	J	J	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Copper	Cu	Y	4.95	—	—	3	µg/L	Y	J	J	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Copper	Cu	Y	5.65	—	—	3	µg/L	Y	J	J	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.225	—	—	0.033	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.292	—	—	0.033	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.287	—	—	0.033	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.3	—	—	0.033	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.281	—	—	0.033	mg/L	Y	—	NQ	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:300.0	Fluoride	F(-1)	Y	0.321	—	—	0.033	mg/L	Y	—	J-	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.123	0.598	2.82	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.16	0.85	2.8	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.523	0.68	2.7	—	pCi/L	Y	U	U	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.258	0.51	2.2	—	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.39	0.62	2.8	—	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	05/17/06	WP	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.752	0.754	2.87	—	pCi/L	Y	U	U	163267	GU060500P12101	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	7	1.11	2.47	—	pCi/L	Y	—	NQ	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	10.9	1.7	2.9	—	pCi/L	Y	—	NQ	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	Y	12.2	1.8	2.7	—	pCi/L	Y	—	NQ	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	12.8	1.7	2.5	—	pCi/L	Y	—	NQ	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	13	1.9	2.9	—	pCi/L	Y	—	NQ	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	05/17/06	WP	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	11.1	0.982	2.76	—	pCi/L	Y	—	—	163267	GU060500P12101	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	51.8	—	—	0.453	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	92.5	—	—	0.45	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	134	—	—	0.35	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	129	—	—	0.35	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	83	—	—	0.35	mg/L	Y	—	NQ	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SM:A2340B	Hardness	HARDNESS	Y	105	—	—	0.35	mg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Iron	Fe	Y	43.6	—	—	30	µg/L	Y	J	J	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Iron	Fe	Y	38.2	—	—	30	µg/L	Y	J	J	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Iron	Fe	Y	64	—	—	30	µg/L	Y	J	J	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6010B	Iron	Fe	Y	54	—	—	30	µg/L	Y	J	J	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Iron	Fe	N	116	—	—	30	µg/L	Y	—	U	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Iron	Fe	Y	130	—	—	30	µg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	4.12	—	—	0.11	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Magnesium	Mg	Y	7.62	—	—	0.11	mg						

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	EPA:245.2	Mercury	Hg	N	0.2	—	—	0.066	µg/L	Y	U	U	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	EPA:245.2	Mercury	Hg	N	0.2	—	—	0.066	µg/L	Y	U	U	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	4.68	—	—	0.165	µg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	2.6	—	—	0.17	µg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	5.2	—	—	0.1	µg/L	Y	—	J	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	5.12	—	—	0.1	µg/L	Y	—	J	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	29.6	—	—	0.1	µg/L	Y	—	NQ	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Molybdenum	Mo	Y	2.61	—	—	0.1	µg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.662	2.8	9.04	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-2.27	2.8	9	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.669	3.1	11	—	pCi/L	Y	U	U	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.0897	3.1	10	—	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	4.32	9.2	28	—	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	06/09/05	WS	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-6.32	5.37	18	—	pCi/L	Y	U	U	138450	GU05060P12101	GELC
Sandia right fork at Pwr Plant	—	06/09/05	WS	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	0.952	5.49	16.6	—	pCi/L	Y	U	U	138450	GU05060P12190	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	2.14	—	—	0.085	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.98	—	—	0.05	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.605	—	—	0.05	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.57	—	—	0.05	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.58	—	—	0.05	mg/L	Y	—	J	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	3.64	—	—	0.1	mg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.316	—	—	0.05	µg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.163	—	—	0.05	µg/L	Y	J	J	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.241	—	—	0.05	µg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.245	—	—	0.05	µg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	0.678	—	—	0.05	µg/L	Y	—	J	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	LCMS/MS PERCHLORATE	SW-846:6850	Perchlorate	ClO4	Y	5.77	—	—	0.5	µg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00664	0.00813	0.0375	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	5.46E-10	0.0092	0.053	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00566	0.0057	0.065	—	pCi/L	Y	U	U	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00602	0.0043	0.04	—	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00337	0.0034	0.027	—	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	05/17/06	WP	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00319	0.0172	0.0383	—	pCi/L	Y	U	U	163267	GU060500P12101	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.00664	0.0427	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00457	0.0079	0.095	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.0057									

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	83.9	—	—	0.053	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	117	—	—	0.27	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	106	—	—	0.27	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	106	—	—	0.053	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	84.4	—	—	0.053	mg/L	Y	—	NQ	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Silicon Dioxide	SiO2	Y	130	—	—	0.53	mg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	46.5	—	—	0.1	mg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	80.7	—	—	0.1	mg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	95.6	—	—	0.1	mg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6010B	Sodium	Na	Y	92.7	—	—	0.1	mg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	70.3	—	—	0.1	mg/L	Y	—	NQ	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Sodium	Na	Y	149	—	—	0.1	mg/L	Y	E	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.713	1.24	4.49	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.01	2.1	6.2	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.817	1.7	5.3	—	pCi/L	Y	U	U	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.45	1.5	4.4	—	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.424	1.2	3.7	—	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	06/09/05	WS	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.16	0.604	2.17	—	pCi/L	Y	U	U	138450	GU05060P12101	GELC
Sandia right fork at Pwr Plant	—	06/09/05	WS	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	0.169	0.587	2.16	—	pCi/L	Y	U	U	138450	GU05060P12190	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	346	—	—	1	µS/cm	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	586	—	—	1	µS/cm	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	700	—	—	1	µS/cm	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	708	—	—	1	µS/cm	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	572	—	—	1	µS/cm	Y	—	NQ	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	963	—	—	1	µS/cm	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	56.2	—	—	1	µg/L	Y	—	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	—	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	35.9	—	—	1	µg/L	Y	—	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	182	—	—	1	µg/L	Y	—	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6010B	Strontium	Sr	Y	176	—	—	1	µg/L	Y	—	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	—	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	163	—	—	1	µg/L	Y	—	NQ	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	—	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6010B	Strontium	Sr	Y	136	—	—	1	µg/L	Y	—	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	—	07/22/13	WS	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.0959	0.125	0.421	—	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.251	0.13	0.49	—	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	—	11/09/10	WS	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.117	0.14	0.48	—	pCi/L	Y	U	U	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	—	07/12/10	WS	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.175	0.13	0.42	—	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	—	08/07/09	WS	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.237	0.099	0.3	—	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	—	06/09/05	WS	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.17	0.0726	0.288	—	pCi/L	Y	U	U	138450	GU05060P12101	

Table C-2 Mortandad and Sandia Watershed General Surveillance Monitoring Group Analytical Results and Results from the Four Previous Monitoring Events if Available

Location	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Analyte Code	Detect Flag	Result	1-sigma TPU	MDA	MDL	Unit	Best Value Flag	Lab Qual	2nd Qual	Request	Sample	Lab
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	Y	0.625	--	--	0.033	mg/L	Y	--	J+	11-445	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	FD	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	Y	0.679	--	--	0.033	mg/L	Y	--	J+	11-445	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	--	05/07/10	WS	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	Y	0.404	--	--	0.033	mg/L	Y	--	J	10-3090	CASA-10-16680	GELC
Sandia right fork at Pwr Plant	--	02/01/10	WS	UF	INIT	REG	GENERAL CHEMISTRY	EPA:351.2	Total Kjeldahl Nitrogen	TKN	Y	0.337	--	--	0.033	mg/L	Y	--	NQ	10-1538	CASA-10-9111	GELC
Sandia right fork at Pwr Plant	--	07/22/13	WS	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	3.43	--	--	0.33	mg/L	Y	--	NQ	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	--	05/19/11	WS	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	5.31	--	--	0.33	mg/L	Y	--	NQ	11-2475	CASA-11-10791	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	5.59	--	--	0.33	mg/L	Y	--	NQ	11-445	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	FD	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	5.72	--	--	0.33	mg/L	Y	--	NQ	11-445	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	--	05/07/10	WS	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	5.2	--	--	0.33	mg/L	Y	--	NQ	10-3090	CASA-10-16680	GELC
Sandia right fork at Pwr Plant	--	02/01/10	WS	UF	INIT	REG	GENERAL CHEMISTRY	SW-846:9060	Total Organic Carbon	TOC	Y	5.04	--	--	0.33	mg/L	Y	--	NQ	10-1538	CASA-10-9111	GELC
Sandia right fork at Pwr Plant	--	07/22/13	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	2.35	--	--	0.017	mg/L	Y	--	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	--	05/19/11	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	2.73	--	--	0.015	mg/L	Y	--	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.87	--	--	0.015	mg/L	Y	--	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	F	INIT	FD	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.942	--	--	0.015	mg/L	Y	--	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	--	05/07/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	2.8	--	--	0.075	mg/L	Y	--	NQ	10-3090	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	--	02/01/10	WS	F	INIT	REG	GENERAL CHEMISTRY	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	2.27	--	--	0.015	mg/L	Y	--	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	--	07/22/13	WS	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.212	--	--	0.067	µg/L	Y	--	NQ	2013-1293	CASA-13-37021	GELC
Sandia right fork at Pwr Plant	--	05/19/11	WS	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.266	--	--	0.067	µg/L	Y	--	NQ	11-2475	CASA-11-10792	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.836	--	--	0.05	µg/L	Y	--	NQ	11-446	CASA-11-1339	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	F	INIT	FD	INORGANIC	SW-846:6020	Uranium	U	Y	0.848	--	--	0.05	µg/L	Y	--	NQ	11-446	CASA-11-1341	GELC
Sandia right fork at Pwr Plant	--	05/07/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	0.146	--	--	0.05	µg/L	Y	J	J	10-3091	CASA-10-16681	GELC
Sandia right fork at Pwr Plant	--	02/01/10	WS	F	INIT	REG	INORGANIC	SW-846:6020	Uranium	U	Y	1.17	--	--	0.05	µg/L	Y	--	NQ	10-1538	CASA-10-9112	GELC
Sandia right fork at Pwr Plant	--	07/22/13	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.13	0.0184	0.043	--	pCi/L	Y	--	NQ	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.564	0.056	0.055	--	pCi/L	Y	--	NQ	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.495	0.05	0.053	--	pCi/L	Y	--	NQ	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	--	07/12/10	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	N	0.0979	0.024	0.14	--	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	--	08/07/09	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.177	0.025	0.082	--	pCi/L	Y	--	NQ	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	--	05/17/06	WP	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	N	0.0577	0.0151	0.0707	--	pCi/L	Y	U	U	163267	GU060500P12101	GELC
Sandia right fork at Pwr Plant	--	07/22/13	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0128	0.00677	0.0251	--	pCi/L	Y	U	U	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0195	0.01	0.036	--	pCi/L	Y	U	U	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	Y	0.0402	0.013	0.035	--	pCi/L	Y	--	NQ	11-447	CASA-11-1340	GELC
Sandia right fork at Pwr Plant	--	07/12/10	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0	0.0087	0.068	--	pCi/L	Y	U	U	10-3646	CASA-10-22569	GELC
Sandia right fork at Pwr Plant	--	08/07/09	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0148	0.0089	0.047	--	pCi/L	Y	U	U	09-2813	CASA-09-10304	GELC
Sandia right fork at Pwr Plant	--	05/17/06	WP	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0	0.00671	0.0343	--	pCi/L	Y	U	U	163267	GU060500P12101	GELC
Sandia right fork at Pwr Plant	--	07/22/13	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.0663	0.0131	0.0346	--	pCi/L	Y	--	NQ	2013-1293	CASA-13-37013	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.265	0.033	0.036	--	pCi/L	Y	--	NQ	11-447	CASA-11-1337	GELC
Sandia right fork at Pwr Plant	--	11/09/10	WS	UF	INIT	FD	RAD</td															


Appendix D

Groundwater Results Greater Than Half of Screening Levels

There are no results for this periodic monitoring event.

Appendix E

Analytical Chemistry Graphs of Screening-Level Exceedances



Appendix F

*Analytical Reports
(on CD included with this document)*

CD Table of Contents

Chain of Custody	Category	Lab	Sample	Date	Location	Screen Top Depth (ft)	Screen Bottom Depth (ft)
2013-1100	Inorganic	GELC ^a	CAMO-13-37046	07/10/2013	R-33 S1	995.5	1018.5
2013-1100	Inorganic	GELC	CAMO-13-37037	07/10/2013	R-33 S1	995.5	1018.5
2013-1100	Organic	GELC	CAMO-13-37037	07/10/2013	R-33 S1	995.5	1018.5
2013-1100	Rad ^b	GELC	CAMO-13-37037	07/10/2013	R-33 S1	995.5	1018.5
2013-1100ARS	Rad	ARSL ^c	CAMO-13-37037	07/10/2013	R-33 S1	995.5	1018.5
2013-1128	Inorganic	GELC	CAMO-13-37038	07/11/2013	R-33 S2	1112.4	1122.3
2013-1128	Inorganic	GELC	CAMO-13-37047	07/11/2013	R-33 S2	1112.4	1122.3
2013-1128	Organic	GELC	CAMO-13-37038	07/11/2013	R-33 S2	1112.4	1122.3
2013-1128	Rad	GELC	CAMO-13-37038	07/11/2013	R-33 S2	1112.4	1122.3
2013-1200	Rad	ARSL	CASA-13-37007	07/17/2013	R-10 S1	874	897
2013-1200	Rad	ARSL	CASA-13-36997	07/17/2013	R-10 S1	874	897
2013-1200	Rad	ARSL	CASA-13-37008	07/17/2013	R-10 S2	1042	1065
2013-1217	Inorganic	GELC	CASA-13-37007	07/17/2013	R-10 S1	874	897
2013-1217	Inorganic	GELC	CASA-13-36997	07/17/2013	R-10 S1	874	897
2013-1217	Inorganic	GELC	CASA-13-36998	07/17/2013	R-10 S1	874	897
2013-1217	Inorganic	GELC	CASA-13-37008	07/17/2013	R-10 S2	1042	1065
2013-1217	Inorganic	GELC	CASA-13-37015	07/17/2013	R-10 S1	874	897
2013-1217	Inorganic	GELC	CASA-13-37016	07/17/2013	R-10 S2	1042	1065
2013-1217	Organic	GELC	CASA-13-36997	07/17/2013	R-10 S1	874	897
2013-1217	Organic	GELC	CASA-13-37007	07/17/2013	R-10 S1	874	897
2013-1217	Organic	GELC	CASA-13-37008	07/17/2013	R-10 S2	1042	1065
2013-1217	Rad	GELC	CASA-13-37007	07/17/2013	R-10 S1	874	897
2013-1217	Rad	GELC	CASA-13-36997	07/17/2013	R-10 S1	874	897
2013-1217	Rad	GELC	CASA-13-37008	07/17/2013	R-10 S2	1042	1065
2013-1223	Inorganic	GELC	CASA-13-37009	07/17/2013	R-10a	690	700
2013-1223	Inorganic	GELC	CASA-13-37017	07/17/2013	R-10a	690	700
2013-1223	Organic	GELC	CASA-13-37009	07/17/2013	R-10a	690	700
2013-1223	Rad	GELC	CASA-13-37009	07/17/2013	R-10a	690	700
2013-1224	Inorganic	GELC	CAMO-13-37039	07/17/2013	R-34	883.7	906.6
2013-1224	Inorganic	GELC	CAMO-13-37048	07/17/2013	R-34	883.7	906.6
2013-1224	Organic	GELC	CAMO-13-37039	07/17/2013	R-34	883.7	906.6
2013-1224	Rad	GELC	CAMO-13-37039	07/17/2013	R-34	883.7	906.6
2013-1293	Inorganic	GELC	CASA-13-37013	07/22/2013	Sandia right fork at Power Plant	— ^d	—
2013-1293	Inorganic	GELC	CASA-13-37021	07/22/2013	Sandia right fork at Power Plant	—	—
2013-1293	Organic	GELC	CASA-13-37013	07/22/2013	Sandia right fork at Power Plant	—	—

Chain of Custody	Category	Lab	Sample	Date	Location	Screen Top Depth (ft)	Screen Bottom Depth (ft)
2013-1293	Rad	GELC	CASA-13-37013	07/22/2013	Sandia right fork at Power Plant	—	—
2013-1294	Inorganic	GELC	CASA-13-37011	07/22/2013	R-12 S2	504.5	508
2013-1294	Inorganic	GELC	CASA-13-37019	07/22/2013	R-12 S2	504.5	508
2013-1294	Organic	GELC	CASA-13-37011	07/22/2013	R-12 S2	504.5	508
2013-1294	Rad	GELC	CASA-13-37011	07/22/2013	R-12 S2	504.5	508
2013-1324	Rad	ARSL	CASA-13-37009	07/17/2013	R-10a	690	700
2013-1325	Rad	ARSL	CAMO-13-37039	07/17/2013	R-34	883.7	906.6
2013-1331	Inorganic	GELC	CAMO-13-37027	07/24/2013	R-16r	600	617.6
2013-1331	Inorganic	GELC	CAMO-13-37028	07/24/2013	R-16r	600	617.6
2013-1331	Inorganic	GELC	CAMO-13-37036	07/24/2013	R-16r	600	617.6
2013-1331	Inorganic	GELC	CAMO-13-37045	07/24/2013	R-16r	600	617.6
2013-1331	Organic	GELC	CAMO-13-37027	07/24/2013	R-16r	600	617.6
2013-1331	Organic	GELC	CAMO-13-37036	07/24/2013	R-16r	600	617.6
2013-1331	Rad	GELC	CAMO-13-37027	07/24/2013	R-16r	600	617.6
2013-1331	Rad	GELC	CAMO-13-37036	07/24/2013	R-16r	600	617.6
2013-1334	Inorganic	GELC	CAMO-13-37043	07/24/2013	R-16 S2	863.4	870.9
2013-1334	Inorganic	GELC	CAMO-13-37034	07/24/2013	R-16 S2	863.4	870.9
2013-1334	Organic	GELC	CAMO-13-37034	07/24/2013	R-16 S2	863.4	870.9
2013-1334	Rad	GELC	CAMO-13-37034	07/24/2013	R-16 S2	863.4	870.9
2013-1370	Inorganic	GELC	CAMO-13-37035	07/25/2013	R-16 S4	1237	1244.6
2013-1370	Inorganic	GELC	CAMO-13-37044	07/25/2013	R-16 S4	1237	1244.6
2013-1370	Organic	GELC	CAMO-13-37035	07/25/2013	R-16 S4	1237	1244.6
2013-1370	Rad	GELC	CAMO-13-37035	07/25/2013	R-16 S4	1237	1244.6
2013-1438	Rad	ARSL	CASA-13-37010	07/25/2013	R-12 S1	459	467.5
2013-323	Inorganic	GELC	CAMO-13-24277	11/14/2012	R-34	883.7	906.6
2013-323	Inorganic	GELC	CAMO-13-24281	11/14/2012	R-34	883.7	906.6
2013-534	Inorganic	GELC	CAMO-13-28423	02/13/2013	R-34	883.7	906.6
2013-534	Inorganic	GELC	CAMO-13-28424	02/13/2013	R-34	883.7	906.6
2013-855	Inorganic	GELC	CAMO-13-30614	05/15/2013	R-34	883.7	906.6
2013-855	Inorganic	GELC	CAMO-13-30618	05/15/2013	R-34	883.7	906.6

^a GELC = General Engineering Laboratories, Inc., Charleston, SC.

^b Rad = Radiochemistry (not gamma).

^c ARSL = American Radiation Services, Inc.

^d — = Not applicable.