



Arclor-1254 Result/SSL Residential Ratio	Symbol	Description
0.44 - 0.53	Dark purple square	Existing sampling location
0.38 - 0.43	Medium purple square	Existing IP sampler location
0.34 - 0.37	Light purple square	Proposed SMA sampler location
0.3 - 0.33	Lighter purple square	Structure
0.28 - 0.29	Very light purple square	SWMU boundary
0.26 - 0.27	Lightest purple square	Existing SMA boundary
0.23 - 0.25	Very light purple square	Revised SMA boundary
0.2 - 0.22	Lightest purple square	Road
0.17 - 0.19	Very light purple square	Security fence
0.11 - 0.16	Lightest purple square	Index contour line 20-ft interval
	Thin grey line	Contour line, 2-ft interval

**NPDES Individual Permit NM0030759  
Storm Water Permitted Feature  
L026: LA-SMA-6.38**

New Mexico State Plane Coordinate System Central Zone (3002)  
North American Datum, 1983 (NAD 83)

US Survey Ft

GIS: Dave Frank, dff@lanl.gov, 665-8182  
Date: 11-March-2014  
Revision: 0.0  
Last Opened: Monday, March 24, 2014  
File Name: map\_13-0006-07\_21-024(c)\_pcb\_1254

**DISCLAIMER:** This map was created for work processes associated with EP-ET-ER division. All other uses for this map should be confirmed with LANL staff.

