From: Haagenstad, Mark P

Sent: Friday, February 06, 2015 4:02 PM

**To:** Ryan.Flynn@state.nm.us; Jeff.Kendall@state.nm.us; John Kieling; steve.pullen@state.nm.us; Timothy.Hall@state.nm.us; siona.briley@state.nm.us; ricardo.maestas@state.nm.us; Gregory.Lauer@state.nm.us; steve.holmes@state.nm.us; coleman.smith@state.nm.us; butch.tongate@state.nm.us; Cobrain, Dave, NMENV; kathryn.roberts@state.nm.us

Cc: Pete Maggiore; Silas DeRoma; Cummings, Lisa K; Nickless, David J; Bishop, M. Lee; Turner, Gene E; Armijo, Karen (CONTR); Wallace, Terry C; Torres, Enrique; Woitte, Deborah Kay; Clemmons, Steve; Allen, Don; Brandt, Michael Thomas; Sharp-Geiger, Raeanna Racine; Dorries, Alison Marie; Grieggs, Tony; Bacigalupa, Gian A; Vigil-Holterman, Luciana R; Alexander, Rick A; Baumer, Andy; Martinez, Saundra; Sauer, Selena Z; Wood, Yvonne Barbara; Schreiber, Arleen Thorn; Maestas, Pamela Therese; Hargis, Kenneth Marshall; Diaz, Tammy; Juarez, Catherine L; Cabbil, Cheryl Denise; Young, Steven L; Erickson, Randy; Funk, David John; Alexander, Rick A; Frederici, Dave; Diaz, Tammy; Juarez, Catherine L; Robinson, Bruce Alan; Lansing, Michael Alan; Tymkowych, John M; Haagenstad, Mark P Subject: Daily Technical Submission - February 6, 2015

Attached is the written daily technical submission for today. The Permittees are submitting the attached information pursuant to: Section 19 of the May 19, 2014, *Administrative Order*; the July 10, 2014 letter from NMED regarding *Modification to May 19, 2014, Administrative Order*; and Section IX of the September 19, 2014, *LANL Nitrate Salt-Bearing Waste Container Isolation Plan, Revision 2*.

Please contact me if additional information would be helpful.

Mark Haagenstad Environmental Protection Division Compliance and Permitting Group Los Alamos National Laboratory

Office: (505) 665-2014 Mobile: (505) 699-1733

### NMED / LANL Technical Summary

### **February 6, 2015**

#### **LANL Technical Update:**

- Location of Nitrate Salt-Bearing Wastes
  - o Remediated nitrate salt-bearing waste containers.
    - All containers remain in the 375 Permacon.
  - o Unremediated nitrate salt-bearing waste containers.
    - All containers remain in the 231 Permacon.
- Monitoring Daily Temperature
  - o Temperatures remain below 90°F.
    - Previous day's temperature data attached.
- Monitoring Visual Inspections
  - No abnormal conditions were observed.
- Monitoring headspace gas (HSG)
  - o Containers (SWBs) 68685 and SB50522.
    - Continue daily head space gas (HSG) sample collection.
      - February 5, 2015 HSG data attached.
        - o H<sub>2</sub>, CO, CO<sub>2</sub> and N<sub>2</sub>O
  - Other containers:
    - A minimum of once per month HSG sampling will be conducted.
      - To date in February, LANL has conducted HSG sampling on 31 SWBs.
      - February 5, 2015 HSG data attached.
- Additional measures currently underway
  - As a conservative measure, LANL is currently conducting additional monitoring.
     This additional monitoring includes:
    - Containers (SWB) 68685 and SB50522.
      - LANL continuing solid phase micro-extraction.
      - Hourly temperature measurements are currently being performed on SWB 68685 and SB50522.
    - Five (5) other SWB overpacks (containing 55-gallon drums of remediated nitrate salt-bearing waste).
      - Continue twice-weekly HSG sample collection.
- Anticipated Changes to Nitrate Salt-Bearing Waste Containers (e.g. movement, repackaging)
  - o Currently, no further movements or re-packaging are occurring.

Other:

**Next Call:** Tuesday, February 10, 2015

## **Summary Chart - Requested Information / Pending Issues:**

	Requested Information	Actionee	Status	Completion Date
1.	NMED contact / process for LANL to notify NMED under the Revised Isolation Plan (e.g., 24 hour notices).	NMED		Complete June 5, 2014
2.	Keep NMED informed on the status of ongoing chemistry / analytical work.	LANL		Complete June 9, 2014
3.	On upcoming daily call, provide additional discussion on the potential for liquids in the 350 post-1991 cemented containers (including a discussion of the review of RTR tapes).	LANL		Complete  July 6, 2014 (Discussion on call)  July 18, 2014 (Meeting held)
4.	On upcoming call, provide additional discussion on why 231 and 375 Permacon fire suppression systems are not part of the LANL RCRA Hazardous Waste Facility Permit Contingency Plan.	LANL		Complete June 5, 2014
5.	Send copy of June 4, 2014 written daily submission to Trais Kliphuis. Also, include her on future daily submissions.	LANL		Complete June 5, 2014
6.	Provide LANL procedures and example records associated with post-1991 TA-55 cementation process discussed on June 6.	LANL		Complete July 3, 2014
7.	Provide information on numbers of containers in the post-1991 cemented waste streams from the TA-55 process discussed on June 6. This should include numbers regarding RTR status (RTR'd, meet WIPP criteria, requiring remediation).	LANL		Complete  June 17, 2014  (Supplemental Info provided July 3)
8.	Provide RTR video and pre-screening information associated with those containers requiring remediation from the post-1991 cemented waste streams from the TA-55 process discussed on June 6.	LANL		Complete July 3, 2014
9.	Provide copy of CCP/LANL Interface Document.	LANL		Complete June 9, 2014
10.	Provide a list of the analytes for which LANL is sampling HSG (CO <sub>2</sub> and LFL analytes).	LANL		Complete June 11, 2014
11.	Discuss potential sampling of HSG for NO <sub>x</sub> .	LANL		Complete June 16, 2014

	Requested Information	Actionee	Status	Completion Date
12.	Follow-up with Tim Hall regarding LANL Hazardous Waste Facility Permit and procedures that LANL is developing for possible future sampling of empty parent containers and unremediated nitrate saltbearing containers at LANL.	LANL		Complete  Empty Parent June 16, 2014  Unremediated August 14, 2014 (Supplemental information discussed on sampling of parent containers)
				August 26, 2014 (Letter on applicability of LANL HWFP for opening waste containers)

	Requested Information	Actionee	Status	Completion Date
13.	Respond to NMED email request for information associated with the nitrate salt-bearing parent and daughter waste containers.	LANL		Complete July 9, 2014 (Letter sent addressing items 1-4 and 6-9 of the email request)
	WIPP Recovery Daily Meeting Action List item #84 – NMED requested a copy of the LANL remediation records for waste stored in			July 17, 2014 (Letter sent with updated spreadsheet)
	Panel 6 (Trais Kliphuis) – is a subset of the information in item 5 of this action.			August 7, 2014 (First submittal in response to item 5)
				August 14, 2014 (Letter addressing items 2 & 8 - Second submittal in response to item 5)
				August 18, 2014 (Third submittal in response to item 5)
				August 21, 2014 (Fourth submittal in response to item 5)
				August 27, 2014 (Fifth submittal in response to item 5)
				September 4, 2014 (Sixth submittal in response to item 5)
				September 9, 2014 (Seventh submittal in response to item 5)
				September 11, 2014 (Eighth submittal in response to item 5)
				September 22, 2014 (Ninth submittal in response to item 5)
				September 23, 2014 (Tenth submittal in response to item 5)
				October 1, 2014 (Eleventh submittal in response to item 5)
				October 8, 2014
				(Twelfth submittal in response to item 5)
				October 16, 2014 (Thirteenth submittal in response to item 5)
				October 23, 2014
				(Fourteenth submittal in response to item 5)
				October 27, 2014
				(Fifteenth submittal in response to item 5)
				October 28, 2014 (Sixteenth submittal in response to item 5)
				November 3, 2014 (Seventeenth submittal in response to item 5)

	Requested Information	Actionee	Status	Completion Date
14.	NMED will review the Round Sheets (provided in June 11 summary) and inform LANL if these should be attachments to the Revised Plan, or if they fall under the provision in Section I of the Revised Isolation Plan and their identification during this technical call is sufficient.	NMED	NMED has reviewed Round Sheets – no comments / direction at this time. NMED will address any comments in their formal response to Revised Container Isolation Plan.	Complete June 23, 2014
15.	NMED has requested 'copies of any waste processing, treatment, characterization stop orders issued since Feb 14, 2014.'	LANL		Complete  June 13, 2014 (Included w/ daily summary)  June 16, 2014 (Discussed current TA-54 & WCRRF operations)
16.	NMED requested information on the location of drums 68327 and 68328. Request made June 14.	LANL		Complete June 14, 2014
17.	Update on LANL efforts – including LANL teams. (On June 20 call, LANL offered to schedule an update meeting).	LANL / NMED		Complete July 2, 2014
18.	Neutralizer use in association with container S855793 (parent of 68660 and 68685).	LANL		Complete June 25, 2014
19.	List of nitrate salt-bearing waste containers that LANL records indicate contain absorbed liquids with the same neutralizer, as discussed during June 25 technical call.	LANL		Complete  September 30, 2014 (with August 26, 2014 response)
20.	Schedule follow-on update on LANL efforts – including teams.	LANL / NMED		Complete August 14, 2014 (Meeting held)
21.	NMED requested information on document approval / review (as discussed on July 3 call).	LANL		Complete July 29, 2014
22.	What analyses will be conducted on samples taken from empty drums that previously contained nitrate salt-bearing waste.	LANL		Complete July 7, 2014
23.	NMED requested the following information on cemented waste containers generated from TA-55, that are currently stored above-ground at Area G: container id number; location; form (cans or monoliths); and type of concrete. Additionally, NMED requested information on pH adjustment during waste generation process, and information on anticipated pH of free liquids (and rationale).	LANL		Complete  July 17, 2014 (Letter sent w/ information)  July 18, 2014 (Meeting held)

	Requested Information	Actionee	Status	Completion Date
24.	NMED requested the procedure for sampling empty parent drums that previously contained nitrate salt-bearing waste.	LANL	EP-AREAG-WO-DOP- 1245 is included in Enclosure 1 to LANL's July 3, 2014 Response to Request for Information on Management of Waste at LANL.	Complete July 8, 2014
25.	NMED requested an additional discussion on a future technical call regarding CO <sub>2</sub> , including data.	LANL		Complete August 14, 2014 (Meeting held)
26.	NMED requested additional discussion on CIN-01 waste containers and absorbent, including confirmation and extent of use.	LANL		Complete July 18, 2014 (Meeting held)
27.	NMED requested historic analytical information on pH of liquids associated with gypsum cemented waste.	LANL		Complete August 7, 2014
28.	NMED requested link to pdf of Actinide Quarterly edition (3 <sup>rd</sup> Q 2008).	LANL		Complete July 21, 2014
29.	NMED requested a copy of lessons learned	LANL		Complete August 11, 2014
30.	NMED request regarding empty drum sampling presentation.	LANL	Presentation is a pre- decisional draft/working document not for external release	August 25, 2014
31.	Respond to NMED email request dated 8/12/2014 for information associated with the nitrate salt-bearing waste containers.	LANL		Complete September 11, 2014
32.	NMED request regarding technical presentation.	LANL	Presentation is a pre- decisional draft/working document not for external release	August 25, 2014
33.	NMED request regarding literature review of catalytic reactions.	LANL	Literature review is a pre-decisional draft/working document not for external release	August 25, 2014
34.	LANL requested to schedule a meeting with NMED on remediation planning and schedules.	LANL / NMED		Complete September 29, 2014 (meeting held)
35.	Schedule a third update on LANL efforts – including teams.	LANL / NMED		Complete October 20, 2014

	Requested Information	Actionee	Status	Completion Date
36.	NMED request regarding LANL Causal Analysis associated with processing of nitrate salt-bearing waste at WCRRF – when document is Final.	LANL	Document is currently Draft.	
37.	NMED requested a diagram illustrating the current locations within the 375 Permacon of the 55 SWBs that contain the 57 remediated nitrate salt-bearing waste containers. NMED also requested a list of these 55 SWBs and the waste drums within each SWB (including the container numbers and waste stream type).	LANL		Complete October 27, 2014 (Diagram submitted) November 3, 2014 (Table submitted) November 20, 2014 (Revised table submitted)

	Requested Information	Actionee	Status	Completion Date
38.	NMED requested documentation regarding CIN01.001 waste containers that are not part of the September 19, 2014 Nitrate Salts-Bearing Waste Container Isolation Plan, Revision 2.	LANL	In Progress LANL will submit this documentation in batches as it is becomes available.	Submitted 100 out of 586 RTRs and documentation on October 3, 2014. Submitted documentation for 101-200 containers on October 10, 2014. Submitted documentation for 201-300 containers on October 16, 2014. Submitted documentation for 301-400 containers on October 23, 2014. Submitted documentation for 401-500 containers on October 27, 2014. Submitted documentation for 501-586 containers on November 12, 2014. Submitted RTR Videos 101-150 on November 12, 2014. Submitted RTR Videos 151-200 on November 20, 2014. Submitted RTR Videos 201-250 on December 1, 2014. Submitted RTR Videos 201-250 on December 19, 2014. Submitted RTR Videos 251-300 on December 19, 2014. Submitted RTR Videos 301-312 on January 15, 2015.
39.	NMED requested a diagram of the location of the thermocouples on 68685 and SB50522.	LANL		Complete October 27, 2014
40.	NMED requested a copy of the safety basis document for remediation planning when it is finalized.	LANL	Document is currently in Draft.	
41.	Trending and correlation of temperature and HSG monitoring data.	LANL	In progress	
42.	Schedule a fourth update on LANL efforts – including teams.	LANL/ NMED		Complete November 3, 2014

	Requested Information	Actionee	Status	Completion Date
43.	Schedule a fifth update on LANL efforts – including teams.	LANL/ NMED		Complete November 20, 2014
44.	Schedule a sixth update on LANL efforts – including teams.	LANL/ NMED		Complete December 9, 2014
45.	NMED requested documentation regarding CIN01 drums.	LANL	Email sent February 3, 2015. Letter to follow.	
46.	NMED requested documentation regarding duplicate drum number.	LANL	In Progress	
47.	NMED requested the ESS plan for temperature control and sampling once finalized.	LANL	Document is currently in Draft.	
48.	Schedule a seventh update on LANL efforts – including teams.	LANL/ NMED	Meeting is scheduled for January 29, 2015.	
49.	Fire suppression repair plan for Dome 231	LANL	<del></del>	This repair plan is no longer necessary because drum movement will not occur during the repair process.
50.	NMED requested information regarding solution packages 36, 37, 57 and 78.	LANL	In Progress	

	68685			SB50522			68624					
Date	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N₂O ppm	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm
02/06/15	138	423	9203	2403	1684	441	33286	929	42	86	1423	168

	69015				69633				69635			
Date	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N₂O ppm	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm
02/06/15	66	0	1250	101	388	466	5834	888	188	241	4159	194

		69637 69638 69639						69638				
Date	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm
02/06/15	70	180	2445	514	397	477	6309	607	136	149	5227	221

	69644						
Date	H <sub>2</sub> ppm	CO ppm	CO <sub>2</sub> ppm	N <sub>2</sub> O ppm			
02/06/15	215	331	4894	1180			

Document No.: EWMO-AREAG-FO: 2-1246

Revision:

Effective Date: 11/03/14

25 of 38

UET

Page:

ATTACHMENT 2 Page 1 of 3

#### TA-54 AREA G TA-54-231 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 2.2.15 to 2.8.15

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	6.[6]	6.[6]	6.[6]	6.[6]	6.[6]	6.[6]	6.[6]
	Start Time: 0819	Start Time: 0910	Start Time: <u>1044</u>	Start Time: 6935	Start Time:	Start Time:	_ Start Time:
TA-54-231							
Calibrated Infrared	Brand: Fluke	Brand: Floke	Brand: Flull	Brand: FUKE	Brand:	Brand:	Brand:
Thermometer	Model: 561	Model: Sen,	Model: 50	Model: 561	Model:	Model:	Model:
(4.2.1[1][B])	Cal. Due Date 7/29/15	Cal. Due Date: 1 29 5	Cal. Due Date: 1/29/15	Cal, Due Date: 1/19/15	Cal. Due Date:	Cal. Due Date:	Cal. Due Date:
	File Number 101974	File Number 10974	File Number 101914	File Number 101774	File Number	File Number	File Number
Ambient Temperature (6.[7])	44.4 °F	<b>53.3</b> ∘ <sub>F</sub>	51.4 °F	58-1 °F		ot	°F
Container ID #	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])
S818435	49.3	49.6	54.0	53.8			
S802833	48.6	49.2	533	52.8			
S801676	49.6	49.1	54.1	53.2			
S816810	52.9	34.8	550	59.1			
70069	52.9	54.2	74.9	58.8			
S822844	53.2	55.9	554	59.0			
S825879	52.6	54.1	54.6	581			
S793724	52.9	54.7	WS 55 4555	58.4			
S813545	51.8	S3.3	54.5	56.9			
S822713	52.1	52.7	55.4	55.1			
S802739	50.4	51.6	54.9	54.5			
69907	49.8	51.1	54.8	55.5		,	
S804995	50.5	51.4	54.4	55.3			
S816434	51-1	51.8	545	55.6			

WORKING COPY

Z# 1/4188 INITIAL 50

Document No.: EWMO-AREAG-FC

Revision:

Page:

Effective Date: 11/03/14 26 of 38

UET

#### **ATTACHMENT 2** Page 2 of 3

6.[6] Date: From 2-2-15 to 2-8-15

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Container ID #	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])				
\-54-231 (continue	d)						
S805289	50.7	51.6	54.6	55.4			
S862888	50.4	51.5	54.5	55.0			
70072	50.8	5).7	54.5	54.9			
S823184	51.1	S2.7	55.2	56.3			
S822599	51.7	73.6	54.7	57.4			
69904	51.8	53.8	55.0	56.8			
S805051	52.3	540	54,0	57.3			
S864213	52.3	54.3	56.1	57.3			
S853714	53.2	54.7	56.1	580			
S803078	52.2	SU. )	55.2	58.1			
S825878	52.0	4.42	54.7	57.4			
S823124	51.8	54.1	55.0	57.4			
S804948	50.3	52.0	54.7	55.0			
S813385	49.9	51.2	54.2	54.6			
S842446	50.7	5z.\	54.6	56.0			
mbient Temperature	45.6 °F	847 °F	5/.1°F	55.3 °F	°F	oF.	oF
.[12])			1 \	CD 02			-94
nd Time (6.[13])	0826	0930	1052	0940			
6.[13]	Operator: JR	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:
	Operator: <b>EC</b>	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:

Effective Date:

Document No.: EWMO-AREAG-FO P-1246

Revision:

Page:

11/03/14

27 of 38

UET

#### **ATTACHMENT 2** Page 3 of 3

.[2] Comments:							
					W		
[17] Performed by:							
Jackie Romen	Gackie Romero	187066 JK 2-2-1	- THOMAS VIOT	w/ to	12363	84 +	12
Operator (print)	Signature	7 Initials Date	Operator (print)	Signature	Z#	Initials	Dat
Eloy D. CordovA	1880 Cm.	1114188 & < 12.2.1	5		/		/
Operator (print)	Signature //	Zi Initials Date	Operator (print)	Signature	Z#	Initials	Dat
THOMAS VIGIL	-1 JUY	1531365 AN 15/3/12		/	/	/	/
Operator (print)	Signature	Z# Initials Date	Operator (print)	Signature	Z#	Initials	Date
Joseph - 2002	Alua	4138 8 1008	<u> </u>	/	/		/
Operator (print)	Signature	Indialy Date	Operator (print)	Signature	Z#	Initials	Date
pperator (print)	Thur (	115797/ (1/1/4/4)	5 Operator (print)	/ C'	/		/
\ \ \ /	Signature	Z# Initials Date	Operator (print)	Signature	Z#	Initials	Date
Joshual oper	Aller Jogge	16598 180 10204	Operator (print)	<u></u>	/		
Operator (print)	Signature /	Z# Initials Date	Operator (print)	Signature	Z#	Initials	Date
Altredo Aguila	Alda Abuttu	DIR931881 Sto 12/5/1	Operator (print)	/ Signature	/		/
Operator (print)	Signature	Z# Initials Date	Operator (print)	Signature	Z#	Initials	Date

Document No.: EWMO-AREAG-FO

Revision:

Effective Date: 11/03/14

Page:

28 of 38

#### **ATTACHMENT 3**

Page 1 of 3

#### TA-54 AREA G TA-54-375 CELL 1 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 2.2.15 to 2-8.15

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	6.[6] Start Time: 11\0	6.[6] Start Time:	6.[6] Start Time:	6. <u>[6]</u> Start Time:	6.[6] Start Time:	6.[6] Start Time:	6.[6] Start Time:
TA-54-375 Cell 1							
Calibrated Infrared Thermometer (4.2.1[1][B])	Brand: Fluke  Model: 561  Cal. Due Date: Frank  File Number 1011	Brand: Fluke Model: S61 Cal. Due Date: Giz15 File Number 181915	Brand: HUKE Model: Stal Cal. Due Date: LILE File Number _[51915]	Brand: Fluke Model: School Cal. Due Date: CRIS File Number 101915	Brand: Model: Cal. Due Date: File Number	Brand:	Model:
Ambient Temperature (6:[7])	50.0 °F	51-2 oF	53.6°F	<u>53.9</u> °F	oF	ols	oF
Container ID #	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])
68685	53.6	54.2 53.7	55.0	53.9			
LA00000070503 68553	53.3 53.5	52.7	54.7 55.3	54.3 54.3			
69445	53.3	53.0	54.9	54.4			
69618	52.9	55/2	54.8	55.4			
69013 LASB50522	53.7 54.8	53.8	54.4	55.7			
LASB50322	54.8	34.7 54.0	55.9	55.4 55.9			
LASB50431	55.0	54.2	50.0	57.0			
LASB50069	54.)	54.2	54.9	59			
LASB50073	53,7	54.1	55.4	53.			
69636	54.4	549	56.0	54.0			
69616 69417	53.7 53.7	\$5.0° 54.7	55.7	55.3 55.5			

WORKING COPY

Z# 114188

DATE 2.2.15 INITIAL &C

UET

Document No.: EWMO-AREAG-FO-P-1246 Revision: 5

Effective Date: 11/03/14

29 of 38

Page:


UET

**ATTACHMENT 3** Page 2 of 3

6.[6] Date: From 2.2.15 to 2.8.15

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Container ID#	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])
FA-54-375 Cell 1 (con	tinued)						
69620	53.9	54.4	55.6	55.3			
69520	54.3	53-	56vl	55.9			
69641	54,3	54.7	56.3	55. 9			
69298	53,9	54.6	56.3	56.3			
LASB02203	SUI	54.5	367	53.8			
Ambient Temperature (5.[12])	50.9°F	51.9	53,7°F	54.3 °F	oF	oF.	o L.
and Time (6.[13])	1116	1043	11256	1130			
6.[13]	Operator:	Operator:	Operator:	Operator: Operator:	Operator:	Operator:	Operator: Operator:

	8	 



Z#

Initials Date

UET

SOM or designee (print)

Signature

Document No.: EWMO-AREAG-FO

Revision:

11/03/14

Effective Date:

Page:

30 of 38

# ATTACHMENT 3 Page 3 of 3

6.[6] Date: From 2.2.15 to 2.8.15						
6.[17] Performed by:  Operator (print)  Signature	231384 + 1 2 2 1 5 Z# Initials Date	Operator (print)	Signature	/1(c57	1 Initials	//030515
Operator (brint) Signature	//16598/SR / 630355 ) Z# Indials Date	Operator (print)	Signature /	Z# ;	/ Initials	Date /
Operator (print) Signature	72338 /	Operator (print)	Signature /	Z# /	Initials	Date /
Operator (print) Signature  SEDHUL YUMI	Z# Initials Date //5/97/ 0 / 2/4/15	Operator (print)	Signature /	Z# /	Initials /	Date /
Operator (print) Signatura	Z# Initials Date 11658 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Operator (print) Operator (print)	Signature / Signature	Z# /	Initials / Initials	Date / Date
Operator (print)  Operator (print)  Signature  Operator (print)  Signature	Z# Intends Date /236382/	Operator (print)	/ Signature	/ Z#	/ Initials	/ Date
8.1[2] Reviewed by:	Ze minus Date					

Document No.: EWMO-AREAG-FO-JP-1246

Revision:

Effective Date: 11/03/14

Page:

31 of 38

#### **ATTACHMENT 4**

Page 1 of 3

#### TA-54 AREA G TA-54-375 CELL 2 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 2.2.15 to 2.8.15

UET

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	6.[6]	6.[6]	6.[6]	6.[6]	6.[6]	6.[6]	6.[6]
	Start Time: 1117	Start Time: 1049	Start Time: 1127	Start Time: 113	Start Time:	Start Time:	_ Start Time:
TA-54-375 Cell 2				MARCHAR CONTROL			
Calibrated Infrared	Brand: Fluke	Brand: Fluke	Brand: Fluce	Brand: Fuke	Brand:	Brand:	Brand:
Thermometer	Model: 561	Model: S61,	Model: 5	Model: 56	Model:	Model:	Model:
(4.2.1[1][B])	Cal. Due Date: C 1215		Cal. Due Date: 12/15	Cal. Due Date: 6/12/15		Cal. Due Date:	Cal. Due Date:
	File Number 61912	File Number 101912	File Number 10 1912	File Number 101912	File Number	File Number	File Number
Ambient Temperature (6.[7])	55.4°F	<u>55.5</u> °1°	Se. Y oF	56.8 °F	°F		oF.
Container ID#	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])				
LASB02198	53.6	54.6	54.8	56.4	X 4 3 4 3/		(-(-(-),-(-),
68638	\$5.6	54,5	56.4	57.3			
69615	56.0		57.2	57.7			
69635	56.6	55.9 56.7	58.0	57.9			
69642	56.1	56.5	57.1	57.6			
69630	55.6	56.\	57.2	37.72			
69633	55.8	56.7	57.5	59.1			
68430	56.0	5613	57.1	57.6			
68631	55.4	55.0	De. 7	57.4			
69634	56.1	54.2	57.2	57.2	-		
68567	53.6	547	55.8	56.8			
94227	25.5	54.4	56.5	57.2			
LASB50442	55.4	54.4	67.5	51.2			
69644	55.8	54.4	57.1	58.5			
LASB50443	56.2	22.7	57.0	58.1			
69638	54.7	55.6	57.4	58,3			

WORKING COPY

Z# 114188

INITIAL EC DATE 2.2.15





Document No.: EWMO-AREAG-FC

Revision:

Effective Date: 11/03/14

Page:

32 of 38

UET

# ATTACHMENT 4 Page 2 of 3

6.[6] Date: From 2.2.15 to 2.8.15

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Container 1D#	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])
A-54-375 Cell 2 (con	ntinued)						
68624	55.3	56.2	59.3	58.7			
68507	55.3	55.9	58.8	57.5			
69568	54.7	S5.3	54.4	56.4			
69553	53.9	53.8	57./	56.3			
69598	52.4	53.)	55.6	57.6			
LASB50559	54.4	55.7	56.8	59.8			
69015	56.3	56.1	58.0	59.0			
69639	56.60	\$6.7	58.7	59.4			
69637	55.7	56.0	58.8	59.2			
mbient Temperature .[12])	54.3°F	55.4 °F	56.5°F	<u>51.)</u> ∘F	oF.	°F.	oF
nd Time (6.[13])	1123	1048	1135	1138			
6.[13]	Operator:	Operator: Operator:	Operator:	Operator: Operator:	Operator:	Operator:Operator:	Operator:

	-	

Z#

Initials Date

Document No.: EWMO-AREAG-FO P-1246

Revision:

Page:

5 11/03/14

Effective Date:

33 of 38

UET

SOM or designee (print)

Signature

# ATTACHMENT 4 Page 3 of 3

6.[6] Date: From 2.2.15 to 2.8.15						
6.[17] Performed by:	1638/ t//2/2/15 C	Tosholoper	Olan January 1	160	Bell 1	1596 <u>0</u>
Operator (print) Signature Z#	Initials Date	Operator (print)	Signature /	Z# _/	InMials /	Date /
Operator (print) Signature Z#	Irijals Date	Operator (print)	Signature	Z# /	Initials /	Date /
Operator (print) Signiture Z#	1638C/ + /2/3 15	Operator (print)	Signature	Z#	Initials	Date
Operator (print) Signature Z#		Operator (print)	/ Signature	<u>/</u> Z#	/ Initials	/ Date
Sephene Duran Nourae 115	7971 N 12/4/15	Operator (print)	/ C:anatura	/ Z#	/	/ Data
Operator (print)  Stenature  Z#	1518 SH / 00416	Operator (print)	Signature /	Z# /	Initials /	Date /
Operator (print) Signature Z#	Initials Date	Operator (print)	Signature	Z#	Initials	Date
Operator (print) Signature Z#	10 Initials Date	Operator (print)	Signature	_/ _Z#	Initials	Date
8.1[2] Reviewed by:						

Document No.: EWMO-AREAG-FO

Revision: 5

Effective Date: 11/03/14 34 of 38 Page:

UET

#### ATTACHMENT 5 Page 1 of 2

## TA-54 AREA G TA-54-375 CELL 3 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 2.2.15 to 2-8.15

	Monday	Tuesday	Wednesday	Thursday	Friday 6.[6]	Saturday 6.[6]	Sunday 6.[6]
	6.[6] Start Time: \\04	6.[6] Start Time: 103C	6.[6] Start Time: 1	6.[6] Start Time: 119	Start Time:	Start Time:	_ Start Time:
TA-54-375 Cell 3							
Calibrated Infrared Thermometer (4.2.1[1][B])	Brand: Fly Commodel: Gly Due Date: Gly W	Brand: FUKE  Model: 5/a)  Cal. Due Date: GIZIS  File Number 09%	Brand: Fluid Model: So. Cal. Due Date: (ALTIE File Number (ALTIE)	Brand: FUKE  Model: 56  Cal. Due Date: 6125  File Number 101916	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number
Ambient Temperature (6.[7])	53.3 °F	54.0 of	535°F	56.5 °F	or	oF.	op
Container ID#	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])
69519	55.4	548	56.3	57.3			
69645	55.0	54.8	Ste. Le	57.3			
94068	54.7	54.0	560.1	56.5			
93605	53.7	53.4	55.5	56.1			
69548	54.0	22.)	55.7	56.4			
69604	54.4	53.5	55.8	56.9			
LASB50529	55.1	54.2	56.3	57.2			
LASB50418	55.6	54.)	564	57.8			
69036		54.5	509	56.4			
LASB50451	54.5 S3.5	54.1	55.8	56.2			
69559	53.7	53.3	55.0	56.5			
LASB50448	53.2	53.3	54.9	55.5			
Ambient Temperature (6.[12])	53.9 °F	53.2 °F	54.6 °F	56.1 °F	<u> </u>	oF	oF
End Time (6.[13])	1109	1039	1121-	1124			
6.[13]	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:

WORKING COPY

Z# 114188

INITIAL EC \_\_ DATE 2.2.15 UET

Document No.: EWMO-AREAG-FO P-1246

Revision:

5 11/03/14

Effective Date: Page:

35 of 38

## ATTACHMENT 5 Page 2 of 2

F23. G						
.[2] Comments:						
						- 66
nt L						
[17] Performed by:	4	1				
THOMAS YOUL & VI	Z5082 X/ 2/2/15	J 63 leads of 2	whee the	116	78 XW	10005
Operator (print) Signature	Z# Initials Date	Operator (print)	Signature	Z#	Initials	Date
Joshuloper shew to	1116598 YEV/ 020313			/		/
Operator (print) Signature	7# Iffitjals Date	Operator (print)	Signature	Z#	Initials	Date
THOMAS YEAR TON	2682 +1/2315	Operator (print)	/ Signature	/	/ Initials	1
Operator (print) Signature	/# Initial Date	Operator (print)	Signature /	ZII	minais /	Date /
Operator (print) Signature	/7357(6) 17 /2-3-15 Z# Initials Date,	Operator (print)	Signature	/ Z#	/ Initials	Date
Issechus Duras Duras	151971 0 / 2/4/15	1	/	/	/	/
operator (print) Signature	Z# Initials Date	Operator (print)	Signature	Z#	Initials	Date
Joshua per Just	116598/201 / 100415		/	/	/	/
Operator (print) Signature	Z# Indials Date	Operator (print)	Signature	Z#	Initials	Date
THOUGHT LY TOTAL	123/38/1 7/2/5/15		/	/	_/	/
Operator (print) Signature	Z# Initials Date	Operator (print)	Signature	Z#	Initials	Date
101 Daviewed by						
1[2] Reviewed by:						

Document No.: EWMO-AREAG-FO-DOP-1246

Revision:

5 Effective Date: 11/03/14

Page:

36 of 38

## ATTACHMENT 6 Page 1 of 3

#### TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

6.[6] Date: From 2-5.15 to 2-5-15 Location: 375

UET

	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:	Start Time:
	0630	0729	6.[6]	0.[6]	1031	6.[6]	6.[6] \ <b>2</b>	6.[6]	1430	15a7	1627	1727	6.[6]	6.[6]
Calibrated Infrared	Brand:	Brand:	Brand:	Brand:	Brand:	Brand:	Brand:	Brand:	Brand:		Brand	Brand:	Brand:	Brand:
Thermometer (4.2.1[1][B])	Model:	Model:	Model:	Modul:	Model:	Model:	Model:	Model	Model:	Model:	Molel	Model:	Model.	Model:
	Cal. Due Date:	Cal. Due Date:	Cal. Due Date:	Cal. Due Pate:	Cal. Due Date:	Cal Dae Date	Cal. Du Date:	Cal. Due Date:	Cal. Due Date:					
Ambient	File Number	File Number	File Number	File Number	File Number	File Number	File Number	File Number	File Number	File Number	File Numbe	File Number	File Number	File Number
Temperature (6.[7])	49.70°F	4 a. 34°F	5007F	52.13°F	51,65°F	53.90F	55,4ZE	5684°F	56.47	57.07°F	56.34°F	53,41°F		°F
Container ID # (6.[8]/6.[9])	Temp (°F) _(6,[8]/6,[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6,[8]/6,[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6,[8]/6,[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])				
68685 TI	51.54	51.22	51.73	53 49	5220	53.18	55.21	56.56	56.67	56.70	56.04	53.77		
58685 TL	50.72	50,44	51.03	52.79	51.45	52.92	54.32		55.79	55.89	55.16	53.01		NA
SOSZZ T4		51.08	51.05	52,75	52.16	52.99	54.78	55.37	55.68	55.70	55.34	53.73		
50502 +5	50.93	50.74	51.03	52,47	51.90	53,06	54.31	55.42	SS- 65	55.72	55.23	53.49		<del></del>
	-										A			
										D	H.			
	,									•				
														1

WORKING COPY

INITIAL SA DATE 2-5-15

Document No.: EWMO-AREAG-FO-DOP-1246

Revision:

5

Effective Date: 11/03/14 Page:

37 of 38

ATTACHMENT 6
Page 2 of 3

6.[6] Date: From 2-5-12 to 2-5-12 Location: 37 5

UET

Container ID # (6,[8]/6,[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F)	Temp (°F)									
(0,[0],0,[2])	(0.[8]/0.[9])	(0,[8],0,[9])	(0.[8]/0.[9])	(6 [8]/6.[9])	(6.[8]/6.[9])	(6.[8]/6.[9])	(6.[8]/6.[9])	(6.[8]/6.[9])	(6,[8]/6,[9])	(6.[8]/6.[9])	(6.[8]/6.[9])	(6.[8]/6 [9])	(6[8]/6.[9])	(6.[8]/6.[9]
													<del>                                     </del>	
<del></del>													<del></del>	
								A						
													<del></del>	
														4
													P	
Ambient														
Ambient Temperature 6.[12]) <b>73</b>	49.70°F	49,34	D.01 °F	52.14°F	S1.65 °F	53.90 °F	55.4æ	56.84°F	56.92F	57.09°F	56.29°F	53.83	oF	o <sub>F</sub>
ind Time 5.[13])	0631	0730	0832	0930	1031	1130	1229	1328	1431	1528	1627	1728		
6.[13]	Operator:	Operator	Operator	Operator:	Operator:	Operator:	Operator:	Operator	Operator: _	Operator:	Operator:	Operator	Operator:	Operator:
	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:
				~	20	25	26	-><_	25	20	SC	ZC		

Document No.: EWMO-AREAG-FO-DOP-1246

Revision:

5

Effective Date: 11/03/14 Page:

38 of 38

## ATTACHMENT 6

				Page 3	01.3				
6.[6] Date: From 2	5-15 to 2-5-	Loc	ation: <u>375</u>						
6.[2] Comments:	II Lamp		re tok	printer.	n data		Standin	mpuder	er 1246 - In 375
					A				
<u> </u>									
( [17] D C 11									
6.[17] Performed by:		200.00	7 F		/	,	1 1		
Operator (print)	Signature	~ 2/01 45 7#	81 wT Z-5-15 Initials Date	Operator (print)	Signature	/ Z#	Initials Date		
Jesse Chave			598 JC/2-5-15		/	/	/ /		
Operator (print)	Signature	Z#	Initials Date	Operator (print)	Signature	Z#	Initials Date		
	/	/	/ /		/	/			
Operator (print)	Signature	Z#	Initials Date	Operator (print)	Signature	Z#	Initials Date		
		/	/ /	0	/	VI			
Operator (print)	Signature	Z#	Initials Date	Operator (print)	Signature	P 2	Initials Date		
			_//	Operator (print)	/ Signature	/ Z#	Initials Date		
Operator (print)	Signature	Z#	Initials Date	Орегию (ринг)	/	/	/ /		
Operator (print)	Signature	Z#	Initials Date	Operator (print)	Signature	/ Z#	Initials Date		
Operator (print)	/	Z <sub>H</sub>	Inmus Date		/	/	/ /		
Operator (print)	Signature	/ Z#	Initials Date	Operator (print)	Signature	Z#	Initials Date		
0.1[0] D : 11									

UET

8.1[2] Reviewed by:
SOM or designee (print)

Location: 375

Document No.: EWMO-AREAG-FO-DOP-1246

Revision:

Effective Date: 11/03/14

Page:

36 of 38

#### **ATTACHMENT 6**

Page 1 of 3

#### TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

Start Time: \Start Time: Start Time: 6,[6] 6.[6] 2030 6.[6] **213**] 2331 6.[6] 0378 CH98 e[e] 0526 6.[6] 1830 1930 0130 Calibrated Brand Brand: Brand Brand: Brand Brand Brand Brand: Brand Brand \rand: Brand: Brand: Infrared Model VA Model NA Model Model M Model Thermometer Model NA Model NA (4.2.1[1][B]) Cal Que Date Cal Due Date Cal. Due Date: Cal Due Date Cal Due Date Cal Due Pate Cal Due Date: Cal Due Rate Cal Due Date Cal Due Date Cal Due Date Cal Dut Date Cal Due Date Cal Due Date File Number File Numb File Number File Number File Number File Number Ambient 52.71 °F 51.19 °F 51.20°F 51.05°F 50.97°F 50.90°F 50,89°F 50.69 °F 4981 of 4944 of NA NA of 50.5 °F Temperature 4909°F (6.[7])Container ID# Temp (°F) (6.[8]/6,[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6.[8]/6.[9]) (6 [8]/6 [9]) (6.[8]/6.[9]) (6.[8]/6.[9]) T-1 68685 53.11 51.87 52.0 52.10 52.17 52.21 52,26 51.93 51.83 51.60 5134 51.03 T-2 68685 52.55 52.40 52.41 51.44 51.48 51.34 51.13 51,58 51.22 51,17 50,22 50.05 T4 5052Z 52.75 51.8 52,13 52,19 52.07 52.07 52.05 51.83 51.67 51.4 51,26 51.02 TS 50SZZ 52.58 51.81 51.84 51.82 51.81 51.62 51.78 51.74 51.40 51.05 509 50.65

WORKING COPY

Z# 226237 INITIAL 28m DATE 2-5-15

**UET** 

6.[6] Date: From 2-5-15 to 2-6-15

Document No.: EWMO-AREAG-FO-DOP-1246

Revision:

5 Effective Date: 11/03/14

Page:

37 of 38

## ATTACHMENT 6 Page 2 of 3

6.[6] Date: From 2-5-15 to 2.6-15 Location: 375

UET

									0.10	Location				
	Temp (°F)	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Temp (°F) (6.[8]/6.[9])	Container ID # (6.[8]/6.[9])					
	T													
	$\perp$													
	1													
								A A						
	<del>                                     </del>							Un					<u> </u>	····
	+			_										<del></del> -
UNA	10													
°F°F	°F	49.09°F	49.44 of	49.81°F	50,5 °F	50.69°F	50.89°F	<u>50.90</u> ∘ <sub>F</sub>	50.92°F	51.05 °F	51.20F	51.19 °F	52.79°F	Ambient Temperature (6.[12])
		0526	0429	0331	0229	013]	_0030	_2330	2231	2130	2030	1930	1831	End Time (6.[13])
ator: Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	Operator:	6.[13]
ator: Operator:	Operator:	Operator:			Operator:	Operator:			Operator:	Operator:	Operator:	Operator:		
		al_			-6/_	-	UPL	U8/C	WK_	W/L	10/C		040	
101	10	Operator: Operator:	Operator: Operator:	Operator:	Operator:	Operator: Operator:	Operator:	Operator:	Operator:	Operator: Operator:	Operator:		Operator:	(6.[13])

UET

Document No.: EWMO-AREAG-FO-DOP-1246

Revision:

5 Effective Date: 11/03/14

Page:

38 of 38

#### **ATTACHMENT 6**

				Page 3 o	of 3					
6.[6] Date: From <b>3.5</b>	5-15 to 2-6-15	Loc	ation: 375							
6.[2] Comments: Dick Dome 375 Co	not enter 1) Sution C Room	OME USI	375-Permuso	n Per Stein	dong Order 12	24712	20-2.	Tempre	fines tall	en from
(5171.0.6		<del></del>								
6.[17] Performed by:  Orles J. Contents  Operator (print)  Oarmy Parela	Signature	Z#	7162   2-6-15 Initials Date 11 B   2.6-15	Operator (print)	/ Signature	/ Z#	/ Initials	Date		
Operator (print)	Signature /	Z# /	Initials Date	Operator (print)	Signature /	Z#	Initials	Date /		
Operator (print)	Signature /	Z# /	Initials Date	Operator (print)	Signature VH	Z# /	Initials /	Date /		
Operator (print)	Signature NA	Z# /	Initials Date	Operator (print)	Signature	Z# /	Initials /	/		
Operator (print)	Signature	Z# _ /	Initials Date / /	Operator (print)	Signature /	Z# /	Initials /	/		
Operator (print)	Signature /	Z# /	Initials Date	Operator (print)	Signature /	Z# /	Initials /	1		
Operator (print)	Signature	Z#	Initials Date	Operator (print)	Signature	Z#	Initials	Date		
8.1[2] Reviewed by:	/	/	/ /							
SOM or designee (print)	Signature	Z#	Initials Date							