

SUSANA MARTINEZ
Governor
JOHN A. SANCHEZ
Lieutenant Governor

NEW MEXICO ENVIRONMENT DEPARTMENT

2905 Rodeo Park Drive East, Building 1 Santa Fe, New Mexico 87505-6303 Phone (505) 476-6000 Fax (505) 476-6030 www.env.nm.gov



RYAN FLYNN Cabinet Secretary BUTCH TONGATE Deputy Secretary

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

May 3, 2016

Doug Hintze Manager Environmental Management Los Alamos Field Office 3747 West Jemez Rd, MS A316 Los Alamos, NM 87544 Michael T. Brandt Associate Director Environment, Safety, Health Los Alamos National Laboratory P.O. Box 1663, MS M991 Los Alamos, NM 87545

RE: APPROVAL

REQUEST FOR AN EXTENSION TO CONDUCT PUMPING TESTS AT CrEX-1

AND CrEX-3

LOS ALAMOS NATIONAL LABORATORY

EPA ID#NM0890010515 HWB-LANL-15-036

Dear Messrs. Hintze and Brandt:

The New Mexico Environment Department (NMED) is in receipt of the United States Department of Energy and the Los Alamos National Security, L.L.C.'s (collectively, the Permittees) document entitled *Request for an Extension to Conduct Pumping Tests at CrEX-1 and CrEX-3* (Request), dated April 20, 2016 and referenced by ADESH-16-059.

The Permittees request a one-month extension to start long-term pumping of chromium extraction wells CrEX-1 and CrEX-3 in order to secure a required regulatory approval from the NMED Ground Water Quality Bureau.

NMED hereby grants the requested extension. The Permittees must begin the long-term pumping of CrEX-1 and CrEX-3 no later than **June 1, 2016**, as requested.

Messrs. Hintze and Brandt May 3, 2016 Page 2

Should you have any questions, please contact Jerzy Kulis of my staff at (505) 476-6039.

Sincerely,

John E. Kieling

Chief

Hazardous Waste Bureau

cc: D. Cobrain, NMED HWB

N. Dhawan, NMED HWB

B. Wear, NMED HWB

J. Kulis, NMED HWB

M. Dale, NMED HWB

S. Yanicak, NMED DOE OB

M. Hunter, NMED GWOB

L. King, EPA 6PD-N

R. Martinez, San Ildefonso Pueblo

D. Chavarria, Santa Clara Pueblo

J. Buckley, ADESH-EPC-CP

C. Rodriguez, DOE-EM-LA

File: Reading, LANL 2016 - Groundwater, Chromium Plume, LANL-15-036