

Associate Director for ESH Environment, Safety, and Health P.O. Box 1663, MS K491 Los Alamos, New Mexico 87545 (505) 667-4218 

Environmental Management Los Alamos Field Office P.O. Box 1663, MS M984 Los Alamos, New Mexico 87545 (505) 665-5658/FAX (505) 606-2132

AUG 2 8 2017

Refer To: ADESH-17-063 LAUR: LA-UR-17-27361

Date:

Esteban Herrera, Chief Water Enforcement Branch (6EN-WS) Compliance Assurance and Enforcement Division U.S. Environmental Protection Agency, Region 6 1445 Ross Avenue, Suite 1200 Dallas, Texas 75202-2733

Subject: NPDES Permit No. NM0030759 - Analytical Results from the First Measurable Storm Event Following Certification of Enhanced Control Measures at CDV-SMA-2.42

Dear Mr. Herrera:

These documents are being submitted to the U.S. Environmental Protection Agency (EPA) in accordance with the requirements of the National Pollutant Discharge Elimination System Permit No. NM0030759 for Los Alamos National Laboratory, issued to Los Alamos National Security, LLC, and the U.S. Department of Energy, effective November 1, 2010. As specified in Part I, Section E.I(c):

[The] Permittees shall certify completion of installation of control measures under this subsection to EPA within 30 days of completion of all such measures at the Site and, where applicable shall provide sampling results within 30 days of receipt of analytical results from the first measurable storm event after completion of such measures....

Accordingly, the analytical results from samples collected during the first measurable storm event received at one site monitoring area (SMA), CDV-SMA-2.42, in the last 30 days are enclosed (Attachment 1). The report provides references to the certificates of completion of the installation of the control measures. This certified document can be accessed at the following website: http://www.lanl.gov/ and searching under the key words "Individual Permit."

Table 1 Confirmation Samples Collected at an SMA from the First Measurable Storm Event Following Certification of Installation of Enhanced Controls

| Watershed | Priority | Site Number | SMA Number | Permitted Feature | Sample Collection Date | Final Validation Date |
|-----------------------------|----------|----------------|--------------|----------------------|------------------------------|-----------------------------|
| Water/ Cañon de Valle | Moderate | 16-010(b) | CDV-SMA-2.42 | V008A | 6/25/2017 | 7/26/2017 |

If you have any questions, please contact Terrill Lemke at (505) 665-2397 (tlemke@lanl.gov) or David Rhodes at (505) 665-5325 (david.rhodes@em.doe.gov).

Sincerely,

John C. Bretzke, Division Leader Environmental Protection & Compliance

Los Alamos National Laboratory

Sincerely,

David S. Rhodes, Director

Office of Quality and Regulatory Compliance

Los Alamos Environmental Management Field Office

JB/DR/BR/SV:sm

Attachments: One hard copy with electronic files – Analytical Results from the First Measurable Storm

Following Certification of Enhance Control Measures at CDV-SMA-2.42 (EP2017-0127)

Cy: (w/att.)

Sarah Holcomb, NMED-SWQB, P. O. Box 5469, Santa Fe, NM 87502

Cy: (date-stamped letter and attachment emailed)

Robert Houston, EPA Region 6

Brent Larsen, EPA Region 6 Laurie King, EPA Region 6

Steve Yanicak, NMED-DOE-OB, MS M894

emla.docs@em.doe.gov

Terrill Lemke, ADESH-EPC-CP

Tadz Kostrubala, ADEM ER Program

Public Reading Room (EPRR)

ADESH Records

PRS Database

Cy: (w/o att./date-stamped letter emailed)

lasomailbox@nnsa.doe.gov

Peter Maggiore, DOE-NA-LA

Kimberly Davis Lebak, DOE-NA-LA

David Rhodes, DOE-EM-LA

Steve Veenis, ADEM ER Program

Bruce Robinson, ADEM ER Program

adeshcorrespondence@lanl.gov

John Bretzke, ADESH-EPC-DO

Michael Brandt, ADESH

William Mairson, PADOPS

Craig Leasure, PADOPS

Analytical Results from the First Measurable Storm Event Following Certification of Enhanced Control Measures at CDV-SMA-2.42

August 28, 2017

NPDES PERMIT NO. NM0030759 LA-UR-17-27361

PF: V008A CDV-SMA-2.42 Site: 16-010(b)

The following certification of analytical results received from the confirmation monitoring samples collected after the completion of the installation of enhanced controls was performed in accordance with NPDES Permit No.NM0030759, Part I.E.1.

CERTIFICATION STATEMENT OF AUTHORIZATION

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations."

Environmental Programs

Environmental Remediation Program Los Alamos National Laboratory

Environmental Management Los Alamos Field Office

U.S. Department of Energy

8/17/2017

D. . .

PF: V008A CDV-SMA-2.42 Site: 16-010(b)

Tables 1 and 2 present the analytical results received from confirmation monitoring samples collected from the first measurable storm event following the installation and subsequent certification of enhanced controls at site monitoring area CDV-SMA-2.42. The analytical results were received and validated on July 26, 2017. The descriptions and photographs of each enhanced control installed at CDV-SMA-2.42 were provided to the U.S. Environmental Protection Agency on September 29, 2015 (ADESH-15-142/LA-UR-15-26896). Table 3 presents each applicable target action levels (TALs) for the analytes monitored.

Table 1
Radiochemical Analytical Results from the First Measurable Storm Event
Collected on June 25, 2017, Following Installation of Enhanced Controls at CDV-SMA-2.42

| Sample ID | Analyte | Field Preparation | Detect Status | Result (pCi/L) | TAL Exceedance Ratio | Minimum Detectable Activity (pCi/L) | Uncertainty (pCi/L) | Oualifiera | Data Validation Date |
|------------------|---------------------------------|-------------------|---------------|----------------|----------------------|--|---------------------|------------|----------------------|
| WT_IPC-17-135521 | Radium-226 and Radium-228 | Unfiltered | Detect | 2.42 | 0.081 | 1.043 | n/a ^b | NQ | 07/26/2017 |
| WT_IPC-17-135521 | Gross alpha | Unfiltered | Detect | 136 | 9.1 | 5.17 | 5.45 | NQ | 07/26/2017 |

Note: Note: TAL exceedance ratio is the analytical result divided by the applicable ATAL.

^a Qualifier: NQ = Result is not qualified.

b n/a = Not applicable.

PF: V008A CDV-SMA-2.42 Site: 16-010(b)

Table 2
Metals, Inorganic, and Organic Analytical Results from the First Measurable Storm Event
Collected on June 25, 2017, Following the Installation of Enhanced Controls at CDV-SMA-2.42

| Sample ID | Analyte | Field Preparation | Detect Status | Result (µg/L) | TAL Exceedance Ratio | Report Method Detection Limit (µg/L) | Report Quantitation Limit (µg/L) | Validation Qualifier ^a | Notification of Data Validation Date |
|------------------|--------------------------------------|-------------------|---------------|---------------|----------------------|---|----------------------------------|-----------------------------------|---|
| WT_IPC-17-135399 | Aluminum | Filtered | Detect | 3470 | 4.6 | 19.3 | 50 | NQ | 07/26/2017 |
| WT_IPC-17-135399 | Antimony | Filtered | Nondetect | 1 | 0.0016 | 1 | 3 | U | 07/26/2017 |
| WT_IPC-17-135399 | Arsenic | Filtered | Nondetect | 2 | 0.22 | 2 | 5 | U | 07/26/2017 |
| WT_IPC-17-135399 | Boron | Filtered | Detect | 18.2 | 0.0036 | 15 | 50 | J | 07/26/2017 |
| WT_IPC-17-135399 | Cadmium | Filtered | Nondetect | 0.3 | 0.3 | 0.3 | 1 | U | 07/26/2017 |
| WT_IPC-17-135399 | Chromium | Filtered | Nondetect | 3 | 0.014 | 3 | 10 | U | 07/26/2017 |
| WT_IPC-17-135399 | Cobalt | Filtered | Nondetect | 1 | 0.001 | 1 | 5 | U | 07/26/2017 |
| WT_IPC-17-135399 | Copper | Filtered | Detect | 5.54 | 1.3 | 0.3 | 1 | NQ | 07/26/2017 |
| WT_IPC-17-135399 | Lead | Filtered | Detect | 3.12 | 0.18 | 0.5 | 2 | NQ | 07/26/2017 |
| WT_IPC-17-135521 | Mercury | Unfiltered | Detect | 0.119 | 0.15 | 0.067 | 0.2 | J | 07/26/2017 |
| WT_IPC-17-135399 | Nickel | Filtered | Detect | 1.88 | 0.011 | 0.6 | 2 | J | 07/26/2017 |
| WT_IPC-17-135521 | Selenium | Unfiltered | Detect | 2.99 | 0.6 | 2 | 5 | J | 07/26/2017 |
| WT_IPC-17-135399 | Silver | Filtered | Nondetect | 0.3 | 0.6 | 0.3 | 1 | U | 07/26/2017 |
| WT_IPC-17-135399 | Thallium | Filtered | Nondetect | 0.6 | 0.095 | 0.6 | 2 | U | 07/26/2017 |
| WT_IPC-17-135399 | Vanadium | Filtered | Detect | 5.95 | 0.06 | 1 | 5 | NQ | 07/26/2017 |
| WT_IPC-17-135399 | Zinc | Filtered | Detect | 16.5 | 0.39 | 3.3 | 10 | NQ | 07/26/2017 |
| WT_IPC-17-135521 | Cyanide, weak acid dissociable | Unfiltered | Nondetect | 1.67 | 0.32 | 1.67 | 5 | U | 07/26/2017 |
| WT_IPC-17-135521 | Total PCBb | Unfiltered | Detect | 0.0337 | 53 | n/a ^c | n/a | NQ | 07/31/2017 |

Note: TAL exceedance ratio is the result divided by the smallest applicable TAL. Applicable TALs are the larger of the MTAL and minimum quantification level (MQL) or the larger of the ATAL or MQL.

^a Qualifier: NQ = Result is not qualified; J = result is estimated; U -= Result is not detected.

^b PCB = Polychlorinated biphenyls.

PF: V008A CDV-SMA-2.42 Site: 16-010(b)

Table 3
Applicable TALs

| Analyte | Units | CAS No. | MQL | ATAL | MTAL |
|--------------------------------|-------|------------------|-------|---------|------|
| Radium-226 and Radium-228 | pCi/L | n/a ^a | n/a | 30 | n/a |
| Gross alpha | pCi/L | n/a | n/a | 15 | n/a |
| Aluminum | μg/L | 7429-90-5 | 2.5 | n/a | 750 |
| Antimony | μg/L | 7440-36-0 | 60 | 640 | n/a |
| Arsenic | μg/L | 7440-38-2 | 0.5 | 9 | 340 |
| Boron | μg/L | 7440-42-8 | 100 | 5000 | n/a |
| Cadmium | μg/L | 7440-43-9 | 1 | n/a | 0.6 |
| Chromium | μg/L | 7440-47-3 | 10 | n/a | 210 |
| Cobalt | μg/L | 7440-48-4 | 50 | 1000 | n/a |
| Copper | μg/L | 7440-50-8 | 0.5 | n/a | 4.3 |
| Lead | μg/L | 7439-92-1 | 0.5 | n/a | 17 |
| Mercury | μg/L | 7439-97-6 | 0.005 | 0.77 | 1.4 |
| Nickel | μg/L | 7440-02-0 | 0.5 | n/a | 170 |
| Selenium | μg/L | 7782-49-2 | 5 | 5 | 20 |
| Silver | μg/L | 7440-22-4 | 0.5 | n/a | 0.4 |
| Thallium | μg/L | 7440-28-0 | 0.5 | 6.3 | n/a |
| Vanadium | μg/L | 7440-62-2 | 50 | 100 | n/a |
| Zinc | μg/L | 7440-66-6 | 20 | n/a | 42 |
| Cyanide, weak acid dissociable | μg/L | 57-12-5 | 10 | 5.2 | 22 |
| Total PCBb | μg/L | 1336-36-3 | n/a | 0.00064 | n/a |

Notes: CAS = Chemical Abstracts Service; MQL = minimum quantification level; ATAL = average TAL; MTAL = maximum TAL. As allowed by Part I.D. of the Individual Permit, analytical results are compared with either the corresponding MTAL/ATAL (as applicable) or the MQL, whichever value is greater, for the purpose of determining the effectiveness of storm water control measures.

^c n/a = Not applicable.

a n/a = Not applicable.

^b PCB = Polychlorinated biphenyls.

PF: V008A CDV-SMA-2.42 Site: 16-010(b)