

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A907.B.b.

Chemical Usage

RLUOB-CHEM Chemical Quantity Total

2018 CMRR-RLUOB HAPs Monthly Emission Rates (lbs)

Cas Number	Chemical Name	January	February	March	April	May	June	July	August	September	October	November	December
107-21-1	Ethylene Glycol	0	0	0	0	0	0						
110-54-3	Hexane	0	0	0	0	0	0						
7664-39-3	Hydrogen Fluoride	0	0	0.55	0	0	0						
7647-01-0	Hydrochloric Acid	0	9.26	9.26	5.79	0	0						
67-56-1	Methyl Alcohol	0	0	0	0	0	0						
75-09-2	Methylene Chloride	0	0	0	0	0	0						
100-42-5	Styrene	0	0	0	0	0	0						
108-88-3	Toluene	0	0	0	0	0	0						
Nickel	Nickel Compounds	0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
HAPs Monthly Total		0	9.26	9.81	5.79	0	0						

2018 CMRR-RLUOB HAPS 12-Month Rolling Total (lb)

Cas Number	Chemical Name	January	February	March	April	May	June	July	August	September	October	November	December
107-21-1	Ethylene Glycol	0	0	0	0	0	0						
110-54-3	Hexane	0	0	0	0	0	0						
7664-39-3	Hydrogen Fluoride	0.55	0.55	1.1	0.55	0.55	0.55						
7647-01-0	Hydrochloric Acid	12.17	21.43	30.69	31.25	31.25	31.25						
67-56-1	Methyl Alcohol	0	0	0	0	0	0						
75-09-2	Methylene Chloride	0	0	0	0	0	0						
100-42-5	Styrene	0	0	0	0	0	0						
108-88-3	Toluene	0	0	0	0	0	0						
Nickel	Nickel Compounds	0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
		0	0	0	0	0	0						
TAPs 12 Month Rolling Total		12.72	21.98	31.79	31.8	31.8	31.8						

2018 CMRR-RLUOB TAPs Monthly Emission Rates (lb)

	January	February	March	April	May	June	July	August	September	October	November	December
Total TAPs	0.00	27.35	21.59	4.76	0.00	20.01						
TAPs 12 Month Rolling Total	36.05	54.99	76.58	81.34	67.88	87.05						

2018 CMRR-RLUOB VOC Monthly Emission Rates (lb)

	January	February	March	April	May	June	July	August	September	October	November	December
Total VOC	0.00	0.00	4.46	2.32	0.00	0.00						
VOC 12 Month Rolling Total	0.00	0.00	4.46	6.78	6.78	6.78						

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A1007.A.a.

Degreaser

Degreaser Solvent Usage from Tracking Database

Emission Unit	TA/Building	Type of Degreaser	Solvent
TA-55-DG-1	TA-55	Cold Batch	Trichloroethylene

Date Measured	Initial Solvent Level (inches)	Volume Added (liters)	Level Added (inches)	Volume Removed (liters)	Level Removed (inches)
Jan-31-2018	0.00	0.00	0.00	0.00	0.00
Feb-28-2018	0.00	0.00	0.00	0.00	0.00
Mar-30-2018	0.00	0.00	0.00	0.00	0.00
Apr-30-2018	0.00	0.00	0.00	0.00	0.00
May-31-2018	0.00	0.00	0.00	0.00	0.00
June-29-2018	0.00	0.00	0.00	0.00	0.00

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A607.C.

Asphalt Plant

EPA Method 9 Opacity Reports

ENV-EAQ-307, R4
Attachment 2, page 1 of 1


Ecology and Air Quality
Los Alamos National Laboratory



LOS ALAMOS NATIONAL LABORATORY (LANL)
VISIBLE EMISSION OBSERVATION FORM (6 MINUTE)

Source Name: TA-60 Asphalt Batch Plant
 Source Location: TA-60-233
 Type of Source: Asphalt plant
 Type of Control Equipment: Bag house
 Describe Emission Point (Top of stack, etc.): Baghouse Stack
 Height Above Ground Level: 33 Feet
 Height Relative to Observer: 28 Feet
 Distance From Observer: 75 Feet
 Direction of Source From Observer: NW
 Description of Plume (stack exit only):
 Lofting Trapping Looping Fanning Coning
 No Plume Present
 Emission Color: NA
 Plume Type: No Plume Present
 Continuous Fugitive Intermittent
 Water Droplets Present? NO YES if YES, droplet plume is Attached Detached
 At what point in the plume was opacity determined?: 2 ft above stack top
 Describe Background (i.e. blue sky, trees, etc.): Light Gray
 Background Color: Light Gray
 Sky Conditions: Cloudy
 Wind Speed: 2-5 mph
 Wind Direction: from SSE to NNW
 Ambient Temperature: 50 °F
 Relative Humidity: 20 %
 Additional Comments/Information:

Observation Date		Start Time				End Time
1/30/2018		1:00 p.m.				1:06 p.m.
Min	Sec	0	15	30	45	Comments
	1		0	0	0	
2		0	0	0	0	
3		0	0	0	0	
4		0	0	0	0	
5		0	0	0	0	
6		0	0	0	0	
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						



Average 6-Minute Opacity: 0
 Range of Opacity Readings: Min. 0 Max. 0
 OBSERVER (please print):
 Name: Leonard F. Sandwal Title: DEP
 Signature: Date: 1/30/2018
 Observer Organization: DESHS-UIS
 Certified by: ETA Certification Date: 8/23/2017

THIS FORM IS FROM EAQ-307, R4


Lab Home | Phone | Search
Date: Tuesday, January 30, 2018 | Time: 13:58 MST (20:58 UTC)

The Weather Machine

LOS ALAMOS NATIONAL LABORATORY

LANL Observations
Regional/U.S. Observations
Forecast Products
LANL Climatology
Data Requests

LANL Welcome... [Today's Weather Almanac](#) »



Welcome to the Weather Machine! The Weather Machine provides access to the latest meteorological observations, climatological information, and weather forecast products for the Los Alamos area. Questions/Comments? [Contact us](#) »

Hover over image for caption...

LANL Current Conditions... [More Data](#) »

Tower (tower):	TA6	TA49	TA53	TA54
Date (mm/dd):	1/30	1/30	1/30	1/30
Time (hh:mm):	13:45	13:45	13:45	13:45
Temp (°F):	50.5	50.0	50.2	51.1
Wind Chill (°F):	50.4	48.2	48.9	50.2
Dew Point (°F):	7.3	9.5	11.5	11.1
RH (%):	17	19	20	19
Speed (mph):	2.7	4.9	4.3	4.0
Dir (from):	ESE	S	SSE	S
Precip Today (in):	0.00	0.00	0.00	0.00

NOTE: All times are reported in MST.


Weather Related Links...

- [Los Alamos 7-Day Forecast](#)
- [Zone Forecast for Jemez Mountains](#)
- [Zone Forecast for Lower Chama Valley](#)
- [Zone Forecast for Santa Fe Metro Area](#)
- [Hazardous Weather Outlook](#)
- [NOAA Albuquerque Forecast Office](#)

NATIONAL WEATHER SERVICE - LOS ALAMOS FORECAST

For the most current and accurate weather information including forecasts, watches, warnings and advisories for the Los Alamos area, please go to the [National Weather Service Site](#)


Regional Weather Forecast Map...



SHOW/HIDE LEGEND

Click city to view National Weather Service Data.

Albuquerque Radar (Composite Reflectivity)...



Click map to view other radar options.

[About Us](#) | [Contact Us](#) | [Documentation/Analyses](#)

Operated by [Los Alamos National Security, LLC](#) for the [U.S. Department of Energy's NNSA](#)

[Outside](#) | © Copyright 2018 LANS LLC All rights reserved | [Disclaimer/Privacy](#)
505-667-7079 | weather@lanl.gov | webmaster:weather@lanl.gov

[Weather Home](#) | [Lab Home](#)




**LOS ALAMOS NATIONAL LABORATORY (LANL)
VISIBLE EMISSION OBSERVATION FORM (6 MINUTE)**

Source Name: TA-60 Asphalt Batch Plant	
Source Location: TA-60-233	
Type of Source Asphalt Plant	Type of Control Equipment Baghouse
Describe Emission Point (Top of stack, etc.) Top of Stack	
Height Above Ground Level 33 Feet	Height Relative to Observer 26 Feet
Distance From Observer 75 Feet	Direction of Source From Observer W-NW
Description of Plume (stack exit only) <input type="checkbox"/> Lofting <input type="checkbox"/> Trapping <input type="checkbox"/> Looping <input type="checkbox"/> Fanning <input type="checkbox"/> Coning <input checked="" type="checkbox"/> No Plume Present	
Emission Color N/A	Plume Type <input checked="" type="checkbox"/> No Plume Present <input type="checkbox"/> Continuous <input type="checkbox"/> Fugitive <input type="checkbox"/> Intermittent
Water Droplets Present? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES If YES, droplet plume is <input type="checkbox"/> Attached <input type="checkbox"/> Detached	
At what point in the plume was opacity determined? 2ft above stack height	
Describe Background (i.e. blue sky, trees, etc.) White Clouds / Blue Sky	
Background Color White / Blue	Sky Conditions Broken / Hazy
Wind Speed 16.5 mph	Wind Direction (provide from/to, i.e. from North to South) S to N
Ambient Temperature 50 °F	Relative Humidity 29 %
Additional Comments/Information:	

Observation Date 2/13/18		Start Time 12:53		End Time 12:59	Comments	
Min	Sec	0	15	30		45
1		0	0	0	0	
2		0	0	0	0	
3		0	0	0	0	
4		0	0	0	0	
5		0	0	0	0	
6		0	0	0	0	
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Average 6-Minute Opacity 0	Range of Opacity Readings Min. 0 Max. 0
OBSERVER (please print) Name: Julian Burgin Title: DEP	
Signature J. Burgin	Date 2/13/18
Observer Organization DESHS-WS	
Certified by ETA	Certification Date 8-23-17



The Weather Machine

LOS ALAMOS NATIONAL LABORATORY

month	day	year	hour	minute	doy	spd1		dir1	temp0		rh	precip
mm	dd	yyyy	hh	mm	ddd	m/s	mph	deg	deg-C	F	%	in
2	13	2018	12	45	44	7.4	16.5	181 S	10.1	50	29	0



**LOS ALAMOS NATIONAL LABORATORY (LANL)
VISIBLE EMISSION OBSERVATION FORM (6 MINUTE)**

Source Name: **TA-60 Asphalt Batch Plant**

Source Location: **TA-60-233**

Type of Source: **Asphalt Plant** Type of Control Equipment: **Baghouse**

Describe Emission Point (Top of stack, etc.): **Top of Baghouse Stack**

Height Above Ground Level: **33** Feet Height Relative to Observer: **26** Feet

Distance From Observer: **70** Feet Direction of Source From Observer: **W-NW**

Description of Plume (stack exit only)
 Lofting Trapping Looping Fanning Coning
 No Plume Present

Emission Color: **N/A** Plume Type: No Plume Present
 Continuous Fugitive Intermittent

Water Droplets Present?
 NO YES If YES, droplet plume is Attached Detached

At what point in the plume was opacity determined?
2 ft above stack height

Describe Background (i.e. blue sky, trees, etc.):
Blue sky

Background Color: **Blue** Sky Conditions: **Clear**

Wind Speed: **9.6** mph Wind Direction: **189° S to N**
 (provide from/to, i.e. from North to South)

Ambient Temperature: **43.5** °F Relative Humidity: **26** %

Additional Comments/Information:

Observation Date		Start Time				End Time
3-1-18		11:21				11:27
Min	Sec	0	15	30	45	Comments
	1	0	0	0	0	
2	0	0	0	0		
3	0	0	0	0		
4	0	0	0	0		
5	0	0	0	0		
6	0	0	0	0		
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						


Average 6-Minute Opacity: **0** Range of Opacity Readings
 Min. **0** Max. **0**

OBSERVER (please print)
 Name: **Jillian Burgin** Title: **DEP**

Signature: **J Burgin** Date: **3/1/18**

Observer Organization: **DESHS-UIS**

Certified by: **ETA** Certification Date: **2/21/18**



[Lab Home](#) | [Phone](#) | [Search](#)

Date: Thursday, March 1, 2018 | Time: 11:37 MST (18:37 UTC)

The Weather Machine

LOS ALAMOS NATIONAL LABORATORY

[LANL Observations](#) [Regional/U.S. Observations](#) [Forecast Products](#) [LANL Climatology](#) [Data Requests](#)

LANL Observations > Table Summaries

The table below provides a snapshot of current conditions at each tower location. Wind variables are measured at 11 meters above the ground (36 meters at PJMT) and the atmospheric state variables (temperature, humidity, and pressure) are measured at 1.2 meters above the ground (2 meters at PJMT).

Other Text Summaries Available: [15-Minute Short Summary \(English\)](#)

Current Observations:	English Metric			
Tower (tower)	TA6	TA49	TA53	TA54
Date (mm/dd)	03/01	03/01	03/01	03/01
Time (hhmm)	1130	1130	1130	1130
Wind Speed (mph)	9.2	10.7	9.6	9.2
Wind Direction (deg)	156	189	176	212
Max Gust (mph)	19.5	16.8	17.7	17.7
Max Gust Direction (deg)	335	189	176	212
Time of Max Gust (hhmm)	30	1130	1130	1130
Temperature (deg-F)	41.4	43.0	43.5	44.6
Max Temp Since Midnight (deg-F)	41.4	43.0	43.5	44.6
Time of Max Temp (hhmm)	1130	1130	1130	1130
Min Temp Since Midnight (deg-F)	23.0	27.5	27.3	18.3
Time of Min Temp (hhmm)	615	200	700	645
Pressure (mb)	777.5	-	-	803.9
Relative Humidity (%)	27	25	26	27
Dew Point Temperature (deg-F)	10.2	10.0	11.3	13.3
Precip Last 15 Minutes (in)	0.00	0.00	0.00	0.00
Precip Since Midnight (in)	0.00	0.00	0.00	0.00
Downwelling Shortwave (BTU/hr*ft^2)	265	258	276	261
Wind Chill (deg-F)	35.6	37.0	38.3	39.7

NOTE: All times are reported in Mountain Standard Time (MST).

[About Us](#) | [Contact Us](#) | [Documentation/Analyses](#)

Operated by [Los Alamos National Security, LLC](#) for the [U.S. Department of Energy's NNSA](#)



[Outside](#) | © Copyright 2018 LANS LLC All rights reserved | [Disclaimer/Privacy](#)
 505-667-7079 | weather@lanl.gov | webmaster:weather@lanl.gov

[Weather Home](#) | [Lab Home](#)




**LOS ALAMOS NATIONAL LABORATORY (LANL)
VISIBLE EMISSION OBSERVATION FORM (6 MINUTE)**

Source Name: TA-60 Asphalt Batch Plant	
Source Location: TA-60-233	
Type of Source Asphalt Plant	Type of Control Equipment Baghouse
Describe Emission Point (Top of stack, etc.) Top of Baghouse Stack	
Height Above Ground Level 33 Feet	Height Relative to Observer 26 Feet
Distance From Observer 70 Feet	Direction of Source From Observer W-NW
Description of Plume (stack exit only) <input type="checkbox"/> Lofting <input type="checkbox"/> Trapping <input type="checkbox"/> Looping <input type="checkbox"/> Fanning <input type="checkbox"/> Coning <input checked="" type="checkbox"/> No Plume Present	
Emission Color N/A	Plume Type <input checked="" type="checkbox"/> No Plume Present <input type="checkbox"/> Continuous <input type="checkbox"/> Fugitive <input type="checkbox"/> Intermittent
Water Droplets Present? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES If YES, droplet plume is <input type="checkbox"/> Attached <input type="checkbox"/> Detached	
At what point in the plume was opacity determined? 2 ft above stack height	
Describe Background (i.e. blue sky, trees, etc.) Blue sky	
Background Color Blue	Sky Conditions Clear
Wind Speed 3 mph	Wind Direction (provide from/to, i.e. from North to South) E to W
Ambient Temperature 56 °F	Relative Humidity 17 %
Additional Comments/Information: weather machine down used NWS weather data.	

Observation Date 4/26/18		Start Time 10:05		End Time 10:11	Comments	
Min	Sec	0	15	30		45
1		0	0	0	0	
2		0	0	0	0	
3		0	0	0	0	
4		0	0	0	0	
5		0	0	0	0	
6		0	0	0	0	
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Average 6-Minute Opacity 0	Range of Opacity Readings Min. 0 Max. 0
OBSERVER (please print) Name: Jillian Burgin Title: DEP	
Signature J Burgin	Date 4/26/18
Observer Organization DESHS-UIS	
Certified by ETA	Certification Date 2/21/18





Notice of NWS' New Version of Forecast

A new version of Forecast is coming soon!
[Click here to visit the new site for details.](#)



NATIONAL WEATHER SERVICE

News Headlines

- [Shawn Bennett Retires from NWS Albuquerque](#)
- [Spring Freeze Feature](#)
- [2018 Spring Outlook for Northern and Central New Mexico](#)
- [*UPDATED* 2018 SKYWARN Schedule! Upcoming: Corona, Socorro, Magdalena and Santa Fe](#)
- [** New Mexico Fire Information **](#)

Additional Headlines

Hazardous Weather Conditions

- [Hazardous Weather Outlook](#)

[En Español](#)

[Share](#) |

Current conditions at

Los Alamos Airport (KLAM)

Lat: 35.88°N Lon: 106.26°W Elev: 6801ft.



Fair
56°F
13°C

Humidity 17%
Wind Speed E 3 mph
Barometer 30.17 in
Dewpoint 11°F (-12°C)
Visibility 10.00 mi
Last update 26 Apr 10:15 am MDT

Extended Forecast for Los Alamos NM

Today	Tonight	Friday	Friday Night	Saturday	Saturday Night	Sunday	Sunday
Mostly Sunny	Partly Cloudy	Mostly Sunny	Mostly Cloudy	Chance T-storms	Chance T-storms	Chance T-storms	Slight T-storms
High: 69 °F	Low: 42 °F	High: 67 °F	Low: 46 °F	High: 67 °F	Low: 47 °F	High: 71 °F	Low: 47 °F

Detailed Forecast

Today

Mostly sunny, with a high near 69. Northeast wind 10 to 15 mph.

Tonight

Partly cloudy, with a low around 42. East wind 5 to 15 mph becoming southwest after midnight.

Friday

Mostly sunny, with a high near 67. South wind 5 to 15 mph.

Friday Night

Mostly cloudy, with a low around 46. South wind 5 to 10 mph.

Saturday

A 30 percent chance of showers and thunderstorms, mainly after 1pm. Partly sunny, with a high near 67. South wind 5 to 10 mph.

Saturday Night



354/1711



**LOS ALAMOS NATIONAL LABORATORY (LANL)
VISIBLE EMISSION OBSERVATION FORM (6 MINUTE)**

Source Name: TA-60 Asphalt Batch Plant

Source Location: TA-60-233

Type of Source: Asphalt Plant Type of Control Equipment: Baghouse

Describe Emission Point (Top of stack, etc.): Top of Baghouse Stack

Height Above Ground Level: 33 Feet Height Relative to Observer: 26 Feet

Distance From Observer: 70 Feet Direction of Source From Observer: W-NW

Description of Plume (stack exit only)
 Lofting Trapping Looping Fanning Coning
 No Plume Present

Emission Color: NIA Plume Type: No Plume Present
 Continuous Fugitive Intermittent

Water Droplets Present?
 NO YES If YES, droplet plume is Attached Detached

At what point in the plume was opacity determined?
2 ft above stack height

Describe Background (i.e. blue sky, trees, etc.): Blue Sky / White Clouds

Background Color: Blue/white Sky Conditions: Partly Cloudy

Wind Speed: 16.8 mph Wind Direction: SSW to NNE
 (provide from/to, i.e. from North to South)

Ambient Temperature: 78.4 °F Relative Humidity: 5 %

Additional Comments/Information:

Observation Date		Start Time				End Time
5/17/18		12:45				12:51
Min	Sec	0	15	30	45	Comments
	1		0	0	0	
2		0	0	0	0	
3		0	0	0	0	
4		0	0	0	0	
5		0	0	0	0	
6		0	0	0	0	
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						


Average 6-Minute Opacity: 0 Range of Opacity Readings: Min. 0 Max. 0

OBSERVER (please print)
 Name: Jillian Burgin Title: DEP

Signature: J. Burgin Date: 5/17/18

Observer Organization: DESHS-US

Certified by: ETA Certification Date: 2/21/18



[Lab Home](#) | [Phone](#) | [Search](#) Date: Thursday, May 17, 2018 | Time: 13:09 MDT (19:09 UTC) | [Time Note](#) »

The Weather Machine

LOS ALAMOS NATIONAL LABORATORY

[LANL Observations](#) [Regional/U.S. Observations](#) [Forecast Products](#) [LANL Climatology](#) [Data Requests](#)

☐ [LANL Observations](#) > [Table Summaries](#)

The table below provides a snapshot of current conditions at each tower location. Wind variables are measured at 11 meters above the ground (36 meters at PJMT) and the atmospheric state variables (temperature, humidity, and pressure) are measured at 1.2 meters above the ground (2 meters at PJMT).

Other Text Summaries Available: [15-Minute Short Summary \(English\)](#)

Current Observations:	English Metric			
Tower (tower)	TA6	TA49	TA53	TA54
Date (mm/dd)	05/17	05/17	05/17	05/17
Time (hhmm)	1200	1200	1200	1200
Wind Speed (mph)	13.2	19.7	16.8	19.9
Wind Direction (deg)	216	208	209	195
Max Gust (mph)	30.9	32.2	32.7	34.4
Max Gust Direction (deg)	230	208	209	199
Time of Max Gust (hhmm)	1100	1200	1200	1145
Temperature (deg-F)	75.6	77.7	78.4	80.4
Max Temp Since Midnight (deg-F)	75.6	78.3	79.0	80.4
Time of Max Temp (hhmm)	1200	1130	1130	1145
Min Temp Since Midnight (deg-F)	51.4	54.1	55.8	43.9
Time of Min Temp (hhmm)	500	515	345	500
Pressure (mb)	774.7	-	-	798.6
Relative Humidity (%)	5	4	5	5
Dew Point Temperature (deg-F)	3.6	-0.2	5.2	6.8
Precip Last 15 Minutes (in)	0.00	0.00	0.00	0.00
Precip Since Midnight (in)	0.00	0.00	0.00	0.00
Downwelling Shortwave (BTU/hr*ft ²)	340	353	354	364
Wind Chill (deg-F)	75.6	77.7	78.4	80.4

NOTE: All times are reported in Mountain Standard Time (MST).

[About Us](#) | [Contact Us](#) | [Documentation/Analyses](#)

Operated by [Los Alamos National Security, LLC](#) for the [U.S. Department of Energy's NNSA](#)



[Outside](#) | © Copyright 2018 LANS LLC All rights reserved | [Disclaimer/Privacy](#)
 505-667-7079 | weather@lanl.gov | webmaster:weather@lanl.gov

[Weather Home](#) | [Lab Home](#)



**LOS ALAMOS NATIONAL LABORATORY (LANL)
VISIBLE EMISSION OBSERVATION FORM (6 MINUTE)**

Source Name: TA-60 Asphalt Batch Plant

Source Location: TA-60-233

Type of Source: Asphalt Plant Type of Control Equipment: Baghouse

Describe Emission Point (Top of stack, etc.): Top of Baghouse Stack

Height Above Ground Level: 33 Feet Height Relative to Observer: 24 Feet

Distance From Observer: 75 Feet Direction of Source From Observer: W-NW

Description of Plume (stack exit only)
 Lofting Trapping Looping Fanning Coning
 No Plume Present

Emission Color: N/A Plume Type: No Plume Present
 Continuous Fugitive Intermittent

Water Droplets Present?
 NO YES If YES, droplet plume is Attached Detached

At what point in the plume was opacity determined?
N/A

Describe Background (i.e. blue sky, trees, etc.): Blue Sky

Background Color: Blue Sky Conditions: Clear

Wind Speed: 10.7 mph Wind Direction: SSE to NNW
 (provide from/to, i.e. from North to South)

Ambient Temperature: 80.6 °F Relative Humidity: 11 %

Additional Comments/Information:

Observation Date		Start Time				End Time
6/20/18		12:55				1:01
Min	Sec	0	15	30	45	Comments
1		0	0	0	0	
2		0	0	0	0	
3		0	0	0	0	
4		0	0	0	0	
5		0	0	0	0	
6		0	0	0	0	
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						


Average 6-Minute Opacity: 0 Range of Opacity Readings: Min. 0 Max. 0

OBSERVER (please print)
 Name: Jillian Burgin Title: DEP

Signature: J Burgin Date: 6/20/18

Observer Organization: DESHS-US

Certified by: EYA Certification Date: 2/2/18



Add +1 hr for MDT.

[Lab Home](#) | [Phone](#) | [Search](#)

Date: Wednesday, June 20, 2018 | Time: 13:17 MDT (19:17 UTC) | [Time Not](#)

The Weather Machine

LOS ALAMOS NATIONAL LABORATORY

[LANL Observations](#) [Regional/U.S. Observations](#) [Forecast Products](#) [LANL Climatology](#) [Data Requests](#)

☐ [LANL Observations](#) > [Table Summaries](#)

The table below provides a snapshot of current conditions at each tower location. Wind variables are measured at 11 meters above the ground (36 meters at PJMT) and the atmospheric state variables (temperature, humidity, and pressure) are measured at 1.2 meters above the ground (2 meters at PJMT).

Other Text Summaries Available: [15-Minute Short Summary \(English\)](#)

Current Observations:	English Metric			
Tower (tower)	TA6	TA49	TA53	TA54
Date (mm/dd)	06/20	06/20	06/20	06/20
Time (hhmm)	1200	1200	1200	1200
Wind Speed (mph)	7.8	9.2	10.7	8.9
Wind Direction (deg)	175	198	148	180
Max Gust (mph)	19.9	20.6	20.6	19.0
Max Gust Direction (deg)	175	198	143	174
Time of Max Gust (hhmm)	1200	1200	1115	1045
Temperature (deg-F)	77.7	81.0	80.6	82.8
Max Temp Since Midnight (deg-F)	77.7	81.0	80.6	82.8
Time of Max Temp (hhmm)	1200	1200	1200	1200
Min Temp Since Midnight (deg-F)	58.1	57.0	58.8	48.2
Time of Min Temp (hhmm)	500	430	430	515
Pressure (mb)	779.6	-	-	802.6
Relative Humidity (%)	11	9	11	10
Dew Point Temperature (deg-F)	21.0	18.7	21.9	21.6
Precip Last 15 Minutes (in)	0.00	0.00	0.00	0.00
Precip Since Midnight (in)	0.00	0.00	0.00	0.00
Downwelling Shortwave (BTU/hr* ft^2)	344	342	367	349
Wind Chill (deg-F)	77.7	81.0	80.6	82.8

NOTE: All times are reported in Mountain Standard Time (MST).

[About Us](#) | [Contact Us](#) | [Documentation/Analyses](#)

Operated by [Los Alamos National Security, LLC](#) for the [U.S. Department of Energy's NNSA](#)

[Outside](#) | © Copyright 2018 LANS LLC All rights reserved | [Disclaimer/Privacy](#)



AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A607.E.

Asphalt Plant

Daily Operation Log and 12-Month Rolling Production

2018 TA-60 BDM Asphalt Plant

Data Reviewed By / Date: Margie Stockton 7/12/2018

Month	Data Entry		Month	Data Entry	
	Asphalt Produced (Tons)	12-Month Rolling Total		Asphalt Produced (Tons)	12-Month Rolling Total
January	12	706	July		
February	20	619	August		
March	193	772	September		
April	55	785	October		
May	116	873	November		
June	38	841	December		
6 mo. Total	434		6 mo. Total:	0	

Annual Hours			
Month	Hours	Month	Hours
Jan	2.0	Jul	
Feb	2.4	Aug	
Mar	15.1	Sep	
Apr	7.1	Oct	
May	8.8	Nov	
Jun	2.5	Dec	
Total:	37.8	Total:	0.0

2018 Asphalt Produced (Tons): 434

12-Month Rolling Production Permit Limit is 6,000 Tons

Annual Total (to date): **37.8** Hours

Hours are Limited to 4,380 per Year

Logistics Division
Asphalt Batch Plant Operations
41-20-001.2: Asphalt Batch Plant Daily Operating Log **MAR 2018**

Date	Hours of Operation			Asphalt Produced (tons)	Number of Truck Trips to Plant	Haul Road Swept? (check one)		Pressure Drop Across Bagnhouse				Operator's Initials (Person Taking Readings)
	Start Time	End Time	Total (hrs.)			Yes	No	Start Pressure	Start Time	End Pressure	End Time	
3-1-18	11:00	12:44	1.73	25	1			3.54	11:30	3.45	12:35	Bo Henry
3-2-18	10:20	11:36	1.10	16	1		✓	3.49	10:52	3.34	11:24	Anthony
3-6-18	9:51	10:45	0.90	12	1			3.54	10:15	3.46	10:39	Anthony
3-8-18	10:35	11:19	0.73	12	1			3.71	10:53	3.49	11:12	Leslie
3-9-18	9:36	7:59	0.48	3	1			3.80	9:51	3.54	9:57	Leslie
3-13-18	7:46	5:07	0.35	3	1			3.69	2:50	3.65	2:59	Leslie
3-14-18	8:51	9:45	0.90	20	1			3.76	9:24	3.77	9:35	Leslie
3-14-18	11:04	11:55	0.76	18	1			3.49	11:42	3.45	11:51	Leslie
3-15-18	12:45	1:30	0.75	12	1			3.53	1:01	3.42	1:23	Anthony
3-16-18	12:35	1:30	0.91	13	1			3.62	12:50	3.56	1:15	Anthony
3-20-18	10:15	11:05	0.83	5	1			3.58	10:31	3.43	10:48	Anthony
3-26-18	12:49	1:18	0.48	3	1			3.55	1:00	3.48	1:11	Anthony
3-21-18	12:45	1:34	0.85	7	1			3.56	12:59	3.49	1:00	Anthony
3-22-18	12:47	1:03	0.26	3	1			3.64	12:51	3.59		Anthony
3-23-18	12:50	1:10	0.33	5	1			3.63	12:56	3.55	1:05	Anthony
3-26-18	12:48	1:17	0.48	3	1			3.65	1:00	3.59	1:12	Anthony
3-28-18	12:46	1:58	1.20	21	1			3.62	1:06	3.23	1:48	Anthony
3-29-18	10:05	10:45	0.63	3	1			3.68	10:19	3.48	10:36	Anthony
3-29-18	12:46	1:36	0.83	3	1			3.59	10:3	3.53	1:02	Anthony
3-30-18	9:45	10:23	0.63	3	1			3.63	9:59	3.54	10:10	Anthony
				193	20							
			15.13	TONS	TRIPS							

Operation of the plant is limited to 1/2 hour after sunrise to 1/2 hour before sunset.

The data in this log is required by NMED Title V Operating Permit (Air Quality) and must be maintained on site for a minimum of 5 years.
41-20-001.2 Rev. 1 Approval Date: 01/12/2016

Logistics Division
Asphalt Batch Plant Operations
41-20-001.2: Asphalt Batch Plant Daily Operating Log

APRIL 2018

Date	Hours of Operation			Asphalt Produced (tons)	Number of Truck Trips to Plant	Haul Road Swept? (check one)		Pressure Drop Across Baghouse				Operator's Initials (Person Taking Readings)
	Start Time	End Time	Total (hrs.)			Yes	No	Start Pressure	Start Time	End Pressure	End Time	
4-2-18	1255	1220	0.42	3			3.59	106	3.53	112	Anthony	
4-6-18	9:46	10:24	0.63	1			3.83	10:03	3.89	10:16	Leslie	
4-9-18	1015	1000	0.75	7			3.79	1023	3.73	1041	Anthony M.	
4-11-18	1245	1110	0.42	4			3.80	1053	3.74	106	Anthony	
4-12-18	102	153	0.85	4			3.78	115	3.69	1:43	Anthony	
4-16-18	1254	135	0.68	3			3.68	106	3.61	108	Anthony	
4-17-18	900	044	0.80	6			3.71	916	3.65	938	Anthony	
4-18-18	1000	1024	0.57	3			3.74	1015	3.68	1025	Anthony	
4-18-18	1245	107	0.37	3			3.76	1051	3.67	105	Anthony	
4-26-18	1000	1030	0.50	4			3.55	1009	3.50	1020	Anthony	
4-27-18	1255	133	0.63	4			3.68	105	3.58	101	Anthony	
4-30-18	1:00	1:22	0.45	3			3.66	1:07	3.65	1:15	Leslie	
TOTALS				55	12							
				TONS	TRIPS							
				7.07	2							

Operation of the plant is limited to 1/2 hour after sunrise to 1/2 hour before sunset.

41-20-001.2 The data in this log is required by NMED Title V Operating Permit (Air Quality) and must be maintained on site for a minimum of 5 years.
Rev. 1 Approval Date: 01/12/2016

Logistics Division
Asphalt Batch Plant Operations
41-20-001.2: Asphalt Batch Plant Daily Operating Log

MAY 2018

Date	Hours of Operation			Asphalt Produced (tons)	Number of Truck Trips to Plant	Haul Road Swept? (check one)		Pressure Drop Across Baghouse				Operator's Initials (Person Taking Readings)
	Start Time	End Time	Total (hrs.)			Yes	No	Pressure	Start Time	Pressure	End Time	
5-1-18	9:15	9:39	0.4	4	1			3.64	9:26	3.69	9:34	Leslie
5-2-18	9:03	9:29	0.43	4	1			3.81	9:18	3.79	9:23	Leslie
5-3-18	12:42	12:59	0.28	3	1			4.01	12:54	3.91	1:00	Leslie
5-9-18	9:35	10:05	0.5	2	1			4.01	9:43	3.89	9:54	Anthony
5-9-18	12:40	1:10	0.5	4	1			3.78	12:51	3.73	1:00	Anthony
5-15-18	12:40	1:12	0.53	4	1			3.98	12:53	3.88	1:08	Anthony
5-17-18	12:40	1:23	0.72	11	1			3.50	12:51	3.41	1:00	Anthony
5-18-18	7:50	8:40	0.83	13	2			4.28	8:03	4.17	8:30	Anthony
5-18-18	11:49	12:25	0.6	9	2			3.38	12:00	3.29	12:15	Anthony
5-21-18	12:35	1:32	0.95	21	1			3.28	12:44	3.21	1:10	Anthony
5-22-18	12:30	1:30	1.0	21	1			3.60	12:43	3.48	1:15	Anthony
5-24-18	12:40	1:15	0.58	3	1			3.89	12:51	3.79	1:08	Anthony
5-24-18	12:0	2:06	0.77	13	1			3.30	1:36	3.29	1:56	Anthony
5-31-18	9:57	10:41	0.73	3	1			3.50	10:08	3.48	10:15	Leslie
TOTALS				116	16							
				TDNS	TDPS							
				8.82								

Operation of the plant is limited to 1/2 hour after sunrise to 1/2 hour before sunset.

The data in this log is required by NMED Title V Operating Permit (Air Quality) and must be maintained on site for a minimum of 5 years.
41-20-001.2 Rev. 1 Approval Date: 01/12/2016

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A607.F.

Asphalt Plant

Maintenance and Delivery Records

Preventive maintenance was not conducted during this monitoring period.

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A607.G.

Asphalt Plant

EPA Method 22 Opacity Reports

ENV-EAQ-307, R5
Attachment 3, page 1 of 1


Ecology and Air Quality
Los Alamos National Laboratory

Los Alamos National Laboratory
METHOD 22 Visual Determination of Fugitive Emissions Form

Location: <u>TA-60 Asphalt Batch Plant</u>	Observer Affiliation: <u>DESHS-VIS</u>
Representative: <u>Leonard F. Sandakal</u>	Date of Inspection: <u>1/30/2018</u>
Sky Conditions: <u>Light Gray Clouds</u>	Wind Direction: <u>SSE to NNU</u>
Precipitation: <u>0</u>	Wind Speed: <u>2-5 mph</u>
Industry: <u>LANL (DOE)</u>	Process Unit: <u>Fugitive Emissions</u>

Sketch of Process Unit:

Indicate:
 * observer position relative to source
 * potential emission and/or actual emission points
 * sun location
 * wind direction
 * North direction



Observations:	Clock Time	Observation period duration (min:sec)	Accumulated Emission Time(min:sec)
Begin	<u>1:07 p.m.</u>	_____	_____
End Observation	<u>1:17 p.m.</u>	<u>10:00 min</u>	<u>1.5 = 1.5!</u>

Notes:

This form is used to document fugitive visible emissions from outside air emission sources. If an emission is observed during the Method 22 inspection/observation period (which must be at least 6 minutes for the Asphalt Plant and 10 minutes for all other LANL sources), a Method 9 visible emission test may need to be performed.

SIGNATURE OF OBSERVER/INSPECTOR: [Signature] DATE: 1/30/2018

THIS FORM IS FROM EAQ-307, R5



Los Alamos National Laboratory METHOD 22 Visual Determination of Fugitive Emissions Form

Location: TA-60 Asphalt Plant	Observer Affiliation: DESHS-UIS
Representative: Jillian Burgin	Date of Inspection: 2/13/18
Sky Conditions: Broken/azy	Wind Direction: S to N
Precipitation: 0	Wind Speed: 16.5 mph
Industry: DOE Nat'l. Lab.	Process Unit: Fugitive EMS.

Sketch of Process Unit:

Indicate:

- * observer position relative to source
- * potential emission and/or actual emission points
- * sun location
- * wind direction
- * North direction



Observations:	Clock Time	Observation period duration (min:sec)	Accumulated Emission Time(min:sec)
Begin	<u>12:53</u>	_____	_____
End Observation	<u>1:03</u>	<u>10 mins.</u>	<u>1.5 = 15%</u>

Notes:

This form is used to document fugitive visible emissions from outside air emission sources. If an emission is observed during the Method 22 inspection/observation period (which must be at least 6 minutes for the Asphalt Plant and 10 minutes for all other LANL sources), a Method 9 visible emission test may need to be performed.

SIGNATURE OF OBSERVER/INSPECTOR: <i>J. Burgin, DEP</i>	DATE <i>2/13/18</i>
------------------------------------------------------------------	-------------------------------

Los Alamos National Laboratory METHOD 22 Visual Determination of Fugitive Emissions Form

Location: <u>TA-60 Asphalt Plant</u>	Observer Affiliation: <u>DESHS-UIS</u>
Representative: <u>Jillian Burgin</u>	Date of Inspection: <u>3/1/18</u>
Sky Conditions: <u>Clear / Blue</u>	Wind Direction: <u>S to N</u>
Precipitation: <u>N/A</u>	Wind Speed: <u>9.6 mph</u>
Industry: <u>DDE Nat'l Lab</u>	Process Unit: <u>Fugitive EMS.</u>

Sketch of Process Unit:

Indicate:


* observer position relative to source

* potential emission and/or actual emission points

* sun location

* wind direction

* North direction



Observations:	Clock Time	Observation period duration (min:sec)	Accumulated Emission Time(min:sec)
Begin	<u>11:21</u>	_____	_____
	_____	<u>10 mins</u>	<u>65 = 15%</u>
End Observation	<u>11:31</u>	_____	_____

Notes:

This form is used to document fugitive visible emissions from outside air emission sources. If an emission is observed during the Method 22 inspection/observation period (which must be at least 6 minutes for the Asphalt Plant and 10 minutes for all other LANL sources), a Method 9 visible emission test may need to be performed.

SIGNATURE OF OBSERVER/INSPECTOR:

DATE

J. Burgin, DEP

3/1/18


Los Alamos National Laboratory METHOD 22 Visual Determination of Fugitive Emissions Form

Location: <u>TA-60 Asphalt Plant</u>	Observer Affiliation: <u>DESHS - ULS</u>
Representative: <u>Jillian Burgin</u>	Date of Inspection: <u>4/26/18</u>
Sky Conditions: <u>Clear Blue</u>	Wind Direction: <u>E to W</u>
Precipitation: <u>NONE</u>	Wind Speed: <u>3MPH</u>
Industry: <u>DOE Nat'l Lab</u>	Process Unit: <u>Fugitive EMS.</u>

Sketch of Process Unit:

Indicate:

- * observer position relative to source
- * potential emission and/or actual emission points
- * sun location
- * wind direction
- * North direction



Observations:	Clock Time	Observation period duration (min:sec)	Accumulated Emission Time(min:sec)
Begin	<u>10:05</u>	_____	_____
End Observation	<u>10:15</u>	<u>10 mins.</u>	<u>1.5 = 15%</u>

Notes: used NWS weather data

This form is used to document fugitive visible emissions from outside air emission sources. If an emission is observed during the Method 22 inspection/observation period (which must be at least 6 minutes for the Asphalt Plant and 10 minutes for all other LANL sources), a Method 9 visible emission test may need to be performed.

SIGNATURE OF OBSERVER/INSPECTOR: <u>J Burgin, DEP</u>	DATE <u>4/26/18</u>
----------------------------------------------------------	------------------------


Los Alamos National Laboratory METHOD 22 Visual Determination of Fugitive Emissions Form

Location: <u>TA-60 Asphalt Plant</u>	Observer Affiliation: <u>DESHS-UIS</u>
Representative: <u>Jillian Burgin</u>	Date of Inspection: <u>5/17/18</u>
Sky Conditions: <u>Partly Cloudy</u>	Wind Direction: <u>SSW to NNE</u>
Precipitation: <u>⊕</u>	Wind Speed: <u>16.8 mph</u>
Industry: <u>DOE Nat'l Lab</u>	Process Unit: <u>Fugitive EMS.</u>

Sketch of Process Unit:

Indicate:

- * observer position relative to source
- * potential emission and/or actual emission points
- * sun location
- * wind direction
- * North direction



Observations:	Clock Time	Observation period duration (min:sec)	Accumulated Emission Time(min:sec)
Begin	<u>12:45</u>	_____	_____
End Observation	<u>12:55</u>	<u>10 mins.</u>	<u>1.5 = 15%</u>

Notes:

This form is used to document fugitive visible emissions from outside air emission sources. If an emission is observed during the Method 22 inspection/observation period (which must be at least 6 minutes for the Asphalt Plant and 10 minutes for all other LANL sources), a Method 9 visible emission test may need to be performed.

SIGNATURE OF OBSERVER/INSPECTOR:

DATE

J. Burgin, DEP

5/17/18


Los Alamos National Laboratory METHOD 22 Visual Determination of Fugitive Emissions Form

Location: <u>TA-60 Asphalt Plant</u>	Observer Affiliation: <u>DESHS-UIS</u>
Representative: <u>Jillian Burgin</u>	Date of Inspection: <u>6/20/18</u>
Sky Conditions: <u>Clear</u>	Wind Direction: <u>SSE to NNW</u>
Precipitation: <u>N/A</u>	Wind Speed: <u>10.7 mph</u>
Industry: <u>DOE Nat'l Lab</u>	Process Unit: <u>Fugitive EMS.</u>

Sketch of Process Unit:

Indicate:

- * observer position relative to source
- * potential emission and/or actual emission points
- * sun location
- * wind direction
- * North direction



Observations:	Clock Time	Observation period duration (min:sec)	Accumulated Emission Time(min:sec)
Begin	<u>12:55</u>	_____	_____
End Observation	<u>1:05</u>	<u>10 mins</u>	<u>1.5 = 15%</u>

Notes:

This form is used to document fugitive visible emissions from outside air emission sources. If an emission is observed during the Method 22 inspection/observation period (which must be at least 6 minutes for the Asphalt Plant and 10 minutes for all other LANL sources), a Method 9 visible emission test may need to be performed.

SIGNATURE OF OBSERVER/INSPECTOR: <u>J. Burgin, DEP</u>	DATE <u>6/20/18</u>
-----------------------------------------------------------	------------------------

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A707.B.a.

Beryllium

TA-03-0066 Beryllium Logs

Semi-Annual Monitoring Report
Sigma Facility TA-03-0066

January 1, 2018 - June 30, 2018

Electroplating/Chemical Milling	Date	Weight of Beryllium Samples Processed (gm)	Controlled Emission Factor (gm emission/gm Used)	Controlled Be Emissions (gm)
	1/30/2018	500.0	1.20E-05	6.00E-03
	2/1/2018	500.0	1.20E-05	6.00E-03
	2/2/2018	500.0	1.20E-05	6.00E-03
	5/22/2018	148.5	1.20E-05	1.78E-03
Total Beryllium Emissions from Electroplating/Chemical Milling				1.98E-02

Note: Information required under Title V Operating Permit P100-R2M1 & P100-R2M2, Section A707.B, Emissions Monitoring Requirements and A707.D, Reporting Requirements

January 1, 2018 - June 30, 2018

Metallography	Date	Number of Metallographic Specimens Used in the Polishing Operation	Weight of Each Specimen (gm) ¹	Total Weight of Specimen (gm)	Controlled Emission Factor (gm emission/gm Used)	Be Emissions (gm)
	1/26/2018	4	20	80	3.50E-09	2.80E-07
	2/6/2018	2	20	40	3.50E-09	1.40E-07
	2/8/2018	4	20	80	3.50E-09	2.80E-07
	3/5/2018	8	20	160	3.50E-09	5.60E-07
	Total Beryllium Emissions from Metallography					

Note: Information required under Title V Operating Permit P100-R2M1 & P100-R2M2, Section A707.B, Emissions Monitoring Requirements and A707.D, Reporting Requirements

Note: ¹ The weight of specimen are conservative averages

Semi-Annual Monitoring Report
Sigma Facility TA-03-0066

January 1, 2018 - June 30, 2018

Machining	Date	Weight Beryllium Samples Used (gm)	Controlled Emission Factor (gm emission/gm Used)	Be Emissions (gm)
	No beryllium processed during this period.		1.75E-09	0.00E+00
	Total Beryllium Emissions from Machining			0.00E+00

Note: Information required under Title V Operating Permit P100-R2M1 & P100-R2M2, Section A707.B, Emissions Monitoring Requirements and A707.D, Reporting Requirements

Semi-Annual Monitoring Report
Sigma Facility TA-03-0066

January 1, 2018 - June 30, 2018

Arc Melting/Casting	Date	Weight of Beryllium Samples Used (gm)	Controlled Emission Factor (gm emission/gm Used)	Be Emissions (gm)
	No beryllium processed during this period.		1.75E-09	0.00E+00
	Total Beryllium Emissions from Arc Melting/Casting			0.00E+00

Note: Information required under Title V Operating Permit P100-R2M1 & P100-R2M2, Section A707.B, Emissions Monitoring Requirements and A707.D, Reporting Requirements

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A707.B.b.

Beryllium

TA-35-0213 Beryllium Operating Log

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A707.C.a.

Beryllium

TA-03-0141 Beryllium HEPA Filter Differential Pressure Readings

NM STATE REPORTING

		HEPA 1	HEPA 2	DUST	YEAR
DAY 1	04:00	0.71	0.56	-0.2	2018
	12:00	0.73	0.57	-0.2	2018
	20:00	0.68	0.53	-0.3	2018
DAY 2	04:00	0.67	0.54	-0.3	2018
	12:00	0.72	0.57	-0.3	2018
	20:00	0.73	0.57	-0.3	2018
DAY 3	04:00	0.66	0.52	-0.2	2018
	12:00	0.71	0.56	-0.3	2018
	20:00	0.72	0.57	-0.3	2018
DAY 4	04:00	0.73	0.56	-0.2	2018
	12:00	0.75	0.59	-0.2	2018
	20:00	0.69	0.54	-0.3	2018
DAY 5	04:00	0.71	0.56	-0.2	2018
	12:00	0.70	0.56	-0.4	2018
	20:00	0.68	0.55	-0.3	2018
DAY 6	04:00	0.71	0.56	-0.2	2018
	12:00	0.70	0.55	-0.3	2018
	20:00	0.68	0.55	-0.3	2018
DAY 7	04:00	0.71	0.56	-0.2	2018
	12:00	0.75	0.56	-0.4	2018
	20:00	0.69	0.55	-0.3	2018
DAY 8	04:00	0.71	0.56	-0.2	2018
	12:00	0.69	0.55	-0.4	2018
	20:00	0.67	0.53	-0.3	2018
DAY 9	04:00	0.71	0.56	-0.2	2018
	12:00	0.70	0.56	-0.3	2018
	20:00	0.68	0.54	-0.3	2018
DAY 10	04:00	0.73	0.58	-0.2	2018
	12:00	0.69	0.55	-0.3	2018
	20:00	0.72	0.57	-0.3	2018

		HEPA 1	HEPA 2	DUST	YEAR
DAY 11	04:00	0.74	0.59	-0.2	2018
	12:00	0.69	0.55	-0.2	2018
	20:00	0.75	0.58	-0.3	2018
DAY 12	04:00	0.71	0.56	-0.2	2018
	12:00	0.70	0.55	-0.2	2018
	20:00	0.74	0.58	-0.2	2018
DAY 13	04:00	0.73	0.57	-0.2	2018
	12:00	0.74	0.56	-0.2	2018
	20:00	0.68	0.55	-0.3	2018
DAY 14	04:00	0.73	0.56	-0.2	2018
	12:00	0.74	0.56	-0.2	2018
	20:00	0.66	0.53	-0.3	2018
DAY 15	04:00	0.72	0.56	-0.2	2018
	12:00	0.70	0.56	-0.3	2018
	20:00	0.72	0.57	-0.3	2018
DAY 16	04:00	0.73	0.57	-0.2	2018
	12:00	0.73	0.57	-0.2	2018
	20:00	0.72	0.56	-0.2	2018
DAY 17	04:00	0.70	0.56	-0.2	2018
	12:00	0.74	0.58	-0.2	2018
	20:00	0.73	0.58	-0.3	2018
DAY 18	04:00	0.72	0.57	-0.1	2018
	12:00	0.74	0.58	-0.2	2018
	20:00	0.70	0.55	0.61	2018
DAY 19	04:00	0.69	0.54	0.67	2018
	12:00	0.71	0.56	0.72	2018
	20:00	0.70	0.55	0.73	2018
DAY 20	04:00	0.70	0.54	0.63	2018
	12:00	0.72	0.56	0.64	2018
	20:00	0.70	0.55	0.79	2018

		HEPA 1	HEPA 2	DUST	YEAR
DAY 21	04:00	0.69	0.55	0.56	2018
	12:00	0.79	0.60	0.74	2018
	20:00	0.77	0.61	0.69	2018
DAY 22	04:00	0.76	0.60	0.64	2018
	12:00	0.75	0.59	0.70	2018
	20:00	0.69	0.55	0.56	2018
DAY 23	04:00	0.73	0.56	0.65	2018
	12:00	0.74	0.58	0.71	2018
	20:00	0.71	0.56	0.56	2018
DAY 24	04:00	0.73	0.56	0.77	2018
	12:00	0.72	0.56	0.65	2018
	20:00	0.71	0.56	0.60	2018
DAY 25	04:00	0.68	0.54	0.60	2018
	12:00	0.72	0.57	0.70	2018
	20:00	0.71	0.55	0.62	2018
DAY 26	04:00	0.70	0.55	0.63	2018
	12:00	0.75	0.58	0.63	2018
	20:00	0.74	0.58	0.72	2018
DAY 27	04:00	0.74	0.57	0.60	2018
	12:00	0.76	0.59	0.77	2018
	20:00	0.71	0.56	0.62	2018
DAY 28	04:00	0.74	0.57	0.73	2018
	12:00	0.75	0.59	0.76	2018
	20:00	0.70	0.55	0.72	2018
DAY 29	04:00	0.69	0.55	0.64	2018
	12:00	0.72	0.57	0.62	2018
	20:00	0.71	0.55	0.63	2018
DAY 30	04:00	0.66	0.54	0.68	2018
	12:00	0.73	0.57	0.68	2018
	20:00	0.70	0.55	0.63	2018

		HEPA 1	HEPA 2	DUST	YEAR
DAY 31	04:00	0.69	0.54	0.65	2018
	12:00	0.72	0.58	0.74	2018
	20:00	0.71	0.55	0.76	2018

JAN	FEB	MAR
APR	MAY	JUN
JUL	AUG	SEP
OCT	NOV	DEC

MONTH DISPLAYED IS
JANUARY

PRINT SCREEN	MAIN
--------------	------

10:11:48 AM Wednesday, March 07, 2018

NM STATE REPORTING

	HEPA 1	HEPA 2	DUST	YEAR		HEPA 1	HEPA 2	DUST	YEAR		HEPA 1	HEPA 2	DUST	YEAR			
DAY 1	04:00	0.70	0.55	0.63	2018	DAY 11	04:00	0.72	0.57	0.71	2018	DAY 21	04:00	0.74	0.57	0.78	2018
	12:00	0.72	0.56	0.81	2018		12:00	0.77	0.60	0.73	2018		12:00	0.74	0.56	0.63	2018
	20:00	0.71	0.56	0.78	2018		20:00	0.70	0.55	0.58	2018		20:00	0.73	0.57	0.60	2018
DAY 2	04:00	0.68	0.54	0.75	2018	DAY 12	04:00	0.73	0.57	0.75	2018	DAY 22	04:00	0.73	0.58	0.77	2018
	12:00	0.72	0.57	0.68	2018		12:00	0.72	0.56	0.60	2018		12:00	0.75	0.59	0.55	2018
	20:00	0.72	0.57	0.70	2018		20:00	0.72	0.57	0.71	2018		20:00	0.70	0.55	0.56	2018
DAY 3	04:00	0.74	0.58	0.62	2018	DAY 13	04:00	0.70	0.55	0.63	2018	DAY 23	04:00	0.70	0.55	0.60	2018
	12:00	0.72	0.56	0.70	2018		12:00	0.75	0.57	0.70	2018		12:00	0.73	0.57	0.72	2018
	20:00	0.71	0.56	0.72	2018		20:00	0.71	0.56	0.69	2018		20:00	0.73	0.57	0.61	2018
DAY 4	04:00	0.69	0.54	0.67	2018	DAY 14	04:00	0.70	0.55	0.69	2018	DAY 24	04:00	0.71	0.56	0.67	2018
	12:00	0.73	0.57	0.68	2018		12:00	0.72	0.57	0.75	2018		12:00	0.79	0.61	0.79	2018
	20:00	0.72	0.55	0.78	2018		20:00	0.71	0.56	0.72	2018		20:00	0.70	0.56	0.67	2018
DAY 5	04:00	0.71	0.55	0.73	2018	DAY 15	04:00	0.69	0.55	0.77	2018	DAY 25	04:00	0.72	0.57	0.84	2018
	12:00	0.72	0.56	0.72	2018		12:00	0.73	0.57	0.71	2018		12:00	0.77	0.60	0.81	2018
	20:00	0.70	0.55	0.71	2018		20:00	0.71	0.56	0.65	2018		20:00	0.71	0.57	0.60	2018
DAY 6	04:00	0.73	0.57	0.60	2018	DAY 16	04:00	0.70	0.55	0.71	2018	DAY 26	04:00	0.70	0.55	0.78	2018
	12:00	0.71	0.56	0.64	2018		12:00	0.73	0.57	0.65	2018		12:00	0.73	0.57	0.67	2018
	20:00	0.71	0.56	0.56	2018		20:00	0.71	0.56	0.66	2018		20:00	0.70	0.55	0.69	2018
DAY 7	04:00	0.70	0.55	0.59	2018	DAY 17	04:00	0.71	0.57	0.67	2018	DAY 27	04:00	0.69	0.55	0.67	2018
	12:00	0.74	0.58	0.59	2018		12:00	0.74	0.57	0.56	2018		12:00	0.73	0.57	0.81	2018
	20:00	0.70	0.55	0.60	2018		20:00	0.71	0.56	0.69	2018		20:00	0.72	0.57	0.72	2018
DAY 8	04:00	0.67	0.53	0.72	2018	DAY 18	04:00	0.70	0.55	0.73	2018	DAY 28	04:00	0.75	0.58	0.62	2018
	12:00	0.73	0.57	0.66	2018		12:00	0.73	0.57	0.71	2018		12:00	0.73	0.58	0.76	2018
	20:00	0.71	0.56	0.74	2018		20:00	0.72	0.57	0.75	2018		20:00	0.75	0.59	0.60	2018
DAY 9	04:00	0.69	0.54	0.76	2018	DAY 19	04:00	0.72	0.56	0.71	2018						
	12:00	0.72	0.56	0.68	2018		12:00	0.73	0.57	0.69	2018						
	20:00	0.71	0.56	0.73	2018		20:00	0.74	0.57	0.72	2018						
DAY 10	04:00	0.71	0.55	0.61	2018	DAY 20	04:00	0.74	0.56	0.54	2018						
	12:00	0.73	0.57	0.66	2018		12:00	0.73	0.58	0.69	2018						
	20:00	0.73	0.56	0.73	2018		20:00	0.71	0.56	0.67	2018						

JAN	FEB	MAR
APR	MAY	JUN
JUL	AUG	SEP
OCT	NOV	DEC

MONTH DISPLAYED IS
FEBRUARY

[PRINT SCREEN](#) [MAIN](#)

10:12:53 AM Wednesday, March 07, 2018

NM STATE REPORTING

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 1	04:00	0.69	0.54	0.62	2018
	12:00	0.72	0.57	0.64	2018
	20:00	0.71	0.56	0.61	2018
DAY 2	04:00	0.70	0.54	0.64	2018
	12:00	0.73	0.57	0.73	2018
	20:00	0.71	0.57	0.73	2018
DAY 3	04:00	0.68	0.55	0.66	2018
	12:00	0.72	0.56	0.73	2018
	20:00	0.71	0.55	0.71	2018
DAY 4	04:00	0.70	0.55	0.69	2018
	12:00	0.73	0.57	0.72	2018
	20:00	0.76	0.59	0.69	2018
DAY 5	04:00	0.71	0.55	0.62	2018
	12:00	0.71	0.56	0.65	2018
	20:00	0.71	0.56	0.60	2018
DAY 6	04:00	0.70	0.55	0.59	2018
	12:00	0.73	0.58	0.60	2018
	20:00	0.71	0.57	0.62	2018
DAY 7	04:00	0.70	0.55	0.60	2018
	12:00	0.74	0.58	0.66	2018
	20:00	0.72	0.56	0.71	2018
DAY 8	04:00	0.71	0.56	0.67	2018
	12:00	0.73	0.57	0.75	2018
	20:00	0.71	0.55	0.73	2018
DAY 9	04:00	0.70	0.56	0.60	2018
	12:00	0.74	0.58	0.76	2018
	20:00	0.71	0.55	0.76	2018
DAY 10	04:00	0.72	0.56	0.65	2018
	12:00	0.73	0.57	0.66	2018
	20:00	0.71	0.56	0.73	2018

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 11	04:00	0.72	0.57	0.75	2018
	12:00	0.74	0.57	0.64	2018
	20:00	0.71	0.56	0.62	2018
DAY 12	04:00	0.71	0.56	0.57	2018
	12:00	0.72	0.57	0.65	2018
	20:00	0.70	0.55	0.69	2018
DAY 13	04:00	0.70	0.55	0.64	2018
	12:00	0.73	0.57	0.72	2018
	20:00	0.71	0.56	0.60	2018
DAY 14	04:00	0.70	0.56	0.66	2018
	12:00	0.73	0.57	0.74	2018
	20:00	0.71	0.56	0.77	2018
DAY 15	04:00	0.71	0.56	0.61	2018
	12:00	0.72	0.57	0.75	2018
	20:00	0.77	0.60	0.63	2018
DAY 16	04:00	0.81	0.62	0.57	2018
	12:00	0.73	0.57	0.69	2018
	20:00	0.72	0.56	0.71	2018
DAY 17	04:00	0.69	0.55	0.67	2018
	12:00	0.72	0.57	0.70	2018
	20:00	0.71	0.56	0.67	2018
DAY 18	04:00	0.70	0.56	0.74	2018
	12:00	0.74	0.58	0.66	2018
	20:00	0.80	0.62	0.73	2018
DAY 19	04:00	0.74	0.58	0.75	2018
	12:00	0.74	0.58	0.62	2018
	20:00	0.73	0.57	0.58	2018
DAY 20	04:00	0.71	0.56	0.55	2018
	12:00	0.74	0.58	0.67	2018
	20:00	0.73	0.56	0.74	2018

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 21	04:00	0.70	0.55	0.66	2018
	12:00	0.76	0.60	0.76	2018
	20:00	0.73	0.56	0.79	2018
DAY 22	04:00	0.71	0.56	0.67	2018
	12:00	0.74	0.57	0.74	2018
	20:00	0.70	0.56	0.82	2018
DAY 23	04:00	0.72	0.56	0.79	2018
	12:00	0.75	0.58	0.81	2018
	20:00	0.72	0.56	0.75	2018
DAY 24	04:00	0.70	0.55	0.67	2018
	12:00	0.73	0.57	0.73	2018
	20:00	0.71	0.56	0.78	2018
DAY 25	04:00	0.71	0.56	0.76	2018
	12:00	0.75	0.58	0.73	2018
	20:00	0.75	0.58	0.76	2018
DAY 26	04:00	0.72	0.57	0.77	2018
	12:00	0.74	0.58	0.81	2018
	20:00	0.71	0.56	0.66	2018
DAY 27	04:00	0.75	0.59	0.71	2018
	12:00	0.74	0.58	0.71	2018
	20:00	0.75	0.59	0.64	2018
DAY 28	04:00	0.70	0.54	0.65	2018
	12:00	0.75	0.57	0.66	2018
	20:00	0.73	0.58	0.65	2018
DAY 29	04:00	0.71	0.56	0.66	2018
	12:00	0.74	0.58	0.72	2018
	20:00	0.72	0.56	0.76	2018
DAY 30	04:00	0.73	0.57	0.80	2018
	12:00	0.73	0.57	0.72	2018
	20:00	0.72	0.56	0.78	2018

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 31	04:00	0.71	0.56	0.66	2018
	12:00	0.74	0.57	0.75	2018
	20:00	0.71	0.56	0.78	2018

JAN	FEB	MAR
APR	MAY	JUN
JUL	AUG	SEP
OCT	NOV	DEC

MONTH DISPLAYED IS
MARCH

[PRINT SCREEN](#) [MAIN](#)

1:09:56 PM Wednesday, June 13, 2018

NM STATE REPORTING

HEPA 1					HEPA 2					DUST					YEAR				
DAY 1	04:00	0.70	0.55	0.74	2018	DAY 11	04:00	0.72	0.56	0.78	2018	DAY 21	04:00	0.70	0.55	0.71	2018		
	12:00	0.74	0.56	0.76	2018		12:00	0.76	0.59	0.81	2018		12:00	0.74	0.59	0.82	2018		
	20:00	0.71	0.56	0.75	2018		20:00	0.72	0.57	0.87	2018		20:00	0.72	0.56	0.74	2018		
DAY 2	04:00	0.77	0.69	0.71	2018	DAY 12	04:00	0.73	0.57	0.76	2018	DAY 22	04:00	0.71	0.56	0.65	2018		
	12:00	0.74	0.58	0.76	2018		12:00	0.75	0.58	0.82	2018		12:00	0.74	0.58	0.78	2018		
	20:00	0.72	0.57	0.82	2018		20:00	0.73	0.58	0.88	2018		20:00	0.71	0.56	0.84	2018		
DAY 3	04:00	0.74	0.57	0.70	2018	DAY 13	04:00	0.83	0.64	0.59	2018	DAY 23	04:00	0.71	0.56	0.76	2018		
	12:00	0.73	0.57	0.72	2018		12:00	0.82	0.63	0.52	2018		12:00	0.73	0.57	0.85	2018		
	20:00	0.72	0.56	0.74	2018		20:00	0.73	0.58	0.63	2018		20:00	0.72	0.56	0.93	2018		
DAY 4	04:00	0.75	0.58	0.69	2018	DAY 14	04:00	0.75	0.58	0.82	2018	DAY 24	04:00	0.71	0.56	0.78	2018		
	12:00	0.73	0.57	0.75	2018		12:00	0.73	0.58	0.71	2018		12:00	0.74	0.57	0.82	2018		
	20:00	0.72	0.57	0.79	2018		20:00	0.75	0.58	0.73	2018		20:00	0.74	0.57	0.87	2018		
DAY 5	04:00	0.71	0.55	0.65	2018	DAY 15	04:00	0.71	0.56	0.72	2018	DAY 25	04:00	0.73	0.57	0.65	2018		
	12:00	0.74	0.58	0.78	2018		12:00	0.73	0.58	0.73	2018		12:00	0.74	0.58	0.78	2018		
	20:00	0.72	0.57	0.80	2018		20:00	0.71	0.56	0.81	2018		20:00	0.72	0.57	0.83	2018		
DAY 6	04:00	0.72	0.56	0.71	2018	DAY 16	04:00	0.72	0.57	0.73	2018	DAY 26	04:00	0.72	0.56	0.68	2018		
	12:00	0.75	0.58	0.77	2018		12:00	0.73	0.57	0.87	2018		12:00	0.74	0.58	0.75	2018		
	20:00	0.72	0.56	0.80	2018		20:00	0.73	0.57	0.84	2018		20:00	0.73	0.57	0.80	2018		
DAY 7	04:00	0.71	0.56	0.70	2018	DAY 17	04:00	0.72	0.56	0.78	2018	DAY 27	04:00	0.72	0.56	0.70	2018		
	12:00	0.74	0.58	0.77	2018		12:00	0.75	0.58	0.80	2018		12:00	0.73	0.57	0.77	2018		
	20:00	0.72	0.57	0.88	2018		20:00	0.76	0.59	0.70	2018		20:00	0.72	0.56	0.84	2018		
DAY 8	04:00	0.75	0.58	0.80	2018	DAY 18	04:00	0.70	0.56	0.68	2018	DAY 28	04:00	0.71	0.57	0.78	2018		
	12:00	0.79	0.61	0.72	2018		12:00	0.74	0.58	0.69	2018		12:00	0.73	0.57	0.84	2018		
	20:00	0.74	0.57	0.73	2018		20:00	0.71	0.56	0.75	2018		20:00	0.71	0.58	0.81	2018		
DAY 9	04:00	0.71	0.55	0.69	2018	DAY 19	04:00	0.71	0.55	0.70	2018	DAY 29	04:00	0.71	0.58	0.73	2018		
	12:00	0.73	0.57	0.71	2018		12:00	0.74	0.58	0.75	2018		12:00	0.74	0.57	0.91	2018		
	20:00	0.75	0.58	0.74	2018		20:00	0.73	0.57	0.78	2018		20:00	0.72	0.56	0.87	2018		
DAY 10	04:00	0.71	0.56	0.60	2018	DAY 20	04:00	0.72	0.57	0.63	2018	DAY 30	04:00	0.74	0.57	0.75	2018		
	12:00	0.74	0.58	0.75	2018		12:00	0.76	0.59	0.72	2018		12:00	0.74	0.57	0.83	2018		
	20:00	0.73	0.57	0.79	2018		20:00	0.75	0.58	0.72	2018		20:00	0.74	0.57	0.85	2018		

- JAN
- FEB
- MAR
- APR
- MAY
- JUN
- JUL
- AUG
- SEP
- OCT
- NOV
- DEC

MONTH DISPLAYED IS
APRIL

PRINT SCREEN MAIN

1:27:47 PM Wednesday, June 13, 2018

NM STATE REPORTING

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 1	04:00	0.72	0.57	0.75	2018
	12:00	0.72	0.57	0.92	2018
	20:00	0.74	0.57	0.82	2018
DAY 2	04:00	0.72	0.57	0.70	2018
	12:00	0.73	0.58	0.72	2018
	20:00	0.73	0.57	0.64	2018
DAY 3	04:00	0.75	0.59	0.78	2018
	12:00	0.75	0.59	0.70	2018
	20:00	0.73	0.58	0.70	2018
DAY 4	04:00	0.71	0.58	0.65	2018
	12:00	0.75	0.59	0.76	2018
	20:00	0.73	0.58	0.74	2018
DAY 5	04:00	0.71	0.56	0.69	2018
	12:00	0.73	0.57	0.83	2018
	20:00	0.73	0.57	0.89	2018
DAY 6	04:00	0.71	0.58	0.81	2018
	12:00	0.73	0.58	0.89	2018
	20:00	0.72	0.56	0.93	2018
DAY 7	04:00	0.71	0.58	0.87	2018
	12:00	0.74	0.57	0.99	2018
	20:00	0.73	0.57	0.92	2018
DAY 8	04:00	0.74	0.57	0.85	2018
	12:00	0.74	0.58	0.98	2018
	20:00	0.74	0.58	1.01	2018
DAY 9	04:00	0.72	0.56	0.90	2018
	12:00	0.74	0.58	0.93	2018
	20:00	0.74	0.57	1.10	2018
DAY 10	04:00	0.76	0.59	0.95	2018
	12:00	0.75	0.58	1.03	2018
	20:00	0.74	0.57	1.07	2018

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 11	04:00	0.75	0.58	0.93	2018
	12:00	0.76	0.59	0.94	2018
	20:00	0.74	0.58	1.02	2018
DAY 12	04:00	0.73	0.57	0.91	2018
	12:00	0.75	0.58	0.94	2018
	20:00	0.73	0.57	1.00	2018
DAY 13	04:00	0.73	0.57	0.84	2018
	12:00	0.74	0.58	0.89	2018
	20:00	0.73	0.57	0.99	2018
DAY 14	04:00	0.72	0.57	0.91	2018
	12:00	0.74	0.57	0.93	2018
	20:00	0.73	0.57	0.86	2018
DAY 15	04:00	0.72	0.56	0.83	2018
	12:00	0.74	0.58	0.94	2018
	20:00	0.74	0.58	0.97	2018
DAY 16	04:00	0.73	0.56	0.89	2018
	12:00	0.75	0.59	0.94	2018
	20:00	0.73	0.57	1.00	2018
DAY 17	04:00	0.74	0.57	0.85	2018
	12:00	0.74	0.58	0.99	2018
	20:00	0.73	0.58	1.00	2018
DAY 18	04:00	0.75	0.59	0.83	2018
	12:00	0.74	0.58	0.92	2018
	20:00	0.73	0.57	0.93	2018
DAY 19	04:00	0.72	0.57	0.77	2018
	12:00	0.73	0.57	0.93	2018
	20:00	0.74	0.58	0.93	2018
DAY 20	04:00	0.72	0.57	0.75	2018
	12:00	0.74	0.58	0.83	2018
	20:00	0.73	0.56	0.89	2018

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 21	04:00	0.72	0.57	0.80	2018
	12:00	0.75	0.58	0.87	2018
	20:00	0.73	0.57	0.76	2018
DAY 22	04:00	0.72	0.56	0.70	2018
	12:00	0.74	0.57	0.88	2018
	20:00	0.72	0.57	0.85	2018
DAY 23	04:00	0.72	0.57	0.78	2018
	12:00	0.74	0.58	0.95	2018
	20:00	0.73	0.58	1.02	2018
DAY 24	04:00	0.72	0.57	0.86	2018
	12:00	0.74	0.58	0.99	2018
	20:00	0.73	0.57	1.06	2018
DAY 25	04:00	0.72	0.56	0.85	2018
	12:00	0.75	0.58	1.03	2018
	20:00	0.74	0.57	1.07	2018
DAY 26	04:00	0.73	0.57	0.92	2018
	12:00	0.74	0.57	1.02	2018
	20:00	0.73	0.56	1.00	2018
DAY 27	04:00	0.73	0.57	0.91	2018
	12:00	0.74	0.57	0.96	2018
	20:00	0.73	0.57	1.01	2018
DAY 28	04:00	0.72	0.57	0.89	2018
	12:00	0.75	0.58	0.92	2018
	20:00	0.74	0.58	0.97	2018
DAY 29	04:00	0.72	0.56	0.85	2018
	12:00	0.74	0.58	0.94	2018
	20:00	0.73	0.58	1.00	2018
DAY 30	04:00	0.73	0.57	0.89	2018
	12:00	0.76	0.59	1.02	2018
	20:00	0.75	0.58	1.04	2018

	HEPA 1	HEPA 2	DUST	YEAR	
DAY 31	04:00	0.74	0.58	0.91	2018
	12:00	0.75	0.59	1.02	2018
	20:00	0.74	0.57	1.07	2018

JAN	FEB	MAR
APR	MAY	JUN
JUL	AUG	SEP
OCT	NOV	DEC

MONTH DISPLAYED IS
MAY

PRINT SCREEN MAIN

2:37:43 PM Wednesday, June 13, 2018

NM STATE REPORTING

HEPA 1					HEPA 2					DUST					YEAR				
DAY 1	04:00	0.72	0.57	0.94	2018														
	12:00	0.73	0.57	1.00	2018														
	20:00	0.74	0.57	1.06	2018														
DAY 2	04:00	0.74	0.57	0.90	2018														
	12:00	0.75	0.58	1.04	2018														
	20:00	0.75	0.57	1.03	2018														
DAY 3	04:00	0.72	0.57	0.87	2018														
	12:00	0.73	0.57	0.87	2018														
	20:00	0.72	0.56	0.82	2018														
DAY 4	04:00	0.72	0.56	0.78	2018														
	12:00	0.75	0.58	0.86	2018														
	20:00	0.74	0.57	1.01	2018														
DAY 5	04:00	0.72	0.56	0.89	2018														
	12:00	0.74	0.57	1.04	2018														
	20:00	0.73	0.57	1.16	2018														
DAY 6	04:00	0.71	0.56	0.98	2018														
	12:00	0.76	0.58	1.03	2018														
	20:00	0.74	0.57	1.13	2018														
DAY 7	04:00	0.78	0.60	1.01	2018														
	12:00	0.74	0.58	1.07	2018														
	20:00	0.73	0.57	1.11	2018														
DAY 8	04:00	0.73	0.57	0.97	2018														
	12:00	0.75	0.58	1.08	2018														
	20:00	0.73	0.57	1.12	2018														
DAY 9	04:00	0.72	0.57	1.02	2018														
	12:00	0.75	0.58	1.09	2018														
	20:00	0.75	0.58	1.10	2018														
DAY 10	04:00	0.76	0.59	1.08	2018														
	12:00	0.75	0.58	1.07	2018														
	20:00	0.74	0.57	1.09	2018														
DAY 11	04:00	0.78	0.61	1.02	2018														
	12:00	0.75	0.58	1.07	2018														
	20:00	0.75	0.59	1.18	2018														
DAY 12	04:00	0.73	0.57	0.98	2018														
	12:00	0.74	0.58	1.11	2018														
	20:00	0.74	0.58	1.20	2018														
DAY 13	04:00	0.73	0.58	1.11	2018														
	12:00	0.76	0.59	1.04	2018														
	20:00	0.75	0.58	1.11	2018														
DAY 14	04:00	0.72	0.56	0.99	2018														
	12:00	0.77	0.60	1.08	2018														
	20:00	0.81	0.62	1.09	2018														
DAY 15	04:00	0.73	0.58	1.01	2018														
	12:00	0.76	0.59	1.14	2018														
	20:00	0.74	0.57	1.10	2018														
DAY 16	04:00	0.73	0.57	0.97	2018														
	12:00	0.74	0.58	0.89	2018														
	20:00	0.74	0.57	0.88	2018														
DAY 17	04:00	0.72	0.57	0.87	2018														
	12:00	0.74	0.58	0.88	2018														
	20:00	0.75	0.58	0.99	2018														
DAY 18	04:00	0.72	0.56	0.88	2018														
	12:00	0.75	0.59	1.02	2018														
	20:00	0.74	0.57	1.06	2018														
DAY 19	04:00	0.72	0.57	0.97	2018														
	12:00	0.75	0.58	1.05	2018														
	20:00	0.75	0.58	1.14	2018														
DAY 20	04:00	0.74	0.57	1.00	2018														
	12:00	0.77	0.59	1.10	2018														
	20:00	0.79	0.60	1.13	2018														
DAY 21	04:00	0.74	0.58	1.03	2018														
	12:00	0.78	0.59	1.05	2018														
	20:00	0.77	0.59	1.19	2018														
DAY 22	04:00	0.73	0.57	1.00	2018														
	12:00	0.78	0.60	1.31	2018														
	20:00	0.78	0.60	1.19	2018														
DAY 23	04:00	0.75	0.59	0.96	2018														
	12:00	0.78	0.60	1.06	2018														
	20:00	0.77	0.59	1.15	2018														
DAY 24	04:00	0.85	0.64	1.03	2018														
	12:00	0.79	0.61	1.12	2018														
	20:00	0.78	0.59	1.16	2018														
DAY 25	04:00	0.75	0.58	1.00	2018														
	12:00	0.77	0.59	1.06	2018														
	20:00	0.77	0.59	1.13	2018														
DAY 26	04:00	0.78	0.58	1.03	2018														
	12:00	0.77	0.59	1.10	2018														
	20:00	0.77	0.59	1.23	2018														
DAY 27	04:00	0.75	0.58	1.07	2018														
	12:00	0.76	0.58	1.19	2018														
	20:00	0.77	0.59	1.26	2018														
DAY 28	04:00	0.75	0.58	1.16	2018														
	12:00	0.77	0.59	1.23	2018														
	20:00	0.79	0.60	1.27	2018														
DAY 29	04:00	0.60	0.61	1.09	2018														
	12:00	0.77	0.59	1.30	2018														
	20:00	0.75	0.58	1.15	2018														
DAY 30	04:00	0.88	0.65	0.99	2018														
	12:00	0.77	0.60	1.12	2018														
	20:00	0.78	0.58	1.13	2018														

- JAN FEB MAR
- APR MAY **JUN**
- JUL AUG SEP
- OCT NOV DEC

MONTH DISPLAYED IS
JUNE

PRINT SCREEN MAIN

1:03:32 PM Monday, July 09, 2018

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A707.C.b.

Beryllium

TA-55-PF4 Annual HEPA Filter Challenge Test Reports

Annual HEPA filter tests for the Plutonium Facility TA-55-PF4 were not conducted in the months of January – June.

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A707.C.c.

Beryllium

TA-55-PF4 HEPA Filtration Differential Pressure Readings

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	1/1/18	1/2/18	1/3/18	1/4/18	1/5/18	1/6/18	1/7/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	JA	JA	JA	JA	JA	KS	KS
		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)						
SR 4.4.1.1	Description / Gauge	Flammable Gas Channel Check							
		DET-305-3 (LCD Reading)	005	005	005	005	005	005	005
		CP-305-H (LED Reading)	005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		≥ -0.1 ; $\leq +0.1$	005	005	005	005	005	005	005
		Completion Time:	0720	0840	0730	0731	0705	0720	0640

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	1/11/18	1/2/18	1/3/18	1/4/18	1/5/18	1/6/18	1/7/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
			Initials:	AM	GA	JR	JR	JR	AM	AS	AS	AS
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 & > 0' in. wc	.03	.03	.03	.03	.03	.03	.03	.04	.04
		PDI-894-2	≤2.0 & > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.45	.42
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 & > 0' in. wc	.04	.04	.04	.04	.04	.04	.04	.06	.06
		PDI-895-2	≤2.0 & > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & > 0' in. wc	.29	.29	.29	.29	.29	.29	.29	.29	.29
		PDI-817-2	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.30	.31
		PDI-817-4	≤2.0 & > 0' in. wc	.32	.32	.32	.32	.32	.32	.32	.32	.31
		PDI-817-5	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-81 9-1	≤2.0 & > 0' in. wc	.44	.45	.45	.43	.44	.44	.45	.45	.45
		PDI-81 9-3	≤2.0 & > 0' in. wc	.46	.46	.46	.46	.46	.46	.45	.45	.45
		PDI-819-4	≤2.0 & > 0' in. wc	.38	.38	.38	.38	.38	.38	.39	.39	.39
		PDI-818-1	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-818-2	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-818-4	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	
		PDI-818-5	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-821-3	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-821-4	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Weekday:	Initials:	1/11/18	1/12/18	1/13/18	1/14/18	1/15/18	1/16/18	1/17/18
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤ 2.0 & > 0 ¹ in. wc	Mon.	APC	APC	1/11/18	1/12/18	1/13/18	1/14/18	1/15/18	1/16/18	1/17/18
		PDI-822-2	≤ 2.0 & > 0 ¹ in. wc				.12	.12	.12	.12	STBY	.12	.12
		PDI-822-4	≤ 2.0 & > 0 ¹ in. wc				.58	.58	.58	.58	STBY	.59	.59
		PDI-822-5	≤ 2.0 & > 0 ¹ in. wc				.50	.50	.50	.50	STBY	.51	.50
		PDI-823-1	≤ 2.0 & > 0 ¹ in. wc				.52	.52	.52	.52	STBY	.52	.51
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤ 2.0 & > 0 ¹ in. wc				STBY	STBY	STBY	STBY	.17	STBY	STBY
		PDI-823-4	≤ 2.0 & > 0 ¹ in. wc				STBY	STBY	STBY	STBY	.55	STBY	STBY
		PDI-823-5	≤ 2.0 & > 0 ¹ in. wc				STBY	STBY	STBY	STBY	.52	STBY	STBY
		PDI-830-1	≤ 2.0 & > 0 ¹ in. wc				.74	.74	.74	.74	.75	.74	.74
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤ 2.0 & > 0 ¹ in. wc				.31	.31	.31	.31	.31	.31	.31
		PDI-830-3	≤ 2.0 & > 0 ¹ in. wc				.27	.27	.27	.27	.27	.29	.28
		PDI-836-1	≤ 2.0 & > 0 ¹ in. wc				.06	.06	.06	.06	.06	.07	.06
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤ 2.0 & > 0 ¹ in. wc				.66	.66	.66	.66	.66	.65	.66
		PDI-836-3	≤ 2.0 & > 0 ¹ in. wc				.63	.63	.63	.63	.63	.62	.63
		PDI-837-1	≤ 2.0 & > 0 ¹ in. wc				.64	.64	.64	.64	.64	.64	.64
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-806) ΔP	PDI-837-2	≤ 2.0 & > 0 ¹ in. wc				.48	.48	.48	.48	.48	.49	.49
		PDI-837-3	≤ 2.0 & > 0 ¹ in. wc				.47	.46	.47	.46	.46	.46	.46

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Date: Weekday: Initials:	1/11/18 Mon. Jpr	1/22/18 Tue. Jpr	1/23/18 Wed. Jpr	1/24/18 Thu. Jpr	1/25/18 Fri. Jpr	1/26/18 Sat. KD
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤ 2.0 & > 0 ¹ in. wc	.55	.56	.56	.55	.56	.54	.54
		PDI-838-2	≤ 2.0 & > 0 ¹ in. wc	.60	.60	.60	.60	.60	.59	.59
		PDI-838-3	≤ 2.0 & > 0 ¹ in. wc	.61 1/11/18 1/11/18	.60	.61	.61	.61	.60	.59
4.1.3.4 ¹	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤ 2.0 & > 0 ¹ in. wc	.28	.29	.29	.29	.29	.42	.42
		PDI-839-2	≤ 2.0 & > 0 ¹ in. wc	.42	.42	.42	.42	.42	.56	.55
		PDI-839-3	≤ 2.0 & > 0 ¹ in. wc	.41	.42	.42	.41	.42	.57	.55
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤ 2.0 & > 0 ¹ in. wc	.15 1/11/18 1/11/18	.15	.15	.15	.15	.17	.17
		PDI-810-2	≤ 2.0 & > 0 ¹ in. wc	.51	.50	.50	.50	.51	.52	.52
		PDI-810-3	≤ 2.0 & > 0 ¹ in. wc	.51	.51	.51	.51	.52	.52	.52
4.1.3.4 ³	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤ 2.0 & > 0 ¹ in. wc	off	off	off	off	.11	off	off
		PDI-811-2	≤ 2.0 & > 0 ¹ in. wc	off	off	off	off	.49	off	off
		PDI-811-3	≤ 2.0 & > 0 ¹ in. wc	off	off	off	off	.49	off	off
OC Operator Review and Page Count Complete (initials)				0820	0841	0820	0905	0715	0802	0734

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Jpr Date: 1/17/18 Time: 0735 Reviewed by: [Signature] Date: 1/18/18 Time: 0640
 Comments: 1/11/18 44.1.1 ext of service. Needs to be addressed. On-duty Supervisor: [Signature]

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	11/1/18	1/2/18	1/3/18	1/4/18	1/5/18	1/6/18	1/7/18
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	.17	STBY	STBY
		PDI-840-2	≤2.0 & > 0 in' wc	STBY	STBY	STBY	STBY	STBY	.58	STBY	STBY
		PDI-840-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	.51	STBY	STBY
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0' in. wc	.47	.47	.47	.47	.47	STBY	STBY	.46
		PDI-841-2	≤2.0 & > 0' in. wc	.56	.56	.56	.56	.56	STBY	STBY	.57
		PDI-841-3	≤2.0 & > 0' in. wc	.51	.51	.51	.51	.51	STBY	STBY	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0' in. wc	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-831-2	≤2.0 & > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-831-3	≤2.0 & > 0' in. wc	.40	.40	.40	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0' in. wc	.40	.39	.39	.39	.39	.40	.40	.40	
	PDI-832-2	≤2.0 & > 0' in. wc	.66	.65	.66	.66	.66	.66	.66	.66	
	PDI-832-3	≤2.0 & > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0' in. wc	.13	.13	.13	.13	.13	.13	OFF	OFF
		PDI-807-2	≤2.0 & > 0' in. wc	.57	.51	.52	.51	.51	.51	OFF	OFF
		PDI-807-3	≤2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	OFF	OFF
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	.09	.09
		PDI-809-2	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	.52	.52
		PDI-809-3	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	.52	.57

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	1/11/18	1/12/18	1/13/18	1/14/18	1/15/18	1/16/18	1/17/18
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) ΔP	PDI-829-1	≤2.0 & > 0 ¹ in. wc	1/11/18 .07	.07	.09	.08	.06	.06		
		PDI-829-2	≤2.0 & > 0 ¹ in. wc	.20	.19	.21	.20	.19	.19	.18	
		PDI-829-3	≤2.0 & > 0 ¹ in. wc	.17	.07	.19	.18	.15	.14		
		PDI-833-1	≤2.0 & > 0 ¹ in. wc	.07	.07	.07	.07	.07	.07	.07	
		PDI-833-2	≤2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.49	.49	.49	
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) ΔP	PDI-833-3	≤2.0 & > 0 ¹ in. wc	.46	.46	.46	.46	.46	.46	.46	
		PDI-835-1	≤2.0 & > 0 ¹ in. wc	.05	.05	.05	.05	.05	.05	.05	
		PDI-835-2	≤2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	.50	
		PDI-835-3	≤2.0 & > 0 ¹ in. wc	.47	.46	.47	.47	.46	.46	.46	
		PDI-815-1	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) ΔP	PDI-815-2	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-815-4	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-815-5	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-816-1	≤2.0 & > 0 ¹ in. wc	.49	.49	.49	.49	.49	.49	.49	
		PDI-816-2	≤2.0 & > 0 ¹ in. wc	.58	.58	.58	.58	.58	.58	.58	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-816-4	≤2.0 & > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	
		PDI-816-5	≤2.0 & > 0 ¹ in. wc	.57	.57	.57	.56	.55	.55	.55	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)								
			Date:	1/11/18	1/2/18	1/3/18	1/4/18	1/5/18	1/6/18	1/7/18	
			Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.1.3.4 ^a	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-812-2	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-812-3	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-812-4	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-812-5	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ^b	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0 ¹ in. wc	.08	.08	.29	.09	.09	.14	.10	.10
		PDI-813-2	≤2.0 & > 0 ¹ in. wc	.27	.27	.27	.27	.27	.29	.29	.29
		PDI-813-3	≤2.0 & > 0 ¹ in. wc	.21	.21	.21	.21	.21	.22	.21	.21
		PDI-813-4	≤2.0 & > 0 ¹ in. wc	.30	.36	.20	.30	.30	.31	.31	.31
		PDI-813-5	≤2.0 & > 0 ¹ in. wc	.38	.38	.38	.38	.38	.41	.40	.40
4.1.3.4 ^c	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0 ¹ in. wc	.03	.03	-.0	.03	.03	.03	.02	.04
		PDI-865-2	≤2.0 & > 0 ¹ in. wc	.40	.40	.09	.40	.40	.40	.40	.40
		PDI-865-3	≤2.0 & > 0 ¹ in. wc	.39	.39	.09	.39	.39	.39	.39	.39
4.1.3.4 ^d	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0 ¹ in. wc	.06	.06	.08	.05	.05	.05	.05	.05
		PDI-863-2	≤2.0 & > 0 ¹ in. wc	.31	.31	.02	.32	.32	.31	.31	.31

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	11/1/18	11/2/18	11/3/18	11/4/18	11/5/18	11/6/18	11/7/18
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
			Initials:	AM	AP	AP	AP	AP	AP	AS	AS
4.1.3.4 ¹	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤2.0 & > 0' in. wc	.12	.12	.12	.12	.12	.12	.12	.12
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-857-2	≤2.0 & > 0' in. wc	.42	.41	.42	.41	.41	.41	.41	.41
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-1	≤2.0 & > 0' in. wc	.06	.05	.05	.05	.05	.05	.06	.06
4.3.2.2 ¹	Room 201	PDI-856-2	≤2.0 & > 0' in. wc	.53	.53	.54	.53	.53	.53	.59	.59
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
			0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	Date:	Weekday:	SURVEILLANCE RESULTS					
					1/1/18	1/2/18	1/3/18	1/4/18	1/5/18	1/6/18	1/7/18	
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	<i>[Signature]</i>	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
4.3.2.2 ¹	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	<i>[Signature]</i>	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
OC Operator Review and Page Count Complete (initials)					<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>
Completion time					0850	0900	0800	0750	0700	0740	0722	

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: *[Signature]* Date: 1/7/18 Time: 0722 Reviewed by: *[Signature]* Date: 1/8/17 Time: 0640
 On-duty Supervisor
 Comments: 1/3/18 4:34 out of range. Modified Ops center. *[Signature]* INVESTIGATING &
 NEW ROUNDS COMPLETED AFTER RESOLUTION, 01-03-18

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)								
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
			Weekday:	Initials:	Acceptance Criteria						
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0' in. wc								
		PDI-812-2	≤2.0 & > 0' in. wc								
		PDI-812-3	≤2.0 & > 0' in. wc								
		PDI-812-4	≤2.0 & > 0' in. wc								
		PDI-812-5	≤2.0 & > 0' in. wc								
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0' in. wc								
		PDI-813-2	≤2.0 & > 0' in. wc								
		PDI-813-3	≤2.0 & > 0' in. wc								
		PDI-813-4	≤2.0 & > 0' in. wc								
		PDI-813-5	≤2.0 & > 0' in. wc								
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0' in. wc			.03					
		PDI-865-2	≤2.0 & > 0' in. wc			.39					
		PDI-865-3	≤2.0 & > 0' in. wc			.39					
4.1.3.4 ²	IFIT supply filter plenum (FIVP-863) ΔP	PDI-863-1	≤2.0 & > 0' in. wc			.06					
		PDI-863-2	≤2.0 & > 0' in. wc			.35					

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 039745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 040345
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/3/18	Calibration Expiration Date: 7/19/18
	PF-11 Thermometer File No.: 039746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 6/31/18	Calibration Expiration Date: 7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature													
SR	Description	Acceptance Criteria	Date:							Initials:	Weekday:	Completion Time:	OC Operator Review and Page Count Complete (initials)
			1-2-18	1-3-18	1-4-18	1-5-18	1-6-18	1-7-18	1-8-18				
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	53.9	53.9	53.9	53.9	53.9	53.9	53.9	53.9	53.9	53.9	53.9
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	57.2	57.6	58.8	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	60.0	61.0	60.9	60.9	60.9	60.9	60.9	60.9	60.9	60.9	60.9
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	66.8	62.1	67.1	67.1	67.1	67.1	67.1	67.1	67.1	67.1	67.1
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	66.8	62.1	67.1	67.1	67.1	67.1	67.1	67.1	67.1	67.1	67.1
			08:09:45	09:24	09:00	09:00	09:00	09:00	09:00	09:00	09:00	09:00	09:00
			WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ	WJ

¹ Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: AW Date: 1/7/18 Time: 0935
 Reviewed by: [Signature] Date: 1/6/18 Time: 0640
 On-duty Supervisor

Comments:

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																		
			Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.				
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM			
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-2.01	-1.98	-1.98	-1.98	-2.02	-2.01	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.98	-1.99	-1.99	-1.99			
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.94	-1.95	-1.98	-1.98	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.95	-1.95		
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.98	-1.99	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98		
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.97	-1.98	-1.97	-1.97	-1.97	-1.98	-1.98	-1.98	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.96	-1.97	-1.97	
4.1.1.3 4.1.2.3 ²	200 area laboratory header ΔP	≤-0.05 in. wc'	-2.1	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	
	100 area laboratory header ΔP	≤-0.05 in. wc'	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area laboratory header ΔP	≤-0.05 in. wc'	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	
	400 area laboratory header ΔP	≤-0.05 in. wc'	-1.9	-1.8	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9
4.1.1.3 4.1.2.3 ²	IFIT Facility ΔP	≤-0.05 in. wc	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	-1.5	
	North basement ΔP	< 0.00 in. wc	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	
4.1.1.3 4.1.2.3 ²	South basement ΔP	< 0.00 in. wc	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0
	IRT Tunnel ΔP	< 0.00 in. wc	-1.16	-1.08	-1.18	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS								
				Sat / Unsat (circle one)								
Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.				Date:	1/1/18	1/2/18	01-03-18	01-04-18	1/5/18	1/6/18	1/7/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Shift:	AM	PM	AM	PM	AM	PM	AM	PM
				Initials:	u	u	u	u	u	u	u	u
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

Note		Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.		1/1/18	1/2/18	01-03-18	01-04-18	1/5/18	1/6/18	1/7/18	
Weekday:		AM	PM	AM	PM	AM	PM	AM	PM
Shift:		u	f	B	A	B	A	B	A
Initials:		u	f	B	A	B	A	B	A
SRs	Description	Area	Gauge	SURVEILLANCE RESULTS					
	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2 PDI-803-2 PDI-804-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat
4.1.1.4		100 Area	PDI-820-2 PDI-802-2 PDI-804-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat
		300 Area	PDI-870-2 PDI-853-2 PDI-854-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat
		400 Area	PDI-864-2 PDI-852-2 PDI-854-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat
	Completion Time		1930	0730	0727	0731	0730	0722	0727

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 1-7-18 Time: 1930 Reviewed by: [Signature] Date: 1/8/18 Time: 0640
 On-duty Supervisor

Comments:

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
			Date: 1/8/18		1/9/18		1/10/18		1/11/18		1/12/18		1/13/18		1/14/18	
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM	AM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤1.0 in. wc'	-1.97	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99
	100 area glovebox exhaust header ΔP	≤1.0 in. wc'	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area glovebox exhaust header ΔP	≤1.0 in. wc'	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98
	400 area glovebox exhaust header ΔP	≤1.0 in. wc'	-1.91	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98
4.1.1.3 4.1.2.3 ²	200 area laboratory header ΔP	≤0.05 in. wc'	-0.19	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20
	100 area laboratory header ΔP	≤0.05 in. wc'	-0.23	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area laboratory header ΔP	≤0.05 in. wc'	-0.20	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19
	400 area laboratory header ΔP	≤0.05 in. wc'	-0.20	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19
4.1.1.3 4.1.2.3 ²	IFIT Facility ΔP	≤0.05 in. wc	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15
	North basement ΔP	< 0.00 in. wc	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10
4.1.1.3 4.1.2.3 ²	South basement ΔP	< 0.00 in. wc	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10
	IRT Tunnel ΔP	< 0.00 in. wc	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																
				Sat / Unsat (circle one)																
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM				
4.1.1.6	Note: Readings should be taken using FCS screens FMT#151, 152, 201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable. 200 area re-circulation fan/plenum 100 area re-circulation fan/plenum 300 area re-circulation fan/plenum 400 area re-circulation fan/plenum Vault re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050 FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050 FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050 FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050 FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service At least one fan/plenum is in service At least one fan/plenum is in service At least one fan/plenum is in service At least one fan/plenum is in service	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1/13/18	1/14/18	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1/13/18	1/14/18			
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM	AM	PM		
				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
				APM	BE	K	AP	mon	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
					Sat / Unsat (circle one)													
					Mon. 1/8/18		Tue. 01-09-18		Wed. 1/10/18		Thu. 1/11/18		Fri. 1/12/18		Sat. 01-13-18		Sun. 01-14-18	
Weekday:	Date:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM			
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-803-2	PDI-803-2 < PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-802-2	PDI-802-2 < PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat				
Completion Time					0735	0721	0727	0720	0730	0729	0725	0720	0723	0719	0717	0718		

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 1/11/18 Time: 1918
 Reviewed by: [Signature] Date: 1/11/18 Time: 0705
 On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of $(\geq -0.1; \leq 0.1)$.

SR	Description / Gauge	Date:	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1-13-18	1-14-18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	JA	JA	AM	JA	BE	PT	PT
SURVEILLANCE RESULTS (percentage)									
4.4.1.1	Flammable Gas Channel Check	NA	005	005	005	005	005	005	005
	DET-305-3 (LCD Reading)		005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		$\geq -0.1;$ $\leq +0.1$	005	005	005	005	005	005	005
	Completion Time:		0730	0735	0730	0731	0740	0770	0722

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1-13-18	1-14-18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:	AM	AM	AM	AM	BF	PT	PT	PT
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	'PDI-894-1 PDI-894-2	≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc	.03 .42	.04 .43	.04 .43	.04 .43	.04 .42	.04 .42	.04 .42	.04 .42	.04 .42
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	'PDI-895-1 PDI-895-2	≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc	.05 .61	.04 .58	.04 .58	.04 .58	.04 .61	.05 .61	.05 .61	.05 .61	.05 .61
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	'PDI-817-1 PDI-817-2 PDI-817-4	≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc	.29 .30 .31	.29 .29 .31	.29 .29 .31	.29 .29 .31	.29 .29 .31	.29 .29 .31	.29 .29 .31	.29 .29 .31	.29 .29 .31
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-817-5 PDI-81 9-1 PDI-81 9-3 PDI-819-4	≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc	.31 .45 .46 .38	.31 .45 .46 .38	.31 .45 .46 .38	.31 .45 .46 .38	.31 .45 .46 .38	.31 .45 .46 .38	.31 .45 .46 .38	.31 .45 .46 .38	.31 .45 .46 .38
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	'PDI-818-1 PDI-818-2 PDI-818-4 PDI-818-5	≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc	.23 .23 .23 .23	.23 .23 .23 .23	.23 .23 .23 .23	.23 .23 .23 .23	.23 .23 .23 .23	.23 .23 .23 .23	.23 .23 .23 .23	.23 .23 .23 .23	.23 .23 .23 .23
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1 PDI-821-3 PDI-821-4	≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc ≤2.0 & > 0' in. wc	.41 .47 .41	.41 .47 .41	.41 .47 .41	.41 .47 .41	.41 .47 .41	.41 .47 .41	.41 .47 .41	.41 .47 .41	.41 .47 .41

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date: Weekday: Initials:	1/8/18 Mon.	1/9/18 Tue.	1/10/18 Wed.	1/11/18 Thu.	1/12/18 Fri.	1/13/18 Sat.	1/14/18 Sun.	
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	'PDI-822-1	≤ 2.0 & > 0' in. wc	gn	gn	gn	gn	gn	gn	gn	gn	gn
		PDI-822-2	≤ 2.0 & > 0' in. wc	.12	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-4	≤ 2.0 & > 0' in. wc	.58	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-5	≤ 2.0 & > 0' in. wc	.50	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		'PDI-823-1	≤ 2.0 & > 0' in. wc	.51	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-1	≤ 2.0 & > 0' in. wc	gn	.17	.17	.17	.16	.16	.16	.16	.14
		PDI-823-2	≤ 2.0 & > 0' in. wc	.58	STBY	.56	.56	.56	.54	.54	.52	.52
		PDI-823-4	≤ 2.0 & > 0' in. wc	.50	STBY	.54	.54	.53	.53	.52	.52	.52
		PDI-823-5	≤ 2.0 & > 0' in. wc	.51	STBY	.54	.52	.52	.52	.52	.52	.52
		'PDI-830-1	≤ 2.0 & > 0' in. wc	.74	.74	.74	.74	.74	.75	.75	.75	.75
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤ 2.0 & > 0' in. wc	.31	.32	.31	.31	.31	.31	.31	.31	.31
		PDI-830-3	≤ 2.0 & > 0' in. wc	.77	.77	.77	.77	.77	.77	.77	.77	.77
		'PDI-836-1	≤ 2.0 & > 0' in. wc	.06	.06	.06	.06	.06	.06	.06	.06	.06
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤ 2.0 & > 0' in. wc	.65	.66	.66	.66	.66	.65	.65	.66	.66
		PDI-836-3	≤ 2.0 & > 0' in. wc	.63	.65	.64	.64	.63	.62	.62	.62	.62
		'PDI-837-1	≤ 2.0 & > 0' in. wc	.04	.04	.04	.04	.04	.04	.04	.04	.04
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-806) ΔP	PDI-837-2	≤ 2.0 & > 0' in. wc	.49	.48	.48	.48	.49	.49	.49	.49	.49
		PDI-837-3	≤ 2.0 & > 0' in. wc	.46	.46	.45	.45	.47	.47	.47	.48	.48

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1-13-18	1-14-18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Initials:	<i>gm</i>	<i>gm</i>	<i>gm</i>	<i>gm</i>	<i>BF</i>	<i>PT</i>	<i>PT</i>		
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 & > 0 ¹ in. wc	.53	.53	.53	.53	.53	.53	.53	.53	.53	
		PDI-838-2	≤2.0 & > 0 ¹ in. wc	.58	.59	.59	.56	.55	.55	.55	.55	.55	.55
		PDI-838-3	≤2.0 & > 0 ¹ in. wc	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 & > 0 ¹ in. wc	.42	.42	.42	.42	.42	.41	.42	.42	.42	
		PDI-839-2	≤2.0 & > 0 ¹ in. wc	.56	.56	.56	.57	.58	.58	.59	.59	.59	.59
		PDI-839-3	≤2.0 & > 0 ¹ in. wc	.55	.55	.55	.55	.57	.57	.58	.58	.58	.58
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0 ¹ in. wc	.17	off	off	off	off	off	off	off	off	
		PDI-810-2	≤2.0 & > 0 ¹ in. wc	.52	off	off	off	off	off	off	off	off	
		PDI-810-3	≤2.0 & > 0 ¹ in. wc	.52	off	off	off	off	off	off	off	off	
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0 ¹ in. wc	off	.11	.11	.11	.11	.11	.11	.11	.11	
		PDI-811-2	≤2.0 & > 0 ¹ in. wc	off	.51	.50	.51	.51	.51	.51	.51	.51	
		PDI-811-3	≤2.0 & > 0 ¹ in. wc	off	.50	.50	.50	.51	.51	.51	.51	.51	
Completion Time				0840	0900	0830	0830	0830	0812	0724	0726		
OC Operator Review and Page Count Complete (initials)				<i>APD</i>	<i>BC APD</i>	<i>WJH</i>	<i>HAPO</i>	<i>BC APD</i>	<i>BC APD</i>	<i>BC APD</i>	<i>BC APD</i>	<i>BC APD</i>	

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: *Paul Trujillo* Date: *1-14-18* Time: *0726* Reviewed by: *[Signature]* Date: *1/16/18* Time: *0705*

Comments: *1/8/18 4.1.1 out of service. Needs to be calibrated.*

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1-13-18	1-14-18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Initials:	AP	AP	AP	AP	BF	PT	PT	PT	
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤ 2.0 & > 0' in. wc		.17	.17	.17	.17	.17	.17	.17	.17	
		PDI-840-2	≤ 2.0 & > 0 in' wc		.58	.58	.58	.58	.58	.58	.58	.58	
		PDI-840-3	≤ 2.0 & > 0' in. wc		.51	.51	.51	.51	.51	.51	.51	.51	
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤ 2.0 & > 0' in. wc		.46	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-2	≤ 2.0 & > 0' in. wc		.55	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-3	≤ 2.0 & > 0' in. wc		.51	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤ 2.0 & > 0' in. wc		.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-831-2	≤ 2.0 & > 0' in. wc		.42	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-831-3	≤ 2.0 & > 0' in. wc		.40	.40	.40	.40	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤ 2.0 & > 0' in. wc		.40	.40	.40	.40	.40	.40	.40	.40	.40	
	PDI-832-2	≤ 2.0 & > 0' in. wc		.67	.67	.67	.67	.67	.67	.67	.67	.67	
	PDI-832-3	≤ 2.0 & > 0' in. wc		.61	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤ 2.0 & > 0' in. wc		.13	.13	.13	.13	.13	.13	.13	.13	
		PDI-807-2	≤ 2.0 & > 0' in. wc		.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-807-3	≤ 2.0 & > 0' in. wc		.51	.51	.51	.51	.51	.51	.51	.51	
4.1.3.4 ³	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤ 2.0 & > 0' in. wc		.69	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤ 2.0 & > 0' in. wc		.57	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-3	≤ 2.0 & > 0' in. wc		.53	OFF	OFF	OFF	OFF	OFF	OFF	OFF	

*

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date: Weekday: Initials:	1/8/18 Mon.	1/9/18 Tue.	1/10/18 Wed.	1/11/18 Thu.	1/12/18 Fri.	1-13-18 Sat.	1-14-18 Sun.
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤2.0 & > 0' in. wc	Jan	.06	.06	.08	.07	.09	.08	.08
		PDI-829-2	≤2.0 & > 0' in. wc	Jan	.17	.17	.20	.19	.20	.20	.20
		PDI-829-3	≤2.0 & > 0' in. wc	Jan	.21	.22	.26	.26	.27	.18	.18
		PDI-833-1	≤2.0 & > 0' in. wc	Jan	.07	.07	.07	.07	.07	.07	.07
		PDI-833-2	≤2.0 & > 0' in. wc	Jan	.50	.50	.50	.50	.50	.50	.50
4.1.1.7 ²	100 area re-circulation filter plenum (IIVP-803) AP	PDI-833-3	≤2.0 & > 0' in. wc	Jan	.46	.46	.45	.45	.46	.47	.47
		PDI-835-1	≤2.0 & > 0' in. wc	Jan	.05	.05	.05	.05	.05	.05	.05
		PDI-835-2	≤2.0 & > 0' in. wc	Jan	.50	.50	.50	.50	.51	.50	.50
		PDI-835-3	≤2.0 & > 0' in. wc	Jan	.46	.46	.46	.46	.47	.47	.48
		PDI-815-1	≤2.0 & > 0' in. wc	Jan	STBY	.44	.24	.24	.24	.25	.25
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤2.0 & > 0' in. wc	Jan	STBY	.58	.54	.54	.54	.52	.54
		PDI-815-4	≤2.0 & > 0' in. wc	Jan	STBY	.50	.49	.50	.50	.50	.50
		PDI-815-5	≤2.0 & > 0' in. wc	Jan	STBY	.50	.50	.50	.50	.51	.50
		PDI-816-1	≤2.0 & > 0' in. wc	Jan	.49	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-2	≤2.0 & > 0' in. wc	Jan	.57	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ⁴	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤2.0 & > 0' in. wc	Jan	.50	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-5	≤2.0 & > 0' in. wc	Jan	.56	STBY	STBY	STBY	STBY	STBY	STBY

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					1/8/18 Mon.	1/9/18 Tue.	1/10/18 Wed.	1/11/18 Thu.	1/12/18 Fri.	1-13-18 Sat.	1-14-18 Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0' in. wc	Am	.14	.14	.14	.14	.15	.15	.15
		PDI-812-2	≤2.0 & > 0' in. wc	Am	.33	.33	.33	.33	.32	.32	.32
		PDI-812-3	≤2.0 & > 0' in. wc	Am	.33	.33	.33	.33	.32	.32	.32
		PDI-812-4	≤2.0 & > 0' in. wc	Am	.31	.31	.31	.31	.31	.31	.31
		PDI-812-5	≤2.0 & > 0' in. wc	Am	.38	.38	.38	.38	.39	.39	.39
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0' in. wc	Am	.09	.09	.09	.09	.09	.09	.09
		PDI-813-2	≤2.0 & > 0' in. wc	Am	.28	.28	.28	.28	.28	.28	.28
		PDI-813-3	≤2.0 & > 0' in. wc	Am	.21	.21	.21	.21	.21	.21	.21
		PDI-813-4	≤2.0 & > 0' in. wc	Am	.31	.31	.31	.31	.31	.31	.31
		PDI-813-5	≤2.0 & > 0' in. wc	Am	.40	.40	.40	.40	.40	.40	.40
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0' in. wc	Am	.03	.03	.03	.03	.02	.02	.02
		PDI-865-2	≤2.0 & > 0' in. wc	Am	.40	.40	.40	.40	.36	.36	.36
		PDI-865-3	≤2.0 & > 0' in. wc	Am	.39	.39	.39	.39	.33	.33	.33
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0' in. wc	Am	.06	.06	.06	.06	.05	.05	.05
		PDI-863-2	≤2.0 & > 0' in. wc	Am	.33	.33	.33	.33	.30	.30	.30

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Weekday:	Initials:	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-857-2	≤ 2.0 > 0 ¹ in. wc	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1-13-18	1-14-18	
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 > 0 ¹ in. wc	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1-13-18	1-14-18	
		PDI-856-2	≤ 2.0 > 0 ¹ in. wc	1/8/18	1/9/18	1/10/18	1/11/18	1/12/18	1-13-18	1-14-18	
NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																																		
				Date:	Weekday:	Initials:	Completion time	OC Operator Review and Page Count Complete (initials)	Completion time	OC Operator Review and Page Count Complete (initials)																												
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	1/8/18	Mon.	Jan	0815	PAU	0850	PK APD	1/9/18	Tue.	Jan	0800	PK APD	1/10/18	Wed.	Jan	0835	PK WJW	1/11/18	Thu.	Jan	0800	PK WJW	1/12/18	Fri.	BF	0800	PK WJW	1/13/18	Sat.	PT	0800	PK WJW	1/14/18	Sun.	PT
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	1/8/18	Mon.	Jan	0815	PAU	0850	PK APD	1/9/18	Tue.	Jan	0800	PK APD	1/10/18	Wed.	Jan	0835	PK WJW	1/11/18	Thu.	Jan	0800	PK WJW	1/12/18	Fri.	BF	0800	PK WJW	1/13/18	Sat.	PT	0800	PK WJW	1/14/18	Sun.	PT

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Paul Trujillo Date 1-14-18 Time 0800 Reviewed by: [Signature] Date: 1/16/18 Time: 0706
 On-duty Supervisor
 Comments: * 1/11/18 4.1.7 FR 802 belt noise is getting louder. 1-14-18 Louder than
Yesterday. PT

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data						
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature																		
SR	Description	Acceptance Criteria	Daily (September through April only)							Completion Time:	OC Operator Review and Page Count Complete (initials)							
			Date:	Weekday:	Initials:													
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	1/8/18	Mon.	Th	1/9/18	Tue.	AS	PT	1/11/18	Thu.	1/12/18	Fri.	1/13/18	Sat.	1/14/18	Sun.	
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	53.5			54.2				54.5		53.7				53.9		53.8
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	55.5			56.7				58.2		57.4				55.1		56.0
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	60.7			62.1				62.1		61.0				60.5		60.3
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	69.6			67.4				56.9		63.6				61.7		65.6
			0923			0854				0847		0924				0827		0821
			JAG			MLMS				WHL		ML				MM/AM		AB/BC

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date: 01-14-18 Time: 0801
 Reviewed by: [Signature] Date: 1-16-18 Time: 0706
 On-duty Supervisor
 *Note: V-104 Circulating Pump to Boilers is not operating, awaiting repair.

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria (in. wc)	SURVEILLANCE RESULTS																
			Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.		
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'	2.00	-2.00	-1.99	-1.99	2.00	-2.00	1.99	2.00	-2.00	-1.98	-2.00	-1.98	-2.00	-1.98	-2.00	-1.96	
		≤-1.0 in. wc'	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.95	-1.93
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.96
		≤-1.0 in. wc'	-1.97	-1.97	-1.96	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.96	-1.95
	400 area laboratory header ΔP	≤-0.05 in. wc'	-2.0	-2.0	-1.9	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0	-2.2
		≤-0.05 in. wc'	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.5	-2.8
	4.1.1.2 4.1.1.5 4.1.2.2 ²	300 area laboratory header ΔP	≤-0.05 in. wc'	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-2.3
			≤-0.05 in. wc'	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-1.9	-2.3
	4.1.1.3 4.1.2.3 ²	North basement ΔP	< 0.00 in. wc	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.2
			< 0.00 in. wc	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.1
	IRT Tunnel ΔP	IRT Tunnel ΔP	< 0.00 in. wc	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.32
			< 0.00 in. wc	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.32

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS								
				Sat / Unsat (circle one)								
Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.				Date:	1/15/18	1/16/18	01-17-18	01-18-18	1/19/18	1/20/18	1/21/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Shift:	AM	PM	AM	PM	AM	PM	AM	PM
				Initials:	U	U	U	U	U	U	U	U
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP >.050 or FR-802 Icon red and PDT-832 AP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 AP >.050 or FR-804 Icon red and PDT-835 AP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 AP >.050 or FR-806 Icon red and PDT-837 AP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 AP >.050 or FR-808 Icon red and PDT-839 AP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 AP >.050 or FR-812 Icon red and PDT-841 AP >.050	At least one fan/plenum is in service		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
					Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	1/15/18	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18							
			PDI-803-2		u	u	u	u	u	u	u	u	u	u	u	u		
			PDI-804-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-820-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
		100 Area	PDI-802-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-804-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-870-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-853-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
		300 Area	PDI-854-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-864-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-852-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-854-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
		400 Area	PDI-864-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-852-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			PDI-854-2		u	u	u	u	u	u	u	u	u	u	u	u	u	
			Completion Time		0727	1930	0730	1930	0732	1930	0723	1920	0723	1919	0720	1930	0730	1930

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: AK Date: 1-22-18 Time: 1930 Reviewed by: [Signature] Date: 1/22/18 Time: 0900
 On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	1/15/18	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	DM	DM	DM	DM	DM	DM	DM
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)							
SR 4.4.1.1	Description / Gauge	NA							
	Flammable Gas Channel Check		005	005	005	005	005	005	005
	DET-305-3 (LCD Reading)		005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		≥ -0.1 ; $\leq +0.1$	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005
	Completion Time:	0707	0730	0731	0732	0735	0710	0719	

Surveillance Rounds

TA55-STP-004-FM2, R19.1

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	11/15/18	11/16/18	11/17/18	11/18/18	11/19/18	11/20/18	11/21/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
			Initials:	OK	JM	JM	JM	JM	JM	OK	OK	OK
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 & > 0' in. wc	.04	.04	.03	.03	.03	.03	.03	.03	.03
		PDI-894-2	≤2.0 & > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.42	.42
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 & > 0' in. wc	.05	.04	.04	.04	.04	.04	.04	.04	.04
		PDI-895-2	≤2.0 & > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-5	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-818-1	≤2.0 & > 0' in. wc	.25	.25	.25	.25	.25	.25	.25	.25	.25
		PDI-818-2	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-818-4	≤2.0 & > 0' in. wc	.30	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-818-5	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤2.0 & > 0' in. wc	.41	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-821-3	≤2.0 & > 0' in. wc	.48	.47	.47	.47	.47	.47	.47	.47	.47
		PDI-821-4	≤2.0 & > 0' in. wc	.40	.41	.41	.41	.41	.41	.41	.41	.41

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	1/15/18	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				OH	AM	AM	AM	AM	AM	OH	OH
				Initials:							
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-2	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-4	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-5	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-1	≤2.0 & >0 ¹ in. wc	.16	.17	.17	.17	.17	.17	.17	.17
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤2.0 & >0 ¹ in. wc	.55	.55	.55	.57	.57	.57	.56	.56
		PDI-823-4	≤2.0 & >0 ¹ in. wc	.52	.52	.52	.55	.55	.54	.52	.52
		PDI-823-5	≤2.0 & >0 ¹ in. wc	.52	.52	.52	.55	.55	.54	.50	.52
		PDI-830-1	≤2.0 & >0 ¹ in. wc	.75	.75	.75	.74	.74	.74	.74	.74
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-2	≤2.0 & >0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-830-3	≤2.0 & >0 ¹ in. wc	.30	.28	.28	.27	.27	.27	.28	.28
		PDI-836-1	≤2.0 & >0 ¹ in. wc	.06	.06	.06	.06	.06	.06	.06	.06
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-2	≤2.0 & >0 ¹ in. wc	.65	.66	.66	.66	.66	.66	.66	.66
		PDI-836-3	≤2.0 & >0 ¹ in. wc	.62	.63	.63	.63	.63	.63	.62	.62
		PDI-837-1	≤2.0 & >0 ¹ in. wc	.04	.04	.04	.04	.04	.04	.04	.04
		PDI-837-2	≤2.0 & >0 ¹ in. wc	.49	.49	.49	.49	.49	.49	.49	.49
		PDI-837-3	≤2.0 & >0 ¹ in. wc	.48	.47	.47	.47	.47	.47	.48	.48

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	PDI-838-1	≤2.0 & > 0 ¹ in. wc	1/15/18	0H	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18
		PDI-838-2	≤2.0 & > 0 ¹ in. wc			.53	.56	.53	.56	.53	.56
		PDI-838-3	≤2.0 & > 0 ¹ in. wc			.59	.42	.59	.42	.59	.42
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	PDI-839-1	≤2.0 & > 0 ¹ in. wc			.58	.58	.58	.58	.58	.58
		PDI-839-2	≤2.0 & > 0 ¹ in. wc			.58	.58	.58	.58	.58	.58
		PDI-839-3	≤2.0 & > 0 ¹ in. wc			.58	.58	.58	.58	.58	.58
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	PDI-810-1	≤2.0 & > 0 ¹ in. wc			OFF	OFF	OFF	OFF	OFF	OFF
		PDI-810-2	≤2.0 & > 0 ¹ in. wc			OFF	OFF	OFF	OFF	OFF	OFF
		PDI-810-3	≤2.0 & > 0 ¹ in. wc			OFF	OFF	OFF	OFF	OFF	OFF
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	PDI-811-1	≤2.0 & > 0 ¹ in. wc			.11	.11	.11	.11	.11	.11
		PDI-811-2	≤2.0 & > 0 ¹ in. wc			.50	.51	.51	.51	.51	.51
		PDI-811-3	≤2.0 & > 0 ¹ in. wc			.50	.51	.51	.51	.51	.51
OC Operator Review and Page Count Complete (initials)				0800	0858	0816	0820	0800	0803	0819	

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: *[Signature]* Date: 1/22/18 Time: 0919 Reviewed by: *[Signature]* Date: 1/22/18 Time: 0901

On-duty Supervisor

Comments 4.4.1.1 EQUIPMENT 005 - AWAITING REPAIR CALIBRATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	1/15/18	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Initials:	DM	DM	DM	DM	DM	DM	DM	DM	DM
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0' in. wc	.17	.17	.17	.17	.17	.17	.17	.17	.17	
		PDI-840-2	≤2.0 & > 0 in'. wc	.59	.59	.59	.59	.59	.59	.59	.59	.59	
		PDI-840-3	≤2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0' in. wc	.32	.33	.33	.33	.33	.33	.33	.33	.33	.32
		PDI-831-2	≤2.0 & > 0' in. wc	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41
		PDI-831-3	≤2.0 & > 0' in. wc	.39	.40	.40	.40	.40	.39	.39	.39	.39	.39
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0' in. wc	.39	.40	.40	.40	.40	.39	.39	.39	.39	.39	
	PDI-832-2	≤2.0 & > 0' in. wc	.65	.65	.65	.65	.65	.65	.65	.65	.65	.65	
	PDI-832-3	≤2.0 & > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0' in. wc	.12	.13	.13	.13	.13	.13	.13	.13	.13	
		PDI-807-2	≤2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-807-3	≤2.0 & > 0' in. wc	.52	.52	.52	.52	.52	.52	.52	.52	.52	
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-3	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)										
				Date: Weekday:	1/15/18 Mon.	1/16/18 Tue.	1/17/18 Wed.	1/18/18 Thu.	1/19/18 Fri.	1/20/18 Sat.	1/21/18 Sun.			
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 2.0 & > 0' in. wc											
		PDI-829-2	≤ 2.0 & > 0' in. wc	.07	.28	.28	.07	.07	.07	.07	.07	.07	.07	
		PDI-829-3	≤ 2.0 & > 0' in. wc	.19	.21	.20	.18	.18	.19	.19	.19	.19	.19	.19
		PDI-833-1	≤ 2.0 & > 0' in. wc	.16	.18	.18	.15	.15	.15	.15	.15	.15	.15	.15
		PDI-833-2	≤ 2.0 & > 0' in. wc	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-3	≤ 2.0 & > 0' in. wc	.49	.50	.50	.46	.46	.46	.46	.46	.46	.46	
		PDI-835-1	≤ 2.0 & > 0' in. wc	.46	.46	.46	.46	.46	.46	.46	.46	.46	.46	
		PDI-835-2	≤ 2.0 & > 0' in. wc	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	
		PDI-835-3	≤ 2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	
		PDI-815-1	≤ 2.0 & > 0' in. wc	.46	.46	.46	.46	.46	.46	.46	.46	.46	.46	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤ 2.0 & > 0' in. wc	.25	.24	.24	.24	.24	.24	.24	.24	.25	.25	
		PDI-815-4	≤ 2.0 & > 0' in. wc	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	
		PDI-815-5	≤ 2.0 & > 0' in. wc	.50	.49	.50	.50	.50	.50	.50	.50	.50	.50	
		PDI-816-1	≤ 2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	
		PDI-816-2	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY		
		PDI-816-5	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY		

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS							
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
					1/15/18	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18	
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
					DM	DM	DM	DM	DM	DM	DM	
					(in. wc)							
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0' in. wc		.15	.14	.14	.14	.14	.15	.15	
		PDI-812-2	≤2.0 & > 0' in. wc	.34	.34	.34	.33	.33	.33	.33	.33	
		PDI-812-3	≤2.0 & > 0' in. wc	.31	.34	.34	.33	.33	.33	.33	.31	.31
		PDI-812-4	≤2.0 & > 0' in. wc	.31	.32	.32	.32	.31	.31	.31	.31	.31
		PDI-812-5	≤2.0 & > 0' in. wc	.39	.38	.38	.38	.38	.38	.38	.39	.39
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-5	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ¹	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0' in. wc	.02	.02	.02	.02	.02	.02	.02	.02	
		PDI-865-2	≤2.0 & > 0' in. wc	.35	.38	.38	.37	.37	.36	.36	.36	
		PDI-865-3	≤2.0 & > 0' in. wc	.32	.36	.36	.35	.35	.33	.33	.34	
4.1.3.4 ¹	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0' in. wc	.05	.05	.05	.05	.05	.05	.05	.05	
		PDI-863-2	≤2.0 & > 0' in. wc	.30	.30	.30	.30	.30	.30	.30	.30	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS									
				Date:	1/15/18	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
			Initials:	DM	DM	DM	DM	DM	DM	DM	DM	DM	DM
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc	.12	.12	.12	.12	.12	.12	.12	.12	.12	.12
		PDI-857-2	≤ 2.0 > 0 ¹ in. wc	.41	.41	.42	.41	.41	.42	.42	.42	.42	.42
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 > 0 ¹ in. wc	.05	.05	.05	.06	.05	.05	.05	.06	.06	.06
		PDI-856-2	≤ 2.0 > 0 ¹ in. wc	.52	.53	.53	.52	.52	.53	.53	.52	.52	.52
1NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	Date:	Weekday:	Initials:	Date:	Weekday:	Initials:	Date:	Weekday:	Initials:		
					1/15/18	Mon.	1/16/18	Tue.	1/17/18	Wed.	1/18/18	Thu.	1/19/18	Fri.	1/20/18
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	DM											
4.3.2.2 ¹	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less												
				SURVEILLANCE RESULTS											
				SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
				SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
				0816	0810	0810	0810	0810	0810	0810	0810	0810	0810	0810	0810
				OC Operator Review and Page Count Complete (initials)	WJF	WJF	WJF	WJF	WJF	WJF	WJF	WJF	WJF	WJF	WJF
				Completion time	0830	0810	0810	0810	0810	0810	0810	0810	0810	0810	0810

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1, SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: DM Date: 1/21/18 Time: 0751 Reviewed by: [Signature] Date: 1/22/18 Time: 0902

* Comments: 4/2/18 4:17 F12 802 belts are still noisy. Belts need to be adjusted or replaced.

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 039745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 040375
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/17/18
	PF-11 Thermometer File No.: 029746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/17/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature											
SR	Description	Acceptance Criteria	Daily (September through April only)							Sat.	Sun.
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.			
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	1/16/18	1/16/18	1/16/18	1/17/18	1/18/18	1/19/18	1/20/18	1/21/18	1/22/18
			Weekday:								
			Initials:	u	u	u	PT	PT	PT	u	u
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	54.0	53.2	53.3	53.9	54.2	54.4	53.9	53.9	
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	57.1	56.6	56.6	57.5	58.3	59.9	57.6	57.6	
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	60.7	58.8	58.7	60.0	62.1	60.5	60.2	60.2	
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	65.6	66.0	65.4	66.8	63.5	61.1	62.4	62.4	
		Completion Time:	0848	0834	0845	0849	0749	0945	0810	0810	
		OC Operator Review and Page Count Complete (initials)	u	u	u	u	u	u	u	u	

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: PRW Date: 1/21/18 Time: 0520
 Reviewed by: [Signature] Date: 1/22/18 Time: 0905
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)															
			Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'	1.99	-1.99	1.98	-1.99	-2.00	-1.97	-1.99	1.99	-1.99	1.99	-1.99	1.99	-1.99	1.99	-1.99	
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc'	1.94	-1.94	1.94	-1.94	-1.94	-1.95	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'	1.98	-1.98	1.98	-1.98	-1.98	-1.99	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc'	2.01	-1.97	1.96	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	
4.1.1.3 4.1.2.3 ²	200 area laboratory header ΔP	≤-0.05 in. wc'	0.20	-0.18	0.19	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	
	100 area laboratory header ΔP	≤-0.05 in. wc'	0.24	-0.24	0.24	-0.25	-0.24	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area laboratory header ΔP	≤-0.05 in. wc'	0.19	-0.19	0.20	-0.20	-0.20	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	
	400 area laboratory header ΔP	≤-0.05 in. wc'	0.19	-0.19	0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	
4.1.1.3 4.1.2.3 ²	IFIT Facility ΔP	≤-0.05 in. wc	0.15	-0.15	0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	
	North basement ΔP	< 0.00 in. wc	0.10	-0.10	0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	
4.1.1.3 4.1.2.3 ²	South basement ΔP	< 0.00 in. wc	0.10	-0.10	0.10	-0.09	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	
	IRT Tunnel ΔP	< 0.00 in. wc	0.10	-0.10	0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

Note	Date:	1/23/18		1/24/18		1/25/18		1/26/18		1/27/18		1/28/18	
		Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.					
SRs	Description	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	200 area re-circulation fan/plenum	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
	100 area re-circulation fan/plenum	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
	300 area re-circulation fan/plenum	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
	400 area re-circulation fan/plenum	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
	Vault re-circulation fan/plenum	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
	Acceptance Criteria	SURVEILLANCE RESULTS Sat / Unsat (circle one)											
	Readings	Sat / Unsat (circle one)											
	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
					Sat / Unsat (circle one)													
					Mon	Tue	Wed	Thu	Fri	Sat	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Sun
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	1/27/18	1/28/18	1/29/18	1/30/18	1/31/18	2/1/18	2/2/18	2/3/18	2/4/18	2/5/18	2/6/18	2/7/18		
			PDI-803-2	PDI-820-2 < PDI-802-2 < PDI-804-2	1/27/18	1/28/18	1/29/18	1/30/18	1/31/18	2/1/18	2/2/18	2/3/18	2/4/18	2/5/18	2/6/18	2/7/18		
			PDI-804-2	PDI-870-2 < PDI-853-2 < PDI-854-2	1/27/18	1/28/18	1/29/18	1/30/18	1/31/18	2/1/18	2/2/18	2/3/18	2/4/18	2/5/18	2/6/18	2/7/18		
			PDI-820-2	PDI-864-2 < PDI-852-2 < PDI-854-2	1/27/18	1/28/18	1/29/18	1/30/18	1/31/18	2/1/18	2/2/18	2/3/18	2/4/18	2/5/18	2/6/18	2/7/18		
		100 Area	PDI-802-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-802-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-804-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-870-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
		300 Area	PDI-853-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-854-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-870-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-853-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
		400 Area	PDI-864-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-852-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-852-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
			PDI-854-2	0724 1/19	0713 1/25	0711 1/30	0705 1/31	0700 2/1	0722 2/2	0720 2/3	0724 2/4	0728 2/5	0732 2/6	0736 2/7	0740 2/8			
Completion Time																		

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 1/28/18 Time: 1918 Reviewed by: [Signature] Date: 1/28/18 Time: 1650
 On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:
 The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	AK	AK	AM	AK	AS	AK	AK
SURVEILLANCE RESULTS (percentage)									
4.4.1.1	Flammable Gas Channel Check	Acceptance Criteria							
	DET-305-3 (LCD Reading)	NA	005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	000	000	000	000	000	000	000
		≥ -0.1 ; $\leq +0.1$	000	000	000	000	000	000	000
		Completion Time:	0740	0730	0930	0820	0757	0803	0700

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:	gm	gm	gm	gm	gm	RS	RM	gm
4.1.3.4 ¹	South basement supply filter plenum (IIVP-841) ΔP	PDI-894-1	≤2.0 & > 0' in. wc	.03	.03	.04	.04	.04	.04	.04	.02	.03
		PDI-894-2	≤2.0 & > 0' in. wc	.44	.43	.43	.42	.44	.44	.43	.44	.44
4.1.3.4 ²	South Corridor supply (IIVP-810) ΔP	PDI-895-1	≤2.0 & > 0' in. wc	.05	.05	.05	.04	.06	.05	.05	.05	.05
		PDI-895-2	≤2.0 & > 0' in. wc	.59	.60	.60	.61	.61	.61	.61	.61	.61
4.1.3.4 ³	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & > 0' in. wc	STBY	.29	.29	.29	.29	.29	.29	.29	.29
		PDI-817-2	≤2.0 & > 0' in. wc	STBY	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-817-4	≤2.0 & > 0' in. wc	STBY	.32	.32	.32	.32	.32	.32	.32	.32
		PDI-817-5	≤2.0 & > 0' in. wc	STBY	.31	.31	.30	.30	.31	.31	.31	.31
4.1.3.4 ⁴	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-1	≤2.0 & > 0' in. wc	STBY	.45	.45	.45	.45	.46	.46	.46	.45
		PDI-819-3	≤2.0 & > 0' in. wc	STBY	.45	.45	.45	.45	.46	.46	.46	.46
		PDI-819-4	≤2.0 & > 0' in. wc	STBY	.38	.38	.38	.38	.39	.39	.39	.39
4.1.3.4 ⁵	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-818-1	≤2.0 & > 0' in. wc	.25	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-818-2	≤2.0 & > 0' in. wc	.31	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-818-4	≤2.0 & > 0' in. wc	.30	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-818-5	≤2.0 & > 0' in. wc	.31	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-821-1	≤2.0 & > 0' in. wc	.43	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ⁶	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-3	≤2.0 & > 0' in. wc	.48	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-821-4	≤2.0 & > 0' in. wc	.41	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date: Weekday: Initials:	1/22/18 Mon.	1/23/18 Tue.	1/24/18 Wed.	1/25/18 Thu.	1/26/18 Fri.	1/27/18 Sat.	1/28/18 Sun.	
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤ 2.0 & > 0' in. wc	AP	AP	AP	AP	AS				
		PDI-822-2	≤ 2.0 & > 0' in. wc	STBY	.12	.12	.58	.58	.12	.12	.12	.12
		PDI-822-4	≤ 2.0 & > 0' in. wc	STBY	.58	.58	.50	.50	.50	.50	.50	.58
		PDI-822-5	≤ 2.0 & > 0' in. wc	STBY	.50	.50	.50	.50	.50	.50	.50	.50
		PDI-823-1	≤ 2.0 & > 0' in. wc	STBY	.51	.51	.51	.51	.51	.51	.51	.51
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-1	≤ 2.0 & > 0' in. wc	.17	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-2	≤ 2.0 & > 0' in. wc	.56	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-4	≤ 2.0 & > 0' in. wc	.55	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-5	≤ 2.0 & > 0' in. wc	.55	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-1	≤ 2.0 & > 0' in. wc	.75	.74	.74	.74	.74	.75	.75	.75	.75
		PDI-830-2	≤ 2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-830-3	≤ 2.0 & > 0' in. wc	.27	.27	.27	.27	.27	.28	.28	.28	.27
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-1	≤ 2.0 & > 0' in. wc	.06	.06	.06	.06	.06	.06	.06	.06	.06
		PDI-836-2	≤ 2.0 & > 0' in. wc	.66	.66	.66	.66	.66	.67	.67	.66	.66
		PDI-836-3	≤ 2.0 & > 0' in. wc	.63	.63	.63	.63	.63	.62	.62	.62	.63
		PDI-837-1	≤ 2.0 & > 0' in. wc	.04	.04	.04	.04	.04	.04	.04	.04	.04
		PDI-837-2	≤ 2.0 & > 0' in. wc	.49	.49	.49	.49	.49	.49	.49	.49	.49
		PDI-837-3	≤ 2.0 & > 0' in. wc	.47	.47	.47	.47	.47	.46	.46	.46	.47

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date: Weekday: Initials:	1/22/18 Mon. Jm	1/23/18 Tue. Jm	1/24/18 Wed. Jm	1/25/18 Thu. Jm	1/26/18 Fri. KS	1/27/18 Sat. RAA	1/28/18 Sun. Jm
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 & > 0' in. wc	.53	.53	.53	.53	.53	.53	.53	.53
		PDI-838-2	≤2.0 & > 0' in. wc	.58	.58	.58	.58	.59	.59	.58	
		PDI-838-3	≤2.0 & > 0' in. wc	.59	.59	.59	.59	.60	.60	.59	
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 & > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-839-2	≤2.0 & > 0' in. wc	.57	.57	.57	.56	.55	.55	.56	
		PDI-839-3	≤2.0 & > 0' in. wc	.56	.56	.56	.56	.54	.55	.56	
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0' in. wc	off	.17	.16	.16	.16	.16	.14	.16
		PDI-810-2	≤2.0 & > 0' in. wc	off	.55	.51	.51	.51	.51	.51	.51
		PDI-810-3	≤2.0 & > 0' in. wc	off	.60	.51	.51	.51	.52	.51	.51
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0' in. wc	.11	off	off	off	off	off	off	off
		PDI-811-2	≤2.0 & > 0' in. wc	.51	off	off	off	off	off	off	off
		PDI-811-3	≤2.0 & > 0' in. wc	.51	off	off	off	off	off	off	off
OC Operator Review and Page Count Complete (initials)				0855	0850	0920	0830	0805	0803	0735	

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Search Date 1/22/18 Time 0735 Reviewed by: [Signature] Date: 1/29/18 Time: 1650

Comments: 1/22/18 4.4.1 out of service. Needs to be calibrated.

On-duty Supervisor
[Signature]

[Signature]

OC Operator Review and Page Count Complete (initials)

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤ 0 > 0' in. wc	.17	.17	.17	.17	.17	.17	.17	.17	.17	
		PDI-840-2	≤ 0 > 0 in' wc	.58	.58	.58	.58	.58	.58	.58	.58	.58	
		PDI-840-3	≤ 0 > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤ 0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-2	≤ 0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-3	≤ 0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤ 0 > 0' in. wc	.33	.32	.32	.32	.32	.33	.32	.32	.32	.33
		PDI-831-2	≤ 0 > 0' in. wc	.42	.42	.42	.42	.42	.43	.42	.42	.42	.42
		PDI-831-3	≤ 0 > 0' in. wc	.40	.40	.40	.40	.40	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤ 0 > 0' in. wc	.40	.40	.40	.40	.40	.40	.40	.40	.40	.40	
	PDI-832-2	≤ 0 > 0' in. wc	.67	.67	.67	.67	.67	.67	.67	.67	.67	.67	
	PDI-832-3	≤ 0 > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ³	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤ 0 > 0' in. wc	.13	OFF	.13	.13	.13	.13	.13	.13	.13	
		PDI-807-2	≤ 0 > 0' in. wc	.52	OFF	.52	.52	.52	.52	.51	.52		
		PDI-807-3	≤ 0 > 0' in. wc	.52	OFF	.52	.52	.52	.52	.52	.51	.51	
4.1.3.4 ³	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤ 0 > 0' in. wc	OFF	.08	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤ 0 > 0' in. wc	OFF	.56	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-3	≤ 0 > 0' in. wc	OFF	.53	OFF	OFF	OFF	OFF	OFF	OFF	OFF	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Initials:	AM	AM	AM	AM	BF	RM	JP
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) ΔP	PDI-829-1	≤ 2.0 & > 0 ¹ in. wc	.10	.09	.07	.07	.07	.07	.09	.07
		PDI-829-2	≤ 2.0 & > 0 ¹ in. wc	.21	.20	.19	.19	.19	.20	.19	.19
		PDI-829-3	≤ 2.0 & > 0 ¹ in. wc	.19	.18	.17	.17	.17	.19	.17	.17
		PDI-833-1	≤ 2.0 & > 0 ¹ in. wc	.07	.07	.07	.07	.07	.07	.07	.07
		PDI-833-2	≤ 2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	.50	.50
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) ΔP	PDI-833-3	≤ 2.0 & > 0 ¹ in. wc	.46	.46	.46	.46	.46	.47	.47	.46
		PDI-835-1	≤ 2.0 & > 0 ¹ in. wc	.05	.05	.05	.05	.05	.05	.05	.05
		PDI-835-2	≤ 2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	.50	.50
		PDI-835-3	≤ 2.0 & > 0 ¹ in. wc	.47	.47	.47	.47	.47	.48	.47	.47
		PDI-815-1	≤ 2.0 & > 0 ¹ in. wc	.24	.23	.23	.24	.24	.24	.24	.24
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) ΔP	PDI-815-2	≤ 2.0 & > 0 ¹ in. wc	.57	.56	.57	.57	.57	.57	.57	.57
		PDI-815-4	≤ 2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	.50	.50
		PDI-815-5	≤ 2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	.50	.50
		PDI-816-1	≤ 2.0 & > 0 ¹ in. wc	.57	.57	.57	.57	.57	.57	.57	.57
		PDI-816-2	≤ 2.0 & > 0 ¹ in. wc	.57	.57	.57	.57	.57	.57	.57	.57
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-816-4	≤ 2.0 & > 0 ¹ in. wc	.57	.57	.57	.57	.57	.57	.57	.57
		PDI-816-5	≤ 2.0 & > 0 ¹ in. wc	.57	.57	.57	.57	.57	.57	.57	.57

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (ln. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:							
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0 ¹ in. wc	JK	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18	
		PDI-812-2	≤2.0 & > 0 ¹ in. wc		Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-812-3	≤2.0 & > 0 ¹ in. wc									
		PDI-812-4	≤2.0 & > 0 ¹ in. wc									
		PDI-812-5	≤2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0 ¹ in. wc									
		PDI-813-2	≤2.0 & > 0 ¹ in. wc									
		PDI-813-3	≤2.0 & > 0 ¹ in. wc									
		PDI-813-4	≤2.0 & > 0 ¹ in. wc									
		PDI-813-5	≤2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0 ¹ in. wc									
		PDI-865-2	≤2.0 & > 0 ¹ in. wc									
		PDI-865-3	≤2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0 ¹ in. wc									
		PDI-863-2	≤2.0 & > 0 ¹ in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ¹	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0' in. wc	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18	
		PDI-857-2	≤ 2.0 > 0' in. wc	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18	
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 > 0' in. wc	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18	
		PDI-856-2	≤ 2.0 > 0' in. wc	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18	
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)	SET	SET	SET	SET	SET	SET	SET	
4.3.2.2 ¹	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SET	SET	SET	SET	SET	SET	SET	
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SET	SET	SET	SET	SET	SET	SET	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	1/22/18	1/23/18	1/24/18	1/25/18	1/26/18	1/27/18	1/28/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.3.2.2 ¹	Room 206		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SM	SM	SM	SM	SM	SM	SM	SM	SM
4.3.2.2 ²	Room 207		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
				Completion time	0840	0830	0900	0740	0810	0803	0715	0715
				OC Operator Review and Page Count Complete (initials)	SM	SM	SM	SM	SM	SM	SM	SM

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Seema M. Date 1/28/18 Time 0715 Reviewed by: JMS Date: 1/29/18 Time: 1659
 On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: Calibration Expiration Date:	103353 8-31-18	V-701 Thermistor File No.: Calibration Expiration Date:
	PF-11 Thermometer File No.: Calibration Expiration Date:	039745 6-5-18	040375 7-19-18
	PF-11 Thermistor File No.: Calibration Expiration Date:	105352 8-31-18	V-704 Thermistor File No.: Calibration Expiration Date:
		039746 6-5-18	103763 7-19-18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature												
SR	Description	Acceptance Criteria	Initials:	Date:							Sat.	Sun.
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.		1-22-18	1-23-18	1-24-18	1-25-18	1-26-18	1-27-18	1-28-18	1-29-18	1-30-18
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	PT	53.1	53.5	53.8	53.9	53.8	53.1	53.9	53.9	53.9
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	PT	55.1	57.2	59.5	58.2	56.3	54.9	54.9	55.7	55.7
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	PT	61.0	59.6	60.6	62.1	61.3	64.5	64.5	66.2	66.2
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	PT	63.8	63.6	67.0	70.3	67.8	71.7	71.7	71.2	71.2
	Completion Time:			0936	0812	0921	0854	0750	0850	0850	0740	0740
	OC Operator Review and Page Count Complete (initials)											

1' Temperatures should be recorded using Reference Thermometer-FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date: 1/28/18 Time: 0740
 Reviewed by: [Signature] Date: 1/29/18 Time: 1659
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	Date: 1-29-18 to 1-31-18							SURVEILLANCE RESULTS (in. wc)								
			Weekday:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.96	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.98	-1.98	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97
4.1.1.3 4.1.2.3 ²	200 area laboratory header ΔP	≤-0.05 in. wc'	-2.22	-2.18	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20	-2.20
	100 area laboratory header ΔP	≤-0.05 in. wc'	-2.23	-2.24	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area laboratory header ΔP	≤-0.05 in. wc'	-2.20	-2.19	-2.18	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19
	400 area laboratory header ΔP	≤-0.05 in. wc'	-2.20	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19
4.1.1.3 4.1.2.3 ²	IFIT Facility ΔP	≤-0.05 in. wc	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15	-2.15
	North basement ΔP	< 0.00 in. wc	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10
4.1.1.3 4.1.2.3 ²	South basement ΔP	< 0.00 in. wc	-2.09	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10	-2.10
	IRT Tunnel ΔP	< 0.00 in. wc	-2.03	-2.13	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11	-2.11

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS														
				Sat / Unsat (circle one)														
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.								
4.1.1.6	Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable. 200 area re-circulation fan/plenum 100 area re-circulation fan/plenum 300 area re-circulation fan/plenum 400 area re-circulation fan/plenum Vault re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service	1-29-18	1-30-18	1/31/18												
		FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	
		FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat
		FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat
		FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat
				Initials: <i>AK BC</i>														

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
					Sat / Unsat (circle one)													
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
			PDI-803-2	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
			PDI-804-2	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
			PDI-852-2	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
			PDI-854-2	Completion Time	0730	1915	0737	1922										

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: RL Date: 2-1-18 Time: 1922 Reviewed by: [Signature] Date: 2-1-18 Time: 0739
On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:
 The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	1/29/18	1/30/18	1/31/18				
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>				
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)							
4.4.1.1	Flammable Gas Channel Check	NA							
	DET-305-3 (LCD Reading)		<i>0.05</i>	<i>0.05</i>	<i>0.05</i>				
	CP-305-H (LED Reading)		<i>0.05</i>	<i>0.05</i>	<i>0.05</i>				
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	<i>0.05</i>	<i>0.05</i>	<i>0.05</i>				
		≥ -0.1 ; $\leq +0.1$	<i>0.05</i>	<i>0.05</i>	<i>0.05</i>				
	Completion Time:		<i>0810</i>	<i>0800</i>	<i>0800</i>				
			Sat / Unsat <i>0.05</i>	Sat / Unsat <i>0.05</i>	Sat / Unsat <i>0.05</i>				
						Sat / Unsat <i>0.05</i>	Sat / Unsat <i>0.05</i>	Sat / Unsat <i>0.05</i>	Sat / Unsat <i>0.05</i>

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criterion	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤ 2.0 > 0' in. wc	1/29/18	1/30/18	1/31/18						
		PDI-894-2	≤ 2.0 > 0' in. wc									
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤ 2.0 > 0' in. wc									
		PDI-895-2	≤ 2.0 > 0' in. wc									
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤ 2.0 > 0' in. wc									
		PDI-817-2	≤ 2.0 > 0' in. wc									
		PDI-817-4	≤ 2.0 > 0' in. wc									
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-817-5	≤ 2.0 > 0' in. wc									
		PDI-81 9-1	≤ 2.0 > 0' in. wc									
		PDI-81 9-3	≤ 2.0 > 0' in. wc									
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-819-4	≤ 2.0 > 0' in. wc									
		PDI-818-1	≤ 2.0 > 0' in. wc									
		PDI-818-2	≤ 2.0 > 0' in. wc									
		PDI-818-4	≤ 2.0 > 0' in. wc									
		PDI-818-5	≤ 2.0 > 0' in. wc									
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤ 2.0 > 0' in. wc									
		PDI-821-3	≤ 2.0 > 0' in. wc									
		PDI-821-4	≤ 2.0 > 0' in. wc									

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 0.0 > 0' in. wc	1/29/18		1/30/18	1/31/18					
		PDI-822-2	≤ 0.0 > 0' in. wc			.13	.13					
		PDI-822-4	≤ 0.0 > 0' in. wc			.58	.58					
		PDI-822-5	≤ 0.0 > 0' in. wc			.50	.50					
		PDI-823-1	≤ 0.0 > 0' in. wc			.51	.51					
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤ 0.0 > 0' in. wc			STBY	STBY					
		PDI-823-4	≤ 0.0 > 0' in. wc			STBY	STBY					
		PDI-823-5	≤ 0.0 > 0' in. wc			STBY	STBY					
		PDI-830-1	≤ 0.0 > 0' in. wc			.74	.74					
		PDI-830-2	≤ 0.0 > 0' in. wc			.31	.31					
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-3	≤ 0.0 > 0' in. wc			.27	.27					
		PDI-836-1	≤ 0.0 > 0' in. wc			.06	.06					
		PDI-836-2	≤ 0.0 > 0' in. wc			.66	.66					
		PDI-836-3	≤ 0.0 > 0' in. wc			.63	.63					
		PDI-837-1	≤ 0.0 > 0' in. wc			.04	.04					
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-837-2	≤ 0.0 > 0' in. wc			.49	.49					
		PDI-837-3	≤ 0.0 > 0' in. wc			.47	.47					

Surveillance Rounds

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 & > 0 ¹ in. wc	1/29/18	1/30/18	1/31/18					
		PDI-838-2	≤2.0 & > 0 ¹ in. wc								
		PDI-838-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 & > 0 ¹ in. wc								
		PDI-839-2	≤2.0 & > 0 ¹ in. wc								
		PDI-839-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0 ¹ in. wc								
		PDI-810-2	≤2.0 & > 0 ¹ in. wc								
		PDI-810-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0 ¹ in. wc								
		PDI-811-2	≤2.0 & > 0 ¹ in. wc								
		PDI-811-3	≤2.0 & > 0 ¹ in. wc								
OC Operator Review and Page Count Complete (initials)			Completion Time	0920	0900	0910					

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Scott H. Date 1/31/18 Time 0910 Reviewed by: [Signature] Date: 1-31-18 Time: 0739

Comments: 1/29/18 4411 out of service. Needs to be calibrated

On-duty Supervisor

[Signature]

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0 ¹ in. wc	1/29/18		1/30/18	1/31/18					
		PDI-840-2	≤2.0 & > 0 in ¹ . wc		.17	.17						
		PDI-840-3	≤2.0 & > 0 ¹ in. wc		.59	.59						
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0 ¹ in. wc		.51	.51						
		PDI-841-2	≤2.0 & > 0 ¹ in. wc		STBY	STBY						
		PDI-841-3	≤2.0 & > 0 ¹ in. wc		STBY	STBY						
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0 ¹ in. wc		.33	.32						
		PDI-831-2	≤2.0 & > 0 ¹ in. wc		.43	.43						
		PDI-831-3	≤2.0 & > 0 ¹ in. wc		.40	.40						
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0 ¹ in. wc		.41	.41							
	PDI-832-2	≤2.0 & > 0 ¹ in. wc		.68	.68							
	PDI-832-3	≤2.0 & > 0 ¹ in. wc		.61	.61							
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0 ¹ in. wc		.12	.13						
		PDI-807-2	≤2.0 & > 0 ¹ in. wc	4.1.1.7.7.51	.51	.52						
		PDI-807-3	≤2.0 & > 0 ¹ in. wc		.51	.52						
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0 ¹ in. wc		OFF	OFF						
		PDI-809-2	≤2.0 & > 0 ¹ in. wc		OFF	OFF						
		PDI-809-3	≤2.0 & > 0 ¹ in. wc		OFF	OFF						

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤2.0 & > 0' in. wc	1/29/18	1/30/18	1/31/18					
		PDI-829-2	≤2.0 & > 0' in. wc								
		PDI-829-3	≤2.0 & > 0' in. wc								
		PDI-833-1	≤2.0 & > 0' in. wc								
		PDI-833-2	≤2.0 & > 0' in. wc								
4.1.1.7 ²	100 area re-circulation filter plenum (IIVP-803) AP	PDI-833-3	≤2.0 & > 0' in. wc								
		PDI-835-1	≤2.0 & > 0' in. wc								
		PDI-835-2	≤2.0 & > 0' in. wc								
		PDI-835-3	≤2.0 & > 0' in. wc								
		PDI-815-1	≤2.0 & > 0' in. wc								
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤2.0 & > 0' in. wc								
		PDI-815-4	≤2.0 & > 0' in. wc								
		PDI-815-5	≤2.0 & > 0' in. wc								
		PDI-816-1	≤2.0 & > 0' in. wc								
		PDI-816-2	≤2.0 & > 0' in. wc								
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤2.0 & > 0' in. wc								
		PDI-816-5	≤2.0 & > 0' in. wc								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤ 2.0 & > 0 ¹ in. wc	gpc	1/29/18	1/30/18	1/31/18					
		PDI-812-2	≤ 2.0 & > 0 ¹ in. wc			.14	.33	.33	.14			
		PDI-812-3	≤ 2.0 & > 0 ¹ in. wc			.33	.33	.33	.33			
		PDI-812-4	≤ 2.0 & > 0 ¹ in. wc			.31	.31	.31	.31			
		PDI-812-5	≤ 2.0 & > 0 ¹ in. wc			.38	.38	.38	.38			
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤ 2.0 & > 0 ¹ in. wc									
		PDI-813-2	≤ 2.0 & > 0 ¹ in. wc									
		PDI-813-3	≤ 2.0 & > 0 ¹ in. wc									
		PDI-813-4	≤ 2.0 & > 0 ¹ in. wc									
		PDI-813-5	≤ 2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤ 2.0 & > 0 ¹ in. wc									
		PDI-865-2	≤ 2.0 & > 0 ¹ in. wc									
		PDI-865-3	≤ 2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤ 2.0 & > 0 ¹ in. wc									
		PDI-863-2	≤ 2.0 & > 0 ¹ in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	'PDI-857-1	≤ 2.0 > 0' in. wc	1/29/18	1/30/18	1/31/18					
		PDI-857-2	≤ 2.0 > 0' in. wc		.12	.42					
		'PDI-856-1	≤ 2.0 > 0' in. wc		.05	.05					
		PDI-856-2	≤ 2.0 > 0' in. wc		.54	.54					
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)								
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date: Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	1/29/18 Mon.	1/30/18 Tue.	1/31/18 Wed.					
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	9/28 SAT	SAT	SAT					
OC Operator Review and Page Count Complete (initials)				SAT	SAT	SAT					
Completion time				0857	0840	0840					

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Serena M. Date 1/31/18 Time 0840 Reviewed by: [Signature] Date: 1-31-18 Time: 0710

On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]
(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 039745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 040375
	Calibration Expiration Date: 6-45-18	Calibration Expiration Date: 6-31-18	Calibration Expiration Date: 7-19-18
	PF-11 Thermometer File No.: 039746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 6-5-18	Calibration Expiration Date: 8-31-18	Calibration Expiration Date: 7-19-18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature													
SR	Description	Acceptance Criteria	Date:							SAT	UNSAT		
			Weekly:										
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.				
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	1-29-18	1-30-18	1-31-18								
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F											
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F											
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F											
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F											
	OC Operator Review and Page Count Complete (initials)	Completion Time:	0932	0905	0900								

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: Paul Trujillo Date: 1-31-18 Time: 0900
 Reviewed by: _____ Date: _____ Time: _____
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria (in. wc)	Date:		Weekday:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.			
			Note		Shift:		AM		PM		AM		PM		AM		PM		AM		PM	
			Gauge readings should be taken on rack #4 in the OC, whenever possible. Document if alternate PDI's are used.		Initials:																	
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'																				
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc'																				
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'																				
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc'																				
4.1.1.2 4.1.1.5 4.1.2.2 ¹	200 area laboratory header ΔP	≤-0.05 in. wc'																				
	100 area laboratory header ΔP	≤-0.05 in. wc'																				
	300 area laboratory header ΔP	≤-0.05 in. wc'																				
	400 area laboratory header ΔP	≤-0.05 in. wc'																				
4.1.1.3 4.1.2.3 ²	North basement ΔP	< 0.00 in. wc																				
	South basement ΔP	< 0.00 in. wc																				
	IRT Tunnel ΔP	< 0.00 in. wc																				

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																
				Sat / Unsat (circle one)																
				Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.		
4.1.1.6	Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
4.1.1.6	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
4.1.1.6	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
4.1.1.6	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
4.1.1.6	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat			
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
				Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																		
					Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.						
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM					
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2																			
			PDI-803-2	PDI-803-2 < PDI-804-2																			
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2																			
			PDI-802-2	PDI-802-2 < PDI-804-2																			
300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2																					
	PDI-853-2	PDI-853-2 < PDI-854-2																					
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2																					
	PDI-852-2	PDI-852-2 < PDI-854-2																					
				Completion Time																			

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 2/14/18 Time: 1425 Reviewed by: [Signature] Date: 2/5/18 Time: 1500
 On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:
 The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Weekday:				2/1/18	2/2/18	2-3-18	2-4-18
		Initials:				MM	MM	PT	PT
SURVEILLANCE RESULTS (percentage)									
4.4.1.1	Flammable Gas Channel Check	Acceptance Criteria							
	DET-305-3 (LCD Reading)	NA				0.05	0.05	0.05	0.05
	CP-305-H (LED Reading)					0.05	0.05	0.05	0.05
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value				0.05	0.05	0.05	0.05
		≥ -0.1 ; $\leq +0.1$				0.05	0.05	0.05	0.05
		Completion Time:				0.815	0.700	0.700	0.735

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	'PDI-894-1	≤2.0 & > 0' in. wc					2/1/18 .04	2/2/18 .04	2/3/18 .04	2/4/18 .04
		PDI-894-2	≤2.0 & > 0' in. wc					.43	.43	.43	.42
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	'PDI-895-1	≤2.0 & > 0' in. wc					.05	.05	.05	.05
		PDI-895-2	≤2.0 & > 0' in. wc					.61	.61	.61	.61
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	'PDI-817-1	≤2.0 & > 0' in. wc					.29	.29	.29	.29
		PDI-817-2	≤2.0 & > 0' in. wc					.31	.31	.31	.31
		PDI-817-4	≤2.0 & > 0' in. wc					.32	.32	.32	.32
		PDI-817-5	≤2.0 & > 0' in. wc					.31	.31	.31	.31
		PDI-819-1	≤2.0 & > 0' in. wc					.45	.45	.45	.45
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-3	≤2.0 & > 0' in. wc					.46	.46	.46	.46
		PDI-819-4	≤2.0 & > 0' in. wc					.39	.39	.39	.39
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	'PDI-818-1	≤2.0 & > 0' in. wc					STBY	STBY	STBY	STBY
		PDI-818-2	≤2.0 & > 0' in. wc					STBY	STBY	STBY	STBY
		PDI-818-4	≤2.0 & > 0' in. wc					STBY	STBY	STBY	STBY
		PDI-818-5	≤2.0 & > 0' in. wc					STBY	STBY	STBY	STBY
		PDI-821-1	≤2.0 & > 0' in. wc					STBY	STBY	STBY	STBY
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-3	≤2.0 & > 0' in. wc					STBY	STBY	STBY	STBY
		PDI-821-4	≤2.0 & > 0' in. wc					STBY	STBY	STBY	STBY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) ΔP	'PDI-822-1	≤2.0 & > 0 ¹ in. wc					2/1/18	2/2/18	2-3-18	2-4-18
		PDI-822-2	≤2.0 & > 0 ¹ in. wc								
		PDI-822-4	≤2.0 & > 0 ¹ in. wc								
		PDI-822-5	≤2.0 & > 0 ¹ in. wc								
		'PDI-823-1	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & > 0 ¹ in. wc								
		PDI-823-4	≤2.0 & > 0 ¹ in. wc								
		PDI-823-5	≤2.0 & > 0 ¹ in. wc								
		'PDI-830-1	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ¹	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤2.0 & > 0 ¹ in. wc								
		PDI-830-3	≤2.0 & > 0 ¹ in. wc								
		'PDI-836-1	≤2.0 & > 0 ¹ in. wc								
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤2.0 & > 0 ¹ in. wc								
		PDI-836-3	≤2.0 & > 0 ¹ in. wc								
		'PDI-837-1	≤2.0 & > 0 ¹ in. wc								
		PDI-837-2	≤2.0 & > 0 ¹ in. wc								
		PDI-837-3	≤2.0 & > 0 ¹ in. wc								

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 & > 0' in. wc				2/1/18	2/2/18	2/3-18	2/4-18
		PDI-838-2	≤2.0 & > 0' in. wc							
		PDI-838-3	≤2.0 & > 0' in. wc							
	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 & > 0' in. wc							
		PDI-839-2	≤2.0 & > 0' in. wc							
		PDI-839-3	≤2.0 & > 0' in. wc							
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0' in. wc							
		PDI-810-2	≤2.0 & > 0' in. wc							
		PDI-810-3	≤2.0 & > 0' in. wc							
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0' in. wc							
		PDI-811-2	≤2.0 & > 0' in. wc							
		PDI-811-3	≤2.0 & > 0' in. wc							
OC Operator Review and Page Count Complete (initials)										

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Paul Treville Date 2-4-18 Time 0728 Reviewed by: [Signature] Date: 2/5/18 Time: 1500

On-duty Supervisor

Comments

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Mon.	Tue.	Wed.	Thu.	2/2/18	2-3-18			
				Weekday:	Initials:	Fr.	Sat.	Sun.					
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	PDI-840-1	≤ 0.0 > 0.1 in. wc					.17	.17	.17	.17	.17	
		PDI-840-2	≤ 0.0 > 0 in. wc				.59	.59	.59	.59	.59	.59	
		PDI-840-3	≤ 0.0 > 0.1 in. wc				.51	.51	.51	.51	.51	.51	
	Vault re-circulation filter plenum (HVP-812) ΔP	PDI-841-1	≤ 0.0 > 0.1 in. wc				STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-2	≤ 0.0 > 0.1 in. wc				STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-3	≤ 0.0 > 0.1 in. wc				STBY	STBY	STBY	STBY	STBY	STBY	STBY
	200 area re-circulation filter plenum (HVP-801) ΔP	PDI-831-1	≤ 0.0 > 0.1 in. wc				.32	.32	.32	.32	.32	.32	.32
		PDI-831-2	≤ 0.0 > 0.1 in. wc				.43	.42	.42	.42	.42	.42	.42
		PDI-831-3	≤ 0.0 > 0.1 in. wc				.40	.40	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	PDI-832-1	≤ 0.0 > 0.1 in. wc				.41	.41	.41	.41	.41	.41	.41	
	PDI-832-2	≤ 0.0 > 0.1 in. wc				.68	.68	.68	.68	.68	.68	.68	
	PDI-832-3	≤ 0.0 > 0.1 in. wc				.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤ 0.0 > 0.1 in. wc				.13	.12	.12	.12	.12	.12	
		PDI-807-2	≤ 0.0 > 0.1 in. wc				.51	.50	.50	.50	.50	.50	
		PDI-807-3	≤ 0.0 > 0.1 in. wc				.51	.50	.50	.50	.50	.50	
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤ 0.0 > 0.1 in. wc				OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤ 0.0 > 0.1 in. wc				OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-3	≤ 0.0 > 0.1 in. wc				OFF	OFF	OFF	OFF	OFF	OFF	

Surveillance Rounds

TASS-STP-004-FM3, R19.1

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 2.0 & > 0' in. wc					2/1/18 ML	2/2/18 ML	2-3-18 PT	2-4-18 Sun.
		PDI-829-2	≤ 2.0 & > 0' in. wc								
		PDI-829-3	≤ 2.0 & > 0' in. wc								
	100 area re-circulation filter plenum (IIVP-803) ΔP	PDI-833-1	≤ 2.0 & > 0' in. wc								
		PDI-833-2	≤ 2.0 & > 0' in. wc								
PDI-833-3		≤ 2.0 & > 0' in. wc									
4.1.1.7 ³	100 area re-circulation filter plenum (IIVP-804) ΔP	PDI-835-1	≤ 2.0 & > 0' in. wc								
		PDI-835-2	≤ 2.0 & > 0' in. wc								
		PDI-835-3	≤ 2.0 & > 0' in. wc								
	100 area glovebox exhaust filter plenum (FF852) ΔP	PDI-815-1	≤ 2.0 & > 0' in. wc								
		PDI-815-2	≤ 2.0 & > 0' in. wc								
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-815-4	≤ 2.0 & > 0' in. wc								
		PDI-815-5	≤ 2.0 & > 0' in. wc								
		PDI-816-1	≤ 2.0 & > 0' in. wc								
		PDI-816-2	≤ 2.0 & > 0' in. wc								
		PDI-816-4	≤ 2.0 & > 0' in. wc								
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-816-5	≤ 2.0 & > 0' in. wc								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)								
					Date:	Weekday:	Mon.	Tue.	Wed.	Thur.	Fri.	Sat.	Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0 ¹ in. wc						2/1/18	2/2/18	2-3-18	2-4-18	
		PDI-812-2	≤2.0 & > 0 ¹ in. wc										
		PDI-812-3	≤2.0 & > 0 ¹ in. wc										
		PDI-812-4	≤2.0 & > 0 ¹ in. wc										
		PDI-812-5	≤2.0 & > 0 ¹ in. wc										
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0 ¹ in. wc										
		PDI-813-2	≤2.0 & > 0 ¹ in. wc										
		PDI-813-3	≤2.0 & > 0 ¹ in. wc										
		PDI-813-4	≤2.0 & > 0 ¹ in. wc										
		PDI-813-5	≤2.0 & > 0 ¹ in. wc										
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0 ¹ in. wc										
		PDI-865-2	≤2.0 & > 0 ¹ in. wc										
		PDI-865-3	≤2.0 & > 0 ¹ in. wc										
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0 ¹ in. wc										
		PDI-863-2	≤2.0 & > 0 ¹ in. wc										

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc					2/1/18	2/2/18	2-3-18	2-4-18
		PDI-857-2	≤ 2.0 > 0 ¹ in. wc								
	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 > 0 ¹ in. wc								
		PDI-856-2	≤ 2.0 > 0 ¹ in. wc								
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)								
4.3.2.2 ²	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	2/1/18				2/1/18	2/2/18	2-3-18	2-4-18
				Thu.				Fri.	Sat.	Sun.	
4.3.2.2 ¹	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less					SAT	SAT	SAT	SAT
				Completion time				SAT	SAT	SAT	SAT
				OC Operator Review and Page Count Complete (initials)				0615	0720	0740	0748

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit; room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Paul Trujillo Date 2-4-18 Time 0748 Reviewed by: [Signature] Date: 2/5/18 Time: 1500
 On-duty Supervisor
 Comments: 2/1/18 combustibles stored in none combustible area near N-5. Pulled jack with rubber clamp, repair strap - Medical Ops.
2/1/18 4.1.3.4 PDI readings not record. Notified Ops and System Engineer. Looking into possible problem.

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data						
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375
	Calibration Expiration Date:	12-5-18	Calibration Expiration Date:	8-31-18	Calibration Expiration Date:	7-19-18
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763
	Calibration Expiration Date:	6-5-18	Calibration Expiration Date:	8-31-18	Calibration Expiration Date:	7-19-18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature															
SR	Description	Acceptance Criteria	Date:							Initials:					
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.						
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.													
4.3.1.1 ¹	RECORD fire water storage tank V-701 temperature	≥ 42.1 F													
4.3.1.1 ¹	RECORD fire water storage tank V-704 temperature	≥ 42.1 F													
4.3.1.3 ¹	RECORD PF-10 room temperature	≥ 50.1 F													
4.3.1.3 ¹	RECORD PF-11 room temperature	≥ 50.1 F													
			Completion Time:												
			OC Operator Review and Page Count Complete (initials)												
			SAT/UNSAT SAT/UNSAT SAT/UNSAT SAT/UNSAT SAT/UNSAT SAT/UNSAT SAT/UNSAT 54.7 54.4 54.6 54.5 58.9 57.8 57.5 56.8 63.1 62.3 63.1 63.5 69.1 59.1 71.4 73.5 0924 0739 0950 0945 [Signature] [Signature] [Signature] [Signature]												

¹ Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date: 2/4/18 Time: 0745
 Reviewed by: [Signature] Date: 2/5/18 Time: 1500
 Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤ 1.0 in. wc'	1.99	1.99	1.99	1.99	2.01	1.99	2.00	2.00
	100 area glovebox exhaust header ΔP	≤ 1.0 in. wc'	1.94	1.94	1.94	1.95	2.04	1.95	1.94	1.94
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area glovebox exhaust header ΔP	≤ 1.0 in. wc'	1.98	1.99	1.99	1.98	1.98	1.98	1.98	1.98
	400 area laboratory exhaust header ΔP	≤ 1.0 in. wc'	1.97	1.97	1.95	1.98	1.97	1.97	1.97	1.97
4.1.1.2 4.1.1.5 4.1.2.2 ¹	200 area laboratory header ΔP	≤ 0.05 in. wc'	0.21	0.18	0.19	0.19	0.22	0.19	0.19	0.19
	100 area laboratory header ΔP	≤ 0.05 in. wc'	0.23	0.23	0.24	0.24	0.23	0.23	0.23	0.24
4.1.1.2 4.1.1.5 4.1.2.2 ¹	300 area laboratory header ΔP	≤ 0.05 in. wc'	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
	400 area laboratory header ΔP	≤ 0.05 in. wc'	0.19	0.19	0.20	0.19	0.19	0.19	0.19	0.20
4.1.1.3 4.1.2.3 ²	North basement ΔP	< 0.00 in. wc	0.06	0.06	0.10	0.10	0.10	0.10	0.10	0.10
	South basement ΔP	< 0.00 in. wc	0.07	0.07	0.10	0.10	0.10	0.10	0.10	0.10
4.1.1.3 4.1.2.3 ²	IRT Tunnel ΔP	< 0.00 in. wc	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
			0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS													
				Sat / Unsat (circle one)													
4.1.1.6	200 area re-circulation fan/plenum	FR-801 loon red and PDT-831 AP >.050 or FR-802 loon red and PDT-832 AP >.050	At least one fan/plenum is in service	2/5/18	2/6/18	2/7/18	2/8/18	2/9/18	2/10/18	2/11/18	2/12/18	2/13/18	2/14/18	2/15/18	2/16/18		
	100 area re-circulation fan/plenum	FR-803 loon red and PDT-833 AP >.050 or FR-804 loon red and PDT-835 AP >.050	At least one fan/plenum is in service														
	300 area re-circulation fan/plenum	FR-805 loon red and PDT-836 AP >.050 or FR-806 loon red and PDT-837 AP >.050	At least one fan/plenum is in service														
	400 area re-circulation fan/plenum	FR-807 loon red and PDT-838 AP >.050 or FR-808 loon red and PDT-839 AP >.050	At least one fan/plenum is in service														
	Vault re-circulation fan/plenum	FR-811 loon red and PDT-840 AP >.050 or FR-812 loon red and PDT-841 AP >.050	At least one fan/plenum is in service														
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

Note		Date: <u>2/2/18</u> <u>2/6/18</u> <u>2/7/18</u> <u>2/8/18</u> <u>2/9/18</u> <u>2/10/18</u> <u>2/11/18</u>															
Gauge readings should be taken on rack #4 in the OC when possible. local PDI equivalents may be used if necessary. Document any alternate PDIs used.		Weekday:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
SRs	Description	Area	Gauge	Acceptance Criteria	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2 PDI-803-2 PDI-804-2	PDI-814-2 < PDI-803-2 < PDI-804-2	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	
		100 Area	PDI-820-2 PDI-802-2 PDI-804-2	PDI-820-2 < PDI-802-2 < PDI-804-2	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	
		300 Area	PDI-870-2 PDI-853-2 PDI-854-2	PDI-870-2 < PDI-853-2 < PDI-854-2	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	
		400 Area	PDI-864-2 PDI-852-2 PDI-854-2	PDI-864-2 < PDI-852-2 < PDI-854-2	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	<u>PM</u>	
		Completion Time			<u>0722</u>	<u>1926</u>	<u>0720</u>	<u>1933</u>	<u>0711</u>	<u>0725</u>	<u>1930</u>	<u>0730</u>	<u>1939</u>	<u>0730</u>	<u>1936</u>	<u>1930</u>	

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 2/1/18 Time: 1930 Reviewed by: [Signature] Date: 2/2/18 Time: 0700
 On-duty Supervisor

Comments: 02-06-18 PM 3:00 - 4:00 RECEIVES - MADE 2 SOUTH SIDE HARDWARES FOR FR 105. FR 105, FR 501, FR 507, FR 508 MAINTENANCE.
POP 507 COMPLETED ON RECEIPT. 02/01/18

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:
 The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	2/5/18	2/6/18	2/7/18	2-8-18	2-9-18	2/10/18	2/11/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	JA	JA	AM	PT	AS	DH	DH
SURVEILLANCE RESULTS (percentage)									
4.4.1.1	Flammable Gas Channel Check	Acceptance Criteria							
	DET-305-3 (LCD Reading)	NA	005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		≥ -0.1 ; $\leq +0.1$	005	005	005	005	005	005	005
		Completion Time:	0730	0750	0800	0840	0730	0725	0700

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 & > 0' in. wc	2/5/18	2/6/18	2/7/18	2/8/18	2/9/18	2/10/18	2/11/18	
		PDI-894-2	≤2.0 & > 0' in. wc								
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 & > 0' in. wc								
		PDI-895-2	≤2.0 & > 0' in. wc								
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & > 0' in. wc								
		PDI-817-2	≤2.0 & > 0' in. wc								
		PDI-817-4	≤2.0 & > 0' in. wc								
		PDI-817-5	≤2.0 & > 0' in. wc								
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-1	≤2.0 & > 0' in. wc								
		PDI-819-3	≤2.0 & > 0' in. wc								
		PDI-819-4	≤2.0 & > 0' in. wc								
		PDI-818-1	≤2.0 & > 0' in. wc								
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-818-2	≤2.0 & > 0' in. wc								
		PDI-818-4	≤2.0 & > 0' in. wc								
		PDI-818-5	≤2.0 & > 0' in. wc								
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤2.0 & > 0' in. wc								
		PDI-821-3	≤2.0 & > 0' in. wc								
		PDI-821-4	≤2.0 & > 0' in. wc								
		PDI-821-4	≤2.0 & > 0' in. wc								

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							Sun.	
				Date:	2/5/18	2/6/18	2/7/18	2/8-18	2-9-18	2/10/18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.		
			Initials:	AN	AN	AN	AN	AT	AS	AM	AM	2/11/18
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤2.0 & > 0 ¹ in. wc	.13	.13	.13	.13	.14	.13	.13	.13	
		PDI-822-2	≤2.0 & > 0 ¹ in. wc	.58	.58	.58	.58	.59	.59	.59	.59	
		PDI-822-4	≤2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	.50	.50	
		PDI-822-5	≤2.0 & > 0 ¹ in. wc	.52	.52	.52	.52	.52	.52	.52	.52	
		PDI-823-1	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-823-4	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-823-5	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-830-1	≤2.0 & > 0 ¹ in. wc	.74	.74	.74	.75	.75	.75	.75	.75	
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-2	≤2.0 & > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31	.31	
		PDI-830-3	≤2.0 & > 0 ¹ in. wc	.27	.27	.27	.27	.28	.28	.28	.28	
		PDI-836-1	≤2.0 & > 0 ¹ in. wc	.06	.06	.06	.06	.06	.06	.06	.06	
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-2	≤2.0 & > 0 ¹ in. wc	.66	.66	.66	.66	.66	.66	.66	.66	
		PDI-836-3	≤2.0 & > 0 ¹ in. wc	.63	.63	.63	.63	.64	.64	.63	.63	
	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-1	≤2.0 & > 0 ¹ in. wc	.04	.04	.04	.04	.04	.04	.04	.04	
		PDI-837-2	≤2.0 & > 0 ¹ in. wc	.49	.49	.49	.49	.49	.49	.49	.49	
		PDI-837-3	≤2.0 & > 0 ¹ in. wc	.47	.47	.47	.47	.47	.47	.47	.47	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)							
			Date: Weekday: Initials:	2/5/18 Mon. AM	2/6/18 Tue. AM	2/7/18 Wed. AM	2/8/18 Thu. PT	2-9-18 Fri. AS	2/10/18 Sat. AM	2/11/18 Sun. AM
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1		.53	.53	.53	.54	.53	.53	.53
		PDI-838-2		.58	.58	.58	.59	.59	.59	.59
		PDI-838-3		.59	.59	.59	.59	.60	.60	.59
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1		.41	.43	.43	.43	.42	.42	.42
		PDI-839-2		.56	.56	.57	.58	.57	.56	.56
		PDI-839-3		.55	.55	.56	.56	.56	.56	.55
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1		.16	.16	.17	.17	.17	.17	.16
		PDI-810-2		.51	.51	.51	.51	.54	.51	.51
		PDI-810-3		.52	.52	.53	.52	.55	.52	.52
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1		OFF	OFF	OFF	OFF	OFF	OFF	OFF
		PDI-811-2		OFF	OFF	OFF	OFF	OFF	OFF	OFF
		PDI-811-3		OFF	OFF	OFF	OFF	OFF	OFF	OFF
OC Operator Review and Page Count Complete (initials)			0827	0820	0825	0826	0830	0831	0831	0756

1 Non TSR requirement
 2 SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: AMM Date 2/5/18 Time 0756 Reviewed by: [Signature] On-duty Supervisor
 Comments 44.1 out of service. Needs to be calibrated Date: 2/12/18 Time: 0945

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.1 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤ 0 > 0' in. wc	2/5/18	2/6/18	2/7/18	2/8/18	2/9/18	2/10/18	2/11/18		
		PDI-840-2	≤ 2.0 > 0 in ¹ wc									
		PDI-840-3	≤ 2.0 > 0' in. wc									
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤ 2.0 > 0' in. wc									
		PDI-841-2	≤ 2.0 > 0' in. wc									
		PDI-841-3	≤ 2.0 > 0' in. wc									
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤ 2.0 > 0' in. wc									
		PDI-831-2	≤ 2.0 > 0' in. wc									
		PDI-831-3	≤ 2.0 > 0' in. wc									
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤ 2.0 > 0' in. wc										
	PDI-832-2	≤ 2.0 > 0' in. wc										
	PDI-832-3	≤ 2.0 > 0' in. wc										
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤ 2.0 > 0' in. wc									
		PDI-807-2	≤ 2.0 > 0' in. wc									
		PDI-807-3	≤ 2.0 > 0' in. wc									
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤ 2.0 > 0' in. wc									
		PDI-809-2	≤ 2.0 > 0' in. wc									
		PDI-809-3	≤ 2.0 > 0' in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	Date:	SURVEILLANCE RESULTS (in. wc)						
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 2.0 & > 0' in. wc	2/5/18	2/6/18	2/7/18	2/8/18	2/9/18	2/10/18	2/11/18	
		PDI-829-2	≤ 2.0 & > 0' in. wc	.13	.09	.21	.09	.09	.09	.09	.09
		PDI-829-3	≤ 2.0 & > 0' in. wc	.26	.20	.20	.21	.21	.21	.21	.21
		PDI-833-1	≤ 2.0 & > 0' in. wc	.19	.17	.18	.20	.19	.18	.18	.19
		PDI-833-2	≤ 2.0 & > 0' in. wc	.07	.07	.07	.07	.08	.07	.07	.07
4.1.1.7 ²	100 area re-circulation filter plenum (IIVP-803) AP	PDI-833-3	≤ 2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	
		PDI-835-1	≤ 2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	
		PDI-835-2	≤ 2.0 & > 0' in. wc	.05	.05	.05	.05	.05	.05	.05	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-835-3	≤ 2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	
		PDI-815-1	≤ 2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	
		PDI-815-2	≤ 2.0 & > 0' in. wc	.25	.25	.25	.25	.25	.25	.25	
		PDI-815-4	≤ 2.0 & > 0' in. wc	.57	.57	.57	.57	.57	.57	.57	
		PDI-815-5	≤ 2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-1	≤ 2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	
		PDI-816-2	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-816-4	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-816-5	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (In. wc)									
					Date:	2/5/18	2/6/18	2/7/18	2/8/18	2/9/18	2/10/18	2/11/18		
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤ 0.0 & > 0.1 in. wc	Am										
		PDI-812-2	≤ 0.0 & > 0.1 in. wc		.14	.14	.15	.15	.15	.15	.15	.15	.15	.15
		PDI-812-3	≤ 0.0 & > 0.1 in. wc		.33	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-812-4	≤ 0.0 & > 0.1 in. wc		.33	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-812-5	≤ 0.0 & > 0.1 in. wc		.31	.31	.31	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤ 0.0 & > 0.1 in. wc		.39	.39	.39	.39	.39	.40	.39	.39	.39	
		PDI-813-2	≤ 0.0 & > 0.1 in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-3	≤ 0.0 & > 0.1 in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-4	≤ 0.0 & > 0.1 in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-5	≤ 0.0 & > 0.1 in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤ 0.0 & > 0.1 in. wc		.02	.02	.02	.02	.02	.02	.02	.02	.02	
		PDI-865-2	≤ 0.0 & > 0.1 in. wc		.36	.36	.36	.36	.36	.36	.36	.36	.36	
		PDI-865-3	≤ 0.0 & > 0.1 in. wc		.35	.35	.35	.35	.35	.35	.35	.35	.35	
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤ 0.0 & > 0.1 in. wc		.04	.04	.04	.04	.04	.04	.04	.04		
		PDI-863-2	≤ 0.0 & > 0.1 in. wc		.28	.28	.28	.28	.29	.29	.29	.29		

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	2/5/18	2/6/18	2/7/18	2/8-18	2/9/18	2/10/18	2/11/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:	JM	JM	JM	PT	SP	DM	DM	DM
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0' in. wc	.12	.12	.12	.12	.12	.12	.12	.12	.12
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-857-2	≤ 2.0 > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.42	.41
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-1	≤ 2.0 > 0' in. wc	.05	.06	.06	.06	.06	.06	.06	.06	.06
4.3.2.2 ²	Room 201	PDI-856-2	≤ 2.0 > 0' in. wc	.54	.54	.53	.53	.53	.53	.53	.53	.53
4.3.2.2 ²	Room 204		0 lb/r ² combustibles in designated exclusion area (within 15 feet of fans) 0 lb/r ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS							
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.3.2.2 ¹	Room 206		0 lb/r ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	AM	AM	AM	PT	BF	OK			
4.3.2.2 ²	Room 207		0 lb/r ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
			Completion time	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
			OC Operator Review and Page Count Complete (initials)	0805	0800	0815	0843	0810	0803	0820	0820	0820

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.
 Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date 2/11/18 Time 0820 Reviewed by: [Signature] Date: 2/11/18 Time: 0945
 Comments: Ladder erected 00 FF 829 (FF 829) Paul Tazjillo
 On-duty Supervisor

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET] (Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data						
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375
	Calibration Expiration Date:	6-5-18	Calibration Expiration Date:	8-31-18	Calibration Expiration Date:	7-19-18
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763
	Calibration Expiration Date:	6-5-18	Calibration Expiration Date:	9-31-18	Calibration Expiration Date:	7-19-18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature																							
SR	Description	Acceptance Criteria	Daily (September through April only)							OC Operator Review and Page Count Complete (initials)													
			Date:	Weekday:	Initials:	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT									
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	2-5-18	Mon.	AS	2-6-18	Tue.	AS	2-7-18	Wed.	PT	2-8-18	Thu.	Th	2-9-18	Fri.	Th	2-10-18	Sat.	W	2-11-18	Sun.	W
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	54.6			54.3			51.0			54.2			54.4			51.5			59.1		
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	55.7			55.6			56.2			57.7			58.9			58.7			57.2		
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	67.8			62.1			62.0			62.5			63.1			63.6			61.9		
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	70.3			65.4			61.4			61.7			65.1			64.4			65.8		
		Completion Time:	0940			0930			0830			0831			0855			0800			0812		
		OC Operator Review and Page Count Complete (initials)	JS			JS			JS			JS			JS			JS			JS		

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: C. Cochran Date: 7/11/18 Time: 0519
 Reviewed by: [Signature] Date: 2/12/18 Time: 0945
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)															
			Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	-1.99	-1.98	-2.00	-1.99	-1.99	-1.99	-1.99	-1.99	-2.00	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	-1.95	-1.94	-1.95	-1.94	-1.94	-1.95	-1.94	-1.95	-1.94	-1.95	-1.94	-1.95	-1.94	-1.95	-1.94	-1.95
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	-1.97	-1.96	-1.96	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤-0.05 in. wc ¹	-1.19	-1.19	-1.20	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19
	100 area laboratory header ΔP	≤-0.05 in. wc ¹	-2.24	-2.24	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23	-2.23
	300 area laboratory header ΔP	≤-0.05 in. wc ¹	-2.20	-2.20	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19	-2.19
	400 area laboratory header ΔP	≤-0.05 in. wc ¹	-2.20	-2.20	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18	-2.18
4.1.1.3 4.1.2.3 ²	IFT Facility ΔP	≤-0.05 in. wc	-1.15	-1.10	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15
	North basement ΔP	< 0.00 in. wc	-1.10	-1.10	-1.09	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10
	South basement ΔP	< 0.00 in. wc	-1.10	-1.10	-1.09	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10
	IRT Tunnel ΔP	< 0.00 in. wc	-1.21	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12	-1.12

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS													
				Sat / Unsat (circle one)													
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service	Date: 2-17-18	2-18-18	2-19-18	2-20-18	2-21-18	2-22-18	2-23-18	2-24-18	2-25-18	2-26-18	2-27-18	2-28-18		
				Weekday: Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
				Shift: AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM	AM PM
				Initials:													
					U	A	AD	U	AD	U	AD	U	AD	U	AD	U	AD
4.1.1.6	300 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
				(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
				(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)
4.1.1.6	400 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
				(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
				(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)
4.1.1.6	Vault re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050 or FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
				(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
				(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)	(Sat)

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS									
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	2-17-18	2-17-18	2-17-18	2-17-18	2-17-18	2-17-18	2-17-18	2-17-18		
			PDI-803-2	PDI-803-2 < PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
			PDI-802-2	PDI-802-2 < PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
PDI-853-2	PDI-853-2 < PDI-854-2		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
	PDI-852-2	PDI-852-2 < PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
Completion Time					19:30	19:30	19:30	19:30	19:30	19:30	19:30	19:30		

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: U Date: 2/18/18 Time: 19:25 Reviewed by: [Signature] Date: 2/20/18 Time: 07:00

Comments: * 300 AREA LAB RACK 4 REAP/NOCCS - READING TAKEN AT LOCAL PDI + FCS

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is: The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	2/12/18	2/13/18	2/14/18	2/15/18	2/16/18	2/17/18	2/18/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	AK	AK	AK	AK	AK	AK	AK
		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)						
SR 4.4.1.1	Description / Gauge								
	Flammable Gas Channel Check								
	DET-305-3 (LCD Reading)	NA	005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		≥ -0.1 ; $\leq +0.1$	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005
		Completion Time:	0810	0909	0840	0802	0700	0703	0705

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)(UET)

(Page 2 of 4) ^{1/15/18}

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)														
				Date:	2/12/18	2/13/18	2/14/18	2/15/18	2/16/18	2/17/18	2/18/18							
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
4.1.3.4 ¹	South basement supply filter plenum (HVP-841) ΔP	'PDI-894-1	≤2.0 & > 0' in. wc	.04	.03	.03	.03	.03	.03	.03	.03	.03	.03	.03	.03	.03	.03	
		PDI-894-2	≤2.0 & > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	'PDI-895-1	≤2.0 & > 0' in. wc	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05
		PDI-895-2	≤2.0 & > 0' in. wc	.64	.64	.64	.64	.64	.64	.64	.64	.64	.64	.64	.64	.64	.64	.64
4.1.3.4 ³	300 area glovebox exhaust filter plenum (FF854) ΔP	'PDI-817-1	≤2.0 & > 0' in. wc	.29	.28	.29	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28
		PDI-817-2	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-817-4	≤2.0 & > 0' in. wc	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32
		PDI-817-5	≤2.0 & > 0' in. wc	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-81 9-1	≤2.0 & > 0' in. wc	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45
4.1.3.4 ⁴	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-81 9-3	≤2.0 & > 0' in. wc	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45
		PDI-819-4	≤2.0 & > 0' in. wc	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38
		'PDI-818-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-818-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ⁵	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-818-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-818-5	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-821-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ⁶	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-821-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)									
			Dates:		2/12/18	2/13/18	2/14/18	2/15/18	2/16/18	2/17/18	2/18/18	
			Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
			Initials:	AP	AP	AP	AP	AP	AP	AP	AP	AP
			Acceptance Criteria									
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤2.0 & > 0 ¹ in. wc	.13	STBY	STBY	STBY	.13	.13	.13	.13	.13
		PDI-822-2	≤2.0 & > 0 ¹ in. wc	.59	STBY	STBY	STBY	.58	.58	.58	.58	.58
		PDI-822-4	≤2.0 & > 0 ¹ in. wc	.50	STBY	STBY	STBY	.50	.50	.50	.50	.50
		PDI-822-5	≤2.0 & > 0 ¹ in. wc	.52	STBY	STBY	STBY	.52	.52	.52	.52	.52
		PDI-823-1	≤2.0 & > 0 ¹ in. wc	STBY	.17	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & > 0 ¹ in. wc	STBY	.57	STBY	STBY	.57	.57	.57	.57	.57
		PDI-823-4	≤2.0 & > 0 ¹ in. wc	STBY	.57	STBY	STBY	.51	.51	.51	.51	.51
		PDI-823-5	≤2.0 & > 0 ¹ in. wc	STBY	.58	STBY	STBY	.54	.54	.54	.54	.54
		PDI-830-1	≤2.0 & > 0 ¹ in. wc	.75	.75	.75	.75	.75	.75	.75	.75	.75
		PDI-830-2	≤2.0 & > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ¹	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-3	≤2.0 & > 0 ¹ in. wc	.28	.27	.27	.27	.27	.27	.27	.27	.27
		PDI-836-1	≤2.0 & > 0 ¹ in. wc	.06	.06	.06	.06	.06	.06	.06	.06	.06
		PDI-836-2	≤2.0 & > 0 ¹ in. wc	.66	.66	.66	.67	.67	.67	.67	.67	.67
		PDI-836-3	≤2.0 & > 0 ¹ in. wc	.63	.64	.64	.63	.64	.63	.63	.63	.63
		PDI-837-1	≤2.0 & > 0 ¹ in. wc	.04	.04	.04	.04	.04	.04	.04	.04	.04
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-837-2	≤2.0 & > 0 ¹ in. wc	.49	.49	.49	.49	.49	.49	.49	.49	.49
		PDI-837-3	≤2.0 & > 0 ¹ in. wc	.47	.47	.47	.47	.47	.47	.47	.47	.47

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date: Weekday: Initials:	2/12/18 Mon.	2/13/18 Tue.	2/14/18 Wed.	2/15/18 Thu.	2/16/18 Fri.	2/17/18 Sat.	2/18/18 Sun.
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	PDI-838-1	≤ 0 > 0 ¹ in. wc	Am	.53	.53	.53	.53	.53	.53	.53
		PDI-838-2	≤ 0 > 0 ¹ in. wc		.57	.57	.57	.57	.57	.57	.57
		PDI-838-3	≤ 0 > 0 ¹ in. wc		.59	.59	.59	.59	.59	.59	.59
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	PDI-839-1	≤ 0 > 0 ¹ in. wc		.42	.42	.42	.42	.42	.42	.42
		PDI-839-2	≤ 0 > 0 ¹ in. wc		.57	.57	.57	.57	.57	.57	.57
		PDI-839-3	≤ 0 > 0 ¹ in. wc		.56	.56	.56	.56	.56	.56	.56
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	PDI-810-1	≤ 0 > 0 ¹ in. wc		.16	.16	.16	.16	.16	.16	.16
		PDI-810-2	≤ 0 > 0 ¹ in. wc		.51	.51	.51	.51	.51	.51	.51
		PDI-810-3	≤ 0 > 0 ¹ in. wc		.52	.52	.52	.52	.52	.52	.52
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	PDI-811-1	≤ 0 > 0 ¹ in. wc		off	off	off	off	off	off	off
		PDI-811-2	≤ 0 > 0 ¹ in. wc		off	off	off	off	off	off	off
		PDI-811-3	≤ 0 > 0 ¹ in. wc		off	off	off	off	off	off	off
OC Operator Review and Page Count Complete (initials)					0840	0841	0920	0830	0715	0744	0730

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Scowell, Date: 2/12/18 Time: 0730 Reviewed by: [Signature] On-duty Supervisor

Comments: 2/12/18 441.1 out of service. Needs to be calibrated

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0 ¹ in. wc	2/12/18	2/12/18	2/14/18	2/15/18	2/16/18	2/17/18	2-18-18	
		PDI-840-2	≤2.0 & > 0 in. wc	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-840-3	≤2.0 & > 0 ¹ in. wc	Initials:							
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0 ¹ in. wc	.45	.46	.41	.46	.46	.46	.46	.46
		PDI-841-2	≤2.0 & > 0 ¹ in. wc	.56	.56	.56	.56	.56	.56	.56	.56
		PDI-841-3	≤2.0 & > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0 ¹ in. wc	.32	.32	.32	.32	.32	.32	.32	.32
		PDI-831-2	≤2.0 & > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-831-3	≤2.0 & > 0 ¹ in. wc	.40	.40	.40	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0 ¹ in. wc	.41	.41	.41	.41	.41	.41	.41	.41	
	PDI-832-2	≤2.0 & > 0 ¹ in. wc	.68	.68	.68	.68	.68	.68	.68	.68	
	PDI-832-3	≤2.0 & > 0 ¹ in. wc	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0 ¹ in. wc	.12	.12	.12	.12	.12	.12	.12	
		PDI-807-2	≤2.0 & > 0 ¹ in. wc	.51	.51	.50	.50	.51	.51	.51	
		PDI-807-3	≤2.0 & > 0 ¹ in. wc	.51	.51	.50	.51	.51	.51	.51	
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0 ¹ in. wc	off	off	off	off	off	off	off	
		PDI-809-2	≤2.0 & > 0 ¹ in. wc	off	off	off	off	off	off	off	
		PDI-809-3	≤2.0 & > 0 ¹ in. wc	off	off	off	off	off	off	off	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	2/12/18	2/13/18	2/14/18	2/15/18	2/16/18	2/17/18	2/18/18
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤2.0 & > 0 ¹ in. wc	ipr	.09	.07	.07	.07	.07	.11	.11	.11
		PDI-829-2	≤2.0 & > 0 ¹ in. wc		.21	.20	.20	.21	.27	.26	.25	.25
		PDI-829-3	≤2.0 & > 0 ¹ in. wc		.19	.18	.18	.18	.21	.21	.21	.20
		PDI-833-1	≤2.0 & > 0 ¹ in. wc		.07	.07	.07	.07	.07	.07	.07	.07
		PDI-833-2	≤2.0 & > 0 ¹ in. wc		.50	.50	.50	.50	.50	.50	.50	.50
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-3	≤2.0 & > 0 ¹ in. wc		.51	.51	.51	.51	.51	.51	.51	.51
		PDI-835-1	≤2.0 & > 0 ¹ in. wc		.05	.05	.05	.05	.05	.05	.05	.05
		PDI-835-2	≤2.0 & > 0 ¹ in. wc		.50	.50	.50	.50	.50	.50	.50	.50
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-835-3	≤2.0 & > 0 ¹ in. wc		.51	.51	.51	.51	.50	.50	.50	.50
		PDI-815-1	≤2.0 & > 0 ¹ in. wc		.25	.25	.25	.24	.24	.24	.24	.24
		PDI-815-2	≤2.0 & > 0 ¹ in. wc		.58	.58	.58	.57	.57	.57	.57	.57
		PDI-815-4	≤2.0 & > 0 ¹ in. wc		.50	.50	.50	.50	.50	.50	.50	.50
		PDI-815-5	≤2.0 & > 0 ¹ in. wc		.50	.50	.50	.50	.50	.50	.50	.50
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-1	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-2	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-4	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-5	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-5	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (In. wc)							
					Date:	2/12/18	2/13/18	2/14/18	2/15/18	2/16/18	2/17/18	2/18/18
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0 ¹ in. wc	JK	.14	.14	.14	.14	.14	.14	.14	.14
		PDI-812-2	≤2.0 & > 0 ¹ in. wc		.33	.33	.33	.33	.33	.33	.33	.33
		PDI-812-3	≤2.0 & > 0 ¹ in. wc		.32	.33	.33	.33	.33	.33	.33	.33
		PDI-812-4	≤2.0 & > 0 ¹ in. wc		.31	.32	.32	.32	.32	.32	.32	.32
		PDI-812-5	≤2.0 & > 0 ¹ in. wc		.38	.38	.38	.38	.38	.38	.38	.38
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-2	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-3	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-4	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-5	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0 ¹ in. wc		.02	.02	.02	.02	.02	.02	.02	.02
		PDI-865-2	≤2.0 & > 0 ¹ in. wc		.37	.37	.36	.36	.36	.35	.35	.35
		PDI-865-3	≤2.0 & > 0 ¹ in. wc		.35	.35	.35	.33	.33	.35	.35	
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0 ¹ in. wc		.04	.04	.04	.04	.04	.04	.04	.04
		PDI-863-2	≤2.0 & > 0 ¹ in. wc		.28	.28	.28	.28	.28	.28	.28	.27

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc	2/12/18	2/13/18	2/14/18	2/15/18	2/16/18	2/17/18	2/18/18	
			≤ 2.0 > 0 ¹ in. wc	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-856-1	≤ 2.0 > 0 ¹ in. wc	Apr	Apr	Apr	Apr	Apr	Apr	Apr	
			≤ 2.0 > 0 ¹ in. wc	.12	.12	.13	.13	.13	.13	.13	
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-857-2	≤ 2.0 > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42	
			≤ 2.0 > 0 ¹ in. wc	.06	.06	.06	.06	.06	.06	.06	
		PDI-856-2	≤ 2.0 > 0 ¹ in. wc	.55	.55	.55	.54	.55	.55	.55	
			0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
4.3.2.2 ²	Room 201	Room 201	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
			0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
		Room 204	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
			0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 039745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 640375
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18
	PF-11 Thermometer File No.: 039746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature											
SR	Description	Acceptance Criteria	Daily (September through April only)							Sat.	Sun.
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.		
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	2/12/18	2/13/18	2/14/18	2/15/18	2/16/18	2/17/18	2/18/18	2/19/18	2/20/18
			Initials:	AK	YL	AS	AS	PT	AK		YL
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT
			53.9	53.9	54.4	54.4	54.2	54.0	54.2	54.0	54.2
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT
			55.0	56.4	57.9	68.4	59.3	58.2	58.2	56.7	56.7
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT
			61.0	63.2	63.6	59.6	1.2.3	62.6	62.6	62.6	62.6
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	SAT/UNSAT
			60.1	64.0	61.5	57.3	64.3	59.7	62.6	62.6	62.6
		Completion Time:	1007	0925	0935	0951	0746	1035	1046	1046	1046
		OC Operator Review and Page Count Complete (initials)	JK	JK	JK	JK	JK	JK	JK	JK	JK

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date: 2/13/18 Time: 1046
 Reviewed by: [Signature] Date: 2/20/18 Time: 0705
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																					
			Date:		Weekday:		Shift:		Initials:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	1.98	1.95	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	1.94	1.94	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	1.97	1.96	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	1.97	1.99	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤-0.05 in. wc ¹	.21	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	
	100 area laboratory header ΔP	≤-0.05 in. wc ¹	.26	.25	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	.23	
	300 area laboratory header ΔP	≤-0.05 in. wc ¹	.18	.18	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	
	400 area laboratory header ΔP	≤-0.05 in. wc ¹	.20	.19	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	
4.1.1.3 4.1.2.3 ²	North basement ΔP	< 0.00 in. wc	.14	.14	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	
	South basement ΔP	< 0.00 in. wc	.10	.09	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	.10	
	IRT Tunnel ΔP	< 0.00 in. wc	.12	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS												
				Sat / Unsat (circle one)												
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM		
4.1.1.6	Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	FR-801 Icon red and PDT-831 ΔP > .050 or FR-802 Icon red and PDT-832 ΔP > .050	At least one fan/plenum is in service	02-19-18	02-20-18	2-21-18	2/22-18	2/23/18	02-24-18	2/25/18	Sat	Sat	Sat	Sat	Sat	Sat
				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
	200 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP > .050 or FR-804 Icon red and PDT-835 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP > .050 or FR-806 Icon red and PDT-837 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP > .050 or FR-808 Icon red and PDT-839 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP > .050 or FR-812 Icon red and PDT-841 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
					Date: 02-19-18		02-20-18		2/21/18		2/20/18		2/23/18		02-24-18		2/25/18	
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
			PDI-803-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
			PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
			PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
			PDI-802-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
	PDI-853-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
	PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
	PDI-852-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
	PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
Completion Time					0700	1985	0732	1971	0734	1906	0912	0118	0229	1925	0722	1917	0729	1920

¹ Mode 2 acceptance criteria is <0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 2/25/18 Time: 1920 Reviewed by: [Signature] Date: 3-1-18 Time: 0650
 On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	2-19-18	2-20-18	2-21-18	2-22-18	2-23-18	2-24-18	2-25-18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	PT	JA	JA	JA	JA	PT	PT
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)							
4.4.1.1	Flammable Gas Channel Check	NA							
	DET-305-3 (LCD Reading)		005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	Record Calculated Value		005	005	005	005	005	005	005
	≥ -0.1 ; $\leq +0.1$		Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005
	Completion Time:		0745	0740	0745	0815	0730	0725	0720

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	2-19-18	2-20-18	2-21-18	2-22-18	2-23-18	2-24-18	2-25-18
				Weekday:	Mon.	Tue	Wed.	Thu.	Fri	Sat.	Sun.
			Initials:	PT	AW	AW	AW	AW	AW	PT	PT
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 > 0' in. wc	.04	.04	.03	.04	.04	.04	.04	.04
		PDI-894-2	≤2.0 > 0' in. wc	.41	.41	.44	.43	.41	.43	.43	.44
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 > 0' in. wc	.04	.06	.05	.05	.05	.05	.04	.06
		PDI-895-2	≤2.0 > 0' in. wc	.65	.61	.59	.59	.59	.59	.60	.60
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 > 0' in. wc	.28	.28	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-2	≤2.0 > 0' in. wc	.30	.30	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-4	≤2.0 > 0' in. wc	.31	.31	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-5	≤2.0 > 0' in. wc	.30	.30	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-1	≤2.0 > 0' in. wc	.45	.45	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-3	≤2.0 > 0' in. wc	.42	.45	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-4	≤2.0 > 0' in. wc	.39	.39	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-818-1	≤2.0 > 0' in. wc	STBY	STBY	.24	.24	.24	.24	.24	.24
		PDI-818-2	≤2.0 > 0' in. wc	STBY	STBY	.30	.30	.30	.30	.30	.30
		PDI-818-4	≤2.0 > 0' in. wc	STBY	STBY	.30	.30	.30	.30	.30	.30
		PDI-818-5	≤2.0 > 0' in. wc	STBY	STBY	.31	.31	.31	.31	.31	.31
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤2.0 > 0' in. wc	STBY	STBY	.42	.42	.42	.42	.42	.42
		PDI-821-3	≤2.0 > 0' in. wc	STBY	STBY	.47	.47	.47	.47	.47	.47
		PDI-821-4	≤2.0 > 0' in. wc	STBY	STBY	.41	.41	.41	.41	.41	.41

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)														
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
				Weekday:	Initials:													
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤ 2.0 & > 0.1 in. wc	2/19/18	PT	2/20/18	JK	2/21/18	JK	2/22/18	JK	2/23/18	JK	2/24/18	PT	2/25/18	PT	
		PDI-822-2	≤ 2.0 & > 0.1 in. wc			.13												
		PDI-822-4	≤ 2.0 & > 0.1 in. wc			.58												
		PDI-822-5	≤ 2.0 & > 0.1 in. wc			.50												
		PDI-823-1	≤ 2.0 & > 0.1 in. wc			.52												
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤ 2.0 & > 0.1 in. wc															
		PDI-823-4	≤ 2.0 & > 0.1 in. wc															
		PDI-823-5	≤ 2.0 & > 0.1 in. wc															
		PDI-830-1	≤ 2.0 & > 0.1 in. wc															
		PDI-830-2	≤ 2.0 & > 0.1 in. wc															
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-3	≤ 2.0 & > 0.1 in. wc															
		PDI-836-1	≤ 2.0 & > 0.1 in. wc															
		PDI-836-2	≤ 2.0 & > 0.1 in. wc															
		PDI-836-3	≤ 2.0 & > 0.1 in. wc															
		PDI-837-1	≤ 2.0 & > 0.1 in. wc															
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-837-2	≤ 2.0 & > 0.1 in. wc															
		PDI-837-3	≤ 2.0 & > 0.1 in. wc															

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Date: 2-19-18	2/20/18	2/21/18	2/22/18	2/23/18	2-24-18	2-25-18	
				Weekday:							
				Initials:	PT	GM	GM	GM	PT	PT	
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 & > 0' in. wc	.53	.57	.57	.57	.57	.57	.57	
		PDI-838-2	≤2.0 & > 0' in. wc	.59	.60	.60	.60	.60	.60	.60	
		PDI-838-3	≤2.0 & > 0' in. wc	.59	.61	.61	.61	.61	.61	.61	
	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 & > 0' in. wc	.42	.41	.41	.41	.41	.41	.41	.41
		PDI-839-2	≤2.0 & > 0' in. wc	.55	.34	.35	.35	.35	.33	.33	.33
		PDI-839-3	≤2.0 & > 0' in. wc	.55	.33	.34	.33	.33	.33	.33	.33
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0' in. wc	.15	.15	.17	.16	.15	.15	.15	
		PDI-810-2	≤2.0 & > 0' in. wc	.50	.51	.55	.51	.51	.51	.51	
		PDI-810-3	≤2.0 & > 0' in. wc	.51	.51	.56	.51	.51	.51	.51	
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-811-2	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-811-3	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
OC Operator Review and Page Count Complete (initials)				0747	0830	0832	0845	0855	0723	0717	

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Paul Tequila Date: 2-25-18 Time: 0717 Reviewed by: [Signature] Date: 3-1-18 Time: 0630

On-duty Supervisor

Comments: 4.4.1.1 Flammable gas channel needs to be calibrated.

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SIRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)														
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
				Weekday:	Initials:													
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤ 0 > 0' in. wc	2-19-18	PT	2-20-18	PT	2-21-18	PT	2-22-18	PT	2-23-18	PT	2-24-18	PT	2-25-18	PT	
		PDI-840-2	≤ 0 > 0 in' wc															
		PDI-840-3	≤ 0 > 0' in. wc															
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤ 0 > 0' in. wc															
		PDI-841-2	≤ 0 > 0' in. wc															
		PDI-841-3	≤ 0 > 0' in. wc															
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤ 0 > 0' in. wc															
		PDI-831-2	≤ 0 > 0' in. wc															
		PDI-831-3	≤ 0 > 0' in. wc															
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤ 0 > 0' in. wc																
	PDI-832-2	≤ 0 > 0' in. wc																
	PDI-832-3	≤ 0 > 0' in. wc																
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤ 0 > 0' in. wc															
		PDI-807-2	≤ 0 > 0' in. wc															
		PDI-807-3	≤ 0 > 0' in. wc															
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤ 0 > 0' in. wc															
		PDI-809-2	≤ 0 > 0' in. wc															
		PDI-809-3	≤ 0 > 0' in. wc															

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SIRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date: Weekday:	2-19-18 Mon.	2-20-18 Tue.	2-21-18 Wed.	2-22-18 Thu.	2-23-18 Fri.	2-24-18 Sat.	2-25-18 Sun.	
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) ΔP	PDI-829-1	≤2.0 & > 0' in. wc									
		PDI-829-2	≤2.0 & > 0' in. wc	.11	.10	.07	.07	.07	.07	.10	.08	
		PDI-829-3	≤2.0 & > 0' in. wc	.22	.21	.19	.19	.19	.19	.21	.20	
	100 area re-circulation filter plenum (HVP-803) ΔP	PDI-833-1	≤2.0 & > 0' in. wc	.20	.19	.16	.15	.16	.16	.19	.18	
		PDI-833-2	≤2.0 & > 0' in. wc	.07	.07	.07	.07	.07	.07	.07	.07	
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-804) ΔP	PDI-833-3	≤2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	.50	
		PDI-835-1	≤2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-835-2	≤2.0 & > 0' in. wc	.05	.05	.05	.05	.05	.05	.05	.05	
	PDI-835-3	≤2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	.50		
	PDI-815-1	≤2.0 & > 0' in. wc	.50	.50	.50	.50	.50	.50	.50	.50		
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FF852) ΔP	PDI-815-2	≤2.0 & > 0' in. wc	.28	.27	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-815-4	≤2.0 & > 0' in. wc	.58	.58	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-815-5	≤2.0 & > 0' in. wc	.50	.50	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	PDI-816-1	≤2.0 & > 0' in. wc	.50	.50	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
	PDI-816-2	≤2.0 & > 0' in. wc	STBY	STBY	.49	.49	.49	.49	.49	.49	.49	
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-816-4	≤2.0 & > 0' in. wc	STBY	STBY	.58	.58	.58	.58	.58	.58	.58
		PDI-816-5	≤2.0 & > 0' in. wc	STBY	STBY	.50	.50	.50	.50	.50	.50	.50
		PDI-816-5	≤2.0 & > 0' in. wc	STBY	STBY	.55	.55	.55	.55	.55	.55	.55

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤ 2.0 > 0 ¹ in. wc	P	2-19-18	2-20-18	2-21-18	2-22-18	2-23-18	2-24-18	2-25-18
		PDI-812-2	≤ 2.0 > 0 ¹ in. wc								
		PDI-812-3	≤ 2.0 > 0 ¹ in. wc								
		PDI-812-4	≤ 2.0 > 0 ¹ in. wc								
		PDI-812-5	≤ 2.0 > 0 ¹ in. wc								
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤ 2.0 > 0 ¹ in. wc								
		PDI-813-2	≤ 2.0 > 0 ¹ in. wc								
		PDI-813-3	≤ 2.0 > 0 ¹ in. wc								
		PDI-813-4	≤ 2.0 > 0 ¹ in. wc								
		PDI-813-5	≤ 2.0 > 0 ¹ in. wc								
4.1.3.4 ¹	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤ 2.0 > 0 ¹ in. wc								
		PDI-865-2	≤ 2.0 > 0 ¹ in. wc								
		PDI-865-3	≤ 2.0 > 0 ¹ in. wc								
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤ 2.0 > 0 ¹ in. wc								
		PDI-863-2	≤ 2.0 > 0 ¹ in. wc								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.3.4 ¹	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 & > 0' in. wc	2-19-18	2-20-18	2-21-18	2-22-18	2-23-18	2-24-18	2-25-18		
		PDI-857-2	≤ 2.0 & > 0' in. wc	PT	JA	JA	JA	JA	PT			
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 & > 0' in. wc									
		PDI-856-2	≤ 2.0 & > 0' in. wc	.12	.12	.12	.12	.12	.12	.12	.12	.12
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)	.41	.41	.41	.41	.41	.41	.41	.41	.41
			0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	.07	.06	.06	.06	.06	.06	.06	.06	.06
			0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	.52	.59	.59	.59	.59	.59	.59	.59	.59
4.3.2.2 ¹	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
			0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
			0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	PT								
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
				OC Operator Review and Page Count Complete (initials)								
				AM	PM	AM	PM	AM	PM	AM	PM	AM
				0805	0759	0820	0830	0830	0930	0740	0734	
				PT	PT	PT	PT	PT	PT	PT	PT	PT

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Paul Tenille Date 2-25-18 Time 0734 Reviewed by: [Signature] Date: 3-1-18 Time: 0651

On-duty Supervisor

Comments: 2/23/18 Combustible area near 828 wasnt. Boots placed on floor from CP 812 and noted

Ladder with rubber wheels. Notified ops.

Combustibles have been removed. 2-24-18 FR 804 Lose Belts making NEIS.e.

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]
(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementation actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 039745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 040375
	Calibration Expiration Date: 06-05-18	Calibration Expiration Date: 08-31-18	Calibration Expiration Date: 07-19-18
	PF-11 Thermometer File No.: 039746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 06-05-18	Calibration Expiration Date: 08-31-18	Calibration Expiration Date: 07-19-18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature											
SR	Description	Acceptance Criteria	Date							Completion Time	OC Operator Review and Page Count Complete (initials)
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed	02-19-18	2/20/18	2/21/18	2/22/18	2/23/18	02-24-18	2/25/18		
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	BE	Th	Th	Th	Th	Th	Th	BE	ARJ
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F									
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F									
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F									
			Completion Time:								
			APJ BZC							ARJ LPL	
			54.3							53.4	
			55.5							57.8	
			63.8							61.7	
			59.2							68.7	
			0901							0848	
			SAT UNSAT							SAT UNSAT	
			53.6							53.5	
			55.2							57.8	
			61.6							60.1	
			62.9							68.1	
			0848							0856	
			ARJ BZC							ARJ LPL	
			SAT UNSAT							SAT UNSAT	
			53.6							53.6	
			55.2							55.2	
			60.7							60.7	
			68.3							68.3	
			0820							0820	
			SAT UNSAT							SAT UNSAT	
			53.6							53.6	
			55.2							55.2	
			60.7							60.7	
			68.3							68.3	
			0820							0820	
			SAT UNSAT							SAT UNSAT	
			53.6							53.6	
			55.2							55.2	
			60.7							60.7	
			68.3							68.3	
			0820							0820	
			SAT UNSAT							SAT UNSAT	
			53.6							53.6	
			55.2							55.2	
			60.7							60.7	
			68.3							68.3	
			0820							0820	

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: AMRIGUE ADP Date: 2/25/18 Time: 0825
 Reviewed by: AR Date: 3-1-18 Time: 0652
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)										
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
			Weekday:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
			Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
			Initials:	W	D	W	D	W	D	W	D	W	D
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤ 1.0 in. wc'	2/26/18	2.00	1.98	1.98	1.98	1.99	1.99				
	100 area glovebox exhaust header ΔP	≤ 1.0 in. wc'	2/27/18	1.95	1.96	1.94	1.94	1.94	1.94				
4.1.1.2 4.1.1.5 4.1.2.2 ²	300 area glovebox exhaust header ΔP	≤ 1.0 in. wc'	2/28/18	1.99	1.99	1.98	1.99	1.98	1.98				
	400 area glovebox exhaust header ΔP	≤ 1.0 in. wc'	2/29/18	1.97	1.97	1.97	1.97	1.97	1.97				
4.1.1.3 4.1.2.3 ²	200 area laboratory header ΔP	≤ 0.05 in. wc'	2/26/18	0.19	0.18	0.18	0.18	0.18	0.18				
	100 area laboratory header ΔP	≤ 0.05 in. wc'	2/27/18	0.22	0.22	0.22	0.22	0.22	0.22				
4.1.1.4 4.1.1.5 4.1.2.2 ²	300 area laboratory header ΔP	≤ 0.05 in. wc'	2/28/18	0.20	0.20	0.20	0.20	0.20	0.20				
	400 area laboratory header ΔP	≤ 0.05 in. wc'	2/29/18	0.20	0.19	0.19	0.19	0.19	0.19				
4.1.1.6 4.1.2.3 ²	IFIT Facility ΔP	≤ 0.05 in. wc	2/26/18	0.15	0.15	0.15	0.15	0.15	0.15				
	North basement ΔP	< 0.00 in. wc	2/27/18	0.10	0.10	0.10	0.10	0.10	0.10				
4.1.1.7 4.1.2.3 ²	South basement ΔP	< 0.00 in. wc	2/28/18	0.10	0.11	0.10	0.10	0.10	0.10				
	IRT Tunnel ΔP	< 0.00 in. wc	2/29/18	0.12	0.11	0.10	0.10	0.10	0.10				

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS														
				Sat / Unsat (circle one)														
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP > .050 or FR-802 Icon red and PDT-832 ΔP > .050	At least one fan/plenum is in service	2/26/18	2/27/18	02-28-18												
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
				Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
				Initials:	U	mw	PC											
4.1.1.6	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP > .050 or FR-804 Icon red and PDT-835 ΔP > .050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
4.1.1.6	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP > .050 or FR-806 Icon red and PDT-837 ΔP > .050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat				
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat				
4.1.1.6	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP > .050 or FR-808 Icon red and PDT-839 ΔP > .050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat				
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat				
4.1.1.6	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP > .050 or FR-812 Icon red and PDT-841 ΔP > .050	At least one fan/plenum is in service	(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat				
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
				(Sat) Unsat	(Sat) Unsat	(Sat) Unsat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat				

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS															
					Sat - A Unsat (circle one)															
					Date: 2/24/18		Mon. 2/27/18		Tue. 02-28-18		Wed.		Thu.		Fri.		Sat.		Sun.	
					Weekday:	Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-803-2		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-804-2		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
			PDI-802-2		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
	PDI-853-2		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
	PDI-852-2		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			Completion Time		0725	1930	0700	1930	0727	1930	0727	1930	0727	1930	0727	1930	0727	1930		

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: *[Signature]* Date: 2/28/18 Time: 1923 Reviewed by: *[Signature]* Date: 2-1-18 Time: 0652
 On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	2/26/18	2/27/18	2/28/18					
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		Initials:	AA	AA	AA					
		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)							
SR 4.4.1.1	Description / Gauge	Flammable Gas Channel Check								
	DET-305-3 (LCD Reading)	NA	005	005	005					
	CP-305-H (LED Reading)	NA	005	005	005					
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005					
		≥ -0.1 ; $\leq +0.1$	005	005	005					
	Completion Time:		0825	0820	0800					

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ¹	South basement supply filter plenum (HVP-841) ΔP	'PDI-894-1	≤2.0 & > 0' in. wc	2/26/18	Jan	2/27/18	2/28/18					
		PDI-894-2	≤2.0 & > 0' in. wc			.64						
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	'PDI-895-1	≤2.0 & > 0' in. wc			.45						
		PDI-895-2	≤2.0 & > 0' in. wc			.05						
4.1.3.4 ³	300 area glovebox exhaust filter plenum (FF854) ΔP	'PDI-817-1	≤2.0 & > 0' in. wc			.59						
		PDI-817-2	≤2.0 & > 0' in. wc			STBY						
		PDI-817-4	≤2.0 & > 0' in. wc			STBY						
		PDI-817-5	≤2.0 & > 0' in. wc			STBY						
		PDI-819-4	≤2.0 & > 0' in. wc			STBY						
4.1.3.4 ⁴	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	'PDI-818-1	≤2.0 & > 0' in. wc			.24						
		PDI-818-2	≤2.0 & > 0' in. wc			.30						
		PDI-818-4	≤2.0 & > 0' in. wc			.30						
		PDI-818-5	≤2.0 & > 0' in. wc			.31						
4.1.3.4 ⁵	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤2.0 & > 0' in. wc			.42						
		PDI-821-3	≤2.0 & > 0' in. wc			.47						
		PDI-821-4	≤2.0 & > 0' in. wc			.41						

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	'PDI-822-1	≤2.0 & > 0 ¹ in. wc	2/26/18	2/27/18	2/28/18					
		PDI-822-2	≤2.0 & > 0 ¹ in. wc								
		PDI-822-4	≤2.0 & > 0 ¹ in. wc								
		PDI-822-5	≤2.0 & > 0 ¹ in. wc								
		'PDI-823-1	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & > 0 ¹ in. wc								
		PDI-823-4	≤2.0 & > 0 ¹ in. wc								
		PDI-823-5	≤2.0 & > 0 ¹ in. wc								
		'PDI-830-1	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤2.0 & > 0 ¹ in. wc								
		PDI-830-3	≤2.0 & > 0 ¹ in. wc								
		'PDI-836-1	≤2.0 & > 0 ¹ in. wc								
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤2.0 & > 0 ¹ in. wc								
		PDI-836-3	≤2.0 & > 0 ¹ in. wc								
		'PDI-837-1	≤2.0 & > 0 ¹ in. wc								
		PDI-837-2	≤2.0 & > 0 ¹ in. wc								
		PDI-837-3	≤2.0 & > 0 ¹ in. wc								

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 > 0' in. wc	2/26/18	2/27/18	2/28/18					
		PDI-838-2	≤2.0 > 0' in. wc								
		PDI-838-3	≤2.0 > 0' in. wc								
	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 > 0' in. wc								
		PDI-839-2	≤2.0 > 0' in. wc								
		PDI-839-3	≤2.0 > 0' in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 > 0' in. wc								
		PDI-810-2	≤2.0 > 0' in. wc								
		PDI-810-3	≤2.0 > 0' in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 > 0' in. wc								
		PDI-811-2	≤2.0 > 0' in. wc								
		PDI-811-3	≤2.0 > 0' in. wc								
OC Operator Review and Page Count Complete (initials)			Completion Time	0900	0845	0900					

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: [Signature] Date: 2/28/18 Time: 0900 Reviewed by: [Signature] Date: 2-28-18 Time: 1047
 Comments: 4.1.1 out of service. Needs to be calibrated

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SIRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	2/26/18	2/27/18	2/28/18	Thu.	Fri.	Sat.	Sun.
				Weekday:	Mon.	Tue.	Wed.				
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	PDI-840-1	≤ 0.0 > 0.1 in. wc		STBY	STBY					
		PDI-840-2	≤ 0.0 > 0 in. wc	.58	STBY	STBY					
		PDI-840-3	≤ 0.0 > 0.1 in. wc	.21	STBY	STBY					
	Vault re-circulation filter plenum (HVP-812) ΔP	PDI-841-1	≤ 0.0 > 0.1 in. wc	STBY	.46	.46					
		PDI-841-2	≤ 0.0 > 0.1 in. wc	STBY	.55	.55					
		PDI-841-3	≤ 0.0 > 0.1 in. wc	STBY	.51	.51					
	200 area re-circulation filter plenum (HVP-801) ΔP	PDI-831-1	≤ 0.0 > 0.1 in. wc	.33	.33	.33					
		PDI-831-2	≤ 0.0 > 0.1 in. wc	.41	.41	.41					
		PDI-831-3	≤ 0.0 > 0.1 in. wc	.40	.40	.40					
200 area re-circulation filter plenum (HVP-802) ΔP	PDI-832-1	≤ 0.0 > 0.1 in. wc	.41	.41	.41						
	PDI-832-2	≤ 0.0 > 0.1 in. wc	.68	.68	.68						
	PDI-832-3	≤ 0.0 > 0.1 in. wc	.61	.61	.61						
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF					
		PDI-807-2	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF					
		PDI-807-3	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF					
4.1.3.4 ³	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤ 0.0 > 0.1 in. wc	.08	.07	.08					
		PDI-809-2	≤ 0.0 > 0.1 in. wc	.55	.55	.56					
		PDI-809-3	≤ 0.0 > 0.1 in. wc	.51	.51	.55					

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) ΔP	PDI-829-1	≤2.0 & > 0 ¹ in. wc	2/26/18	AP	2/27/18	AP	2/28/18				
		PDI-829-2	≤2.0 & > 0 ¹ in. wc		.27	.19	.18					
		PDI-829-3	≤2.0 & > 0 ¹ in. wc		.16	.15	.13					
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) ΔP	PDI-833-1	≤2.0 & > 0 ¹ in. wc		.07	.07	.07					
		PDI-833-2	≤2.0 & > 0 ¹ in. wc		.50	.50	.50					
		PDI-833-3	≤2.0 & > 0 ¹ in. wc		.51	.51	.51					
4.1.3.4 ²	100 area re-circulation filter plenum (HVP-804) ΔP	PDI-835-1	≤2.0 & > 0 ¹ in. wc		.05	.05	.05					
		PDI-835-2	≤2.0 & > 0 ¹ in. wc		.50	.50	.50					
		PDI-835-3	≤2.0 & > 0 ¹ in. wc		.51	.51	.51					
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) ΔP	PDI-815-1	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY					
		PDI-815-2	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY					
		PDI-815-4	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY					
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-815-5	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY					
		PDI-816-1	≤2.0 & > 0 ¹ in. wc		.49	.49	.49					
		PDI-816-2	≤2.0 & > 0 ¹ in. wc		.59	.59	.59					
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-816-4	≤2.0 & > 0 ¹ in. wc		.51	.51	.51					
		PDI-816-5	≤2.0 & > 0 ¹ in. wc		.51	.56	.57					

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (In. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:							
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0' in. wc	gm	2/26/18	2/27/18	2/28/18					
		PDI-812-2	≤2.0 & > 0' in. wc									
		PDI-812-3	≤2.0 & > 0' in. wc									
		PDI-812-4	≤2.0 & > 0' in. wc									
		PDI-812-5	≤2.0 & > 0' in. wc									
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0' in. wc									
		PDI-813-2	≤2.0 & > 0' in. wc									
		PDI-813-3	≤2.0 & > 0' in. wc									
		PDI-813-4	≤2.0 & > 0' in. wc									
		PDI-813-5	≤2.0 & > 0' in. wc									
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0' in. wc									
		PDI-865-2	≤2.0 & > 0' in. wc									
		PDI-865-3	≤2.0 & > 0' in. wc									
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0' in. wc									
		PDI-863-2	≤2.0 & > 0' in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	SURVEILLANCE RESULTS							
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
			Weekday:	Initials:						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0' in. wc	.12	.12	.12				
		PDI-857-2	≤ 2.0 > 0' in. wc	.41	.41	.41				
		PDI-856-1	≤ 2.0 > 0' in. wc	.06	.06	.06				
		PDI-856-2	≤ 2.0 > 0' in. wc	.59	.59	.59				
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)							
4.3.2.2 ²	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT			
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT			

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 037745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 040375
	Calibration Expiration Date: 4/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18
	PF-11 Thermometer File No.: 039746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature												
SR	Description	Acceptance Criteria	Daily (September through April only)							SAT	UNSAT	
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.			Sun.
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	2/26/18	2-27-18	2/27-18	2/28/18						
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	53.7	54.1	53.9							
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	56.2	57.2	57.8							
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	65.7	63.6	60.5							
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	73.7	58.5	60.9							
	OC Operator Review and Page Count Complete (initials)	Completion Time:	0957	0855	0903							
			MMW	MMW	MMW							

¹ Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: Paul Trujillo Date: 2-28-18 Time: 0903
 Reviewed by: Anda Dorku Date: 2-28-18 Time: 1050
 On-duty Supervisor

Comments: _____

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UET]
(Page 1 of 2)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
*Note	Confinement DR-344	Southeast	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat / Unsat.	1450	2/15/12	PA
4.1.3.2 ¹	Confinement Door DR-344	Southeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat / Unsat.	1455	2/15/12	PA
4.1.3.2 ¹	Confinement Door DR-149	Northeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat / Unsat.	1455	2/15/12	PA
*Note	Confinement DR-102	Northwest	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat / Unsat.	1455	2/15/12	PA
4.1.3.2 ¹	Confinement Door DR-102	Northwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door)	Sat / Unsat.	1425	2/15/12	PA
			AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is < 30 seconds 4.3 Seconds	Sat / Unsat.	1420	2/15/12	PA

* Note: Monthly Inspection of DR-344 and DR-102 in accordance with compensatory measure(s) from: Request for Permanent Equivalency to OE Order 420.1B Chapter II, NFPA 80, NFPA 101 and IBC Requirements for LANL Building TA55-4 (PF-4); Installation of New Confinement Doors DR-102, DR-302, and DR-344 LANL-DOE-ORDER-420.1B-EO-2013-001

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UET]
(Page 2 of 2)

SRs	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
4.1.3.2'	Confinement Door DR-302	Southwest	<p>Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure.</p> <p>For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).</p> <p>AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is <u>6.4</u> Seconds</p>	Sat / Unsat.	1425	2/15/12	FE
4.1.3.2'	Confinement Door DR-4	N. Basement Personnel door DR-4	<p>Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure.</p>	Sat / Unsat.	1430	2/15/12	FE
4.1.3.2'	Confinement Door DR-90	South Basement Door (Tunnel)	<p>Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).</p>	Sat / Unsat.	1405	2/15/12	FE
OC Operator Review and Page Count Complete							

SR 4.1.3.2 applies during both Mode 1 and Mode 2.

Completed by R. Johnson Date 2/18/12 Time 1459 Reviewed by [Signature] Date 2/18/12 Time 1521


On-duty Supervisor Comments:

Attachment B, Surveillance Training Checklist

(Page 1 of 2)

Procedure title:	SURVEILLANCE REVIEWS
Procedure no.:	TA55-STP-004, R19.1
Date of issue:	3-1-18
Working copy issued to:	C. COCHRAN
Working copy issued by:	F. SZYBUBA
	Certified Operations Center Operator (OCO)

OC Reviews Complete and TSR Status Board Updated



13/31/18

OCO Signature

Date

Training Checklist:

Workers Performing Surveillance	Applicable Surveillance Training Current	
	OCO Initials	Date
K. SHERA	[Signature]	3/1/18
C. COCHRAN	[Signature]	↑
A. SZYBUBA	[Signature]	↑
J. WATSON	[Signature]	↑
M. NEUNE	[Signature]	↑
A. ORTIZ	[Signature]	↑
R. ARCA	[Signature]	↑
F. SZYBUBA	[Signature]	↑
A. DURANT	[Signature]	↑
R. WIM	[Signature]	3/1/18

Procedure is the current revision listed in Documentum: Yes Documentum Unavailable

Performance Type: Scheduled Partial Other *If partial or other list reason in Comments below*

Comments: (Document TSR Status Board tracking date here if different from completion date.)

Attachment B, Surveillance Training Checklist (continued)
(Page 2 of 2)

Training Checklist (continuation sheet)

Workers Performing Surveillance	Applicable Surveillance Training Current	
	Initials	Date
J. SMITCHE	[Signature]	3/1/18
B. FORDHAM	[Signature]	
D. HRENTSCHKE	[Signature]	
R. HOHLER	[Signature]	
T. LAMBORTHY	[Signature]	
J. MANTZKE	[Signature]	
A. SAUCKE	[Signature]	
A. STEINER	[Signature]	
P. THIEL	[Signature]	
M. ZRZSA	[Signature]	
T. SCHULAVY	[Signature]	
M. WASSERMAN	[Signature]	
C. VANCE	[Signature]	
A. WATSON	[Signature]	3/1/18

FOR INFORMATION ONLY

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	Date:		SURVEILLANCE RESULTS (in. wc)															
			Weekday:	Shift:	Initials:	Weekday:														
						Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.								
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	≤1.0 in. wc ¹																	
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	≤1.0 in. wc ¹																	
	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	≤1.0 in. wc ¹																	
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	≤1.0 in. wc ¹																	
	200 area laboratory header AP	PDI-803-1 or PDI-803-2	≤0.05 in. wc ¹																	
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	≤0.05 in. wc ¹																	
	300 area laboratory header AP	PDI-853-1 or PDI-853-2	≤0.05 in. wc ¹																	
	400 area laboratory header AP	PDI-852-1 or PDI-852-2	≤0.05 in. wc ¹																	
	IFIT Facility AP	PDI-865-4 or PDI-865-5	≤0.05 in. wc																	
	North basement AP	PDI-804-1 or PDI-804-2	< 0.00 in. wc																	
	South basement AP	PDI-854-1 or PDI-854-2	< 0.00 in. wc																	
	IRT Tunnel AP	PDI-901 or PDI-901	< 0.00 in. wc																	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS Sat / Unsat (circle one)													
				Date:	Weekday:	Shift:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
				03-01-18	3/3/18	3/4/18											

FORN

FORN

ATTACHMENT A: Per Shift Surveillance Rounds [JET]

(Page 3 of 3)

Note
Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																	
					Sat / Unsat (circle gae)																	
					Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.			
					Weekday:		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
					Shifts:																	
					Initials:																	
4.1.1.4	Glovebox exhaust header APs < laboratory APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
			PDI-803-2	2 < PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
			PDI-804-2																			
			PDI-804-2																			
		100 Area	PDI-820-2	PDI-820-2 < PDI-803-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
			PDI-802-2	2 < PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
			PDI-854-2																			
			PDI-854-2																			
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
			PDI-853-2	2 < PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
			PDI-854-2																			
			PDI-854-2																			
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
	PDI-852-2	2 < PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
	PDI-854-2																					
	PDI-854-2																					
Completion Time																						

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: *[Signature]* Date: 3/1/18 Time: 19:50

Reviewed by: *[Signature]* On-duty Supervisor

Date: 3/5/18 Time: 14:00

Comments: *[Handwritten notes]*

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS detector** in the FSTF **FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration **readout** directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (percentage)							
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
			Weekdays:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading) CP-305-H (LED Reading)	NA					3/1/18	3/2/18	3/3/18	3/4/18
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value ≥ -0.1 ; $\leq +0.1$	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat
	Completion Time:					6:10	07:11	07:30	07:30	07:30

FOR INFORMATION

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)(UET)

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	1PDI-894-1	≤ 2.0 > 0 ¹ in. wc					.04	.04	.04	.04	.04
		PDI-894-2	≤ 2.0 > 0 ¹ in. wc				.45	.45	.45	.45	.45	
		1PDI-895-1	≤ 2.0 > 0 ¹ in. wc				.05	.05	.05	.05	.05	
		PDI-895-2	≤ 2.0 > 0 ¹ in. wc				.60	.59	.59	.59	.59	
4.1.3.4 ¹	300 area glovebox exhaust filter plenum (FF854) AP	1PDI-817-1	≤ 2.0 > 0 ¹ in. wc					STBY	STBY	STBY	STBY	STBY
		PDI-817-2	≤ 2.0 > 0 ¹ in. wc				STBY	STBY	STBY	STBY	STBY	
		PDI-817-4	≤ 2.0 > 0 ¹ in. wc				STBY	STBY	STBY	STBY	STBY	
		PDI-817-5	≤ 2.0 > 0 ¹ in. wc				STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ³	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-1	≤ 2.0 > 0 ¹ in. wc					STBY	STBY	STBY	STBY	STBY
		PDI-819-3	≤ 2.0 > 0 ¹ in. wc				STBY	STBY	STBY	STBY	STBY	
		PDI-819-4	≤ 2.0 > 0 ¹ in. wc				STBY	STBY	STBY	STBY	STBY	
		1PDI-818-1	≤ 2.0 > 0 ¹ in. wc				.24	.24	.24	.24	.24	
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-2	≤ 2.0 > 0 ¹ in. wc				.30	.31	.31	.31	.31	
		PDI-818-4	≤ 2.0 > 0 ¹ in. wc				.30	.31	.31	.31	.31	
		PDI-818-5	≤ 2.0 > 0 ¹ in. wc				.31	.30	.30	.30	.30	
		PDI-821-1	≤ 2.0 > 0 ¹ in. wc				.42	.42	.42	.42	.42	
4.1.3.4 ¹	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-3	≤ 2.0 > 0 ¹ in. wc				.48	.48	.48	.48	.48	
		PDI-821-4	≤ 2.0 > 0 ¹ in. wc				.41	.41	.41	.41	.41	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 0.0 > 0.1 in. wc					3/1/18	3/2/18	3/3/18	3/4/18
		PDI-822-2	≤ 0.0 > 0.1 in. wc				STBY	STBY	STBY	.61	.61
		PDI-822-4	≤ 0.0 > 0.1 in. wc				STBY	STBY	.50	.50	.50
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) AP	PDI-822-5	≤ 0.0 > 0.1 in. wc					STBY	STBY	.51	.51
		PDI-823-1	≤ 0.0 > 0.1 in. wc					.17	.17	STBY	STBY
		PDI-823-2	≤ 0.0 > 0.1 in. wc					.57	.58	STBY	STBY
4.1.3.4 ¹	South Basement exhaust filter plenum (FF-829) AP	PDI-823-4	≤ 0.0 > 0.1 in. wc					.31	.54	STBY	STBY
		PDI-823-5	≤ 0.0 > 0.1 in. wc					.52	.55	STBY	STBY
		PDI-830-1	≤ 0.0 > 0.1 in. wc					.75	.75	.75	.75
4.1.1.7 ¹	300 area re-circulation filter plenum (11VP-805) AP	PDI-830-2	≤ 0.0 > 0.1 in. wc					.31	.31	.31	.31
		PDI-830-3	≤ 0.0 > 0.1 in. wc					.28	.28	.28	.28
		PDI-836-1	≤ 0.0 > 0.1 in. wc					.06	.06	.06	.06
4.1.1.7 ¹	300 area re-circulation filter plenum (11VP-806) AP	PDI-836-2	≤ 0.0 > 0.1 in. wc					.67	.68	.68	.67
		PDI-836-3	≤ 0.0 > 0.1 in. wc					.63	.62	.62	.62
		PDI-837-1	≤ 0.0 > 0.1 in. wc					.04	.04	.04	.04
4.1.1.7 ¹	300 area re-circulation filter plenum (11VP-806) AP	PDI-837-2	≤ 0.0 > 0.1 in. wc					.49	.49	.49	.49
		PDI-837-3	≤ 0.0 > 0.1 in. wc					.47	.47	.46	.46

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																	
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.								
41.1.7 ¹	400 area re-circulation filter plenum (HVP-807) AP	PDI-838-1	≤ 0.0 > 0.1 in. WC																		
		PDI-838-2	≤ 0.0 > 0.1 in. WC																		
		PDI-838-3	≤ 0.0 > 0.1 in. WC																		
41.3.4 ²	South Bleed off filter plenum (FF-822A) AP	PDI-810-1	≤ 0.0 > 0.1 in. WC																		
		PDI-810-2	≤ 0.0 > 0.1 in. WC																		
		PDI-810-3	≤ 0.0 > 0.1 in. WC																		
41.3.4 ³	South Bleed off filter plenum (FF-822B) AP	PDI-811-1	≤ 0.0 > 0.1 in. WC																		
		PDI-811-2	≤ 0.0 > 0.1 in. WC																		
		PDI-811-3	≤ 0.0 > 0.1 in. WC																		
OC Operator Review and Page Count Complete (initials)																					

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: [Signature] Date: 3/14/18 Time: 0831 Reviewed by: [Signature] On-duty Supervisor: [Signature] Date: 3/15/18 Time: 1400

Comments: 3/11/18 9:11 cut of service. Needs to be calibrated

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.1.4 ²	Vault re-circulation Filter plenum (HVP-811) ΔP	PDI-840-1	≤ 2.0 > 0 ¹ in. wc				3/1/18		3/2/18	3/3/18	3/4/18
		PDI-840-2	≤ 2.0 > 0 ¹ in. wc				STBY		STBY	STBY	STBY
		PDI-840-3	≤ 2.0 > 0 ¹ in. wc				STBY		STBY	STBY	STBY
		PDI-841-1	≤ 2.0 > 0 ¹ in. wc				.46		.46	.46	.46
		PDI-841-2	≤ 2.0 > 0 ¹ in. wc				.55		.56	.56	.56
		PDI-841-3	≤ 2.0 > 0 ¹ in. wc				.51		.51	.51	.51
	200 area re-circulation Filter plenum (HVP-801) ΔP	PDI-831-1	≤ 2.0 > 0 ¹ in. wc				.32		.32	.33	.32
		PDI-831-2	≤ 2.0 > 0 ¹ in. wc				.41		.41	.41	.41
		PDI-831-3	≤ 2.0 > 0 ¹ in. wc				.40		.39	.39	.39
		PDI-832-1	≤ 2.0 > 0 ¹ in. wc				.41		.41	.41	.41
		PDI-832-2	≤ 2.0 > 0 ¹ in. wc				.68		.68	.68	.68
		PDI-832-3	≤ 2.0 > 0 ¹ in. wc				.61		.61	.61	.61
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤ 2.0 > 0 ¹ in. wc				OFF		OFF	OFF	OFF
		PDI-807-2	≤ 2.0 > 0 ¹ in. wc				OFF		OFF	OFF	OFF
		PDI-807-3	≤ 2.0 > 0 ¹ in. wc				OFF		OFF	OFF	OFF
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤ 2.0 > 0 ¹ in. wc				.09		.09	.08	.08
		PDI-809-2	≤ 2.0 > 0 ¹ in. wc				.56		.54	.52	.52
		PDI-809-3	≤ 2.0 > 0 ¹ in. wc				.54		.52	.51	.51

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UFT]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
41.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	1PDI-829-1	≤ 0.0 > 0.1 in. wc						3/1/18	3/2/18	3/3/18	3/4/18
		PDI-829-2	≤ 0.0 > 0.1 in. wc									
		PDI-829-3	≤ 0.0 > 0.1 in. wc									
41.1.7 ¹	100 area re-circulation filter plenum (HVP-803) AP	1PDI-833-1	≤ 0.0 > 0.1 in. wc									
		PDI-833-2	≤ 0.0 > 0.1 in. wc									
		PDI-833-3	≤ 0.0 > 0.1 in. wc									
		1PDI-835-1	≤ 0.0 > 0.1 in. wc									
		PDI-835-2	≤ 0.0 > 0.1 in. wc									
		PDI-835-3	≤ 0.0 > 0.1 in. wc									
41.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	1PDI-815-1	≤ 0.0 > 0.1 in. wc									
		PDI-815-2	≤ 0.0 > 0.1 in. wc									
		PDI-815-4	≤ 0.0 > 0.1 in. wc									
		PDI-815-5	≤ 0.0 > 0.1 in. wc									
		1PDI-816-1	≤ 0.0 > 0.1 in. wc									
41.3.4 ¹	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-2	≤ 0.0 > 0.1 in. wc									
		PDI-816-4	≤ 0.0 > 0.1 in. wc									
		PDI-816-5	≤ 0.0 > 0.1 in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UFT]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)										
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.13.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤ 0.0 > 0.1 in. wc											
		PDI-812-2	≤ 0.0 > 0.1 in. wc											
		PDI-812-3	≤ 0.0 > 0.1 in. wc											
		PDI-812-4	≤ 0.0 > 0.1 in. wc											
		PDI-812-5	≤ 0.0 > 0.1 in. wc											
4.13.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤ 0.0 > 0.1 in. wc											
		PDI-813-2	≤ 0.0 > 0.1 in. wc											
		PDI-813-3	≤ 0.0 > 0.1 in. wc											
		PDI-813-4	≤ 0.0 > 0.1 in. wc											
		PDI-813-5	≤ 0.0 > 0.1 in. wc											
4.13.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤ 0.0 > 0.1 in. wc											
		PDI-865-2	≤ 0.0 > 0.1 in. wc											
		PDI-865-3	≤ 0.0 > 0.1 in. wc											
4.13.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤ 0.0 > 0.1 in. wc											
		PDI-863-2	≤ 0.0 > 0.1 in. wc											

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:								
4.1.3.4 ²	North Basement supply Filter plenum (HVP-840) ΔP	PDI-857-1 PDI-857-2	≤ 2.0 & > 0' in. wc ≤ 2.0 & > 0' in. wc					.12 .41	.12 .41	.12 .41	.12 .41	.12 .41
4.1.3.4 ²	North corridor supply Filter plenum (HVP-809) ΔP	PDI-856-1 PDI-856-2	≤ 2.0 & > 0' in. wc ≤ 2.0 & > 0' in. wc					.08 .59	.08 .59	.08 .59	.08 .59	.08 .59
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)					SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less					SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less					SAT	SAT	SAT	SAT	SAT

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]


(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS									
				Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less										
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less										
OC Operator Review and Page Count Complete (initials)													
Completion time													

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.
 Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date: 3/4/18 Time: 0803 Reviewed by: [Signature] On-duty Supervisor Date: 3/5/18 Time: 1402

Comments: _____



ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UFT]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data																									
Record September through April only	<table border="1"> <tr> <td>PF-10 Thermometer File No.:</td> <td>039745</td> <td>PF-10 Thermistor File No.:</td> <td>105353</td> <td>V-701 Thermistor File No.:</td> <td>040375</td> </tr> <tr> <td>Calibration Expiration Date:</td> <td>6/5/18</td> <td>Calibration Expiration Date:</td> <td>8/1/18</td> <td>Calibration Expiration Date:</td> <td>7/19/18</td> </tr> <tr> <td>PF-11 Thermometer File No.:</td> <td>639746</td> <td>PF-11 Thermistor File No.:</td> <td>105352</td> <td>V-704 Thermistor File No.:</td> <td>103763</td> </tr> <tr> <td>Calibration Expiration Date:</td> <td>6/5/18</td> <td>Calibration Expiration Date:</td> <td>8/31/18</td> <td>Calibration Expiration Date:</td> <td>7/19/18</td> </tr> </table>	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/1/18	Calibration Expiration Date:	7/19/18	PF-11 Thermometer File No.:	639746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18
PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375																				
Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/1/18	Calibration Expiration Date:	7/19/18																				
PF-11 Thermometer File No.:	639746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763																				
Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18																				

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature													
SR	Description	Acceptance Criteria	Date:							SAT/UNSAT	SAT/UNSAT	SAT/UNSAT	
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.				
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.											
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F				3-1-18	3-2-18	3/3/18					3/4/18
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F											
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F											
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F											
OC Operator Review and Page Count Complete (initials)			Completion Time:										

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: Juan Luis Castro Date: 3/4/18 Time: 0847

Reviewed by: John Smetz Date: 3/5/18 Time: 1400

On-duty Supervisor: [Signature]

Comments: 4.3.1.1, 4.3.1.3 PF 10 and for 5YR DEAN

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	Date:																
			Weekday:		Tue.		Wed.	Thu.	Fri.	Sat.	Sun.								
			Mon.	Tue.	PM	AM	PM	AM	PM	AM	PM								
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	≤1.0 in. wc ¹																
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	≤1.0 in. wc ¹																
	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	≤1.0 in. wc ¹																
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	≤1.0 in. wc ¹																
	200 area laboratory header AP	PDI-803-1 or PDI-803-2	≤0.05 in. wc ¹																
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	≤0.05 in. wc ¹																
	300 area laboratory header AP	PDI-853-1 or PDI-853-2	≤0.05 in. wc ¹																
	400 area laboratory header AP	PDI-852-1 or PDI-852-2	≤0.05 in. wc ¹																
	IFIT Facility AP	PDI-865-4 or PDI-865-5	≤0.05 in. wc																
	North basement AP	PDI-804-1 or PDI-804-2	< 0.00 in. wc																
4.1.1.3 4.1.2.3 ²	South basement AP	PDI-854-1 or PDI-854-2	< 0.00 in. wc																
	IRT Tunnel AP	PDT-901 or PDI-901	< 0.00 in. wc																

SURVEILLANCE RESULTS
(in. wc)

(Handwritten initials and values are present in the table cells, including 'AM', 'PM', and numerical values like -2.00, 1.98, etc.)

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																
				Sat / Unsat (circle one)																
<p>Note: Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.</p>				Date:	2-5-18	2-6-18	2-7-18	2-8-18	2-9-18	2-10-18	2-11-18	2-12-18	2-13-18	2-14-18	2-15-18	2-16-18	2-17-18	2-18-18	2-19-18	2-20-18
<p>Weekday:</p>				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.										
<p>Shift:</p>				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
<p>Initials:</p>				EC	EC	AW	EC	EC	EC	EC	EC	EC	EC	EC	EC	EC	EC	EC	EC	
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP > .050 or FR-802 Icon red and PDT-832 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP > .050 or FR-804 Icon red and PDT-835 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP > .050 or FR-806 Icon red and PDT-837 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP > .050 or FR-808 Icon red and PDT-839 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP > .050 or FR-812 Icon red and PDT-841 ΔP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]


(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS												
					Sat / Unsat (circle one)												
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.						
4.1.1.4 Glovebox exhaust header APs < basement APs for areas 100, 200, 300 and 400		200 Area	PDI-814-2	PDI-814-2 < PDI-803-2	3-5-18	02-06-18	3-7-18	3/8/18	03-09-18	03-10-18	03-11-18						
			PDI-803-2	PDI-803-2 < PDI-804-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.						
			PDI-804-2		AM	PM	AM	PM	AM	PM	AM	PM					
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2	ec	ec	ec	ec	ec	ec	ec	ec					
			PDI-802-2		AM	PM	AM	PM	AM	PM	AM	PM					
			PDI-804-2		AM	PM	AM	PM	AM	PM	AM	PM					
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2	ec	ec	ec	ec	ec	ec	ec	ec					
			PDI-853-2		AM	PM	AM	PM	AM	PM	AM	PM					
			PDI-854-2		AM	PM	AM	PM	AM	PM	AM	PM					
		400 Area	PDI-864-2	PDI-864-2 < PDI-852-2	ec	ec	ec	ec	ec	ec	ec	ec					
			PDI-852-2		AM	PM	AM	PM	AM	PM	AM	PM					
			PDI-854-2		AM	PM	AM	PM	AM	PM	AM	PM					
			Completion Time	0727	1924	0733	1924	0730	1930	0725	1930	0719	1920	0725	1920	0717	1915

1 Mode 2 acceptance criteria is < 0.00 in. wc.
 2 SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 3/11/18 Time: 1919 Reviewed by: [Signature] Date: 3/12/18 Time: 0700
 On-duty Supervisor: [Signature]

Comments: 300 Area is SRS Exhaust Passives turned from FCS 3518 & [Signature]



ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the FSTF **FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	SURVEILLANCE RESULTS (percentage)						
		Acceptance Criteria	Date:	Weekday:	Initials:	Record Calculated Value	Completion Time:	
4.4.1.1	Flammable Gas Channel Check	NA						
	DET-305-3 (LCD Reading)		3/5/18	Mon.	AM	005	0725	0740
	CP-305-H (LED Reading)		3/6/18	Tue.	AM	005	0724	
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)		3/7/18	Wed.	AM	005	0730	
			3/8/18	Thu.	AM	005	0750	
			3/9/18	Fri.	AM	005	0730	
			3/10/18	Sat.	AM	005	0730	
			3/11/18	Sun.	AM	005		

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
				Date:	Weekdays:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun				
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	PDI-894-1	≤2.0 > 0 ¹ in. wc	3/5/18	Mon	3/6/18	Tue	3/7/18	Wed	3/8/18	Thu	3/9/18	Fri	3/10/18	Sat	3/11/18	Sun
		PDI-894-2	≤2.0 > 0 ¹ in. wc	.43	.44	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43
		IPDI-895-1	≤2.0 > 0 ¹ in. wc	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05
4.1.3.4 ²	South Corridor supply (HVP-810) AP	PDI-895-2	≤2.0 > 0 ¹ in. wc	.59	.59	.60	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61
		IPDI-817-1	≤2.0 > 0 ¹ in. wc	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04
		PDI-817-2	≤2.0 > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-4	≤2.0 > 0 ¹ in. wc	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32
		PDI-817-5	≤2.0 > 0 ¹ in. wc	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-819-1	≤2.0 > 0 ¹ in. wc	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45	.45
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-4	≤2.0 > 0 ¹ in. wc	.46	.46	.46	.46	.46	.46	.46	.46	.46	.46	.46	.46	.46	.46
		PDI-819-3	≤2.0 > 0 ¹ in. wc	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38	.38
		IPDI-818-1	≤2.0 > 0 ¹ in. wc	.24	.24	.24	.24	.24	.24	.24	.24	.24	.24	.24	.24	.24	.24
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-2	≤2.0 > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-818-4	≤2.0 > 0 ¹ in. wc	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-818-5	≤2.0 > 0 ¹ in. wc	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-1	≤2.0 > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-821-3	≤2.0 > 0 ¹ in. wc	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47
		PDI-821-4	≤2.0 > 0 ¹ in. wc	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)														
				Date:		Initials:												
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	1PDI-822-1	≤ 0.0 > 0.1 in. wc	3/5/18	Mon.	3/6/18	Tue.	3/7/18	Wed.	3/8/18	Thu.	3/9/18	Fri.	3/10/18	Sat.	3/11/18	Sun.	
		PDI-822-2	≤ 0.0 > 0.1 in. wc	.13	.13	.13	STBY	.16	.15	.15	.15	.15	.15	.15	.15	.15	.15	
		PDI-822-4	≤ 0.0 > 0.1 in. wc	.61	.61	STBY	STBY	.69	.61	.61	.61	.61	.61	.61	.61	.61	.61	
		PDI-822-5	≤ 0.0 > 0.1 in. wc	.50	.50	STBY	STBY	.58	.50	.50	.50	.50	.50	.50	.50	.50	.50	
		1PDI-823-1	≤ 0.0 > 0.1 in. wc	.52	.52	STBY	STBY	.61	.52	.52	.52	.52	.52	.52	.52	.52	.52	
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) AP	1PDI-823-2	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY		
		PDI-823-4	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-823-5	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		1PDI-830-1	≤ 0.0 > 0.1 in. wc	.76	.76	.76	.76	.76	.76	.76	.75	.75	.75	.75	.75	.75	.75	
		1PDI-830-2	≤ 0.0 > 0.1 in. wc	.31	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	1PDI-836-1	≤ 0.0 > 0.1 in. wc	.27	.27	.27	.27	.27	.27	.27	.27	.27	.27	.27	.27	.27	.27	
		PDI-836-2	≤ 0.0 > 0.1 in. wc	.06	.06	.06	.06	.06	.06	.06	.06	.06	.06	.06	.06	.06	.06	
		PDI-836-3	≤ 0.0 > 0.1 in. wc	.66	.66	.66	.66	.66	.66	.66	.66	.66	.66	.66	.66	.66	.66	.66
		1PDI-837-1	≤ 0.0 > 0.1 in. wc	.63	.63	.63	.63	.63	.63	.63	.63	.63	.63	.63	.63	.63	.63	.63
		PDI-837-2	≤ 0.0 > 0.1 in. wc	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-3	≤ 0.0 > 0.1 in. wc	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	.47	
		1PDI-837-3	≤ 0.0 > 0.1 in. wc	.49	.49	.49	.49	.49	.49	.49	.49	.49	.49	.49	.49	.49	.49	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (In. wc)													
				Date:	Weekdays:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun				
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) AP	1PDI-838-1	≤ 0.0 > 0.1 in. wc	3/5/18	Mon	3/6/18	Tue	3/7/18	Wed	3/8/18	Thu	3/9/18	Fri	3/10/18	Sat	3/11/18	Sun
		PDI-838-2	≤ 0.0 > 0.1 in. wc	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53
		PDI-838-3	≤ 0.0 > 0.1 in. wc	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) AP	1PDI-839-1	≤ 0.0 > 0.1 in. wc	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-839-2	≤ 0.0 > 0.1 in. wc	.57	.57	.57	.57	.57	.57	.57	.57	.57	.57	.57	.57	.57	.57
		PDI-839-3	≤ 0.0 > 0.1 in. wc	.55	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) AP	1PDI-810-1	≤ 0.0 > 0.1 in. wc	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16
		PDI-810-2	≤ 0.0 > 0.1 in. wc	.51	.51	.50	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51
		PDI-810-3	≤ 0.0 > 0.1 in. wc	.51	.52	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51
OC Operator Review and Page Count Complete (initials)				0820	0822	0920	0858	0801	0830	0850							

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Scott A. Date 3/11/18 Time 6:50 Reviewed by: [Signature] Date: 3/12/18 Time: 07:00

Comments: 3/5/18 4/1/18 end of service needs to be called back On-duty Supervisor: [Signature]

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (In. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.3 ²	Vault re-circulation Filter plenum (HVP-811) ΔP	IPDI-840-1	≤ 2.0 > 0 ¹ in. wc	3/5/18	3/6/18	3/7/18	3/8/18	3/9/18	3/10/18	3/11/18	
		PDI-840-2	≤ 2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-840-3	≤ 2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
	Vault re-circulation Filter plenum (HVP-812) ΔP	IPDI-841-1	≤ 2.0 > 0 ¹ in. wc	.46	.46	.46	.46	.46	.46	.46	
		PDI-841-2	≤ 2.0 > 0 ¹ in. wc	.56	.56	.56	.56	.56	.56	.56	
		PDI-841-3	≤ 2.0 > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	
	200 area re-circulation Filter plenum (HVP-801) ΔP	IPDI-831-1	≤ 2.0 > 0 ¹ in. wc	.33	.33	.33	.32	.32	.33	.33	
		PDI-831-2	≤ 2.0 > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42	
		PDI-831-3	≤ 2.0 > 0 ¹ in. wc	.39	.39	.39	.39	.39	.40	.40	
	200 area re-circulation Filter plenum (HVP-802) ΔP	IPDI-832-1	≤ 2.0 > 0 ¹ in. wc	.41	.41	.41	.41	.41	.41	.41	
		PDI-832-2	≤ 2.0 > 0 ¹ in. wc	.68	.68	.68	.68	.68	.68	.68	
		PDI-832-3	≤ 2.0 > 0 ¹ in. wc	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (PF-820A) ΔP	IPDI-807-1	≤ 2.0 > 0 ¹ in. wc	OFF	OFF	OFF	.12	.12	.12	.12	
		PDI-807-2	≤ 2.0 > 0 ¹ in. wc	OFF	OFF	OFF	.50	.50	.51	.51	
		PDI-807-3	≤ 2.0 > 0 ¹ in. wc	OFF	OFF	OFF	.50	.50	.50	.50	
4.1.3.4 ²	North Bleed off filter plenum (PF-820B) ΔP	IPDI-809-1	≤ 2.0 > 0 ¹ in. wc	.09	.08	.08	OFF	OFF	OFF	OFF	
		PDI-809-2	≤ 2.0 > 0 ¹ in. wc	.55	.55	.55	OFF	OFF	OFF	OFF	
		PDI-809-3	≤ 2.0 > 0 ¹ in. wc	.52	.52	.52	OFF	OFF	OFF	OFF	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																				
				Date:	Weekday:	Initials:																		
4.1.3.4 ¹	North Basement exhaust Filter plenum (FF-828) AP	1PDI-829-1	≤ 0.0 > 0.1 in. wc	3/5/18	Mon.	JK	3/6/18	Tue	JK	3/7/18	Wed	JK	3/8/18	Thu	JK	3/9/18	Fri	JK	3/10/18	Sat	JK	3/11/18	Sun	JK
		PDI-829-2	≤ 0.0 > 0.1 in. wc	.20	.19	.19	.21	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20	.20
		PDI-829-3	≤ 0.0 > 0.1 in. wc	.17	.15	.15	.19	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17
4.1.1.7 ²	100 area re-circulation filter plenum (IIVP-803) AP	1PDI-833-1	≤ 0.0 > 0.1 in. wc	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	.07	
		PDI-833-2	≤ 0.0 > 0.1 in. wc	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50
		PDI-833-3	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51
4.1.3.4 ³	100 area re-circulation filter plenum (IIVP-804) AP	1PDI-835-1	≤ 0.0 > 0.1 in. wc	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	.05	
		PDI-835-2	≤ 0.0 > 0.1 in. wc	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50
		PDI-835-3	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FR852) AP	1PDI-815-1	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	
		PDI-815-2	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	
		PDI-815-4	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FR853) AP	PDI-815-5	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	
		1PDI-816-1	≤ 0.0 > 0.1 in. wc	.49	.49	.49	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	
		PDI-816-2	≤ 0.0 > 0.1 in. wc	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FR853) AP	PDI-816-4	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-816-5	≤ 0.0 > 0.1 in. wc	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																				
				Date:	Weekday:	Initials:																		
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤ 2.0 > 0 ¹ in. wc	3/5/18	Mon.	JK	3/6/18	Tue.	JK	3/7/18	Wed.	JK	3/8/18	Thu.	JK	3/9/18	Fri.	JK	3/10/18	Sat.	JK	3/11/18	Sun.	JK
		PDI-812-2	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
		PDI-812-3	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
		PDI-812-4	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
		PDI-812-5	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤ 2.0 > 0 ¹ in. wc	3/5/18	Mon.	JK	3/6/18	Tue.	JK	3/7/18	Wed.	JK	3/8/18	Thu.	JK	3/9/18	Fri.	JK	3/10/18	Sat.	JK	3/11/18	Sun.	JK
		PDI-813-2	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
		PDI-813-3	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
		PDI-813-4	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
		PDI-813-5	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤ 2.0 > 0 ¹ in. wc	3/5/18	Mon.	JK	3/6/18	Tue.	JK	3/7/18	Wed.	JK	3/8/18	Thu.	JK	3/9/18	Fri.	JK	3/10/18	Sat.	JK	3/11/18	Sun.	JK
		PDI-865-2	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
		PDI-865-3	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤ 2.0 > 0 ¹ in. wc	3/5/18	Mon.	JK	3/6/18	Tue.	JK	3/7/18	Wed.	JK	3/8/18	Thu.	JK	3/9/18	Fri.	JK	3/10/18	Sat.	JK	3/11/18	Sun.	JK
		PDI-863-2	≤ 2.0 > 0 ¹ in. wc	STBY			STBY			STBY			STBY			STBY			STBY			STBY		

FOR

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS						
				Date:	Monday	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 & > 0 ¹ in. wc	3/5/18 Mon.	3/6/18 Tue.	3/7/18 Wed.	3/8/18 Thu.	3/9/18 Fri.	3/10/18 Sat.	3/11/18 Sun.
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 & > 0 ¹ in. wc	.41	.41	.41	.41	.41	.41	.41
4.1.3.4 ²	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-2	≤ 2.0 & > 0 ¹ in. wc	.06	.726	.06	.06	.06	.06	.06
4.3.2.2 ²	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	.59	.59	.59	.53	.53	.54	.53
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Monday:	Tue:	Wed:	Thu:	Fri:	Sat:	Sun:	
4.3.2.2 ¹	Room 206		0 lb/m ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									
4.3.2.2 ¹	Room 207		0 lb/m ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									
OC Operator Review and Page Count Complete (initials)												
Completion time				0800	0815	0925	0845	0800	0850	0820		
Non TSR requirement												

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.
 Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date: 3/11/18 Time: 0800 Reviewed by: [Signature] Date: 3/12/18 Time: 0705
 On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

		M&TE Calibrated Data				
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375
	Calibration Expiration Date:	6-5-18	Calibration Expiration Date:	8-31-18	Calibration Expiration Date:	7-19-18
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763
	Calibration Expiration Date:	6-5-18	Calibration Expiration Date:	9-31-18	Calibration Expiration Date:	7-19-18

		PF-10 & PF-11 Pump House Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature										
SR	Description	Acceptance Criteria	Daily (September through April only)									
			Date:	Monday	Tue	Wed	Thu	Fri	Sat	Sun		
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.										
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	53.8	53.7	53.8	54.5	54.6	54.6	54.5			
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	56.1	55.2	55.9	57.1	58.8	58.3	57.2			
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	65.3	60.0	59.1	61.5	61.4	61.7	60.6			
	OC Operator Review and Page Count Complete (initials)	Completion Time:	0930	0817	0553	0825	0825	0830	0917			

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe (Fluke Model 5610-9 (or approved engineered equivalent)).

Completed by: [Signature] Date: 03-11-18 Time: 0919

Reviewed by: [Signature] Date: 3/12/18 Time: 0705

On-duty Supervisor: [Signature]

Comments: *PF-11 pwr-1 Fan not operating, OC and MC advised, ESR submitted (7:05) approved by the manager, submitted ESR

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																	
			Date:	Weekday:	Shift:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	≤1.0 in. wc ¹	3/12/18	Mon.	AM	W	-1.99	-1.99	-2.00	-1.97	-1.99	-1.99	-2.00	-1.99	-2.00	-1.98	-1.99	-1.97	
				3/13/18	Tue.	PM	D	-1.99	-1.98	-1.98	-1.98	-1.99	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.97
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	≤1.0 in. wc ¹	3/12/18	Mon.	AM	W	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.94	
				3/13/18	Tue.	PM	D	-1.95	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.97
	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	≤1.0 in. wc ¹	3/12/18	Mon.	AM	W	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	
				3/13/18	Tue.	PM	D	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	≤1.0 in. wc ¹	3/12/18	Mon.	AM	W	-1.97	-1.97	-1.97	-1.98	-1.97	-1.97	-1.97	-1.98	-1.97	-1.97	-1.95	-1.98	-1.97
				3/13/18	Tue.	PM	D	-1.97	-1.97	-1.98	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.95	
	200 area laboratory header AP	PDI-803-1 or PDI-803-2	≤0.05 in. wc ¹	3/12/18	Mon.	AM	W	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	
				3/13/18	Tue.	PM	D	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	
100 area laboratory header AP	PDI-802-1 or PDI-802-2	≤0.05 in. wc ¹	3/12/18	Mon.	AM	W	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22		
			3/13/18	Tue.	PM	D	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22		
300 area laboratory header AP	PDI-853-1 or PDI-853-2	≤0.05 in. wc ¹	3/12/18	Mon.	AM	W	-0.19	-0.19	-0.19	-0.20	-0.19	-0.19	-0.19	-0.21	-0.19	-0.19	-0.19	-0.19		
			3/13/18	Tue.	PM	D	-0.19	-0.19	-0.20	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.19		
400 area laboratory header AP	PDI-852-1 or PDI-852-2	≤0.05 in. wc ¹	3/12/18	Mon.	AM	W	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19		
			3/13/18	Tue.	PM	D	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19			
IFIT Facility AP	PDI-865-4 or PDI-865-5	≤0.05 in. wc	3/12/18	Mon.	AM	W	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15		
			3/13/18	Tue.	PM	D	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15			
North basement AP	PDI-804-1 or PDI-804-2	< 0.00 in. wc	3/12/18	Mon.	AM	W	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10		
			3/13/18	Tue.	PM	D	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10			
South basement AP	PDI-854-1 or PDI-854-2	< 0.00 in. wc	3/12/18	Mon.	AM	W	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10		
			3/13/18	Tue.	PM	D	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10			
IRT Tunnel AP	PDI-901 or PDI-901	< 0.00 in. wc	3/12/18	Mon.	AM	W	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10		
			3/13/18	Tue.	PM	D	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10			

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS							
				Sat / Unsat (circle one)	Sat / Unsat (circle one)	Sat / Unsat (circle one)	Sat / Unsat (circle one)	Sat / Unsat (circle one)	Sat / Unsat (circle one)	Sat / Unsat (circle one)	
4.1.1.6	200 area re-circulation fan/plenum	FR-801 loon red and PDT-831 AP >.050 or FR-802 loon red and PDT-832 AP >.050	At least one fan/plenum is in service	3/12/18	3/13/18	03-14-18	03-15-18	3/16/18	3/17/18	3/18/18	
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				AM	PM	AM	PM	AM	PM	AM	PM
				✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓	✓	✓	✓	✓
100 area re-circulation fan/plenum	FR-803 loon red and PDT-833 AP >.050 or FR-804 loon red and PDT-835 AP >.050	At least one fan/plenum is in service	3/12/18	3/13/18	03-14-18	03-15-18	3/16/18	3/17/18	3/18/18		
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
			AM	PM	AM	PM	AM	PM	AM	PM	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
300 area re-circulation fan/plenum	FR-805 loon red and PDT-836 AP >.050 or FR-806 loon red and PDT-837 AP >.050	At least one fan/plenum is in service	3/12/18	3/13/18	03-14-18	03-15-18	3/16/18	3/17/18	3/18/18		
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
			AM	PM	AM	PM	AM	PM	AM	PM	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
400 area re-circulation fan/plenum	FR-807 loon red and PDT-838 AP >.050 or FR-808 loon red and PDT-839 AP >.050	At least one fan/plenum is in service	3/12/18	3/13/18	03-14-18	03-15-18	3/16/18	3/17/18	3/18/18		
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
			AM	PM	AM	PM	AM	PM	AM	PM	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
Vault re-circulation fan/plenum	FR-811 loon red and PDT-840 AP >.050 or FR-812 loon red and PDT-841 AP >.050	At least one fan/plenum is in service	3/12/18	3/13/18	03-14-18	03-15-18	3/16/18	3/17/18	3/18/18		
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
			AM	PM	AM	PM	AM	PM	AM	PM	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	
			✓	✓	✓	✓	✓	✓	✓	✓	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																
					Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.		
					3/12/18	3/13/18	3/14/18	3/15/18	3/16/18	3/17/18	3/18/18	3/19/18	3/20/18	3/21/18	3/22/18	3/23/18	3/24/18	3/25/18	3/26/18	3/27/18	
4.1.1.4 Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
				Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats		
				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
					Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM
	300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
				Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats
				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
	400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
				Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats	Unsats
				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
				Completion Time																	
				0725	1910	0730	1930	0721	1924	0722	1921	0743	1930	0725	1930	0725	1930				

Handwritten initials/signature

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: ad Date: 3-18-18 Time: 1930

Reviewed by: [Signature] On-duty Supervisor

Date: 3/19/18 Time: 0645

Comments:

FOR FEM

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration **readout** directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (percentage)							
			Date:	Weekdays:	Initials:	Record Calculated Value	Completion Time:	Sat / Unsat	Sat / Unsat	
4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading) CP-305-H (LED Reading)	NA	3/12/18	Mon.	NA	005	0750	Sat / Unsat	005	0750
			3/13/18	Tue.	NA	005	0900	Sat / Unsat	005	0900
			3/14/18	Wed.	NA	005	0800	Sat / Unsat	005	0800
			3/15/18	Thu.	NA	005	0800	Sat / Unsat	005	0800
			3/16/18	Fri.	NA	005	0700	Sat / Unsat	005	0700
			3-17-18	Sat.	PT	005	0746	Sat / Unsat	005	0746
			3-18-18	Sun.	PT	005	0742	Sat / Unsat	005	0742

FOR INFORMATION

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UFT]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)															
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.								
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.								
4.1.3.4 ¹	South basement supply filter plenum (HVP-841) AP	1PDI-894-1	≤ 2.0 > 0 ¹ in. wc																
		PDI-894-2	≤ 2.0 > 0 ¹ in. wc	.45	.45	.45	.45	.45	.43	.42	.42								
		1PDI-895-1	≤ 2.0 > 0 ¹ in. wc	.06	.06	.06	.06	.06	.06	.06	.06								
		PDI-895-2	≤ 2.0 > 0 ¹ in. wc	.61	.61	.61	.65	.65	.65	.65	.65								
		1PDI-817-1	≤ 2.0 > 0 ¹ in. wc	.28	.28	.28	.28	.28	.28	.29	.29								
		PDI-817-2	≤ 2.0 > 0 ¹ in. wc	.30	.30	.30	.30	.30	.30	.30	.30								
		PDI-817-4	≤ 2.0 > 0 ¹ in. wc	.32	.32	.32	.32	.32	.32	.32	.32								
		PDI-817-5	≤ 2.0 > 0 ¹ in. wc	.30	.30	.30	.30	.30	.30	.30	.30								
		PDI-819-1	≤ 2.0 > 0 ¹ in. wc	.45	.45	.45	.46	.46	.45	.45	.45								
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-4	≤ 2.0 > 0 ¹ in. wc	.38	.38	.38	.38	.38	.38	.38									
		1PDI-818-1	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37	.37								
		PDI-818-2	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37	.37								
		PDI-818-4	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37	.37								
		PDI-818-5	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37	.37								
		PDI-821-1	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37	.37								
		PDI-821-3	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37	.37								
		PDI-821-4	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37	.37								
4.1.3.4 ³	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-4	≤ 2.0 > 0 ¹ in. wc	.37	.37	.37	.37	.37	.37	.37									

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Weekday:	Initials:						
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.13					
				3/13/18	Tue.	AM	.13					
				3/14/18	Wed.	AM	.13					
				3/15/18	Thu.	AM	.13					
				3/16/18	Fri.	AM	.13					
				3-17-18	Sat.	PT	.13					
				3-18-18	Sun.	PT	.13					
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) AP	PDI-822-2	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.61					
				3/13/18	Tue.	AM	.61					
				3/14/18	Wed.	AM	.61					
				3/15/18	Thu.	AM	.61					
				3/16/18	Fri.	AM	.61					
				3-17-18	Sat.	PT	.61					
				3-18-18	Sun.	PT	.61					
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-4	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.50					
				3/13/18	Tue.	AM	.50					
				3/14/18	Wed.	AM	.50					
				3/15/18	Thu.	AM	.50					
				3/16/18	Fri.	AM	.50					
				3-17-18	Sat.	PT	.50					
				3-18-18	Sun.	PT	.50					
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-5	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.51					
				3/13/18	Tue.	AM	.51					
				3/14/18	Wed.	AM	.51					
				3/15/18	Thu.	AM	.51					
				3/16/18	Fri.	AM	.51					
				3-17-18	Sat.	PT	.51					
				3-18-18	Sun.	PT	.51					
4.1.3.4 ¹	South Basement exhaust filter plenum (PF-829) AP	PDI-830-1	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.75					
				3/13/18	Tue.	AM	.75					
				3/14/18	Wed.	AM	.76					
				3/15/18	Thu.	AM	.75					
				3/16/18	Fri.	AM	.74					
				3-17-18	Sat.	PT	.75					
				3-18-18	Sun.	PT	.75					
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-1	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.06					
				3/13/18	Tue.	AM	.06					
				3/14/18	Wed.	AM	.06					
				3/15/18	Thu.	AM	.06					
				3/16/18	Fri.	AM	.06					
				3-17-18	Sat.	PT	.07					
				3-18-18	Sun.	PT	.06					
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-1	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.63					
				3/13/18	Tue.	AM	.63					
				3/14/18	Wed.	AM	.63					
				3/15/18	Thu.	AM	.63					
				3/16/18	Fri.	AM	.63					
				3-17-18	Sat.	PT	.63					
				3-18-18	Sun.	PT	.62					
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-2	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.48					
				3/13/18	Tue.	AM	.48					
				3/14/18	Wed.	AM	.48					
				3/15/18	Thu.	AM	.48					
				3/16/18	Fri.	AM	.48					
				3-17-18	Sat.	PT	.49					
				3-18-18	Sun.	PT	.49					
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-3	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	AM	.46					
				3/13/18	Tue.	AM	.47					
				3/14/18	Wed.	AM	.47					
				3/15/18	Thu.	AM	.47					
				3/16/18	Fri.	AM	.47					
				3-17-18	Sat.	PT	.47					
				3-18-18	Sun.	PT	.47					

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UFT]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																					
				Date:	Weekdays:	Initials:																			
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) AP	PDI-838-1	≤2.0 & > 0 ¹ in. wc	3/12/18	Mon.	AP	3/13/18	Tue	AP	3/14/18	Wed	AP	3/15/18	Thu	AP	3/16/18	Fri	AP	3-17-18	Sat	PT	3-18-18	Sun	PT	
				.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53	.53
		PDI-838-2	≤2.0 & > 0 ¹ in. wc	.59	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58
				.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59
		PDI-838-3	≤2.0 & > 0 ¹ in. wc	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43
				.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
	400 area re-circulation filter plenum (HVP-808) AP	PDI-839-1	≤2.0 & > 0 ¹ in. wc	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	
				.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
		PDI-839-2	≤2.0 & > 0 ¹ in. wc	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
				.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
		PDI-839-3	≤2.0 & > 0 ¹ in. wc	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
				.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
4.1.3.4 ¹	South Bleed off filter plenum (FF-822A) AP	PDI-810-1	≤2.0 & > 0 ¹ in. wc	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17	.17		
				.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-810-2	≤2.0 & > 0 ¹ in. wc	.52	.53	.53	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	
	PDI-810-3	≤2.0 & > 0 ¹ in. wc	.52	.53	.53	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	
			.52	.53	.53	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	
	South Bleed off filter plenum (FF-822B) AP	PDI-811-1	≤2.0 & > 0 ¹ in. wc	.52	.53	.53	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	
.52				.53	.53	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	
PDI-811-2		≤2.0 & > 0 ¹ in. wc	.52	.53	.53	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52		
PDI-811-3	≤2.0 & > 0 ¹ in. wc	.52	.53	.53	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52		
OC Operator Review and Page Count Complete (initials)				0840	0802	0855	0830	0730	0734	0740	0840	0802	0855	0830	0730	0734	0740	0840	0802	0855	0830	0730	0734	0740	

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Paul Trevill Date: 3-18-18 Time: 0740 Reviewed by: [Signature] Date: 3/19/18 Time: 0647

Comments: 4411 out of service reads to be calibrated

On-duty Supervisor: [Signature]

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ¹	Vault re-circulation filter plenum (IIVP-811) ΔP Vault re-circulation filter plenum (IIVP-812) ΔP	1PDI-840-1	≤ 0.0 > 0.1 in. wc	3/12/18	3/13/18	3/14/18	3/15/18	3/16/18	3-17-18	3-18-18	
				STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-840-2	≤ 0.0 > 0 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-840-3	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		1PDI-841-1	≤ 0.0 > 0.1 in. wc	.46	.46	.46	.46	.46	.46	.46	
		PDI-841-2	≤ 0.0 > 0.1 in. wc	.58	.57	.57	.57	.57	.57	.57	
		PDI-841-3	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	.51	
		1PDI-831-1	≤ 0.0 > 0.1 in. wc	.33	.33	.33	.33	.33	.33	.33	
		PDI-831-2	≤ 0.0 > 0.1 in. wc	.41	.42	.42	.42	.42	.42	.41	
		PDI-831-3	≤ 0.0 > 0.1 in. wc	.39	.39	.39	.39	.39	.39	.39	
		1PDI-832-1	≤ 0.0 > 0.1 in. wc	.41	.41	.41	.41	.41	.41	.41	
		PDI-832-2	≤ 0.0 > 0.1 in. wc	.68	.68	.68	.68	.68	.69	.69	
PDI-832-3	≤ 0.0 > 0.1 in. wc	.61	.61	.61	.61	.61	.61	.61			
4.1.3.4 ¹	North Bleed off filter plenum (FF-820A) ΔP	1PDI-807-1	≤ 0.0 > 0.1 in. wc	.12	.13	.12	.13	.12	.12	.12	
		PDI-807-2	≤ 0.0 > 0.1 in. wc	.50	.51	.50	.51	.50	.51	.51	
		PDI-807-3	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	.51	
		1PDI-809-1	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
4.1.3.4 ¹	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-3	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
				OFF	OFF	OFF	OFF	OFF	OFF	OFF	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Weekday:	Initials:						
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 0.0 > 0.1 in. wc	3/12/18	Mon.	pm	.10	.12	.08	.08	.08	.08
		PDI-829-2	≤ 0.0 > 0.1 in. wc	3/13/18	Tue.	pm	.21	.19	.19	.19	.19	.19
		PDI-829-3	≤ 0.0 > 0.1 in. wc	3/14/18	Wed.	pm	.19	.21	.17	.17	.17	.18
4.1.1.7 ¹	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-1	≤ 2.0 > 0.1 in. wc	3/15/18	Thu.	pm	.07	.07	.07	.07	.07	.07
		PDI-833-2	≤ 2.0 > 0.1 in. wc	3/16/18	Fri.	pm	.50	.50	.50	.50	.50	.50
		PDI-833-3	≤ 2.0 > 0.1 in. wc	3/17/18	Sat.	PT	.51	.57	.51	.51	.51	.51
4.1.3.4 ²	100 area re-circulation filter plenum (HVP-804) AP	PDI-835-1	≤ 2.0 > 0.1 in. wc	3/18/18	Sun.	PT	.05	.05	.05	.05	.05	.05
		PDI-835-2	≤ 2.0 > 0.1 in. wc				.50	.50	.50	.50	.50	.50
		PDI-835-3	≤ 2.0 > 0.1 in. wc				.50	.50	.50	.50	.50	.50
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-1	≤ 2.0 > 0.1 in. wc	3/12/18	Mon.	pm	.24	.24	.24	.24	.24	.26
		PDI-815-2	≤ 2.0 > 0.1 in. wc	3/13/18	Tue.	pm	.59	.59	.59	.59	.59	.59
		PDI-815-4	≤ 2.0 > 0.1 in. wc	3/14/18	Wed.	pm	.50	.50	.51	.51	.50	.50
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-1	≤ 2.0 > 0.1 in. wc	3/15/18	Thu.	pm	.50	.50	.50	.50	.50	.50
		PDI-816-2	≤ 2.0 > 0.1 in. wc	3/16/18	Fri.	pm	.50	.50	.50	.50	.50	.50
		PDI-816-4	≤ 2.0 > 0.1 in. wc	3/17/18	Sat.	PT	.50	.50	.50	.50	.50	.50
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-5	≤ 2.0 > 0.1 in. wc	3/18/18	Sun.	PT	.50	.50	.50	.50	.50	.50

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																				
				Date:	Weekday:	Initials:																		
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	1PDI-812-1	≤2.0 > 0.1 in. wc	3/12/18	Mon	AM	3/13/18	Tue	AM	3/14/18	Wed	AM	3/15/18	Thu	AM	3/16/18	Fri	AM	3-17-18	Sat	PT	3-18-18	Sun	PT
		PDI-812-2	≤2.0 > 0.1 in. wc	.14	.14	.14	.14	.14	.14	.14	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15
		PDI-812-3	≤2.0 > 0.1 in. wc	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-812-4	≤2.0 > 0.1 in. wc	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-812-5	≤2.0 > 0.1 in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31
		1PDI-813-1	≤2.0 > 0.1 in. wc	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39
		PDI-813-2	≤2.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-3	≤2.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-4	≤2.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-5	≤2.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ¹	IFIT exhaust filter plenum (FF-865) ΔP	1PDI-865-1	≤2.0 > 0.1 in. wc	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02		
		PDI-865-2	≤2.0 > 0.1 in. wc	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	.36	
		PDI-865-3	≤2.0 > 0.1 in. wc	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	.35	
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	1PDI-863-1	≤2.0 > 0.1 in. wc	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04		
		PDI-863-2	≤2.0 > 0.1 in. wc	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	

FOR

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SIRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																									
				Date:	Weekday:	Initials:																							
4.1.3.4 ¹	North Basement supply filter plenum (HVP-840) ΔP	1PDI-857-1 PDI-857-2	≤ 2.0 > 0 ¹ in. wc ≤ 2.0 > 0 ¹ in. wc	3/12/18	Mon.	AM	.12	3/13/18	Tue.	AM	.12	3/14/18	Wed.	AM	.12	3/15/18	Thu.	AM	.12	3/16/18	Fri.	AM	.13	3-17-18	Sat.	.12	3-18-18	Sun.	.12
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	1PDI-856-1 PDI-856-2	≤ 2.0 > 0 ¹ in. wc ≤ 2.0 > 0 ¹ in. wc	3/12/18	Mon.	AM	.41	3/13/18	Tue.	AM	.42	3/14/18	Wed.	AM	.41	3/15/18	Thu.	AM	.43	3/16/18	Fri.	AM	.42	3-17-18	Sat.	.42	3-18-18	Sun.	.42
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)	3/12/18	Mon.	AM	.06	3/13/18	Tue.	AM	.06	3/14/18	Wed.	AM	.05	3/15/18	Thu.	AM	.06	3/16/18	Fri.	AM	.06	3-17-18	Sat.	.54	3-18-18	Sun.	.54
4.3.2.2 ¹	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	3/12/18	Mon.	AM	.54	3/13/18	Tue.	AM	.54	3/14/18	Wed.	AM	.54	3/15/18	Thu.	AM	.55	3/16/18	Fri.	AM	.54	3-17-18	Sat.	.55	3-18-18	Sun.	.54
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	3/12/18	Mon.	AM	.54	3/13/18	Tue.	AM	.54	3/14/18	Wed.	AM	.54	3/15/18	Thu.	AM	.55	3/16/18	Fri.	AM	.54	3-17-18	Sat.	.55	3-18-18	Sun.	.54

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS									
				Date:	Weekday:	Initials:	OC	Page	Count	Complete			
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	3/12/18	Mon	AK	0820	0820	0840	0812	0710	0749	0809
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	3/13/18	Tue	AK	0820	0820	0840	0812	0710	0749	0809
				3/14/18	Wed	AK	0820	0820	0840	0812	0710	0749	0809
				3/15/18	Thu	AK	0820	0820	0840	0812	0710	0749	0809
				3/16/18	Fri	AK	0820	0820	0840	0812	0710	0749	0809
				3-17-18	Sat	PT							
				3-18-18	Sun	PT							

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit. room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Paul Treviño Date: 3/18/18 Time: 0809 Reviewed by: [Signature] On-duty Supervisor

Comments: _____ Date: 3/19/2018 Time: 0650

1

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data																									
Record September through April only	<table border="1"> <tr> <td>PF-10 Thermometer File No.:</td> <td>039745</td> <td>PF-10 Thermistor File No.:</td> <td>1053523</td> <td>V-701 Thermistor File No.:</td> <td>040375</td> </tr> <tr> <td>Calibration Expiration Date:</td> <td>6-25-18</td> <td>Calibration Expiration Date:</td> <td>8-31-18</td> <td>Calibration Expiration Date:</td> <td>7-19-18</td> </tr> <tr> <td>PF-11 Thermometer File No.:</td> <td>039746</td> <td>PF-11 Thermistor File No.:</td> <td>105352</td> <td>V-704 Thermistor File No.:</td> <td>103763</td> </tr> <tr> <td>Calibration Expiration Date:</td> <td>6-25-18</td> <td>Calibration Expiration Date:</td> <td>9-31-18</td> <td>Calibration Expiration Date:</td> <td>7-19-18</td> </tr> </table>	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	1053523	V-701 Thermistor File No.:	040375	Calibration Expiration Date:	6-25-18	Calibration Expiration Date:	8-31-18	Calibration Expiration Date:	7-19-18	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763	Calibration Expiration Date:	6-25-18	Calibration Expiration Date:	9-31-18	Calibration Expiration Date:	7-19-18
PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	1053523	V-701 Thermistor File No.:	040375																				
Calibration Expiration Date:	6-25-18	Calibration Expiration Date:	8-31-18	Calibration Expiration Date:	7-19-18																				
PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763																				
Calibration Expiration Date:	6-25-18	Calibration Expiration Date:	9-31-18	Calibration Expiration Date:	7-19-18																				

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature																
SR	Description	Acceptance Criteria	Date													
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	SAT	UNSAT	SAT	UNSAT	SAT	UNSAT	SAT	UNSAT	SAT	UNSAT	SAT	UNSAT	SAT	UNSAT
43.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	54.0	54.1	54.7	54.6	57.5	54.2	54.9							
43.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	53.0	57.0	58.4	59.1	56.4	55.5	55.5							
43.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	61.5	60.6	60.8	62.3	58.2	60.5	61.9							
43.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	55.2	68.9	75.6	72.9	74.0	73.9	74.3							
OC Operator Review and Page Count Complete (initials)			ABJ	ABJ	ABJ	ABJ	BC	ABJ	ABJ	ABJ	ABJ	ABJ	ABJ	ABJ	ABJ	ABJ
Completion Time:			0932	0851	0903	0834	0807	0815	0830							

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: ASTN Date: 3/18/18 Time: 0830
 Reviewed by: [Signature] Date: 3/19/18 Time: 0610
 On-duty Supervisor

Comments:

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
			Date:	Weekday:	Shift:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	2/19/18	Mon.	AM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	3/02/18	Tue.	PM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	3/20/18	Tue.	AM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	3/20/18	Tue.	PM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	200 area laboratory header AP	PDI-803-1 or PDI-803-2	3/22/18	Thu.	AM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	3/22/18	Thu.	PM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	300 area laboratory header AP	PDI-853-1 or PDI-853-2	3/22/18	Thu.	AM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	400 area laboratory header AP	PDI-852-1 or PDI-852-2	3/22/18	Thu.	PM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	IFTT Facility AP	PDI-865-4 or PDI-865-5	3/22/18	Thu.	AM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
	North basement AP	PDI-804-1 or PDI-804-2	3/22/18	Thu.	PM	[Signature]	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
4.1.1.3 4.1.2.3 ²	South basement AP	PDI-854-1 or PDI-854-2	03-23-18	Fri.	AM	[Signature]	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.10
	IRT Tunnel AP	PDT-901 or PDI-901	03-24-18	Sat.	AM	[Signature]	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.10

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	Date:							Initials:										
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.											
4.1.1.6	200 area re-circulation fan/plenum	FR-801 loon red and PDT-831 AP > .050 or FR-802 loon red and PDT-832 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.
	100 area re-circulation fan/plenum	FR-803 loon red and PDT-833 AP > .050 or FR-804 loon red and PDT-835 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	300 area re-circulation fan/plenum	FR-805 loon red and PDT-836 AP > .050 or FR-806 loon red and PDT-837 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	400 area re-circulation fan/plenum	FR-807 loon red and PDT-838 AP > .050 or FR-808 loon red and PDT-839 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	Vault re-circulation fan/plenum	FR-811 loon red and PDT-840 AP > .050 or FR-812 loon red and PDT-841 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	

SURVEILLANCE RESULTS
Sat / Unsat (circle one)

FCO

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
					Sat / Unsat (circle one)													
					Date:	Weekday:	Shift:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun			
4.1.1.4 Glovebox exhaust header APs < Laboratory APs < basement APs for areas 100, 200, 300 and 400		200 Area	PDI-814-2 PDI-803-2 PDI-804-2	PDI-814-2 < PDI-803-2 < PDI-804-2	3/19/18	3/20/18	3/21/18	3/22/18	03-23-18	03-24-18	03-25-18							
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM				
					Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
		100 Area	PDI-820-2 PDI-802-2 PDI-804-2	PDI-820-2 < PDI-802-2 < PDI-804-2	3/19/18	3/20/18	3/21/18	3/22/18	03-23-18	03-24-18	03-25-18							
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM				
					Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
		300 Area	PDI-870-2 PDI-853-2 PDI-854-2	PDI-870-2 < PDI-853-2 < PDI-854-2	3/19/18	3/20/18	3/21/18	3/22/18	03-23-18	03-24-18	03-25-18							
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM				
					Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
		400 Area	PDI-864-2 PDI-852-2 PDI-854-2	PDI-864-2 < PDI-852-2 < PDI-854-2	3/19/18	3/20/18	3/21/18	3/22/18	03-23-18	03-24-18	03-25-18							
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM				
					Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat				
Completion Time					0714	0717	0720	0727	0727	0727	0726	0726	0721	0725	0725	0717	0716	

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 3/23/18 Time: 1418

Reviewed by: [Signature] On-duty Supervisor

Date: 3/26/18 Time: 0658

Comments: 3-23-18 An test of EES dos for VPS areas
3-24-18 An test of EES dos for VPS areas

FOR FUTURE USE

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:
 The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration **readout** directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (percentage)						
			Date:	Weekday:	Initials:	Record Calculated Value	Completion Time:		
4.4.1.1	Flammable Gas Channel Check	NA	3/19/18	Mon.	MS	005	0800	0711	
	DET-305-3 (LCD Reading)		3/20/18	Tue.	MS	005	0800	0711	
	CP-305-H (LED Reading)		3/21/18	Wed.	MS	005	0740	0711	
			3/22/18	Thu.	MS	005	0800	0711	
			3/23/18	Fri.	MS	005	0730	0711	
			3/24/18	Sat.	MS	005	0800	0711	
			3/25/18	Sun.	MS	005	0711	0711	
	(DET-305-3) - (CP-305H) LCD Reading (LED Reading)					005			
						005			

FOR INFORMATION

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	South basement supply filter plenum (HVP-843) AP	PDI-894-2	≤2.0 & > 0 ¹ in. wc	3/19/18	Mon.	AP	.64	.63	.63	.63	.64	.64	.64
				3/20/18	Tue.	AP	.42	.42	.42	.42	.43	.41	.41
4.1.3.4 ²	South Corridor supply (HVP-810) AP	PDI-895-1	≤2.0 & > 0 ¹ in. wc	3/19/18	Mon.	AP	.05	.06	.06	.06	.06	.06	.06
				3/20/18	Tue.	AP	.65	.65	.66	.67	.66	.66	
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-2	≤2.0 & > 0 ¹ in. wc	3/19/18	Mon.	AP	.29	.29	.29	.29	.29	.29	.29
				3/20/18	Tue.	AP	.30	.30	.31	.31	.31	.30	.30
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-817-5	≤2.0 & > 0 ¹ in. wc	3/19/18	Mon.	AP	.31	.31	.31	.31	.31	.31	.30
				3/20/18	Tue.	AP	.45	.45	.45	.45	.45	.45	.45
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-4	≤2.0 & > 0 ¹ in. wc	3/19/18	Mon.	AP	.46	.46	.46	.46	.46	.46	.46
				3/20/18	Tue.	AP	.38	.38	.38	.38	.38	.38	.38

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)											
				Date:	Weekday:	Initials:									
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	1PDI-822-1	≤2.0 & > 0 ¹ in. WC	3/19/18	Mon.	AP	.13	.13	.13	.16	.14	.14	.14	.14	
				3/18/18	Mon.	AP	.60	.61	.61	.61	.61	.61	.61	.61	
		PDI-822-2	≤2.0 & > 0 ¹ in. WC	3/20/18	Tue.	AP	.50	.50	.50	.50	.50	.50	.50	.50	.50
				3/19/18	Mon.	AP	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-822-4	≤2.0 & > 0 ¹ in. WC	3/21/18	Wed.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				3/20/18	Tue.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-822-5	≤2.0 & > 0 ¹ in. WC	3/22/18	Thu.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				3/21/18	Wed.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-823-1	≤2.0 & > 0 ¹ in. WC	3/23/18	Fri.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				3/22/18	Thu.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-2	≤2.0 & > 0 ¹ in. WC	3/24/18	Sat.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				3/23/18	Fri.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-4	≤2.0 & > 0 ¹ in. WC	3/25/18	Sun.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				3/24/18	Sat.	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
PDI-823-5	≤2.0 & > 0 ¹ in. WC	3/19/18	Mon.	AP	.75	.75	.75	.75	.75	.76	.74	.74	.74		
		3/18/18	Mon.	AP	.31	.31	.31	.31	.31	.31	.31	.31	.31		
4.1.3.4 ¹	South Basement exhaust filter plenum (FF-829) AP	1PDI-830-1	≤2.0 & > 0 ¹ in. WC	3/20/18	Tue.	AP	.27	.27	.27	.27	.27	.27	.27		
				3/19/18	Mon.	AP	.06	.06	.06	.06	.06	.06	.06		
		PDI-830-2	≤2.0 & > 0 ¹ in. WC	3/21/18	Wed.	AP	.66	.66	.66	.66	.66	.66	.66	.66	
				3/20/18	Tue.	AP	.63	.63	.63	.63	.63	.63	.63	.63	
PDI-830-3	≤2.0 & > 0 ¹ in. WC	3/22/18	Thu.	AP	.04	.04	.04	.04	.04	.04	.04	.04			
		3/21/18	Wed.	AP	.65	.65	.65	.65	.65	.65	.65	.65			
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	1PDI-836-1	≤2.0 & > 0 ¹ in. WC	3/24/18	Sat.	AP	.48	.48	.48	.48	.48	.48	.48		
				3/23/18	Fri.	AP	.46	.46	.46	.46	.46	.46	.46		
		PDI-836-2	≤2.0 & > 0 ¹ in. WC	3/25/18	Sun.	AP	.04	.04	.04	.04	.04	.04	.04	.04	
				3/24/18	Sat.	AP	.65	.65	.65	.65	.65	.65	.65	.65	
PDI-836-3	≤2.0 & > 0 ¹ in. WC	3/19/18	Mon.	AP	.48	.48	.48	.48	.48	.48	.48	.48			
		3/18/18	Mon.	AP	.46	.46	.46	.46	.46	.46	.46	.46			
PDI-837-1	≤2.0 & > 0 ¹ in. WC	3/20/18	Tue.	AP	.04	.04	.04	.04	.04	.04	.04	.04			
		3/19/18	Mon.	AP	.48	.48	.48	.48	.48	.48	.48	.48			
PDI-837-2	≤2.0 & > 0 ¹ in. WC	3/21/18	Wed.	AP	.48	.48	.48	.48	.48	.48	.48	.48			
		3/20/18	Tue.	AP	.46	.46	.46	.46	.46	.46	.46	.46			
PDI-837-3	≤2.0 & > 0 ¹ in. WC	3/22/18	Thu.	AP	.46	.46	.46	.46	.46	.46	.46	.46			
		3/21/18	Wed.	AP	.46	.46	.46	.46	.46	.46	.46	.46			

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UJET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Weekdays:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) AP	PDI-838-1	≤ 2.0 & > 0 ¹ in. wc	3/19/18	Mon.	gm	.53	.53	.53	.53	.53	.53	.53
				3/20/18	Tue.	gm	.58	.58	.58	.58	.58	.58	.59
				3/21/18	Wed.	gm	.59	.59	.59	.59	.59	.59	.59
4.1.3.4 ¹	South Bleed off filter plenum (FF-822A) AP	PDI-810-1	≤ 2.0 & > 0 ¹ in. wc	3/19/18	Mon.	gm	.17	.17	.17	.17	.17	.17	.17
				3/20/18	Tue.	gm	.53	.55	.56	.56	.56	.56	.56
				3/21/18	Wed.	gm	.54	.57	.56	.52	.52	.52	.52
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) AP	PDI-811-1	≤ 2.0 & > 0 ¹ in. wc	3/19/18	Mon.	gm	.05	.05	.05	.05	.05	.05	.05
				3/20/18	Tue.	gm	.05	.05	.05	.05	.05	.05	.05
				3/21/18	Wed.	gm	.05	.05	.05	.05	.05	.05	.05
OC Operator Review and Page Count Complete (initials)				3/22/18	Thu.	gm	.05	.05	.05	.05	.05	.05	.05
				3/23/18	Fri.	gm	.05	.05	.05	.05	.05	.05	.05
				3/24/18	Sat.	gm	.05	.05	.05	.05	.05	.05	.05
				3/25/18	Sun.	gm	.05	.05	.05	.05	.05	.05	.05
				3/26/18			.05	.05	.05	.05	.05	.05	.05
				3/27/18			.05	.05	.05	.05	.05	.05	.05
				3/28/18			.05	.05	.05	.05	.05	.05	.05
				3/29/18			.05	.05	.05	.05	.05	.05	.05
				3/30/18			.05	.05	.05	.05	.05	.05	.05
				3/31/18			.05	.05	.05	.05	.05	.05	.05

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: *[Signature]* Date: 3/25/18 Time: 0742 Reviewed by: *[Signature]* Date: 3/26/18 Time: 0709

Comments: 4.4.1.1 3/19/18 out of service. *[Signature]* On-duty Supervisor *[Signature]* calculated.

3/24/18 - All fans out of service due to UPS outage. Rounds to be completed after outage
3/25/18 - fan fans 844/20 88A/20

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)											
				Date:	Weekday:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun		
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	1PDI-840-1	≤ 2.0 & > 0 ¹ in. wc	3/19/18	Mon	off	.17	.07	.07	.07	.07	.07	.07	.07	.07
		PDI-840-2	≤ 2.0 & > 0 in ¹ wc	3/20/18	Tue	off	.59	.58	.58	.58	.58	.58	.58	.58	.58
		PDI-840-3	≤ 2.0 & > 0 ¹ in. wc	3/21/18	Wed	off	.51	.51	.51	.51	.51	.51	.51	.51	.51
		1PDI-841-1	≤ 2.0 & > 0 ¹ in. wc	3/22/18	Thu	off	.46	.46	.46	.46	.46	.46	.46	.46	.46
		PDI-841-2	≤ 2.0 & > 0 ¹ in. wc	3/23/18	Fri	off	.56	.56	.56	.56	.56	.56	.56	.56	.56
		PDI-841-3	≤ 2.0 & > 0 ¹ in. wc	3/24/18	Sat	off	.51	.51	.51	.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	1PDI-831-1	≤ 2.0 & > 0 ¹ in. wc	3/19/18	Mon	off	.32	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-831-2	≤ 2.0 & > 0 ¹ in. wc	3/20/18	Tue	off	.41	.41	.42	.42	.42	.42	.42	.42	.41
		PDI-831-3	≤ 2.0 & > 0 ¹ in. wc	3/21/18	Wed	off	.39	.40	.40	.40	.40	.40	.40	.40	.39
		1PDI-832-1	≤ 2.0 & > 0 ¹ in. wc	3/22/18	Thu	off	.41	.41	.41	.41	.41	.41	.41	.41	.41
		PDI-832-2	≤ 2.0 & > 0 ¹ in. wc	3/23/18	Fri	off	.68	.68	.68	.68	.68	.68	.68	.68	.66
		PDI-832-3	≤ 2.0 & > 0 ¹ in. wc	3/24/18	Sat	off	.61	.61	.61	.61	.61	.61	.61	.61	.61
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	1PDI-807-1	≤ 2.0 & > 0 ¹ in. wc	3/19/18	Mon	off	.12	.11	.12	.12	.11	.11	.13	.13	
		PDI-807-2	≤ 2.0 & > 0 ¹ in. wc	3/20/18	Tue	off	.50	.50	.50	.50	.50	.50	.50	.52	
		PDI-807-3	≤ 2.0 & > 0 ¹ in. wc	3/21/18	Wed	off	.51	.50	.51	.51	.50	.50	.50	.52	
		1PDI-809-1	≤ 2.0 & > 0 ¹ in. wc	3/22/18	Thu	off	.51	.51	.51	.51	.51	.51	.51	.51	
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-2	≤ 2.0 & > 0 ¹ in. wc	3/23/18	Fri	off	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-809-3	≤ 2.0 & > 0 ¹ in. wc	3/24/18	Sat	off	.51	.51	.51	.51	.51	.51	.51	.51	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UETJ]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)										
				Date:	Weekday:	Initials:								
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 2.0 > 0 ¹ in. wc	3/19/18	Mon.	AP	.68	.07	.06	.07	.06	.02	(005)	.02
			≤ 2.0 > 0 ¹ in. wc	3/20/18	Tue.	AP	.20	.19	.15	.17	.17	.02	(005)	.02
		PDI-829-3	≤ 2.0 > 0 ¹ in. wc	3/21/18	Wed.	AP	.18	.17	.12	.13	.13	.02	(005)	.02
			≤ 2.0 > 0 ¹ in. wc	3/22/18	Thu.	AP	.07	.07	.07	.07	.07	.07	(005)	.07
		PDI-833-2	≤ 2.0 > 0 ¹ in. wc	3/23/18	Fri.	AP	.50	.52	.50	.50	.50	.50	(005)	.50
			≤ 2.0 > 0 ¹ in. wc	3/24/18	Sat.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
	100 area re-circulation filter plenum (HIVP-803) AP	PDI-833-3	≤ 2.0 > 0 ¹ in. wc	3/19/18	Mon.	AP	.05	.05	.05	.05	.05	.05	(005)	.05
			≤ 2.0 > 0 ¹ in. wc	3/20/18	Tue.	AP	.05	.05	.05	.05	.05	.05	(005)	.05
		PDI-835-1	≤ 2.0 > 0 ¹ in. wc	3/21/18	Wed.	AP	.24	.24	.24	.24	.24	.24	(005)	.24
			≤ 2.0 > 0 ¹ in. wc	3/22/18	Thu.	AP	.58	.58	.58	.58	.58	.58	(005)	.58
		PDI-835-2	≤ 2.0 > 0 ¹ in. wc	3/23/18	Fri.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
			≤ 2.0 > 0 ¹ in. wc	3/24/18	Sat.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-1	≤ 2.0 > 0 ¹ in. wc	3/19/18	Mon.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
			≤ 2.0 > 0 ¹ in. wc	3/20/18	Tue.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
		PDI-815-2	≤ 2.0 > 0 ¹ in. wc	3/21/18	Wed.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
			≤ 2.0 > 0 ¹ in. wc	3/22/18	Thu.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
		PDI-815-4	≤ 2.0 > 0 ¹ in. wc	3/23/18	Fri.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
			≤ 2.0 > 0 ¹ in. wc	3/24/18	Sat.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-1	≤ 2.0 > 0 ¹ in. wc	3/19/18	Mon.	AP	.48	.48	.48	.48	.48	.48	(005)	.48
			≤ 2.0 > 0 ¹ in. wc	3/20/18	Tue.	AP	.58	.58	.58	.58	.58	.58	(005)	.58
		PDI-816-2	≤ 2.0 > 0 ¹ in. wc	3/21/18	Wed.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
			≤ 2.0 > 0 ¹ in. wc	3/22/18	Thu.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
		PDI-816-4	≤ 2.0 > 0 ¹ in. wc	3/23/18	Fri.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
			≤ 2.0 > 0 ¹ in. wc	3/24/18	Sat.	AP	.50	.50	.50	.50	.50	.50	(005)	.50
PDI-816-5	≤ 2.0 > 0 ¹ in. wc	3/19/18	Mon.	AP	.55	.55	.55	.55	.55	.55	(005)	.55		
	≤ 2.0 > 0 ¹ in. wc	3/20/18	Tue.	AP	.55	.55	.55	.55	.55	.55	(005)	.55		

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ¹	North Basement supply filter plenum (HVP-840) ΔP	IPDI-857-1	≤ 2.0 > 0' in. wc	3/19/18	3/20/18	3/21/18	3/22/18	3/23/18	3/24/18	3/25/18	
		PDI-857-2	≤ 2.0 > 0' in. wc	.13	.13	.13	.13	.13	005	.12	
		IPDI-856-1	≤ 2.0 > 0' in. wc	.42	.42	.42	.42	.42	005	.42	
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	IPDI-856-2	≤ 2.0 > 0' in. wc	.06	.06	.06	.06	.06	005	.06	
				.55	.55	.55	.55	.55	005	.54	
N/A	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)								
4.3.2.2 ¹	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
				Date:	Weekday:	Initials:	Completion time	OC Operator Review and Page Count Complete (Initials)									
4.3.2.2 ¹	Room 206		0 lbvft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	3/19/18	Mon	AM	0740	AM	AM	AM	AM	AM	AM	AM	AM	AM	AM
4.3.2.2 ²	Room 207		0 lbvft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	3/19/18	Mon	AM	0740	AM	AM	AM	AM	AM	AM	AM	AM	AM	AM

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.
 Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit. room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds. Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date 3/24/18 Time 0727 Reviewed by: [Signature] Date: 3/24/18 Time: 0710
 Comments: 3/24/18 - All Fans OUT OF SERVICE DUE TO UPS OUTAGE. ROUNDS TO BE COMPLETED AFTER DUNCE
3/25/18 - All Fans OKed by SW/ATK

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

		M&TE Calibrated Data						
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375		
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18		
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763		
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18		

		PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature														
SR	Description	Acceptance Criteria	Date:							Weekdays:	Initials:	Date:	Time:	Date:	Time:	
			3/19/18	3/20/18	3/21/18	3/22/18	3/23/18	3/24/18	3/25/18							
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.							MON	TUE	WED	THU	FRI	SAT	SUN	
4.3.1.1 ¹	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	53.5	53.4	54.5	54.7	55.5	55.0	54.6							
4.3.1.1 ¹	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	55.4	56.5	58.3	59.3	59.4	58.9	58.2							
4.3.1.3 ¹	RECORD PF-10 room temperature	≥ 50.1 F	59.5	60.5	61.2	62.6	64.9	66.5	66.5							
4.3.1.3 ¹	RECORD PF-11 room temperature	≥ 50.1 F	74.9	71.1	66.9	68.5	66.5	66.5	57.5							
OC Operator Review and Page Count Complete (initials)			W	W	W	W	W	W	W							

¹ Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date: 3/25/18 Time: 0814

Reviewed by: [Signature] Date: 3/26/18 Time: 0711

On-duty Supervisor

Comments:

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																		
				Date:		Weekday:		Shift:		Initials:		Sat / Unsat (circle one)										
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM	AM	PM				
Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	200 area re-circulation fan/ plenum	FR-801 Icon red and PDI-831 ΔP >.050 or FR-802 Icon red and PDI-832 ΔP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
	100 area re-circulation fan/ plenum	FR-803 Icon red and PDI-833 ΔP >.050 or FR-804 Icon red and PDI-835 ΔP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
	4.1.1.6 300 area re-circulation fan/ plenum	FR-805 Icon red and PDI-836 ΔP >.050 or FR-806 Icon red and PDI-837 ΔP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
	400 area re-circulation fan/ plenum	FR-807 Icon red and PDI-838 ΔP >.050 or FR-808 Icon red and PDI-839 ΔP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
				Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
Vault re-circulation fan/ plenum	FR-811 Icon red and PDI-840 ΔP >.050 or FR-812 Icon red and PDI-841 ΔP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
			Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																
					Sat / Unsat (circle one)																
					Date:	Weekday:	Shift:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
<p>Note Gauge readings should be taken on track #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.</p>																					
4.1.1.4	Glovebox exhaust header APs < laboratory APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
			PDI-803-2	2 < PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
			PDI-804-2	2 < PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
300 Area	PDI-870-2	PDI-870-2 < PDI-853-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	PDI-854-2	2 < PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
	PDI-854-2	2 < PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
		Completion Time																			

- 1 Mode 2 acceptance criteria is < 0.00 in. wc.
- 2 SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: BC Date: 3/24/18 Time: 1604 Reviewed by: [Signature] On-duty Supervisor Date: 3/29/18 Time: 1611

Comments: 300 Area Lab AP and Smoke Assessment AP from FCS.
Performance of SRS to meet requirements after ventilation shutdown for UPS Project

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1. The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of $(\geq -0.1; \leq 0.1)$.

SR	Description / Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (percentage)							
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
			Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA							005	
	CP-305-H (LED Reading)	Record Calculated Value							005	
	(DET-305-3) – (CP-305H) (LCD Reading) (LED Reading)	$\geq -0.1;$ $\leq +0.1$	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat
	Completion Time:								192d	

FOR INFORMATION

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)(UET)

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:								
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	1PDI-894-1	≤2.0 & > 0 ¹ in. wc								1.41	
		PDI-894-2	≤2.0 & > 0 ¹ in. wc								1.42	
4.1.3.4 ²	South Corridor supply (HVP-810) AP	1PDI-895-1	< 2.0 & > 0 ¹ in. wc								1.46	
		PDI-895-2	≤2.0 & > 0 ¹ in. wc								1.62	
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	1PDI-817-1	≤2.0 & > 0 ¹ in. wc								1.81	
		PDI-817-2	≤2.0 & > 0 ¹ in. wc								1.31	
		PDI-817-4	≤2.0 & > 0 ¹ in. wc								1.32	
		PDI-817-5	≤2.0 & > 0 ¹ in. wc								1.50	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-1	≤2.0 & > 0 ¹ in. wc								1.43	
		PDI-819-3	≤2.0 & > 0 ¹ in. wc								1.44	
		PDI-819-4	≤2.0 & > 0 ¹ in. wc								1.38	
		1PDI-818-1	≤2.0 & > 0 ¹ in. wc								1.39	
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-2	≤2.0 & > 0 ¹ in. wc								1.39	
		PDI-818-4	≤2.0 & > 0 ¹ in. wc								1.39	
		PDI-818-5	≤2.0 & > 0 ¹ in. wc								1.39	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-1	≤2.0 & > 0 ¹ in. wc								1.39	
		PDI-821-3	≤2.0 & > 0 ¹ in. wc								1.39	
		PDI-821-4	≤2.0 & > 0 ¹ in. wc								1.39	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 2.0 > 0 ¹ in. wc									
		PDI-822-2	≤ 2.0 > 0 ¹ in. wc									
		PDI-822-4	≤ 2.0 > 0 ¹ in. wc									
		PDI-822-5	≤ 2.0 > 0 ¹ in. wc									
		PDI-823-1	≤ 2.0 > 0 ¹ in. wc									
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤ 2.0 > 0 ¹ in. wc									
		PDI-823-4	≤ 2.0 > 0 ¹ in. wc									
		PDI-823-5	≤ 2.0 > 0 ¹ in. wc									
		PDI-830-1	≤ 2.0 > 0 ¹ in. wc									
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-2	≤ 2.0 > 0 ¹ in. wc									
		PDI-830-3	≤ 2.0 > 0 ¹ in. wc									
		PDI-836-1	≤ 2.0 > 0 ¹ in. wc									
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-2	≤ 2.0 > 0 ¹ in. wc									
		PDI-836-3	≤ 2.0 > 0 ¹ in. wc									
		PDI-837-1	≤ 2.0 > 0 ¹ in. wc									
		PDI-837-2	≤ 2.0 > 0 ¹ in. wc									
		PDI-837-3	≤ 2.0 > 0 ¹ in. wc									

FOR INFORMATION

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UFT]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) AP	PDI-838-1	≤ 2.0 & > 0' in. wc									
		PDI-838-2	≤ 2.0 & > 0' in. wc									
		PDI-838-3	≤ 2.0 & > 0' in. wc									
4.1.3.4 ¹	South Bleed off filter plenum (FF-822A) AP	PDI-810-1	≤ 2.0 & > 0' in. wc									
		PDI-810-2	≤ 2.0 & > 0' in. wc									
		PDI-810-3	≤ 2.0 & > 0' in. wc									
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) AP	PDI-811-1	≤ 2.0 & > 0' in. wc									
		PDI-811-2	≤ 2.0 & > 0' in. wc									
		PDI-811-3	≤ 2.0 & > 0' in. wc									
OC Operator Review and Page Count Complete (initials)												

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Michael M. I. [Signature] Date: 3-24-18 Time: 1855
 Reviewed by: [Signature] Date: 3-24-18 Time: 1855
 On-duty Supervisor: [Signature]

Comments: _____

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UFT]

(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
4.1.1.7 ²	Vault re-circulation filter plenum (HV-P-811) ΔP	PDI-840-1	≤ 0.0 > 0.1 in. wc										
		PDI-840-2	≤ 2.0 > 0 in. wc										
		PDI-840-3	≤ 2.0 > 0.1 in. wc										
		PDI-841-1	≤ 2.0 > 0.1 in. wc										
		PDI-841-2	≤ 2.0 > 0.1 in. wc										
		PDI-841-3	≤ 2.0 > 0.1 in. wc										
	200 area re-circulation filter plenum (HV-P-801) ΔP	PDI-831-1	≤ 2.0 > 0.1 in. wc										
		PDI-831-2	≤ 2.0 > 0.1 in. wc										
		PDI-831-3	≤ 2.0 > 0.1 in. wc										
		PDI-832-1	≤ 2.0 > 0.1 in. wc										
		PDI-832-2	≤ 2.0 > 0.1 in. wc										
		PDI-832-3	≤ 2.0 > 0.1 in. wc										
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤ 2.0 > 0.1 in. wc										
		PDI-807-2	≤ 2.0 > 0.1 in. wc										
		PDI-807-3	≤ 2.0 > 0.1 in. wc										
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤ 2.0 > 0.1 in. wc										
		PDI-809-2	≤ 2.0 > 0.1 in. wc										
		PDI-809-3	≤ 2.0 > 0.1 in. wc										

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																	
				Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.									
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 2.0 > 0.1 in. wc																		
		PDI-829-2	≤ 2.0 > 0.1 in. wc																		
		PDI-829-3	≤ 2.0 > 0.1 in. wc																		
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-1	≤ 2.0 > 0.1 in. wc																		
		PDI-833-2	≤ 2.0 > 0.1 in. wc																		
		PDI-833-3	≤ 2.0 > 0.1 in. wc																		
		PDI-835-1	≤ 2.0 > 0.1 in. wc																		
		PDI-835-2	≤ 2.0 > 0.1 in. wc																		
		PDI-835-3	≤ 2.0 > 0.1 in. wc																		
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-1	≤ 2.0 > 0.1 in. wc																		
		PDI-815-2	≤ 2.0 > 0.1 in. wc																		
		PDI-815-4	≤ 2.0 > 0.1 in. wc																		
		PDI-815-5	≤ 2.0 > 0.1 in. wc																		
		PDI-816-1	≤ 2.0 > 0.1 in. wc																		
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-2	≤ 2.0 > 0.1 in. wc																		
		PDI-816-4	≤ 2.0 > 0.1 in. wc																		
		PDI-816-5	≤ 2.0 > 0.1 in. wc																		

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UFT]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
41.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤ 2.0 & > 0' in. wc									
		PDI-812-2	≤ 2.0 & > 0' in. wc									
		PDI-812-3	≤ 2.0 & > 0' in. wc									
		PDI-812-4	≤ 2.0 & > 0' in. wc									
		PDI-812-5	≤ 2.0 & > 0' in. wc									
41.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤ 2.0 & > 0' in. wc									
		PDI-813-2	≤ 2.0 & > 0' in. wc									
		PDI-813-3	≤ 2.0 & > 0' in. wc									
		PDI-813-4	≤ 2.0 & > 0' in. wc									
		PDI-813-5	≤ 2.0 & > 0' in. wc									
41.3.4 ²	IFFT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤ 2.0 & > 0' in. wc									
		PDI-865-2	≤ 2.0 & > 0' in. wc									
		PDI-865-3	≤ 2.0 & > 0' in. wc									
41.3.4 ²	IFFT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤ 2.0 & > 0' in. wc									
		PDI-863-2	≤ 2.0 & > 0' in. wc									

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS										
				Date:	Weekday:	Initials:								
4.3.2.2 ¹	Room 206		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less											
4.3.2.2 ²	Room 207		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less											
OC Operator Review and Page Count Complete (initials)														

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.
 Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Michael J. Fink Date: 3/24/18 Time: 16:41 Reviewed by: [Signature] Date: 3-24-18 Time: 17:55
 Comments: S.R. 4.1.1 EGRESSES, S.R. 4.1.3.4.2 NOT TO DO AND AVOID MATERIALS
DO NOT ENTERS WITH IN MINUTE ORDER OF OPERATIONS FOR NTS-TRD

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)


NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
			Date: 03-26-18		03-27-18		03-28-18		03-29-18		03-30-18		03-31-18			
Weekday:			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
Shift:			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
Initials:			[Handwritten initials]													
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤1.0 in. wc ¹	-1.99	-1.97	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99	-1.99		
	100 area glovebox exhaust header ΔP	≤1.0 in. wc ¹	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94		
	300 area glovebox exhaust header ΔP	≤1.0 in. wc ¹	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98		
	400 area glovebox exhaust header ΔP	≤1.0 in. wc ¹	-1.97	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98	-1.98		
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤0.05 in. wc ¹	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22	-0.22		
	100 area laboratory header ΔP	≤0.05 in. wc ¹	-0.25	-0.28	-0.25	-0.27	-0.25	-0.27	-0.25	-0.27	-0.25	-0.27	-0.25	-0.27		
	300 area laboratory header ΔP	≤0.05 in. wc ¹	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21	-0.21		
	400 area laboratory header ΔP	≤0.05 in. wc ¹	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19	-0.19		
4.1.1.3 4.1.2.3 ²	IFIT Facility ΔP	≤0.05 in. wc	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15		
	North basement ΔP	<0.00 in. wc	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10	-0.10		
	South basement ΔP	<0.00 in. wc	-0.11	-0.11	-0.11	-0.11	-0.11	-0.11	-0.11	-0.11	-0.11	-0.11	-0.11	-0.11		
	IRT Tunnel ΔP	<0.00 in. wc	-0.12	-0.12	-0.12	-0.12	-0.12	-0.12	-0.12	-0.12	-0.12	-0.12	-0.12	-0.12		

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS								
				Sat / Unsat (circle one)								
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP > .050	At least one fan/plenum is in service	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
		FR-802 Icon red and PDT-832 ΔP > .050	At least one fan/plenum is in service	AM	PM	AM	PM	AM	PM	AM	PM	
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP > .050	At least one fan/plenum is in service	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		FR-804 Icon red and PDT-835 ΔP > .050	At least one fan/plenum is in service	AM	PM	AM	PM	AM	PM	AM	PM	
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP > .050	At least one fan/plenum is in service	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		FR-806 Icon red and PDT-837 ΔP > .050	At least one fan/plenum is in service	AM	PM	AM	PM	AM	PM	AM	PM	
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP > .050	At least one fan/plenum is in service	Shift:	AM	PM	AM	PM	AM	PM	AM	PM
		FR-808 Icon red and PDT-839 ΔP > .050	At least one fan/plenum is in service	Initials:	AM	PM	AM	PM	AM	PM	AM	PM
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP > .050	At least one fan/plenum is in service	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		FR-812 Icon red and PDT-841 ΔP > .050	At least one fan/plenum is in service	AM	PM	AM	PM	AM	PM	AM	PM	



ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS															
					Weekday		Tue.		Wed.		Thur.		Fri.		Sat.		Sun.			
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns
			PDI-803-2		Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns
			PDI-804-2		Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns
			PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns
			PDI-802-2		Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns		
		400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns		
					Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns	Sat	Uns		
				Completion Time	0733	1925	0728	1926	0730	1921	0727	1919	0733	1925	0730	1920				

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: Harv Date: 5/3/18 Time: 1920 Reviewed by: [Signature] Date: 4/2/18 Time: 1110
 On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	3-26-18	3-27-18	3-28-18	3/29/18	3-30-18	3/31/18	
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	PT	PT	AS	AM	PT	AM	
Description / Gauge		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)						
SR 4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA	005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value ≥ -0.1 ; $\leq +0.1$	005	005	005	005	005	005	005
Completion Time:			0900	0858	0850	0810	0735	0700	

COPY ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Weekday:	Initials:								
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 & >0 ¹ in. wc	3-26-18	PT	3-27-18	AB	3-28-18	PA	3-30-18	PT	3/31/18	
		PDI-894-2	≤2.0 & >0 ¹ in. wc										
	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 & >0 ¹ in. wc										
		PDI-895-2	≤2.0 & >0 ¹ in. wc										
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & >0 ¹ in. wc										
		PDI-817-2	≤2.0 & >0 ¹ in. wc										
		PDI-817-4	≤2.0 & >0 ¹ in. wc										
		PDI-817-5	≤2.0 & >0 ¹ in. wc										
		PDI-819-1	≤2.0 & >0 ¹ in. wc										
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-3	≤2.0 & >0 ¹ in. wc										
		PDI-819-4	≤2.0 & >0 ¹ in. wc										
		PDI-818-1	≤2.0 & >0 ¹ in. wc										
		PDI-818-2	≤2.0 & >0 ¹ in. wc										
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF855) ΔP	PDI-818-4	≤2.0 & >0 ¹ in. wc										
		PDI-818-5	≤2.0 & >0 ¹ in. wc										
		PDI-821-1	≤2.0 & >0 ¹ in. wc										
		PDI-821-3	≤2.0 & >0 ¹ in. wc										
		PDI-821-4	≤2.0 & >0 ¹ in. wc										

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 0.0 > 0.1 in. wc	.05	.12	.14	.13	.14	.13	
		PDI-822-2	≤ 0.0 > 0.1 in. wc	.60	.60	.59	.61	.60	.60	
		PDI-822-4	≤ 0.0 > 0.1 in. wc	.50	.50	.50	.50	.50	.50	
		PDI-822-5	≤ 0.0 > 0.1 in. wc	.52	.51	.51	.51	.52	.52	
		PDI-823-1	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ³	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-823-4	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-823-5	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-830-1	≤ 0.0 > 0.1 in. wc	.74	.74	.75	.75	.75	.75	
4.1.3.4 ⁴	South Basement exhaust filter plenum (FF-829) AP	PDI-830-2	≤ 0.0 > 0.1 in. wc	.31	.31	.31	.31	.31	.31	
		PDI-830-3	≤ 0.0 > 0.1 in. wc	.28	.28	.26	.27	.27	.27	
		PDI-836-1	≤ 0.0 > 0.1 in. wc	.06	.06	.07	.06	.06	.06	
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-2	≤ 0.0 > 0.1 in. wc	.67	.67	.68	.66	.66	.66	
		PDI-836-3	≤ 0.0 > 0.1 in. wc	.65	.65	.65	.64	.65	.64	
		PDI-837-1	≤ 0.0 > 0.1 in. wc	.04	.04	.04	.04	.04	.04	
		PDI-837-2	≤ 0.0 > 0.1 in. wc	.49	.49	.49	.48	.49	.48	
		PDI-837-3	≤ 0.0 > 0.1 in. wc	.46	.46	.45	.45	.46	.45	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (In. wc)							
				Date: Weekday: Initials:	3-26-18 Mon.	3-27-18 Tue.	3-28-18 Wed.	3-29-18 Thu.	3-30-18 Fri.	3-31-18 Sat.	
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	PDI-838-1	≤2.0 & > 0 ¹ in. wc		.53	.53	.53	.53	.53	.53	
		PDI-838-2	≤2.0 & > 0 ¹ in. wc	.59	.59	.60	.59	.59	.59	.59	
		PDI-838-3	≤2.0 & > 0 ¹ in. wc	.59	.59	.60	.59	.59	.60	.59	
4.1.3.4 ¹	400 area re-circulation filter plenum (HVP-808) ΔP	PDI-839-1	≤2.0 & > 0 ¹ in. wc	.43	.43	.42	.43	.43	.43	.42	
		PDI-839-2	≤2.0 & > 0 ¹ in. wc	.58	.58	.58	.58	.58	.58	.58	
		PDI-839-3	≤2.0 & > 0 ¹ in. wc	.56	.55	.52	.56	.56	.57	.56	
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	PDI-810-1	≤2.0 & > 0 ¹ in. wc	.19	.18	.20	.19	.19	.19	.19	
		PDI-810-2	≤2.0 & > 0 ¹ in. wc	.60	.59	.60	.58	.58	.59	.58	
		PDI-810-3	≤2.0 & > 0 ¹ in. wc	.60	.59	.61	.59	.59	.59	.59	
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	PDI-811-1	≤2.0 & > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-811-2	≤2.0 & > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-811-3	≤2.0 & > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
OC Operator Review and Page Count Complete (initials)				0.850	0.837	0.953	0.900	0.803	0.803	0.730	

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Steve M. Date: 3/31/18 Time: 0730 Reviewed by: [Signature] Date: 4/2/18 Time: 1111
 Comments: Elementable gas channel OES needs to be calibrated

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SIRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)											
				Date: Weekday:	Mon.	Tue	Wed	Thu.	Fri.	Sat.	Sun.				
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤ 2.0 & > 0' in. wc	3-26-18	PT	3-27-18	PT	3-28-18	AS	3-29-18	PT	3-30-18	PT	3-31-18	PT
		PDI-840-2	≤ 2.0 & > 0 in' wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-840-3	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.46	.46	.47	.46	.46	.46	.46	.46	.46	.46	.46
		PDI-841-2	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.56	.56	.58	.57	.57	.57	.57	.57	.57	.57	.57
		PDI-841-3	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-831-2	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41
		PDI-831-3	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.40	.39	.40	.39	.40	.39	.40	.39	.40	.39	.40
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42	
	PDI-832-2	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.68	.68	.68	.68	.68	.68	.68	.68	.68	.68	.68	
	PDI-832-3	≤ 2.0 & > 0' in. wc	≤ 2.0 & > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ³	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤ 2.0 & > 0' in. wc	.13	.13	.13	.13	.13	.13	.13	.13	.13	.13	.13	
		PDI-807-2	≤ 2.0 & > 0' in. wc	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	
		PDI-807-3	≤ 2.0 & > 0' in. wc	.52	.51	.52	.52	.52	.52	.52	.52	.52	.52	.52	
4.1.3.4 ⁴	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤ 2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤ 2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-3	≤ 2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
			Date:	3-26-18	3-27-18	3-28-18	3-29-18	3-30-18	3/31/18	
			Weekday:	PT	PT	AB	PM	PT		
			Initials:							
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) ΔP	PDI-829-1	≤ 0.0 > 0.1 in. wc	.02	.03	.02	.01	.03	.02	
		PDI-829-2	≤ 0.0 > 0.1 in. wc	.02	.03	.03	.02	.04	.02	
		PDI-829-3	≤ 0.0 > 0.1 in. wc	.03	.03	.03	.03	.04	.04	
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) ΔP	PDI-833-1	≤ 0.0 > 0.1 in. wc	.07	.07	.08	.07	.07	.07	
		PDI-833-2	≤ 0.0 > 0.1 in. wc	.50	.50	.50	.50	.50	.50	
		PDI-833-3	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	
4.1.3.4 ²	100 area re-circulation filter plenum (HVP-804) ΔP	PDI-835-1	≤ 0.0 > 0.1 in. wc	.06	.06	.05	.05	.05	.05	
		PDI-835-2	≤ 0.0 > 0.1 in. wc	.50	.50	.50	.50	.50	.50	
		PDI-835-3	≤ 0.0 > 0.1 in. wc	.50	.50	.50	.50	.50	.50	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) ΔP	PDI-815-1	≤ 0.0 > 0.1 in. wc	.28	.28	.28	.28	.28	.28	
		PDI-815-2	≤ 0.0 > 0.1 in. wc	.58	.58	.58	.58	.58	.58	
		PDI-815-4	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	
		PDI-815-5	≤ 0.0 > 0.1 in. wc	.50	.50	.51	.51	.50	.50	
		PDI-816-1	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-816-2	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-816-4	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-816-5	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SIRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 > 0' in. wc	PT	3-26-18	.14	.14	.15	.14	.15	.14	.14
		PDI-812-2	≤2.0 > 0' in. wc	PT	3-27-18	.31	.31	.35	.34	.32	.33	.33
		PDI-812-3	≤2.0 > 0' in. wc	PT	3-28-18	.31	.31	.35	.34	.32	.33	.33
		PDI-812-4	≤2.0 > 0' in. wc	PT	3-29-18	.30	.31	.31	.31	.31	.31	.31
		PDI-812-5	≤2.0 > 0' in. wc	PT	3-30-18	.38	.39	.40	.39	.39	.39	.39
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 > 0' in. wc	PT	3-26-18	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-2	≤2.0 > 0' in. wc	PT	3-27-18	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-3	≤2.0 > 0' in. wc	PT	3-28-18	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-4	≤2.0 > 0' in. wc	PT	3-29-18	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-813-5	≤2.0 > 0' in. wc	PT	3-30-18	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 > 0' in. wc	PT	3-26-18	.02	.02	.02	.02	.02	.02	.02
		PDI-865-2	≤2.0 > 0' in. wc	PT	3-27-18	.35	.35	.38	.37	.35	.36	.36
		PDI-865-3	≤2.0 > 0' in. wc	PT	3-28-18	.33	.32	.35	.35	.34	.34	.34
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 > 0' in. wc	PT	3-26-18	.05	.05	.05	.05	.05	.05	.05
		PDI-863-2	≤2.0 > 0' in. wc	PT	3-27-18	.29	.30	.30	.29	.30	.30	.30

FOR REVIEW ONLY

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	'PDI-857-1	≤ 2.0 & > 0' in. wc	3-26-18	3-27-18	3-28-18	3-29-18	3-30-18	3-31-18		
		PDI-857-2	≤ 2.0 & > 0' in. wc								
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	'PDI-856-1	≤ 2.0 & > 0' in. wc								
		PDI-856-2	≤ 2.0 & > 0' in. wc								
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)								
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS						
				Mon.	Tue	Wed.	Thu.	Fri.	Sat.	Sun.
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	P	P	AS	Ph	P	P	
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT
OC Operator Review and Page Count Complete (initials)				0925	0857	0941	0845	0804	0835	
Completion time										

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Senay M. Date 3/31/18 Time 0835 Reviewed by: [Signature] Date: 4/2/18 Time: 1112
 On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 039745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 040375
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18
	PF-11 Thermometer File No.: 039746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18

PF-10 & PF-11 Pump House Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature												
SR	Description	Acceptance Criteria	Initials:	Date:							SAT	UNSAT
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
	Daily (September through April only)		gh	3/26/18	3/27/18	3/28/18	3/29/18	3/30/18	3/31/18			
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.										
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F		54.6	54.7	53.8	54.2	54.5	54.8			
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F		57.9	56.7	54.4	54.1	53.7	54.0			
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F		62.5	61.6	59.5	58.7	60.7	62.7			
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F		57.9	65.1	64.2	67.9	70.9	68.8			
	OC Operator Review and Page Count Complete (initials)	Completion Time:		0856	0810	0850	0905	0840	1020			

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date: 3-31-18 Time: 1020

Reviewed by: [Signature] Date: 4/2/18 Time: 1020

Comments: _____

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UET]
(Page 1 of 2)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
*Note	Confinement DR-344	Southeast	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat / Unsat.	1011	3/8/18	ZZ
4.1.3.2 ¹	Confinement Door DR-344	Southeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat / Unsat.	1021	3/8/18	ZZ
4.1.3.2 ¹	Confinement Door DR-149	Northeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat / Unsat.	0830	3/12/18	ZZ
*Note	Confinement DR-102	Northwest	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat / Unsat.	1310	3/8/18	ZZ
4.1.3.2 ¹	Confinement Door DR-102	Northwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door). AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is ≤ 30 seconds. 4.6 Seconds	Sat / Unsat.	1312	3/8/18	ZZ
				Sat / Unsat.	1313	3/8/18	ZZ

* Note: Monthly Inspection of DR-344 and DR-102 in accordance with compensatory measure(s) from: Request for Permanent Equivalency to OE Order 420.1B Chapter II.

NFPA 80, NFPA 101 and IBC Requirements for LANL Building T455-J (PF-4), Installation of New Confinement Doors DR-102, DR-302, and DR-344 LANL-DOE-ORDER-

420.1B-EQ-2013-001

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UET]
(Page 2 of 2)

SRs	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
4.1.3.2 ¹	Confinement Door DR-302	Southwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door). AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is ≤ 30 seconds. 6.7 Seconds	Sat / Unsat.	1315	3/8/18	Am
4.1.3.2 ¹	Confinement Door DR-4	N Basement Personnel door DR-4	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure.	Sat / Unsat.	0936	3/8/18	RH
4.1.3.2 ¹	Confinement Door DR-90	South Basement Door (Tunnel)	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat / Unsat.	1328	3/8/18	Am
OC Operator Review and Page Count Complete							✓

SR 4.1.3.2 applies during both Mode 1 and Mode 2.

Completed by: [Signature] Date 3/8/18 Time 1330 Reviewed by: [Signature] Date 3-8-18 Time 10⁵⁸ 15 23
On-duty Supervisor Comments: _____

FOR INFORMATION ONLY

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																	
				Sat / Unsat (circle one)																	
				Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.			
Note		Weekday:		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM				
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
		FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
		FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
		FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	FR-808 Icon red and PDT-839 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																	
					Sat / Unsat (circle one)																	
					Mon	Tue	Wed	Thu	Fri	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
			PDI-803-2		Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
			PDI-802-2		Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
			PDI-853-2		Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
		400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
			PDI-852-2		Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
Completion Time																				0728	1925	

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: W Date: 4/17/18 Time: 1125 Reviewed by: [Signature] Date: 4/17/18 Time: 0707
 On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1. The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		Weekday:								4/11/18
		Initials:								Alh
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)								
4.4.1.1	Flammable Gas Channel Check	NA								
	DET-305-3 (LCD Reading)								DES	
	CP-305-H (LED Reading)								DES	
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value							DES	
		≥ -0.1 ; $\leq +0.1$	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	
	Completion Time:								0710	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)																	
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.										
			Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.										
			Acceptance Criteria																	
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 & >0 ¹ in. wc																4/11/18	
		PDI-894-2	≤2.0 & >0 ¹ in. wc																	04
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 & >0 ¹ in. wc																	44
		PDI-895-2	≤2.0 & >0 ¹ in. wc																	06
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & >0 ¹ in. wc																	61
		PDI-817-2	≤2.0 & >0 ¹ in. wc																	18
		PDI-817-4	≤2.0 & >0 ¹ in. wc																	30
		PDI-817-5	≤2.0 & >0 ¹ in. wc																	32
		PDI-819-1	≤2.0 & >0 ¹ in. wc																	30
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-3	≤2.0 & >0 ¹ in. wc																	44
		PDI-819-4	≤2.0 & >0 ¹ in. wc																	45
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-818-1	≤2.0 & >0 ¹ in. wc																	28
		PDI-818-2	≤2.0 & >0 ¹ in. wc																	58BY
		PDI-818-4	≤2.0 & >0 ¹ in. wc																	57BY
		PDI-818-5	≤2.0 & >0 ¹ in. wc																	57BY
		PDI-821-1	≤2.0 & >0 ¹ in. wc																	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-3	≤2.0 & >0 ¹ in. wc																	57BY
		PDI-821-4	≤2.0 & >0 ¹ in. wc																	57BY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)																
			Date:	Mon.	Tue	Wed.	Thu.	Fri.	Sat.	Sun.									
			Acceptance Criteria																
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 0 > 0 ¹ in. wc																
		PDI-822-2	≤ 0 > 0 ¹ in. wc															0.13	
		PDI-822-4	≤ 0 > 0 ¹ in. wc																0.60
		PDI-822-5	≤ 0 > 0 ¹ in. wc																0.50
		PDI-823-1	≤ 0 > 0 ¹ in. wc																0.51
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤ 0 > 0 ¹ in. wc															0.75	
		PDI-823-4	≤ 0 > 0 ¹ in. wc															0.81	
		PDI-823-5	≤ 0 > 0 ¹ in. wc															0.81	
		PDI-830-1	≤ 0 > 0 ¹ in. wc																0.75
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-2	≤ 0 > 0 ¹ in. wc															0.31	
		PDI-830-3	≤ 0 > 0 ¹ in. wc															0.27	
		PDI-836-1	≤ 0 > 0 ¹ in. wc															0.07	
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-2	≤ 0 > 0 ¹ in. wc															0.66	
		PDI-836-3	≤ 0 > 0 ¹ in. wc															0.84	
		PDI-837-1	≤ 0 > 0 ¹ in. wc															0.04	
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-2	≤ 0 > 0 ¹ in. wc															0.98	
		PDI-837-3	≤ 0 > 0 ¹ in. wc															0.45	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)										
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
			Weekday:	Initials:	Acceptance Criteria								
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 & > 0' in. wc										
		PDI-838-2	≤2.0 & > 0' in. wc										.53
		PDI-838-3	≤2.0 & > 0' in. wc										.58
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 & > 0' in. wc										.59
		PDI-839-2	≤2.0 & > 0' in. wc										.43
		PDI-839-3	≤2.0 & > 0' in. wc										.57
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0' in. wc										.55
		PDI-810-2	≤2.0 & > 0' in. wc										.18
		PDI-810-3	≤2.0 & > 0' in. wc										.58
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0' in. wc										.58
		PDI-811-2	≤2.0 & > 0' in. wc										OFF
		PDI-811-3	≤2.0 & > 0' in. wc										OFF
OC Operator Review and Page Count Complete (initials)			Completion Time										

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: SPZ/AL Date: 4/11/18 Time: 0742 Reviewed by: [Signature] Date: 4-11-18 Time: 0740

Comments: 4/11/18 4:11 out of service. Needs to be calibrated On-duty Supervisor

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET] (Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Weekday:	Initials:								
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0 ¹ in. wc									4/1/18	
		PDI-840-2	≤2.0 & > 0 in ¹ wc									STBY	
		PDI-840-3	≤2.0 & > 0 ¹ in. wc									STBY	
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0 ¹ in. wc										
		PDI-841-2	≤2.0 & > 0 ¹ in. wc										.46
		PDI-841-3	≤2.0 & > 0 ¹ in. wc										.56
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0 ¹ in. wc										.51
		PDI-831-2	≤2.0 & > 0 ¹ in. wc										.33
		PDI-831-3	≤2.0 & > 0 ¹ in. wc										.42
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0 ¹ in. wc										.40	
	PDI-832-2	≤2.0 & > 0 ¹ in. wc										.41	
	PDI-832-3	≤2.0 & > 0 ¹ in. wc										.68	
4.1.3.4 ³	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0 ¹ in. wc									.61	
		PDI-807-2	≤2.0 & > 0 ¹ in. wc									.13	
		PDI-807-3	≤2.0 & > 0 ¹ in. wc									.51	
4.1.3.4 ⁴	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0 ¹ in. wc									.51	
		PDI-809-2	≤2.0 & > 0 ¹ in. wc									off	
		PDI-809-3	≤2.0 & > 0 ¹ in. wc									off	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)												
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.					
				Weekday:	Initials:											
4.1.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 2.0 > 0.1 in. wc											4/1/18		
		PDI-829-2	≤ 2.0 > 0.1 in. wc													
		PDI-829-3	≤ 2.0 > 0.1 in. wc													
		PDI-833-1	≤ 2.0 > 0.1 in. wc													
		PDI-833-2	≤ 2.0 > 0.1 in. wc													
4.1.1.7 ¹	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-3	≤ 2.0 > 0.1 in. wc													
		PDI-835-1	≤ 2.0 > 0.1 in. wc													
		PDI-835-2	≤ 2.0 > 0.1 in. wc													
		PDI-835-3	≤ 2.0 > 0.1 in. wc													
		PDI-815-1	≤ 2.0 > 0.1 in. wc													
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤ 2.0 > 0.1 in. wc													
		PDI-815-4	≤ 2.0 > 0.1 in. wc													
		PDI-815-5	≤ 2.0 > 0.1 in. wc													
		PDI-816-1	≤ 2.0 > 0.1 in. wc													
		PDI-816-2	≤ 2.0 > 0.1 in. wc													
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤ 2.0 > 0.1 in. wc													
		PDI-816-5	≤ 2.0 > 0.1 in. wc													

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)										
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
				Weekday:										
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0 ¹ in. wc											
		PDI-812-2	≤2.0 & > 0 ¹ in. wc										.14	
		PDI-812-3	≤2.0 & > 0 ¹ in. wc											.33
		PDI-812-4	≤2.0 & > 0 ¹ in. wc											.33
		PDI-812-5	≤2.0 & > 0 ¹ in. wc											.31
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0 ¹ in. wc										.28	
		PDI-813-2	≤2.0 & > 0 ¹ in. wc										.57	
		PDI-813-3	≤2.0 & > 0 ¹ in. wc										.57	
		PDI-813-4	≤2.0 & > 0 ¹ in. wc										.57	
		PDI-813-5	≤2.0 & > 0 ¹ in. wc										.57	
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0 ¹ in. wc										.02	
		PDI-865-2	≤2.0 & > 0 ¹ in. wc										.36	
		PDI-865-3	≤2.0 & > 0 ¹ in. wc										.35	
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0 ¹ in. wc										.64	
		PDI-863-2	≤2.0 & > 0 ¹ in. wc										.30	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	SURVEILLANCE RESULTS										
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
			Weekday:	Initials:	Acceptance Criteria								
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	'PDI-857-1	≤ 2.0 & > 0' in. wc										
		PDI-857-2	≤ 2.0 & > 0' in. wc										.13
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	'PDI-856-1	≤ 2.0 & > 0' in. wc										.42
		PDI-856-2	≤ 2.0 & > 0' in. wc										.06
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE20A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/R ² combustibles in designated exclusion area (within 15 feet of fans)										.54
4.3.2.2 ¹	Room 201		0 lb/R ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less										.54
4.3.2.2 ²	Room 204		0 lb/R ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less										.54

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:
	Calibration Expiration Date:	06/05/18	Calibration Expiration Date:
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:
	Calibration Expiration Date:	06/05/18	Calibration Expiration Date:
		V-701 Thermistor File No.:	040375
		Calibration Expiration Date:	07/19/18
		V-704 Thermistor File No.:	103763
		Calibration Expiration Date:	07/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature											
SR	Description	Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	SAT / UNSAT
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.										
4.3.1.1'	RECORD fire water storage tank V-701 temperature										55.0
4.3.1.1'	RECORD fire water storage tank V-704 temperature										54.5
4.3.1.3'	RECORD PF-10 room temperature										65.7
4.3.1.3'	RECORD PF-11 room temperature										77.2
	Completion Time:										1025
	OC Operator Review and Page Count Complete (initials)										WJA

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: John W. Alby Date: 4/11/18 Time: 1036
 Reviewed by: [Signature] Date: 4-17-18 Time: 0800
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'	1.99	2.00	1.97	2.00	1.98	2.00	1.97	2.00	1.99	1.99	1.99	1.99	1.99	2.00	1.99	2.00
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc'	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'	1.98	1.99	1.98	1.99	1.98	1.99	1.98	1.99	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc'	1.98	1.99	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤-0.05 in. wc'	0.24	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23
	180 area laboratory header ΔP	≤-0.05 in. wc'	0.30	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
	300 area laboratory header ΔP	≤-0.05 in. wc'	0.19	0.19	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	400 area laboratory header ΔP	≤-0.05 in. wc'	0.20	0.18	0.20	0.20	0.18	0.20	0.18	0.20	0.18	0.20	0.18	0.20	0.18	0.20	0.18	0.20
4.1.1.3 4.1.2.3 ²	IFIT Facility ΔP	≤-0.05 in. wc	0.14	0.16	0.16	0.16	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
	North basement ΔP	< 0.00 in. wc	0.09	0.10	0.11	0.11	0.09	0.10	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	South basement ΔP	< 0.00 in. wc	0.11	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	IRT Tunnel ΔP	< 0.00 in. wc	0.105	0.108	0.114	0.114	0.105	0.108	0.114	0.114	0.105	0.108	0.114	0.114	0.105	0.108	0.114	0.114

SURVEILLANCE RESULTS
(in. wc)

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS														
				Sat / Unsat (circle one)														
Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	Date:	Weekday:	Shift:	Initials:	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service	BCP	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4/7/18	4/8/18	4/9/18	4/10/18	4/11/18	4/12/18	4/13/18	4/14/18	4/15/18
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service	BCP	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service	BCP	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050	At least one fan/plenum is in service	BCP	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service	BCP	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
					Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS															
					Date:		Weekday:		Shift:		Initials:		Sat / Unsat (circle one)		Sat		Unsat			
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4/7/18	4/8/18									
			PDI-803-2																	
			PDI-804-2																	
			PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2																
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2																
		400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2																
Completion Time					0727	1924	0726	1931	0750	1924	0750	1924	0750	1924	0750	1924	0750	1924		

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date 04-03-18 Time 1918 Reviewed by: [Signature] Date: 4-17-18 Time: 0901

On-duty Supervisor

Comments: 04-03-18 SOUTH SIDE HARDWARE SHUT DOWN FOR FILTERS FR 805 FR 806 FR 807 FR 808 TAKE OFF.

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Note Gauge readings should be taken on rack #4 in the OC, whenever possible. Document if alternate PDI's are used.	Date:	Weekday:		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			Shift:		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
			Initials:													
SURVEILLANCE RESULTS (in. wc)																
	Description	Gauge Acceptance Criteria														
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹														
	100 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹														
	300 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹														
	400 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹														
	200 area laboratory header ΔP	≤ 0.05 in. wc ¹														
	100 area laboratory header ΔP	≤ 0.05 in. wc ¹														
4.1.1.2 4.1.1.5 4.1.2.2 ²	300 area laboratory header ΔP	≤ 0.05 in. wc ¹														
	400 area laboratory header ΔP	≤ 0.05 in. wc ¹														
	IFIT Facility ΔP	≤ 0.05 in. wc														
	North basement ΔP	< 0.00 in. wc														
4.1.1.3 4.1.2.3 ²	South basement ΔP	< 0.00 in. wc														
	IRT Tunnel ΔP	< 0.00 in. wc														

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

Note	SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS													
					Sat / Unsat (circle one)													
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.			Date:	Weekday:	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
			Shift:															
			Initials:															
			At least one fan/plenum is in service															
			At least one fan/plenum is in service															
			At least one fan/plenum is in service															
			At least one fan/plenum is in service															
			At least one fan/plenum is in service															

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criterion	SURVEILLANCE RESULTS															
					Sat / Unsat (circle one)															
					Mon	Tue	Wed	Thu	Fri	Sat	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Sun		
<p>Note Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.</p>					Date:	04-03-18														
Weekday:					Mon	Tue	Wed	Thu	Fri	Sat	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Sun		
Shift:					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
Initials:																				
4.1.1.4	Glovebox exhaust header APs < laboratory APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2 PDI-803-2 PDI-804-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
		100 Area	PDI-820-2 PDI-802-2 PDI-804-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
		300 Area	PDI-870-2 PDI-853-2 PDI-854-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
		400 Area	PDI-864-2 PDI-852-2 PDI-854-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
Completion Time																				

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: *[Signature]* Date: 04-03-18 Time: 10:57
 Reviewed by: *[Signature]* Date: 04-18-18 Time: 10:57

On-duty Supervisor: *[Signature]*
 Comments: FOLLOWING HARDWARE SHUTDOWN & ESTABLISHED CONFINEMENT FE829, F5841 & F5810A

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of $(\geq -0.1; \leq 0.1)$.

SR	Description / Gauge	Date:	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	<i>AP</i>	<i>AP</i>	<i>AP</i>	<i>AP</i>	<i>AP</i>	<i>PT</i>	<i>PT</i>
SURVEILLANCE RESULTS (percentage)									
4.4.1.1	Flammable Gas Channel Check	NA							
	DET-305-3 (LCD Reading)		005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		$\geq -0.1;$ $\leq +0.1$	005	005	005	005	005	005	005
	Completion Time:		0800	0755	0710	0740	0745	0759	0735

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Initials:	<i>AM</i>	<i>AM</i>	<i>AM</i>	<i>AM</i>	<i>AM</i>	<i>AM</i>	<i>AM</i>	<i>AM</i>	<i>AM</i>
4.1.3.4 ¹	South basement supply filter plenum (IIVP-841) AP	'PDI-894-1	≤2.0 & > 0' in. wc	.04	.04	.03	.03	.03	.03	.03	.03	.03	
		PDI-894-2	≤2.0 & > 0' in. wc	.44	.44	.42	.42	.43	.43	.43	.43	.43	
4.1.3.4 ¹	South Corridor supply (IIVP-810) AP	'PDI-895-1	≤2.0 & > 0' in. wc	.06	.07	.04	.04	.04	.04	.04	.04	.05	
		PDI-895-2	≤2.0 & > 0' in. wc	.61	.61	.63	.65	.64	.64	.65	.65	.65	
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	'PDI-817-1	≤2.0 & > 0' in. wc	.29	.29	.29	.29	.29	.29	.29	.29	.29	
		PDI-817-2	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	
		PDI-817-4	≤2.0 & > 0' in. wc	.32	.32	.32	.32	.32	.32	.32	.32	.32	
		PDI-817-5	≤2.0 & > 0' in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	
		PDI-819-1	≤2.0 & > 0' in. wc	.45	.45	.45	.45	.45	.45	.45	.45	.45	
4.1.3.4 ³	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-3	≤2.0 & > 0' in. wc	.46	.46	.46	.46	.46	.46	.46	.46	.46	
		PDI-819-4	≤2.0 & > 0' in. wc	.38	.38	.38	.38	.38	.38	.38	.38		
		'PDI-818-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY		
		PDI-818-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY		
4.1.3.4 ⁴	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY		
		PDI-818-5	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY			
		PDI-821-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY			
4.1.3.4 ⁴	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY		
		PDI-821-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY			

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)												
				Date:	Mon.	Tue.	Wed.	Thu.	Fr.	Sat.	Sun.					
				Weekday:	Initials:											
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤2.0 & >0 ¹ in. wc	4/2/18	.13	.13	.13	.13	4/5/18	.13	4/6/18	.13	4-7-18	.13	4-8-18	.13
		PDI-822-2	≤2.0 & >0 ¹ in. wc		.66	.61	.61	.61		.61				.60		.60
		PDI-822-4	≤2.0 & >0 ¹ in. wc		.50	.50	.50	.50		.50				.50		.50
		PDI-822-5	≤2.0 & >0 ¹ in. wc		.51	.51	.51	.51		.51				.51		.51
		PDI-823-1	≤2.0 & >0 ¹ in. wc		STBY	STBY	STBY	STBY		STBY				STBY		STBY
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤2.0 & >0 ¹ in. wc		STBY	STBY	STBY		STBY				STBY		STBY	
		PDI-823-4	≤2.0 & >0 ¹ in. wc		STBY	STBY	STBY		STBY				STBY		STBY	
		PDI-823-5	≤2.0 & >0 ¹ in. wc		STBY	STBY	STBY		STBY				STBY		STBY	
		PDI-830-1	≤2.0 & >0 ¹ in. wc		.75	.75	.67	.67		.67				.68		.67
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-2	≤2.0 & >0 ¹ in. wc		.31	.31	.30	.30		.30				.30		.30
		PDI-830-3	≤2.0 & >0 ¹ in. wc		.27	.28	.24	.24		.24				.23		.23
		PDI-836-1	≤2.0 & >0 ¹ in. wc		.06	.06	.06	.06		.06				.06		.06
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-2	≤2.0 & >0 ¹ in. wc		.66	.66	.67	.67		.67				.57		.66
		PDI-836-3	≤2.0 & >0 ¹ in. wc		.63	.63	.63	.63		.63				.62		.62
		PDI-837-1	≤2.0 & >0 ¹ in. wc		.04	.04	.04	.04		.04				.04		.04
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-2	≤2.0 & >0 ¹ in. wc		.48	.48	.48	.48		.48				.48		.49
		PDI-837-3	≤2.0 & >0 ¹ in. wc		.45	.45	.46	.46		.45				.45		.46

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) AP	'PDI-838-1	≤2.0 & > 0 ¹ in. wc	JM	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18
		PDI-838-2	≤2.0 & > 0 ¹ in. wc								
		PDI-838-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) AP	'PDI-839-1	≤2.0 & > 0 ¹ in. wc								
		PDI-839-2	≤2.0 & > 0 ¹ in. wc								
		PDI-839-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) AP	'PDI-810-1	≤2.0 & > 0 ¹ in. wc								
		PDI-810-2	≤2.0 & > 0 ¹ in. wc								
		PDI-810-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) AP	'PDI-811-1	≤2.0 & > 0 ¹ in. wc								
		PDI-811-2	≤2.0 & > 0 ¹ in. wc								
		PDI-811-3	≤2.0 & > 0 ¹ in. wc								
OC Operator Review and Page Count Complete (initials)			Completion Time								

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Paul Trevillo Date 4-2-18 Time 0734 Reviewed by: [Signature] Date: 4-17-18 Time: 0802

Comments: 441 out of Service, Nebs tube calibration On-duty Supervisor

[Handwritten notes and signatures in the right margin, including 'PT 40-18']

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
4.1.1.7 ^a	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-840-2	≤2.0 & > 0 in' wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-840-3	≤2.0 & > 0' in wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0' in. wc	.46	.46	.46	.46	.47	.47	.47	.47	.47	.46
		PDI-841-2	≤2.0 & > 0' in. wc	.56	.56	.56	.56	.56	.56	.56	.56	.56	.56
		PDI-841-3	≤2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0' in. wc	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-831-2	≤2.0 & > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-831-3	≤2.0 & > 0' in. wc	.40	.40	.39	.39	.39	.39	.39	.39	.39	.39
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0' in. wc	.41	.41	.41	.41	.41	.41	.41	.41	.41	.41	
	PDI-832-2	≤2.0 & > 0' in. wc	.68	.68	.66	.66	.68	.68	.68	.68	.68	.68	
	PDI-832-3	≤2.0 & > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ^a	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0' in. wc	.13	.13	.13	.13	.13	.13	.13	.13	.13	
		PDI-807-2	≤2.0 & > 0' in wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-807-3	≤2.0 & > 0' in. wc	.51	.51	.52	.52	.52	.52	.52	.52	.52	
4.1.3.4 ^a	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-3	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	Initials:	Date:	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:	Opn	Opn	Opn	Opn	Opn	PT	PT
4.1.3.4'	North Basement exhaust filter plenum (FF-828) AP	'PDI-829-1	≤2.0 & > 0' in. wc		.02	.03	.07	.09	.07	.09	.08	
		PDI-829-2	≤2.0 & > 0' in. wc		.02	.07	.21	.21	.19	.20	.22	
		PDI-829-3	≤2.0 & > 0' in. wc		.04	.04	.18	.18	.15	.18	.19	
	100 area re-circulation filter plenum (HVP-803) AP	'PDI-833-1	≤2.0 & > 0' in. wc		.07	.07	.07	.07	.07	.07	.07	.07
		PDI-833-2	≤2.0 & > 0' in. wc		.50	.50	.50	.50	.50	.50	.50	.50
PDI-833-3		≤2.0 & > 0' in. wc		.51	.51	.51	.51	.51	.51	.51	.51	
4.1.1.7'	100 area re-circulation filter plenum (HVP-804) AP	'PDI-835-1	≤2.0 & > 0' in. wc		.05	.05	.05	.05	.05	.05	.05	.05
		PDI-835-2	≤2.0 & > 0' in. wc		.50	.50	.50	.50	.50	.50	.50	.50
		PDI-835-3	≤2.0 & > 0' in. wc		.50	.50	.50	.50	.50	.50	.50	.50
4.1.3.4'	100 area glovebox exhaust filter plenum (FF852) AP	'PDI-815-1	≤2.0 & > 0' in. wc		.25	.24	.24	.24	.24	.24	.26	.26
		PDI-815-2	≤2.0 & > 0' in. wc		.58	.58	.58	.58	.58	.58	.58	.58
		PDI-815-4	≤2.0 & > 0' in. wc		.50	.50	.50	.50	.50	.50	.50	.50
	PDI-815-5	≤2.0 & > 0' in. wc		.50	.50	.50	.50	.50	.50	.50	.50	
	PDI-816-1	≤2.0 & > 0' in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4'	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-2	≤2.0 & > 0' in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-4	≤2.0 & > 0' in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-816-5	≤2.0 & > 0' in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ^a	200 area glovebox exhaust filter plenum (PF850) ΔP	PDI-812-1	≤2.0 & > 0 ¹ in. wc	gm	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18
		PDI-812-2	≤2.0 & > 0 ¹ in. wc								
		PDI-812-3	≤2.0 & > 0 ¹ in. wc								
		PDI-812-4	≤2.0 & > 0 ¹ in. wc								
		PDI-812-5	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ^a	200 area glovebox exhaust filter plenum (PF851) ΔP	PDI-813-1	≤2.0 & > 0 ¹ in. wc	gm	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18
		PDI-813-2	≤2.0 & > 0 ¹ in. wc								
		PDI-813-3	≤2.0 & > 0 ¹ in. wc								
		PDI-813-4	≤2.0 & > 0 ¹ in. wc								
		PDI-813-5	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ^a	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0 ¹ in. wc								
		PDI-865-2	≤2.0 & > 0 ¹ in. wc								
		PDI-865-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ^a	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0 ¹ in. wc								
		PDI-863-2	≤2.0 & > 0 ¹ in. wc								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	'PDI-857-1	≤ 2.0 > 0' in. wc	4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18	
		PDI-857-2	≤ 2.0 > 0' in. wc								
4.1.3.4 ³	North corridor supply filter plenum (HVP-809) ΔP	'PDI-856-1	≤ 2.0 > 0' in. wc								
		PDI-856-2	≤ 2.0 > 0' in. wc								
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)								
4.3.2.2 ¹	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	SURVEILLANCE RESULTS						
			Date:	Weekday:	Initials:	Acceptance Criteria	Completion time	OC Operator Review and Page Count Complete (initials)	
4.3.2.2 ¹	Room 206		4/2/18	4/3/18	4/4/18	4/5/18	4/6/18	4-7-18	4-8-18
			Mon	Tue	Wed	Thu	Fri	Sat	Sun
			AM	AM	AM	AM	AM	PT	PT
4.3.2.2 ¹	Room 207		SAT	SAT	SAT	SAT	SAT	SAT	SAT
			SAT	SAT	SAT	SAT	SAT	SAT	SAT
			0830	0815	0740	0830	0800	0818	0747
			AM	AM	AM	AM	AM	AM	AM

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Paul Tejillo Date 4-8-18 Time 0747 Reviewed by: _____ Date: 4-17-18 Time: 0802
 On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:
	Calibration Expiration Date:	6-5-18	Calibration Expiration Date:
	PF-11 Thermometer File No.:	039746	V-704 Thermistor File No.:
	Calibration Expiration Date:	6-5-18	Calibration Expiration Date:

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature										
SR	Description	Acceptance Criteria	Daily (September through April only)							
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	4-2-18	4-3-18	4-4-18	4-5-18	4-6-18	4-7-18	4-8-18	
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	54.7	54.9	54.5	54.7	54.9	55.0	56.0	
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	54.4	54.8	54.3	54.6	54.8	55.1	56.3	
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	64.5	63.4	61.9	63.3	63.2	64.5	64.7	
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	70.7	69.5	61.9	59.4	59.9	64.3	63.9	
OC Operator Review and Page Count Complete (initials)			08:50	0847	0810	0852	0828	0856		

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date: 04-04-18 Time: 08:07:55
 Reviewed by: [Signature] Date: 4-7-18 Time: 09:00
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)															
			Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	-1.99	-1.98	-2.00	-1.99	-1.99	-1.98	-1.99	-1.97	-1.99	-1.99	-1.99	-2.01	-1.97	-1.99	-1.99	
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.93	-1.93	-1.94	-1.94	-1.94	-1.94	
	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	-1.98	-1.98	-1.97	-1.98	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	-1.98	-1.97	-1.98	-1.98	-1.99	-1.98	-1.98	-1.98	-1.98	-2.00	-1.98	-1.97	-1.97	-1.98	-1.98	
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header AP	PDI-803-1 or PDI-803-2	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	-2.21	
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	-2.26	-2.27	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	-2.26	
	300 area laboratory header AP	PDI-853-1 or PDI-853-2	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	-1.18	
	400 area laboratory header AP	PDI-852-1 or PDI-852-2	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	
4.1.1.3 4.1.2.3 ²	IFIT Facility AP	PDI-865-4 or PDI-865-5	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	
	North basement AP	PDI-804-1 or PDI-804-2	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	
	South basement AP	PDI-854-1 or PDI-854-2	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	-1.09	
	IRT Tunnel AP	PDI-901 or PDI-901	-1.03	-1.05	-1.10	-1.10	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

Note	Date:	4-9-18		4-10-18		4-11-18		4-12-18		4-13-18		4-14-18		4-15-18	
		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
Weekday:	Shift:	K		ABC		BC		BC		K		K		K	
Description	Readings	Initials:		SURVEILLANCE RESULTS		Sat / Unsat (circle one)									
		AM	PM	Acceptance Criteria											
Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or	FR-802 Icon red and PDT-832 ΔP >.050	FR-803 Icon red and PDT-833 ΔP >.050 or	FR-804 Icon red and PDT-835 ΔP >.050	FR-805 Icon red and PDT-836 ΔP >.050 or	FR-806 Icon red and PDT-837 ΔP >.050	FR-807 Icon red and PDT-838 ΔP >.050 or	FR-808 Icon red and PDT-839 ΔP >.050	FR-811 Icon red and PDT-840 ΔP >.050 or	FR-812 Icon red and PDT-841 ΔP >.050	Sat	Unsat	Sat	Unsat
	100 area re-circulation fan/plenum	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Sat	Unsat	Sat	Unsat
4.1.1.6	300 area re-circulation fan/plenum	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Sat	Unsat	Sat	Unsat
	400 area re-circulation fan/plenum	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Sat	Unsat	Sat	Unsat
Vault re-circulation fan/plenum	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Sat	Unsat	Sat	Unsat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS														
					Sat / Unsat (circle one)														
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM	AM	PM
			PDI-803-2	PDI-820-2 < PDI-802-2 < PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
			PDI-804-2		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM			
			PDI-820-2		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM			
			PDI-802-2		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM			
PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM					
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM			
		400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM			
				Completion Time															

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 4/15/18 Time: 1925 Reviewed by: [Signature] Date: 4-15-18 Time: 0750

On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	4/9/18	4/10/18	4/11/18	4/12/18	4/13/18	4/14/18	4/15/18	
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		Initials:	AM	AM	AM	AM	AM	AM	AM	
		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)							
SR 4.4.1.1	Description / Gauge									
	Flammable Gas Channel Check									
	DET-305-3 (LCD Reading)	NA	005	005	005	005	005	005	005	
	CP-305-H (LED Reading)		005	005	005	005	005	005	005	
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005	
		≥ -0.1 ; $\leq +0.1$	005	005	005	005	005	005	005	
		Completion Time:	0815	0800	0815	0805	0815	0710	0715	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				Weekday:	Initials:						
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 & > 0 ¹ in. wc	4/9/18	4/10/18	4/11/18	4/12/18	4/13/18	4/14/18	4/15/18	
		PDI-894-2	≤2.0 & > 0 ¹ in. wc	03	03	03	03	03	03	03	
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 & > 0 ¹ in. wc	45	44	44	44	44	43	42	
		PDI-895-2	≤2.0 & > 0 ¹ in. wc	04	04	04	04	04	04	04	
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & > 0 ¹ in. wc	64	64	65	65	63	63	63	
		PDI-817-2	≤2.0 & > 0 ¹ in. wc	19	19	29	29	28	29	29	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-1	≤2.0 & > 0 ¹ in. wc	31	31	31	31	31	30	30	
		PDI-819-2	≤2.0 & > 0 ¹ in. wc	32	32	32	32	32	32	32	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF855) ΔP	PDI-818-1	≤2.0 & > 0 ¹ in. wc	30	30	30	30	30	30	30	
		PDI-818-2	≤2.0 & > 0 ¹ in. wc	45	45	45	45	45	44	44	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤2.0 & > 0 ¹ in. wc	46	46	46	46	46	46	45	
		PDI-821-2	≤2.0 & > 0 ¹ in. wc	39	39	39	39	39	39	39	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF855) ΔP	PDI-818-3	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-818-4	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF855) ΔP	PDI-818-5	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-821-3	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-4	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-821-5	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date: Weekday: Initials:	4/9/18 Mon.	4/10/18 Tue.	4/11/18 Wed.	4/12/18 Thu.	4/13/18 Fri.	4/14/18 Sat.	4/15/18 Sun.
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	IPDI-822-1	≤2.0 & > 0.1 in. wc	.13	.13	.13	.13	.13	STBY	.12	.12
		PDI-822-2	≤2.0 & > 0.1 in. wc	.60	.60	.61	.61	.61	STBY	.60	.60
		PDI-822-4	≤2.0 & > 0.1 in. wc	.50	.50	.50	.50	.50	STBY	.45	.45
		PDI-822-5	≤2.0 & > 0.1 in. wc	.51	.52	.52	.52	.52	STBY	.51	.51
		IPDI-823-1	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	.17	STBY	STBY
4.1.3.4 ³	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	.56	STBY	STBY
		PDI-823-4	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	.55	STBY	STBY
		PDI-823-5	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	.55	STBY	STBY
		IPDI-830-1	≤2.0 & > 0.1 in. wc	.68	.68	.68	.68	.68	.67	.68	.68
4.1.3.4 ⁴	South Basement exhaust filter plenum (PF-829) ΔP	PDI-830-2	≤2.0 & > 0.1 in. wc	.30	.30	.31	.30	.30	.30	.30	.30
		PDI-830-3	≤2.0 & > 0.1 in. wc	.25	.25	.25	.25	.25	.23	.24	.24
		IPDI-836-1	≤2.0 & > 0.1 in. wc	.06	.06	.06	.06	.06	.06	.07	.06
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤2.0 & > 0.1 in. wc	.66	.66	.66	.66	.66	.66	.66	.66
		PDI-836-3	≤2.0 & > 0.1 in. wc	.63	.63	.63	.63	.63	.63	.62	.62
		IPDI-837-1	≤2.0 & > 0.1 in. wc	.04	.04	.04	.04	.04	.04	.04	.04
		PDI-837-2	≤2.0 & > 0.1 in. wc	.48	.48	.48	.48	.48	.49	.49	.49
		PDI-837-3	≤2.0 & > 0.1 in. wc	.46	.46	.47	.46	.46	.47	.48	.48

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date: Weekday: Initials:	4/9/18 Mon.	4/10/18 Tue.	4/11/18 Wed.	4/12/18 Thu.	4/13/18 Fri.	4/14/18 Sat.	4/15/18 Sun.
4.1.1.7 ²	400 area re-circulation filter plenum (IIVP-807) ΔP	'PDI-838-1	≤2.0 & > 0 ¹ in. wc		.53	.53	.53	.53	.53	.54	.54
		PDI-838-2	≤2.0 & > 0 ¹ in. wc		.58	.58	.58	.58	.55	.56	.55
		PDI-838-3	≤2.0 & > 0 ¹ in. wc		.59	.59	.59	.59	.59	.59	.59
4.1.3.4 ²	400 area re-circulation filter plenum (IIVP-808) ΔP	'PDI-839-1	≤2.0 & > 0 ¹ in. wc		.42	.42	.42	.42	.42	.42	.42
		PDI-839-2	≤2.0 & > 0 ¹ in. wc		.57	.57	.57	.57	.57	.57	.57
		PDI-839-3	≤2.0 & > 0 ¹ in. wc		.55	.55	.56	.56	.55	.54	.54
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0 ¹ in. wc		.16	.16	.15	.15	.16	.16	.16
		PDI-810-2	≤2.0 & > 0 ¹ in. wc		.50	.51	.50	.51	.51	.51	.51
		PDI-810-3	≤2.0 & > 0 ¹ in. wc		.51	.51	.51	.51	.52	.52	.52
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0 ¹ in. wc		off	off	off	off	off	off	off
		PDI-811-2	≤2.0 & > 0 ¹ in. wc		off	off	off	off	off	off	off
		PDI-811-3	≤2.0 & > 0 ¹ in. wc		off	off	off	off	off	off	off
OC Operator Review and Page Count Complete (initials)			Completion Time	0850	0820	0850	0835	0750	0750	0751	0800

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.
 Completed by: [Signature] Date 4/15/18 Time 0800 Reviewed by: [Signature] Date: 4-17-18 Time: 0800
 Comments 4/9/18 44.1 out of service. Needs to be calibrated

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SFRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	4/9/18	4/10/18	4/11/18	4/12/18	4/13/18	4/14/18	4/15/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:	gn	gn	gn	gn	gn	gn	gn	gn
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-840-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-840-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0' in. wc	.46	.47	.47	.46	.46	.46	.46	.46	.47
		PDI-841-2	≤2.0 & > 0' in. wc	.56	.56	.56	.56	.56	.56	.56	.56	.56
		PDI-841-3	≤2.0 & > 0' in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0' in. wc	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-831-2	≤2.0 & > 0' in. wc	.41	.41	.41	.41	.41	.41	.41	.41	.41
		PDI-831-3	≤2.0 & > 0' in. wc	.39	.39	.39	.39	.39	.39	.39	.39	.39
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0' in. wc	.41	.41	.42	.41	.41	.41	.41	.42	.42	
	PDI-832-2	≤2.0 & > 0' in. wc	.67	.67	.66	.67	.67	.67	.67	.67	.67	
	PDI-832-3	≤2.0 & > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0' in. wc	.13	.13	.13	.13	.13	.13	.13	.13	.12
		PDI-807-2	≤2.0 & > 0' in. wc	.52	.52	.52	.52	.52	.52	.52	.52	.51
		PDI-807-3	≤2.0 & > 0' in. wc	.52	.52	.52	.52	.52	.52	.52	.52	.51
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
		PDI-809-2	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
		PDI-809-3	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:							
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 0.0 > 0 ¹ in. wc	JH	4/19/18	4/20/18	4/21/18	4/22/18	4/23/18	4/24/18	4/25/18	
		PDI-829-2	≤ 0.0 > 0 ¹ in. wc		Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-829-3	≤ 0.0 > 0 ¹ in. wc									
		PDI-833-1	≤ 0.0 > 0 ¹ in. wc									
		PDI-833-2	≤ 0.0 > 0 ¹ in. wc									
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-3	≤ 0.0 > 0 ¹ in. wc									
		PDI-835-1	≤ 0.0 > 0 ¹ in. wc									
		PDI-835-2	≤ 0.0 > 0 ¹ in. wc									
		PDI-835-3	≤ 0.0 > 0 ¹ in. wc									
		PDI-815-1	≤ 0.0 > 0 ¹ in. wc									
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤ 0.0 > 0 ¹ in. wc									
		PDI-815-4	≤ 0.0 > 0 ¹ in. wc									
		PDI-815-5	≤ 0.0 > 0 ¹ in. wc									
		PDI-816-1	≤ 0.0 > 0 ¹ in. wc									
		PDI-816-2	≤ 0.0 > 0 ¹ in. wc									
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤ 0.0 > 0 ¹ in. wc									
		PDI-816-5	≤ 0.0 > 0 ¹ in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SIRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	4/9/18	4/10/18	4/11/18	4/12/18	4/13/18	4/14/18	4/15/18
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0 ¹ in. wc	gm	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-812-2	≤2.0 & > 0 ¹ in. wc		.14	.33	.14	.32	.14	.32	.14	.32
		PDI-812-3	≤2.0 & > 0 ¹ in. wc		.33	.33	.33	.32	.32	.32	.32	.32
		PDI-812-4	≤2.0 & > 0 ¹ in. wc		.31	.31	.31	.31	.31	.31	.30	.31
		PDI-812-5	≤2.0 & > 0 ¹ in. wc		.38	.28	.38	.38	.37	.38	.38	.38
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	IPDI-813-1	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-2	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-3	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-4	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-813-5	≤2.0 & > 0 ¹ in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	IPDI-865-1	≤2.0 & > 0 ¹ in. wc		.02	.02	.02	.02	.02	.02	.02	
		PDI-865-2	≤2.0 & > 0 ¹ in. wc		.36	.36	.35	.34	.35	.36	.35	
		PDI-865-3	≤2.0 & > 0 ¹ in. wc		.34	.35	.33	.34	.34	.33	.33	
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	IPDI-863-1	≤2.0 & > 0 ¹ in. wc		.05	.04	.04	.04	.04	.04	.04	
		PDI-863-2	≤2.0 & > 0 ¹ in. wc		.30	.29	.29	.29	.29	.29	.29	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

for 4/12/18

		Date:	4/9/18	4/10/18	4/11/18	4/12/18	4/13/18	4/14/18	4/15/18
		Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
		Initials:	Apr	Apr	Apr	Apr	Apr	OH	OH
		Acceptance Criteria	SURVEILLANCE RESULTS						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	Gauge							
		'PDI-857-1	.12	.11	.12	.12	.11	.10	.10
		PDI-857-2	.43	.42	.42	.42	.43	.42	.42
		'PDI-856-1	.05	.05	.04	.04	.04	.04	.05
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-2	.56	.56	.56	.56	.56	.55	.55
INA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 201	0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)	SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 204	0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT
		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SFRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS										
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	AM	AM	AM	AM	AM	AM	AM	AM	AM	AM	AM	AM
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
Completion time					0830	0813	0830	0815	0840	0814	0811	0811	0811	0811	0811
OC Operator Review and Page Count Complete (initials)					AM	AM	AM	AM	AM	AM	AM	AM	AM	AM	AM

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date 4/15/18 Time 0811 Reviewed by: [Signature] Date: 4-17-18 Time: 0800
 On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]
(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 039745 Calibration Expiration Date: 6/5/18	PF-10 Thermistor File No.: 105363 Calibration Expiration Date: 8/31/18	V-701 Thermistor File No.: 040375 Calibration Expiration Date: 7/19/18
	PF-11 Thermometer File No.: 039746 Calibration Expiration Date: 6/5/18	PF-11 Thermistor File No.: 105352 Calibration Expiration Date: 8/31/18	V-704 Thermistor File No.: 103763 Calibration Expiration Date: 7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature											
SR	Description	Acceptance Criteria	Daily (September through April only)							Sat.	Sun.
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat./UNSAT		
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	4/9/18	4/10/18	4/11/18	4/12/18	4/13/18	4/14/18	4/15/18		
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	55.9	55.3	55.5	56.3	56.0	54.3	54.6		
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	56.5	56.0	56.4	57.0	56.3	54.9	54.7		
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	62.3	61.0	63.4	61.6	59.8	60.1	61.6		
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	61.9	62.2	61.9	62.9	61.9	59.6	59.7		
	OC Operator Review and Page Count Complete (initials)	Completion Time:	0842	0823	0854	0829	0815	1020	1000		

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by:  Date: 4/15/18 Time: 0945

Reviewed by: _____ Date: 4-15-18 Time: 0801

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																
			Date:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.		
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	-2.01	1.98	2.00	1.99	-1.98	-1.96	1.98	-1.99	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	
		≤-1.0 in. wc ¹	-1.95	1.97	-1.95	1.94	-1.94	1.94	1.94	-1.94	1.94	-1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	-1.99	1.98	-1.97	1.98	-1.97	1.96	1.97	-1.97	1.96	1.98	1.98	1.98	1.97	1.98	1.97	1.97	1.97
		≤-1.0 in. wc ¹	-1.98	1.97	-2.00	2.01	-1.98	2.01	2.01	-2.01	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02
	200 area laboratory header ΔP	≤-0.05 in. wc ¹	-.19	0.16	-.18	0.20	-.19	-.24	-.19	-.24	-.19	-.24	-.19	-.24	-.19	-.24	-.19	-.24	-.19
		≤-0.05 in. wc ¹	-.23	0.21	-.22	0.21	-.23	-.24	-.23	-.24	-.23	-.24	-.23	-.24	-.23	-.24	-.23	-.24	-.23
4.1.1.2 4.1.1.5 4.1.2.2 ²	300 area laboratory header ΔP	≤-0.05 in. wc ¹	-.20	0.19	-.20	0.19	-.20	-.19	-.20	-.19	-.20	-.19	-.20	-.19	-.20	-.19	-.20	-.19	
		≤-0.05 in. wc ¹	-.17	0.16	-.20	0.20	-.19	-.18	-.20	-.18	-.20	-.19	-.20	-.18	-.20	-.19	-.20	-.18	-.20
	400 area laboratory header ΔP	≤-0.05 in. wc	-.15	0.15	-.15	0.15	-.15	-.15	-.15	-.15	-.15	-.15	-.15	-.15	-.15	-.15	-.15	-.15	-.15
		< 0.00 in. wc	-.10	0.10	-.10	0.10	-.10	-.10	-.10	-.10	-.10	-.10	-.10	-.10	-.10	-.10	-.10	-.10	-.10
	IRT Tunnel ΔP	< 0.00 in. wc	-.103	0.103	-.121	0.121	-.105	-.091	-.110	-.088	-.110	-.088	-.110	-.088	-.110	-.088	-.110	-.088	-.110
		< 0.00 in. wc	-.103	0.103	-.121	0.121	-.105	-.091	-.110	-.088	-.110	-.088	-.110	-.088	-.110	-.088	-.110	-.088	-.110

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS Sat / Unsat (circle one)														
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM	
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP >.050 or FR-802 Icon red and PDT-832 AP >.050	At least one fan/plenum is in service	04-16-18	BC	04-17-18	BC	04-18-18	BC	4/19/18	BC	4/20/18	BC	4/21/18	BC	4/22/18	BC	
		FR-803 Icon red and PDT-833 AP >.050 or FR-804 Icon red and PDT-835 AP >.050	At least one fan/plenum is in service															
	FR-805 Icon red and PDT-836 AP >.050 or FR-806 Icon red and PDT-837 AP >.050	At least one fan/plenum is in service																
	FR-807 Icon red and PDT-838 AP >.050 or FR-808 Icon red and PDT-839 AP >.050	At least one fan/plenum is in service																
	FR-811 Icon red and PDT-840 AP >.050 or FR-812 Icon red and PDT-841 AP >.050	At least one fan/plenum is in service																

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
					Sat / Unsat (circle one)							
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	04-16-18	04-17-18	04-18-18	4/16/18	4/20/18	4/21/18	4/22/18	
			PDI-803-2	PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	PC	AD	AD	AD	AD	AD	AD	AD
			PDI-802-2	PDI-804-2	AM	PM	AM	PM	AM	PM	AM	PM
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	PC	AD	AD	AD	AD	AD	AD	AD
PDI-853-2	PDI-854-2		AM	PM	AM	PM	AM	PM	AM	PM		
400 Area	PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	PC	AD	AD	AD	AD	AD	AD	AD		
	PDI-852-2	PDI-854-2	AM	PM	AM	PM	AM	PM	AM	PM		
Completion Time				0719	0721	0719	0730	0730	0729	0729	0729	

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.1.2.

Completed by: [Signature] Date: 4-26-18 Reviewed by: [Signature] Date: 4-26-18 Time: 0647
 On-duty Supervisor

Comments: See log for assessment. Readings from EGS, Etek & BONDING 005

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	AM	AM	AM	AM	AM	AM	AM
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)							
4.4.1.1	Flammable Gas Channel Check	NA							
	DET-305-3 (LCD Reading)	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	CP-305-H (LED Reading)	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	Record Calculated Value								
	≥ -0.1 ; $\leq +0.1$	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	Completion Time:	0830	0815	0823	0820	0810	0730	0745	0745

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	PDI-894-1	≤2.0 & >0 ¹ in. wc	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18	
		PDI-894-2	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	South Corridor supply (HVP-810) AP	PDI-895-1	≤2.0 & >0 ¹ in. wc								
		PDI-895-2	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-1	≤2.0 & >0 ¹ in. wc								
		PDI-817-2	≤2.0 & >0 ¹ in. wc								
		PDI-817-4	≤2.0 & >0 ¹ in. wc								
		PDI-817-5	≤2.0 & >0 ¹ in. wc								
		PDI-819-1	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-3	≤2.0 & >0 ¹ in. wc								
		PDI-819-4	≤2.0 & >0 ¹ in. wc								
		PDI-818-1	≤2.0 & >0 ¹ in. wc								
		PDI-818-2	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-4	≤2.0 & >0 ¹ in. wc								
		PDI-818-5	≤2.0 & >0 ¹ in. wc								
		PDI-821-1	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-3	≤2.0 & >0 ¹ in. wc								
		PDI-821-4	≤2.0 & >0 ¹ in. wc								

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	
				Initials:	JM	JM	AK	JM	JM	ZH	ZH
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) ΔP	'PDI-822-1	≤2.0 & > 0' in. wc	.13	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-2	≤2.0 & > 0' in. wc	.61	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-4	≤2.0 & > 0' in. wc	.45	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-5	≤2.0 & > 0' in. wc	.51	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-1	≤2.0 & > 0' in. wc	STBY	.17	.17	.17	.17	.17	.17	.17
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & > 0' in. wc	STBY	.58	.58	.58	.58	.58	.58	.59
		PDI-823-4	≤2.0 & > 0' in. wc	STBY	.55	.55	.55	.55	.55	.55	.55
		PDI-823-5	≤2.0 & > 0' in. wc	STBY	.56	.56	.56	.56	.56	.56	.56
		'PDI-830-1	≤2.0 & > 0' in. wc	.67	.67	.67	.67	.67	.67	.67	.68
4.1.3.4 ³	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤2.0 & > 0' in. wc	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-830-3	≤2.0 & > 0' in. wc	.25	.24	.23	.24	.24	.24	.22	.22
		'PDI-836-1	≤2.0 & > 0' in. wc	.07	.07	.07	.07	.07	.07	.07	.07
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤2.0 & > 0' in. wc	.67	.67	.67	.67	.67	.67	.68	.68
		PDI-836-3	≤2.0 & > 0' in. wc	.65	.64	.63	.63	.63	.63	.62	.62
		'PDI-837-1	≤2.0 & > 0' in. wc	.04	.04	.04	.04	.04	.04	.04	.04
	300 area re-circulation filter plenum (HVP-806) ΔP	PDI-837-2	≤2.0 & > 0' in. wc	.49	.49	.49	.49	.49	.49	.49	.49
		PDI-837-3	≤2.0 & > 0' in. wc	.48	.48	.48	.48	.48	.48	.48	.48

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.1.7 ¹	400 area re-circulation filter plenum (IIVP-807) ΔP	'PDI-838-1	≤2.0 & > 0 ¹ in. wc	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18	
		PDI-838-2	≤2.0 & > 0 ¹ in. wc								
		PDI-838-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	400 area re-circulation filter plenum (IIVP-808) ΔP	'PDI-839-1	≤2.0 & > 0 ¹ in. wc								
		PDI-839-2	≤2.0 & > 0 ¹ in. wc								
		PDI-839-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0 ¹ in. wc								
		PDI-810-2	≤2.0 & > 0 ¹ in. wc								
		PDI-810-3	≤2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0 ¹ in. wc								
		PDI-811-2	≤2.0 & > 0 ¹ in. wc								
		PDI-811-3	≤2.0 & > 0 ¹ in. wc								
Completion Time				0920	0850	0840	0842	0830	0810	0740	
OC Operator Review and Page Count Complete (initials)											

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: [Signature] Date: 4/16/18 Time: 0805 Reviewed by: [Signature] Date: 4-26-18 Time: 0647

Comments: 4.1.1.7 out of service. Needs to be calibrated

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.1.7 ³	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & > 0 ¹ in. wc	JA	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18
		PDI-840-2	≤2.0 & > 0 ¹ in. wc	JA		.17	.17	.17	.17	.17	.17
		PDI-840-3	≤2.0 & > 0 ¹ in. wc	JA		.58	.58	.58	.58	.58	.58
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & > 0 ¹ in. wc	JA		.51	.51	.51	.51	.51	.51
		PDI-841-2	≤2.0 & > 0 ¹ in. wc	JA		.47	.47	.47	.47	.47	.47
		PDI-841-3	≤2.0 & > 0 ¹ in. wc	JA		.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & > 0 ¹ in. wc	JA		.33	.33	.33	.33	.33	.33
		PDI-831-2	≤2.0 & > 0 ¹ in. wc	JA		.42	.42	.42	.42	.42	.42
		PDI-831-3	≤2.0 & > 0 ¹ in. wc	JA		.39	.39	.39	.39	.39	.39
200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & > 0 ¹ in. wc	JA		.41	.41	.41	.41	.41	.41	
	PDI-832-2	≤2.0 & > 0 ¹ in. wc	JA		.68	.68	.68	.68	.68	.68	
	PDI-832-3	≤2.0 & > 0 ¹ in. wc	JA		.61	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & > 0 ¹ in. wc	JA		.12	.12	.12	.12	.12	.12
		PDI-807-2	≤2.0 & > 0 ¹ in. wc	JA		.51	.51	.51	.51	.51	.51
		PDI-807-3	≤2.0 & > 0 ¹ in. wc	JA		.51	.51	.51	.51	.51	.51
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & > 0 ¹ in. wc	JA		.08	.08	.08	.08	.08	.08
		PDI-809-2	≤2.0 & > 0 ¹ in. wc	JA		.51	.51	.51	.51	.51	.51
		PDI-809-3	≤2.0 & > 0 ¹ in. wc	JA		.51	.51	.51	.51	.51	.51

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	Weekday:	Mon.	Tue	Wed.	Thu.	Fri.	Sat.
4.1.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤2.0 & >0 ¹ in. wc	jm	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18	
		PDI-829-2	≤2.0 & >0 ¹ in. wc			.08	.10	.10	.10	.10	.10	.11
		PDI-829-3	≤2.0 & >0 ¹ in. wc		.21	.19	.21	.21	.21	.21	.23	.25
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-1	≤2.0 & >0 ¹ in. wc		.19	.13	.19	.19	.19	.20	.20	
		PDI-833-2	≤2.0 & >0 ¹ in. wc		.07	.07	.07	.07	.07	.07	.07	
		PDI-833-3	≤2.0 & >0 ¹ in. wc		.55	.55	.55	.55	.55	.55	.54	
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-1	≤2.0 & >0 ¹ in. wc		.51	.51	.51	.51	.51	.51	.51	
		PDI-815-2	≤2.0 & >0 ¹ in. wc		.05	.04	.05	.05	.05	.05	.05	
		PDI-815-3	≤2.0 & >0 ¹ in. wc		.50	.50	.50	.50	.50	.50	.50	
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-1	≤2.0 & >0 ¹ in. wc		.51	.51	.51	.51	.51	.51	.51	
		PDI-816-2	≤2.0 & >0 ¹ in. wc		.25	.25	.25	.25	.25	.25	.25	
		PDI-816-3	≤2.0 & >0 ¹ in. wc		.58	.58	.58	.58	.58	.58	.58	
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤2.0 & >0 ¹ in. wc		.50	.50	.50	.50	.50	.50	.50	
		PDI-816-5	≤2.0 & >0 ¹ in. wc		.56	.56	.56	.56	.56	.56	.56	
		PDI-816-6	≤2.0 & >0 ¹ in. wc		.55	.55	.55	.55	.55	.55	.55	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	SURVEILLANCE RESULTS (in. wc)													
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.						
4.1.3.4 ¹	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18							
		PDI-812-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
		PDI-812-3	Initials:	GM	GM	GM	GM	GM	GM	GM						
		PDI-812-4	Acceptance Criteria	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc						
		PDI-812-5	Results	.14	.32	.32	.30	.37	.09	.28	.21	.30	.39	.02	.36	.35
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18							
		PDI-813-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
		PDI-813-3	Initials:	GM	GM	GM	GM	GM	GM	GM						
		PDI-813-4	Acceptance Criteria	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc						
		PDI-813-5	Results	.02	.36	.35	.04	.30								
4.1.3.4 ³	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18							
		PDI-865-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
		PDI-865-3	Initials:	GM	GM	GM	GM	GM	GM	GM						
		PDI-863-1	Acceptance Criteria	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc	≤2.0 & > 0' in. wc						
		PDI-863-2	Results	.09	.29	.21	.30	.39	.02	.36	.35	.04	.30			

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ¹	North Basement supply filter plenum (HVP-840) ΔP	'PDI-857-1	≤ 2.0 & > 0 ¹ in. wc	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18	
		PDI-857-2	≤ 2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	'PDI-856-1	≤ 2.0 & > 0 ¹ in. wc								
		PDI-856-2	≤ 2.0 & > 0 ¹ in. wc								
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)								
4.3.2.2 ¹	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

		Date:	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	Am	Am	Am	Am	Am	Am	Am
		Acceptance Criteria	SURVEILLANCE RESULTS						
4.3.2.2 ¹	Description Room 206	Gauge							
4.3.2.2 ¹	Description Room 207	Gauge							
		Acceptance Criteria	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less
		Completion time	0840	0825	0820	0825	0805	0830	0757
		OC Operator Review and Page Count Complete (initials)	Am	Am	Am	Am	Am	Am	Am

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.
 Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date: 4/22/18 Time: 0800
 Reviewed by: [Signature] Date: 4/26/18 Time: 0641
 On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data						
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature										
SR	Description	Acceptance Criteria	Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
			Weekday:	Initials:						
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	4/16/18	4/17/18	4/18/18	4/19/18	4/20/18	4/21/18	4/22/18	
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	54.7	55.4	54.8	54.5	54.4	54.6		
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	54.5	55.5	54.9	54.8	53.8	53.9		
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	62.8	63.9	61.4	60.7	62.4	61.1		
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	62.7	61.9	59.7	63.8	68.4	64.8		
	Completion Time:		0845	0838	0854	0841	0902	0850	0842	
	OC Operator Review and Page Count Complete (initials)		OC	OC	OC	OC	OC	OC	OC	

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: [Signature] Date 04-22-18 Time 0842
 Reviewed by: [Signature] Date 4-22-18 Time 0648
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)														
			Date: 04/23/18		04/24/18		04/25/18		04/26/18		04/27/18		04/28/18		04/29/18		
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
			Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'	2.00	-1.99	-1.99	2.00	1.99	1.99	2.00	1.99	2.00	2.00	2.00	2.00	2.00	2.02	2.00
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.93	-1.95	-1.94	-1.94	-1.94	-1.95	-1.95	-1.95	-1.94	-1.94	-1.95	-1.94	-1.94	-1.94	-1.95
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-1.97	-1.97	-1.97	-1.97	-1.97	-1.96	-1.96	-1.95	-1.97	-1.97	-1.97	-1.97	-1.97	-1.97	-1.98
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc'	-2.03	-2.02	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03	-2.03
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤-0.05 in. wc'	-1.19	-1.20	-1.20	-1.20	-1.19	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20
	100 area laboratory header ΔP	≤-0.05 in. wc'	-1.23	-1.25	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23
	300 area laboratory header ΔP	≤-0.05 in. wc'	-1.23	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20
	400 area laboratory header ΔP	≤-0.05 in. wc'	-1.20	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19
4.1.1.3 4.1.2.3 ²	IFTT Facility ΔP	≤-0.05 in. wc	-1.15	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10
	North basement ΔP	< 0.00 in. wc	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10
	South basement ΔP	< 0.00 in. wc	-1.10	-1.09	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10
	IRT Tunnel ΔP	< 0.00 in. wc	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																										
				Sat / Unsat (circle one)																										
Note				Date:	4/23/18	4/24/18	04-25-18	04-26-18	4/27/18	4/28/18	4/29/18	Weekday:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.				
Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.				Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
Initials:				✓		APG	uht	Beff	BC	APG	A	u																		
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
					Spt / Unsat (circle one)							
					Mon	Tue	Wed	Thu	Fri	Sat	Sun	
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	4/23/18	4/24/18	04-25-18	04-26-18	4/27/18	4/28/18	4/29/18	
			PDI-803-2		AM	PM	AM	PM	AM	PM	AM	PM
			PDI-804-2		AM	PM	AM	PM	AM	PM	AM	PM
			PDI-820-2		AM	PM	AM	PM	AM	PM	AM	PM
			PDI-802-2		AM	PM	AM	PM	AM	PM	AM	PM
PDI-804-2		AM	PM	AM	PM	AM	PM	AM	PM			
300 Area		PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	0726/1930	0730/1930	0711/1971	0720/1921	0730/1930	0721/1930	0734/1930		
		PDI-853-2		AM	PM	AM	PM	AM	PM	AM	PM	
		PDI-854-2		AM	PM	AM	PM	AM	PM	AM	PM	
		PDI-864-2		AM	PM	AM	PM	AM	PM	AM	PM	
400 Area		PDI-852-2	PDI-852-2 < PDI-854-2									
		PDI-854-2										
Completion Time												

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: AW Date 4-29-18 Time 1930 Reviewed by: [Signature] Date: 5-1-18 Time: 0747

On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	4/23/18	4-24-18	4/25/18	4/26/18	4-27-18	4-28-18	4-29-18	
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		Initials:	AM	PT	AM	AM	PT	PT	PT	
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)								
4.4.1.1	Flammable Gas Channel Check	NA								
	DET-305-3 (LCD Reading)		005	005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value								
		≥ -0.1 ; $\leq +0.1$	005	005	005	005	005	005	005	005
	Completion Time:		0810	1015	0800	0820	0850	0803	0801	

Surveillance Rounds

TA55-STP-004-FM2, R19.1

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SIRs	Description	Gauge	Acceptance Criteria	Date:	SURVEILLANCE RESULTS (in. wc)												
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.						
				4/23/18													
				Weekday:													
				Initials:	JM	PT	GM	JW	PT	PT	PT	PT	PT	PT	PT	PT	PT
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	PDI-894-1 PDI-894-2	≤2.0 & >0' in. wc ≤2.0 & >0' in. wc	.03 .43	.03 .43	.03 .44	.03 .45	.03 .44	.03 .44	.03 .44	.03 .44	.03 .44	.03 .44	.03 .44	.03 .44	.03 .44	.03 .44
4.1.3.4 ²	South Corridor supply (HVP-810) AP	PDI-895-1 PDI-895-2	≤2.0 & >0' in. wc ≤2.0 & >0' in. wc	.05 .64	.06 .64	.05 .64	.05 .60	.05 .60	.05 .60	.05 .60	.05 .60	.05 .60	.05 .60	.05 .60	.05 .60	.05 .60	.05 .60
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-1 PDI-817-2 PDI-817-4 PDI-817-5	≤2.0 & >0' in. wc ≤2.0 & >0' in. wc ≤2.0 & >0' in. wc ≤2.0 & >0' in. wc	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-1 PDI-819-3 PDI-819-4	≤2.0 & >0' in. wc ≤2.0 & >0' in. wc ≤2.0 & >0' in. wc	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30	.25 .31 .30
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-1 PDI-818-2 PDI-818-4 PDI-818-5	≤2.0 & >0' in. wc ≤2.0 & >0' in. wc ≤2.0 & >0' in. wc ≤2.0 & >0' in. wc	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30	.25 .31 .30 .30
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-1 PDI-821-3 PDI-821-4	≤2.0 & >0' in. wc ≤2.0 & >0' in. wc ≤2.0 & >0' in. wc	.43 .48 .41	.42 .48 .41	.42 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41	.43 .48 .41

Surveillance Rounds

TA55-STP-004-FM2, R19.1

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)												
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.					
				Weekday:	Initials:											
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤2.0 & >0' in. wc	4/23/18	STBY	.13	.13	.13	.17	.17	.17	.17	4-29-18	STBY	STBY	
		PDI-822-2	≤2.0 & >0' in. wc	4/23/18	STBY	.60	.61	.61	.57	.58	.57	.58	4-29-18	STBY	STBY	
		PDI-822-4	≤2.0 & >0' in. wc	4/23/18	STBY	.46	.45	.45	.45	.45	.45	.45	4-29-18	STBY	STBY	
		PDI-822-5	≤2.0 & >0' in. wc	4/23/18	STBY	.51	.51	.51	.51	.51	.51	.51	4-29-18	STBY	STBY	
		PDI-823-1	≤2.0 & >0' in. wc	4/23/18	.17	STBY	.17	.17	.17	.17	.17	.17	.17	4-29-18	.17	.17
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤2.0 & >0' in. wc	4/23/18	.57	STBY	.57	.57	.57	.57	.57	.57	4-29-18	.57	.58	
		PDI-823-4	≤2.0 & >0' in. wc	4/23/18	.55	STBY	.55	.55	.55	.55	.55	.55	.55	4-29-18	.55	.53
		PDI-823-5	≤2.0 & >0' in. wc	4/23/18	.55	STBY	.55	.55	.55	.55	.55	.55	.55	4-29-18	.55	.55
		PDI-830-1	≤2.0 & >0' in. wc	4/23/18	.68	.69	.69	.69	.69	.69	.69	.69	.69	4-29-18	.69	.69
		PDI-830-2	≤2.0 & >0' in. wc	4/23/18	.29	.30	.30	.30	.30	.30	.30	.30	.30	4-29-18	.30	.30
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-3	≤2.0 & >0' in. wc	4/23/18	.25	.24	.24	.24	.24	.24	.24	.24	4-29-18	.24	.23	
		PDI-836-1	≤2.0 & >0' in. wc	4/23/18	.05	.06	.06	.06	.06	.06	.06	.06	.06	4-29-18	.06	.07
		PDI-836-2	≤2.0 & >0' in. wc	4/23/18	.67	.68	.67	.67	.67	.67	.67	.67	.67	4-29-18	.67	.68
		PDI-836-3	≤2.0 & >0' in. wc	4/23/18	.63	.63	.63	.64	.64	.64	.64	.64	.64	4-29-18	.64	.62
		PDI-837-1	≤2.0 & >0' in. wc	4/23/18	.04	.04	.04	.04	.04	.04	.04	.04	.04	4-29-18	.04	.04
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-837-2	≤2.0 & >0' in. wc	4/23/18	.49	.49	.49	.49	.49	.49	.49	.49	4-29-18	.49	.49	
		PDI-837-3	≤2.0 & >0' in. wc	4/23/18	.48	.48	.48	.48	.48	.48	.48	.48	4-29-18	.48	.48	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤2.0 & > 0' in. wc	4/23/18	Mon.	[Signature]			4/25/18	Thu.	4/26/18		4/27-18	Fri.		4/28-18	Sat.		4/29-18	Sun.
		PDI-838-2	≤2.0 & > 0' in. wc				.53	.54	.53	.53	.54	.54	.54	.54	.54	.54	.54	.54	.54	.54
		PDI-838-3	≤2.0 & > 0' in. wc				.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59
4.1.3.4 ¹	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤2.0 & > 0' in. wc				.42	.43	.43	.43	.42	.43	.43	.43	.43	.43	.43	.43	.43	
		PDI-839-2	≤2.0 & > 0' in. wc				.57	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	.58	
		PDI-839-3	≤2.0 & > 0' in. wc				.55	.55	.55	.55	.55	.55	.55	.55	.55	.55	.55	.55	.55	
4.1.3.4 ¹	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤2.0 & > 0' in. wc				.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	.16	
		PDI-810-2	≤2.0 & > 0' in. wc				.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-810-3	≤2.0 & > 0' in. wc				.52	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	
4.1.3.4 ¹	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤2.0 & > 0' in. wc				OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-811-2	≤2.0 & > 0' in. wc				OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-811-3	≤2.0 & > 0' in. wc				OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
OC Operator Review and Page Count Complete (initials)				0835	0959	0832	0900	0751	0724	0740										

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Jayl Trujillo Date: 4-29-18 Time: 0740 Reviewed by: [Signature] Date: 5-1-18 Time: 0745
 On-duty Supervisor: South Basement
 Comments: 4/23/18 4.4.1 out of service. Needs to be calibrated South Basement + supply off PMT not complete
South Basement exhaust off PMT not complete

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	PDI-840-1	≤2.0 & > 0 ¹ in. wc	4/23/18	4/24-18	4/25/18	4/26/18	4-27-18	4-28-18	4-29-18	
		PDI-840-2	≤2.0 & > 0 in ¹ wc	Mon.	Tue	Wed	Thu	Fri	Sat	Sun	
		PDI-840-3	≤2.0 & > 0 ¹ in. wc	jh	PT	jm	jm	PT	PT	PT	
	Vault re-circulation filter plenum (HVP-812) ΔP	PDI-841-1	≤2.0 & > 0 ¹ in. wc	.17	.17	.17	.17	.17	.17	.17	.17
		PDI-841-2	≤2.0 & > 0 ¹ in. wc	.58	.59	.58	.58	.59	.59	.59	.59
		PDI-841-3	≤2.0 & > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	PDI-831-1	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-831-2	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-831-3	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
200 area re-circulation filter plenum (HVP-802) ΔP	PDI-832-1	≤2.0 & > 0 ¹ in. wc	.33	.33	.33	.33	.33	.33	.33	.33	
	PDI-832-2	≤2.0 & > 0 ¹ in. wc	.4	.41	.42	.42	.42	.42	.42	.42	
	PDI-832-3	≤2.0 & > 0 ¹ in. wc	.40	.40	.40	.40	.40	.40	.40	.40	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤2.0 & > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-807-2	≤2.0 & > 0 ¹ in. wc	.68	.68	.68	.68	.68	.68	.68	.68
		PDI-807-3	≤2.0 & > 0 ¹ in. wc	.61	.61	.61	.61	.61	.61	.61	.61
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤2.0 & > 0 ¹ in. wc	.12	.12	.12	.12	.12	.12	.12	.12
		PDI-809-2	≤2.0 & > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	.51
		PDI-809-3	≤2.0 & > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	.51

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤2.0 & > 0 ¹ in. wc	Jm	4/23/18	4/24-18	4/25/18	4/26/18	4/27-18	4/28-18	4/29-18
		PDI-829-2	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-829-3	≤2.0 & > 0 ¹ in. wc	Jm							
	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-1	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-833-2	≤2.0 & > 0 ¹ in. wc	Jm							
4.1.3.4 ²	100 area re-circulation filter plenum (HVP-804) AP	PDI-833-3	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-835-1	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-835-2	≤2.0 & > 0 ¹ in. wc	Jm							
	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-1	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-815-2	≤2.0 & > 0 ¹ in. wc	Jm							
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FF853) AP	PDI-815-4	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-815-5	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-816-1	≤2.0 & > 0 ¹ in. wc	Jm							
	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-2	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-816-4	≤2.0 & > 0 ¹ in. wc	Jm							
4.1.3.4 ⁴	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-5	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-815-1	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-815-2	≤2.0 & > 0 ¹ in. wc	Jm							
	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-4	≤2.0 & > 0 ¹ in. wc	Jm							
		PDI-815-5	≤2.0 & > 0 ¹ in. wc	Jm							

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (In. wc)						
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	'PDI-812-1	≤2.0 & >0 ¹ in. wc	JM	4/23/18	4-24-18	4/25/18	4/26/18	4-27-18	4-28-18	4-29-18
		PDI-812-2	≤2.0 & >0 ¹ in. wc								
		PDI-812-3	≤2.0 & >0 ¹ in. wc								
		PDI-812-4	≤2.0 & >0 ¹ in. wc								
		PDI-812-5	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	'PDI-813-1	≤2.0 & >0 ¹ in. wc								
		PDI-813-2	≤2.0 & >0 ¹ in. wc								
		PDI-813-3	≤2.0 & >0 ¹ in. wc								
		PDI-813-4	≤2.0 & >0 ¹ in. wc								
		PDI-813-5	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	'PDI-865-1	≤2.0 & >0 ¹ in. wc								
		PDI-865-2	≤2.0 & >0 ¹ in. wc								
		PDI-865-3	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	'PDI-863-1	≤2.0 & >0 ¹ in. wc								
		PDI-863-2	≤2.0 & >0 ¹ in. wc								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc	4/23/18	4/24/18	4/25/18	4/26/18	4/27/18	4/28/18	4/29/18	
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-857-2	≤ 2.0 > 0 ¹ in. wc								
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-1	≤ 2.0 > 0 ¹ in. wc								
		PDI-856-2	≤ 2.0 > 0 ¹ in. wc								
4.3.2.2 ²	Room 201		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)								
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS							
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	JA		4/23/18	4-24-18	4/25/18	4/26/18	4-27-18	4-28-18	4-29-18
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	JA		SAT	SAT	SAT	SAT	SAT	SAT	SAT
						SAT	SAT	SAT	SAT	SAT	SAT	SAT
						0820	0930	0819	0855	0827	0805	0805
						W ADJ	W ADJ	W ADJ	W ADJ	W ADJ	W ADJ	W ADJ

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Paul Tequila Date 4-29-18 Time 0805 Reviewed by: [Signature] Date: 5-1-18 Time: 0752

On-duty Supervisor

Comments:

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]
(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data			
Record September through April only	PF-10 Thermometer File No.: 639745	PF-10 Thermistor File No.: 105353	V-701 Thermistor File No.: 040375
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18
	PF-11 Thermometer File No.: 639746	PF-11 Thermistor File No.: 105352	V-704 Thermistor File No.: 103763
	Calibration Expiration Date: 6/5/18	Calibration Expiration Date: 8/31/18	Calibration Expiration Date: 7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature															
SR	Description	Acceptance Criteria	Date:							Initials:					
			4/23/18	4/24/18	4/25/18	4/26/18	4/27/18	4/28/18	4/29/18	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	54.9	55.4	55.7	55.7	55.7	55.8	56.0	56.6	56.9	57.4	56.0	56.9	57.4
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	54.3	55.2	55.7	56.1	56.3	56.3	56.3	56.9	57.4	56.0	56.9	57.4	
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	63.1	64.9	67.9	63.8	62.1	62.1	62.1	65.5	65.3	65.5	65.5	65.5	65.3
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	64.7	65.9	65.2	60.8	62.3	62.3	61.2	61.2	61.2	61.2	61.2	61.2	61.2
	Completion Time		0846	0849	0826	0918	0927	0927	0835	0830	0830	0830	0830	0830	0830
	OC Operator Review and Page Count Complete (initials)		W APB	W APB	W APB	W APB	W APB	W APB	W APB	W APB	W APB	W APB	W APB	W APB	W APB

1 Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by: ppm Date: 4/29/18 Time: 0830
 Reviewed by: [Signature] Date: 5-1-18 Time: 0752
 On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	Date: 04-20-18							SURVEILLANCE RESULTS (in. wc)																
			Weekday:		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.											
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM										
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤ -1.0 in. wc ¹																								
	100 area glovebox exhaust header ΔP	≤ -1.0 in. wc ¹																								
	300 area glovebox exhaust header ΔP	≤ -1.0 in. wc ¹																								
	400 area glovebox exhaust header ΔP	≤ -1.0 in. wc ¹																								
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤ -0.05 in. wc ¹																								
	100 area laboratory header ΔP	≤ -0.05 in. wc ¹																								
	300 area laboratory header ΔP	≤ -0.05 in. wc ¹																								
	400 area laboratory header ΔP	≤ -0.05 in. wc ¹																								
4.1.1.3 4.1.2.3 ²	IFIT Facility AP	≤ -0.05 in. wc																								
	North basement ΔP	< 0.00 in. wc																								
	South basement ΔP	< 0.00 in. wc																								
	IRT Tunnel AP	< 0.00 in. wc																								

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

Note	Date:	SURVEILLANCE RESULTS										
		Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.				
Readings should be taken using FCS screens FMT#151, 152, 201LD and 202LD. Field verification and local plenum PDT's may be used if FCS is unavailable.	Weekday:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
	Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
Initials:												
SRs	Acceptance Criteria	Sat / Unsat (circle one)										
Description	Readings	At least one fan/plenum is in service										
200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP > .050 or FR-802 Icon red and PDT-832 ΔP > .050	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP > .050 or FR-804 Icon red and PDT-835 ΔP > .050	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP > .050 or FR-806 Icon red and PDT-837 ΔP > .050	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP > .050 or FR-808 Icon red and PDT-839 ΔP > .050	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP > .050 or FR-812 Icon red and PDT-841 ΔP > .050	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat
		Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

Note		Date: <u>04-30-18</u>		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.			
Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.		Weekday:		AM		PM		AM		PM		AM		PM		AM		PM	
		Shift:		AM		PM		AM		PM		AM		PM		AM		PM	
		Initials: <u>BC</u>																	
		Acceptance Criteria																	
		Gauge																	
		Description																	
SRS		Area		PDI-814-2		Sat		Sat		Sat		Sat		Sat		Sat		Sat	
4.1.1.4		200 Area		PDI-803-2		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat	
		Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400		PDI-804-2		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat	
		100 Area		PDI-820-2		Sat		Sat		Sat		Sat		Sat		Sat		Sat	
		300 Area		PDI-802-2		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat	
		400 Area		PDI-804-2		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat		Unsat	
		Completion Time																	
				07261933															

1 Mode 2 acceptance criteria is < 0.00 in. wc.
 2 SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 4/30/18 Time: 1933
 Reviewed by: [Signature] Date: 5-1-18 Time: 0747
 On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

Description / Gauge		Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
Initials:									
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)							
SR 4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA							
	CP-305-H (LED Reading)								
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value ≥ -0.1 ; $\leq +0.1$							
Completion Time:									

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
				Weekday:	Initials:							
4.1.3.4 ¹	South basement supply filter plenum (IIVP-841) ΔP	1PDI-894-1	≤ 2.0 & > 0' in. wc	4/30/18								
4.1.3.4 ²	South Corridor supply (IIVP-810) ΔP	PDI-894-2	≤ 2.0 & > 0' in. wc	0.55								
4.1.3.4 ³	300 area glovebox exhaust filter plenum (FF854) ΔP	1PDI-895-1	≤ 2.0 & > 0' in. wc	0.05								
4.1.3.4 ⁴		PDI-895-2	≤ 2.0 & > 0' in. wc	.06								
4.1.3.4 ⁵		1PDI-817-1	≤ 2.0 & > 0' in. wc	.67								
4.1.3.4 ⁶		PDI-817-2	≤ 2.0 & > 0' in. wc	STBY								
4.1.3.4 ⁷		PDI-817-4	≤ 2.0 & > 0' in. wc	STBY								
4.1.3.4 ⁸	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-817-5	≤ 2.0 & > 0' in. wc	STBY								
4.1.3.4 ⁹		PDI-81 9-1	≤ 2.0 & > 0' in. wc	STBY								
4.1.3.4 ¹⁰		PDI-81 9-3	≤ 2.0 & > 0' in. wc	STBY								
4.1.3.4 ¹¹		PDI-819-4	≤ 2.0 & > 0' in. wc	STBY								
4.1.3.4 ¹²		300 area glovebox exhaust filter plenum (FF855) ΔP	1PDI-818-1	≤ 2.0 & > 0' in. wc	.25							
4.1.3.4 ¹³	PDI-818-2		≤ 2.0 & > 0' in. wc	.31								
4.1.3.4 ¹⁴	PDI-818-4		≤ 2.0 & > 0' in. wc	.30								
4.1.3.4 ¹⁵	PDI-818-5		≤ 2.0 & > 0' in. wc	.31								
4.1.3.4 ¹⁶	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP		PDI-821-1	≤ 2.0 & > 0' in. wc	.45							
4.1.3.4 ¹⁷		PDI-821-3	≤ 2.0 & > 0' in. wc	.38								
4.1.3.4 ¹⁸		PDI-821-4	≤ 2.0 & > 0' in. wc	.41								
4.1.3.4 ¹⁹												

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Tue	Wed	Thu	Fri	Sat	Sun	
				Weekday:	Mon	Mon	Mon	Mon	Mon	Mon	
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤ 2.0 > 0 ¹ in. wc	4/30/18							
		PDI-822-2	≤ 2.0 > 0 ¹ in. wc	STBY							
		PDI-822-4	≤ 2.0 > 0 ¹ in. wc	STBY							
		PDI-822-5	≤ 2.0 > 0 ¹ in. wc	STBY							
		PDI-823-1	≤ 2.0 > 0 ¹ in. wc	.17							
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤ 2.0 > 0 ¹ in. wc	.56							
		PDI-823-4	≤ 2.0 > 0 ¹ in. wc	.55							
		PDI-823-5	≤ 2.0 > 0 ¹ in. wc	.56							
		PDI-830-1	≤ 2.0 > 0 ¹ in. wc	.005							
4.1.3.4 ³	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤ 2.0 > 0 ¹ in. wc	.005							
		PDI-830-3	≤ 2.0 > 0 ¹ in. wc	.005							
		PDI-836-1	≤ 2.0 > 0 ¹ in. wc	.07							
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤ 2.0 > 0 ¹ in. wc	.67							
		PDI-836-3	≤ 2.0 > 0 ¹ in. wc	.63							
		PDI-837-1	≤ 2.0 > 0 ¹ in. wc	.04							
		PDI-837-2	≤ 2.0 > 0 ¹ in. wc	.49							
		PDI-837-3	≤ 2.0 > 0 ¹ in. wc	.48							

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤ 2.0 & > 0 ¹ in. wc	4/30/18								
		PDI-838-2	≤ 2.0 & > 0 ¹ in. wc									
		PDI-838-3	≤ 2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤ 2.0 & > 0 ¹ in. wc									
		PDI-839-2	≤ 2.0 & > 0 ¹ in. wc									
		PDI-839-3	≤ 2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤ 2.0 & > 0 ¹ in. wc									
		PDI-810-2	≤ 2.0 & > 0 ¹ in. wc									
		PDI-810-3	≤ 2.0 & > 0 ¹ in. wc									
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤ 2.0 & > 0 ¹ in. wc									
		PDI-811-2	≤ 2.0 & > 0 ¹ in. wc									
		PDI-811-3	≤ 2.0 & > 0 ¹ in. wc									
OC Operator Review and Page Count Complete (initials)				Completion Time								

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: [Signature] Date: 4/30/18 Time: 0835 Reviewed by: [Signature] Date: 5-1-18 Time: 5:07A

On-duty Supervisor

Comments: 4/30/18 4.4.1 out of service needs to be calibrated
4/30/18 4.1.3.4 back on 4/30/18
HVP 841 and FF 829 out of service due to USD replacement incomplete

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Weekday:	Initials:								
4.1.1.7 ²	Vault re-circulation filter plenum (IIVP-811) ΔP	'PDI-840-1	≤2.0 > 0' in. wc	4/30/16									
		PDI-840-2	≤2.0 > 0 in' wc										
		PDI-840-3	≤2.0 > 0' in. wc	.17									
	Vault re-circulation filter plenum (IIVP-812) ΔP	'PDI-841-1	≤2.0 > 0' in. wc										
		PDI-841-2	≤2.0 > 0' in. wc	STBY									
		PDI-841-3	≤2.0 > 0' in. wc	STBY									
	200 area re-circulation filter plenum (IIVP-801) ΔP	'PDI-831-1	≤2.0 > 0' in. wc										
		PDI-831-2	≤2.0 > 0' in. wc	.33									
		PDI-831-3	≤2.0 > 0' in. wc	.42									
200 area re-circulation filter plenum (IIVP-802) ΔP	'PDI-832-1	≤2.0 > 0' in. wc											
	PDI-832-2	≤2.0 > 0' in. wc	.42										
	PDI-832-3	≤2.0 > 0' in. wc	.68										
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 > 0' in. wc										
		PDI-807-2	≤2.0 > 0' in. wc	.12									
		PDI-807-3	≤2.0 > 0' in. wc	.50									
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 > 0' in. wc	.50									
		PDI-809-2	≤2.0 > 0' in. wc	OFF									
		PDI-809-3	≤2.0 > 0' in. wc	OFF									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 0 > 0' in. wc	4/30/18								
		PDI-829-2	≤ 0 > 0' in. wc									
		PDI-829-3	≤ 0 > 0' in. wc									
4.1.1.7 ¹	100 area re-circulation filter plenum (IIVP-803) AP	PDI-833-1	≤ 0 > 0' in. wc									
		PDI-833-2	≤ 0 > 0' in. wc									
		PDI-833-3	≤ 0 > 0' in. wc									
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-1	≤ 0 > 0' in. wc									
		PDI-815-2	≤ 0 > 0' in. wc									
		PDI-815-4	≤ 0 > 0' in. wc									
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FF853) AP	PDI-815-5	≤ 0 > 0' in. wc									
		PDI-816-1	≤ 0 > 0' in. wc									
		PDI-816-2	≤ 0 > 0' in. wc									
4.1.3.4 ⁴	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤ 0 > 0' in. wc									
		PDI-816-5	≤ 0 > 0' in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Date:	SURVEILLANCE RESULTS (in. wc)							
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
					Initials:							
4.1.3.4 ¹	200 area glovebox exhaust filter plenum (FF850) ΔP	IPDI-812-1	≤2.0 & > 0 ¹ in. wc	4/20/18								
		PDI-812-2	≤2.0 & > 0 ¹ in. wc		.14							
		PDI-812-3	≤2.0 & > 0 ¹ in. wc		.32							
		PDI-812-4	≤2.0 & > 0 ¹ in. wc		.31							
		PDI-812-5	≤2.0 & > 0 ¹ in. wc		.37							
4.1.3.4 ¹	200 area glovebox exhaust filter plenum (FF851) ΔP	IPDI-813-1	≤2.0 & > 0 ¹ in. wc		STBY							
		PDI-813-2	≤2.0 & > 0 ¹ in. wc		STBY							
		PDI-813-3	≤2.0 & > 0 ¹ in. wc		STBY							
		PDI-813-4	≤2.0 & > 0 ¹ in. wc		STBY							
		PDI-813-5	≤2.0 & > 0 ¹ in. wc		STBY							
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	IPDI-865-1	≤2.0 & > 0 ¹ in. wc		.02							
		PDI-865-2	≤2.0 & > 0 ¹ in. wc		.34							
		PDI-865-3	≤2.0 & > 0 ¹ in. wc		.34							
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	IPDI-863-1	≤2.0 & > 0 ¹ in. wc		.05							
		PDI-863-2	≤2.0 & > 0 ¹ in. wc		.30							

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	SURVEILLANCE RESULTS								
			Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
			Weekday:	Initials:	Acceptance Criteria						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	4/30/18								
		PDI-857-2									
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	<i>AP</i>								
		PDI-856-2									
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C										
4.3.2.2 ²	Room 201										
4.3.2.2 ²	Room 204										

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	4/30/18	AP							
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									
				Completion time	0815							
				OC Operator Review and Page Count Complete (initials)	AP							

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Steve M. Date 4/26/18 Time 0815 Reviewed by: [Signature] Date: 5-1-18 Time: 0744

On-duty Supervisor

Comments: _____

ATTACHMENT C: Non-PF-4 Daily Surveillance Rounds [UET]

(Page 1 of 1)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

M&TE Calibrated Data						
Record September through April only	PF-10 Thermometer File No.:	039745	PF-10 Thermistor File No.:	105353	V-701 Thermistor File No.:	040375
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18
	PF-11 Thermometer File No.:	039746	PF-11 Thermistor File No.:	105352	V-704 Thermistor File No.:	103763
	Calibration Expiration Date:	6/5/18	Calibration Expiration Date:	8/31/18	Calibration Expiration Date:	7/19/18

PF-10 & PF-11 Pump house Room Temperature and V-701 & V-704 Fire Water Storage Tank Temperature																	
SR	Description	Acceptance Criteria	Daily (September through April only)							SAT / UNSAT							
			Date:	Weekday:	Initials:	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	SAT / UNSAT	SAT / UNSAT				
NA	ENSURE M&TE Calibration Data above is recorded and calibration dates have not elapsed.	Calibration dates have not elapsed.	4/30/18	Mon.	So												
4.3.1.1'	RECORD fire water storage tank V-701 temperature	≥ 42.1 F	57.2														
4.3.1.1'	RECORD fire water storage tank V-704 temperature	≥ 42.1 F	58.2														
4.3.1.3'	RECORD PF-10 room temperature	≥ 50.1 F	66.3														
4.3.1.3'	RECORD PF-11 room temperature	≥ 50.1 F	68.0														
	Completion Time:		8:48														
	OC Operator Review and Page Count Complete (initials)		MA														

Temperatures should be recorded using Reference Thermometer FLUKE Model 1524 connected to Thermistor Probe Fluke Model 5610-9 (or approved engineered equivalent).

Completed by:  Date: 4/30/18 Time: 9:48

Reviewed by:  Date: 5-1-18 Time: 0502

On-duty Supervisor

Comments:

Attachment B, Surveillance Training Checklist

(Page 1 of 2)

Procedure title:	SURVEILLANCE ROUTES
Procedure no.:	TA55-STP-004
Date of issue:	5/1/18
Working copy issued to:	COCHRAN
Working copy issued by:	COCHRAN
Certified Operations Center Operator (OCO)	

Procedure is the current revision listed in Documentum: Yes Documentum Unavailable

Performance Type: Scheduled Partial Other *If partial or other list reason in Comments below*

Comments: (Document TSR Status Board tracking date here if different from completion date.)

--	--

Training Checklist:

Workers Performing Surveillance	Applicable Surveillance Training Current	
	OCO Initials	Date
B. CHANCE	C	5/1/18
C. COCHRAN	C	5/1/18
A. JAURIGUE	C	5/1/18
J. LOVATO	C	5/1/18
M. MILLER	C	5/1/18
A. ORTIZ	C	5/1/18
R. PRICE	C	5/1/18
F. SEYBERT	C	5/1/18
A. DUFFIN	C	5/1/18

OC Reviews Complete and TSR Status Board Updated

 / 

OCO Signature
Date

Attachment B, Surveillance Training Checklist (continued)
(Page 2 of 2)

Training Checklist (continuation sheet)

Workers Performing Surveillance	Applicable Surveillance Training Current	
	Initials	Date
R. LVA	✓	5/1/18
B. FORDHAM	✓	5/1/18
D. HEINRICH	✓	5/1/18
R. HOFFMAN	✓	5/1/18
M. IRISH	✓	5/1/18
T. LARGWORTHY	✓	5/1/18
J. MARTINEZ	✓	5/1/18
ANTHONY SANCHEZ	✓	5/1/18
P. TRUJILLO	✓	5/1/18
D. DUNLAVY	✓	5/1/18
M. WASHBURN	✓	5/1/18
C. VALDEZ	✓	5/1/18
A. SANCHEZ	✓	5/1/18
W. ASHLEY	✓	5/1/18

FOR INFORMATION ONLY

TA55-STP-004, R17

Surveillance Rounds

Page 32 of 34

ATTACHMENT D-1: Monthly Surveillance Rounds (Confinement Doors) [UET]

(Page 1 of 2)

SRS	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
*Note	Confinement DR-344	Southeast	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat/ Unsat	1412	5-3-18	PT
4.1.3.2	Confinement Door DR-344	Southeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat/ Unsat	1422	5-3-18	PT
4.1.3.2	Confinement Door DR-149	Northeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door)	Sat/ Unsat	1330	5-3-18	PT
*Note	Confinement DR-102	Northwest	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat/ Unsat	1340	5-3-18	PT
4.1.3.2	Confinement Door DR-102	Northwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door) AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is ≤ 30 seconds. 4.4 Seconds	Sat/ Unsat	1341	5-3-18	PT

*Note: Monthly Inspection of DR-344 and DR-102 in accordance with compensatory measure(s) from: Request for Permanent Equivalency to OE Order 420, 1B Chapter II, NEPA 80, NEPA 101 and IBC Requirements for LANL Building TA55-4 (PF-4), Installation of New Confinement Doors DR-102, DR-302, and DR-344 LANL-DOE-ORDER-420, 1B-EQ-2013-001

FOR REVIEW

TA55-STP-004, R17

Surveillance Rounds

Page 33 of 34

ATTACHMENT D-1: Monthly Surveillance Rounds (Confinement Doors) [UET]

(Page 2 of 2)

SRS	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
4132	Confinement Door DR-302	Southwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door). AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is \leq 30 seconds	<input checked="" type="radio"/> Sat <input type="radio"/> Unsat.	1345	5-3-18	PT
4132	Confinement Door DR-4	N Basement Personnel door DR-4	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure	<input checked="" type="radio"/> Sat <input type="radio"/> Unsat.	1416	5-3-18	PT
4132	Confinement Door DR-90	South Basement Door (Tunnel)	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	<input checked="" type="radio"/> Sat <input type="radio"/> Unsat.	1406	5-3-18	PT

OC Operator Review and Page Count Complete

Note: SR 4132 applies during mode 1 and 2

Completed by Paul Trevilla

Date 5-3-18 Time 1430 Reviewed by: 

Date 5/3/18 Time: 1544

On-duty Supervisor Comments:

FOR INFORMATION

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UET]

(Page 1 of 2)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
*Note	Confinement DR-344	Southeast	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat / Unsat.	1430	5/31/18	DM
4.1.3.2 ¹	Confinement Door DR-344	Southeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat / Unsat	1430	5/31/18	DM
4.1.3.2 ¹	Confinement Door DR-149	Northeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat / Unsat.	1330	5/31/18	DM
*Note	Confinement DR-102	Northwest	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat / Unsat.	1340	5/31/18	DM
4.1.3.2 ¹	Confinement Door DR-102	Northwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door). AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is ≤ 30 seconds. 4 Seconds	Sat / Unsat	1340	5/31/18	DM

* Note: Monthly Inspection of DR-344 and DR-102 in accordance with compensatory measure(s) from: Request for Permanent Equivalency to OE Order 120.1B Chapter II.

NFPA 80, NFPA 101 and IBC Requirements for LANL Building TA55-4 (PF-4), Installation of New Confinement Doors DR-102, DR-302, and DR-344 LANL-DOE-ORDER-

120.1B-EO-2013-001

FOR

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UFT]
(Page 2 of 2)

SRS	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
4.1.3.2 ¹	Confinement Door DR-302	Southwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door). AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is ≤ 30 seconds. 6 Seconds	Sat/Unsat.	1404	5/31/18	Am
4.1.3.2 ¹	Confinement Door DR-4	N Basement Personnel door DR-4	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure.	Sat/Unsat.	1350	5/31/18	Am
4.1.3.2 ¹	Confinement Door DR-90	South Basement Door (Tunnel)	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat/Unsat.	1359	5/31/18	Am

OC Operator Review and Page Count Complete

SR 4.1.3.2 applies during both Mode 1 and Mode 2.

Completed by: [Signature] Date: 5/31/18 Time: 1430 Reviewed by: [Signature] Date: 6-1-18 Time: 0707
On-duty Supervisor Comments: _____

FOR INFORMATION

ATTACHMENT A: Per Shift Surveillance Rounds [UFT]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	Date:		Weekday:		Shift:		Initials:		SURVEILLANCE RESULTS (in. wc)										
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM	AM	PM				
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	≤1.0 in. wc ¹																		
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	≤1.0 in. wc ¹																		
4.1.1.1 4.1.2.1 ²	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	≤1.0 in. wc ¹																		
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	≤1.0 in. wc ¹																		
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header AP	PDI-803-1 or PDI-803-2	≤0.05 in. wc ¹																		
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	≤0.05 in. wc ¹																		
4.1.1.2 4.1.1.5 4.1.2.2 ²	300 area laboratory header AP	PDI-853-1 or PDI-853-2	≤0.05 in. wc ¹																		
	400 area laboratory header AP	PDI-852-1 or PDI-852-2	≤0.05 in. wc ¹																		
4.1.1.3 4.1.2.3 ²	IFT Facility AP	PDI-865-4 or PDI-865-5	≤0.05 in. wc																		
	North basement AP	PDI-804-1 or PDI-804-2	< 0.00 in. wc																		
4.1.1.3 4.1.2.3 ²	South basement AP	PDI-854-1 or PDI-854-2	< 0.00 in. wc																		
	IRT Tunnel AP	PDT-901 or PDI-901	< 0.00 in. wc																		

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

<p>Note Readings should be taken using FCS screens FMT#151,152,201LD and 2021LD. Field verification and local plenum PDI's may be used if FCS is unavailable.</p>	<p>Date:</p>	<p>Mon.</p>	<p>Tue.</p>	<p>Wed.</p>	<p>Thu.</p>	<p>Fri.</p>	<p>Sat.</p>	<p>Sun.</p>
	<p>Weekday:</p>	<p>AM</p>	<p>PM</p>	<p>AM</p>	<p>PM</p>	<p>AM</p>	<p>PM</p>	<p>AM</p>
	<p>Shift:</p>	<p>AM</p>	<p>PM</p>	<p>AM</p>	<p>PM</p>	<p>AM</p>	<p>PM</p>	<p>AM</p>
	<p>Initials:</p>							

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																
				Sat / Unsat (circle one)																
4.1.1.6	200 area re-circulation fan/plenum	FR-801 leon red and PDT-831 AP > 0.50 or FR-802 leon red and PDT-832 AP > 0.50	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	100 area re-circulation fan/plenum	FR-803 leon red and PDT-833 AP > 0.50 or FR-804 leon red and PDT-835 AP > 0.50	At least one fan/plenum is in service	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
	300 area re-circulation fan/plenum	FR-805 leon red and PDT-836 AP > 0.50 or FR-806 leon red and PDT-837 AP > 0.50	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	400 area re-circulation fan/plenum	FR-807 leon red and PDT-838 AP > 0.50 or FR-808 leon red and PDT-839 AP > 0.50	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
Vault re-circulation fan/plenum	FR-811 leon red and PDT-840 AP > 0.50 or FR-812 leon red and PDT-841 AP > 0.50	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
			Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

Note
Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS										
					Sat / Unsat (circle one)										
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
					Weekday:										
					Shift:	AM	PM	AM	PM	AM	PM	AM	PM		
					Initials:										
4.1.1.4	Glovebox exhaust header APs < Laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
			PDI-803-2	2 < PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat			
			PDI-804-2												
		100 Area	PDI-820-2	PDI-820-2 < PDI-802-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
			PDI-802-2	2 < PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
			PDI-804-2												
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
			PDI-853-2	2 < PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
			PDI-854-2												
		400 Area	PDI-864-2	PDI-864-2 < PDI-852-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
			PDI-852-2	2 < PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
			PDI-854-2												
					Completion Time										
						0724	0717	0721	0716	0710	0722	0723	0722	0715	0715

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 6/6/18 Time: 1924 Reviewed by: [Signature] Date: 6-1-18 Time: 11-18
 On-duty Supervisor

Comments:

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement Implementation actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the FSTF **FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of $(\geq -0.1; \leq 0.1)$.

SR	Description / Gauge	SURVEILLANCE RESULTS (percentage)										
		Acceptance Criteria	Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA										
	CP-305-H (LED Reading)	Record Calculated Value										
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	$\geq -0.1; \leq +0.1$	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat	Sat / Unsat
	Completion Time:		0755	0840	0835	0730	0722	0725				

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				Weekday:							
					5-1-18	5-2-18	5-3-18	5-4-18	5-5-18	5-6-18	
					Mon	Tue	Wed	Thu	Fri	Sat	Sun
			Initials:		ST	PT	Mh	ES	OH	OH	
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	HPDI-894-1 PDI-894-2	≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc		.04 .43	.04 .43	.04 .03	.04 .43	.04 .44	.04 .44	
4.1.3.4 ²	South Corridor supply (11V/P-810) AP	HPDI-895-1 PDI-895-2	≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc		.05 .62	.06 .62	.05 .62	.05 .62	.05 .62	.06 .62	
4.1.3.4 ²	300 area glovebox exhaust filter plenum (PF854) AP	HPDI-817-1 PDI-817-2 PDI-817-4 PDI-817-5	≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc		.24 .28Y .28Y .28Y	.15 .29Y .28Y .28Y	.38 .44 .32 .31	.39 .43 .32 .31	.39 .44 .32 .31	.34 .44 .32 .30	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (PF858) AP	HPDI-818-1 PDI-818-2 PDI-818-4 PDI-818-5	≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc		.24 .30 .30 .30	.15 .30 .30 .31	.38 .44 .42 .31	.39 .43 .42 .42	.39 .44 .42 .42	.34 .44 .42 .42	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (PF859) AP	PDI-821-1 PDI-821-3 PDI-821-4	≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc ≤ 2.0 > 0' in. wc		.42 .49 .41	.42 .49 .41	.42 .49 .41	.42 .49 .41	.42 .49 .41	.42 .49 .41	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UFT]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Date:	Weekday:	Initials:				
				Mon	Tue	Wed	Thu	Fri	Sat	Sun
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 2.0 > 0.1 in. wc	5-1-18	5-2-18	5/3/18	5/4/18	5/5/18	5/6/18	
		PDI-822-2	≤ 2.0 > 0.1 in. wc	STBY	STBY	.61	.61	.61	.61	
		PDI-822-4	≤ 2.0 > 0.1 in. wc	STBY	STBY	.46	.46	.46	.46	
		PDI-822-5	≤ 2.0 > 0.1 in. wc	STBY	STBY	.52	.52	.52	.52	
		PDI-823-1	≤ 2.0 > 0.1 in. wc	.14	.16	STBY	STBY	STBY	STBY	
		PDI-823-2	≤ 2.0 > 0.1 in. wc	.59	.59	STBY	STBY	STBY	STBY	
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-4	≤ 2.0 > 0.1 in. wc	.55	.52	STBY	STBY	STBY	STBY	
		PDI-823-5	≤ 2.0 > 0.1 in. wc	.52	.53	STBY	STBY	STBY	STBY	
		PDI-830-1	≤ 2.0 > 0.1 in. wc	.11	.31	.28	.26	.26	.26	
		PDI-830-2	≤ 2.0 > 0.1 in. wc	.13	.13	.13	.13	.13	.13	
		PDI-830-3	≤ 2.0 > 0.1 in. wc	.30	.11	.09	.10	.10	.10	
		PDI-836-1	≤ 2.0 > 0.1 in. wc	.04	.06	.06	.06	.06	.06	
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-2	≤ 2.0 > 0.1 in. wc	.68	.68	.67	.68	.68	.68	
		PDI-836-3	≤ 2.0 > 0.1 in. wc	.62	.62	.63	.63	.62	.62	
		PDI-837-1	≤ 2.0 > 0.1 in. wc	.04	.04	.04	.04	.04	.04	
		PDI-837-2	≤ 2.0 > 0.1 in. wc	.50	.49	.49	.49	.49	.49	
		PDI-837-3	≤ 2.0 > 0.1 in. wc	.49	.48	.48	.48	.48	.48	
		PDI-806	≤ 2.0 > 0.1 in. wc	.48	.48	.48	.48	.48	.48	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																				
				Date:	Weekday:	Initials:																		
				5-1-18	Mon.	21	5-2-18	Tue.	PT	5-3-18	Wed.	Ph	5-4-18	Thu.	GE	5-5-18	Fri.	DM	5-6-18	Sat.	DM	Sun.	DM	
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) AP	PDI-838-1	≤ 0 & > 0' in. wc			.53	.53	.53	.58	.59	.59	.60	.60	.60	.60	.61	.61	.61	.61	.61	.61	.61	.61	
						.89	.59	.59	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60
						.60	.60	.59	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61
4.1.3.4 ¹	South Bleed off filter plenum (FF-822A) AP	PDI-810-1	≤ 0 & > 0' in. wc			.54	.58	.58	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	
						.53	.55	.55	.16	.16	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15
						.53	.55	.55	.16	.16	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15	.15
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) AP	PDI-810-2	≤ 0 & > 0' in. wc			.50	.50	.50	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	
						.50	.50	.50	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52
						.50	.50	.50	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52	.52
OC Operator Review and Page Count Complete (initials)						0902	0830	0850	0800	0756	0800													

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode-2 as stated in LCO 3.1.3.

Completed by: [Signature] Date: 5/6/18 Time: 0800 Reviewed by: [Signature] Date: 6-1-18 Time: 0709

Comments: 4.4.1.1 Gauge needs to be calibrated
Barriers and caution tape re-229 in front of new VFD.

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (In. WC)									
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	HPI-840-1	≤ 0 > 0' in. WC										
		PDI-840-2	≤ 0 > 0' in. WC										
		PDI-840-3	≤ 0 > 0' in. WC										
	Vault re-circulation filter plenum (HVP-812) ΔP	HPI-841-1	≤ 0 > 0' in. WC										
		PDI-841-2	≤ 0 > 0' in. WC										
		PDI-841-3	≤ 0 > 0' in. WC										
200 area re-circulation filter plenum (HVP-801) ΔP	200 area re-circulation filter plenum (HVP-801) ΔP	HPI-831-1	≤ 0 > 0' in. WC										
		PDI-831-2	≤ 0 > 0' in. WC										
		PDI-831-3	≤ 0 > 0' in. WC										
	200 area re-circulation filter plenum (HVP-802) ΔP	HPI-832-1	≤ 0 > 0' in. WC										
		PDI-832-2	≤ 0 > 0' in. WC										
		PDI-832-3	≤ 0 > 0' in. WC										
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	HPI-807-1	≤ 0 > 0' in. WC										
		PDI-807-2	≤ 0 > 0' in. WC										
		PDI-807-3	≤ 0 > 0' in. WC										
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	HPI-809-1	≤ 0 > 0' in. WC										
		PDI-809-2	≤ 0 > 0' in. WC										
		PDI-809-3	≤ 0 > 0' in. WC										

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)											
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun				
				Initials:		24	97	ph	RS	04	04				
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun				
					5-1-18	5-2-18	5/3/18	5/4/18	5/5/18	5/6/18					
4.1.3.4?	North Basement exhaust filter plenum (FF-828) AP	IPDI-829-1 PDI-829-2 PDI-829-3	≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc		.23 .41 .32	.23 .41 .32	.24 .13 .36	.25 .48 .38	.25 .45 .38	.25 .44 .38					
4.1.1.7?	100 area re-circulation filter plenum (HIVP-803) AP	IPDI-833-1 PDI-833-2 PDI-833-3	≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc		.08 .52 .51	.08 .54 .51	.07 .55 .51	.08 .52 .51	.07 .52 .51	.07 .52 .51					
4.1.3.4?	100 area re-circulation filter plenum (HIVP-804) AP	IPDI-835-1 PDI-835-2 PDI-835-3	≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc		.05 .50 .51	.05 .50 .51	.05 .50 .50	.06 .50 .50	.05 .50 .50	.05 .50 .50					
4.1.3.4?	100 area glovebox exhaust filter plenum (FF852) AP	IPDI-815-1 PDI-815-2 PDI-815-4 PDI-815-5	≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc		.05 .53 .50 .50	.24 .54 .51 .50	.24 .54 .50 .50	.25 .59 .51 .51	.25 .59 .50 .50	.25 .59 .50 .50					
4.1.3.4?	100 area glovebox exhaust filter plenum (FF853) AP	IPDI-816-1 PDI-816-2 PDI-816-4 PDI-816-5	≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc ≤2.0 > 0.1 in. wc		STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY	STBY STBY STBY STBY					

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Weekdays:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
41.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & > 0' in. wc										
		PDI-812-2	≤2.0 & > 0' in. wc		5-1-18	5-2-18	5-3-18	5-4-18	5-5-18	5-6-18			
		PDI-812-3	≤2.0 & > 0' in. wc										
		PDI-812-4	≤2.0 & > 0' in. wc										
		PDI-812-5	≤2.0 & > 0' in. wc										
41.3.4 ¹	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & > 0' in. wc										
		PDI-813-2	≤2.0 & > 0' in. wc										
		PDI-813-3	≤2.0 & > 0' in. wc										
		PDI-813-4	≤2.0 & > 0' in. wc										
		PDI-813-5	≤2.0 & > 0' in. wc										
41.3.4 ³	IFFT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & > 0' in. wc										
		PDI-865-2	≤2.0 & > 0' in. wc										
41.3.4 ⁴	IFFT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & > 0' in. wc										
		PDI-863-2	≤2.0 & > 0' in. wc										

FOR APPROVAL

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS										
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
				Initials:		P21	PT	MM	BS	DM	DM			
4.13.4 ¹	North Basement supply filter plenum (11VP-840) AP	1PDI-857-1	< 2.0 > 0' in wc	5-1-18	.11	.42	.11	.11	.11	.11	.42	.11	.42	.11
4.13.4 ²	North corridor supply filter plenum (11VP-809) AP	1PDI-856-1	< 2.0 > 0' in wc	5-2-18	.05	.54	.05	.05	.06	.05	.05	.06	.06	.06
4.3.2.2 ¹	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-2	< 2.0 > 0' in wc	5-3-18	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5-4-18	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ³	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5-5-18	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UFT]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Monday:	Tue:	Wed:	Thu:	Fri:	Sat:	Sun:	
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									
OC Operator Review and Page Count Complete (initials)												
Completion time				0903	0850	0905	0805	0813	0819			

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date 5/6/18 Time 0800 Reviewed by: [Signature] On-duty Supervisor Date 6-1-18 Time: 0700

Comments: _____

FORN

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																																				
			Date:	Weekday:	Shift:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.																										
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	≤1.0 in. wc ¹	05.07.18	Mon.	AM	EC	-1.01	-1.99	05.08.18	Tue.	AM	02	-2.00	05.09.18	Wed.	AM	01	-2.01	05.10.18	Thu.	AM	01	-2.00	05.11.18	Fri.	AM	02	-2.00	05.12.18	Sat.	AM	02	-2.00	05.13.18	Sun.	AM	01	-2.01
				PM	02	-1.99	05.08.18	PM	02	-2.00	05.09.18	PM	01	-2.01	05.10.18	PM	01	-2.00	05.11.18	PM	02	-2.00	05.12.18	PM	02	-2.00	05.13.18	PM	01	-2.01									
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	≤1.0 in. wc ¹	05.07.18	Mon.	AM	EC	-1.94	-1.89	05.08.18	Tue.	AM	02	-1.94	05.09.18	Wed.	AM	01	-1.94	05.10.18	Thu.	AM	01	-1.95	05.11.18	Fri.	AM	01	-1.94	05.12.18	Sat.	AM	02	-1.94	05.13.18	Sun.	AM	01	-1.95
				PM	02	-1.94	05.08.18	PM	02	-1.94	05.09.18	PM	01	-1.94	05.10.18	PM	01	-1.95	05.11.18	PM	02	-1.94	05.12.18	PM	02	-1.94	05.13.18	PM	01	-1.95									
	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	≤1.0 in. wc ¹	05.07.18	Mon.	AM	EC	-1.97	-1.95	05.08.18	Tue.	AM	02	-1.96	05.09.18	Wed.	AM	01	-1.96	05.10.18	Thu.	AM	01	-1.97	05.11.18	Fri.	AM	01	-1.96	05.12.18	Sat.	AM	02	-1.97	05.13.18	Sun.	AM	01	-1.95
				PM	02	-1.97	05.08.18	PM	02	-1.96	05.09.18	PM	01	-1.96	05.10.18	PM	01	-1.97	05.11.18	PM	02	-1.96	05.12.18	PM	02	-1.97	05.13.18	PM	01	-1.95									
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	≤1.0 in. wc ¹	05.07.18	Mon.	AM	EC	-2.02	-2.03	05.08.18	Tue.	AM	02	-2.02	05.09.18	Wed.	AM	01	-2.02	05.10.18	Thu.	AM	01	-2.02	05.11.18	Fri.	AM	01	-2.02	05.12.18	Sat.	AM	02	-2.02	05.13.18	Sun.	AM	01	-1.99
				PM	02	-2.02	05.08.18	PM	02	-2.02	05.09.18	PM	01	-2.02	05.10.18	PM	01	-2.02	05.11.18	PM	02	-2.02	05.12.18	PM	02	-2.02	05.13.18	PM	01	-1.99									
	200 area laboratory header AP	PDI-803-1 or PDI-803-2	≤0.05 in. wc ¹	05.07.18	Mon.	AM	EC	-0.20	-0.20	05.08.18	Tue.	AM	02	-0.18	05.09.18	Wed.	AM	01	-0.19	05.10.18	Thu.	AM	01	-0.19	05.11.18	Fri.	AM	01	-0.18	05.12.18	Sat.	AM	02	-0.19	05.13.18	Sun.	AM	01	-0.18
				PM	02	-0.20	05.08.18	PM	02	-0.18	05.09.18	PM	01	-0.19	05.10.18	PM	01	-0.19	05.11.18	PM	02	-0.18	05.12.18	PM	02	-0.19	05.13.18	PM	01	-0.18									
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	≤0.05 in. wc ¹	05.07.18	Mon.	AM	EC	-0.24	-0.25	05.08.18	Tue.	AM	02	-0.23	05.09.18	Wed.	AM	01	-0.23	05.10.18	Thu.	AM	01	-0.25	05.11.18	Fri.	AM	01	-0.22	05.12.18	Sat.	AM	02	-0.23	05.13.18	Sun.	AM	01	-0.22
				PM	02	-0.24	05.08.18	PM	02	-0.23	05.09.18	PM	01	-0.23	05.10.18	PM	01	-0.25	05.11.18	PM	02	-0.22	05.12.18	PM	02	-0.23	05.13.18	PM	01	-0.22									
	300 area laboratory header AP	PDI-853-1 or PDI-853-2	≤0.05 in. wc ¹	05.07.18	Mon.	AM	EC	-0.20	-0.23	05.08.18	Tue.	AM	02	-0.20	05.09.18	Wed.	AM	01	-0.19	05.10.18	Thu.	AM	01	-0.19	05.11.18	Fri.	AM	01	-0.20	05.12.18	Sat.	AM	02	-0.23	05.13.18	Sun.	AM	01	-0.19
				PM	02	-0.20	05.08.18	PM	02	-0.20	05.09.18	PM	01	-0.19	05.10.18	PM	01	-0.19	05.11.18	PM	02	-0.20	05.12.18	PM	02	-0.23	05.13.18	PM	01	-0.19									
400 area laboratory header AP	PDI-852-1 or PDI-852-2	≤0.05 in. wc ¹	05.07.18	Mon.	AM	EC	-0.20	-0.20	05.08.18	Tue.	AM	02	-0.20	05.09.18	Wed.	AM	01	-0.20	05.10.18	Thu.	AM	01	-0.19	05.11.18	Fri.	AM	01	-0.20	05.12.18	Sat.	AM	02	-0.23	05.13.18	Sun.	AM	01	-0.19	
			PM	02	-0.20	05.08.18	PM	02	-0.20	05.09.18	PM	01	-0.20	05.10.18	PM	01	-0.19	05.11.18	PM	02	-0.20	05.12.18	PM	02	-0.23	05.13.18	PM	01	-0.19										
IFTT Facility AP	PDI-865-4 or PDI-865-5	≤0.05 in. wc	05.07.18	Mon.	AM	EC	-0.15	-0.15	05.08.18	Tue.	AM	02	-0.15	05.09.18	Wed.	AM	01	-0.15	05.10.18	Thu.	AM	01	-0.15	05.11.18	Fri.	AM	01	-0.15	05.12.18	Sat.	AM	02	-0.15	05.13.18	Sun.	AM	01	-0.15	
			PM	02	-0.15	05.08.18	PM	02	-0.15	05.09.18	PM	01	-0.15	05.10.18	PM	01	-0.15	05.11.18	PM	02	-0.15	05.12.18	PM	02	-0.15	05.13.18	PM	01	-0.15										
North basement AP	PDI-804-1 or PDI-804-2	< 0.00 in. wc	05.07.18	Mon.	AM	EC	-0.10	-0.11	05.08.18	Tue.	AM	02	-0.10	05.09.18	Wed.	AM	01	-0.10	05.10.18	Thu.	AM	01	-0.10	05.11.18	Fri.	AM	01	-0.10	05.12.18	Sat.	AM	02	-0.08	05.13.18	Sun.	AM	01	-0.08	
			PM	02	-0.10	05.08.18	PM	02	-0.10	05.09.18	PM	01	-0.10	05.10.18	PM	01	-0.10	05.11.18	PM	02	-0.10	05.12.18	PM	02	-0.08	05.13.18	PM	01	-0.08										
South basement AP	PDI-854-1 or PDI-854-2	< 0.00 in. wc	05.07.18	Mon.	AM	EC	-0.09	-0.11	05.08.18	Tue.	AM	02	-0.10	05.09.18	Wed.	AM	01	-0.10	05.10.18	Thu.	AM	01	-0.09	05.11.18	Fri.	AM	01	-0.10	05.12.18	Sat.	AM	02	-0.08	05.13.18	Sun.	AM	01	-0.07	
			PM	02	-0.09	05.08.18	PM	02	-0.09	05.09.18	PM	01	-0.10	05.10.18	PM	01	-0.09	05.11.18	PM	02	-0.10	05.12.18	PM	02	-0.08	05.13.18	PM	01	-0.07										
4.1.1.3 4.1.2.3 ³	IRT Tunnel AP	PDT-901 or PDI-901	< 0.00 in. wc	05.07.18	Mon.	AM	EC	-0.10	-0.12	05.08.18	Tue.	AM	02	-0.09	05.09.18	Wed.	AM	01	-0.10	05.10.18	Thu.	AM	01	-0.10	05.11.18	Fri.	AM	01	-0.05	05.12.18	Sat.	AM	02	-0.04	05.13.18	Sun.	AM	01	-0.08
				PM	02	-0.10	05.08.18	PM	02	-0.09	05.09.18	PM	01	-0.10	05.10.18	PM	01	-0.10	05.11.18	PM	02	-0.05	05.12.18	PM	02	-0.04	05.13.18	PM	01	-0.08									

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS Sat / Unsat (circle one)																											
				Date:	Weekday:	Shift:	Initials:	05-07-18	05-08-18	05-09-18	05-10-18	5/11/18	5/12/18	5/13/18																	
4.1.1.6	200 area re-circulation fan/plenum	FR-801 leon red and PDT-831 AP > 0.50 or FR-802 leon red and PDT-832 AP > 0.50	At least one fan/plenum is in service	05-07-18	Mon.	AM	PM	05-08-18	Tue.	AM	PM	05-09-18	Wed.	AM	PM	05-10-18	Thu.	AM	PM	5/11/18	Fri.	AM	PM	5/12/18	Sat.	AM	PM	5/13/18	Sun.	AM	PM
	100 area re-circulation fan/plenum	FR-803 leon red and PDT-833 AP > 0.50 or FR-804 leon red and PDT-835 AP > 0.50	At least one fan/plenum is in service	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
	300 area re-circulation fan/plenum	FR-805 leon red and PDT-836 AP > 0.50 or FR-806 leon red and PDT-837 AP > 0.50	At least one fan/plenum is in service	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
	400 area re-circulation fan/plenum	FR-807 leon red and PDT-838 AP > 0.50 or FR-808 leon red and PDT-839 AP > 0.50	At least one fan/plenum is in service	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
	Vault re-circulation fan/plenum	FR-811 leon red and PDT-840 AP > 0.50 or FR-812 leon red and PDT-841 AP > 0.50	At least one fan/plenum is in service	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

Note
Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
					Mon	Tue	Wed	Thu	Fri	Sat	Sun		
4.1.1.4 < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2 PDI-803-2 PDI-804-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		
	100 Area	PDI-820-2 PDI-802-2 PDI-804-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		
	300 Area	PDI-870-2 PDI-853-2 PDI-854-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		
	400 Area	PDI-864-2 PDI-852-2 PDI-854-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		
				Uns	Uns	Uns	Uns	Uns	Uns	Uns	Uns		

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: AL Date: 5/14/18 Time: 19130

Reviewed by: [Signature] Date: 5-19-18 Time: 12260

Comments:

On-duty Supervisor

FOR FUTURE USE

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (percentage)								
			Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA	5/2/18	5/8/18	5/9/18	5-10-18	5/11/18	5/12/18	5/13/18		
	CP-305-H (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	≥ -0.1 ; $\leq +0.1$	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005
	Completion Time:		0870	0809	0840	0920	0715	0702	0712		

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Weekday:	Initials:						
				5/7/18	5/8/18	5/9/18	5-10-18	5-11-18	5/12/18	5/13/18		
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	HPDI-894-1	≤2.0 & > 0 ¹ in. wc	.03	.03	.03	.04	.04	.03	.03		
		PDI-894-2	≤2.0 & > 0 ¹ in. wc	.45	.47	.47	.49	.49	.48	.47		
4.1.3.4 ²	South Corridor supply (HVP-810) AP	HPDI-895-1	≤2.0 & > 0 ¹ in. wc	.66	.06	.66	.66	.66	.06	.66		
		PDI-895-2	≤2.0 & > 0 ¹ in. wc	.65	.68	.68	.68	.68	.67	.67		
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	HPDI-817-1	≤2.0 & > 0 ¹ in. wc	.29	.29	.29	.29	.29	.29	.29		
		PDI-817-2	≤2.0 & > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31		
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	HPDI-818-1	≤2.0 & > 0 ¹ in. wc	.39	.39	.39	.39	.39	.39	.39		
		PDI-818-2	≤2.0 & > 0 ¹ in. wc	.46	.46	.46	.46	.46	.46	.46		
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	HPDI-818-2	≤2.0 & > 0 ¹ in. wc	.31	.32	.32	.32	.32	.31	.31		
		PDI-818-4	≤2.0 & > 0 ¹ in. wc	.46	.46	.46	.46	.46	.46	.46		
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	HPDI-821-1	≤2.0 & > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31		
		PDI-821-3	≤2.0 & > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42		
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	HPDI-821-4	≤2.0 & > 0 ¹ in. wc	.41	.41	.41	.41	.41	.41	.41		

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Weekday:	Initials:					
				5/7/18	5/8/18	5/9/18	5-10-18	5-11-18	5/12/18	5/13/18	
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FFR56) AP	PDI-822-1	≤2.0 > 0 ¹ in. wc	.13	.13	.13	.13	.13	.13	STBY	STBY
			≤2.0 > 0 ¹ in. wc	.61	.61	.61	.60	.60	STBY	STBY	
		PDI-822-2	≤2.0 > 0 ¹ in. wc	.45	.45	.45	.45	.45	STBY	STBY	
			≤2.0 > 0 ¹ in. wc	.52	.52	.52	.51	.51	STBY	STBY	
		PDI-823-1	≤2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	.17	.17	
			≤2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	.55	.56	
		PDI-823-2	≤2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	.53	.54	
			≤2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	.55	.55	
		PDI-823-4	≤2.0 > 0 ¹ in. wc	.27	.27	.24	.31	.31	.06	.04	
			≤2.0 > 0 ¹ in. wc	.13	.13	.13	.13	.13	.03	.01	
PDI-823-5	≤2.0 > 0 ¹ in. wc	.09	.09	.09	.11	.11	.01	.00			
	≤2.0 > 0 ¹ in. wc	.06	.06	.06	.06	.06	.06	.06			
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-1	≤2.0 > 0 ¹ in. wc	.62	.67	.67	.68	.68	.67	.67	
			≤2.0 > 0 ¹ in. wc	.63	.63	.63	.63	.63	.63	.63	
4.1.1.7 ²	300 area re-circulation filter plenum (11VP-805) AP	PDI-836-1	≤2.0 > 0 ¹ in. wc	.04	.04	.04	.04	.04	.04	.04	
			≤2.0 > 0 ¹ in. wc	.49	.49	.49	.49	.49	.49	.49	
4.1.1.7 ²	300 area re-circulation filter plenum (11VP-806) AP	PDI-837-1	≤2.0 > 0 ¹ in. wc	.48	.48	.48	.48	.48	.47	.47	
			≤2.0 > 0 ¹ in. wc	.48	.48	.48	.48	.48	.47	.47	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Date	Weekday	Initials	PT	PT	PT	PT
41.1.7 ²	400 area re-circulation filter plenum (11VP-807) AP	1PDI-838-1	≤2.0 & > 0 ¹ in. wc	5/2/18	5/8/18	5/9/18	5-10-18	5-11-18	5/12/18	5/13/18
			Weekday: Mon	Tue	Wed	Thu	Fri	Sat	Sun	
		PDI-838-2	≤2.0 & > 0 ¹ in. wc	.53	.53	.53	.54	.53	.53	.53
			Initials: J/M	J/M	J/M	PT	PT	J/M	J/M	
		PDI-838-3	≤2.0 & > 0 ¹ in. wc	.69	.59	.59	.59	.59	.59	.59
			Initials: J/M	J/M	J/M	PT	PT	J/M	J/M	
		1PDI-839-1	≤2.0 & > 0 ¹ in. wc	.59	.59	.59	.60	.60	.59	.59
			Initials: J/M	J/M	J/M	PT	PT	J/M	J/M	
		PDI-839-2	≤2.0 & > 0 ¹ in. wc	.43	.43	.43	.43	.43	.43	.43
			Initials: J/M	J/M	J/M	PT	PT	J/M	J/M	
PDI-839-3	≤2.0 & > 0 ¹ in. wc	.57	.57	.57	.58	.58	.57	.57		
	Initials: J/M	J/M	J/M	PT	PT	J/M	J/M			
41.3.4 ²	South Bleed off filter plenum (FF-822A) AP	1PDI-810-1	≤2.0 & > 0 ¹ in. wc	.56	.56	.56	.56	.56	.55	
			Initials: J/M	J/M	J/M	PT	PT	J/M	J/M	
		PDI-810-2	≤2.0 & > 0 ¹ in. wc	.15	.17	.21	.15	.16	.15	.17
			Initials: J/M	J/M	J/M	PT	PT	J/M	J/M	
PDI-810-3	≤2.0 & > 0 ¹ in. wc	.50	.52	.61	.61	.52	.52	.51		
	Initials: J/M	J/M	J/M	PT	PT	J/M	J/M			
1PDI-811-1	≤2.0 & > 0 ¹ in. wc	.52	.55	.62	.61	.53	.53	.54		
	Initials: J/M	J/M	J/M	PT	PT	J/M	J/M			
PDI-811-2	≤2.0 & > 0 ¹ in. wc	.52	.55	.62	.61	.53	.53	.54		
	Initials: J/M	J/M	J/M	PT	PT	J/M	J/M			
PDI-811-3	≤2.0 & > 0 ¹ in. wc	.52	.55	.62	.61	.53	.53	.54		
	Initials: J/M	J/M	J/M	PT	PT	J/M	J/M			
OC Operator Review and Page Count Complete (initials)				0810	0837	0850	0934	0744	0710	0735
				J/M	J/M	J/M	J/M	J/M	J/M	J/M

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: [Signature] Date 5/13/18 Time 0735 Reviewed by: [Signature] Date: 5-12-18 Time: 1241

Comments: 5/13/18 4:41:1 end of shift. Blanks take calibration

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.3 ¹	Vault re-circulation filter plenum (HVP-811) ΔP	HPDI-840-1	≤2.0 > 0 ¹ in. wc	5/7/18	5/8/18	5/9/18	5-10-18	5-11-18	5/12/18	5/13/18	
		PDI-840-2	≤2.0 > 0 in ¹ wc	.17	.17	.17	.17	.17	.17	.17	
		PDI-840-3	≤2.0 > 0 ¹ in. wc	.58	.58	.59	.59	.58	.59	.59	
		HPDI-841-1	≤2.0 > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	
		PDI-841-2	≤2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-841-3	≤2.0 > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
	200 area re-circulation filter plenum (HVP-801) ΔP	HPDI-831-1	≤2.0 > 0 ¹ in. wc	.33	.33	.33	.33	.33	.33	.33	
		PDI-831-2	≤2.0 > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42	
		PDI-831-3	≤2.0 > 0 ¹ in. wc	.39	.39	.39	.39	.39	.39	.40	
		HPDI-832-1	≤2.0 > 0 ¹ in. wc	.42	.42	.42	.42	.42	.42	.42	
		PDI-832-2	≤2.0 > 0 ¹ in. wc	.68	.68	.68	.68	.68	.68	.68	
		PDI-832-3	≤2.0 > 0 ¹ in. wc	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ¹	North Bleed off filter plenum (FF-820A) ΔP	HPDI-807-1	≤2.0 > 0 ¹ in. wc	.12	.12	.12	.12	.12	.13	.13	
		PDI-807-2	≤2.0 > 0 ¹ in. wc	.50	.50	.51	.51	.51	.55	.55	
		PDI-807-3	≤2.0 > 0 ¹ in. wc	.50	.50	.51	.51	.51	.55	.55	
4.1.3.4 ¹	North Bleed off filter plenum (FF-820B) ΔP	HPDI-809-1	≤2.0 > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤2.0 > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-3	≤2.0 > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) (UET)

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (m, wc)											
				Date	Weekday	Initials									
4.1.3.4 ²	North Basement exhaust filter plenum (PF-828) AP	1PDI-829-1	≤ 0 & > 0' in wc	5/9/18	Mon	pm	.22	.24	.26	.26	.24	off	off		
			≤ 0 & > 0' in wc	5/8/18	Tue	pm	.40	.42	.47	.48	.41	off	off		
		PDI-829-2	≤ 0 & > 0' in wc	5/9/18	Wed	pm	.32	.37	.39	.39	.34	off	off		
			≤ 0 & > 0' in wc	5/10-18	Thu	PT	.07	.07	.07	.07	.07	off	off		
		1PDI-833-1	≤ 0 & > 0' in wc	5/11-18	Fri	PT	.07	.07	.07	.07	.07	off	off		
			≤ 0 & > 0' in wc	5/12/18	Sat	pm	.07	.07	.07	.07	.07	off	off		
		PDI-833-2	≤ 0 & > 0' in wc	5/13/18	Sun	pm	.55	.55	.55	.55	.55	.54	.54	.54	
			≤ 0 & > 0' in wc				.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-833-3	≤ 0 & > 0' in wc				.05	.05	.05	.05	.05	.05	.05	.05	
			≤ 0 & > 0' in wc				.50	.50	.49	.50	.50	.50	.50	.50	
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	1PDI-835-1	≤ 0 & > 0' in wc	5/9/18	Mon	pm	.50	.50	.50	.50	.50	.50	.51		
			≤ 0 & > 0' in wc	5/8/18	Tue	pm	.25	.24	.24	.24	.24	.25	.25		
		PDI-835-2	≤ 0 & > 0' in wc	5/9/18	Wed	pm	.58	.58	.58	.59	.58	.58	.58		
			≤ 0 & > 0' in wc	5/10-18	Thu	PT	.51	.51	.51	.51	.51	.51	.51		
		PDI-835-3	≤ 0 & > 0' in wc	5/11-18	Fri	PT	.50	.50	.50	.50	.50	.50	.51		
			≤ 0 & > 0' in wc	5/12/18	Sat	pm	.50	.50	.50	.51	.51	.51	.51		
		1PDI-815-1	≤ 0 & > 0' in wc	5/13/18	Sun	pm	.50	.50	.50	.51	.51	.51	.51		
			≤ 0 & > 0' in wc				.58	.58	.58	.58	.58	.58	.58		
		4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤ 0 & > 0' in wc	5/9/18	Mon	pm	.50	.50	.50	.51	.51	.51	.51
					≤ 0 & > 0' in wc	5/8/18	Tue	pm	.50	.50	.50	.51	.51	.51	.51
PDI-815-4	≤ 0 & > 0' in wc			5/9/18	Wed	pm	.50	.50	.50	.51	.51	.51	.51		
	≤ 0 & > 0' in wc			5/10-18	Thu	PT	.50	.50	.50	.51	.51	.51	.51		
1PDI-816-1	≤ 0 & > 0' in wc			5/11-18	Fri	PT	.50	.50	.50	.51	.51	.51	.51		
	≤ 0 & > 0' in wc			5/12/18	Sat	pm	.50	.50	.50	.51	.51	.51	.51		
PDI-816-2	≤ 0 & > 0' in wc			5/13/18	Sun	pm	.50	.50	.50	.51	.51	.51	.51		
	≤ 0 & > 0' in wc						.50	.50	.50	.51	.51	.51	.51		
PDI-816-4	≤ 0 & > 0' in wc						.50	.50	.50	.51	.51	.51	.51		
	≤ 0 & > 0' in wc						.50	.50	.50	.51	.51	.51	.51		
PDI-816-5	≤ 0 & > 0' in wc				.50	.50	.50	.51	.51	.51	.51				
	≤ 0 & > 0' in wc				.50	.50	.50	.51	.51	.51	.51				

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (In. wc)									
				Date	Weekdays	Initials							
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) AP	1PDI-812-1	≤2.0 & > 0 ¹ in. wc	5/7/18	Mon	JK	.13	PT	5-10-18	5-11-18	5/12/18	5/13/18	
			Weekdays	Tue.	JK	.13	PT	PT	JK	JK			
		PDI-812-2	≤2.0 & > 0 ¹ in. wc	5/8/18	Tue.	JK	.32	STBY	.30	STBY	.31	.31	.31
			Weekdays	Wed.	JK	.31	STBY	.29	STBY	.31	.29	.31	.31
		PDI-812-3	≤2.0 & > 0 ¹ in. wc	5/9/18	Wed.	JK	.32	STBY	.31	STBY	.31	.31	.31
			Weekdays	Thu.	JK	.30	STBY	.29	STBY	.29	.29	.29	.29
		PDI-812-4	≤2.0 & > 0 ¹ in. wc	5/10/18	Thu.	JK	.30	STBY	.32	STBY	.32	.34	.34
			Weekdays	Fri.	JK	.37	STBY	.35	STBY	.32	STBY	.34	.34
		PDI-812-5	≤2.0 & > 0 ¹ in. wc	5/11/18	Fri.	JK	.32	STBY	.12	STBY	.12	.34	.34
			Weekdays	Sat.	JK	.27	STBY	.20	STBY	.29	.29	.34	.34
PDI-813-1	≤2.0 & > 0 ¹ in. wc	5/12/18	Sat.	JK	.20	STBY	.27	STBY	.27	.38	.38		
	Weekdays	Sun.	JK	.29	STBY	.29	.27	STBY	.29	.38	.38		
PDI-813-2	≤2.0 & > 0 ¹ in. wc	5/13/18	Sun.	JK	.29	STBY	.27	STBY	.27	.38	.38		
	Weekdays												
PDI-813-3	≤2.0 & > 0 ¹ in. wc												
	Weekdays												
PDI-813-4	≤2.0 & > 0 ¹ in. wc												
	Weekdays												
PDI-813-5	≤2.0 & > 0 ¹ in. wc												
	Weekdays												
4.1.3.4 ²	IFFT exhaust filter plenum (FF-865) AP	1PDI-865-1	≤2.0 & > 0 ¹ in. wc	5/7/18	Mon	JK	.102	PT	5-10-18	5-11-18	5/12/18	5/13/18	
			Weekdays	Tue.	JK	.02	STBY	.35	STBY	.33	.38	.38	
			Initials	Wed.	JK	.35	STBY	.35	STBY	.33	.38	.38	
PDI-865-2	≤2.0 & > 0 ¹ in. wc	5/8/18	Tue.	JK	.35	STBY	.35	STBY	.33	.38	.38		
	Weekdays	Wed.	JK	.32	STBY	.33	STBY	.32	.32	.37	.37		
PDI-865-3	≤2.0 & > 0 ¹ in. wc	5/9/18	Wed.	JK	.33	STBY	.33	STBY	.32	.37	.37		
	Weekdays	Thu.	JK	.05	STBY	.06	STBY	.06	.06	.06	.06		
PDI-863-1	≤2.0 & > 0 ¹ in. wc	5/10/18	Thu.	JK	.05	STBY	.06	STBY	.06	.06	.06		
	Weekdays	Fri.	JK	.30	STBY	.30	STBY	.30	.30	.30	.30		
PDI-863-2	≤2.0 & > 0 ¹ in. wc	5/11/18	Fri.	JK	.30	STBY	.30	STBY	.30	.30	.30		
	Weekdays	Sat.	JK	.30	STBY	.30	STBY	.30	.30	.30	.30		
PDI-863-2	≤2.0 & > 0 ¹ in. wc	5/12/18	Sat.	JK	.30	STBY	.30	STBY	.30	.30	.30		
	Weekdays	Sun.	JK	.30	STBY	.30	STBY	.30	.30	.30	.30		

FOR REVIEW

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS						
				Date:	Weekday:	Initials:				
				5/2/18	5/8/18	5/9/18	5-10-18	5-11-18	5/12/18	5/13/18
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				PM	PM	PM	PT	PT	PM	PM
4.1.3.1 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 & > 0' in. wc	.13	.13	.14	.12	.12	OFF	OFF
		PDI-857-2	≤ 2.0 & > 0' in. wc	.43	.46	.47	.46	.45	OFF	OFF
4.1.3.1 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 & > 0' in. wc	.05	.05	.05	.05	.06	.06	.08
		PDI-856-2	≤ 2.0 & > 0' in. wc	.58	.59	.60	.59	.62	.62	.62
N/A	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)	SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																				
				Date:	Weekday:	Initials:	Date:	Weekday:	Initials:	Date:	Weekday:	Initials:												
4.3.2.2 ²	Room 206		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/7/18	Mon	Am	5/8/18	Tue	Am	5/9/18	Wed	Am	5-10-18	Thu	PT	5-11-18	Fri	PT	5/12/18	Sat	Am	5/13/18	Sun	Am
4.3.2.2 ²	Room 207		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/7/18	Mon	Am	5/8/18	Tue	Am	5/9/18	Wed	Am	5-10-18	Thu	PT	5-11-18	Fri	PT	5/12/18	Sat	Am	5/13/18	Sun	Am
OC Operator Review and Page Count Complete (Initials)				0812	W	W	0850	AL	W	0835	AL	W	0927	W	AMG	0749	W	AMG	0720	AMG	0721	W	AMG	
Completion time				0812	W	W	0850	AL	W	0835	AL	W	0927	W	AMG	0749	W	AMG	0720	AMG	0721	W	AMG	

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds. Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date: 5/13/18 Time: 0721
 Reviewed by: [Signature] On-duty Supervisor: [Signature] Date: 5-13-18 Time: 1241

Comments:

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
			Date:	Weekday:	Shift:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.			
4.1.1.1	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	5/14/18	Mon.	AM	SC	-2.01	-2.01	-1.99	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00
			5/15/18	Tue.	AM	SC	-2.00	-1.99	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00
4.1.2.1 ²	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	5/14/18	Mon.	AM	SC	-1.97	-1.97	-1.96	-1.95	-1.96	-1.94	-1.94	-1.95	-1.94	-1.94
			5/15/18	Tue.	AM	SC	-1.91	-1.91	-1.90	-1.90	-1.90	-1.90	-1.90	-1.90	-1.90	-1.90
4.1.1.2	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	5/14/18	Mon.	AM	SC	-2.06	-2.06	-2.04	-2.02	-2.02	-1.90	-2.00	-2.05	-1.97	-2.06
			5/15/18	Tue.	AM	SC	-2.01	-2.01	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00	-2.00
4.1.1.5	200 area laboratory header AP	PDI-803-1 or PDI-803-2	5/14/18	Mon.	AM	SC	-1.18	-1.20	-1.19	-1.19	-1.18	-1.18	-1.19	-1.18	-1.18	-1.18
			5/15/18	Tue.	AM	SC	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19	-1.19
4.1.2.2	100 area laboratory header AP	PDI-802-1 or PDI-802-2	5/14/18	Mon.	AM	SC	-0.22	-0.24	-0.23	-0.24	-0.22	-0.25	-0.24	-0.25	-0.23	-0.22
			5/15/18	Tue.	AM	SC	-0.23	-0.23	-0.24	-0.24	-0.23	-0.23	-0.23	-0.23	-0.23	-0.23
4.1.1.2	300 area laboratory header AP	PDI-853-1 or PDI-853-2	5/14/18	Mon.	AM	SC	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20
			5/15/18	Tue.	AM	SC	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20
4.1.1.2	400 area laboratory header AP	PDI-852-1 or PDI-852-2	5/14/18	Mon.	AM	SC	-0.19	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20
			5/15/18	Tue.	AM	SC	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20	-0.20
4.1.1.3	IFTT Facility AP	PDI-865-4 or PDI-865-5	5/14/18	Mon.	AM	SC	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15
			5/15/18	Tue.	AM	SC	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15	-0.15
4.1.2.3 ²	North basement AP	PDI-804-1 or PDI-804-2	5/14/18	Mon.	AM	SC	-0.08	-0.09	-0.08	-0.09	-0.09	-0.10	-0.10	-0.09	-0.09	-0.09
			5/15/18	Tue.	AM	SC	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09
4.1.2.3 ²	South basement AP	PDI-854-1 or PDI-854-2	5/14/18	Mon.	AM	SC	-0.08	-0.09	-0.08	-0.09	-0.09	-0.10	-0.10	-0.09	-0.09	-0.09
			5/15/18	Tue.	AM	SC	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09	-0.09
4.1.2.3 ²	IRT Tunnel AP	PDT-901 or PDI-901	5/14/18	Mon.	AM	SC	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08
			5/15/18	Tue.	AM	SC	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08	-0.08

ATTACHMENT A: Per Shift Surveillance Rounds [UT]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																
				Sat / Unsat (circle one)																
<p>Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable</p>				Date:	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	5/21/18	5/22/18	5/23/18	5/24/18	5/25/18				
<p>Weekday:</p>				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.										
<p>Shift:</p>				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM					
<p>Initials:</p>				EC	EC	EC	EC	EC	EC	EC	EC	EC	EC	EC	EC					
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP >.050 or FR-802 Icon red and PDT-832 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 AP >.050 or FR-804 Icon red and PDT-835 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 AP >.050 or FR-806 Icon red and PDT-837 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 AP >.050 or FR-808 Icon red and PDT-839 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 AP >.050 or FR-812 Icon red and PDT-841 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
			Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

Note
Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS													
					Sat, Unsat (circle one)													
					Date:	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.	Sun.	
					Weekday:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
					Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
					Initials:													
4.1.1.4	Glovebox exhaust header APs < laboratory APs for basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2 PDI-803-2 PDI-804-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	
		100 Area	PDI-820-2 PDI-802-2 PDI-804-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat
		300 Area	PDI-870-2 PDI-853-2 PDI-854-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat
	400 Area	PDI-864-2 PDI-852-2 PDI-854-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	Sat Unsat	
					Completion Time													
					0714	1450	0729	1419	6715	1724	0726	1430	0730	1418	0734	1420	0727	1416

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: EC Date: 05/14/18 Time: 1916 Reviewed by: [Signature] Date: 5-22-18 Time: 0923

On-duty Supervisor

Comments:

FOR INFORMATION

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.
SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:
 The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	SURVEILLANCE RESULTS (percentage)																																		
		Acceptance Criteria		Date:	Weekday:	Initials:	Completion Time:																													
		Record Calculated Value	Record Calculated Value																																	
4.4.1.1	Flammable Gas Channel Check	NA																																		
	DET-305-3 (LCD Reading)			5/14/18	Mon.	AS	0830	5/15/18	Tue.	AS	0800	5/16/18	Wed.	AS	0720	5/17/18	Thu.	AS	0810	5/18/18	Fri.	AS	0756	5-19-18	Sat.	PT	0739	5-20-18	Sun.	PT	0740					
	CP-305-H (LED Reading)																																			
	(DET-305-3) - (CP-305H)																																			
	(LCD Reading) (LED Reading)																																			

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
41.3.4 ²	South basement supply filter plenum (IIYP-841) AP	PDI-894-1	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ³	South Corridor supply (IIYP-810) AP	PDI-895-2	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ⁴	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-1	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ⁵	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-2	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ⁶	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-817-4	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ⁷	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-817-5	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ⁸	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-1	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ⁹	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-2	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ¹⁰	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-818-4	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ¹¹	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-818-5	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ¹²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-1	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ¹³	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-3	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	
41.3.4 ¹⁴	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-4	≤2.0 > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18	
				Initials:	pm	pm	pm	pm	AS	PT	PT
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				0.54	0.03	0.04	0.03	0.05	0.04	0.04	
				0.46	0.45	0.48	0.48	0.49	0.48	0.48	
				0.06	0.06	0.06	0.06	0.06	0.07	0.07	
				0.59	0.00	0.61	0.62	0.62	0.62	0.62	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UFT]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Weekdays:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat
41.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-4	≤ 2.0 > 0 ¹ in. wc	5/14/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				5/15/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/16/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/17/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/18/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
41.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-4	≤ 2.0 > 0 ¹ in. wc	5/14/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/15/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/16/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/17/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/18/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
41.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-3	≤ 2.0 > 0 ¹ in. wc	5/14/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/15/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/16/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/17/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/18/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
41.1.7 ²	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-3	≤ 2.0 > 0 ¹ in. wc	5/14/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/15/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/16/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/17/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
				5/18/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UFT]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																						
				Date:	Weekday:	Initials:																				
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) AP	PDI-838-1	≤2.0 & > 0' in. wc	5/14/18	Mon.	4pm	.53	5/15/18	Tue	4pm	.53	5/16/18	Wed	4pm	.53	5/17/18	Thu	AM	.53	5/18/18	Fri	AS	PT	PT		
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
	400 area re-circulation filter plenum (HVP-808) AP	PDI-839-1	≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
			≤2.0 & > 0' in. wc																							
South Bleed off filter plenum (FF-822A) AP	PDI-810-1	≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
South Bleed off filter plenum (FF-822B) AP	PDI-811-1	≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
		≤2.0 & > 0' in. wc																								
OC Operator Review and Page Count Complete (initials)				0900	0835	0837	0830	0856	0737	0745																

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Paul Tegill Date: 5-20-18 Time: 0745 Reviewed by: [Signature] Date: 5-22-18 Time: 0921

Comments: Still 4411 out of service. Needs to be calibrated

On-duty Supervisor: [Signature]

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	1PDI-840-1	≤2.0 > 0' in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5-19-18	5-20-18	
			STBY	STBY	STBY	STBY	STBY	STBY	STBY		
		PDI-840-2	≤2.0 > 0 in' wc	STBY	.59	STBY	STBY	STBY	STBY	STBY	
			STBY	STBY	STBY	STBY	STBY	STBY	STBY		
		PDI-840-3	≤2.0 > 0' in. wc	STBY	.51	STBY	STBY	STBY	STBY	STBY	
			STBY	STBY	STBY	STBY	STBY	STBY	STBY		
	Vault re-circulation filter plenum (HVP-812) ΔP	1PDI-841-1	≤2.0 > 0' in. wc	.17	STBY	.46	.46	.47	.46	.46	
			STBY	STBY	STBY	STBY	STBY	STBY			
		PDI-841-2	≤2.0 > 0' in. wc	.58	STBY	.56	.56	.58	.57	.58	
			STBY	STBY	STBY	STBY	STBY	STBY			
		PDI-841-3	≤2.0 > 0' in. wc	.51	STBY	.51	.51	.51	.51	.51	
			STBY	STBY	STBY	STBY	STBY	STBY			
4.1.3.4 ²	200 area re-circulation filter plenum (HVP-801) ΔP	1PDI-831-1	≤2.0 > 0' in. wc	.33	.33	.33	.33	.34	.33	.33	
			STBY	STBY	STBY	STBY	STBY	STBY			
		PDI-831-2	≤2.0 > 0' in. wc	.42	.42	.42	.42	.42	.42	.42	
			STBY	STBY	STBY	STBY	STBY	STBY			
		PDI-831-3	≤2.0 > 0' in. wc	.40	.40	.40	.40	.41	.40	.40	
			STBY	STBY	STBY	STBY	STBY	STBY			
	200 area re-circulation filter plenum (HVP-802) ΔP	1PDI-832-1	≤2.0 > 0' in. wc	.43	.43	.43	.43	.43	.43	.43	
			STBY	STBY	STBY	STBY	STBY	STBY			
		PDI-832-2	≤2.0 > 0' in. wc	.68	.68	.68	.68	.68	.68	.68	
			STBY	STBY	STBY	STBY	STBY	STBY			
		PDI-832-3	≤2.0 > 0' in. wc	.61	.61	.61	.61	.61	.61	.61	
			STBY	STBY	STBY	STBY	STBY	STBY			
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	1PDI-807-1	≤2.0 > 0' in. wc	.13	.12	OFF	OFF	OFF	OFF	OFF	
			STBY	STBY	OFF	OFF	OFF	OFF			
		PDI-807-2	≤2.0 > 0' in. wc	.57	.51	OFF	OFF	OFF	OFF	OFF	
			STBY	STBY	OFF	OFF	OFF	OFF			
		PDI-807-3	≤2.0 > 0' in. wc	.54	.51	OFF	OFF	OFF	OFF	OFF	
			STBY	STBY	OFF	OFF	OFF	OFF			
1PDI-809-1	≤2.0 > 0' in. wc	OFF	OFF	.08	.08	.09	.09	.09			
	STBY	STBY	OFF	OFF	OFF	OFF					
PDI-809-2	≤2.0 > 0' in. wc	OFF	OFF	.52	.55	.56	.56	.56			
	STBY	STBY	OFF	OFF	OFF	OFF					
PDI-809-3	≤2.0 > 0' in. wc	OFF	OFF	.52	.53	.52	.52	.52			
	STBY	STBY	OFF	OFF	OFF	OFF					

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Weekdays:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
41.3.4 ²	North Basement exhaust Filter Plenum (PF-828) AP	1PDI-829-1	≤ 2.0 & > 0' in. wc	5/14/18	Mon.	AP	.25	.27	.27	.20	.20	.21
		PDI-829-2	≤ 2.0 & > 0' in. wc	5/15/18	Tue.	AP	.47	.49	.39	.39	.40	.40
		PDI-829-3	≤ 2.0 & > 0' in. wc	5/16/18	Wed.	AP	.38	.39	.46	.31	.31	.31
41.1.7 ²	100 area re-circulation Filter plenum (HVP-803) AP	1PDI-833-1	≤ 2.0 & > 0' in. wc	5/17/18	Thu.	AP	.07	.07	.07	.07	.07	.07
		PDI-833-2	≤ 2.0 & > 0' in. wc	5/18/18	Fri.	AP	.55	.52	.52	.55	.54	.54
		PDI-833-3	≤ 2.0 & > 0' in. wc	5/19/18	Sat.	AP	.51	.51	.51	.52	.51	.51
41.3.4 ²	100 area glovebox exhaust Filter plenum (FF852) AP	1PDI-815-1	≤ 2.0 & > 0' in. wc	5/20/18	Sun.	AP	.05	.05	.05	.05	.05	.05
		PDI-835-2	≤ 2.0 & > 0' in. wc	5/21/18	Mon.	AP	.50	.50	.50	.50	.50	.50
		PDI-835-3	≤ 2.0 & > 0' in. wc	5/22/18	Tue.	AP	.51	.51	.51	.51	.51	.51
41.3.4 ²	100 area glovebox exhaust Filter plenum (FF853) AP	1PDI-816-1	≤ 2.0 & > 0' in. wc	5/23/18	Wed.	AP	.26	.26	.26	.26	.26	.26
		PDI-815-2	≤ 2.0 & > 0' in. wc	5/24/18	Thu.	AP	.58	.58	.58	.58	.58	.58
		PDI-815-4	≤ 2.0 & > 0' in. wc	5/25/18	Fri.	AP	.51	.51	.51	.51	.51	.51
41.3.4 ²	100 area glovebox exhaust Filter plenum (FF853) AP	1PDI-816-2	≤ 2.0 & > 0' in. wc	5/26/18	Sat.	AP	.51	.51	.51	.51	.51	.51
		PDI-816-4	≤ 2.0 & > 0' in. wc	5/27/18	Sun.	AP	.51	.51	.51	.51	.51	.51
		PDI-816-5	≤ 2.0 & > 0' in. wc	5/28/18	Mon.	AP	.57	.57	.57	.58	.58	.58

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	Date						
				Mon	Tue	Wed	Thu	Fri	Sat	Sun
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	IPDI-812-1	≤2.0 & > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18
				Mon	Tue	Wed	Thu	Fri	Sat	Sun
		PDI-812-2	≤2.0 & > 0 ¹ in. wc	.13	.15	STBY	STBY	STBY	STBY	STBY
				.30	.31	STBY	STBY	STBY	STBY	STBY
		PDI-812-3	≤2.0 & > 0 ¹ in. wc	.30	.31	STBY	STBY	STBY	STBY	STBY
				.29	.31	STBY	STBY	STBY	STBY	STBY
		PDI-812-4	≤2.0 & > 0 ¹ in. wc	.34	.38	STBY	STBY	STBY	STBY	STBY
				.34	.38	STBY	STBY	STBY	STBY	STBY
		PDI-812-5	≤2.0 & > 0 ¹ in. wc	.34	.38	STBY	STBY	STBY	STBY	STBY
				.34	.38	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	IPDI-813-1	≤2.0 & > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18
				Mon	Tue	Wed	Thu	Fri	Sat	Sun
		PDI-813-2	≤2.0 & > 0 ¹ in. wc	.34	.38	STBY	STBY	STBY	STBY	STBY
				.34	.38	STBY	STBY	STBY	STBY	STBY
		PDI-813-3	≤2.0 & > 0 ¹ in. wc	.34	.38	STBY	STBY	STBY	STBY	STBY
				.34	.38	STBY	STBY	STBY	STBY	STBY
		PDI-813-4	≤2.0 & > 0 ¹ in. wc	.34	.38	STBY	STBY	STBY	STBY	STBY
				.34	.38	STBY	STBY	STBY	STBY	STBY
		PDI-813-5	≤2.0 & > 0 ¹ in. wc	.34	.38	STBY	STBY	STBY	STBY	STBY
				.34	.38	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	IPDI-865-1	≤2.0 & > 0 ¹ in. wc	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5/19/18	5/20/18
				Mon	Tue	Wed	Thu	Fri	Sat	Sun
		PDI-865-2	≤2.0 & > 0 ¹ in. wc	.38	.35	.31	.33	.35	.33	.33
				.38	.35	.31	.33	.35	.33	.33
		PDI-865-3	≤2.0 & > 0 ¹ in. wc	.38	.35	.31	.33	.35	.33	.33
				.38	.35	.31	.33	.35	.33	.33
		IPDI-863-1	≤2.0 & > 0 ¹ in. wc	.05	.04	.04	.04	.05	.05	.05
				.05	.04	.04	.04	.05	.05	.05
		PDI-863-2	≤2.0 & > 0 ¹ in. wc	.31	.30	.28	.29	.29	.29	.29
				.31	.30	.28	.29	.29	.29	.29

FORN

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Weekday:	Initials:						
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0' in. wc	5/14/18	Mon	gr	.12	.12	.12	.12	.12	.12
				5/15/18	Tue	gr	.43	.43	.43	.43	.43	
				5/16/18	Wed	gr	.43	.43	.43	.43	.43	
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 > 0' in. wc	5/14/18	Mon	gr	.05	.06	.06	.06	.06	.06
				5/15/18	Tue	gr	.62	.59	.62	.62	.62	
				5/16/18	Wed	gr	.62	.62	.62	.62	.62	
4.1.3.4 ²	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-2	0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)	5/14/18	Mon	gr	.62	.59	.62	.62	.62	.62
				5/15/18	Tue	gr	.62	.59	.62	.62	.62	
				5/16/18	Wed	gr	.62	.59	.62	.62	.62	
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/14/18	Mon	gr	SAT	SAT	SAT	SAT	SAT	SAT
				5/15/18	Tue	gr	SAT	SAT	SAT	SAT	SAT	
				5/16/18	Wed	gr	SAT	SAT	SAT	SAT	SAT	
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/14/18	Mon	gr	SAT	SAT	SAT	SAT	SAT	SAT
				5/15/18	Tue	gr	SAT	SAT	SAT	SAT	SAT	
				5/16/18	Wed	gr	SAT	SAT	SAT	SAT	SAT	

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS						
				Date:	Monday:	Tue	Wed	Thu.	Fri.	Sat.
4.3.2.2 ²	Room 206		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5-19-18	5-20-18
				Mon	Tue	Wed	Thu.	Fri.	Sat.	Sun.
				AS	AS	AS	AS	AS	PT	PT
				INITIALS:						
				AS	AS	AS	AS	AS	PT	PT
4.3.2.2 ²	Room 207		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/14/18	5/15/18	5/16/18	5/17/18	5/18/18	5-19-18	5-20-18
				Mon	Tue	Wed	Thu.	Fri.	Sat.	Sun.
				AS	AS	AS	AS	AS	PT	PT
				INITIALS:						
				AS	AS	AS	AS	AS	PT	PT
OC Operator Review and Page Count Complete (initials)				0950	0900	0825	0820	0856	0915	0751
Completion time				AS	AS	AS	AS	AS	AS	AS

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds. Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Rael Ingille Date 5-20-18 Time 0751 Reviewed by: [Signature] Date 5-22-18 Time: 0929

Comments: _____
On-duty Supervisor _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																			
			Date:	Weekday:	Shift:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.									
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	≤-1.0 in. wc ¹	5-21-18	Mon.	AM	BC	-2.01	-2.01	1.94	-2.00	2.01	-2.00	1.99	-2.00	-2.01	1.99	-2.00	2.01	2.00		
				5-22-18	Tue.	AM	MS	-2.00	-2.01	-2.00	-2.00	-2.00	-2.01	-2.01	-2.01	-2.01	-2.01	-2.01	-2.01	-2.01	-2.01	-2.01
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	≤-1.0 in. wc ¹	5-21-18	Mon.	AM	BC	-1.94	-1.95	-1.95	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	
				5-22-18	Tue.	AM	MS	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94	-1.94
	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	≤-1.0 in. wc ¹	5-21-18	Mon.	AM	BC	-1.97	-1.96	-1.95	-1.96	-1.96	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	
				5-22-18	Tue.	AM	MS	-1.96	-1.95	-1.96	-1.96	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95	-1.95
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	≤-1.0 in. wc ¹	5-21-18	Mon.	AM	BC	-2.02	-2.02	-2.02	-2.01	-2.00	-2.05	-2.00	-2.02	-2.02	-2.02	-2.02	-2.02	-2.02	-2.02	-2.02
				5-22-18	Tue.	AM	MS	-2.02	-2.02	-2.02	-2.01	-2.00	-2.05	-2.00	-2.02	-2.02	-2.02	-2.02	-2.02	-2.02	-2.02	-2.02
	200 area laboratory header AP	PDI-803-1 or PDI-803-2	≤-0.05 in. wc ¹	5-21-18	Mon.	AM	BC	-1.19	-1.19	-0.11	-1.18	-0.11	-1.18	-0.11	-1.19	-1.18	-1.18	-1.19	-1.18	-1.18	-1.18	
				5-22-18	Tue.	AM	MS	-1.19	-1.19	-0.11	-1.18	-0.11	-1.18	-0.11	-1.19	-1.18	-1.18	-1.19	-1.18	-1.18	-1.18	-1.18
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	≤-0.05 in. wc ¹	5-21-18	Mon.	AM	BC	-1.23	-1.23	-0.22	-1.22	-0.22	-1.23	-0.22	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	
				5-22-18	Tue.	AM	MS	-1.23	-1.23	-0.22	-1.22	-0.22	-1.23	-0.22	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23	-1.23
300 area laboratory header AP	PDI-853-1 or PDI-853-2	≤-0.05 in. wc ¹	5-21-18	Mon.	AM	BC	-1.21	-1.21	-0.21	-1.20	-0.21	-1.21	-0.21	-1.21	-1.21	-1.21	-1.21	-1.21	-1.21	-1.21		
			5-22-18	Tue.	AM	MS	-1.21	-1.21	-0.21	-1.20	-0.21	-1.21	-0.21	-1.21	-1.21	-1.21	-1.21	-1.21	-1.21	-1.21	-1.21	
400 area laboratory header AP	PDI-852-1 or PDI-852-2	≤-0.05 in. wc ¹	5-21-18	Mon.	AM	BC	-1.20	-1.20	-0.20	-1.20	-0.20	-1.20	-0.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20		
			5-22-18	Tue.	AM	MS	-1.20	-1.20	-0.20	-1.20	-0.20	-1.20	-0.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	-1.20	
IFT Facility AP	PDI-865-4 or PDI-865-5	≤-0.05 in. wc	5-21-18	Mon.	AM	BC	-1.15	-1.15	-0.14	-1.15	-0.14	-1.15	-0.14	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15		
			5-22-18	Tue.	AM	MS	-1.15	-1.15	-0.14	-1.15	-0.14	-1.15	-0.14	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	-1.15	
North basement AP	PDI-804-1 or PDI-804-2	< 0.00 in. wc	5-21-18	Mon.	AM	BC	-1.10	-1.10	-0.10	-0.09	-0.10	-1.10	-0.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10		
			5-22-18	Tue.	AM	MS	-1.10	-1.10	-0.10	-0.09	-0.10	-1.10	-0.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	-1.10	
South basement AP	PDI-854-1 or PDI-854-2	< 0.00 in. wc	5-21-18	Mon.	AM	BC	-1.09	-1.10	-0.10	-0.08	-0.09	-1.08	-0.09	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08		
			5-22-18	Tue.	AM	MS	-1.09	-1.10	-0.10	-0.08	-0.09	-1.08	-0.09	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	-1.08	
4.1.1.3 4.1.2.3 ²	IRT Tunnel AP	PDT-901 or PDI-901	< 0.00 in. wc	5-21-18	Mon.	AM	BC	-0.090	-0.092	-0.101	-0.092	0.090	-1.041	0.091	-0.085	-0.085	-0.081	-0.084	-0.086	-0.084	-0.086	
				5-22-18	Tue.	AM	MS	-0.090	-0.092	-0.101	-0.092	0.090	-1.041	0.091	-0.085	-0.085	-0.081	-0.084	-0.086	-0.084	-0.086	

ATTACHMENT A: Per Shift Surveillance Rounds [UFT]

(Page 2 of 3)

5-25-18

Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDT's may be used if FCS is unavailable.	Date:	5-21-18	5-22-18	5-23-18	5-24-18	5-25-18	5-26-18	5-27-18
	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
	Shift:	AM	PM	AM	PM	AM	PM	AM
	Initials:	U	U	U	U	U	U	U

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS															
				Sat / Unsat (circle one)															
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP > .050 or FR-802 Icon red and PDT-832 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 AP > .050 or FR-804 Icon red and PDT-835 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 AP > .050 or FR-806 Icon red and PDT-837 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 AP > .050 or FR-808 Icon red and PDT-839 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 AP > .050 or FR-812 Icon red and PDT-841 AP > .050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat

ATTACHMENT A: Per Shift Surveillance Rounds [UFT]

(Page 3 of 3)

<p>Note Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.</p>	Date:	5-21-18	5-22-18	5-23-18	5-24-18	5-25-18	5-26-18	5-27-18	
	Weekday:	Mon.	Tue.	Wed.	Thur.	Fri.	Sat.	Sun.	
	Shift:	AM	PM	AM	PM	AM	PM	AM	PM
	Initials:	D	K	M	AB	P	R	AB	D

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																		
					Sat / Unsat (circle one)																		
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2 PDI-803-2 PDI-804-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
		100 Area	PDI-820-2 PDI-802-2 PDI-804-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
		300 Area	PDI-870-2 PDI-853-2 PDI-854-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	400 Area	PDI-864-2 PDI-852-2 PDI-854-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Completion Time	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	

1 Mode 2 acceptance criteria is < 0.00 in. wc.
2 SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 5/21/18 Time: 1925
Reviewed by: [Signature] Date: 6-1-18 Time: 0713
On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]
(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is: The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (percentage)								
			Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.4.1.1	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA	5/21/18	5/22/18	5/23/18	5/24/18	5/25/18	5/26/18	5/27/18		
	CP-305-H (LED Reading)	Record Calculated Value	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	≥ -0.1 ; $\leq +0.1$	Sat / Unsat 0.05	Sat / Unsat 0.05	Sat / Unsat 0.05	Sat / Unsat 0.05	Sat / Unsat 0.05	Sat / Unsat 0.05	Sat / Unsat 0.05	Sat / Unsat 0.05	Sat / Unsat 0.05
	Completion Time:		0800	0735	0720	0755	0720	0710	0730		

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	HPDI-894-1	≤2.0 & > 0' in. wc								
				Initials:	gjm	gjm	gjm	gjm	gjm	DM	DM
4.1.3.4 ²	South Corridor supply (HVP-810) AP	HPDI-895-1	≤2.0 & > 0' in. wc								
				Initials:	gjm	gjm	gjm	gjm	gjm	DM	DM
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-2	≤2.0 & > 0' in. wc								
				Initials:	gjm	gjm	gjm	gjm	gjm	DM	DM
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-817-5	≤2.0 & > 0' in. wc								
				Initials:	gjm	gjm	gjm	gjm	gjm	DM	DM
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-4	≤2.0 & > 0' in. wc								
				Initials:	gjm	gjm	gjm	gjm	gjm	DM	DM

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UFT]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (In. wg)								
				Date:	Weekday:	Initials:						
				5/21/18	5/22/18	5/23/18	5/24/18	5/25/18	5/26/18	5/27/18		
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 2.0 > 0.1 in. wg	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-2	≤ 2.0 > 0.1 in. wg	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-4	≤ 2.0 > 0.1 in. wg	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-822-5	≤ 2.0 > 0.1 in. wg	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-1	≤ 2.0 > 0.1 in. wg	.17	.17	.17	.17	.17	.17	.17	.17	
		PDI-823-2	≤ 2.0 > 0.1 in. wg	.56	.55	.56	.56	.56	.56	.56	.56	
	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-4	≤ 2.0 > 0.1 in. wg	.52	.53	.53	.51	.53	.52	.52	.52	
		PDI-823-5	≤ 2.0 > 0.1 in. wg	.52	.53	.53	.52	.53	.52	.52	.52	
		PDI-830-1	≤ 2.0 > 0.1 in. wg	.33	.05	.30	.37	.37	.39	.37	.37	
		PDI-830-2	≤ 2.0 > 0.1 in. wg	.19	.03	.20	.20	.20	.20	.20	.20	
		PDI-830-3	≤ 2.0 > 0.1 in. wg	.14	.14	.14	.15	.16	.15	.15	.15	
		PDI-836-1	≤ 2.0 > 0.1 in. wg	.06	.06	.06	.06	.06	.06	.06	.06	
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-836-2	≤ 2.0 > 0.1 in. wg	.67	.67	.67	.67	.67	.68	.68	.68	
		PDI-836-3	≤ 2.0 > 0.1 in. wg	.63	.63	.63	.63	.63	.63	.63	.62	
		PDI-837-1	≤ 2.0 > 0.1 in. wg	.04	.04	.04	.04	.04	.04	.04	.04	
	300 area re-circulation filter plenum (HVP-805) AP	PDI-837-2	≤ 2.0 > 0.1 in. wg	.49	.49	.49	.49	.49	.49	.49	.49	
		PDI-837-3	≤ 2.0 > 0.1 in. wg	.47	.47	.47	.46	.47	.48	.48	.46	
		PDI-837-3	≤ 2.0 > 0.1 in. wg	.47	.47	.47	.46	.47	.48	.48	.46	
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-806) AP	PDI-837-1	≤ 2.0 > 0.1 in. wg	.04	.04	.04	.04	.04	.04	.04	.04	
		PDI-837-2	≤ 2.0 > 0.1 in. wg	.49	.49	.49	.49	.49	.49	.49	.49	
		PDI-837-3	≤ 2.0 > 0.1 in. wg	.47	.47	.47	.46	.47	.48	.48	.46	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																											
				Date	Weekday	Initials																									
4.1.1.7 ²	400 area re-circulation filter plenum (11VP-807) AP	PDI-838-1	≤ 2.0 & > 0 ¹ in. wc	5/22/18	Mon	AP	.59	5/23/18	Tue	AP	.59	5/24/18	Wed	AP	.59	5/25/18	Thu	AP	.59	5/26/18	Fri	AP	.59	5/27/18	Sat	AP	.60	5/28/18	Sun	AP	.60
		PDI-838-2	≤ 2.0 & > 0 ¹ in. wc				.60					.60				.60				.60			.60				.60			.60	
		PDI-838-3	≤ 2.0 & > 0 ¹ in. wc				.61					.61				.61				.61			.61				.61			.61	
4.1.1.7 ²	400 area re-circulation filter plenum (11VP-808) AP	PDI-839-1	≤ 2.0 & > 0 ¹ in. wc	5/22/18	Mon	AP	.19	5/23/18	Tue	AP	.19	5/24/18	Wed	AP	.19	5/25/18	Thu	AP	.19	5/26/18	Fri	AP	.19	5/27/18	Sat	AP	.18	5/28/18	Sun	AP	.18
		PDI-839-2	≤ 2.0 & > 0 ¹ in. wc				.32				.31				.31				.31			.31				.31			.31		
		PDI-839-3	≤ 2.0 & > 0 ¹ in. wc				.31				.31				.31				.31			.31				.31			.30		
4.1.3.4 ³	South bleed off filter plenum (PF-822A) AP	PDI-810-1	≤ 2.0 & > 0 ¹ in. wc	5/22/18	Mon	OFF	OFF	5/23/18	Tue	OFF	OFF	5/24/18	Wed	OFF	OFF	5/25/18	Thu	OFF	OFF	5/26/18	Fri	OFF	OFF	5/27/18	Sat	OFF	OFF	5/28/18	Sun	OFF	OFF
		PDI-810-2	≤ 2.0 & > 0 ¹ in. wc				OFF				OFF				OFF				OFF			OFF				OFF			OFF		
		PDI-810-3	≤ 2.0 & > 0 ¹ in. wc				OFF				OFF				OFF				OFF			OFF				OFF			OFF		
4.1.3.4 ³	South bleed off filter plenum (PF-822B) AP	PDI-811-1	≤ 2.0 & > 0 ¹ in. wc	5/22/18	Mon	OFF	.11	5/23/18	Tue	OFF	.11	5/24/18	Wed	OFF	.11	5/25/18	Thu	OFF	.11	5/26/18	Fri	OFF	.11	5/27/18	Sat	OFF	.11	5/28/18	Sun	OFF	.11
		PDI-811-2	≤ 2.0 & > 0 ¹ in. wc				.51				.51				.51				.51			.51				.51			.51		
		PDI-811-3	≤ 2.0 & > 0 ¹ in. wc				.51				.51				.51				.51			.51				.51			.51		
OC Operator Review and Page Count Complete (initials)				Completion Time			0835	0840	0849	0845	0730	0805	0800																		

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.
 Completed by: AP Date 5/21/18 Time 0800 Reviewed by: _____ Date: _____ Time: _____
 Op-duty Supervisor _____
 Comments: 5/22/18 4:34 PDI-830-3 is out of range. DRTS H wall door is properly closed.
5/22/18 4:34 PDI-830-3 is out of range. Leads to be calibrated.
5/22/18 4:34 PDI-830-3 is in range. DRTS H wall door is properly closed.

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UFT]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
				Initials:							
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	HPDI-840-1	≤ 0.0 > 0.1 in. wc	5/21/18	5/22/18	5/23/18	5/24/18	5/25/18	5/26/18	5/27/18	
				STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-840-2	≤ 0.0 > 0 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-840-3	≤ 0.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		HPDI-841-1	≤ 0.0 > 0.1 in. wc	.46	.47	.47	.46	.47	.47	.47	
		PDI-841-2	≤ 0.0 > 0.1 in. wc	.56	.56	.56	.56	.56	.56	.56	
	Vault re-circulation filter plenum (HVP-812) ΔP	PDI-841-3	≤ 0.0 > 0.1 in. wc	.51	.51	.51	.51	.51	.51	.51	
		HPDI-831-1	≤ 0.0 > 0.1 in. wc	.33	.33	.33	.33	.33	.34	.34	
		PDI-831-2	≤ 0.0 > 0.1 in. wc	.42	.42	.42	.42	.42	.42	.42	
		PDI-831-3	≤ 0.0 > 0.1 in. wc	.40	.40	.40	.40	.40	.40	.40	
		HPDI-832-1	≤ 0.0 > 0.1 in. wc	.42	.42	.43	.43	.43	.43	.43	
		PDI-832-2	≤ 0.0 > 0.1 in. wc	.68	.68	.68	.68	.68	.68	.68	
200 area re-circulation filter plenum (HVP-802) ΔP	PDI-832-3	≤ 0.0 > 0.1 in. wc	.61	.61	.61	.61	.61	.61	.61		
	HPDI-807-1	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
	PDI-807-2	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
	PDI-807-3	≤ 0.0 > 0.1 in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
	HPDI-809-1	≤ 0.0 > 0.1 in. wc	.08	.08	.08	.08	.08	.08	.08		
	PDI-809-2	≤ 0.0 > 0.1 in. wc	.55	.56	.56	.56	.55	.55	.55		
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	HPDI-809-3	≤ 0.0 > 0.1 in. wc	.53	.53	.53	.55	.55	.53	.52	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Weekdays:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
41.3.4 ²	North Basement exhaust filter plenum (PF-828) AP	1PDI-829-1	≤ 0 & > 0' in. wc	5/21/18	Mon	AP	.20	.32	.21	.20	.19	.19	.20
			≤ 0 & > 0' in. wc	5/22/18	Tue	AP	.39	.59	.39	.38	.38	.38	.38
		PDI-829-2	≤ 0 & > 0' in. wc	5/23/18	Wed	AP	.31	.49	.30	.30	.30	.30	.30
			≤ 0 & > 0' in. wc	5/24/18	Thu	AP	.62	.07	.07	.07	.07	.07	.07
		1PDI-833-1	≤ 0 & > 0' in. wc	5/25/18	Fri	AP	.54	.55	.54	.54	.54	.53	.53
			≤ 0 & > 0' in. wc	5/26/18	Sat	OH	.51	.51	.51	.51	.51	.51	.51
		PDI-833-2	≤ 0 & > 0' in. wc	5/27/18	Sun	OH	.05	.05	.05	.05	.05	.05	.05
			≤ 0 & > 0' in. wc	5/28/18	Mon	AP	.50	.50	.50	.50	.50	.50	.50
		PDI-833-3	≤ 0 & > 0' in. wc	5/29/18	Tue	AP	.51	.51	.51	.51	.51	.51	.51
			≤ 0 & > 0' in. wc	5/30/18	Wed	AP	.51	.51	.51	.51	.51	.51	.51
41.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	1PDI-835-1	≤ 0 & > 0' in. wc	5/21/18	Mon	AP	.05	.05	.05	.05	.05	.05	
			≤ 0 & > 0' in. wc	5/22/18	Tue	AP	.50	.50	.50	.50	.50	.50	
		PDI-835-2	≤ 0 & > 0' in. wc	5/23/18	Wed	AP	.51	.51	.51	.51	.51	.51	
			≤ 0 & > 0' in. wc	5/24/18	Thu	AP	.51	.51	.51	.51	.51	.51	
		1PDI-815-1	≤ 0 & > 0' in. wc	5/25/18	Fri	AP	.51	.51	.51	.51	.51	.51	
			≤ 0 & > 0' in. wc	5/26/18	Sat	OH	.51	.51	.51	.51	.51	.51	
		PDI-815-2	≤ 0 & > 0' in. wc	5/27/18	Sun	OH	.51	.51	.51	.51	.51	.51	
			≤ 0 & > 0' in. wc	5/28/18	Mon	AP	.51	.51	.51	.51	.51	.51	
		PDI-815-4	≤ 0 & > 0' in. wc	5/29/18	Tue	AP	.51	.51	.51	.51	.51	.51	
			≤ 0 & > 0' in. wc	5/30/18	Wed	AP	.51	.51	.51	.51	.51	.51	
41.3.4 ²	100 area glovebox exhaust filter plenum (PF852) AP	PDI-815-5	≤ 0 & > 0' in. wc	5/21/18	Mon	AP	.50	.50	.50	.50	.50	.50	
			≤ 0 & > 0' in. wc	5/22/18	Tue	AP	.50	.50	.50	.50	.50	.50	
		1PDI-816-1	≤ 0 & > 0' in. wc	5/23/18	Wed	AP	.59	.59	.59	.59	.59	.59	
			≤ 0 & > 0' in. wc	5/24/18	Thu	AP	.59	.59	.59	.59	.59	.59	
		PDI-816-2	≤ 0 & > 0' in. wc	5/25/18	Fri	AP	.51	.51	.51	.51	.51	.51	
			≤ 0 & > 0' in. wc	5/26/18	Sat	OH	.51	.51	.51	.51	.51	.51	
		PDI-816-4	≤ 0 & > 0' in. wc	5/27/18	Sun	OH	.58	.58	.58	.58	.58	.58	
			≤ 0 & > 0' in. wc	5/28/18	Mon	AP	.58	.58	.58	.58	.58	.58	
		1PDI-816-5	≤ 0 & > 0' in. wc	5/29/18	Tue	AP	.58	.58	.58	.58	.58	.58	
			≤ 0 & > 0' in. wc	5/30/18	Wed	AP	.58	.58	.58	.58	.58	.58	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Weekday:	Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF-850) ΔP	1PDI-812-1	≤2.0 & > 0 ⁺ in. wc	5/21/18	Mon	AW	.37	.37	.37	.37	.37	.37	.37
		PDI-812-2	≤2.0 & > 0 ⁺ in. wc	5/22/18	Tue	AW	.37	.37	.37	.37	.37	.37	.37
		PDI-812-3	≤2.0 & > 0 ⁺ in. wc	5/23/18	Wed	AW	.37	.37	.37	.37	.37	.37	.37
		PDI-812-4	≤2.0 & > 0 ⁺ in. wc	5/24/18	Thu	AW	.37	.37	.37	.37	.37	.37	.37
		PDI-812-5	≤2.0 & > 0 ⁺ in. wc	5/25/18	Fri	AW	.37	.37	.37	.37	.37	.37	.37
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF-851) ΔP	1PDI-813-1	≤2.0 & > 0 ⁺ in. wc	5/21/18	Mon	AW	.28	.28	.28	.28	.28	.28	.28
		PDI-813-2	≤2.0 & > 0 ⁺ in. wc	5/22/18	Tue	AW	.28	.28	.28	.28	.28	.28	.28
		PDI-813-3	≤2.0 & > 0 ⁺ in. wc	5/23/18	Wed	AW	.28	.28	.28	.28	.28	.28	.28
		PDI-813-4	≤2.0 & > 0 ⁺ in. wc	5/24/18	Thu	AW	.28	.28	.28	.28	.28	.28	.28
		PDI-813-5	≤2.0 & > 0 ⁺ in. wc	5/25/18	Fri	AW	.28	.28	.28	.28	.28	.28	.28
4.1.3.4 ²	1PDI-865-1	1PDI-865-1	≤2.0 & > 0 ⁺ in. wc	5/21/18	Mon	AW	.39	.39	.39	.39	.39	.39	.39
		PDI-865-2	≤2.0 & > 0 ⁺ in. wc	5/22/18	Tue	AW	.39	.39	.39	.39	.39	.39	.39
		PDI-865-3	≤2.0 & > 0 ⁺ in. wc	5/23/18	Wed	AW	.39	.39	.39	.39	.39	.39	.39
4.1.3.4 ²	1PDI-863-1	1PDI-863-1	≤2.0 & > 0 ⁺ in. wc	5/21/18	Mon	AW	.25	.25	.25	.25	.25	.25	.25
		PDI-863-2	≤2.0 & > 0 ⁺ in. wc	5/22/18	Tue	AW	.25	.25	.25	.25	.25	.25	.25

FORN

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SIs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																				
				Date:	Weekday:	Initials:																		
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDL-857-1	≤ 2.0 & > 0' in. wc	5/21/18	Mon	JK	5/22/18	Tue	JK	5/23/18	Wed	JK	5/24/18	Thu	JK	5/25/18	Fri	JK	5/26/18	Sat	OH	5/27/18	Sun	OH
			≤ 2.0 & > 0' in. wc																					
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDL-856-1	≤ 2.0 & > 0' in. wc	5/21/18	Mon	JK	5/22/18	Tue	JK	5/23/18	Wed	JK	5/24/18	Thu	JK	5/25/18	Fri	JK	5/26/18	Sat	OH	5/27/18	Sun	OH
			≤ 2.0 & > 0' in. wc																					
4.3.2.2 ²	Room 201	PDL-856-2	0 lbv/f ² combustibles in designated exclusion area (within 15 feet of fans)	5/21/18	Mon	JK	5/22/18	Tue	JK	5/23/18	Wed	JK	5/24/18	Thu	JK	5/25/18	Fri	JK	5/26/18	Sat	OH	5/27/18	Sun	OH
			0 lbv/f ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less																					
4.3.2.2 ²	Room 204		0 lbv/f ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/21/18	Mon	JK	5/22/18	Tue	JK	5/23/18	Wed	JK	5/24/18	Thu	JK	5/25/18	Fri	JK	5/26/18	Sat	OH	5/27/18	Sun	OH
			0 lbv/f ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less																					

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS						
				Date:	Weekday:	Initials:	Completion time	OC Operator Review and Page Count Complete (initials)		
4.3.2.2 ²	Room 206		0 lbvft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/21/18	Mon	Ph	0820	Ph	0813	0817
4.3.2.2 ²	Room 207		0 lbvft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/22/18	Tue	Ph	0810	Ph	0813	0817
				5/23/18	Wed	Ph	0810	Ph	0813	0817
				5/24/18	Thu	Ph	0820	Ph	0813	0817
				5/25/18	Fri	Ph	0820	Ph	0813	0817
				5/26/18	Sat	OH	0813	Ph	0817	
				5/27/18	Sun	OH	0817	Ph		


¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: [Signature] Date 5/27/18 Time 0817 Reviewed by: _____ On-duty Supervisor _____

Comments: _____



ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	Date:		Weekday:		Shift:		Initials:		SURVEILLANCE RESULTS (in. wc)							
			5/18/18	5/19/18	Mon.	Tue.	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	PDI-814-1 or PDI-814-2	≤-1.0 in. wc ¹	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	100 area glovebox exhaust header AP	PDI-820-1 or PDI-820-2	≤-1.0 in. wc ¹	1.95	1.84	1.94	1.61	1.94	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95
4.1.1.2 4.1.1.5 4.1.2.2 ²	300 area glovebox exhaust header AP	PDI-870-1 or PDI-870-2	≤-1.0 in. wc ¹	1.96	1.96	1.95	1.99	1.99	1.95	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
	400 area glovebox exhaust header AP	PDI-864-1 or PDI-864-2	≤-1.0 in. wc ¹	1.96	1.96	1.95	1.99	1.99	1.95	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
4.1.1.3 4.1.2.3 ²	200 area laboratory header AP	PDI-803-1 or PDI-803-2	≤0.05 in. wc ¹	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	100 area laboratory header AP	PDI-802-1 or PDI-802-2	≤0.05 in. wc ¹	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	300 area laboratory header AP	PDI-853-1 or PDI-853-2	≤0.05 in. wc ¹	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	400 area laboratory header AP	PDI-852-1 or PDI-852-2	≤0.05 in. wc ¹	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	HFT Facility AP	PDI-865-4 or PDI-865-5	≤0.05 in. wc	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	North basement AP	PDI-804-1 or PDI-804-2	<0.00 in. wc	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	South basement AP	PDI-854-1 or PDI-854-2	<0.00 in. wc	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	IRT Tunnel AP	PDT-901 or PDI-901	<0.00 in. wc	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRS	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS														
				Sat / Unsat (circle one)														
<p>Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.</p>				Date:	5/28/18	5/29/18	5/30/11	5/31/18										
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.							
				Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
				Initials:														
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDI-831 AP >.050 or FR-802 Icon red and PDI-832 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
	100 area re-circulation fan/plenum	FR-803 Icon red and PDI-833 AP >.050 or FR-804 Icon red and PDI-835 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
	300 area re-circulation fan/plenum	FR-805 Icon red and PDI-836 AP >.050 or FR-806 Icon red and PDI-837 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
	400 area re-circulation fan/plenum	FR-807 Icon red and PDI-838 AP >.050 or FR-808 Icon red and PDI-839 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
	Vault re-circulation fan/plenum	FR-811 Icon red and PDI-840 AP >.050 or FR-812 Icon red and PDI-841 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		

FOIA

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

<p>Note Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.</p>	Date:	5/28/14		5/30/14		5/31/14														
	Weekday:	Mon		Tue		Wed		Thu		Fri		Sat		Sun						
	Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
Initials:	[Signature]		[Signature]		[Signature]		[Signature]		[Signature]		[Signature]		[Signature]		[Signature]		[Signature]		[Signature]	

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS															
					Sat / Unsat (circle one)															
4.1.1.4	Glovebox exhaust header APs < Laboratory APs < Basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2 PDI-803-2 PDI-804-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
		100 Area	PDI-820-2 PDI-802-2 PDI-804-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
		300 Area	PDI-870-2 PDI-853-2 PDI-854-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
		400 Area	PDI-864-2 PDI-852-2 PDI-854-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	
Completion Time					0732	1424	0735	1438	0711	1425	0730	1424								

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRS 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 5/31/14 Time: 1424
 Reviewed by: [Signature] Date: 6-11-14 Time: 0713
 On-duty Supervisor

Comments: _____

FOR INTERNAL USE

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]
(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (percentage)							
			Date:	Monday:	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.4.1.1	Flammable Gas Channel Check	NA								
	DET-305-3 (LCD Reading)		5/28/18	5/29/18	5/30/18	5/31/18				
	CP-305-H (LED Reading)									
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value								
		Completion Time:	0701	0810	0756	0750				

FOR INTERNAL USE ONLY

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)(UETJ)

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:								
413J ²	South basement supply filter plenum (BVP-843) AP	PDI-894-2	≤2.0 > 0 ¹ in. wc	5/28/18	5/29/18	5/30/18	5/31/18					
				Mon.	Tue.	Wed.	Thu.					
413J ²	South Corridor supply (BVP-810) AP	PDI-895-2	≤2.0 > 0 ¹ in. wc	0.03	0.03	0.04	0.04					
				0.47	0.47	0.48	0.48					
413J ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-2	≤2.0 > 0 ¹ in. wc	0.06	0.06	0.06	0.06					
				0.61	0.61	0.61	0.61					
413J ²	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-817-1	≤2.0 > 0 ¹ in. wc	0.25	0.25	0.25	0.25					
				0.31	0.31	0.31	0.31					
413J ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-2	≤2.0 > 0 ¹ in. wc	0.30	0.30	0.30	0.30					
				0.43	0.43	0.43	0.43					
413J ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-3	≤2.0 > 0 ¹ in. wc	0.41	0.41	0.41	0.41					
				0.48	0.48	0.48	0.48					

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS									
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Initials:	<i>ML</i>	<i>ML</i>	<i>ML</i>	<i>ML</i>					
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY					
		PDI-822-2	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY					
		PDI-822-4	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY					
		PDI-822-5	≤2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY					
		PDI-823-1	≤2.0 & > 0 ¹ in. wc	.16	.16	.17	.17						
		PDI-823-2	≤2.0 & > 0 ¹ in. wc	.58	.56	.56	.56						
	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-4	≤2.0 & > 0 ¹ in. wc	.54	.53	.53	.54						
		PDI-823-5	≤2.0 & > 0 ¹ in. wc	.55	.54	.55	.55						
		PDI-830-1	≤2.0 & > 0 ¹ in. wc	.37	.37	.32	.24						
		PDI-830-2	≤2.0 & > 0 ¹ in. wc	.20	.20	.17	.15						
		PDI-830-3	≤2.0 & > 0 ¹ in. wc	.15	.15	.11	.09						
		PDI-836-1	≤2.0 & > 0 ¹ in. wc	.06	.06	.06	.06						
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-836-2	≤2.0 & > 0 ¹ in. wc	.62	.67	.67	.62						
		PDI-836-3	≤2.0 & > 0 ¹ in. wc	.63	.63	.63	.63						
		PDI-837-1	≤2.0 & > 0 ¹ in. wc	.04	.04	.04	.04						
	300 area re-circulation filter plenum (HYT-805) AP	PDI-837-2	≤2.0 & > 0 ¹ in. wc	.49	.49	.49	.49						
		PDI-837-3	≤2.0 & > 0 ¹ in. wc	.46	.46	.47	.47						
		PDI-837-3	≤2.0 & > 0 ¹ in. wc	.46	.46	.47	.47						
4.1.1.7 ²	300 area re-circulation filter plenum (HYT-806) AP	PDI-837-1	≤2.0 & > 0 ¹ in. wc	.04	.04	.04	.04						
		PDI-837-2	≤2.0 & > 0 ¹ in. wc	.49	.49	.49	.49						
		PDI-837-3	≤2.0 & > 0 ¹ in. wc	.46	.46	.47	.47						

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																
				Date:	Weekday:	Initials:														
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) AP	PDI-838-1	≤ 2.0 & > 0 ¹ in. wc	5/28/18	Mon	AP	5/29/18	Tue	AP	5/30/18	Wed	AP	5/31/18	Thu	AP					
		PDI-838-2	≤ 2.0 & > 0 ¹ in. wc	.59	.59	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60	.60				
		PDI-838-3	≤ 2.0 & > 0 ¹ in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61				
		PDI-839-1	≤ 2.0 & > 0 ¹ in. wc	.19	.19	.19	.19	.19	.19	.19	.19	.19	.19	.19	.19	.19				
		PDI-839-2	≤ 2.0 & > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31				
		PDI-839-3	≤ 2.0 & > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31	.31				
	4.1.3.4 ²	South bleed off filter plenum (PF-822A) AP	PDI-810-1	≤ 2.0 & > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF				
			PDI-810-2	≤ 2.0 & > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF			
			PDI-810-3	≤ 2.0 & > 0 ¹ in. wc	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF			
			PDI-811-1	≤ 2.0 & > 0 ¹ in. wc	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11	.11			
			PDI-811-2	≤ 2.0 & > 0 ¹ in. wc	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51			
			PDI-811-3	≤ 2.0 & > 0 ¹ in. wc	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61			
OC Operator Review and Page Count Complete (initials)				0745	0837	0833	0859													

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: SEANE M. Date: 5/31/18 Time: 0850 Reviewed by: _____ Date: _____ Time: _____
 On-duty Supervisor: _____
 Comments: 5/28/18 4411 out of service, haul to be calibrated.

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	HVD-840-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY				
			≤2.0 & > 0 m ¹ wc	STBY	STBY	STBY	STBY				
		PDI-840-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY				
			≤2.0 & > 0 m ¹ wc	STBY	STBY	STBY	STBY				
		HVD-841-1	≤2.0 & > 0' in. wc	.45	.46	.46	.47				
			≤2.0 & > 0 m ¹ wc	.56	.56	.56	.56				
	200 area re-circulation filter plenum (HVP-801) ΔP	PDI-841-3	≤2.0 & > 0' in. wc	.51	.51	.51	.51				
			≤2.0 & > 0 m ¹ wc	.33	.33	.33	.33				
		HVD-831-1	≤2.0 & > 0' in. wc	.42	.42	.42	.42				
			≤2.0 & > 0 m ¹ wc	.42	.42	.42	.42				
		PDI-831-2	≤2.0 & > 0' in. wc	.42	.42	.42	.42				
			≤2.0 & > 0 m ¹ wc	.40	.40	.40	.40				
200 area re-circulation filter plenum (HVP-802) ΔP	HVD-832-1	≤2.0 & > 0' in. wc	.42	.42	.43	.43					
		≤2.0 & > 0 m ¹ wc	.68	.68	.68	.68					
	PDI-832-2	≤2.0 & > 0' in. wc	.61	.61	.61	.61					
		≤2.0 & > 0 m ¹ wc	.61	.61	.61	.61					
	HVD-807-1	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF					
		≤2.0 & > 0 m ¹ wc	OFF	OFF	OFF	OFF					
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-2	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF				
			≤2.0 & > 0 m ¹ wc	OFF	OFF	OFF	OFF				
		PDI-807-3	≤2.0 & > 0' in. wc	OFF	OFF	OFF	OFF				
	≤2.0 & > 0 m ¹ wc		.09	.09	.09	.08					
	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤2.0 & > 0' in. wc	.55	.55	.56	.57				
			≤2.0 & > 0 m ¹ wc	.53	.53	.52	.55				
PDI-809-3		≤2.0 & > 0' in. wc	.53	.53	.52	.55					

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRs	Description	Gauge	Acceptance Criteria	Date:						
				Mon	Tue	Wed	Thu	Fri	Sat	Sun
4.1.3.4 ²	North Basement exhaust filter plenum (PF-828) AP	HPDI-829-1	≤ 0 > 0' in wc	.20	.20	.20	.21			
			HPDI-829-2	≤ 0 > 0' in wc	.38	.38	.39	.40		
		PDI-829-3	≤ 0 > 0' in wc	.30	.30	.31	.31			
			HPDI-833-1	≤ 0 > 0' in wc	.07	.07	.07	.07		
		PDI-833-2	≤ 0 > 0' in wc	.53	.54	.54	.54			
			PDI-833-3	≤ 0 > 0' in wc	.51	.51	.51	.51		
4.1.1.7 ²	100 area re-circulation filter plenum (IIVP-803) AP	HPDI-835-1	≤ 0 > 0' in wc	.05	.05	.05	.05			
			PDI-835-2	≤ 0 > 0' in wc	.50	.50	.50	.50		
		PDI-835-3	≤ 0 > 0' in wc	.51	.51	.51	.51			
			HPDI-815-1	≤ 0 > 0' in wc	STBY	STBY	STBY	STBY		
		PDI-815-2	≤ 0 > 0' in wc	STBY	STBY	STBY	STBY			
			PDI-815-4	≤ 0 > 0' in wc	STBY	STBY	STBY	STBY		
4.1.3.4 ²	100 area glovebox exhaust filter plenum (TF852) AP	PDI-815-5	≤ 0 > 0' in wc	STBY	STBY	STBY	STBY			
			HPDI-816-1	≤ 0 > 0' in wc	.50	.50	.49	.50		
		PDI-816-2	≤ 0 > 0' in wc	.59	.59	.59	.59			
			PDI-816-4	≤ 0 > 0' in wc	.51	.51	.51	.51		
		PDI-816-5	≤ 0 > 0' in wc	.58	.58	.58	.58			

SURVEILLANCE RESULTS (in wc)

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	Acceptance Criteria	Date								
				Weekday:	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF-850) AP	IPDI-812-1	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY				
			IPDI-812-2	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY				
		PDI-812-3	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY					
			IPDI-812-4	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY				
		PDI-812-5	≤2.0 & > 0.1 in. wc	STBY	STBY	STBY	STBY					
			IPDI-813-1	≤2.0 & > 0.1 in. wc	.08	.07	.07	.07				
		4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF-851) AP	PDI-813-2	≤2.0 & > 0.1 in. wc	.25	.26	.26	.24			
					IPDI-813-3	≤2.0 & > 0.1 in. wc	.21	.21	.29	.21		
				PDI-813-4	≤2.0 & > 0.1 in. wc	.29	.29	.39	.29			
					IPDI-813-5	≤2.0 & > 0.1 in. wc	.38	.38	.38	.36		
4.1.3.4 ²	IFFIT exhaust filter plenum (FF-865) AP			IPDI-865-1	≤2.0 & > 0.1 in. wc	.02	.02	.02	.02			
		PDI-865-2	≤2.0 & > 0.1 in. wc		.34	.33	.33	.33				
4.1.3.4 ²	IFFIT supply filter plenum (IVP-863) AP	IPDI-863-1	≤2.0 & > 0.1 in. wc	.04	.04	.04	.04					
			PDI-863-2	≤2.0 & > 0.1 in. wc	.27	.27	.28	.27				

FOR REVIEW

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS						
				Date:	Monday:	Tue	Wed	Thu	Fri	Sat
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-2	≤ 2.0 & > 0' in. wc	5/28/18	5/29/18	5/30/18	5/31/18			
			Initials: <i>AP</i>	<i>AP</i>	<i>AP</i>	<i>AP</i>				
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 & > 0' in. wc	.43	.42	.42	.42			
			Initials: <i>AP</i>	<i>AP</i>	<i>AP</i>	<i>AP</i>				
4.1.3.4 ²	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-2	≤ 2.0 & > 0' in. wc	.61	.61	.61	.61			
			Initials: <i>AP</i>	<i>AP</i>	<i>AP</i>	<i>AP</i>				
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	<i>SAT</i>	<i>SAT</i>	<i>SAT</i>	<i>SAT</i>			
			Initials: <i>SAT</i>	<i>SAT</i>	<i>SAT</i>	<i>SAT</i>				
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	<i>SAT</i>	<i>SAT</i>	<i>SAT</i>	<i>SAT</i>			
			Initials: <i>SAT</i>	<i>SAT</i>	<i>SAT</i>	<i>SAT</i>				

FOR INFORMATION

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

Sks	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS															
				Date:	Weekday:	Initials:													
4.3.2.2 ²	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/25/18	Mon.	ph	5/29/18	Tue	ph	5/30/18	Wed	ph	5/31/18	Thu.	ph				
4.3.2.2 ²	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	5/25/18	Mon.	ph	5/29/18	Tue	ph	5/30/18	Wed	ph	5/31/18	Thu.	ph				
OC Operator Review and Page Count Complete (initials)				0730		ph	0812		ph	0820		ph	0830		ph				
Completion time				0730		ph	0812		ph	0820		ph	0830		ph				

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.
 Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Srinivas M. Date 5/31/18 Time 0830 Reviewed by: _____ On-duty Supervisor _____
 Date: _____ Time: _____
 Comments: _____

FOR PMMA

ATTACHMENT A: Per Shift Surveillance Rounds [UET] (Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Note	Date:	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
		Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
4.1.1.1	200 area glovebox exhaust header ΔP	≤-1.0 in. wc'														
4.1.2.1 ²	100 area glovebox exhaust header ΔP	≤-1.0 in. wc'														
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc'														
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc'														
	200 area laboratory header ΔP	≤-0.05 in. wc'														
	100 area laboratory header ΔP	≤-0.05 in. wc'														
4.1.1.2	300 area laboratory header ΔP	≤-0.05 in. wc'														
4.1.1.5	400 area laboratory header ΔP	≤-0.05 in. wc'														
4.1.2.2 ²	IFIT Facility ΔP	≤-0.05 in. wc'														
	North basement ΔP	< 0.00 in. wc														
	South basement ΔP	< 0.00 in. wc														
	IRT Tunnel ΔP	< 0.00 in. wc														

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS								
				Sat / Unsat (circle one)								
Note Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.				Date:	6/1/18	6/2/18	6/3/18					
				Weekday:		Fri.	Sat.	Sun.				
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP >.050 or FR-802 Icon red and PDT-832 ΔP >.050	At least one fan/plenum is in service	Shift:	AM	PM	AM	PM	AM	PM	AM	PM
				Initials:								
4.1.1.6	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP >.050 or FR-804 Icon red and PDT-835 ΔP >.050	At least one fan/plenum is in service	Acceptance Criteria	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
				Readings	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
4.1.1.6	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP >.050 or FR-806 Icon red and PDT-837 ΔP >.050	At least one fan/plenum is in service	Acceptance Criteria	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
				Readings	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
4.1.1.6	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP >.050 or FR-808 Icon red and PDT-839 ΔP >.050	At least one fan/plenum is in service	Acceptance Criteria	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
				Readings	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
4.1.1.6	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP >.050 or FR-812 Icon red and PDT-841 ΔP >.050	At least one fan/plenum is in service	Acceptance Criteria	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
				Readings	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																					
					Sat / Unsat (circle one)																					
					Date:		Weekday:		Shift:		Initials:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.	
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2																						
			PDI-803-2																							
			PDI-804-2																							
			PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2																						
			PDI-802-2																							
			PDI-804-2																							
			PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2																						
			PDI-853-2																							
			PDI-854-2																							
			PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2																						
			PDI-852-2																							
			PDI-854-2																							
			Completion Time																							

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 6-4-18 Time: 1913 Reviewed by: [Signature] Date: 6-4-18 Time: 0742
 On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		Weekday:								
		Initials:								
		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)							
SR 4.4.1.1	Description / Gauge									
	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA					005	005	005	
	CP-305-H (LED Reading)						005	005	005	
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value ≥ -0.1 ; $\leq +0.1$					005	005	005	
	Completion Time:						0750	0705	0706	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue	Wed	Thu	Fri	Sat	Sun.	
				Weekday:	Initials:							
4.1.3.4 ²	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤ 2.0 & > 0' in. wc							6/1/18	6/2/18	6/3/18
		PDI-894-2	≤ 2.0 & > 0' in. wc							JK	JK	JK
4.1.3.4 ³	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤ 2.0 & > 0' in. wc									
		PDI-895-2	≤ 2.0 & > 0' in. wc									
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤ 2.0 & > 0' in. wc									
		PDI-817-2	≤ 2.0 & > 0' in. wc									
		PDI-817-4	≤ 2.0 & > 0' in. wc									
		PDI-817-5	≤ 2.0 & > 0' in. wc									
		PDI-819-1	≤ 2.0 & > 0' in. wc									
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-3	≤ 2.0 & > 0' in. wc									
		PDI-819-4	≤ 2.0 & > 0' in. wc									
		PDI-818-1	≤ 2.0 & > 0' in. wc									
		PDI-818-2	≤ 2.0 & > 0' in. wc									
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) ΔP	PDI-818-4	≤ 2.0 & > 0' in. wc									
		PDI-818-5	≤ 2.0 & > 0' in. wc									
		PDI-821-1	≤ 2.0 & > 0' in. wc									
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-3	≤ 2.0 & > 0' in. wc									
		PDI-821-4	≤ 2.0 & > 0' in. wc									

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
				Weekday:	Initials:							
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤2.0 & > 0' in. wc							6/1/18	6/2/18	6/3/18
		PDI-822-2	≤2.0 & > 0' in. wc									
		PDI-822-4	≤2.0 & > 0' in. wc									
		PDI-822-5	≤2.0 & > 0' in. wc									
		PDI-823-1	≤2.0 & > 0' in. wc									
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & > 0' in. wc									
		PDI-823-4	≤2.0 & > 0' in. wc									
		PDI-823-5	≤2.0 & > 0' in. wc									
		PDI-830-1	≤2.0 & > 0' in. wc									
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤2.0 & > 0' in. wc									
		PDI-830-3	≤2.0 & > 0' in. wc									
		PDI-836-1	≤2.0 & > 0' in. wc									
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) ΔP	PDI-836-2	≤2.0 & > 0' in. wc									
		PDI-836-3	≤2.0 & > 0' in. wc									
		PDI-837-1	≤2.0 & > 0' in. wc									
		PDI-837-2	≤2.0 & > 0' in. wc									
		PDI-837-3	≤2.0 & > 0' in. wc									

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤ 2.0 & > 0 ¹ in. wc						6/1/18	6/2/18	6/3/18
		PDI-838-2	≤ 2.0 & > 0 ¹ in. wc								
		PDI-838-3	≤ 2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤ 2.0 & > 0 ¹ in. wc								
		PDI-839-2	≤ 2.0 & > 0 ¹ in. wc								
		PDI-839-3	≤ 2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤ 2.0 & > 0 ¹ in. wc								
		PDI-810-2	≤ 2.0 & > 0 ¹ in. wc								
		PDI-810-3	≤ 2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤ 2.0 & > 0 ¹ in. wc								
		PDI-811-2	≤ 2.0 & > 0 ¹ in. wc								
		PDI-811-3	≤ 2.0 & > 0 ¹ in. wc								
OC Operator Review and Page Count Complete (initials)											

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: S. Smith Date: 6/1/18 Time: 0800 Reviewed by: [Signature] Date: 6-9-18 Time: 0742

Comments: 6/1/18 4:41 out of service. Needs to be calibrated

On-duty Supervisor: [Signature]

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)									
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.		
				Weekday:	Initials:								
4.1.1.7 ¹	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤ 2.0 & > 0 ¹ in. wc							6/1/18	6/2/18	6/3/18	
		PDI-840-2	≤ 2.0 & > 0 ¹ in. wc							STBY	STBY	STBY	
		PDI-840-3	≤ 2.0 & > 0 ¹ in. wc							STBY	STBY	STBY	
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤ 2.0 & > 0 ¹ in. wc								.46	.47	.47
		PDI-841-2	≤ 2.0 & > 0 ¹ in. wc								.56	.56	.56
		PDI-841-3	≤ 2.0 & > 0 ¹ in. wc								.51	.51	.51
		'PDI-831-1	≤ 2.0 & > 0 ¹ in. wc								.33	.33	.34
		PDI-831-2	≤ 2.0 & > 0 ¹ in. wc								.42	.42	.42
		PDI-831-3	≤ 2.0 & > 0 ¹ in. wc								.40	.40	.40
200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-832-1	≤ 2.0 & > 0 ¹ in. wc								.43	.43	.43	
	PDI-832-2	≤ 2.0 & > 0 ¹ in. wc								.68	.68	.68	
	PDI-832-3	≤ 2.0 & > 0 ¹ in. wc								.61	.61	.61	
4.1.3.4 ¹	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤ 2.0 & > 0 ¹ in. wc							OFF	OFF	OFF	
		PDI-807-2	≤ 2.0 & > 0 ¹ in. wc							OFF	OFF	OFF	
		PDI-807-3	≤ 2.0 & > 0 ¹ in. wc							OFF	OFF	OFF	
4.1.3.4 ¹	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤ 2.0 & > 0 ¹ in. wc							.09	.09	.09	
		PDI-809-2	≤ 2.0 & > 0 ¹ in. wc							.55	.56	.56	
		PDI-809-3	≤ 2.0 & > 0 ¹ in. wc							.52	.53	.54	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 0 > 0' in. wc							6/1/18	6/2/18	6/3/18
		PDI-829-2	≤ 0 > 0' in. wc									
		PDI-829-3	≤ 0 > 0' in. wc									
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-1	≤ 0 > 0' in. wc									
		PDI-833-2	≤ 0 > 0' in. wc									
		PDI-833-3	≤ 0 > 0' in. wc									
	100 area re-circulation filter plenum (HVP-804) AP	PDI-835-1	≤ 0 > 0' in. wc									
		PDI-835-2	≤ 0 > 0' in. wc									
4.1.3.4 ³	100 area glovebox exhaust filter plenum (FF852) AP	PDI-835-3	≤ 0 > 0' in. wc									
		PDI-815-1	≤ 0 > 0' in. wc									
		PDI-815-2	≤ 0 > 0' in. wc									
		PDI-815-4	≤ 0 > 0' in. wc									
		PDI-815-5	≤ 0 > 0' in. wc									
4.1.3.4 ⁴	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-1	≤ 0 > 0' in. wc									
		PDI-816-2	≤ 0 > 0' in. wc									
		PDI-816-4	≤ 0 > 0' in. wc									
		PDI-816-5	≤ 0 > 0' in. wc									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRS	Description	Gauge	SURVEILLANCE RESULTS							
			(in. wc)							
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
Date:			6/1/18	6/2/18	6/3/18					
Weekday:										
Initials:			[Signature]							
		Acceptance Criteria								
4.1.3.4 ¹	200 area glovebox exhaust filter plenum (FF850) ΔP	'PDI-812-1	≤ 2.0 & > 0 ¹ in. wc					STBY	STBY	STBY
		PDI-812-2	≤ 2.0 & > 0 ¹ in. wc					STBY	STBY	STBY
		PDI-812-3	≤ 2.0 & > 0 ¹ in. wc					STBY	STBY	STBY
		PDI-812-4	≤ 2.0 & > 0 ¹ in. wc					STBY	STBY	STBY
		PDI-812-5	≤ 2.0 & > 0 ¹ in. wc					STBY	STBY	STBY
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	'PDI-813-1	≤ 2.0 & > 0 ¹ in. wc					.07	.27	.08
		PDI-813-2	≤ 2.0 & > 0 ¹ in. wc					.25	.25	.24
		PDI-813-3	≤ 2.0 & > 0 ¹ in. wc					.21	.21	.21
		PDI-813-4	≤ 2.0 & > 0 ¹ in. wc					.29	.29	.29
		PDI-813-5	≤ 2.0 & > 0 ¹ in. wc					.37	.37	.37
4.1.3.4 ³	IFIT exhaust filter plenum (FF-865) ΔP	'PDI-865-1	≤ 2.0 & > 0 ¹ in. wc					.02	.02	.02
		PDI-865-2	≤ 2.0 & > 0 ¹ in. wc					.35	.35	.35
		PDI-865-3	≤ 2.0 & > 0 ¹ in. wc					.33	.33	.33
4.1.3.4 ⁴	IFIT supply filter plenum (HVP-863) ΔP	'PDI-863-1	≤ 2.0 & > 0 ¹ in. wc					.04	.04	.04
		PDI-863-2	≤ 2.0 & > 0 ¹ in. wc					.27	.27	.28

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ¹	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc							6/1/18	6/2/18	6/3/18
		PDI-857-2	≤ 2.0 > 0 ¹ in. wc									
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-856-1	≤ 2.0 > 0 ¹ in. wc									
		PDI-856-2	≤ 2.0 > 0 ¹ in. wc									
'NA	Combustible exclusion area around basement exhaust fans FER28, FER29 and bleed-off fans FER20A, FER20B, FER20C, FER22A, FER22B, FER22C		0 lb/ft ³ combustibles in designated exclusion area (within 15 feet of fans)									
4.3.2.2 ¹	Room 201		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									
4.3.2.2 ²	Room 204		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less						6/11/18 SAT	6/12/18 SAT	6/13/18 Sun.
4.3.2.2 ¹	Room 207		0 lb/ft ³ combustibles within 3 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less						6/11/18 SAT	6/12/18 SAT	6/13/18 Sun.
OC Operator Review and Page Count Complete (initials)									0800 SAT	0730 SAT	0720 SAT

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: SPM Date: 6/13/18 Time: 0720 Reviewed by: [Signature] Date: 6-9-18 Time: 0745

On-duty Supervisor

Comments:

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria (in. wc)	SURVEILLANCE RESULTS										
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.				
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹	2.00	2.00	2.00	2.01	2.01	2.00	2.00	2.00	2.00	2.00	2.00
	100 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹	1.94	1.94	1.95	1.44	1.94	1.94	1.94	1.94	1.94	1.94	1.94
	300 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹	1.94	1.94	1.96	1.96	1.96	1.96	1.95	1.96	1.95	1.95	1.95
	400 area glovebox exhaust header ΔP	≤ 1.0 in. wc ¹	1.94	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤ 0.05 in. wc ¹	1.19	1.18	1.18	1.19	1.18	1.18	1.18	1.18	1.18	1.18	1.18
	100 area laboratory header ΔP	≤ 0.05 in. wc ¹	1.23	1.23	1.22	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23
	300 area laboratory header ΔP	≤ 0.05 in. wc ¹	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20
	400 area laboratory header ΔP	≤ 0.05 in. wc ¹	1.20	1.20	1.19	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20
4.1.1.3 4.1.2.3 ²	IFIT Facility ΔP	≤ 0.05 in. wc	0.15	0.17	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
	North basement ΔP	< 0.00 in. wc	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
	South basement ΔP	< 0.00 in. wc	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
	IRT Tunnel ΔP	< 0.00 in. wc	0.10	0.10	0.10	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS							
				Sat / Unsat (circle one)							
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 ΔP > .050 or FR-802 Icon red and PDT-832 ΔP > .050	At least one fan/plenum is in service	6-4-18	6-5-18	6-6-18	6-7-18	6-8-18	6-9-18	6-10-18	
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				AM	PM	AM	PM	AM	PM	AM	PM
				SSV	SSV	SSV	SSV	SSV	SSV	SSV	SSV
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
4.1.1.6	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 ΔP > .050 or FR-804 Icon red and PDT-835 ΔP > .050	At least one fan/plenum is in service	6-4-18	6-5-18	6-6-18	6-7-18	6-8-18	6-9-18	6-10-18	
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				AM	PM	AM	PM	AM	PM	AM	PM
				SSV	SSV	SSV	SSV	SSV	SSV	SSV	SSV
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
4.1.1.6	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 ΔP > .050 or FR-806 Icon red and PDT-837 ΔP > .050	At least one fan/plenum is in service	6-4-18	6-5-18	6-6-18	6-7-18	6-8-18	6-9-18	6-10-18	
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				AM	PM	AM	PM	AM	PM	AM	PM
				SSV	SSV	SSV	SSV	SSV	SSV	SSV	SSV
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
4.1.1.6	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 ΔP > .050 or FR-808 Icon red and PDT-839 ΔP > .050	At least one fan/plenum is in service	6-4-18	6-5-18	6-6-18	6-7-18	6-8-18	6-9-18	6-10-18	
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				AM	PM	AM	PM	AM	PM	AM	PM
				SSV	SSV	SSV	SSV	SSV	SSV	SSV	SSV
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
4.1.1.6	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 ΔP > .050 or FR-812 Icon red and PDT-841 ΔP > .050	At least one fan/plenum is in service	6-4-18	6-5-18	6-6-18	6-7-18	6-8-18	6-9-18	6-10-18	
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				AM	PM	AM	PM	AM	PM	AM	PM
				SSV	SSV	SSV	SSV	SSV	SSV	SSV	SSV
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h
				AP	h	EC	EC	AP	AP	h	h

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRs	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS																				
					Date		Weekday		Shift		Initials:		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.		
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
					6-4-18	6-5-18	6-6-18	6-7-18	6-8-18	6-9-18	6-10-18														
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	PDI-814-2 < PDI-803-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat			
			PDI-803-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
			PDI-804-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
			PDI-820-2	PDI-820-2 < PDI-802-2 < PDI-804-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
		300 Area	PDI-870-2	PDI-870-2 < PDI-853-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat		
			PDI-853-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
			PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat
			PDI-864-2	PDI-864-2 < PDI-852-2 < PDI-854-2	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
		400 Area	PDI-852-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat		
			PDI-854-2	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	Unsat	
			Completion Time	0718	1926	0119	1926	0121	1921	808	1921	0116	1925	0773	1923	0730	1925								

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: LA Date: 6/10/18 Time: 1925 Reviewed by: _____ Date: _____ Time: _____ On-duty Supervisor

Comments: _____

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The FLAMMABLE GAS detector in the FSTF FLAMMABLE GAS SOURCE storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to VERIFY it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	6/4/18	6-5-18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18
		Weekday:	Mon.	Tuc.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	JM	RAC	JM	JM	JM	PT	PT
SURVEILLANCE RESULTS (percentage)									
4.4.1.1	Flammable Gas Channel Check	Acceptance Criteria							
	DET-305-3 (LCD Reading)	NA	005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		≥ -0.1 ; $\leq +0.1$	005	005	005	005	005	005	005
		Completion Time:	07:50	08:23	08:10	08:05	07:15	07:10	07:15

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Date: Weekday: Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	PDI-894-1	≤2.0 & > 0' in. wc	6/4/18 Mon. JA	6-5-18 Tue. BTD	6/6/18 Wed. JA	6/2/18 Thu. JA	6/8/18 Fri. JA	6-9-18 Sat. PT	6-10-18 Sun. PT
		PDI-894-2	≤2.0 & > 0' in. wc	.04	.05	.48	.49	.04	.05	.49
4.1.3.4 ³	South Corridor supply (HVP-810) AP	PDI-895-1	≤2.0 & > 0' in. wc	.06	.05	.07	.07	.07	.08	.08
		PDI-895-2	≤2.0 & > 0' in. wc	.61	.62	.61	.61	.61	.62	.62
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-5	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ³	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-1	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-3	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-818-1	≤2.0 & > 0' in. wc	.24	.25	.25	.25	.25	.25	.25
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-2	≤2.0 & > 0' in. wc	.30	.43-.34	.31	.31	.31	.31	.31
		PDI-818-4	≤2.0 & > 0' in. wc	.30	.30	.30	.30	.30	.30	.30
		PDI-818-5	≤2.0 & > 0' in. wc	.30	.30	.31	.31	.31	.31	.31
4.1.3.4 ³	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-1	≤2.0 & > 0' in. wc	.42	.40	.42	.42	.42	.42	.42
		PDI-821-3	≤2.0 & > 0' in. wc	.46	.48	.48	.48	.48	.48	.48
		PDI-821-4	≤2.0 & > 0' in. wc	.41	.41	.41	.41	.41	.41	.41

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date: Weekday: Initials:	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤2.0 & > 0' in. wc	6/4/18 Mon JH	6/5/18 Tue ROR	6/6/18 Wed JH	6/7/18 Thu JH	6/8/18 Fri JH	6/9/18 Sat PT	6-10-18 Sun PT		
		PDI-822-2	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	.12	
		PDI-822-4	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	.60	
		PDI-822-5	≤2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	.42	
		PDI-823-1	≤2.0 & > 0' in. wc	.17	.17	.17	.17	.17	.17	.17	.59	
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & > 0' in. wc	.55	.55	.56	.56	.55	.56	.56	.56	
		PDI-823-4	≤2.0 & > 0' in. wc	.56	.55	.56	.56	.54	.54	.51	.56	
		PDI-823-5	≤2.0 & > 0' in. wc	.56	.55	.56	.56	.54	.54	.52	.51	.56
		PDI-830-1	≤2.0 & > 0' in. wc	.40	.40	.33	.39	.39	.38	.38	.38	.38
		PDI-830-2	≤2.0 & > 0' in. wc	.21	.25	.19	.19	.20	.10	.10	.10	.20
4.1.1.7 ¹	300 area re-circulation filter plenum (IIVP-805) ΔP	PDI-830-3	≤2.0 & > 0' in. wc	.17	.09	.13	.14	.03	.03	.14	.14	
		PDI-836-1	≤2.0 & > 0' in. wc	.06	.04	.06	.06	.06	.06	.06	.06	
		PDI-836-2	≤2.0 & > 0' in. wc	.67	.69	.67	.67	.67	.67	.68	.68	
		PDI-836-3	≤2.0 & > 0' in. wc	.63	.62	.63	.63	.63	.63	.63	.63	
		PDI-837-1	≤2.0 & > 0' in. wc	.04	.04	.04	.04	.04	.04	.04	.04	
4.1.1.7 ¹	300 area re-circulation filter plenum (IIVP-806) ΔP	PDI-837-2	≤2.0 & > 0' in. wc	.49	.49	.49	.49	.49	.49	.49	.49	
		PDI-837-3	≤2.0 & > 0' in. wc	.47	.48	.47	.47	.47	.47	.47	.48	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	PDI-838-1	≤2.0 & >0 ¹ in. wc	6/4/18	6/5-18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18	
		PDI-838-2	≤2.0 & >0 ¹ in. wc								
		PDI-838-3	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	PDI-839-1	≤2.0 & >0 ¹ in. wc								
		PDI-839-2	≤2.0 & >0 ¹ in. wc								
		PDI-839-3	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	PDI-810-1	≤2.0 & >0 ¹ in. wc								
		PDI-810-2	≤2.0 & >0 ¹ in. wc								
		PDI-810-3	≤2.0 & >0 ¹ in. wc								
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	PDI-811-1	≤2.0 & >0 ¹ in. wc								
		PDI-811-2	≤2.0 & >0 ¹ in. wc								
		PDI-811-3	≤2.0 & >0 ¹ in. wc								
OC Operator Review and Page Count Complete (initials)											

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Paul Trejo Date: 6-10-18 Time: 07:20 Reviewed by: _____ Date: _____ Time: _____

Comments: 6/4/18 4411 out of service. Needs to be calibrated
On-duty Supervisor: _____

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	Date:	SURVEILLANCE RESULTS (in. wc)							
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
					Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	Initials:	
4.1.1.7 ¹	Vault re-circulation filter plenum (HVP-811) ΔP	PDI-840-1	≤2.0 & >0 ¹ in. wc	6/4/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-840-2	≤2.0 & >0 in ¹ wc	6/5/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-840-3	≤2.0 & >0 ¹ in. wc	6/6/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	Vault re-circulation filter plenum (HVP-812) ΔP	PDI-841-1	≤2.0 & >0 ¹ in. wc	6/4/18	.47	.48	.47	.47	.47	.47	.47	.47
		PDI-841-2	≤2.0 & >0 ¹ in. wc	6/5/18	.56	.66	.56	.56	.56	.56	.56	.57
		PDI-841-3	≤2.0 & >0 ¹ in. wc	6/6/18	.51	.51	.51	.51	.51	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	PDI-831-1	≤2.0 & >0 ¹ in. wc	6/4/18	.33	.33	.33	.33	.33	.33	.33	.34
		PDI-831-2	≤2.0 & >0 ¹ in. wc	6/5/18	.42	.42	.42	.42	.42	.42	.42	.42
		PDI-831-3	≤2.0 & >0 ¹ in. wc	6/6/18	.40	.40	.40	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	PDI-832-1	≤2.0 & >0 ¹ in. wc	6/4/18	.42	.41	.42	.42	.42	.42	.42	.43	
	PDI-832-2	≤2.0 & >0 ¹ in. wc	6/5/18	.68	.69	.68	.68	.68	.68	.68	.69	
	PDI-832-3	≤2.0 & >0 ¹ in. wc	6/6/18	.61	.62	.62	.62	.62	.62	.62	.62	
4.1.3.4 ¹	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤2.0 & >0 ¹ in. wc	6/4/18	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-807-2	≤2.0 & >0 ¹ in. wc	6/5/18	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-807-3	≤2.0 & >0 ¹ in. wc	6/6/18	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤2.0 & >0 ¹ in. wc	6/4/18	.08	.09	.09	.08	.08	.08	.09	
		PDI-809-2	≤2.0 & >0 ¹ in. wc	6/5/18	.56	.57	.56	.56	.56	.56	.55	
		PDI-809-3	≤2.0 & >0 ¹ in. wc	6/6/18	.52	.55	.53	.55	.54	.53	.53	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:							
4.1.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 0 > 0' in. wc	AP	6/4/18	6/5/18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18	
		PDI-829-2	≤ 0 > 0' in. wc	AP								
		PDI-829-3	≤ 0 > 0' in. wc	AP								
		PDI-833-1	≤ 0 > 0' in. wc	AP								
		PDI-833-2	≤ 0 > 0' in. wc	AP								
4.1.1.7 ¹	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-3	≤ 0 > 0' in. wc	AP								
		PDI-835-1	≤ 0 > 0' in. wc	AP								
		PDI-835-2	≤ 0 > 0' in. wc	AP								
		PDI-835-3	≤ 0 > 0' in. wc	AP								
		PDI-815-1	≤ 0 > 0' in. wc	AP								
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤ 0 > 0' in. wc	AP								
		PDI-815-4	≤ 0 > 0' in. wc	AP								
		PDI-815-5	≤ 0 > 0' in. wc	AP								
		PDI-816-1	≤ 0 > 0' in. wc	AP								
		PDI-816-2	≤ 0 > 0' in. wc	AP								
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤ 0 > 0' in. wc	AP								
		PDI-816-5	≤ 0 > 0' in. wc	AP								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	SURVEILLANCE RESULTS (in. wc)							
			Date: Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	6/4/18	6-5-18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18	
		PDI-812-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-812-3	Initials: <i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>
		PDI-812-4	Acceptance Criteria	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc
		PDI-812-5	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	6/4/18	6-5-18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18	
		PDI-813-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-813-3	Initials: <i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>
		PDI-813-4	Acceptance Criteria	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc
		PDI-813-5	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	6/4/18	6-5-18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18	
		PDI-865-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-865-3	Initials: <i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>
		PDI-865-1	Acceptance Criteria	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc
		PDI-865-2	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	6/4/18	6-5-18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18	
		PDI-863-2	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
		PDI-863-1	Initials: <i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>	<i>gh</i>
		PDI-863-2	Acceptance Criteria	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc	≤2.0 & > 0 ¹ in. wc
		PDI-863-2	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS							
				Date:	Mon.	Tue	Wed.	Thu.	Fri.	Sun.	
				Weekday:	6/4/18	6-5-18	6/6/18	6/7/18	6/8/18	6-9-18	6-10-18
				Initials:	jm	RA	pm	jk	jk	PT	PT
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	'PDI-857-1	≤ 2.0 > 0 ¹ in. wc		.12	.15	.14	.13	.13	.13	.12
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-857-2	≤ 2.0 > 0 ¹ in. wc		.42	.43	.43	.44	.44	.43	.44
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	'PDI-856-1	≤ 2.0 > 0 ¹ in. wc		.06	.07	.07	.07	.07	.07	.07
4.3.2.2 ²	Room 201	PDI-856-2	≤ 2.0 > 0 ¹ in. wc		.61	.62	.62	.62	.62	.62	.62
			0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)		SAT	SAT	SAT	SAT	SAT	SAT	SAT
			0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less		SAT	SAT	SAT	SAT	SAT	SAT	SAT
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less		SAT	SAT	SAT	SAT	SAT	SAT	SAT

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS						
				Date: Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	6/4/18 Mon.	6-5-18 Tue.	6/6/18 Wed.	6/7/18 Thu.	6/8/18 Fri.	6-9-18 Sat.	6-10-18 Sun.
				Initials: JH	AND	JH	JH	JH	PT	PT
4.3.2.2 ¹	Room 207		0 lb/ft ³ combustibles within 3 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT
				SAT	SAT	SAT	SAT	SAT	SAT	SAT
Completion time				0805	0925	0827	0812	0730	0830	0745
OC Operator Review and Page Count Complete (initials)				JH	JH	JH	JH	JH	JH	JH

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Paul Trajille Date: 6-10-18 Time: 0745 Reviewed by: _____ Date: _____ Time: _____

On-duty Supervisor

Comments: _____

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRS	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)																	
			Date:		Weekday:		Shift:		Initials:		6-13-18		6-14-18		6-15-18		6-16-18		6-17-18	
			Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	2.01	1.97	2.01	1.97	2.01	1.97	2.01	1.97	2.01	1.97	2.01	1.97	2.01	1.97	2.01	1.97	2.01	1.97
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	1.94	1.95	1.94	1.95	1.94	1.95	1.94	1.95	1.94	1.95	1.94	1.95	1.94	1.95	1.94	1.95	1.94	1.95
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	1.95	1.96	1.95	1.96	1.95	1.96	1.95	1.96	1.95	1.96	1.95	1.96	1.95	1.96	1.95	1.96	1.95	1.96
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07	2.07
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header ΔP	≤-0.05 in. wc ¹	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
	100 area laboratory header ΔP	≤-0.05 in. wc ¹	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
	300 area laboratory header ΔP	≤-0.05 in. wc ¹	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	400 area laboratory header ΔP	≤-0.05 in. wc ¹	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
4.1.1.3 4.1.2.3 ²	North basement ΔP	< 0.00 in. wc	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
	South basement ΔP	< 0.00 in. wc	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
	IRT Tunnel ΔP	< 0.00 in. wc	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
			0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS																
				Sat / Unsat (circle one)																
Note				Date:	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.			
Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.				11/30/18	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
Shifts				3:30																
Initials:																				
4.1.1.6	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP >.050 or FR-802 Icon red and PDT-832 AP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	100 area re-circulation fan/plenum	FR-803 Icon red and PDT-833 AP >.050 or FR-804 Icon red and PDT-835 AP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	300 area re-circulation fan/plenum	FR-805 Icon red and PDT-836 AP >.050 or FR-806 Icon red and PDT-837 AP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	400 area re-circulation fan/plenum	FR-807 Icon red and PDT-838 AP >.050 or FR-808 Icon red and PDT-839 AP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	
	Vault re-circulation fan/plenum	FR-811 Icon red and PDT-840 AP >.050 or FR-812 Icon red and PDT-841 AP >.050	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

<p>Note Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.</p>		Date: 11/20/18		06-12-18		6-13-18		6-14-18		6-15-18		06-16-18		06-17-18					
		Weekday:		Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.			
		Shift:		AM		PM		AM		PM		AM		PM		AM		PM	
		Initials:		SL		SL		SL		SL		SL		SL		SL		SL	
SRS	Description	Area	Gauge	SURVEILLANCE RESULTS															
				Sat / Unsat (circle one)															
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-803-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-820-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
		100 Area	PDI-802-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-804-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
		300 Area	PDI-870-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-853-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
		400 Area	PDI-854-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			PDI-864-2	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat		
			Completion Time			05:18	07:17	19:19	01:17	14:25	01:08	19:25	01:13	19:14	01:16	01:17	19:20		

¹ Mode 2 acceptance criteria is < 0.00 in. wc.

² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: [Signature] Date: 6/17/18 Time: 19:20 Reviewed by: [Signature] Date: 6/19/18 Time: 12:04
 On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	6-11-18	6-12-18	6-13-18	6-14-18	6/15/18	6/16/18	6/17/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	RAC	RAC	RAC	RAC	JM	DM	DM
		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)						
SR 4.4.1.1	Description / Gauge								
	Flammable Gas Channel Check DET-305-3 (LCD Reading)	NA	005	065	005	005	005	005	005
	CP-305-H (LED Reading)		008	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value ≥ -0.1 ; $\leq +0.1$	005	005	005	005	005	005	005
	Completion Time:		1005	0915	0930	0815	0715	0720	0719

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	6-11-18	6-12-18	6-13-18	6-14-18	6/15/18	6/16/18	6/17/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:	RPN	RPN	RID	RAC	GR	OH	OH	
4.1.3.4 ²	South basement supply filter plenum (HVP-841) AP	PDI-894-1	≤ 2.0 & > 0' in. wc	.04	.02	.02	.02	.02	.04	.04	.04	.04
		PDI-894-2	≤ 2.0 & > 0' in. wc	.49	.49	.49	.49	.49	.49	.49	.49	.49
4.1.3.4 ³	South Corridor supply (HVP-810) AP	PDI-895-1	≤ 2.0 & > 0' in. wc	.09	.09	.08	.07	.07	.07	.07	.07	.07
		PDI-895-2	≤ 2.0 & > 0' in. wc	.61	.61	.62	.61	.62	.61	.61	.61	.61
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-1	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-2	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-4	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-5	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-1	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ³	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-3	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-4	≤ 2.0 & > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-818-1	≤ 2.0 & > 0' in. wc	.26	.25	.24	.25	.24	.24	.24	.24	.24
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-2	≤ 2.0 & > 0' in. wc	.31	.32	.32	.31	.31	.30	.30	.31	.31
		PDI-818-4	≤ 2.0 & > 0' in. wc	.30	.31	.30	.29	.29	.30	.30	.30	
		PDI-818-5	≤ 2.0 & > 0' in. wc	.31	.30	.30	.29	.29	.30	.30	.30	
		PDI-821-1	≤ 2.0 & > 0' in. wc	.42	.45	.43	.42	.42	.42	.42	.41	
		PDI-821-3	≤ 2.0 & > 0' in. wc	.48	.45	.46	.45	.47	.47	.47	.47	
4.1.3.4 ²	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-4	≤ 2.0 & > 0' in. wc	.41	.41	.40	.41	.41	.41	.41	.41	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	6-11-18	6-12-18	6-13-18	6-14-18	6/15/18	6/16/18	6/17/18	
				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Initials:	RRC	RPL	RBO	RMA	M	OH	OH	OH
4.1.3.4 ¹	400 area glovebox exhaust filter plenum (FF856) ΔP	PDI-822-1	≤2.0 & >0 ¹ in. wc	.13	.13	.11	.10	.13	.12	.12	.12	.12
		PDI-822-2	≤2.0 & >0 ¹ in. wc	.60	.57	.60	.61	.61	.60	.60	.60	.60
		PDI-822-4	≤2.0 & >0 ¹ in. wc	.43	.44	.45	.45	.45	.44	.44	.44	.44
		PDI-822-5	≤2.0 & >0 ¹ in. wc	.59	.59	.59	.60	.59	.59	.59	.59	.59
		PDI-823-1	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) ΔP	PDI-823-2	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-823-4	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-823-5	≤2.0 & >0 ¹ in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	
		PDI-830-1	≤2.0 & >0 ¹ in. wc	.33	.25	.32	.33	.31	.40	.40	.40	
4.1.3.4 ³	South Basement exhaust filter plenum (FF-829) ΔP	PDI-830-2	≤2.0 & >0 ¹ in. wc	.20	.20	.20	.21	.18	.21	.21	.20	
		PDI-830-3	≤2.0 & >0 ¹ in. wc	.16	.15	.15	.18	.12	.18	.18		
		PDI-836-1	≤2.0 & >0 ¹ in. wc	.07	.08	.07	.08	.07	.06	.06		
4.1.1.7 ¹	300 area re-circulation filter plenum (IIVP-805) ΔP	PDI-836-2	≤2.0 & >0 ¹ in. wc	.67	.69	.68	.68	.67	.68	.68	.68	
		PDI-836-3	≤2.0 & >0 ¹ in. wc	.63	.63	.64	.63	.63	.63	.63		
		PDI-837-1	≤2.0 & >0 ¹ in. wc	.04	.04	.03	.04	.04	.04	.04		
4.1.1.7 ²	300 area re-circulation filter plenum (IIVP-806) ΔP	PDI-837-2	≤2.0 & >0 ¹ in. wc	.49	.50	.49	.49	.49	.49	.49	.49	
		PDI-837-3	≤2.0 & >0 ¹ in. wc	.47	.49	.48	.49	.47	.45	.45		

Surveillance Rounds

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Date: Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	'PDI-838-1	≤ 2.0 & > 0 ¹ in. wc	6-11-18 Mon.	6-12-18 Tue.	6-13-18 Wed.	6-14-18 Thu.	6-15-18 Fri.	6-16-18 Sat.	6-17-18 Sun.
		PDI-838-2	≤ 2.0 & > 0 ¹ in. wc	RTE	RQE	RAN	RAN	JA	DM	OH
		PDI-838-3	≤ 2.0 & > 0 ¹ in. wc	.62	.61	.62	.61	.61	.61	.59
4.1.3.4 ²	400 area re-circulation filter plenum (HVP-808) ΔP	'PDI-839-1	≤ 2.0 & > 0 ¹ in. wc	.19	.19	.19	.19	.19	.19	.19
		PDI-839-2	≤ 2.0 & > 0 ¹ in. wc	.31	.32	.31	.32	.32	.31	.31
		PDI-839-3	≤ 2.0 & > 0 ¹ in. wc	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	'PDI-810-1	≤ 2.0 & > 0 ¹ in. wc	off	off	off	off	off	off	off
		PDI-810-2	≤ 2.0 & > 0 ¹ in. wc	off	off	off	off	off	off	off
		PDI-810-3	≤ 2.0 & > 0 ¹ in. wc	off	off	off	off	off	off	off
4.1.3.4 ²	South Bleed off filter plenum (FF-822B) ΔP	'PDI-811-1	≤ 2.0 & > 0 ¹ in. wc	.11	.10	.11	.11	.11	.11	.11
		PDI-811-2	≤ 2.0 & > 0 ¹ in. wc	.51	.51	.50	.51	.51	.51	.50
		PDI-811-3	≤ 2.0 & > 0 ¹ in. wc	.51	.51	.50	.51	.51	.50	.50
OC Operator Review and Page Count Complete (initials)				1015	0930	0932	0920	0740	0801	0755

¹ Non TSR requirement
² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: DAW Date 6/17/18 Time 0755 Reviewed by: AW Date: 6-19-18 Time: 12:09

Comments: 6-11-18 out of service 4.1.1.1 NEEDS TO BE CALIBRATED

On-duty Supervisor

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	PDI-840-1	≤2.0 & > 0 ¹ in. wc	AP	6-11-18	6-12-18	6-13-18	6-14-18	6-15-18	6-16-18	6-17-18
		PDI-840-2	≤2.0 & > 0 ¹ in. wc	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-840-3	≤2.0 & > 0 ¹ in. wc	AP	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	Vault re-circulation filter plenum (HVP-812) ΔP	PDI-841-1	≤2.0 & > 0 ¹ in. wc	AP	.47	.48	.48	.48	.47	.47	.47
		PDI-841-2	≤2.0 & > 0 ¹ in. wc	AP	.56	.53	.57	.55	.56	.56	.56
		PDI-841-3	≤2.0 & > 0 ¹ in. wc	AP	.51	.50	.51	.52	.51	.51	.51
	200 area re-circulation filter plenum (HVP-801) ΔP	PDI-831-1	≤2.0 & > 0 ¹ in. wc	AP	.33	.34	.32	.34	.33	.34	.34
		PDI-831-2	≤2.0 & > 0 ¹ in. wc	AP	.42	.41	.42	.42	.42	.42	.42
		PDI-831-3	≤2.0 & > 0 ¹ in. wc	AP	.40	.39	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	PDI-832-1	≤2.0 & > 0 ¹ in. wc	AP	.43	.42	.43	.42	.43	.43	.43	
	PDI-832-2	≤2.0 & > 0 ¹ in. wc	AP	.68	.70	.69	.69	.69	.69	.69	
	PDI-832-3	≤2.0 & > 0 ¹ in. wc	AP	.61	.62	.61	.61	.61	.61	.61	
4.1.3.4 ²	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤2.0 & > 0 ¹ in. wc	AP	off	off	off	off	off	off	off
		PDI-807-2	≤2.0 & > 0 ¹ in. wc	AP	off	off	off	off	off	off	off
		PDI-807-3	≤2.0 & > 0 ¹ in. wc	AP	off	off	off	off	off	off	off
4.1.3.4 ²	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤2.0 & > 0 ¹ in. wc	AP	.07	.03	.03	.03	.02	.08	.08
		PDI-809-2	≤2.0 & > 0 ¹ in. wc	AP	.55	.55	.52	.58	.56	.55	.55
		PDI-809-3	≤2.0 & > 0 ¹ in. wc	AP	.52	.52	.51	.52	.52	.52	.52

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 0 > 0' in. wc	6-11-18	6-12-18	6-13-18	6-14-18	6-15-18	6-16-18	6-17-18	
		PDI-829-2	≤ 0 > 0' in. wc								
		PDI-829-3	≤ 0 > 0' in. wc								
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-1	≤ 0 > 0' in. wc								
		PDI-833-2	≤ 0 > 0' in. wc								
		PDI-833-3	≤ 0 > 0' in. wc								
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-1	≤ 0 > 0' in. wc								
		PDI-815-2	≤ 0 > 0' in. wc								
		PDI-815-4	≤ 0 > 0' in. wc								
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-5	≤ 0 > 0' in. wc								
		PDI-816-1	≤ 0 > 0' in. wc								
		PDI-816-2	≤ 0 > 0' in. wc								
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-816-4	≤ 0 > 0' in. wc								
		PDI-816-5	≤ 0 > 0' in. wc								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Date:	SURVEILLANCE RESULTS														
				Mon.	Tue	Wed.	Thu.	Fri.	Sat.	Sun.								
			Weekday:															
			Initials:															
			Acceptance Criteria															
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & >0.1 in. wc	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY		
		PDI-812-2	≤2.0 & >0.1 in. wc	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	
		PDI-812-3	≤2.0 & >0.1 in. wc	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY
		PDI-812-4	≤2.0 & >0.1 in. wc	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY
		PDI-812-5	≤2.0 & >0.1 in. wc	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY	StBY
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & >0.1 in. wc	.07	.09	.04	.05	.08	.09	.09	.09	.09	.09	.09	.09	.09	.09	
		PDI-813-2	≤2.0 & >0.1 in. wc	.25	.25	.24	.26	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21	.21
		PDI-813-3	≤2.0 & >0.1 in. wc	.21	.20	.21	.21	.31	.31	.30	.30	.30	.30	.30	.30	.30	.30	.30
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-813-4	≤2.0 & >0.1 in. wc	.29	.31	.31	.31	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39	.39
		PDI-813-5	≤2.0 & >0.1 in. wc	.38	.39	.39	.39	.02	.01	.02	.02	.02	.02	.02	.02	.02	.02	.02
		PDI-865-1	≤2.0 & >0.1 in. wc	.02	.02	.02	.02	.34	.34	.32	.32	.33	.32	.32	.32	.32	.32	.32
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-865-2	≤2.0 & >0.1 in. wc	.34	.35	.34	.34	.32	.32	.32	.32	.32	.32	.32	.32	.32	.32	
		PDI-865-3	≤2.0 & >0.1 in. wc	.32	.35	.32	.32	.02	.02	.02	.02	.04	.04	.04	.04	.04	.04	.04
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & >0.1 in. wc	.04	.02	.02	.02	.29	.29	.29	.29	.29	.29	.29	.29	.29	.29	
		PDI-863-2	≤2.0 & >0.1 in. wc	.28	.29	.29	.29	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28	.28

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	Date:	SURVEILLANCE RESULTS							
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Initials:							
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0' in. wc	6-11-18	6-12-18	6-13-18	6-14-18	6-15-18	6-16-18	6-17-18		
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP	PDI-857-2	≤ 2.0 > 0' in. wc									
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-1	≤ 2.0 > 0' in. wc									
		PDI-856-2	≤ 2.0 > 0' in. wc									
4.3.2.2 ²	Room 201		0 lb/ft ² combustibles in designated exclusion area (within 15 feet of fans)									
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

Date:		6-11-18	6-12-18	6-13-18	6-14-18	6/15/18	6/16/18	6/17/18
Weekday:		Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
Initials:		RP	RM	RM	RM	RM	RM	RM
Acceptance Criteria		SURVEILLANCE RESULTS						
4.3.2.2 ¹	Room 206							
4.3.2.2 ¹	Room 207	SAT	SAT	SAT	SAT	SAT	SAT	SAT
Completion time		1010	0935	0926	0911	0720	0750	0745
OC Operator Review and Page Count Complete (initials)		RM	RM	RM	RM	RM	RM	RM

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: RM Date: 6/17/18 Time: 0745 Reviewed by: RM Date: 6-19-18 Time: 1200
 On-duty Supervisor
 Comments: 6/15/18 4322 RM207 has combustible material in combustible waste, glove expanders, electrical cord, and cart with glove cleaner material, notified Ops
6/15/18 4322 RM207 combustibles were moved. 207 is SAT.

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
			Date:	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header AP	≤1.0 in. wc ¹	2.00	2.01	2.00	2.00	2.00	2.00	2.00	2.00	2.02	2.01	2.01	2.01	2.01	1.99
	100 area glovebox exhaust header AP	≤1.0 in. wc ¹	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
	300 area glovebox exhaust header AP	≤1.0 in. wc ¹	1.95	1.96	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95
	400 area glovebox exhaust header AP	≤1.0 in. wc ¹	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02	2.02
4.1.1.2 4.1.1.5 4.1.2.2 ²	200 area laboratory header AP	≤0.05 in. wc ¹	2.20	2.21	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.21
	100 area laboratory header AP	≤0.05 in. wc ¹	2.25	2.26	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.24
	300 area laboratory header AP	≤0.05 in. wc ¹	2.20	2.20	2.19	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.19
	400 area laboratory header AP	≤0.05 in. wc ¹	2.20	2.20	2.19	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.20	2.19
4.1.1.3 4.1.2.3 ²	IFIT Facility AP	≤0.05 in. wc	2.15	2.15	2.15	2.15	2.15	2.15	2.15	2.15	2.15	2.15	2.15	2.15	2.15	2.15
	North basement AP	<0.00 in. wc	2.09	2.10	2.10	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.09	2.08
	South basement AP	<0.00 in. wc	2.08	2.10	2.10	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08
	IRT Tunnel AP	<0.00 in. wc	2.08	2.09	2.09	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

SRs	Description	Readings	Acceptance Criteria	SURVEILLANCE RESULTS							
				Sat / Unsat (circle one)							
Note				Date:	6-16-18	6-17-18	6-20-18	6-21-18	6/22/18	6/23/18	6/24/18
Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.				Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
Shift:				AM	PM	AM	PM	AM	PM	AM	PM
Initials:				ASU	ASU	ASU	ASU	ASU	ASU	ASU	ASU
4.1.1.6	200 area re-circulation fan/plenum	FR-801 loon red and PDT-831 AP >.050 or FR-802 loon red and PDT-832 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	100 area re-circulation fan/plenum	FR-803 loon red and PDT-833 AP >.050 or FR-804 loon red and PDT-835 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	300 area re-circulation fan/plenum	FR-805 loon red and PDT-836 AP >.050 or FR-806 loon red and PDT-837 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	400 area re-circulation fan/plenum	FR-807 loon red and PDT-838 AP >.050 or FR-808 loon red and PDT-839 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
	Vault re-circulation fan/plenum	FR-811 loon red and PDT-840 AP >.050 or FR-812 loon red and PDT-841 AP >.050	At least one fan/plenum is in service	Sat	Sat	Sat	Sat	Sat	Sat	Sat	Sat
					Sat	Sat	Sat	Sat	Sat	Sat	Sat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

Note Gauge readings should be taken on rack #4 in the OC when possible, local PDI equivalents may be used if necessary. Document any alternate PDIs used.			Date: 6-16-18	6-19-18	6-20-18	6-21-18	6-22-18	6-23-18	6-24-18										
SRS	Description	Area	Gauge	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.		Sun.			
				AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM		
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU		
			PDI-803-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	
		100 Area	PDI-804-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU
			PDI-820-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU
300 Area	PDI-802-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU		
	PDI-804-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU		
400 Area	PDI-870-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU		
	PDI-853-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU		
400 Area	PDI-854-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU		
	PDI-864-2	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU	APU		
			Completion Time			0115	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730		

SURVEILLANCE RESULTS

Sat - Unsat (circle one)

¹ Mode 2 acceptance criteria is < 0.00 in. wc.
² SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: AP Date: 6/24/18 Time: 1924 Reviewed by: [Signature] Date: 6-27-18 Time: 0912
 On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

		Date:	6/18/18	6-19-18	6/20/18	6-21-18	6/22/18	6/23/18	6/24/18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
		Initials:	AM	PT	AM	RPM	BF	AM	AM
		Acceptance Criteria	SURVEILLANCE RESULTS (percentage)						
SR 4.4.1.1	Description / Gauge								
	Flammable Gas Channel Check								
	DET-305-3 (LCD Reading)	NA	005	005	005	005	005	005	005
	CP-305-H (LED Reading)		005	005	005	065	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005	005
		≥ -0.1 ; $\leq +0.1$	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005
		Completion Time:	0800	0846	0800	0825	0705	0703	0704

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	Date:	6/18/18	6-19-18	6/20/18	6-21-18	6/22/18	6/23/18	6/24/18
				Weekday:	Mon.	Tue	Wed.	Thu.	Fri.	Sat.	Sun.
				Initials:	JM	PT	JM	APW	OF	JM	JM
SURVEILLANCE RESULTS (in. wc)											
4.1.3.4 ¹	South basement supply filter plenum (HVP-841) AP	PDI-894-1	≤ 0 > 0' in. wc	.04	.04	.04	.02	.05	.05	.05	.05
		PDI-894-2	≤ 0 > 0' in. wc	.48	.48	.48	.47	.48	.48	.48	.48
		PDI-895-1	≤ 2.0 > 0' in. wc	.09	.10	.09	.09	.10	.09	.09	.09
		PDI-895-2	≤ 2.0 > 0' in. wc	.61	.65	.66	.68	.69	.67	.67	.67
4.1.3.4 ²	300 area glovebox exhaust filter plenum (FF854) AP	PDI-817-1	≤ 2.0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-2	≤ 2.0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-4	≤ 2.0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-5	≤ 2.0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-1	≤ 2.0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ³	300 area special recovery glovebox exhaust filter plenum (FF858) AP	PDI-819-3	≤ 2.0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-819-4	≤ 2.0 > 0' in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-818-1	≤ 2.0 > 0' in. wc	.24	.24	.25	.25	.25	.25	.25	.25
		PDI-818-2	≤ 2.0 > 0' in. wc	.30	.30	.30	.31	.31	.31	.31	.31
4.1.3.4 ⁴	300 area glovebox exhaust filter plenum (FF855) AP	PDI-818-4	≤ 2.0 > 0' in. wc	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-818-5	≤ 2.0 > 0' in. wc	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-821-1	≤ 2.0 > 0' in. wc	.42	.42	.41	.44	.41	.42	.42	.42
4.1.3.4 ⁵	300 area special recovery glovebox exhaust filter plenum (FF859) AP	PDI-821-3	≤ 2.0 > 0' in. wc	.48	.49	.47	.46	.47	.47	.47	.47
		PDI-821-4	≤ 2.0 > 0' in. wc	.41	.41	.41	.40	.41	.41	.41	.41

Surveillance Rounds

TA55-STP-004-FM2, R19.1

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Weekday:	Initials:						
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	PDI-822-1	≤ 2.0 & > 0 ¹ in. wc	6/18/18	6/19/18	6/20/18	6/21/18	6/22/18	6/23/18	6/24/18	
		PDI-822-2	≤ 2.0 & > 0 ¹ in. wc								
		PDI-822-4	≤ 2.0 & > 0 ¹ in. wc								
		PDI-822-5	≤ 2.0 & > 0 ¹ in. wc								
		PDI-823-1	≤ 2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	PDI-823-2	≤ 2.0 & > 0 ¹ in. wc								
		PDI-823-4	≤ 2.0 & > 0 ¹ in. wc								
		PDI-823-5	≤ 2.0 & > 0 ¹ in. wc								
		PDI-830-1	≤ 2.0 & > 0 ¹ in. wc								
		PDI-830-2	≤ 2.0 & > 0 ¹ in. wc								
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	PDI-830-3	≤ 2.0 & > 0 ¹ in. wc								
		PDI-836-1	≤ 2.0 & > 0 ¹ in. wc								
		PDI-836-2	≤ 2.0 & > 0 ¹ in. wc								
4.1.1.7 ¹	300 area re-circulation filter plenum (HVP-805) AP	PDI-836-3	≤ 2.0 & > 0 ¹ in. wc								
		PDI-837-1	≤ 2.0 & > 0 ¹ in. wc								
		PDI-837-2	≤ 2.0 & > 0 ¹ in. wc								
		PDI-837-3	≤ 2.0 & > 0 ¹ in. wc								

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria (in. wc)	SURVEILLANCE RESULTS						
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				6/18/18	6-19-18	6/20/18	6-21-18	6/22/18	6/23/18	6/24/18
				Weekday:	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				Initials:	PT	JA	RJK	BF	JA	JA
4.1.1.7 ²	400 area re-circulation filter plenum (HVP-807) ΔP	PDI-838-1	≤2.0 & > 0.1 in. wc	.59	.59	.59	.60	.60	.60	.60
		PDI-838-2	≤2.0 & > 0.1 in. wc	.61	.61	.60	.60	.60	.60	.60
		PDI-838-3	≤2.0 & > 0.1 in. wc	.61	.61	.62	.62	.62	.62	.62
	400 area re-circulation filter plenum (HVP-808) ΔP	PDI-839-1	≤2.0 & > 0.1 in. wc	.19	.19	.19	.19	.19	.19	.19
		PDI-839-2	≤2.0 & > 0.1 in. wc	.31	.31	.31	.32	.32	.31	.31
		PDI-839-3	≤2.0 & > 0.1 in. wc	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ¹	South Bleed off filter plenum (FF-822A) ΔP	PDI-810-1	≤2.0 & > 0.1 in. wc	OFF	.15	.15	.15	.15	.15	.15
		PDI-810-2	≤2.0 & > 0.1 in. wc	OFF	.51	.51	.51	.51	.51	.51
		PDI-810-3	≤2.0 & > 0.1 in. wc	OFF	.51	.51	.51	.51	.51	.51
4.1.3.4 ¹	South Bleed off filter plenum (FF-822B) ΔP	PDI-811-1	≤2.0 & > 0.1 in. wc	.11	OFF	OFF	OFF	OFF	OFF	OFF
		PDI-811-2	≤2.0 & > 0.1 in. wc	.51	OFF	OFF	OFF	OFF	OFF	OFF
		PDI-811-3	≤2.0 & > 0.1 in. wc	.51	OFF	OFF	OFF	OFF	OFF	OFF
	OC Operator Review and Page Count Complete (initials)		Completion Time	0855	0905	0830	0859	0730	0745	0730
				W ABG	ABG	WAB	AD	WAB	WAB	WAB

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Frank Date 6/18/18 Time 0730 Reviewed by: [Signature] Date: 6-27-18 Time: 0910

Comments: 6/18/18 44.1 out of service. Needs to be restarted

On-duty Supervisor

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)													
				Date: Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.						
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	PDI-840-1	≤ 0.0 > 0.1 in. wc	6/18/18	Mon.	6/19/18	Tue.	6/20/18	Wed.	6-21-18	Thu.	6/22/18	Fri.	6/23/18	Sat.	6/24/18	Sun.
		PDI-840-2	≤ 2.0 > 0 in. wc	STBY	.17	.17	.18	.18	.17	.17	.17	.17	.17	.17	.17	.17	.17
		PDI-840-3	≤ 2.0 > 0.1 in. wc	STBY	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59	.59
	Vault re-circulation filter plenum (HVP-812) ΔP	PDI-841-1	≤ 2.0 > 0.1 in. wc	STBY	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51
		PDI-841-2	≤ 2.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-841-3	≤ 2.0 > 0.1 in. wc	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
	200 area re-circulation filter plenum (HVP-801) ΔP	PDI-831-1	≤ 2.0 > 0.1 in. wc	STBY	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33	.33
		PDI-831-2	≤ 2.0 > 0.1 in. wc	STBY	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43
		PDI-831-3	≤ 2.0 > 0.1 in. wc	STBY	.40	.40	.40	.40	.40	.40	.40	.40	.40	.40	.40	.40	.40
200 area re-circulation filter plenum (HVP-802) ΔP	PDI-832-1	≤ 2.0 > 0.1 in. wc	STBY	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	.43	
	PDI-832-2	≤ 2.0 > 0.1 in. wc	STBY	.68	.68	.68	.68	.68	.68	.68	.68	.68	.68	.68	.68	.68	
	PDI-832-3	≤ 2.0 > 0.1 in. wc	STBY	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	.61	
4.1.3.4 ³	North Bleed off filter plenum (FF-820A) ΔP	PDI-807-1	≤ 2.0 > 0.1 in. wc	OFF	.12	.12	.12	.12	.12	.12	.12	.12	.12	.12	.12	.12	
		PDI-807-2	≤ 2.0 > 0.1 in. wc	OFF	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	
		PDI-807-3	≤ 2.0 > 0.1 in. wc	OFF	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	.51	
4.1.3.4 ³	North Bleed off filter plenum (FF-820B) ΔP	PDI-809-1	≤ 2.0 > 0.1 in. wc	.09	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	
		PDI-809-2	≤ 2.0 > 0.1 in. wc	.57	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
		PDI-809-3	≤ 2.0 > 0.1 in. wc	.51	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 2 of 5)

SIRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)						
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.
4.1.3.4 ²	North Basement exhaust filter plenum (FF-828) ΔP	PDI-829-1	≤ 2.0 & > 0.1 in. wc	Jan	6/18/18	6/19/18	6/20/18	6/21/18	6/22/18	6/23/18	6/24/18
		PDI-829-2	≤ 2.0 & > 0.1 in. wc								
		PDI-829-3	≤ 2.0 & > 0.1 in. wc								
		PDI-833-1	≤ 2.0 & > 0.1 in. wc								
		PDI-833-2	≤ 2.0 & > 0.1 in. wc								
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) ΔP	PDI-833-3	≤ 2.0 & > 0.1 in. wc								
		PDI-835-1	≤ 2.0 & > 0.1 in. wc								
		PDI-835-2	≤ 2.0 & > 0.1 in. wc								
		PDI-835-3	≤ 2.0 & > 0.1 in. wc								
		PDI-815-1	≤ 2.0 & > 0.1 in. wc								
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF852) ΔP	PDI-815-2	≤ 2.0 & > 0.1 in. wc								
		PDI-815-4	≤ 2.0 & > 0.1 in. wc								
		PDI-815-5	≤ 2.0 & > 0.1 in. wc								
		PDI-816-1	≤ 2.0 & > 0.1 in. wc								
		PDI-816-2	≤ 2.0 & > 0.1 in. wc								
4.1.3.4 ²	100 area glovebox exhaust filter plenum (FF853) ΔP	PDI-816-4	≤ 2.0 & > 0.1 in. wc								
		PDI-816-5	≤ 2.0 & > 0.1 in. wc								

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF850) ΔP	PDI-812-1	≤2.0 & >0 ¹ in. wc	JK	6/18/18	6/19/18	6/20/18	6/21/18	6/22/18	6/23/18	6/24/18	
		PDI-812-2	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.14	.14	.15	.14	.14	.14
		PDI-812-3	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.31	.21	.32	.31	.31	.31
		PDI-812-4	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.30	.31	.32	.31	.31	.31
		PDI-812-5	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.30	.30	.30	.30	.30	.30
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	PDI-813-1	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.35	.35	.34	.35	.35	
		PDI-813-2	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.29	.29	.34	.35	.35	.35
		PDI-813-3	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.26	.26	.34	.35	.35	.35
		PDI-813-4	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.21	.21	.34	.35	.35	.35
		PDI-813-5	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.30	.30	.34	.35	.35	.35
4.1.3.4 ²	IFIT exhaust filter plenum (FF-865) ΔP	PDI-865-1	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.38	.38	.34	.35	.35	
		PDI-865-2	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.02	.02	.02	.02	.02	.02
		PDI-865-3	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.34	.34	.34	.35	.35	.35
4.1.3.4 ²	IFIT supply filter plenum (HVP-863) ΔP	PDI-863-1	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.32	.32	.34	.34	.33	
		PDI-863-2	≤2.0 & >0 ¹ in. wc	JK	PT	STBY	.05	.05	.04	.05	.05	.05

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS								
				Date:	Weekday:	Initials:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.3.4 ²	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc	6/18/18	6-19-18	6/20/18	6-21-18	6/22/18	6/23/18	6/24/18		
		PDI-857-2	≤ 2.0 > 0 ¹ in. wc									
		PDI-856-1	≤ 2.0 > 0 ¹ in. wc									
		PDI-856-2	≤ 2.0 > 0 ¹ in. wc									
4.1.3.4 ²	North corridor supply filter plenum (HVP-809) ΔP											
4.3.2.2 ²	Room 201											
4.3.2.2 ²	Room 204											

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRS	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS						
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.
4.3.2.2 ¹	Room 206		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	Am	6/18/18	6/19-18	6/20/18	6/21-18	6/22/18	6/23/18	6/24/18
4.3.2.2 ²	Room 207		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less		SAT	SAT	SAT	SAT	SAT	SAT	SAT
OC Operator Review and Page Count Complete (initials)					0840	0909	085	0935	0810	0720	0214
Completion time					ARJ	ARJ	ARJ	ARJ	ARJ	ARJ	ARJ

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

Completed by: Seema N. Date: 6/27/18 Reviewed by: [Signature] Time: 0714 Date: 6-27-18 Time: 0913

On-duty Supervisor

Comments:

ATTACHMENT A: Per Shift Surveillance Rounds [UET]
(Page 1 of 3)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge Acceptance Criteria (in. wc)	Date:							Weekday:							Sun.			
			6-25-18		6-26-18		6-27-18		6-28-18		6-29-18		6-30-18		AM	PM	AM	PM	AM	PM
			AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
4.1.1.1 4.1.2.1 ²	200 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹ PDI-814-1 or PDI-814-2	2.00	2.00	1.99	2.01	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	100 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹ PDI-820-1 or PDI-820-2	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91
	300 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹ PDI-870-1 or PDI-870-2	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91
	400 area glovebox exhaust header ΔP	≤-1.0 in. wc ¹ PDI-864-1 or PDI-864-2	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
	200 area laboratory header ΔP	≤-0.05 in. wc ¹ PDI-803-1 or PDI-803-2	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
4.1.1.2 4.1.1.5 4.1.2.2 ¹	100 area laboratory header ΔP	≤-0.05 in. wc ¹ PDI-802-1 or PDI-802-2	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
	300 area laboratory header ΔP	≤-0.05 in. wc ¹ PDI-853-1 or PDI-853-2	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	400 area laboratory header ΔP	≤-0.05 in. wc ¹ PDI-852-1 or PDI-852-2	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	IFIT Facility ΔP	≤-0.05 in. wc PDI-865-4 or PDI-865-5	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
	North basement ΔP	< 0.00 in. wc PDI-804-1 or PDI-804-2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4.1.1.3 4.1.2.3 ²	South basement ΔP	< 0.00 in. wc PDI-854-1 or PDI-854-2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	IRT Tunnel ΔP	< 0.00 in. wc PDI-901 or PDI-901	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 2 of 3)

Note	Date:	6-25-18		6-26-18		6-27-18		6-28-18		6-29-18		6-30-18	
		AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
Readings	Weekday:	Mon.		Tue.		Wed.		Thu.		Fri.		Sat.	
Description	Shift:	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
SRs	Initials:	356 [Signature]		356 [Signature]		356 [Signature]		356 [Signature]		356 [Signature]		356 [Signature]	
Readings should be taken using FCS screens FMT#151,152,201LD and 202LD. Field verification and local plenum PDI's may be used if FCS is unavailable.	200 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP >.050	FR-802 Icon red and PDT-832 AP >.050	FR-803 Icon red and PDT-833 AP >.050	FR-804 Icon red and PDT-835 AP >.050	FR-805 Icon red and PDT-836 AP >.050	FR-806 Icon red and PDT-837 AP >.050	FR-807 Icon red and PDT-838 AP >.050	FR-808 Icon red and PDT-839 AP >.050	FR-811 Icon red and PDT-840 AP >.050	FR-812 Icon red and PDT-841 AP >.050		
		or	or	or	or	or	or	or	or	or	or		
4.1.1.6	300 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP >.050	FR-802 Icon red and PDT-832 AP >.050	FR-803 Icon red and PDT-833 AP >.050	FR-804 Icon red and PDT-835 AP >.050	FR-805 Icon red and PDT-836 AP >.050	FR-806 Icon red and PDT-837 AP >.050	FR-807 Icon red and PDT-838 AP >.050	FR-808 Icon red and PDT-839 AP >.050	FR-811 Icon red and PDT-840 AP >.050	FR-812 Icon red and PDT-841 AP >.050		
		or	or	or	or	or	or	or	or	or	or		
4.1.1.6	400 area re-circulation fan/plenum	FR-801 Icon red and PDT-831 AP >.050	FR-802 Icon red and PDT-832 AP >.050	FR-803 Icon red and PDT-833 AP >.050	FR-804 Icon red and PDT-835 AP >.050	FR-805 Icon red and PDT-836 AP >.050	FR-806 Icon red and PDT-837 AP >.050	FR-807 Icon red and PDT-838 AP >.050	FR-808 Icon red and PDT-839 AP >.050	FR-811 Icon red and PDT-840 AP >.050	FR-812 Icon red and PDT-841 AP >.050		
		or	or	or	or	or	or	or	or	or	or		
Vault re-circulation fan/plenum	At least one fan/plenum is in service	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat
		Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat	Unsat	Sat

ATTACHMENT A: Per Shift Surveillance Rounds [UET]

(Page 3 of 3)

SRS	Description	Area	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS										
					Mon. 6-25-18		Tue. 6-26-18		Wed. 6-27-18		Thu. 6-28-18		Fri. 6-29-18		
					AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	
4.1.1.4	Glovebox exhaust header APs < laboratory APs < basement APs for areas 100, 200, 300 and 400	200 Area	PDI-814-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	
			PDI-803-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat
		100 Area	PDI-820-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat
			PDI-802-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat
300 Area	PDI-870-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	
	PDI-853-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	
400 Area	PDI-864-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	
	PDI-852-2	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	Sat/Unsat	
				Completion Time											
				0712	1920	0714	1920	0704	1924	0706	1925	0730	1900	1919	

1 Mode 2 acceptance criteria is < 0.00 in. wc.
 2 SRs 4.1.2.x only apply during Mode 2 in accordance with LCO 3.1.2.

Completed by: *[Signature]* Date: 6/30/18 Time: 1919
 Reviewed by: *[Signature]* Date: 7-5-18 Time: 1025
 On-duty Supervisor

Comments:

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 1 of 4)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SR 4.4.1.1, The OPERABILITY acceptance criterion for this surveillance is:

The **FLAMMABLE GAS** detector in the **FSTF FLAMMABLE GAS SOURCE** storage cabinet is exposed to the ambient atmosphere in the storage cabinet. The gas concentration readout directly on the detector in the storage cabinet is compared with the gas concentration readout on the system control and alarm panel. The difference between the two readings is checked to **VERIFY** it is in the range of (≥ -0.1 ; ≤ 0.1).

SR	Description / Gauge	Date:	6/25/18	6/24/18	6/27/18	6-28-18	6/29/18	6-30-18
		Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
		Initials:	BF	12AB	JM	PT	JM	PT
Acceptance Criteria		SURVEILLANCE RESULTS (percentage)						
4.4.1.1	Flammable Gas Channel Check	NA						
	DET-305-3 (LCD Reading)	005	005	005	005	005	005	005
	CP-305-H (LED Reading)	005	005	005	005	005	005	005
	(DET-305-3) - (CP-305H) (LCD Reading) (LED Reading)	Record Calculated Value	005	005	005	005	005	005
		≥ -0.1 ; $\leq +0.1$	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005	Sat / Unsat 005
	Completion Time:	0800	1015	0755	0903	0900	0727	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side)[UET]

(Page 2 of 4)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)								
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
				Weekday:	Initials:							
4.1.3.4 ¹	South basement supply filter plenum (HVP-841) ΔP	PDI-894-1	≤2.0 & > 0' in. wc	6/25/18	.04	.05	.05	.05	.05	.05	.05	.05
		PDI-894-2	≤2.0 & > 0' in. wc	6/26/18	.48	.49	.47	.48	.47	.47	.46	.46
4.1.3.4 ²	South Corridor supply (HVP-810) ΔP	PDI-895-1	≤2.0 & > 0' in. wc	6/27/18	.11	.10	.10	.10	.10	.10	.10	.10
		PDI-895-2	≤2.0 & > 0' in. wc	6/28/18	.69	.49	.69	.69	.69	.71	.71	.71
4.1.3.4 ³	300 area glovebox exhaust filter plenum (FF854) ΔP	PDI-817-1	≤2.0 & > 0' in. wc	6/29/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-2	≤2.0 & > 0' in. wc	6/30/18	STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-4	≤2.0 & > 0' in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
		PDI-817-5	≤2.0 & > 0' in. wc		STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ⁴	300 area special recovery glovebox exhaust filter plenum (FF858) ΔP	PDI-819-1	≤2.0 & > 0' in. wc	6/25/18	.25	.25	.25	.25	.25	.25	.25	.25
		PDI-819-3	≤2.0 & > 0' in. wc	6/26/18	.31	.31	.31	.31	.31	.31	.31	.31
		PDI-819-4	≤2.0 & > 0' in. wc	6/27/18	.30	.30	.30	.30	.30	.30	.30	.30
		PDI-818-1	≤2.0 & > 0' in. wc	6/28/18	.31	.31	.31	.31	.31	.31	.31	.31
4.1.3.4 ⁵	300 area special recovery glovebox exhaust filter plenum (FF859) ΔP	PDI-821-1	≤2.0 & > 0' in. wc	6/29/18	.42	.41	.42	.41	.41	.41	.41	.41
		PDI-821-3	≤2.0 & > 0' in. wc	6/30/18	.48	.49	.47	.48	.48	.48	.48	.48
		PDI-821-4	≤2.0 & > 0' in. wc		.41	.40	.41	.41	.41	.41	.41	.41

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 3 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	
				Weekday:	Initials:						
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF856) AP	'PDI-822-1	≤2.0 & > 0 ¹ in. wc	6/25/18	6/24/18	6/23/18	6/22/18	6-28-18	6/29/18	6-30-18	
				BF	PT						
				STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
				STBY	STBY	STBY	STBY	STBY	STBY	STBY	STBY
4.1.3.4 ²	400 area glovebox exhaust filter plenum (FF857) AP	'PDI-823-1	≤2.0 & > 0 ¹ in. wc	.06	.04	.06	.06	.06	.06	.06	
				.59	.59	.58	.58	.58	.58	.58	
				.52	.51	.51	.51	.52	.52	.52	
				.53	.51	.51	.51	.51	.51	.51	
				.36	.37	.26	.26	.35	.43	.39	
4.1.3.4 ²	South Basement exhaust filter plenum (FF-829) AP	'PDI-830-1	≤2.0 & > 0 ¹ in. wc	.19	.20	.17	.18	.18	.19	.20	
				.07	.12	.11	.11	.11	.10	.18	
				.06	.04	.06	.06	.06	.06	.06	
4.1.1.7 ²	300 area re-circulation filter plenum (HVP-805) AP	'PDI-836-1	≤2.0 & > 0 ¹ in. wc	.64	.66	.67	.68	.68	.67	.68	
				.63	.62	.63	.62	.62	.63	.65	
				.04	.04	.04	.04	.04	.04	.04	
				.49	.50	.49	.49	.49	.49	.49	
				.48	.48	.47	.47	.47	.47	.48	

ATTACHMENT B-1: Daily Surveillance Rounds (PF-4 South Side) [UET]

(Page 4 of 4)

SRs	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)							
				Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
				6/25/18	6/26/18	6/27/18	6/28/18	6/29/18	6-30-18		
				Weekday:							
				Initials:	BF	RA	JA	PT	JA	PT	
4.1.1.7 ¹	400 area re-circulation filter plenum (HVP-807) ΔP	PDI-838-1	≤2.0 & >0.1 in. wc	.60	.59	.54	.54	.55	.55	.55	
		PDI-838-2	≤2.0 & >0.1 in. wc	.61	.60	.59	.59	.60	.60	.61	
		PDI-838-3	≤2.0 & >0.1 in. wc	.62	.61	.59	.59	.59	.59	.59	
	400 area re-circulation filter plenum (HVP-808) ΔP	PDI-839-1	≤2.0 & >0.1 in. wc	.19	.18	.43	.43	.41	.41	.41	
		PDI-839-2	≤2.0 & >0.1 in. wc	.32	.30	.57	.57	.54	.54	.53	
		PDI-839-3	≤2.0 & >0.1 in. wc	.32	.30	.55	.55	.51	.51	.51	
	4.1.3.4 ²	South Bleed off filter plenum (FF-822A) ΔP	PDI-810-1	≤2.0 & >0.1 in. wc	.16	.15	.16	.16	.16	OFF	OFF
			PDI-810-2	≤2.0 & >0.1 in. wc	.52	.50	.51	.51	.51	OFF	OFF
			PDI-810-3	≤2.0 & >0.1 in. wc	.52	.51	.51	.51	.51	OFF	OFF
4.1.3.4 ³	South Bleed off filter plenum (FF-822B) ΔP	PDI-811-1	≤2.0 & >0.1 in. wc	OFF	OFF	OFF	OFF	.12	.12	.12	
		PDI-811-2	≤2.0 & >0.1 in. wc	OFF	OFF	OFF	OFF	.51	.51	.51	
		PDI-811-3	≤2.0 & >0.1 in. wc	OFF	OFF	OFF	OFF	.51	.51	.51	
OC Operator Review and Page Count Complete (initials)				0812	1014	0825	0840	0915	0725		

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR 4.1.3.4 apply during both Mode 1 and Mode 2 as stated in LCO 3.1.3.

Completed by: Paul Tregub Date: 6/26/18 Time: 0725 Reviewed by: On-duty Supervisor Date: 7/5/18 Time: 1025

Comments: 6/25/18 4.4.1.1 Flam Gas Monitor is out of service needs to be calibrated

On-duty Supervisor

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]
(Page 1 of 5)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Description	Gauge	Acceptance Criteria	Date:	SURVEILLANCE RESULTS							
					Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.	
4.1.1.7 ²	Vault re-circulation filter plenum (HVP-811) ΔP	'PDI-840-1	≤2.0 & >0 ¹ in. wc	6/25/18	0.17	0.17	0.17	PT STBY	0.18	0.18	0.18	0.18
		PDI-840-2	≤2.0 & >0 in. wc	6/26/18	0.59	0.59	0.58	PT STBY	0.58	0.58	0.58	0.58
		PDI-840-3	≤2.0 & >0 ¹ in. wc	6/27/18	0.50	0.50	0.51	PT STBY	0.51	0.51	0.51	0.51
	Vault re-circulation filter plenum (HVP-812) ΔP	'PDI-841-1	≤2.0 & >0 ¹ in. wc	6/25/18	0.47	0.47	0.47	PT STBY	0.47	0.47	0.47	0.47
		PDI-841-2	≤2.0 & >0 ¹ in. wc	6/26/18	0.58	0.58	0.58	PT STBY	0.58	0.58	0.58	0.58
		PDI-841-3	≤2.0 & >0 ¹ in. wc	6/27/18	0.51	0.51	0.51	PT STBY	0.51	0.51	0.51	0.51
	200 area re-circulation filter plenum (HVP-801) ΔP	'PDI-831-1	≤2.0 & >0 ¹ in. wc	6/25/18	0.34	0.34	0.33	0.33	0.33	0.33	0.33	0.34
		PDI-831-2	≤2.0 & >0 ¹ in. wc	6/26/18	0.43	0.43	0.44	0.42	0.42	0.42	0.42	
		PDI-831-3	≤2.0 & >0 ¹ in. wc	6/27/18	0.40	0.40	0.40	0.40	0.40	0.40	0.41	
	200 area re-circulation filter plenum (HVP-802) ΔP	'PDI-832-1	≤2.0 & >0 ¹ in. wc	6/25/18	0.43	0.43	0.43	0.44	0.43	0.43	0.44	
PDI-832-2		≤2.0 & >0 ¹ in. wc	6/26/18	0.66	0.69	0.69	0.69	0.68	0.68	0.68		
PDI-832-3		≤2.0 & >0 ¹ in. wc	6/27/18	0.62	0.61	0.61	0.61	0.61	0.61	0.61		
4.1.3.4 ¹	North Bleed off filter plenum (FF-820A) ΔP	'PDI-807-1	≤2.0 & >0 ¹ in. wc	6/25/18	0.12	0.12	0.12	0.12	0.12	0.12	0.12	
		PDI-807-2	≤2.0 & >0 ¹ in. wc	6/26/18	0.50	0.50	0.51	0.51	0.51	0.51		
		PDI-807-3	≤2.0 & >0 ¹ in. wc	6/27/18	0.51	0.50	0.51	0.51	0.51	0.51		
4.1.3.4 ¹	North Bleed off filter plenum (FF-820B) ΔP	'PDI-809-1	≤2.0 & >0 ¹ in. wc	6/25/18	0.58	0.58	0.58	0.58	0.58	0.58	0.58	
		PDI-809-2	≤2.0 & >0 ¹ in. wc	6/26/18	0.51	0.51	0.51	0.51	0.51	0.51		
		PDI-809-3	≤2.0 & >0 ¹ in. wc	6/27/18	0.51	0.51	0.51	0.51	0.51	0.51		

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 2 of 5)

SRS	Description	Gauge	Acceptance Criteria	SURVEILLANCE RESULTS (in. wc)						
				Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
4.1.3.4 ¹	North Basement exhaust filter plenum (FF-828) AP	PDI-829-1	≤ 2.0 & > 0 ¹ in. wc	.24	.22	.22	.21	.22	.22	
		PDI-829-2	≤ 2.0 & > 0 ¹ in. wc	.42	.40	.40	.39	.40	.40	
		PDI-829-3	≤ 2.0 & > 0 ¹ in. wc	.35	.31	.31	.31	.31	.31	
		PDI-833-1	≤ 2.0 & > 0 ¹ in. wc	.07	.07	.07	.07	.07	.07	
		PDI-833-2	≤ 2.0 & > 0 ¹ in. wc	.55	.55	.57	.54	.54	.54	
4.1.1.7 ²	100 area re-circulation filter plenum (HVP-803) AP	PDI-833-3	≤ 2.0 & > 0 ¹ in. wc	.52	.51	.51	.51	.51	.51	
		PDI-835-1	≤ 2.0 & > 0 ¹ in. wc	.05	.05	.05	.05	.05	.05	
		PDI-835-2	≤ 2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	
		PDI-835-3	≤ 2.0 & > 0 ¹ in. wc	.50	.50	.50	.50	.50	.50	
		PDI-815-1	≤ 2.0 & > 0 ¹ in. wc	.05	.03	.29	STBY	STBY	STBY	STBY
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF852) AP	PDI-815-2	≤ 2.0 & > 0 ¹ in. wc	.57	.59	.59	STBY	STBY	STBY	
		PDI-815-4	≤ 2.0 & > 0 ¹ in. wc	.51	.50	.50	STBY	STBY	STBY	
		PDI-815-5	≤ 2.0 & > 0 ¹ in. wc	.51	.51	.51	STBY	STBY	STBY	
		PDI-816-1	≤ 2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	.50	.50	.50	
		PDI-816-2	≤ 2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	.61	.61	.61	
4.1.3.4 ¹	100 area glovebox exhaust filter plenum (FF853) AP	PDI-816-4	≤ 2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	.55	.56	.55	
		PDI-816-5	≤ 2.0 & > 0 ¹ in. wc	STBY	STBY	STBY	.58	.58	.58	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 3 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS (in. wc)							
					Date:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Sun.
					Weekday:							
4.1.3.4 ¹	200 area glovebox exhaust filter plenum (FF850) ΔP	'PDI-812-1	≤2.0 & > 0 ¹ in. wc	AS	6/25/18	6/26/18	6/27/18	6/28-18	6/29/18	6/30-18		
		PDI-812-2	≤2.0 & > 0 ¹ in. wc			.13	.31	.14	STBY	STBY	STBY	
		PDI-812-3	≤2.0 & > 0 ¹ in. wc			.30	.31	.31	STBY	STBY	STBY	
		PDI-812-4	≤2.0 & > 0 ¹ in. wc			.30	.30	.31	STBY	STBY	STBY	
		PDI-812-5	≤2.0 & > 0 ¹ in. wc			.37	.36	.38	STBY	STBY	STBY	
4.1.3.4 ²	200 area glovebox exhaust filter plenum (FF851) ΔP	'PDI-813-1	≤2.0 & > 0 ¹ in. wc			STBY	STBY	STBY	.09	.09	.09	
		PDI-813-2	≤2.0 & > 0 ¹ in. wc			STBY	STBY	STBY	.29	.26	.28	
		PDI-813-3	≤2.0 & > 0 ¹ in. wc			STBY	STBY	STBY	.22	.21	.21	
		PDI-813-4	≤2.0 & > 0 ¹ in. wc			STBY	STBY	STBY	.30	.30	.30	
		PDI-813-5	≤2.0 & > 0 ¹ in. wc			STBY	STBY	STBY	.39	.38	.38	
4.1.3.4 ³	IFIT exhaust filter plenum (FF-865) ΔP	'PDI-865-1	≤2.0 & > 0 ¹ in. wc			.02	.02	.02	.02	.02	.02	
		PDI-865-2	≤2.0 & > 0 ¹ in. wc			.33	.32	.32	.34	.34	.33	
		PDI-865-3	≤2.0 & > 0 ¹ in. wc			.32	.31	.32	.29	.30	.30	
4.1.3.4 ⁴	IFIT supply filter plenum (HVP-863) ΔP	'PDI-863-1	≤2.0 & > 0 ¹ in. wc			.05	.05	.04	.05	.05	.05	
		PDI-863-2	≤2.0 & > 0 ¹ in. wc			.30	.30	.30	.29	.29	.29	

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 4 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS							
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.1.3.4 ³	North Basement supply filter plenum (HVP-840) ΔP	PDI-857-1	≤ 2.0 > 0 ¹ in. wc	PS	6/25/18	4/24/18	6/27/18	6-28-18	6/29/18	6-30-18		
4.1.3.4 ³	North corridor supply filter plenum (HVP-809) ΔP	PDI-857-2	≤ 2.0 > 0 ¹ in. wc	PT								
'NA	Combustible exclusion area around basement exhaust fans FE828, FE829 and bleed-off fans FE820A, FE820B, FE820C, FE822A, FE822B, FE822C	PDI-856-1	≤ 2.0 > 0 ¹ in. wc									
4.3.2.2 ²	Room 201	PDI-856-2	≤ 2.0 > 0 ¹ in. wc									
4.3.2.2 ²	Room 204		0 lb/ft ² combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less									

ATTACHMENT B-2: Daily Surveillance Rounds (PF-4 North Side) [UET]

(Page 5 of 5)

SRs	Description	Gauge	Acceptance Criteria	Initials:	SURVEILLANCE RESULTS							
					Date:	Weekday:	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.
4.3.2.2 ¹	Room 206		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	W	EA	JH	PT	JH	PT	PT	6-30-18	6-30-18
4.3.2.2 ¹	Room 207		0 lb/ft ³ combustibles within 3.5 feet perpendicular from the face of the PMMA, the width of the aisles between gloveboxes, or up to the walls of the rooms, whichever is less	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT	SAT
OC Operator Review and Page Count Complete (initials)					OBIS	1017	0810	0900	0850	0746	0746	0746
Completion time					W	EA	JH	PT	JH	PT	PT	PT

¹ Non TSR requirement

² SR 4.1.1.7 applies during Mode 1 as stated in LCO 3.1.1. SR's 4.1.3.4 and 4.3.2.2 apply during both Mode 1 and Mode 2.

Note: Rooms 201, 206 & 207 must be entered for surveillance even if they are red lit, room 204 can be viewed through the window. Notify the Operations Center of any rooms that are unable to be entered for the performance of rounds, Operations Center will make a logbook entry recording the room(s) and reason(s) for non-entry. Document in the comments section any room(s) and reason(s) they were unable to be entered for rounds.

PT 6-30-18 4:30¹⁶

Completed by: Paul Treviño Date: 6-30-18 Time: 0746 Reviewed by: [Signature] Date: 7-5-18 Time: 1017

On-duty Supervisor

Comments: _____

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UET]
(Page 1 of 2)

NOTE: This entire Attachment is to be treated as Surveillance Requirement implementing actions.

SRs	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
*Note	Confinement DR-344	Southeast	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat/Unsat.	14:20	6-28-18	PT
4.1.3.2 ¹	Confinement Door DR-344	Southeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat/Unsat.	14:20	6-28-18	PT
4.1.3.2 ¹	Confinement Door DR-149	Northeast	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door).	Sat/Unsat.	13:14	6-28-18	PT
*Note	Confinement DR-102	Northwest	Verify that the Astragals and Jamb-Seal features are in-place and cover the gaps present 1. Between the door leaves and 2. Between the frame and the door edge when the doors are in the closed position	Sat/Unsat.	13:30	6-28-18	PT
4.1.3.2 ¹	Confinement Door DR-102	Northwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door) AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is ≤ 30 seconds. 7 _____ Seconds	Sat/Unsat.	13:30	6-28-18	PT

* Note: Monthly Inspection of DR-344 and DR-102 in accordance with compensatory measure(s) from: Request for Permanent Equivalency to OE Order 420.1B Chapter II, NFPA 80, NFPA 101 and IBC Requirements for LANL Building TA55-4 (PF-4). Installation of New Confinement Doors DR-102, DR-302, and DR-344 LANL-DOE-ORDER-420.1B-EQ-2013-001

ATTACHMENT D: Monthly Surveillance Rounds (Confinement Doors) [UET]
(Page 2 of 2)

SRS	Equipment	Location	Acceptance criteria	Sat or Unsat.	Completion Time:	Date:	Initials
4.1.3.2 ¹	Confinement Door DR-302	Southwest	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door) AND VERIFY and RECORD the time (using calibrated stop watch) that the door(s) go to the fully closed position via the automatic door closure is ≤ 30 seconds. 8.2 _____ Seconds	<input checked="" type="radio"/> Sat <input type="radio"/> Unsat.	13:43	6-28-18	PT
4.1.3.2 ¹	Confinement Door DR-4	N. Basement Personnel door DR-4	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure	<input checked="" type="radio"/> Sat <input type="radio"/> Unsat.	14:13	6-28-18	PT
4.1.3.2 ¹	Confinement Door DR-90	South Basement Door (Tunnel)	Exercise fully open and Verify that the door goes to the fully closed position via the automatic door closure. For each confinement door, VERIFY that one leaf of the door(s) is secured shut (NW, NE, SW, SE, south basement door)	<input checked="" type="radio"/> Sat <input type="radio"/> Unsat.	14:53	6-28-18	PT
OC Operator Review and Page Count Complete							

¹ SR 4.1.3.2 applies during both Mode 1 and Mode 2.

Completed by: Paul Zuyillo Date: 6-28-18 Time: 14:53 Reviewed by: John W. Alley Date: 6/28/18 Time: 1615

On-duty Supervisor Comments

Los Alamos National Laboratory

AI 856 | Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1 – June 30, 2018

Attachment A806.A. – External Combustion

20.2.61 NMAC Opacity

Use of pipeline quality natural gas at LANL meets the requirement at Condition A805.A and constitutes compliance with 20.2.61 NMAC. Opacity did not exceed 20% over a 10-minute period and no visible emissions occurred during steady state operation.

Los Alamos National Laboratory

AI 856 | Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1 – June 30, 2018

Attachment A806.C. – External Combustion

20.2.61 NMAC Opacity – Units RLUOB-BHWs Fuel Oil-
Fired

No fuel oil was used in the RLUOB Boilers during this certification period and no opacity measurements were required.

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A807.A.

External Combustion

Natural Gas Usage and Rolling 12-Month Total

2018 Small Boilers Data Entry / Gas Use

		Metered Boilers			Total Gas Use for all Small Boilers ^(a)		Non-Metered Gas Use	12-Month Rolling Total for all Small Boilers (MMscf) ^(c)
		TA-55 Boiler Gas Use (Mscf) ^(b)		CMRR-RLUOB Gas Use (Mscf)				
		Month	BRW-1B (B-602) ID (B-0016)	BRW-2B (B-603) ID (B-0017)	All 3 Boilers NMED IDs 90, 104, and 105	(Mscf)	(MMscf)	(MMscf)
Data Entry	January	526	1715	329	61,770	61.77	59.20	381.08
	February	5	2115	228	51,901	51.90	49.55	384.44
	March	2	2048	253	49,678	49.68	47.38	392.64
	April	581	1094	186	30,449	30.45	28.59	387.25
	May	183	1039	75	22,507	22.51	21.21	387.36
	June	1	1048	57	6,301	6.30	5.20	385.38
	July							
	August							
	September							
	October							
	November							
	December							
TOTAL		1298	9059	1128	222,606	222.61	211.12	
Reviewed by: Margie Stockton 7/10/2018					12 Month Limit (MMscf) = 870			

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A807.B.

External Combustion

RLUOB Boilers Natural Gas and Fuel Oil Usage

Boilers at the RLUOB did not use fuel oil during this certification period.

Please see Attachment A807.A. for natural gas use by the RLUOB boilers

AI 856 | Los Alamos National Laboratory
Operating Permit P100-R2M1 & P100-R2M2
Monitoring Period January 1 – June 30, 2018

Attachment A807.C. & D. – External Combustion Fuel Oil Sulfur Content

LANL purchases only fuel oil with ultra-low sulfur content; fuel oil was not used in the TA-55-6 Boilers or RLUOB Boilers during this reporting period

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1 – June 30, 2018

Attachment A807.E. – External Combustion Initial Compliance Testing (unit RLUOB-BHW-4)

Unit RLUOB-BHW-4 has not been installed.

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A807.F.

External Combustion

Operational Inspection for Sources listed in Table 800.A.

Annual preventive maintenance was not conducted during this monitoring period. Inspections are planned for 2H2018.

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A907.A.

Chemical Usage

Chemical Purchases from ChemDB

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526321	60-29-7	DIETHYL ETHER ANHYDROUS	1	Liters(L)	01/02/18
1526322	60-29-7	DIETHYL ETHER ANHYDROUS	1	Liters(L)	01/02/18
1526323	110-71-4	1 2-DIMETHOXYETHANE	100	Milliliter(ML)	01/02/18
1526324	110-71-4	1 2-DIMETHOXYETHANE	100	Milliliter(ML)	01/02/18
1526325	-	Etidronic acid	100	Gram(GM)	01/02/18
1526326	-	Etidronic acid	100	Gram(GM)	01/02/18
1526327	127-19-5	N N-DIMETHYL ACETAMIDE	1	Liters(L)	01/02/18
1526328	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526329	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526330	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526331	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526332	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526333	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526334	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526335	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526336	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526337	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526338	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526339	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526340	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526341	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526342	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526343	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	01/02/18
1526344	10125-13-0	CUPRIC CHLORIDE DIHYDRATE	125	Gram(GM)	01/02/18
1526345	-	Micro-90 Cleaning Solution	1	Liters(L)	01/02/18
1526346	12007-60-2	LITHIUM TETRABORATE	1	Kilograms(KG)	01/02/18
1526347	28240-69-9	1 2-BIS(DICHLOROPHOSPHINO)ETHANE	10	Gram(GM)	01/02/18
1456622	-	SODIUM BISULFITE SOLUTION	2464	Pounds(LB)	01/02/18
1456623	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/02/18
1456624	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/02/18
1456625	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/02/18
1456626	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/02/18
1456627	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/02/18
1456628	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/02/18
1456629	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/02/18
1354946	-	RED GAGE OIL	15	Ounces(OZ)	01/02/18
1354947	-	RED GAGE OIL	15	Ounces(OZ)	01/02/18
1526351	109-66-0	N-PENTANE	1	Liters(L)	01/03/18
1526352	109-66-0	N-PENTANE	1	Liters(L)	01/03/18
1526353	-	TORR SEAL	135	Gram(GM)	01/03/18
1526354	59863-13-7	BIS[BIS(TRIMETHYLSILYL)-AMINO]TIN(II)	5	Milliliter(ML)	01/03/18
1526355	20769-85-1	a-Bromoisobutyryl bromide	100	Gram(GM)	01/03/18
1526356	23978-09-8	KRYPTOFIX 222	5	Gram(GM)	01/03/18
1526357	23978-09-8	KRYPTOFIX 222	5	Gram(GM)	01/03/18
1526358	23978-09-8	KRYPTOFIX 222	5	Gram(GM)	01/03/18
1526359	23978-09-8	KRYPTOFIX 222	5	Gram(GM)	01/03/18
1526360	23978-09-8	KRYPTOFIX 222	5	Gram(GM)	01/03/18
1526361	23978-09-8	KRYPTOFIX 222	5	Gram(GM)	01/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526362	1076-43-3	BENZENE-D6	10	Gram(GM)	01/03/18
1526363	872-36-6	Vinylene carbonate	25	Gram(GM)	01/03/18
1526364	13573-08-5	GERMANIUM (II) IODIDE	1	Gram(GM)	01/03/18
1526365	21668-77-9	1 3-Propanedisulfonic acid	25	Milliliter(ML)	01/03/18
1526366	21668-77-9	1 3-Propanedisulfonic acid	25	Milliliter(ML)	01/03/18
1526367	6419-19-8	Nitritotri(methylphosphonic acid)	10	Gram(GM)	01/03/18
1526368	584-08-7	POTASSIUM CARBONATE (POTASH) ANHYDROUS	500	Gram(GM)	01/03/18
1526369	2462-34-2	L-Valine benzyl ester hydrochloride	25	Gram(GM)	01/03/18
1526370	7439-91-0	LANTHANUM	125	Milliliter(ML)	01/03/18
1526371	28166-41-8	ALPHA-CYANO-4-HYDROXYCINNAMIC ACID	10	Milligram(MG)	01/03/18
1526372	490-79-9	2 5-DIHYDROXYBENZOIC ACID	10	Milligram(MG)	01/03/18
1526373	530-59-6	3 5-DIMETHOXY-4-HYDROXY CINNAMIC ACID	10	Milligram(MG)	01/03/18
1526374	-	FMOC-GLY-WANG RESIN	25	Gram(GM)	01/03/18
1526375	762-04-9	DIETHYL PHOSPHITE	250	Gram(GM)	01/03/18
1526376	7440-55-3	GALLIUM	50	Gram(GM)	01/03/18
1526377	7439-93-2	LITHIUM	25	Gram(GM)	01/03/18
1526409	-	MICRO-BLAZE EMERGENCY LIQUID SPILL	5	Gallon(GAL)	01/03/18
1526410	-	MICRO-BLAZE EMERGENCY LIQUID SPILL	5	Gallon(GAL)	01/03/18
1526411	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526412	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526413	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526414	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526415	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526416	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526417	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526418	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526419	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526420	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/03/18
1526421	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526422	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526423	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526424	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526425	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526426	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526427	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526428	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526429	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526430	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526431	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526432	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526433	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526434	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526435	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526436	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526437	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526438	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526439	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526440	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526441	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526442	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526443	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526444	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526445	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526446	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526447	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526448	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526449	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526450	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/03/18
1526451	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/03/18
1526452	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/03/18
1526453	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/03/18
1526454	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/03/18
1526455	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526456	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526457	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526458	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526459	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526460	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526461	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526462	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526463	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526464	-	TITRAVER (EDTA) HARDNESS TITRANT	13	Milliliter(ML)	01/03/18
1526465	-	BROMCRESOL GREEN-METHYL RED	100	Milliliter(ML)	01/03/18
1526466	-	BROMCRESOL GREEN-METHYL RED	100	Milliliter(ML)	01/03/18
1526467	-	BROMCRESOL GREEN-METHYL RED	100	Milliliter(ML)	01/03/18
1526468	-	BROMCRESOL GREEN-METHYL RED	100	Milliliter(ML)	01/03/18
1526469	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526470	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526471	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526472	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526473	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526474	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526475	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526476	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526477	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526478	-	HIGH RANGE SILICA TEST KIT	10	Milliliter(ML)	01/03/18
1526479	-	H-LYS(BOC)-2-CL-TRT RESIN	5	Gram(GM)	01/03/18
1526480	-	TORR SEAL	118	Gram(GM)	01/03/18
1526481	-	TORR SEAL	118	Gram(GM)	01/03/18
1526482	-	TORR SEAL	118	Gram(GM)	01/03/18
1526483	-	TORR SEAL	118	Gram(GM)	01/03/18
1526484	-	TORR SEAL	118	Gram(GM)	01/03/18
1526485	-	TORR SEAL	118	Gram(GM)	01/03/18
1526486	-	TORR SEAL	118	Gram(GM)	01/03/18
1526487	-	TORR SEAL	118	Gram(GM)	01/03/18
1526488	-	TORR SEAL	118	Gram(GM)	01/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526489	-	TORR SEAL	118	Gram(GM)	01/03/18
1526490	821-48-7	BIS-(2-CHLOROETHYL)-AMINE	250	Gram(GM)	01/03/18
1526491	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	01/03/18
1526492	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	01/03/18
1526493	1310-58-3	POTASSIUM HYDROXIDE 45 % SOLUTION	500	Milliliter(ML)	01/03/18
1526494	26628-22-8	SODIUM AZIDE	25	Gram(GM)	01/03/18
1526495	999-97-3	1 1 1 3 3 3-HEXAMETHYLDISILAZANE	100	Milliliter(ML)	01/03/18
1420277	-	EPOXY ADHESIVE	1	Pounds(LB)	01/03/18
1420278	-	EPOXY ADHESIVE	7	Ounces(OZ)	01/03/18
1472396	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/03/18
1472397	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/03/18
1472398	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/03/18
1472399	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/03/18
1472400	-	PSX 700 CURE	0.2	Gallon(GAL)	01/03/18
1472401	-	PSX 700 CURE	0.2	Gallon(GAL)	01/03/18
1472402	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/03/18
1472403	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/03/18
1472404	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472405	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472406	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472407	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472408	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472409	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472410	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472411	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472412	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1472413	-	Blue Monster PTFE Pipe Thread Sealant	8	Ounces(OZ)	01/03/18
1386705	-	VACUUM GREASE	5.3	Ounces(OZ)	01/03/18
1506928	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/04/18
806752	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806753	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806754	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806755	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806756	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806757	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806758	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806759	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806760	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
806761	-	HIGH VACUUM GREASE	25	Gram(GM)	01/04/18
1472440	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472441	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472442	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472443	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472444	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472445	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472446	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472447	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472448	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472449	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472450	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472451	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472452	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472453	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472454	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472455	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472456	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472457	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472458	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472459	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472460	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472461	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472462	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472463	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472464	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472465	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472466	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472467	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472468	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472469	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472470	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472471	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472472	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472473	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472474	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472475	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472476	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472477	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472478	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472479	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472480	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472481	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472482	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472483	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472484	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472485	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472486	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/04/18
1472487	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/04/18
1472488	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/04/18
1472489	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/04/18
1453035	-	Capstone FS-61 Fluorosurfactant	8	Ounces(OZ)	01/04/18
1526378	13476-99-8	VANDIUM ACETYLACETONATE	50	Gram(GM)	01/04/18
1526379	13476-99-8	VANDIUM ACETYLACETONATE	50	Gram(GM)	01/04/18
1526380	119-47-1	2 2'-Methylenebis(6-tert-butyl-4-methylphenol)	500	Gram(GM)	01/04/18
1472490	-	COLORTREND BROWN OXIDE 888-1572	1	Liters(L)	01/04/18
1472491	-	COLORTREND BROWN OXIDE 888-1572	1	Liters(L)	01/04/18
1472492	-	COLORTREND BROWN OXIDE 888-1572	1	Liters(L)	01/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472493	-	COLORTREND BROWN OXIDE 888-1572	1	Liters(L)	01/04/18
1472494	-	COLORTREND BROWN OXIDE 888-1572	1	Liters(L)	01/04/18
1472495	-	COLORTREND BROWN OXIDE 888-1572	1	Liters(L)	01/04/18
1472497	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1472498	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1472499	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1472500	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1472501	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1472502	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1472503	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1472504	-	TRAFFIC PAINT YELLOW	1	Gallon(GAL)	01/04/18
1526381	2622-05-1	ALLYLMAGNESIUM CHLORIDE	800	Milliliter(ML)	01/04/18
1526497	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	01/04/18
1526498	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	01/04/18
1526499	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	01/04/18
1526500	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	01/04/18
1472505	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1472506	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1472507	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1472508	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1472509	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1472510	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1472511	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1472512	-	COTE ALL WHITE BASE	3.7	Liters(L)	01/04/18
1526501	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	01/04/18
1526502	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	01/04/18
1526503	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	01/04/18
1526504	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	01/04/18
1526505	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	01/04/18
1526506	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	01/04/18
1526507	2158-14-7	4-Acetamidobenzenesulfonyl azide	25	Gram(GM)	01/04/18
1526508	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526509	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526510	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526511	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526512	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526513	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526514	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526515	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526516	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526517	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	01/04/18
1526518	1310-73-2	SODIUM HYDROXIDE 50%	500	Milliliter(ML)	01/04/18
1526519	1310-73-2	SODIUM HYDROXIDE 50%	500	Milliliter(ML)	01/04/18
1526520	1310-73-2	SODIUM HYDROXIDE 50%	500	Milliliter(ML)	01/04/18
1526521	7681-11-0	POTASSIUM IODIDE	100	Gram(GM)	01/04/18
1526522	426-65-3	Ethyl pentafluoropropionate	25	Gram(GM)	01/04/18
1526523	426-65-3	Ethyl pentafluoropropionate	25	Gram(GM)	01/04/18
1526524	121-45-9	TRIMETHYL PHOSPHITE	250	Milliliter(ML)	01/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526525	13294-71-8	2-BROMO-2-BUTENE	100	Gram(GM)	01/04/18
1472513	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1472514	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1472515	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1472516	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1472517	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1472518	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1472519	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1472520	-	MULTI-PURPOSE ENAMEL YELLOW	3.7	Liters(L)	01/04/18
1526527	13477-89-9	NEODYMIUM(III) CHLORIDE HEXAHYDRATE	25	Gram(GM)	01/04/18
1526528	-	Triaminetetraacetate sodium salt-functionalized	10	Gram(GM)	01/04/18
1526529	2004-14-0	LITHIUM TRIMETHYLSILANOLATE SOLUTION	10	Gram(GM)	01/04/18
1526530	644-97-3	DICHLOROPHENYLPHOSPHINE	250	Gram(GM)	01/04/18
1526531	144-55-8	SODIUM BICARBONATE	2.5	Kilograms(KG)	01/04/18
1526532	7757-82-6	SODIUM SULFATE	1	Kilograms(KG)	01/04/18
1526533	7647-14-5	SODIUM CHLORIDE	2.5	Kilograms(KG)	01/04/18
1526534	811-98-3	METHANOL D4	7.5	Milliliter(ML)	01/04/18
1526535	7758-02-3	POTASSIUM BROMIDE	100	Gram(GM)	01/04/18
1526536	7681-11-0	POTASSIUM IODIDE	100	Gram(GM)	01/04/18
1526537	-	Phenethylammonium Iodide	25	Gram(GM)	01/04/18
1526538	-	NAFION PERFLUORINATED ION EXCHANGE	25	Milliliter(ML)	01/04/18
1526539	-	NAFION PERFLUORINATED ION EXCHANGE	25	Milliliter(ML)	01/04/18
1526540	13831-31-7	ACETOXYACETYL CHLORIDE	25	Gram(GM)	01/04/18
1526541	13831-31-7	ACETOXYACETYL CHLORIDE	25	Gram(GM)	01/04/18
1526599	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526600	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526601	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526602	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526603	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526604	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526605	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526606	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526607	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526608	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526609	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1526610	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/04/18
1472521	-	LAQUER THINNER	1	Gallon(GAL)	01/04/18
1472522	-	LAQUER THINNER	1	Gallon(GAL)	01/04/18
1472523	-	LAQUER THINNER	1	Gallon(GAL)	01/04/18
1472524	-	LAQUER THINNER	1	Gallon(GAL)	01/04/18
1472529	-	PSX 700 CURE	0.17	Gallon(GAL)	01/04/18
1472527	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472528	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472530	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	01/04/18
1472531	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	01/04/18
1472532	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	01/04/18
1472534	-	PSX 700 LIGHT TINT RESIN	0.67	Gallon(GAL)	01/04/18
1472535	-	PSX 700 LIGHT TINT RESIN	0.67	Gallon(GAL)	01/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472536	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472537	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472538	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472539	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472540	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472541	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472542	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472543	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472544	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472545	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472546	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472547	-	PSX 700 CURE US	0.2	Gallon(GAL)	01/04/18
1472548	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	01/04/18
1472525	-	PSX 700A Clear Coat Resin	0.83	Gallon(GAL)	01/04/18
1472526	-	PSX 700A Clear Coat Resin	0.83	Gallon(GAL)	01/04/18
1472554	-	PSX 700A Clear Coat Resin	0.83	Gallon(GAL)	01/04/18
1472555	-	PSX 700A Clear Coat Resin	0.83	Gallon(GAL)	01/04/18
1472556	-	PSX 700A Clear Coat Resin	0.83	Gallon(GAL)	01/04/18
1472557	-	PSX 700A Clear Coat Resin	0.83	Gallon(GAL)	01/04/18
1472558	-	PSX 700A Clear Coat Resin	0.83	Gallon(GAL)	01/04/18
1472559	-	PERMACRYL INTERIOR SEMI-GLOSS NEUTRAL	3.4	Liters(L)	01/04/18
1472560	-	PERMACRYL INTERIOR SEMI-GLOSS NEUTRAL	3.4	Liters(L)	01/04/18
1472561	-	PERMACRYL INTERIOR SEMI-GLOSS NEUTRAL	3.4	Liters(L)	01/04/18
1472562	-	PERMACRYL INTERIOR SEMI-GLOSS NEUTRAL	3.4	Liters(L)	01/04/18
1472563	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472564	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472565	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472566	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472567	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472568	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472569	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472570	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472571	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472572	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472573	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
1472574	-	PSX 700 LIGHT TINT RESIN	0.64	Gallon(GAL)	01/04/18
120267	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420294	-	INDOOR/OUTDOOR PAINT	1	Ounces(OZ)	01/05/18
1420285	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420276	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420275	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420284	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420293	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420274	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420283	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420292	-	INDOOR/OUTDOOR PAINT	12	Ounces(OZ)	01/05/18
1420286	-	CLEAR ACRYLIC SPRAY	12	Ounces(OZ)	01/05/18
1420287	-	SMOOTH-ON BLACK EPOXY CEMENT	4	Ounces(OZ)	01/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1420279	-	SMOOTH-ON PART B	4	Milliliter(ML)	01/05/18
1420288	-	ANTI SEIZE LUBRICANT	8	Ounces(OZ)	01/05/18
1386706	-	FLUORESBRITE MICROSPHERE	2	Milliliter(ML)	01/05/18
1526496	8042-47-5	MINERAL OIL	55	Gallon(GAL)	01/05/18
1526526	693-98-1	2-METHYLIMIDAZOLE	100	Gram(GM)	01/05/18
1526542	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526543	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526544	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526545	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526546	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526547	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526548	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526549	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526550	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526551	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526552	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526553	-	PICK-PROOF ADHESIVE SEALANT	10.3	Ounces(OZ)	01/05/18
1526554	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	01/05/18
1526555	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	01/05/18
1526556	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	01/05/18
1526557	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	01/05/18
1526558	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	01/05/18
1526559	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	01/05/18
1526560	7440-55-3	GALLIUM	125	Milliliter(ML)	01/05/18
1526561	75-12-7	FORMAMIDE	100	Milliliter(ML)	01/05/18
1526562	7787-70-4	COPPER(I) BROMIDE	50	Gram(GM)	01/05/18
1526563	10124-56-8	SODIUM HEXAMETAPHOSPHATE	1	Kilograms(KG)	01/05/18
1526564	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	01/05/18
1526565	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	01/05/18
1526566	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	01/05/18
1526567	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	01/05/18
1526568	12014-56-1	CERIUM(IV) HYDROXIDE	50	Gram(GM)	01/05/18
1526569	7440-50-8	COPPER POWDER	5	Pounds(LB)	01/05/18
1526570	7440-50-8	COPPER POWDER	5	Pounds(LB)	01/05/18
1526571	7440-50-8	COPPER POWDER	5	Pounds(LB)	01/05/18
1526611	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	01/05/18
1526612	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	01/05/18
1526613	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	01/05/18
1526614	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	01/05/18
1526615	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	01/05/18
1526616	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	01/05/18
1526617	-	DMPC POLAR LIPIDS 1GR	1	Gram(GM)	01/05/18
1526618	-	DMPC POLAR LIPIDS 1GR	1	Gram(GM)	01/05/18
1456630	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/05/18
1506929	7440-59-7	HELIUM	20	Cubic Feet(CF)	01/05/18
1506930	-	oxygen nitrogen	34	Liters(L)	01/05/18
1506931	-	oxygen nitrogen	34	Liters(L)	01/05/18
1506932	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1506933	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	250	Liters(L)	01/05/18
1506934	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506935	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506936	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506937	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506938	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506939	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506940	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506941	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506942	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506943	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506944	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506945	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/05/18
1506946	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506947	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506948	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506949	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506950	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506951	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506952	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506953	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506954	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506955	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506956	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506957	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506958	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506959	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506960	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506961	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506962	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506963	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506964	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506965	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506966	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506967	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506968	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506969	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506970	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506971	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506972	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506973	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506974	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506975	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506976	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506977	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506978	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506979	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/05/18
1506980	-	Helium UHP	220	Cubic Feet(CF)	01/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1506981	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506982	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506983	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506984	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506985	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506986	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506987	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506988	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506989	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506990	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506991	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506992	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506993	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506994	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506995	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506996	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506997	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506998	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1506999	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1507000	-	Helium UHP	220	Cubic Feet(CF)	01/05/18
1507001	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507002	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507003	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507004	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507005	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507006	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507007	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507008	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507009	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507010	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507011	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507012	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507013	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507014	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507015	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507016	74-98-6	PROPANE	11	Gallon(GAL)	01/05/18
1507017	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507018	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507019	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507020	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507021	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507022	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507023	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507024	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507025	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507026	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507027	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507028	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507029	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507030	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507031	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507032	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507033	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507034	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507035	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507036	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507037	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507038	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507039	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/05/18
1507040	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507041	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507042	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507043	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507044	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507045	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507046	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507047	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507048	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507049	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507050	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507051	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507052	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507053	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507054	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507055	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507056	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507057	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507058	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507059	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507060	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507061	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507062	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507063	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507064	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507065	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507066	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507067	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507068	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507069	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507070	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507071	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507072	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507073	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507074	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/05/18
1507075	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507076	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507077	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507078	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507079	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507080	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507081	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507082	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507083	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507084	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507085	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507086	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507087	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507088	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507089	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507090	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507091	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507092	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507093	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507094	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507095	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507096	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507097	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507098	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507099	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507100	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507101	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507102	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507103	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507104	-	Nitrogen UHP	220	Cubic Feet(CF)	01/05/18
1507105	-	oxygen nitrogen	220	Cubic Feet(CF)	01/05/18
1507106	-	Hydrogen UHP	220	Cubic Feet(CF)	01/05/18
1507107	-	Hydrogen UHP	220	Cubic Feet(CF)	01/05/18
1507108	-	Hydrogen UHP	220	Cubic Feet(CF)	01/05/18
1507109	-	Hydrogen UHP	220	Cubic Feet(CF)	01/05/18
1507110	-	Hydrogen UHP	220	Cubic Feet(CF)	01/05/18
1493191	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493192	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493193	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493194	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493195	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493196	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493197	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493198	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493199	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493200	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493201	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493202	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493203	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493204	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493205	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493206	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493207	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493208	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493209	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493210	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493211	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493212	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493213	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493214	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493215	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493216	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493217	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493218	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493219	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493220	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493221	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493222	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493223	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493224	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493225	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493226	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493227	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493228	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493229	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493230	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493231	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493232	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493233	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493234	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493235	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493236	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493237	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493238	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493239	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493240	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493241	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493242	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493243	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493244	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493245	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493246	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493247	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493248	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493249	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493250	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493251	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493252	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493253	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493254	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493255	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493256	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493257	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493258	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493259	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493260	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493261	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493262	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493263	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493264	-	RV ANTIFREEZE	1	Gallon(GAL)	01/08/18
1493265	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493266	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493267	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493268	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493269	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493270	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493271	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493272	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493273	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493274	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493275	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493276	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493277	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493278	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493279	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493280	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493281	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493282	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493283	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493284	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/08/18
1493285	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493286	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493287	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493288	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493289	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493290	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493291	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493292	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493293	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493294	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493295	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493296	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493297	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493298	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493299	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493300	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493301	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493302	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493303	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493304	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493305	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493306	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493307	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493308	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493309	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493310	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493311	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493312	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/08/18
1493313	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493314	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493315	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493316	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493317	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493318	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493319	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493320	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493321	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493322	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493323	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493324	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493325	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493326	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493327	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493328	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493329	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493330	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493331	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493332	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493333	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493334	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493335	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493336	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493337	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493338	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493339	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493340	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493341	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493342	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493343	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493344	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493345	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493346	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493347	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493348	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493349	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493350	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493351	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493352	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493353	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493354	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493355	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493356	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493357	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493358	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493359	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493360	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493361	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493362	78-48-8	DEF	2.5	Gallon(GAL)	01/08/18
1493363	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493364	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493365	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493366	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493367	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493368	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493369	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493370	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493371	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493372	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493373	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493374	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493375	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493376	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493377	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493378	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493379	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493380	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493381	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493382	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493383	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493384	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493385	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493386	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493387	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493388	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493389	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493390	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493391	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493392	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493393	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493394	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493395	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493396	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493397	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493398	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493399	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493400	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493401	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493402	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493403	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493404	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493405	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493406	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493407	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493408	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493409	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493410	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493411	-	SAE 5W-30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493412	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493413	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493414	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493415	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493416	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493417	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493418	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493419	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493420	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493421	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493422	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493423	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493424	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493425	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493426	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493427	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493428	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493429	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493430	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493431	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493432	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493433	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493434	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493435	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1485171	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485172	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485173	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485174	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485175	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485176	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485177	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485178	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485179	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485180	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485181	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485182	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485183	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485184	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485185	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485186	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485187	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485188	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485189	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485190	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485191	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485192	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485193	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1485194	-	5-MINUTE EPOXY	1	Ounces(OZ)	01/08/18
1493436	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493437	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493438	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493439	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493440	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493441	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493442	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493443	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493444	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493445	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493446	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493447	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493448	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493449	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493450	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493451	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493452	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493453	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493454	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493455	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493456	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493457	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493458	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493459	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493460	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493461	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	01/08/18
1493462	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493463	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493464	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493465	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493466	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493467	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493468	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493469	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493470	-	SAE 0W-20 Synthetic Motor Oil	1	Quarts(QT)	01/08/18
1493471	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493472	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493473	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
1493474	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/08/18
931190	-	SCOTCHCAST ELECTRICAL RESIN	0.5	Pounds(LB)	01/08/18
931191	-	SCOTCHCAST ELECTRICAL RESIN	0.5	Pounds(LB)	01/08/18
931192	-	SCOTCHCAST ELECTRICAL RESIN	0.5	Pounds(LB)	01/08/18
931193	-	SCOTCHCAST ELECTRICAL RESIN	0.5	Pounds(LB)	01/08/18
931194	-	SCOTCHCAST ELECTRICAL RESIN	0.5	Pounds(LB)	01/08/18
931195	-	SCOTCHCAST ELECTRICAL RESIN	0.5	Pounds(LB)	01/08/18
1526572	-	OUTPUT THERMAL CONDUCTIVE ADHESIVE	6	Milliliter(ML)	01/08/18
1526573	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	01/08/18
1526574	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	01/08/18
1526575	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	01/08/18
1526576	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	01/08/18
1526577	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	2	Ounces(OZ)	01/08/18
1526578	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	2	Ounces(OZ)	01/08/18
1526579	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	2	Ounces(OZ)	01/08/18
1526580	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	2	Ounces(OZ)	01/08/18
1526581	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	01/08/18
1526582	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	01/08/18
1526583	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	01/08/18
1526584	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	01/08/18
1526585	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	01/08/18
1526586	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	01/08/18
1526587	1109-15-5	TRIS(PENTAFLUOROPHENYL)BORANE	5	Gram(GM)	01/08/18
1526588	13276-04-5	PH3B-NH3 COMPLEX	1	Gram(GM)	01/08/18
1526589	-	HSG Heat sink grease	5	Ounces(OZ)	01/08/18
1526590	-	HSG Heat sink grease	5	Ounces(OZ)	01/08/18
1526591	-	CLEANER/DISINFECTANT IODINE BASED	16	Ounces(OZ)	01/08/18
1526592	-	CLEANER/DISINFECTANT IODINE BASED	16	Ounces(OZ)	01/08/18
1526593	-	CLEANER/DISINFECTANT IODINE BASED	16	Ounces(OZ)	01/08/18
1526594	-	CLEANER/DISINFECTANT IODINE BASED	16	Ounces(OZ)	01/08/18
1526595	-	CLEANER/DISINFECTANT IODINE BASED	16	Ounces(OZ)	01/08/18
1526596	-	CLEANER/DISINFECTANT IODINE BASED	16	Ounces(OZ)	01/08/18
1526619	67-68-5	Quant-iT Qubit ssDNA Assay Kit	500	Milliliter(ML)	01/08/18
1526620	60177-39-1	DOWEX AG 1-X2 RESIN 100-200 MESH CHLORIDE	500	Gram(GM)	01/08/18
1526621	1330-20-7	XYLENES	2.5	Liters(L)	01/08/18
1526622	109-97-7	PYRROLE 99%	100	Milliliter(ML)	01/08/18
1526671	10294-41-4	CERIUM(III) NITRATE HEXAHYDRATE	100	Gram(GM)	01/08/18
1526672	1306-38-3	CERIUM (IV) OXIDE 99.9%	5	Gram(GM)	01/08/18
1526673	10026-22-9	COBALT (II) NITRATE HEXAHYDRATE	100	Gram(GM)	01/08/18
1526674	10196-18-6	ZINC NITRATE HEXAHYDRATE	100	Gram(GM)	01/08/18
1526675	27754-99-0	Poly(vinylphosphonic acid)	1	Gram(GM)	01/08/18
1526676	97702-63-1	Poly(3 5 pyridine)	250	Milligram(MG)	01/08/18
1472575	-	HENRY440	1	Gallon(GAL)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472576	-	HENRY440	1	Gallon(GAL)	01/08/18
1472577	-	HENRY440	1	Gallon(GAL)	01/08/18
1472578	-	HENRY440	1	Gallon(GAL)	01/08/18
1472579	-	HENRY440	1	Gallon(GAL)	01/08/18
1472580	-	HENRY440	1	Gallon(GAL)	01/08/18
1472581	-	HENRY440	1	Gallon(GAL)	01/08/18
1472582	-	HENRY440	1	Gallon(GAL)	01/08/18
1472583	-	HENRY440	1	Gallon(GAL)	01/08/18
1472584	-	HENRY440	1	Gallon(GAL)	01/08/18
1472585	-	HENRY440	1	Gallon(GAL)	01/08/18
1472586	-	HENRY440	1	Gallon(GAL)	01/08/18
1472587	-	HENRY440	1	Gallon(GAL)	01/08/18
1472588	-	HENRY440	1	Gallon(GAL)	01/08/18
1472589	-	HENRY440	1	Gallon(GAL)	01/08/18
1472590	-	HENRY440	1	Gallon(GAL)	01/08/18
1472591	-	HENRY440	1	Gallon(GAL)	01/08/18
1472592	-	HENRY440	1	Gallon(GAL)	01/08/18
1472593	-	HENRY440	1	Gallon(GAL)	01/08/18
1472594	-	HENRY440	1	Gallon(GAL)	01/08/18
1472595	-	HENRY440	1	Gallon(GAL)	01/08/18
1472596	-	HENRY440	1	Gallon(GAL)	01/08/18
1472597	-	HENRY440	1	Gallon(GAL)	01/08/18
1472598	-	HENRY440	1	Gallon(GAL)	01/08/18
1472599	-	HENRY440	1	Gallon(GAL)	01/08/18
1472600	-	HENRY440	1	Gallon(GAL)	01/08/18
1472601	-	HENRY440	1	Gallon(GAL)	01/08/18
1472602	-	HENRY440	1	Gallon(GAL)	01/08/18
1472603	-	HENRY440	1	Gallon(GAL)	01/08/18
1472604	-	HENRY440	1	Gallon(GAL)	01/08/18
1472605	-	HENRY440	1	Gallon(GAL)	01/08/18
1472606	-	HENRY440	1	Gallon(GAL)	01/08/18
1472607	-	HENRY440	1	Gallon(GAL)	01/08/18
1472608	-	HENRY440	1	Gallon(GAL)	01/08/18
1472609	-	HENRY440	1	Gallon(GAL)	01/08/18
1472610	-	HENRY440	1	Gallon(GAL)	01/08/18
1472611	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	01/08/18
1472612	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	01/08/18
1472690	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472691	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472692	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472693	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472694	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472695	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472696	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472697	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472698	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472699	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1472700	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472701	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1493477	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	01/08/18
1455164	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1493478	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	01/08/18
1493479	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	01/08/18
1493480	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	01/08/18
1493481	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	01/08/18
1493482	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	01/08/18
1493483	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	01/08/18
1472702	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	01/08/18
1455165	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455166	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455167	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455168	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455169	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455170	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455171	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455172	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1455173	-	MOBIL DTE 25	5	Gallon(GAL)	01/08/18
1472810	-	WEST C-358	55	Gallon(GAL)	01/08/18
1472811	-	WEST C-358	55	Gallon(GAL)	01/08/18
1472812	-	WEST C-358	55	Gallon(GAL)	01/08/18
1472813	-	WEST C-358	55	Gallon(GAL)	01/08/18
1472814	-	WEST C-358	55	Gallon(GAL)	01/08/18
1472815	-	WEST C-358	55	Gallon(GAL)	01/08/18
1493484	-	10W-30 SAE MOTOR OIL	1	Quarts(QT)	01/08/18
1493485	-	10W-30 SAE MOTOR OIL	1	Quarts(QT)	01/08/18
1493486	-	HD 30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493487	-	HD 30 MOTOR OIL	1	Quarts(QT)	01/08/18
1493488	-	AUTOMATIC TRANSMISSION FLUID DEXRON III	1	Quarts(QT)	01/08/18
1493489	-	DOW CORNING(R) HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/08/18
1493490	-	DOW CORNING(R) HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/08/18
1493491	-	DOW CORNING(R) HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/08/18
1493492	-	DOW CORNING(R) HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/08/18
1493493	-	DOW CORNING(R) HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/08/18
1472824	-	PERMACRYL INTERIOR FLAT WHITE BASE DF-1531	5	Gallon(GAL)	01/08/18
1472825	-	PERMACRYL INTERIOR FLAT WHITE BASE DF-1531	5	Gallon(GAL)	01/08/18
1472826	-	COTE ALL SAFETY YELLOW	1	Gallon(GAL)	01/08/18
1472827	-	COTE ALL SAFETY YELLOW	1	Gallon(GAL)	01/08/18
1472828	-	COTE ALL SAFETY YELLOW	1	Gallon(GAL)	01/08/18
1472829	-	COTE ALL SAFETY YELLOW	1	Gallon(GAL)	01/08/18
1472934	-	COTE ALL SAFETY YELLOW	1	Gallon(GAL)	01/08/18
1472935	-	COTE ALL SAFETY YELLOW	1	Gallon(GAL)	01/08/18
1472936	-	COTE ALL SAFETY YELLOW	1	Gallon(GAL)	01/08/18
1472930	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	01/08/18
1472931	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	01/08/18
1472932	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	01/08/18
1472933	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472937	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472938	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472939	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472940	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472941	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472942	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472943	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472944	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472945	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472946	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472947	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472948	-	PermAcryl Interior Latex Satin Enamel DS-1531	5	Gallon(GAL)	01/08/18
1472849	-	LAQUER THINNER	1	Gallon(GAL)	01/08/18
1472850	-	LAQUER THINNER	1	Gallon(GAL)	01/08/18
1472851	-	LAQUER THINNER	1	Gallon(GAL)	01/08/18
1472852	-	LAQUER THINNER	1	Gallon(GAL)	01/08/18
1472853	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/08/18
1472854	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/08/18
1472855	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/08/18
1472856	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/08/18
1472857	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/08/18
1472858	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/08/18
1472859	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472860	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472861	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472862	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472863	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472864	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472865	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472866	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472867	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472868	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472869	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472870	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472871	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472872	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472873	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472874	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472875	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472876	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472877	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472878	-	CARLON REGULAR CLEAR PVC SOLVENT CEMENT	32	Ounces(OZ)	01/08/18
1472906	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472907	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472908	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472909	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472910	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472911	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472912	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472913	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472914	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472915	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472916	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1472917	-	SILICONE PLUS	0.8	Ounces(OZ)	01/08/18
1493494	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	01/09/18
1493495	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	01/09/18
1493496	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	01/09/18
1493497	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	01/09/18
1493498	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	01/09/18
1493499	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	01/09/18
1493500	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	01/09/18
1493501	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493502	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493503	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493504	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493505	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493506	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493507	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493508	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493509	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/09/18
1493510	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	01/09/18
1493511	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	01/09/18
1493512	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	01/09/18
1493513	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	01/09/18
1493514	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	01/09/18
1493515	-	DIELECTRIC GREASE	3.3	Ounces(OZ)	01/09/18
1493516	-	Durablend SAE 80W-90 SYNTHETIC BLEND GEAR	1	Quarts(QT)	01/09/18
1493517	-	PIPE THREAD SEALANT	1	Pint(PT)	01/09/18
1493518	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	01/09/18
1493519	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	01/09/18
1493520	-	LOCTITE THREADLOCKER	0.34	Ounces(OZ)	01/09/18
1493521	-	STARTING FLUID	10.7	Ounces(OZ)	01/09/18
1493522	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	01/09/18
1493523	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	01/09/18
1493524	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493525	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493526	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493527	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493528	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493529	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493530	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493531	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493532	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493533	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493534	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493535	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493536	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493537	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493538	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493539	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493540	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1493541	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	01/09/18
1472821	-	COMPRESSOR FLUID	5	Gallon(GAL)	01/09/18
1472822	-	COMPRESSOR FLUID	5	Gallon(GAL)	01/09/18
1472918	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1493542	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint	12	Ounces(OZ)	01/09/18
1472919	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1472920	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1472921	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1493543	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint	12	Ounces(OZ)	01/09/18
1493544	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint	12	Ounces(OZ)	01/09/18
1493545	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Gloss	12	Ounces(OZ)	01/09/18
1472922	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472923	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472924	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472925	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1493546	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Gloss	12	Ounces(OZ)	01/09/18
1493547	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Gloss	12	Ounces(OZ)	01/09/18
1472926	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1472927	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1472928	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1472929	-	PSX 700 pearl gray resin	0.8	Gallon(GAL)	01/09/18
1493548	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	01/09/18
1493549	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	01/09/18
1493550	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	01/09/18
1493551	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	01/09/18
1472949	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472950	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472951	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472952	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472953	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472954	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472955	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472956	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472957	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472958	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472959	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472960	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1493552	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493553	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493554	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493555	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493556	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493557	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493558	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493559	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493560	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493561	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493562	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493563	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493564	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493565	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493566	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493567	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493568	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493569	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493570	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493571	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493572	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493573	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493574	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493575	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493576	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493577	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493578	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493579	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493580	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493581	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493582	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493583	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493584	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493585	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493586	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493587	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1493588	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/09/18
1472961	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/09/18
1472962	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/09/18
1472963	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/09/18
1472964	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/09/18
1472965	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/09/18
1472966	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/09/18
1493589	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/09/18
1493590	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/09/18
1493591	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/09/18
1493592	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/09/18
1493593	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/09/18
1493475	-	MULTI PURPOSE GREASE	120	Pounds(LB)	01/09/18
1493476	-	MULTI PURPOSE GREASE	120	Pounds(LB)	01/09/18
1526624	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526625	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526626	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526627	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526628	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526629	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526630	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526631	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526632	-	PRIMER/SEALER STAIN KILLER	1	Gallon(GAL)	01/09/18
1526633	7732-18-5	Dynabeads MyOne Carboxylic Acid	2	Milliliter(ML)	01/09/18
1526634	7732-18-5	Dynabeads MyOne Carboxylic Acid	2	Milliliter(ML)	01/09/18
1526635	7789-45-9	COPPER(II) BROMIDE	100	Gram(GM)	01/09/18
978977	Multi	SuperSignal West Dura Extended Duration	100	Milliliter(ML)	01/09/18
1526677	60-29-7	DIETHYL ETHER	1	Liters(L)	01/09/18
1526678	60-29-7	DIETHYL ETHER	1	Liters(L)	01/09/18
1526679	60-29-7	DIETHYL ETHER	1	Liters(L)	01/09/18
1526680	60-29-7	DIETHYL ETHER	1	Liters(L)	01/09/18
1526681	60-29-7	DIETHYL ETHER	1	Liters(L)	01/09/18
1526682	60-29-7	DIETHYL ETHER	1	Liters(L)	01/09/18
978978	Multi	SuperSignal West Dura Extended Duration	100	Milliliter(ML)	01/09/18
1526683	-	KRYTOX FLUORINATED GREASE	2	Ounces(OZ)	01/09/18
1526684	-	KRYTOX FLUORINATED GREASE	2	Ounces(OZ)	01/09/18
1526685	121-44-8	TRIETHYLAMINE	1	Liters(L)	01/09/18
1526686	121-44-8	TRIETHYLAMINE	1	Liters(L)	01/09/18
1526687	-	QIAamp DNA Micro Kit	50	Milliliter(ML)	01/09/18
1526688	13292-46-1	RIFAMPICIN	1	Milliliter(ML)	01/09/18
1526689	13292-46-1	RIFAMPICIN	1	Milliliter(ML)	01/09/18
1526690	624-65-7	PROPARGYL CHLORIDE	100	Gram(GM)	01/09/18
1526691	1076-43-3	BENZENE-D6	100	Gram(GM)	01/09/18
1526692	2622-05-1	ALLYLMAGNESIUM CHLORIDE	16	Ounces(OZ)	01/09/18
1526693	2622-05-1	ALLYLMAGNESIUM CHLORIDE	16	Ounces(OZ)	01/09/18
1526694	-	V Line Polish and Compound Kit	16	Ounces(OZ)	01/09/18
1526695	-	3M Marine Metal Restorer and Polish	18	Ounces(OZ)	01/09/18
1526696	-	V Line Polish and Compound Kit	16	Ounces(OZ)	01/09/18
1526697	-	3M Marine Metal Restorer and Polish	18	Ounces(OZ)	01/09/18
1526698	75-09-2	DICHLOROMETHANE	4	Liters(L)	01/09/18
1526699	75-09-2	DICHLOROMETHANE	4	Liters(L)	01/09/18
1526700	-	CombiCoulomat frit	500	Milliliter(ML)	01/09/18
1526701	-	CombiCoulomat frit	500	Milliliter(ML)	01/09/18
1456631	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/09/18
1456632	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/09/18
1472967	-	PERMACRYL EXTERIOR SEMI-GLOSS WHITE BASE	121.6	Ounces(OZ)	01/09/18
1472968	-	PERMACRYL EXTERIOR SEMI-GLOSS WHITE BASE	121.6	Ounces(OZ)	01/09/18
1472969	-	PERMACRYL EXTERIOR SEMI-GLOSS WHITE BASE	121.6	Ounces(OZ)	01/09/18
1472970	-	PERMACRYL EXTERIOR SEMI-GLOSS WHITE BASE	121.6	Ounces(OZ)	01/09/18
1472971	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472972	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472973	-	PSX 700 CURE	0.2	Gallon(GAL)	01/09/18
1472974	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/09/18
1472975	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/09/18
1472976	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/09/18
1472977	-	DENATURED ALCOHOL	1	Gallon(GAL)	01/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472978	-	HENRY440	1	Gallon(GAL)	01/09/18
1472979	-	HENRY440	1	Gallon(GAL)	01/09/18
1472980	-	HENRY440	1	Gallon(GAL)	01/09/18
1472981	-	HENRY440	1	Gallon(GAL)	01/09/18
1472982	-	HENRY440	1	Gallon(GAL)	01/09/18
1472983	-	HENRY440	1	Gallon(GAL)	01/09/18
1472984	-	HENRY440	1	Gallon(GAL)	01/09/18
1472985	-	HENRY440	1	Gallon(GAL)	01/09/18
1472986	-	HENRY440	1	Gallon(GAL)	01/09/18
1472987	-	HENRY440	1	Gallon(GAL)	01/09/18
1472988	-	HENRY440	1	Gallon(GAL)	01/09/18
1472989	-	HENRY440	1	Gallon(GAL)	01/09/18
1472990	-	HENRY440	1	Gallon(GAL)	01/09/18
1472991	-	HENRY440	1	Gallon(GAL)	01/09/18
1472992	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1472993	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1472994	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1472995	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1472996	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1472997	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1472998	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1472999	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473000	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473001	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473002	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473003	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473004	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473005	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473006	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473007	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473008	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473009	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473010	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473011	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473012	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473013	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473014	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473015	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1473016	-	Henry 351 Carpet Adhesive	4	Gallon(GAL)	01/09/18
1320571	-	Cyano-Shot Latent Print Activator Solution	50	Milliliter(ML)	01/09/18
1320580	-	Cyano-Shot Latent Print Activator Solution	50	Milliliter(ML)	01/09/18
1420790	-	Cyano-Shot Latent Print Activator Solution	50	Milliliter(ML)	01/09/18
1473017	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/10/18
1473018	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/10/18
1473019	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/10/18
1473020	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/10/18
1473021	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/10/18
1473022	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	01/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473023	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473024	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473025	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473026	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473027	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473028	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473029	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473030	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473031	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473032	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473033	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473034	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473035	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473036	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473037	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473038	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	01/10/18
1473039	-	EASY SAND 45	18	Pounds(LB)	01/10/18
1473040	-	EASY SAND 45	18	Pounds(LB)	01/10/18
1473042	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473043	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473044	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473045	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473046	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473047	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473048	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473049	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473050	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473051	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473052	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473053	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473054	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473055	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473056	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473057	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473058	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473059	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473060	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473061	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473062	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473063	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473064	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473065	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473066	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473067	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473068	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473069	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473070	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473071	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473072	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473073	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473074	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473075	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473076	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473077	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473078	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473079	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473080	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473081	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473082	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473083	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473084	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473085	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473086	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473087	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473088	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473089	-	CLEAR SILICONE	10	Ounces(OZ)	01/10/18
1473099	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473104	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473105	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473106	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473107	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473108	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473109	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473110	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473111	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473100	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473101	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473102	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	01/10/18
1473114	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473115	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473122	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473123	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473116	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473117	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473118	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473119	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473120	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473121	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473132	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473133	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1526636	7601-90-3	PERCHLORIC ACID OPTIMA	500	Milliliter(ML)	01/10/18
1526637	7601-90-3	PERCHLORIC ACID OPTIMA	500	Milliliter(ML)	01/10/18
1526638	7601-90-3	PERCHLORIC ACID OPTIMA	500	Milliliter(ML)	01/10/18
1526639	7601-90-3	PERCHLORIC ACID OPTIMA	500	Milliliter(ML)	01/10/18
1526640	108-88-3	TOLUENE ANHYDROUS	1	Liters(L)	01/10/18
1526641	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526642	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/10/18
1526643	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/10/18
1526644	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/10/18
1526645	-	RBS-35 CONCENTRATE	5	Kilograms(KG)	01/10/18
1526646	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	01/10/18
1526647	-	KL LEAK SEALANT	16	Ounces(OZ)	01/10/18
1473124	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473125	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473126	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473127	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473128	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473129	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473130	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473131	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1526702	-	40% Platinum Nickel (3:1 ratio) on Vulcan	1	Gram(GM)	01/10/18
1526703	-	40% Platinum Nickel (3:1 ratio) on Vulcan	1	Gram(GM)	01/10/18
1526704	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526705	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526706	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526707	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526708	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526709	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526710	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526711	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526712	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526713	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526714	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526715	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526716	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526717	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526718	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526719	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526720	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526721	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526722	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1526723	-	STYCAST EPOXY	40	Gram(GM)	01/10/18
1473134	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473135	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473136	-	PERMACRYL INTERIOR FLAT WHITE BASE DF-1531	1	Gallon(GAL)	01/10/18
1473137	-	PERMACRYL INTERIOR FLAT WHITE BASE DF-1531	1	Gallon(GAL)	01/10/18
1473138	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473139	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473140	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473141	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1473142	-	PSX 700 pearl gray resin	1	Gallon(GAL)	01/10/18
1526724	-	CiDehol 70 70% Isopropyl Alcohol Solution	1	Gallon(GAL)	01/10/18
1526725	-	CiDehol 70 70% Isopropyl Alcohol Solution	1	Gallon(GAL)	01/10/18
1526726	21209-51-8	N-Z-L-SERINE BENZYL ESTER	25	Gram(GM)	01/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526727	7791-13-1	COBALT(II) CHLORIDE HEXAHYDRATE	10	Gram(GM)	01/10/18
1526728	135-19-3	2-NAPHTHOL	500	Gram(GM)	01/10/18
1526729	77-92-9	CITRIC ACID	500	Gram(GM)	01/10/18
1526730	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/10/18
1526731	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/10/18
1526732	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/10/18
1526733	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/10/18
1526734	25952-53-8	N-(3-Dimethylaminopropyl)-N'-ethylcarbodiimide	5	Gram(GM)	01/10/18
1526735	6066-82-6	N-HYDROXSUCCINIMIDE	25	Gram(GM)	01/10/18
1526736	100-70-9	2-Pyridinecarbonitrile	100	Gram(GM)	01/10/18
1526737	104-85-8	p-Tolunitrile	100	Gram(GM)	01/10/18
1526738	14080-23-0	2 PYRIMIDINECARBONITRILE	25	Gram(GM)	01/10/18
1526739	14080-23-0	2 PYRIMIDINECARBONITRILE	25	Gram(GM)	01/10/18
1473143	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473144	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473145	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473146	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473147	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473148	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473149	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473150	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473151	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473152	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1473153	-	PSX 700 CURE US	1	Quarts(QT)	01/10/18
1526740	78-67-1	2 2'-AZOBIS[2-METHYLPROPIONITRILE]	1	Gram(GM)	01/10/18
1526741	78-67-1	2 2'-AZOBIS[2-METHYLPROPIONITRILE]	1	Gram(GM)	01/10/18
1526742	78-79-5	ISOPRENE	100	Milliliter(ML)	01/10/18
1526743	75-15-0	CARBON DISULFIDE	100	Milliliter(ML)	01/10/18
1526744	18107-18-1	TRIMETHYLSILYLDIAZOMETHANE	100	Milliliter(ML)	01/10/18
1469369	-	HENRY440	1	Gallon(GAL)	01/10/18
1473154	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473155	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473156	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473157	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473158	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473159	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473160	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473161	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473162	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473163	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473164	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473165	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473166	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473167	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473168	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473169	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473170	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473171	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473172	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473173	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473174	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473175	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473176	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473177	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473178	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473179	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473180	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473181	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473182	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473183	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473184	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473185	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473186	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473187	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473188	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473189	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473190	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473191	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473192	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473193	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473194	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473195	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473196	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473197	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473198	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473199	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473200	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473201	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473202	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473203	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473204	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473205	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473206	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473207	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473208	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473209	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473210	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473211	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473212	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473213	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473214	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473215	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473216	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473217	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473218	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473219	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473220	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473221	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473222	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473223	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473224	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473225	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473226	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473227	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473228	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473229	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473230	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473231	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473232	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473233	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473234	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473235	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473236	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473237	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473238	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473239	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1473240	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	01/10/18
1423176	-	PIPE THREAD SEALANT	4	Ounces(OZ)	01/11/18
1423177	-	PIPE THREAD SEALANT	4	Ounces(OZ)	01/11/18
1423178	-	PIPE THREAD SEALANT	4	Ounces(OZ)	01/11/18
1472284	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472285	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472286	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472287	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472288	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472289	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472290	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472291	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472292	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472293	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472294	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472295	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472296	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472297	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472298	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472299	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472300	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472301	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472302	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472303	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472304	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472305	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472306	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18
1472307	-	ZOOM SPOUT	4	Ounces(OZ)	01/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1420175	-	RUST DISSOLVER (NAVAL JELLY)	8	Ounces(OZ)	01/11/18
1420178	-	RUST DESTROYER	8	Ounces(OZ)	01/11/18
1420176	-	SUPER GLUE	2	Ounces(OZ)	01/11/18
1420177	-	AIR TOOL OIL	4	Ounces(OZ)	01/11/18
1419912	-	PURPLE PRIMER FOR CPVC OR PVC	8	Ounces(OZ)	01/11/18
1419913	-	OATEY REGULAR CLEARPVC CEMENT	8	Ounces(OZ)	01/11/18
1419914	-	PVC CEMENT	8	Ounces(OZ)	01/11/18
14109915	-	PVC PURPLE PRIMER	8	Ounces(OZ)	01/11/18
1526382	26628-22-8	SODIUM AZIDE	25	Gram(GM)	01/11/18
1526648	-	Yellow Magic 7	1	Gallon(GAL)	01/11/18
1526649	-	Yellow Magic 7	1	Gallon(GAL)	01/11/18
1526650	-	Yellow Magic 7	1	Gallon(GAL)	01/11/18
1526651	-	Yellow Magic 7	1	Gallon(GAL)	01/11/18
1526652	-	ALUMINA SLURRY	6	Ounces(OZ)	01/11/18
1526653	-	ALUMINA SLURRY	6	Ounces(OZ)	01/11/18
1526654	-	ALUMINA SLURRY	6	Ounces(OZ)	01/11/18
1526655	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/11/18
1526656	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/11/18
1419915	-	PVC PURPLE PRIMER	8	Ounces(OZ)	01/11/18
1526661	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526662	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526663	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526664	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526665	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526666	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526667	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526668	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526669	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526670	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	01/11/18
1526745	-	HEAT TRANSFER FLUID	1	Gallon(GAL)	01/11/18
1526746	811-97-2	DUST-OFF (1 1 1 2-TETRAFLUORO-ETHANE)	5	Ounces(OZ)	01/11/18
1526747	811-97-2	DUST-OFF (1 1 1 2-TETRAFLUORO-ETHANE)	5	Ounces(OZ)	01/11/18
1526748	811-97-2	DUST-OFF (1 1 1 2-TETRAFLUORO-ETHANE)	5	Ounces(OZ)	01/11/18
1526749	811-97-2	DUST-OFF (1 1 1 2-TETRAFLUORO-ETHANE)	5	Ounces(OZ)	01/11/18
1526750	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526751	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526752	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526753	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526754	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526755	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526756	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526757	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526758	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526759	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526760	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526761	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526762	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526763	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526764	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526765	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526766	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526767	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526768	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526769	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526770	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526771	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526772	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526773	-	PTFE RELEASE AGENT DRY LU	14	Ounces(OZ)	01/11/18
1526774	-	Cartridge gas firestar 445	110	Milliliter(ML)	01/11/18
1526775	-	Cartridge gas firestar 445	110	Milliliter(ML)	01/11/18
1526776	-	Cartridge gas firestar 445	110	Milliliter(ML)	01/11/18
1526777	-	Cartridge gas firestar 445	110	Milliliter(ML)	01/11/18
1526778	-	Cartridge gas firestar 445	110	Milliliter(ML)	01/11/18
1526779	-	Cartridge gas firestar 445	110	Milliliter(ML)	01/11/18
1526780	25952-53-8	N-(3-Dimethylaminopropyl)-N'-ethylcarbodiimide	25	Gram(GM)	01/11/18
1526781	51-17-2	BENZIMIDAZOLE	5	Gram(GM)	01/11/18
1526782	7789-46-0	IRON(II) BROMIDE	10	Gram(GM)	01/11/18
1526783	10042-76-9	STRONTIUM NITRATE	10	Gram(GM)	01/11/18
1526784	108-32-7	CYCLIC PROPYLENE CARBONATE	1	Liters(L)	01/11/18
1526785	108-32-7	CYCLIC PROPYLENE CARBONATE	1	Liters(L)	01/11/18
1526788	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	01/11/18
1526789	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	01/11/18
1526790	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	01/11/18
1526791	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	01/11/18
1526815	-	CLOROX	121	Ounces(OZ)	01/11/18
1526816	-	CLOROX	121	Ounces(OZ)	01/11/18
1526817	-	CLOROX	121	Ounces(OZ)	01/11/18
1526818	-	CLOROX	121	Ounces(OZ)	01/11/18
1526819	-	CLOROX	121	Ounces(OZ)	01/11/18
1526820	-	CLOROX	121	Ounces(OZ)	01/11/18
1526821	-	CLOROX	121	Ounces(OZ)	01/11/18
1526822	-	CLOROX	121	Ounces(OZ)	01/11/18
1526823	-	CLOROX	121	Ounces(OZ)	01/11/18
1526824	-	CLOROX	121	Ounces(OZ)	01/11/18
1526825	-	CLOROX	121	Ounces(OZ)	01/11/18
1526826	-	CLOROX	121	Ounces(OZ)	01/11/18
1526827	-	CLOROX	121	Ounces(OZ)	01/11/18
1526828	-	CLOROX	121	Ounces(OZ)	01/11/18
1526829	-	CLOROX	121	Ounces(OZ)	01/11/18
1526830	-	CLOROX	121	Ounces(OZ)	01/11/18
1526831	-	CLOROX	121	Ounces(OZ)	01/11/18
1526832	-	CLOROX	121	Ounces(OZ)	01/11/18
1526833	-	CLOROX	121	Ounces(OZ)	01/11/18
1526834	-	CLOROX	121	Ounces(OZ)	01/11/18
1526835	-	CLOROX	121	Ounces(OZ)	01/11/18
1526836	-	CLOROX	121	Ounces(OZ)	01/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526837	-	CLOROX	121	Ounces(OZ)	01/11/18
1526838	-	CLOROX	121	Ounces(OZ)	01/11/18
1526839	-	CLOROX	121	Ounces(OZ)	01/11/18
1526840	-	CLOROX	121	Ounces(OZ)	01/11/18
1526841	-	CLOROX	121	Ounces(OZ)	01/11/18
1526842	-	CLOROX	121	Ounces(OZ)	01/11/18
1526843	-	CLOROX	121	Ounces(OZ)	01/11/18
1526844	-	CLOROX	121	Ounces(OZ)	01/11/18
1526845	-	CLOROX	121	Ounces(OZ)	01/11/18
1526846	-	CLOROX	121	Ounces(OZ)	01/11/18
1526847	-	CLOROX	121	Ounces(OZ)	01/11/18
1526848	-	CLOROX	121	Ounces(OZ)	01/11/18
1526849	-	CLOROX	121	Ounces(OZ)	01/11/18
1526850	-	CLOROX	121	Ounces(OZ)	01/11/18
1526851	-	CLOROX	121	Ounces(OZ)	01/11/18
1526852	-	CLOROX	121	Ounces(OZ)	01/11/18
1526853	-	CLOROX	121	Ounces(OZ)	01/11/18
1526854	-	CLOROX	121	Ounces(OZ)	01/11/18
1526855	-	CLOROX	121	Ounces(OZ)	01/11/18
1526856	-	CLOROX	121	Ounces(OZ)	01/11/18
1526857	-	CLOROX	121	Ounces(OZ)	01/11/18
1526858	-	CLOROX	121	Ounces(OZ)	01/11/18
1526859	-	CLOROX	121	Ounces(OZ)	01/11/18
1526860	-	CLOROX	121	Ounces(OZ)	01/11/18
1526861	-	CLOROX	121	Ounces(OZ)	01/11/18
1526862	-	CLOROX	121	Ounces(OZ)	01/11/18
1526863	-	CLOROX	121	Ounces(OZ)	01/11/18
1526864	-	CLOROX	121	Ounces(OZ)	01/11/18
1526865	-	CLOROX	121	Ounces(OZ)	01/11/18
1526866	-	CLOROX	121	Ounces(OZ)	01/11/18
1526867	-	CLOROX	121	Ounces(OZ)	01/11/18
1526868	-	CLOROX	121	Ounces(OZ)	01/11/18
1526869	-	CLOROX	121	Ounces(OZ)	01/11/18
1526870	-	CLOROX	121	Ounces(OZ)	01/11/18
1526871	-	CLOROX	121	Ounces(OZ)	01/11/18
1526872	-	CLOROX	121	Ounces(OZ)	01/11/18
1526873	-	CLOROX	121	Ounces(OZ)	01/11/18
1526874	-	CLOROX	121	Ounces(OZ)	01/11/18
1526875	-	CLOROX	121	Ounces(OZ)	01/11/18
1526876	-	CLOROX	121	Ounces(OZ)	01/11/18
1526877	-	CLOROX	121	Ounces(OZ)	01/11/18
1526878	-	CLOROX	121	Ounces(OZ)	01/11/18
1526879	-	CLOROX	121	Ounces(OZ)	01/11/18
1526880	-	CLOROX	121	Ounces(OZ)	01/11/18
1526881	-	CLOROX	121	Ounces(OZ)	01/11/18
1526882	-	CLOROX	121	Ounces(OZ)	01/11/18
1526883	-	CLOROX	121	Ounces(OZ)	01/11/18
1526884	-	CLOROX	121	Ounces(OZ)	01/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526885	-	CLOROX	121	Ounces(OZ)	01/11/18
1526886	-	CLOROX	121	Ounces(OZ)	01/11/18
1526887	-	CLOROX	121	Ounces(OZ)	01/11/18
1526888	-	CLOROX	121	Ounces(OZ)	01/11/18
1526889	-	CLOROX	121	Ounces(OZ)	01/11/18
1456633	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/11/18
1456634	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/11/18
1456635	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/11/18
1456636	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/11/18
1456637	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/11/18
1456638	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/11/18
1472163	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1472162	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471949	-	FLEX-GRIP 550 DUCT SEALANT	3.8	Gallon(GAL)	01/11/18
1473254	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	01/11/18
1473253	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	01/11/18
1747925	-	fast setting cement	60	Pounds(LB)	01/11/18
1471926	-	fast setting cement	60	Pounds(LB)	01/11/18
1471927	-	fast setting cement	60	Pounds(LB)	01/11/18
1471928	-	fast setting cement	60	Pounds(LB)	01/11/18
1471929	-	fast setting cement	60	Pounds(LB)	01/11/18
1471930	-	fast setting cement	60	Pounds(LB)	01/11/18
1471931	-	fast setting cement	60	Pounds(LB)	01/11/18
1471932	-	fast setting cement	60	Pounds(LB)	01/11/18
1471933	-	fast setting cement	60	Pounds(LB)	01/11/18
1471934	-	fast setting cement	60	Pounds(LB)	01/11/18
1471935	-	fast setting cement	60	Pounds(LB)	01/11/18
1471936	-	fast setting cement	60	Pounds(LB)	01/11/18
1471937	-	fast setting cement	60	Pounds(LB)	01/11/18
1471938	-	fast setting cement	60	Pounds(LB)	01/11/18
1469053	-	LPS LUBRICANT	11	Ounces(OZ)	01/11/18
1472283	-	Signature Series 5080 Pressure Sensitive	4	Gallon(GAL)	01/11/18
1471510	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471511	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471512	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471513	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471514	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471515	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471516	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471517	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471518	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471519	-	QUIKRETE CONCRETE BONDING GLUE	60	Pounds(LB)	01/11/18
1471939	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471940	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471941	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471942	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471943	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471944	-	CONCRETE MIX	60	Pounds(LB)	01/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1471945	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471946	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471947	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1471948	-	CONCRETE MIX	60	Pounds(LB)	01/11/18
1470827	-	NON-SHRINK GROUT	50	Pounds(LB)	01/11/18
1470828	-	NON-SHRINK GROUT	50	Pounds(LB)	01/11/18
1470829	-	NON-SHRINK GROUT	50	Pounds(LB)	01/11/18
1470830	-	NON-SHRINK GROUT	50	Pounds(LB)	01/11/18
1470831	-	NON-SHRINK GROUT	50	Pounds(LB)	01/11/18
1470832	-	NON-SHRINK GROUT	50	Pounds(LB)	01/11/18
1470822	-	CONCRETE MIX	50	Pounds(LB)	01/11/18
1470823	-	CONCRETE MIX	50	Pounds(LB)	01/11/18
1470824	-	CONCRETE MIX	50	Pounds(LB)	01/11/18
1470825	-	CONCRETE MIX	50	Pounds(LB)	01/11/18
1469370	-	HENRY440	4	Gallon(GAL)	01/11/18
1470826	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470790	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470791	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470792	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470793	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470794	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470795	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470796	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470797	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470798	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470799	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470800	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470801	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470802	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470803	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470804	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470805	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470806	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470807	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470808	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470809	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470810	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470811	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470812	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470813	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470814	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470815	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470816	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470817	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470818	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1470819	-	CONCRETE MIX	50	Pounds(LB)	01/12/18
1473241	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473242	-	CONCRETE MIX	60	Pounds(LB)	01/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473243	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473244	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473245	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473246	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473247	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473248	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473249	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473250	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473251	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1473252	-	CONCRETE MIX	60	Pounds(LB)	01/12/18
1469058	-	LPS 1 GREASELESS LUBRICANT	11	Ounces(OZ)	01/12/18
1469063	-	LPS-1 GREASELESS LUBRICANT	11	Ounces(OZ)	01/12/18
1526786	3585-33-9	LITHIUM DIMETHYLAMIDE	50	Gram(GM)	01/16/18
1526792	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	01/16/18
1526793	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	01/16/18
1526794	676-83-5	DICHLOROMETHYLPHOSPHINE	5	Gram(GM)	01/16/18
1526795	676-83-5	DICHLOROMETHYLPHOSPHINE	5	Gram(GM)	01/16/18
1526796	917-54-4	METHYLLITHIUM	100	Milliliter(ML)	01/16/18
1526797	917-54-4	METHYLLITHIUM	100	Milliliter(ML)	01/16/18
1526798	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/16/18
1526799	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/16/18
1526800	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/16/18
1526801	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/16/18
1526802	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/16/18
1526803	299-28-5	CALCIUM GLUCONATE GEL	25	Gram(GM)	01/16/18
1526890	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526891	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526892	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526893	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526894	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526895	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526896	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526897	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526898	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526899	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526900	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526901	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	01/16/18
1526902	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526903	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526904	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526905	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526906	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526907	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526908	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526909	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526910	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526911	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526912	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526913	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	01/16/18
1526914	3109-63-5	TETRABUTYLAMMONIUM	100	Gram(GM)	01/16/18
1526915	3396-11-0	CESIUM ACETATE 99.9%	25	Gram(GM)	01/16/18
1526920	7726-95-6	BROMINE CERTIFIED ACS	100	Gram(GM)	01/16/18
1526923	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526924	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526925	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526926	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526927	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526928	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526929	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526930	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526931	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526932	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526933	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526934	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526935	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526936	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526937	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526938	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526939	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526940	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526941	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526942	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526943	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526944	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526945	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526946	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526947	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526948	-	770-WASTELOCK-ABSORBANT	50	Pounds(LB)	01/16/18
1526657	7664-93-9	SULFURIC ACID SOLUTION 10% V/V	465	Pounds(LB)	01/16/18
1526658	7664-93-9	SULFURIC ACID SOLUTION 10% V/V	465	Pounds(LB)	01/16/18
1526659	7664-93-9	SULFURIC ACID SOLUTION 10% V/V	465	Pounds(LB)	01/16/18
1526660	7664-93-9	SULFURIC ACID SOLUTION 10% V/V	465	Pounds(LB)	01/16/18
1526787	-	LOCTITE	300	Milliliter(ML)	01/16/18
1526804	123-75-1	PYRROLIDINE	100	Milliliter(ML)	01/16/18
1526805	288-36-8	1 2 3-1H-TRIAZOLE	25	Gram(GM)	01/16/18
1526806	-	WD-40 LUBRICANT	8	Ounces(OZ)	01/16/18
1526916	67-56-1	METHANOL	4	Liters(L)	01/16/18
1526917	67-56-1	METHANOL	4	Liters(L)	01/16/18
1526918	67-56-1	METHANOL	4	Liters(L)	01/16/18
1526919	67-56-1	METHANOL	4	Liters(L)	01/16/18
1526921	10277-43-7	LANTHANUM NITRATE HEXAHYDRATE	100	Gram(GM)	01/16/18
1526922	9003-53-6	POLYSTYRENE MONODISPERSED LATEX	15	Milliliter(ML)	01/16/18
1526949	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18
1526950	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18
1526951	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18
1526952	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1526953	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18
1526954	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18
1526955	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18
1526956	-	DPD COMPOUND FOR FREE AND	24	Gram(GM)	01/16/18
1526957	74257-00-4	1-(2-MESITYLENESULFONYL)-3-NITRO-1H-1 2 4-	1	Gram(GM)	01/16/18
1526958	499-83-2	2 6-PYRIDINE-DICARBOXYLIC ACID	25	Gram(GM)	01/16/18
1526959	2462-31-9	Glycine benzyl ester hydrochloride	25	Gram(GM)	01/16/18
1526960	2462-31-9	Glycine benzyl ester hydrochloride	25	Gram(GM)	01/16/18
1526961	7697-37-2	NITRIC ACID	1	Gram(GM)	01/16/18
1526962	7697-37-2	NITRIC ACID	1	Gram(GM)	01/16/18
1526963	7697-37-2	NITRIC ACID	1	Gram(GM)	01/16/18
1526964	7697-37-2	NITRIC ACID	1	Gram(GM)	01/16/18
1526965	7697-37-2	NITRIC ACID	1	Gram(GM)	01/16/18
1526966	63393-96-4	Aliquat 336	500	Milliliter(ML)	01/16/18
1526967	102-71-6	Lapping Vehicle #100	5	Gallon(GAL)	01/16/18
1526968	67-63-0	ISOPROPYL ALCOHOL	5	Gallon(GAL)	01/16/18
1526969	67-63-0	ISOPROPYL ALCOHOL	5	Gallon(GAL)	01/16/18
1526970	7722-84-1	HYDROGEN PEROXIDE SOLUTIONS	250	Milliliter(ML)	01/16/18
1526971	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526972	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526973	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526974	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526975	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526976	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526977	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526978	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526979	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526980	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526981	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1526982	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	01/16/18
1527031	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527032	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527033	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527034	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527035	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527036	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527037	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527038	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527039	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527040	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527041	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
1527042	-	KONTASYNTH [®] BA 100 Spray	400	Milliliter(ML)	01/16/18
868871	7440-56-4	GERMANIUM ICP STANDARD 1000PPM	50	Milliliter(ML)	01/16/18
1472327	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472328	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472329	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472330	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472331	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472332	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472333	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472334	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472335	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472336	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472337	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472338	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472339	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472340	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472341	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472342	-	GL48- ANTIFREEZE	5	Gallon(GAL)	01/16/18
1472343	-	GL48	5	Gallon(GAL)	01/16/18
1472312	-	GL48	5	Gallon(GAL)	01/16/18
1472313	-	GL48	5	Gallon(GAL)	01/16/18
1472314	-	GL48	5	Gallon(GAL)	01/16/18
1472315	-	GL48	5	Gallon(GAL)	01/16/18
1472316	-	GL48	5	Gallon(GAL)	01/16/18
1472317	-	GL48	5	Gallon(GAL)	01/16/18
1472318	-	GL48	5	Gallon(GAL)	01/16/18
1472319	-	GL48	5	Gallon(GAL)	01/16/18
1472320	-	GL48	5	Gallon(GAL)	01/16/18
1472321	-	GL48	5	Gallon(GAL)	01/16/18
1472322	-	GL48	5	Gallon(GAL)	01/16/18
1472323	-	GL48	5	Gallon(GAL)	01/16/18
1472324	-	GL48	5	Gallon(GAL)	01/16/18
1472325	-	GL48	5	Gallon(GAL)	01/16/18
1472326	-	GL48	5	Gallon(GAL)	01/16/18
1472344	-	GL48	5	Gallon(GAL)	01/16/18
1472345	-	GL48	5	Gallon(GAL)	01/16/18
1472346	-	GL48	5	Gallon(GAL)	01/16/18
1472347	-	GL48	5	Gallon(GAL)	01/16/18
1472348	-	GL48	5	Gallon(GAL)	01/16/18
1472349	-	GL48	5	Gallon(GAL)	01/16/18
1472350	-	GL48	5	Gallon(GAL)	01/16/18
1472351	-	GL48	5	Gallon(GAL)	01/16/18
1472352	-	GL48	5	Gallon(GAL)	01/16/18
1472353	-	GL48	5	Gallon(GAL)	01/16/18
1472354	-	GL48	5	Gallon(GAL)	01/16/18
1472355	-	GL48	5	Gallon(GAL)	01/16/18
1472356	-	GL48	5	Gallon(GAL)	01/16/18
1472357	-	GL48	5	Gallon(GAL)	01/16/18
1472358	-	GL48	5	Gallon(GAL)	01/16/18
1149070	7732-18-5	WATER	1000	Milliliter(ML)	01/16/18
1149071	7732-18-5	WATER	1000	Milliliter(ML)	01/16/18
1149072	7732-18-5	WATER	1000	Milliliter(ML)	01/16/18
1149073	7732-18-5	WATER	1000	Milliliter(ML)	01/16/18
1149074	7732-18-5	WATER	1000	Milliliter(ML)	01/16/18
1149075	7732-18-5	WATER	1000	Milliliter(ML)	01/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
913064	7440-21-3	SILICON SPRAY	12.25	Ounces(OZ)	01/17/18
913065	7440-21-3	SILICON SPRAY	12.25	Ounces(OZ)	01/17/18
1496935	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496936	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496937	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496938	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496939	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496940	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496941	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496942	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496943	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496944	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496945	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496946	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496947	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496948	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496949	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496950	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496951	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496952	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496953	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496954	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496955	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496956	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496957	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496958	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496959	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496960	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496961	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496962	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496963	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496964	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496965	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496966	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496967	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496968	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496969	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496970	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	01/17/18
1496971	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496972	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496973	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496974	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496975	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496976	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496977	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496978	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496979	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496980	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1496981	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496982	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496983	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496984	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496985	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496986	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496987	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496988	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496989	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1496990	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/17/18
1493623	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493624	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493625	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493626	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493627	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493628	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493629	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493630	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493631	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493632	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493633	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493634	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493635	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493636	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493637	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493638	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493639	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493640	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493641	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493642	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493643	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493644	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493645	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493646	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493647	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493648	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493649	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493650	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493651	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493652	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493653	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493654	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493655	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493656	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493657	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493658	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493659	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493660	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493661	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493662	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493663	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493664	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493665	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493666	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493667	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493668	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493669	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493670	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493671	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493672	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493673	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493674	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/17/18
1493675	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493676	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493677	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493678	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493679	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493680	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493681	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493682	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493683	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493684	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493685	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493686	-	STA-BIL FUEL STABILIZER	1	Quarts(QT)	01/17/18
1493687	-	Mobil 1 5W-40	1	Gallon(GAL)	01/17/18
1493688	-	Mobil 1 5W-40	1	Gallon(GAL)	01/17/18
1493689	-	Mobil 1 5W-40	1	Gallon(GAL)	01/17/18
1493690	-	Mobil 1 5W-40	1	Gallon(GAL)	01/17/18
1493691	78-48-8	DEF	2.5	Gallon(GAL)	01/17/18
1472439	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	01/17/18
1472422	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472423	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472424	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472425	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472426	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472427	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472428	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472429	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472430	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472431	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472432	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472433	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472434	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472435	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472436	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1472437	-	CONCRETE MIX	60	Pounds(LB)	01/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472438	-	CONCRETE MIX	60	Pounds(LB)	01/17/18
1526992	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	01/17/18
1526993	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	01/17/18
1526994	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	01/17/18
1526995	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	01/17/18
1526807	13773-69-8	YTTRIUM(III) NITRATE TETRAHYDRATE	10	Gram(GM)	01/18/18
1526808	1067-33-0	DIBUTYLTIN DIACETATE (DIACETOXYDIBUTYLTIN)	100	Milliliter(ML)	01/18/18
1526812	-	OUTPUT THERMAL CONDUCTIVE ADHESIVE	14	Gram(GM)	01/18/18
1526813	-	OUTPUT THERMAL CONDUCTIVE ADHESIVE	14	Gram(GM)	01/18/18
1526996	2075-46-9	4-Nitro-1H-Pyrazol	10	Gram(GM)	01/18/18
1526997	2075-45-8	4-Bromo-1H-pyrazole	10	Gram(GM)	01/18/18
1526998	7343-33-1	5-Bromo-1H-1 2 4-triazole	10	Gram(GM)	01/18/18
1526999	17635-44-8	3 4 5-Tribromo-1H-pyrazole	10	Gram(GM)	01/18/18
1527000	7411-23-6	3 5-Dibromo-1H-1 2 4-triazole	10	Gram(GM)	01/18/18
1527001	34334-96-8	3-Methyl-5-nitro-1H-pyrazole	10	Gram(GM)	01/18/18
1527002	57097-81-1	3-Bromo-5-methyl-1H-pyrazole	5	Gram(GM)	01/18/18
1527003	57097-81-1	3-Bromo-5-methyl-1H-pyrazole	5	Gram(GM)	01/18/18
1527004	543-80-6	BARIUM ACETATE ANHYDROUS	100	Gram(GM)	01/18/18
1527005	304675-69-2	YTTRIUM(III) ACETATE HYDRATE	50	Gram(GM)	01/18/18
1527006	67-64-1	ACETONE REAGENT ACS	500	Milliliter(ML)	01/18/18
1527007	67-64-1	ACETONE REAGENT ACS	500	Milliliter(ML)	01/18/18
1527008	67-64-1	ACETONE REAGENT ACS	500	Milliliter(ML)	01/18/18
1527009	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/18/18
1527010	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/18/18
1527011	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/18/18
1527012	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/18/18
1527013	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/18/18
1527014	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	01/18/18
1456639	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/18/18
1456640	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/18/18
1456641	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/18/18
1456642	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/18/18
1456643	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/18/18
1456644	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/18/18
1456645	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/18/18
1526983	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	01/18/18
1526984	5292-43-3	TERT-BUTYL BROMOACETATE	250	Gram(GM)	01/18/18
1526985	110-46-3	Isopentyl nitrite	100	Milliliter(ML)	01/18/18
1526986	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	01/18/18
1526987	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	01/18/18
1526988	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	01/18/18
1526989	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	01/18/18
1526990	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	01/18/18
1526991	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	01/18/18
1456646	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/18/18
1456647	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/18/18
1456648	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/18/18
1456649	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1525838	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525839	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525840	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525841	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525842	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525843	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525844	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525845	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525846	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525847	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525848	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525849	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525850	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525851	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525852	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525853	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525854	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525855	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525856	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525857	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525858	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525859	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525860	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525861	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525862	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525863	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525864	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525865	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525866	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525867	811-97-2	SPRAY DUSTER	11	Ounces(OZ)	01/18/18
1525868	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525869	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525870	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525871	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525872	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525873	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525874	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525875	141-78-6	ETHYL ACETATE	4	Liters(L)	01/18/18
1525876	67-64-1	ACETONE	2.5	Liters(L)	01/18/18
1526165	67-64-1	ACETONE REAGENT ACS	4	Liters(L)	01/18/18
1526814	1312-73-8	POTASSIUM SULFIDE	5	Gram(GM)	01/18/18
1527015	-	N-Methyl-2-pyrrolidinone	18	Liters(L)	01/18/18
1527016	-	N-Methyl-2-pyrrolidinone	18	Liters(L)	01/18/18
1527017	-	N-Methyl-2-pyrrolidinone	18	Liters(L)	01/18/18
1527018	-	N-Methyl-2-pyrrolidinone	18	Liters(L)	01/18/18
1527019	68-12-2	N N-DIMETHYLFORMAMIDE	18	Liters(L)	01/18/18
1527020	68-12-2	N N-DIMETHYLFORMAMIDE	18	Liters(L)	01/18/18
1527021	68-12-2	N N-DIMETHYLFORMAMIDE	18	Liters(L)	01/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527022	68-12-2	N N-DIMETHYLFORMAMIDE	18	Liters(L)	01/18/18
1417456	-	ORP STANDARD	1	Liters(L)	01/18/18
1417457	-	ORP STANDARD	1	Liters(L)	01/18/18
1417458	-	ORP STANDARD	1	Liters(L)	01/18/18
1417459	-	ORP STANDARD	1	Liters(L)	01/18/18
1417460	-	ORP STANDARD	1	Liters(L)	01/18/18
1417461	-	ORP STANDARD	1	Liters(L)	01/18/18
1510330	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/18/18
1417462	-	BUFFER SOLUTION PH 7	5	Gallon(GAL)	01/18/18
1417452	-	TURBIDITY STANDARD	1	Gallon(GAL)	01/18/18
1417453	-	TURBIDITY STANDARD	1	Gallon(GAL)	01/18/18
1417454	-	TURBIDITY STANDARD	1	Gallon(GAL)	01/18/18
1417455	-	TURBIDITY STANDARD	1	Gallon(GAL)	01/18/18
1417446	-	ORP STANDARD	1	Liters(L)	01/18/18
1417447	-	ORP STANDARD	1	Liters(L)	01/18/18
1417448	-	ORP STANDARD	1	Liters(L)	01/18/18
1417449	-	ORP STANDARD	1	Liters(L)	01/18/18
1417450	-	TURBIDITY STANDARD	1	Gallon(GAL)	01/18/18
1417451	-	TURBIDITY STANDARD	1	Gallon(GAL)	01/18/18
1454454	-	PIPE JOINT LUBRICANT	32	Ounces(OZ)	01/18/18
1527023	7429-90-5	ALUMINUM POWDER	1	Kilograms(KG)	01/18/18
1527024	13494-98-9	YTTRIUM (III) NITRATE HEXAHYDRATE	100	Gram(GM)	01/18/18
1527025	13494-98-9	YTTRIUM (III) NITRATE HEXAHYDRATE	100	Gram(GM)	01/18/18
1527026	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/18/18
1527027	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/18/18
1527028	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/18/18
1527029	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/18/18
1527043	112-80-1	OLEIC ACID TECHNICAL GRADE 90%	1	Liters(L)	01/18/18
1527044	112-80-1	OLEIC ACID TECHNICAL GRADE 90%	1	Liters(L)	01/18/18
1527045	135447-09-5	N N-Di-n-octyl-3-oxapentanedioic Acid	5	Gram(GM)	01/18/18
1527046	-	METHYL RED INDICATOR SOLUTION 0.1% IN	120	Milliliter(ML)	01/18/18
1527047	25838-59-9	ALUMINUM NITRATE PURATRONIC	500	Gram(GM)	01/18/18
1527048	14637-34-4	AMMONIUM TETRAPHENYLBORATE	25	Gram(GM)	01/18/18
1527049	5557-83-5	L-Alanine benzyl ester hydrochloride	25	Gram(GM)	01/18/18
1527050	5557-83-5	L-Alanine benzyl ester hydrochloride	25	Gram(GM)	01/18/18
1527051	67319-28-2	m-dPEG4-acid	1	Gram(GM)	01/18/18
1527052	756525-91-4	t-boc-N-amido-dPEG ϵ -acid	1	Gram(GM)	01/18/18
1527053	112-90-3	OLEYLAMINE 70%	500	Gram(GM)	01/18/18
1527054	112-90-3	OLEYLAMINE 70%	500	Gram(GM)	01/18/18
1527103	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527104	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527105	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527106	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527107	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527108	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527109	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527110	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527111	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527112	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527113	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527114	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527115	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527116	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527117	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527118	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527119	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527120	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527121	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527122	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527123	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527124	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527125	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527126	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527127	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527128	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527129	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527130	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527131	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527132	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527133	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527134	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527135	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527136	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527137	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527138	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527139	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527140	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527141	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527142	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527143	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527144	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527145	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527146	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527147	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527148	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527149	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527150	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527151	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527152	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527153	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527154	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527155	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527156	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527157	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527158	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527159	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527160	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527161	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1527162	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	01/18/18
1484598	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484599	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484600	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484601	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484602	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484603	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484604	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484605	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484606	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1484607	-	CELVACENE LIGHT HIGH VACUUM GREASE	1	Pounds(LB)	01/18/18
1510331	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/18/18
1510332	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/18/18
1440919	-	Calgonate Calcium Gluconate Gel 2.5%	25	Gram(GM)	01/18/18
1440920	-	Calgonate Calcium Gluconate Gel 2.5%	25	Gram(GM)	01/18/18
1507111	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507112	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507113	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507114	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507115	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507116	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507117	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507118	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18
1507119	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18
1507120	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18
1507121	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18
1507122	-	Heptafluoropropane	100	Pounds(LB)	01/19/18
1507123	-	Heptafluoropropane	100	Pounds(LB)	01/19/18
1507132	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507124	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507125	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507126	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507127	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507128	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507129	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507130	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507131	7782-44-7	OXYGEN COMPRESSED GAS	24	Cubic	01/19/18
1507133	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507134	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507135	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507136	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507137	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507138	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507139	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507140	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507141	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507142	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507143	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507144	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507145	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507146	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507147	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507148	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507149	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507150	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507151	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507152	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507153	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507154	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507155	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507156	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507157	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507158	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507159	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507160	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507161	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507162	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507163	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507164	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507165	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507166	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507167	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507168	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507169	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507170	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507171	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507172	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507173	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507174	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507175	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507176	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507177	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507178	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507179	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507180	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507181	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507182	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507183	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507184	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507185	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507186	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507187	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507188	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507189	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507190	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507191	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507192	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507193	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507194	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507195	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507196	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507197	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507198	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507199	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507200	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507201	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507202	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507203	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507204	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507205	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507206	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507207	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507208	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507209	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507210	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507211	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507212	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507213	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507214	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507215	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507216	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507217	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507218	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507219	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507220	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507221	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507222	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507223	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507224	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507225	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507226	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507227	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507228	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507229	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507230	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507231	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507232	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507233	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507234	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507235	-	Helium UHP	80	Cubic Feet(CF)	01/19/18
1507236	-	Helium UHP	80	Cubic Feet(CF)	01/19/18
1507237	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507238	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507239	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507240	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507241	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507242	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507243	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507244	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507245	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507246	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507247	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507248	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507249	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507250	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507251	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507252	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507253	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507254	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507255	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507256	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507257	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507258	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507259	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507260	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507261	-	Gas mixture 10% hydrogen helium balance	220	Cubic Feet(CF)	01/19/18
1507262	-	Gas Mixture 20% Hydrogen/Balance Helium	220	Cubic Feet(CF)	01/19/18
1507263	-	40% HYDROGEN/BAL. HELIUM	220	Cubic Feet(CF)	01/19/18
1507264	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507265	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507266	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507267	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507268	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507269	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507270	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507271	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507272	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507273	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507274	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507275	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507276	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507277	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507278	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507279	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507280	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507281	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507282	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507283	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/19/18
1507284	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18
1507285	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507286	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18
1507287	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/19/18
1507288	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	500	Liters(L)	01/19/18
1507289	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507290	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507291	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507292	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507293	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507294	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507295	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507296	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507297	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507298	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507299	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507300	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507301	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507302	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507303	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507304	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507305	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507306	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507307	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507308	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507309	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507310	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507311	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507312	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507313	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507314	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507315	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507316	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507317	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507318	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507319	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507320	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507321	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507322	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507323	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507324	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507325	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507326	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507327	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507328	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507329	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507330	-	Argon UHP	220	Cubic Feet(CF)	01/19/18
1507331	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507332	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507333	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507334	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507335	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507336	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507337	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507338	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507339	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507340	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507341	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507342	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507343	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507344	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507345	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507346	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507347	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507348	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507349	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507350	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507351	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/19/18
1507352	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507353	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507354	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507355	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507356	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507357	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507358	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507359	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507360	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507361	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507362	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507363	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507364	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507365	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507366	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507367	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507368	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507369	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507370	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507371	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507372	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507373	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507374	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507375	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507376	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507377	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507378	-	Nitrogen UHP	220	Cubic Feet(CF)	01/19/18
1507379	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507380	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507381	-	Helium UHP	220	Cubic Feet(CF)	01/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507382	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507383	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507384	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507385	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507386	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507387	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507388	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507389	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507390	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507391	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507392	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507393	-	Helium UHP	220	Cubic Feet(CF)	01/19/18
1507394	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507395	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507396	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507397	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507398	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507399	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507400	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507401	-	AIR COMPRESSED	220	Cubic Feet(CF)	01/19/18
1507402	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507403	-	Oxygen UHP	220	Cubic Feet(CF)	01/19/18
1507404	7440-01-9	NEON	40	Cubic Feet(CF)	01/19/18
1507405	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507406	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507407	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507408	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507409	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507410	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507411	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507412	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507413	74-98-6	PROPANE	11	Gallon(GAL)	01/19/18
1507414	74-98-6	PROPANE	100	Gallon(GAL)	01/19/18
1507415	74-98-6	PROPANE	100	Gallon(GAL)	01/19/18
1507416	74-98-6	PROPANE	100	Gallon(GAL)	01/19/18
1507417	74-98-6	PROPANE	100	Gallon(GAL)	01/19/18
1507418	74-98-6	PROPANE	5	Gallon(GAL)	01/19/18
1507419	74-98-6	PROPANE	5	Gallon(GAL)	01/19/18
1507420	74-86-2	ACETYLENE	40	Cubic Feet(CF)	01/19/18
1507421	74-86-2	ACETYLENE	40	Cubic Feet(CF)	01/19/18
1507422	74-86-2	ACETYLENE	40	Cubic Feet(CF)	01/19/18
1507423	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507424	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507425	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507426	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507427	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507428	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507429	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507430	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507431	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507432	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507433	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	01/19/18
1507434	74-98-6	PROPANE	25	Gallon(GAL)	01/19/18
1527055	26915-72-0	Polyethylene glycol monomethyl ether	5	Gram(GM)	01/19/18
1527056	26915-72-0	Polyethylene glycol monomethyl ether	500	Gram(GM)	01/19/18
1527057	26915-72-0	Polyethylene glycol monomethyl ether	100	Gram(GM)	01/19/18
1527058	206444-58-8	Fluorescein dimethacrylate	100	Milligram(MG)	01/19/18
1527059	25852-47-5	POLYETHYLENE GLYCOL DIMETHACRYLATE	5	Gram(GM)	01/19/18
1527060	25852-47-5	POLYETHYLENE GLYCOL DIMETHACRYLATE	5	Gram(GM)	01/19/18
1527061	25852-47-5	POLYETHYLENE GLYCOL DIMETHACRYLATE	5	Gram(GM)	01/19/18
1527062	7789-46-0	IRON(II) BROMIDE	10	Gram(GM)	01/19/18
1527063	118612-00-3	N N-Dimethylanilinium	5	Gram(GM)	01/19/18
1527064	-	EPOXY ADHESIVE HI-TEMP RESISTANT	4	Gram(GM)	01/22/18
1527065	7782-42-5	GRAPHITE	50	Gram(GM)	01/22/18
1527066	7782-42-5	GRAPHITE	50	Gram(GM)	01/22/18
1527067	7782-42-5	GRAPHITE	50	Gram(GM)	01/22/18
1527068	-	Kerr-TotalCare #28415	50	Milliliter(ML)	01/22/18
1527069	-	Kerr-TotalCare #28415	50	Milliliter(ML)	01/22/18
1527070	-	Kerr-TotalCare #28415	50	Milliliter(ML)	01/22/18
1527071	-	Kerr-TotalCare #28415	50	Milliliter(ML)	01/22/18
1527072	-	Kerr-TotalCare #28415	50	Milliliter(ML)	01/22/18
1527163	-	Plaster Usg#1 Pottery	50	Pounds(LB)	01/22/18
1527164	-	Plaster Usg#1 Pottery	50	Pounds(LB)	01/22/18
1527165	-	Plaster Usg#1 Pottery	50	Pounds(LB)	01/22/18
1527166	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/22/18
1527167	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/22/18
1527168	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/22/18
1527169	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/22/18
1527170	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/22/18
1527171	7697-37-2	NITRIC ACID	2.5	Liters(L)	01/22/18
1525877	109-66-0	PENTANE ANHYDROUS	2	Liters(L)	01/22/18
1525878	109-66-0	PENTANE ANHYDROUS	2	Liters(L)	01/22/18
1527030	95-46-5	2-BROMOTOLUENE	25	Gram(GM)	01/22/18
1527073	288-13-1	PYRAZOLE	25	Gram(GM)	01/22/18
1527074	288-32-4	IMIDAZOLE	25	Gram(GM)	01/22/18
1527075	693-98-1	2-METHYLIMIDAZOLE	25	Gram(GM)	01/22/18
1527076	288-88-0	1 2 4-TRIAZOLE	25	Gram(GM)	01/22/18
1527077	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	25	Gram(GM)	01/22/18
1527078	625-82-1	2 4-DIMETHYLPYRROLE	5	Gram(GM)	01/22/18
1527079	625-82-1	2 4-DIMETHYLPYRROLE	5	Gram(GM)	01/22/18
1527080	67-51-6	3 5-DIMETHYLPYRAZOLE	25	Gram(GM)	01/22/18
1527081	31230-17-8	3-AMINO-5-METHYLPYRAZOLE	25	Gram(GM)	01/22/18
1527082	696-23-1	2-Methyl-4(5)-nitroimidazole	25	Gram(GM)	01/22/18
1527083	7343-34-2	3 5-Dimethyl-1 2 4-triazole	5	Gram(GM)	01/22/18
1527084	7343-34-2	3 5-Dimethyl-1 2 4-triazole	5	Gram(GM)	01/22/18
1527085	69011-20-7	AG 50W-X8 RESIN	500	Gram(GM)	01/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527086	110-18-9	N N N' N'-TETRAMETHYLETHYLENEDIAMINE	100	Milliliter(ML)	01/22/18
1527087	7705-08-0	IRON(III) CHLORIDE	100	Gram(GM)	01/22/18
1527088	7632-05-5	SODIUM PHOSPHATE	1000	Milliliter(ML)	01/22/18
1527089	-	RPMI-1640 MEDIUM	500	Milliliter(ML)	01/22/18
1527090	-	RPMI-1640 MEDIUM	500	Milliliter(ML)	01/22/18
1527091	243984-11-4	CLI-095	1	Milligram(MG)	01/22/18
1527092	2039-82-9	4-BROMOSTYRENE	25	Gram(GM)	01/22/18
1527093	10101-89-0	SODIUM PHOSPHATE TRIBASIC	500	Gram(GM)	01/22/18
1527094	112-06-1	HEPTYL ACETATE	1	Kilograms(KG)	01/22/18
1527095	112-14-1	OCTYL ACETATE	1	Kilograms(KG)	01/22/18
1527096	103-09-3	2-ETHYLHEXYL ACETATE	1	Kilograms(KG)	01/22/18
1527097	1317-70-0	TITANIUM OXIDE	100	Gram(GM)	01/22/18
1527098	1314-23-4	ZIRCONIUM(IV) OXIDE	10	Gram(GM)	01/22/18
1527099	1314-23-4	ZIRCONIUM(IV) OXIDE	10	Gram(GM)	01/22/18
1527100	1314-23-4	ZIRCONIUM(IV) OXIDE	10	Gram(GM)	01/22/18
1527101	56-81-5	GLYCEROL	500	Milliliter(ML)	01/22/18
1527172	109-66-0	PENTANE ANHYDROUS	1	Liters(L)	01/22/18
1527173	60-29-7	DIETHYL ETHER	1	Liters(L)	01/22/18
1527174	109-99-9	TETRAHYDROFURAN ANHYDROUS 99.9%	1	Liters(L)	01/22/18
1527175	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	01/22/18
1527176	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	01/22/18
1527177	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	01/22/18
1527178	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	01/22/18
1527179	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	01/22/18
1527180	326-91-0	THENOYLTRIFLUOROACETONE	25	Gram(GM)	01/22/18
1527181	326-91-0	THENOYLTRIFLUOROACETONE	25	Gram(GM)	01/22/18
1527182	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/22/18
1527183	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/22/18
1527184	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/22/18
1527185	1080-32-6	DIETHYL BENZYLPHOSPHONATE	25	Gram(GM)	01/22/18
1527186	584-08-7	POTASSIUM CARBONATE	250	Gram(GM)	01/22/18
1417408	-	BLACK RTV SILICONE	250	Gram(GM)	01/22/18
1417409	-	BLACK RTV SILICONE	250	Gram(GM)	01/22/18
1493695	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493696	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493697	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493698	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493699	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493700	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493701	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493702	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493703	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493704	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493705	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493706	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493707	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493708	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493709	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493710	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493711	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493712	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493713	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493714	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493715	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493716	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493717	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493718	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493719	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493720	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493721	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493722	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493723	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493724	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493725	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493726	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493727	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493728	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493729	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493730	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493731	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493732	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493733	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493734	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493735	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493736	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493737	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493738	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493739	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493740	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493741	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493742	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493743	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493744	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493745	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493746	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493747	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493748	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493749	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493750	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493751	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493752	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493753	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493754	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493755	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493756	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493757	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493758	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493759	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493760	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493761	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493762	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1493763	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	01/22/18
1454761	-	Paraloid B-72 Marking Varnish	0.5	Ounces(OZ)	01/22/18
1454762	-	Paraloid B-72 Marking Varnish	0.5	Ounces(OZ)	01/22/18
1493764	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/22/18
1493765	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/22/18
1493766	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/22/18
1493767	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	01/22/18
14172603	-	HENRY440	1	Gallon(GAL)	01/23/18
1507435	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507436	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507437	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507438	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507439	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507440	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507441	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507442	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507443	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507444	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1507445	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/23/18
1473255	-	5080 PRESSURE SENSITIVE ADHESIVE	5	Gallon(GAL)	01/23/18
1507446	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/23/18
1507447	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/23/18
1507448	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/23/18
1507449	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/23/18
1507450	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/23/18
1507451	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/23/18
1507452	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/23/18
1455033	-	Silver Conductive Epoxy Adhesive Moderate	200	Milliliter(ML)	01/23/18
1455034	-	Silver Conductive Epoxy Adhesive: Moderate	200	Milliliter(ML)	01/23/18
1527102	12154-84-6	(1 5-Cyclooctadiene)iridium(I) 2 4-	1	Gram(GM)	01/24/18
1527187	7646-85-7	ZINC CHLORIDE	100	Gram(GM)	01/24/18
1527188	-	Etidronic acid	500	Gram(GM)	01/24/18
1527189	9003-01-4	POLYACRYLIC ACID	5	Gram(GM)	01/24/18
913678	-	TORR SEAL [PARTS A AND B]	118	Gram(GM)	01/24/18
913679	-	TORR SEAL [PARTS A AND B]	118	Gram(GM)	01/24/18
913680	-	TORR SEAL [PARTS A AND B]	118	Gram(GM)	01/24/18
1527190	25053-53-6	METHACRYLIC ACID-ETHYLENE POLYMER	250	Gram(GM)	01/24/18
1527191	3039-83-6	VINYLSULFONIC ACID SODIUM SALT	250	Milliliter(ML)	01/24/18
1527192	1317-36-8	LEAD(II) OXIDE	50	Gram(GM)	01/24/18
1527193	7787-60-2	BISMUTH(III) CHLORIDE	25	Gram(GM)	01/24/18
1527194	1304-76-3	BISMUTH(III) OXIDE	25	Gram(GM)	01/24/18
1527195	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	01/24/18
1527196	298-07-7	BIS(2-ETHYLHEXYL)HYDROGEN PHOSPHATE	100	Gram(GM)	01/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527197	636-41-9	2-Methyl-1H-pyrrole 95+%	10	Gram(GM)	01/24/18
1527198	107-15-3	ETHYLENEDIAME	2.5	Liters(L)	01/24/18
1527199	7772-99-8	TIN(II) CHLORIDE	100	Gram(GM)	01/24/18
1527200	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	01/24/18
1527202	1310-73-2	SODIUM HYDROXIDE 6.25N	20	Liters(L)	01/24/18
1527203	1310-73-2	SODIUM HYDROXIDE 6.25N	20	Liters(L)	01/24/18
1527204	1310-73-2	SODIUM HYDROXIDE 6.25N	20	Liters(L)	01/24/18
1527205	1310-73-2	SODIUM HYDROXIDE 6.25N	20	Liters(L)	01/24/18
1527247	-	ELECTRODE STORAGE SOLUTION	500	Milliliter(ML)	01/24/18
1527248	1455-77-2	3 5-DIAMINO-1 2 4-TRIAZOLE	5	Gram(GM)	01/24/18
1527249	1455-77-2	3 5-DIAMINO-1 2 4-TRIAZOLE	5	Gram(GM)	01/24/18
1527250	90076-65-6	BIS(TRIFLUOROMETHANE)SULFONIMIDE	10	Gram(GM)	01/24/18
1527251	79-10-7	ACRYLIC ACID	5	Gram(GM)	01/24/18
1527252	79-41-4	METHACRYLIC ACID	5	Gram(GM)	01/24/18
1527253	1746-03-8	VINYL PHOSPHONIC ACID	5	Gram(GM)	01/24/18
1527254	6080-56-4	LEAD(II) ACETATE TRIHYDRATE	25	Gram(GM)	01/24/18
1527255	7758-95-4	LEAD(II) CHLORIDE	5	Gram(GM)	01/24/18
1527256	127-19-5	N N-DIMETHYL ACETAMIDE	1	Liters(L)	01/24/18
1527257	16941-11-0	AMMONIUM HEXAFLUOROPHOSPHATE	25	Gram(GM)	01/24/18
1527258	104219-63-8	AMBERLITE XAD-7	500	Gram(GM)	01/24/18
1527259	616-47-7	1-METHYLIMIDAZOLE	100	Gram(GM)	01/24/18
1527260	1120-48-5	DI-N-OCTYLAMINE	25	Gram(GM)	01/24/18
1527261	20211-76-1	LANTHANUM(III)-CHLORIDE H	100	Gram(GM)	01/24/18
1527262	121-33-5	P-VANILLIN	100	Gram(GM)	01/24/18
1527263	121-34-6	VANILLIC ACID	10	Gram(GM)	01/24/18
1527264	2892-51-5	3 4-DIHYDROXY-3-CYCLOBUTENE-1 2-DIONE	5	Gram(GM)	01/24/18
1527265	13494-80-9	TELLURIUM POWDER	50	Gram(GM)	01/24/18
1527266	2034-22-2	2 4 5-TRIBROMOIMIDAZOLE	5	Gram(GM)	01/24/18
1527267	2034-22-2	2 4 5-TRIBROMOIMIDAZOLE	5	Gram(GM)	01/24/18
1527268	31230-17-8	3-AMINO-5-METHYLPYRAZOLE	25	Gram(GM)	01/24/18
1527269	65902-59-2	2-Bromo-5-nitroimidazole 98%	5	Gram(GM)	01/24/18
1527270	65902-59-2	2-Bromo-5-nitroimidazole 98%	5	Gram(GM)	01/24/18
1527271	-	BUFFER KIT	20	Milliliter(ML)	01/24/18
1527272	-	BUFFER KIT	20	Milliliter(ML)	01/24/18
1456650	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/24/18
1456651	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/24/18
1456652	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/24/18
1456653	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/24/18
1456654	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/24/18
1526809	10025-67-9	SULFUR MONOCHLORIDE	1	Kilograms(KG)	01/25/18
1526810	10025-67-9	SULFUR MONOCHLORIDE	1	Kilograms(KG)	01/25/18
1526811	10025-67-9	SULFUR MONOCHLORIDE	1	Kilograms(KG)	01/25/18
1527206	-	770-WASTELOCK-ABSORBANT	25	Pounds(LB)	01/25/18
1527207	-	770-WASTELOCK-ABSORBANT	25	Pounds(LB)	01/25/18
1527208	-	770-WASTELOCK-ABSORBANT	25	Pounds(LB)	01/25/18
1527209	-	770-WASTELOCK-ABSORBANT	25	Pounds(LB)	01/25/18
1527219	886-66-8	1 4-DIPHENYLBUTADIYNE	1	Gram(GM)	01/25/18
1527220	886-66-8	1 4-DIPHENYLBUTADIYNE	1	Gram(GM)	01/25/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527221	886-66-8	1 4-DIPHENYLBUTADIYNE	1	Gram(GM)	01/25/18
1527222	57-50-1	SUCROSE	25	Gram(GM)	01/25/18
1527223	7647-14-5	SODIUM CHLORIDE	1	Gallon(GAL)	01/25/18
1527224	13477-89-9	NEODYMIUM(III) CHLORIDE HEXAHYDRATE	25	Gram(GM)	01/25/18
1527225	13814-75-0	MOLYBDENUM TETRACHLORIDE OXIDE	5	Gram(GM)	01/25/18
1527226	21668-77-9	1 3-Propanedisulfonic acid	25	Milliliter(ML)	01/25/18
1527227	21668-77-9	1 3-Propanedisulfonic acid	25	Milliliter(ML)	01/25/18
1527273	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/25/18
1527274	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	01/25/18
1527275	7727-37-9	CYTEC DRI PURGE AEROSOL	12	Ounces(OZ)	01/25/18
1527276	7727-37-9	CYTEC DRI PURGE AEROSOL	12	Ounces(OZ)	01/25/18
1527277	7440-42-8	BORON POWDER	50	Gram(GM)	01/25/18
1527278	7439-94-3	LUTETIUM	5	Gram(GM)	01/25/18
1527279	2302-25-2	4-Bromo-1H-imidazole	25	Gram(GM)	01/25/18
1527280	-	BIND-SILANE SILANE A-174	1	Liters(L)	01/25/18
1527281	10043-35-3	BORIC ACID	500	Gram(GM)	01/25/18
1527282	26621-44-3	3-Nitropyrazol	25	Gram(GM)	01/25/18
1527283	1453-58-3	5-Methyl-1H-pyrazole 95+%	5	Gram(GM)	01/25/18
1527284	1453-58-3	5-Methyl-1H-pyrazole 95+%	5	Gram(GM)	01/25/18
1527285	109-96-6	3-PYRROLINE	5	Gram(GM)	01/25/18
1527286	109-96-6	3-PYRROLINE	5	Gram(GM)	01/25/18
1527287	109-96-6	3-PYRROLINE	5	Gram(GM)	01/25/18
1527288	109-96-6	3-PYRROLINE	5	Gram(GM)	01/25/18
1527289	109-96-6	3-PYRROLINE	5	Gram(GM)	01/25/18
1507453	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/25/18
1527290	375-80-4	Dodecafluoro-1 6-diiodoheptane	25	Gram(GM)	01/25/18
1507454	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/25/18
1507455	7440-59-7	HELIUM	220	Cubic Feet(CF)	01/25/18
1456655	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/25/18
1456656	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/25/18
1456657	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/25/18
1456658	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/25/18
1456659	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	01/25/18
1527201	4648-54-8	AZIDOTRIMETHYLSILANE	10	Gram(GM)	01/25/18
1527210	67-63-0	ISOPROPYL ALCOHOL AND WATER	4	Liters(L)	01/25/18
1527211	67-63-0	ISOPROPYL ALCOHOL AND WATER	4	Liters(L)	01/25/18
1527212	67-63-0	ISOPROPYL ALCOHOL AND WATER	4	Liters(L)	01/25/18
1527213	67-63-0	ISOPROPYL ALCOHOL AND WATER	4	Liters(L)	01/25/18
1527214	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/25/18
1527215	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/25/18
1527216	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/25/18
1527217	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	01/25/18
1527218	498-66-8	Bicyclo[2.2.1]hept-2-ene	500	Gram(GM)	01/25/18
1527228	7726-95-6	BROMINE	100	Gram(GM)	01/25/18
1527229	79-00-5	1 1 2-TRICHLOROETHANE	2.5	Liters(L)	01/25/18
1527230	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527231	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527232	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527233	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527234	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527235	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527236	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527237	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527238	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527239	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527240	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527241	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/25/18
1527242	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	1	Liters(L)	01/25/18
1527291	10031-49-9	DYSPROSIUM NITRATE	1	Kilograms(KG)	01/25/18
1527292	55120-76-8	Manganese bis(trifluoromethanesulfonate)	1	Gram(GM)	01/25/18
1527293	1338-43-8	SORBITAN MONOLEATE (SPAN 80)	250	Milliliter(ML)	01/25/18
1527294	9005-65-6	TWEEN 80 (POLYOXYETHYLENE (20) SORBITAN	500	Milliliter(ML)	01/25/18
1527295	9002-93-1	TRITON X-100 (OCTYL PHENOXY	50	Milliliter(ML)	01/25/18
1527296	8042-47-5	MINERAL OIL	500	Milliliter(ML)	01/25/18
1527297	4045-44-7	1 2 3 4 5-PENTAMETHYLCYCLOPENTADIENE	25	Gram(GM)	01/25/18
1527298	4045-44-7	1 2 3 4 5-PENTAMETHYLCYCLOPENTADIENE	25	Gram(GM)	01/25/18
1527299	98-95-3	NITROBENZENE	500	Milliliter(ML)	01/25/18
1527300	98-95-3	NITROBENZENE	500	Milliliter(ML)	01/25/18
1527301	625-84-3	2 5-DIMETHYLPYRROLE	5	Gram(GM)	01/25/18
1527302	625-84-3	2 5-DIMETHYLPYRROLE	5	Gram(GM)	01/25/18
1527303	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	01/25/18
1527304	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	01/25/18
1527305	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	01/25/18
1527306	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	01/25/18
1527307	16419-60-6	2-TOLYLBORONIC ACID	25	Gram(GM)	01/25/18
1527308	7719-09-7	THIONYL CHLORIDE	8500	Milliliter(ML)	01/25/18
1527309	7439-91-0	LANTHANUM	125	Milliliter(ML)	01/25/18
1527319	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527320	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527321	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527322	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527323	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527324	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527325	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527326	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527327	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527328	-	Lead-Free Antimony-Free Rosin Based Solder	35	Gram(GM)	01/25/18
1527329	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527330	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527331	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527332	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527333	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527334	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527335	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527336	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527337	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527338	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527339	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527340	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527341	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527342	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527343	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1527344	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	01/25/18
1266171	-	GLASS CLEANER	1	Quarts(QT)	01/26/18
1148264	-	SUPREME 10 HT EPOXY	30	Cubic	01/26/18
1527243	-	isopropyl 2-amino-4-(3 4-dichlorophenyl)-3-	50	Milligram(MG)	01/29/18
1527244	16265-11-5	4-Bromo-2-methylimidazole	5	Gram(GM)	01/29/18
1527245	16265-11-5	4-Bromo-2-methylimidazole	5	Gram(GM)	01/29/18
1527246	21062-20-4	Diglycolyl chloride	5	Gram(GM)	01/29/18
1453036	-	OBJET VEROBLACKPLUS RGD875	1	Kilograms(KG)	01/29/18
1453037	-	OBJET VEROBLACKPLUS RGD875	1	Kilograms(KG)	01/29/18
1527310	67-64-1	ACETONE	4	Liters(L)	01/29/18
1527311	67-64-1	ACETONE	4	Liters(L)	01/29/18
1527312	67-64-1	ACETONE	4	Liters(L)	01/29/18
1527313	67-64-1	ACETONE	4	Liters(L)	01/29/18
1453038	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	01/29/18
1453039	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	01/29/18
1453040	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	01/29/18
1453041	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	01/29/18
1527314	1310-58-3	POTASSIUM HYDROXIDE	500	Gram(GM)	01/29/18
1527315	1310-58-3	POTASSIUM HYDROXIDE	500	Gram(GM)	01/29/18
1527353	4002-81-7	4 5-Dibromo-2-methylimidazole	5	Gram(GM)	01/29/18
1527354	4002-81-7	4 5-Dibromo-2-methylimidazole	5	Gram(GM)	01/29/18
1527355	245070-97-7	Poly(ethylene glycol) methyl ether 2-	1	Gram(GM)	01/29/18
1527356	245070-97-7	Poly(ethylene glycol) methyl ether 2-	1	Gram(GM)	01/29/18
1527357	245070-97-7	Poly(ethylene glycol) methyl ether 2-	1	Gram(GM)	01/29/18
1527358	245070-97-7	Poly(ethylene glycol) methyl ether 2-	1	Gram(GM)	01/29/18
1527359	245070-97-7	Poly(ethylene glycol) methyl ether 2-	1	Gram(GM)	01/29/18
1527360	7722-64-7	POTASSIUM PERMANGANATE	25	Gram(GM)	01/29/18
1527361	7722-64-7	POTASSIUM PERMANGANATE	25	Gram(GM)	01/29/18
1527362	98-01-1	2-FURALDEHYDE (FURFURAL)	100	Milliliter(ML)	01/29/18
1527363	1344-28-1	ALUMINUM OXIDE	5	Kilograms(KG)	01/29/18
1527364	7705-08-0	IRON(III) CHLORIDE	1	Kilograms(KG)	01/29/18
1527365	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	01/29/18
1527366	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	01/29/18
1527367	1665-00-5	DICHLOROMETHANE-D2	7.5	Milliliter(ML)	01/29/18
1527368	1665-00-5	DICHLOROMETHANE-D2	7.5	Milliliter(ML)	01/29/18
1527369	1665-00-5	DICHLOROMETHANE-D2	7.5	Milliliter(ML)	01/29/18
1527370	1665-00-5	DICHLOROMETHANE-D2	7.5	Milliliter(ML)	01/29/18
1527371	1665-00-5	DICHLOROMETHANE-D2	7.5	Milliliter(ML)	01/29/18
1527372	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	7.5	Milliliter(ML)	01/29/18
1527373	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	7.5	Milliliter(ML)	01/29/18
1527374	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	7.5	Milliliter(ML)	01/29/18
1527375	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	7.5	Milliliter(ML)	01/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527376	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	7.5	Milliliter(ML)	01/29/18
806775	-	TORR SEAL EPOXY	0.118	Gram(GM)	01/29/18
806763	-	2-TON CLEAR EPOXY	6	Ounces(OZ)	01/29/18
806764	-	2-TON CLEAR EPOXY	6	Ounces(OZ)	01/29/18
806765	-	2-TON CLEAR EPOXY	6	Ounces(OZ)	01/29/18
1527377	5574-97-0	TETRABUTYLAMMONIUM PHOSPHATE	100	Milliliter(ML)	01/29/18
806776	-	TORR SEAL EPOXY	0.118	Gram(GM)	01/29/18
1418142	-	GOLD COLLOID	25	Milliliter(ML)	01/29/18
806766	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806767	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806768	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806769	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806770	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806771	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806772	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806773	-	GREASE VACUUM	25	Gram(GM)	01/29/18
806774	-	GREASE VACUUM	25	Gram(GM)	01/29/18
1527378	141-78-6	ETHYL ACETATE	4	Liters(L)	01/29/18
1527379	141-78-6	ETHYL ACETATE	4	Liters(L)	01/29/18
1527380	141-78-6	ETHYL ACETATE	4	Liters(L)	01/29/18
1527381	141-78-6	ETHYL ACETATE	4	Liters(L)	01/29/18
1527382	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527383	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527384	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527385	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527386	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527387	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527388	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527389	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527390	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527391	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527392	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527393	865-49-6	CHLOROFORM-D	100	Gram(GM)	01/29/18
1527394	68-12-2	N N-DIMETHYLFORMAMIDE	1	Gram(GM)	01/29/18
1510333	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1493692	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/29/18
1510334	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1493693	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/29/18
1493694	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	01/29/18
1496991	-	RV ANTIFREEZE	1	Gallon(GAL)	01/29/18
1496992	-	RV ANTIFREEZE	1	Gallon(GAL)	01/29/18
1417410	-	ARATHANE 5750-A/B	920	Gram(GM)	01/29/18
1417411	-	ARATHANE 5750-A/B	920	Gram(GM)	01/29/18
1496993	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Gloss	12	Ounces(OZ)	01/29/18
1496994	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Gloss	12	Ounces(OZ)	01/29/18
1496995	-	BATTERY TERMINAL PROTECTOR	7.5	Ounces(OZ)	01/29/18
1496996	57-55-6	WinterSafe -50° F / -46° C Antifreeze	1	Gallon(GAL)	01/29/18
1496997	57-55-6	WinterSafe -50° F / -46° C Antifreeze	1	Gallon(GAL)	01/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1496998	57-55-6	WinterSafe -50° F / -46° C Antifreeze	1	Gallon(GAL)	01/29/18
1496999	57-55-6	WinterSafe -50° F / -46° C Antifreeze	1	Gallon(GAL)	01/29/18
1497000	57-55-6	WinterSafe -50° F / -46° C Antifreeze	1	Gallon(GAL)	01/29/18
1497001	57-55-6	WinterSafe -50° F / -46° C Antifreeze	1	Gallon(GAL)	01/29/18
1527316	14521-80-3	3-Bromo-1H-pyrazole	10	Gram(GM)	01/29/18
1527317	527-73-1	2-Nitro-1H-imidazole	5	Gram(GM)	01/29/18
1527318	527-73-1	2-Nitro-1H-imidazole	5	Gram(GM)	01/29/18
1527395	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527396	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527397	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527398	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527399	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527400	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527401	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527402	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527403	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527404	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527405	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1527406	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	01/29/18
1507456	-	Argon UHP	220	Cubic Feet(CF)	01/29/18
1527463	950739-21-6	3-Bromo-1H-pyrazol-5-amine	5	Gram(GM)	01/29/18
1507457	-	Nitrogen UHP	220	Cubic	01/29/18
1527464	950739-21-6	3-Bromo-1H-pyrazol-5-amine	5	Gram(GM)	01/29/18
1527465	950739-21-6	3-Bromo-1H-pyrazol-5-amine	5	Gram(GM)	01/29/18
1527466	950739-21-6	3-Bromo-1H-pyrazol-5-amine	5	Gram(GM)	01/29/18
1527467	950739-21-6	3-Bromo-1H-pyrazol-5-amine	5	Gram(GM)	01/29/18
1507458	-	Nitrogen UHP	220	Cubic	01/29/18
1507459	-	Nitrogen UHP	220	Cubic	01/29/18
1507460	-	Nitrogen UHP	220	Cubic	01/29/18
1507461	-	Nitrogen UHP	220	Cubic	01/29/18
1507462	-	Nitrogen UHP	220	Cubic	01/29/18
1507463	-	Nitrogen UHP	220	Cubic	01/29/18
1507464	-	Nitrogen UHP	220	Cubic	01/29/18
1507465	-	Nitrogen UHP	220	Cubic	01/29/18
1507466	-	Nitrogen UHP	220	Cubic	01/29/18
1507467	-	Nitrogen UHP	220	Cubic	01/29/18
1507468	-	Nitrogen UHP	220	Cubic	01/29/18
1507469	-	Nitrogen UHP	220	Cubic	01/29/18
1507470	-	Nitrogen UHP	220	Cubic	01/29/18
1507471	-	Nitrogen UHP	220	Cubic	01/29/18
1507472	-	Nitrogen UHP	220	Cubic	01/29/18
1507473	-	Nitrogen UHP	220	Cubic	01/29/18
1507474	-	Nitrogen UHP	220	Cubic	01/29/18
1507475	-	Nitrogen UHP	220	Cubic	01/29/18
1507476	-	Nitrogen UHP	220	Cubic	01/29/18
1507477	-	Nitrogen UHP	220	Cubic	01/29/18
1507478	-	Nitrogen UHP	220	Cubic	01/29/18
1507479	-	Nitrogen UHP	220	Cubic	01/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507480	-	Nitrogen UHP	220	Cubic	01/29/18
1507481	-	Nitrogen UHP	220	Cubic	01/29/18
1493768	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493769	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493770	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493771	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493772	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493773	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493774	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493775	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493776	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493777	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493778	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493779	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493780	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493781	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493782	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493783	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493784	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493785	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493786	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493787	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493788	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493789	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493790	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493791	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493792	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493793	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493794	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493795	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493796	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493797	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493798	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493799	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1493800	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	01/29/18
1507487	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507483	-	Argon UHP	220	Cubic Feet(CF)	01/29/18
1497002	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/29/18
1497003	78-48-8	DEF	2.5	Gallon(GAL)	01/29/18
1497004	78-48-8	DEF	2.5	Gallon(GAL)	01/29/18
1507484	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507485	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507486	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507488	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507489	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507490	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507491	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507492	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507493	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507494	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507495	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507496	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1507497	7440-37-1	ARGON	220	Cubic Feet(CF)	01/29/18
1497005	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/29/18
1497006	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	01/29/18
1493594	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	01/29/18
1493595	-	Parts Plus Type F ATF	1	Quarts(QT)	01/29/18
1493596	-	Parts Plus Type F ATF	1	Quarts(QT)	01/29/18
1507498	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507499	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507500	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507501	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507502	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507503	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507504	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507505	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507506	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1507507	-	ARGON 90% METHANE 10%	220	Cubic Feet(CF)	01/29/18
1493597	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493598	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493599	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493600	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493601	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493602	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493603	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493604	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493605	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493606	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1493607	-	BRAKLEEN	14	Ounces(OZ)	01/29/18
1507508	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/29/18
1507509	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	01/29/18
1510338	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507510	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507511	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507512	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507513	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507514	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507515	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507516	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507517	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507518	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507519	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507520	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507521	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507522	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507523	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507524	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1507525	74-98-6	PROPANE	11	Gallon(GAL)	01/29/18
1507526	74-98-6	PROPANE	11	Gallon(GAL)	01/29/18
1507527	74-98-6	PROPANE	11	Gallon(GAL)	01/29/18
1507528	74-98-6	PROPANE	11	Gallon(GAL)	01/29/18
1507529	74-98-6	PROPANE	11	Gallon(GAL)	01/29/18
1507530	74-98-6	PROPANE	11	Gallon(GAL)	01/29/18
1507531	74-98-6	PROPANE	11	Gallon(GAL)	01/29/18
1507532	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507533	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507534	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507535	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507536	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507537	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507538	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507539	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507540	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507541	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507542	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507543	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507544	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507545	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507546	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507547	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507548	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507549	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507550	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507551	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507552	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507553	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507554	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507555	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507556	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507557	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507558	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507559	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1507560	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	01/29/18
1510336	2551-62-4	SULFUR HEXAFLUORIDE	60	Cubic Feet(CF)	01/29/18
1510337	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	01/29/18
1527468	15813-08-8	5-Bromo-4-methyl-1H-imidazole	5	Gram(GM)	01/29/18
1527469	15813-08-8	5-Bromo-4-methyl-1H-imidazole	5	Gram(GM)	01/29/18
1527470	13808-64-5	4-Bromo-3-methyl-1H-pyrazole	10	Gram(GM)	01/29/18
1527471	705-31-7	4-ETHYNYL-a a -TRIFLUOROTOLUENE	5	Gram(GM)	01/29/18
1527472	383-63-1	ETHYL TRIFLUOROACETATE 99%	25	Gram(GM)	01/29/18
1527473	676-83-5	DICHLOROMETHYLPHOSPHINE	5	Gram(GM)	01/29/18
1527474	676-83-5	DICHLOROMETHYLPHOSPHINE	5	Gram(GM)	01/29/18
1527535	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527536	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527537	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527538	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527539	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527540	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527541	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527542	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527543	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527544	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527545	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527546	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527547	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527548	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527549	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527550	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527551	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527552	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527553	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527554	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527555	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527556	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527557	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527558	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527559	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527560	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527561	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527562	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527563	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527564	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527565	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527566	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527567	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527568	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527569	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527570	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527571	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527572	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527573	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527574	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527575	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527576	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527577	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527578	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527579	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527580	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527581	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527582	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527583	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527584	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527585	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527586	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527587	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527588	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527589	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527590	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527591	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527592	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527593	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527594	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527595	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527596	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527597	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527598	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527599	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527600	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527601	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527602	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527603	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527604	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527605	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527606	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527607	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527608	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527609	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527610	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527611	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527612	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527613	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527614	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527615	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527616	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527617	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527618	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527619	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527620	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527621	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527622	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527623	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1527624	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	01/29/18
1507561	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	01/30/18
1507562	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/30/18
1507563	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/30/18
1507564	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/30/18
1507565	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/30/18
1507566	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	01/30/18
978979	1120-99-6	3-AMINO-1 2 4-TRIAZINE	100	Gram(GM)	01/30/18
978980	1120-99-6	3-AMINO-1 2 4-TRIAZINE	100	Gram(GM)	01/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
978981	1120-99-6	3-AMINO-1 2 4-TRIAZINE	100	Gram(GM)	01/30/18
978982	1120-99-6	3-AMINO-1 2 4-TRIAZINE	100	Gram(GM)	01/30/18
1527407	7693-26-7	POTASSIUM HYDRIDE 30% WT IN MINERAL OIL	75	Gram(GM)	01/31/18
1527408	930-62-1	2 4-Dimethylimidazole	10	Gram(GM)	01/31/18
1527409	-	EMPORE FA400	1.5	Kilograms(KG)	01/31/18
1527410	-	ALCONOX DETERGENT	1.8	Kilograms(KG)	01/31/18
1527475	2129-89-7	METHYL DIPHENYL PHOSPHINE OXIDE	5	Gram(GM)	01/31/18
1527476	2129-89-7	METHYL DIPHENYL PHOSPHINE OXIDE	5	Gram(GM)	01/31/18
1527477	110-54-3	HEXANE	1	Liters(L)	01/31/18
1527478	-	LabSolutions Liquid Detergent or Contrad NF	34	Ounces(OZ)	01/31/18
1527479	67-56-1	METHANOL	1	Liters(L)	01/31/18
1527480	64742-55-8	Parabar 10312	100	Milliliter(ML)	01/31/18
1527481	-	STYCAST 2850FT BLACK	3	Pounds(LB)	01/31/18
1527482	-	STYCAST CATALYST 9	4	Ounces(OZ)	01/31/18
1527483	-	DOW CORNING 3140 RTV COATING	90	Milliliter(ML)	01/31/18
1527484	110-00-9	FURAN	5	Milliliter(ML)	01/31/18
1527485	110-00-9	FURAN	5	Milliliter(ML)	01/31/18
1527486	-	HiPrep# Sephacryl# HR Columns and Sephacryl	5	Milliliter(ML)	01/31/18
1456660	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/31/18
1456661	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/31/18
1456662	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/31/18
1456663	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/31/18
1456664	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/31/18
1456665	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	01/31/18
1473256	-	SIKAFLEX TEXTURED CONSTRUCTION SEALANT	10.1	Ounces(OZ)	01/31/18
1473257	-	SIKAFLEX TEXTURED CONSTRUCTION SEALANT	10.1	Ounces(OZ)	01/31/18
1473258	-	SIKAFLEX TEXTURED CONSTRUCTION SEALANT	10.1	Ounces(OZ)	01/31/18
1473259	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473260	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473261	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473262	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473263	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473264	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473265	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473266	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473267	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473268	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473269	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473270	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473271	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473272	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473273	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473274	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473275	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473276	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473277	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473278	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473279	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473280	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473281	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473282	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473283	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473284	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473285	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473286	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473287	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473288	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473289	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473290	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473291	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473292	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473293	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473294	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473295	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473296	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473297	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473298	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473299	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473300	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473301	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473302	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473303	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473304	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473305	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473306	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473307	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473308	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473309	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473310	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473311	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473312	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473313	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473314	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473315	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473316	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473317	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473318	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473319	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473320	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473321	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473322	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473323	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473324	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473325	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473326	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473327	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473328	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473329	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473330	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1473331	14808-60-7	Sikacrete 211 SCC PLUS	80	Pounds(LB)	01/31/18
1527411	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527412	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527413	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527414	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527415	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527416	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527417	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527418	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	01/31/18
1527419	NA	Uraplex Uranium Complexant	125	Milliliter(ML)	01/31/18
1527487	10138-41-7	ERBIUM(III) CHLORIDE ANHYDROUS	50	Gram(GM)	01/31/18
1527488	10024-93-8	NEODYMIUM (III) CHLORIDE	25	Gram(GM)	01/31/18
1527489	10043-52-4	CALCIUM CHLORIDE	10	Gram(GM)	01/31/18
1527490	10043-52-4	CALCIUM CHLORIDE	10	Gram(GM)	01/31/18
1527491	10043-52-4	CALCIUM CHLORIDE	10	Gram(GM)	01/31/18
1527492	10043-52-4	CALCIUM CHLORIDE	10	Gram(GM)	01/31/18
1527493	10043-52-4	CALCIUM CHLORIDE	10	Gram(GM)	01/31/18
1527494	10043-52-4	CALCIUM CHLORIDE	10	Gram(GM)	01/31/18
1527495	10043-52-4	CALCIUM CHLORIDE	10	Gram(GM)	01/31/18
1473354	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1527496	17573-94-3	4-Ethynyl-N N-dimethylaniline	5	Gram(GM)	01/31/18
1473355	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473356	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473357	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473358	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473359	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473360	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473361	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473362	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473363	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473364	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473365	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473366	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473367	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473368	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473369	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1473370	-	Sikadur 32 Hi Mod Epoxy	62	Ounces(OZ)	01/31/18
1527679	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527680	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527681	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527682	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527683	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527684	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527685	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527686	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527687	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527688	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527689	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527690	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527691	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527692	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527693	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527694	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527695	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527696	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527697	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527698	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527699	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527700	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527701	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527702	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527703	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527704	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527705	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527706	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527707	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527708	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527709	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527710	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527711	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527712	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527713	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527714	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527715	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527716	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527717	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527718	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527719	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527720	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527721	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527722	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527723	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527724	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527725	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527726	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527727	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527728	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527729	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527730	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527731	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527732	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527733	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527734	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527735	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	100	Gram(GM)	01/31/18
1527736	71-00-1	L(-) HISTIDINE	100	Gram(GM)	01/31/18
1527737	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	50	Gram(GM)	01/31/18
1527738	-	MicroC 2000	5	Gallon(GAL)	01/31/18
1527739	-	MicroC 2000	55	Gallon(GAL)	01/31/18
1473332	-	Sikalastic 710 Base	5	Gallon(GAL)	01/31/18
1527740	-	Cerium(IV) ammonium nitrate	50	Gram(GM)	01/31/18
1473333	-	Sikalastic 710 Base	5	Gallon(GAL)	01/31/18
1473371	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473372	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473373	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473374	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473375	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473376	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473377	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473378	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473379	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473380	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473381	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473382	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473383	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473384	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473385	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473386	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473387	-	Sikadur 32 Hi Mod Epoxy	64	Ounces(OZ)	01/31/18
1473391	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473392	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473393	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473394	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473395	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473396	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473397	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473398	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473399	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473400	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473401	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473402	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473403	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473404	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473405	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473406	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473407	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473408	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473409	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473410	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473411	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473412	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473413	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473414	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473415	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473416	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473417	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473418	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473419	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473420	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473421	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473422	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473423	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473424	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473425	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473426	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473427	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473428	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473429	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473430	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473431	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473432	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473433	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473434	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473435	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473436	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473437	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1473438	-	ANTI-BACTERIAL FANTASTIC	132	Ounces(OZ)	01/31/18
1527741	-	PlasCLEAR	500	Milliliter(ML)	01/31/18
1456666	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	01/31/18
1456667	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/31/18
1456668	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/31/18
1456669	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/31/18
1456670	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/31/18
1456671	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	01/31/18
1485375	-	GOO-GONE	1	Quarts(QT)	01/31/18
1485376	-	GOO-GONE	1	Quarts(QT)	01/31/18
1485377	-	GOO-GONE	1	Quarts(QT)	01/31/18
1485378	-	GOO-GONE	1	Quarts(QT)	01/31/18
1485379	-	GOO-GONE	1	Quarts(QT)	01/31/18
1485380	-	GOO-GONE	1	Quarts(QT)	01/31/18
1485353	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485354	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485355	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485356	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485357	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485358	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485359	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485360	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485361	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485362	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485363	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485214	-	WD-40	11	Ounces(OZ)	01/31/18
1485215	-	WD-40	11	Ounces(OZ)	01/31/18
1485216	-	WD-40	11	Ounces(OZ)	01/31/18
1485217	-	WD-40	11	Ounces(OZ)	01/31/18
1485218	-	WD-40	11	Ounces(OZ)	01/31/18
1485219	-	WD-40	11	Ounces(OZ)	01/31/18
1485220	-	WD-40	11	Ounces(OZ)	01/31/18
1485221	-	WD-40	11	Ounces(OZ)	01/31/18
1485222	-	WD-40	11	Ounces(OZ)	01/31/18
1485223	-	WD-40	11	Ounces(OZ)	01/31/18
1485224	-	WD-40	11	Ounces(OZ)	01/31/18
1485225	-	WD-40	11	Ounces(OZ)	01/31/18
1485233	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485234	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485235	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485236	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485237	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485238	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485227	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485228	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485229	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485230	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485231	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485232	-	EPOXY GLUE	1	Ounces(OZ)	01/31/18
1485329	-	TAPMAGIC	4	Ounces(OZ)	01/31/18
1485330	-	TAPMAGIC	4	Ounces(OZ)	01/31/18
1485331	-	TAPMAGIC	4	Ounces(OZ)	01/31/18
1485332	-	TAPMAGIC	4	Ounces(OZ)	01/31/18
1485333	-	TAPMAGIC	4	Ounces(OZ)	01/31/18
1485334	-	TAPMAGIC	4	Ounces(OZ)	01/31/18
1485239	-	TAPMAGIC	16	Ounces(OZ)	01/31/18
1485240	-	TAPMAGIC	16	Ounces(OZ)	01/31/18
1485241	-	TAPMAGIC	16	Ounces(OZ)	01/31/18
1485242	-	TAPMAGIC	10	Ounces(OZ)	01/31/18
1485243	-	TAPMAGIC	10	Ounces(OZ)	01/31/18
1485244	-	TAPMAGIC	10	Ounces(OZ)	01/31/18
1455469	-	3140 RTV COATING	8	Ounces(OZ)	01/31/18
1455471	-	RTV	5	Gallon(GAL)	01/31/18
1455470	-	HIGH VACUUM GREASE	8	Ounces(OZ)	01/31/18
1455409	-	epoxy primer sealer part a	6	Pounds(LB)	01/31/18
1455410	-	epoxy primer sealer part b	8	Pounds(LB)	01/31/18
1455411	-	epoxy primer sealer part a	6	Pounds(LB)	01/31/18
1455412	-	epoxy primer sealer part b	8	Pounds(LB)	01/31/18
1455413	-	epoxy primer sealer part a	6	Pounds(LB)	01/31/18
1455414	-	epoxy primer sealer part b	8	Pounds(LB)	01/31/18
1507567	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507568	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507569	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507570	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507571	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507572	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507573	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507574	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507575	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507576	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507577	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507578	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507579	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/01/18
1507482	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507580	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507581	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507582	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507583	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507584	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507585	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507586	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507587	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507588	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507589	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507590	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507591	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507592	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507593	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507594	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507595	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507596	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507597	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507598	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507599	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507600	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507601	-	Hydrogen UHP	220	Cubic Feet(CF)	02/01/18
1507602	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507603	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507604	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507605	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507606	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507607	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507608	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507609	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507610	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507611	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507612	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507613	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507614	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507615	-	Argon UHP	220	Cubic Feet(CF)	02/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507616	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507617	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507618	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507619	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507620	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507621	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507622	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507623	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507624	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507625	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507626	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507627	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507628	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507629	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507630	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507631	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507632	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507633	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507634	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507635	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507636	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507637	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507638	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507639	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507640	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507641	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507642	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507643	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507644	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507645	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507646	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507647	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507648	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507649	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507650	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507651	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507652	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507653	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507654	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507655	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507656	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507657	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507658	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507659	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507660	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507661	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507662	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507663	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507664	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507665	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507666	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507667	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/01/18
1507668	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507669	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507670	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507671	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507672	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507673	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507674	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/01/18
1507689	1333-74-0	HYDROGEN	20	Cubic Feet(CF)	02/01/18
1507690	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1507691	-	Argon UHP	220	Cubic Feet(CF)	02/01/18
1386025	-	SILICONE II	299	Milliliter(ML)	02/01/18
1456543	-	CLEAR GLIDE	1	Quarts(QT)	02/01/18
1456552	-	AQUA GEL II UTILITY CABLE PULLING LUBRICANT	1	Quarts(QT)	02/01/18
1456545	-	REGULAR CLEAR PVC CEMENT	4	Ounces(OZ)	02/01/18
1456544	-	PURPLE PRIMER FOR CPVC OR PVC	4	Ounces(OZ)	02/01/18
1456546	-	Fel-Pro C102 Heavy Duty Anti-Seize	1	Ounces(OZ)	02/01/18
1456547	-	Fel-Pro C102 Heavy Duty Anti-Seize	1	Ounces(OZ)	02/01/18
1456548	-	Valvoline ATF DEX/MERC AUTOMATIC	5	Gallon(GAL)	02/01/18
1456549	-	Valvoline ATF DEX/MERC AUTOMATIC	5	Gallon(GAL)	02/01/18
1456553	-	ATF DEX/MERC AUTOMATIC TRANSMISSION	1	Quarts(QT)	02/01/18
1456554	-	ATF DEX/MERC AUTOMATIC TRANSMISSION	1	Quarts(QT)	02/01/18
1456555	-	ATF DEX/MERC AUTOMATIC TRANSMISSION	1	Quarts(QT)	02/01/18
1456556	-	ATF DEX/MERC AUTOMATIC TRANSMISSION	1	Quarts(QT)	02/01/18
1456557	-	ATF DEX/MERC AUTOMATIC TRANSMISSION	1	Quarts(QT)	02/01/18
1456558	-	ATF DEX/MERC AUTOMATIC TRANSMISSION	1	Quarts(QT)	02/01/18
1456559	-	ATF DEX/MERC AUTOMATIC TRANSMISSION	1	Quarts(QT)	02/01/18
1456560	-	FANTASTIK ALL PURPOSE CLEANER	1	Quarts(QT)	02/01/18
1456561	-	FANTASTIK ALL PURPOSE CLEANER	1	Quarts(QT)	02/01/18
1456562	-	FANTASTIK ALL PURPOSE CLEANER	1	Quarts(QT)	02/01/18
1456563	-	FANTASTIK ALL PURPOSE CLEANER	1	Quarts(QT)	02/01/18
1456550	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	02/01/18
1456551	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	02/01/18
1456564	-	GLASS AND MULTI-SURFACE CLEANER	32	Ounces(OZ)	02/01/18
1456565	-	GLASS AND MULTI-SURFACE CLEANER	32	Ounces(OZ)	02/01/18
806896	-	GAS TORCH/BUTANE KIT	14.1	Ounces(OZ)	02/01/18
944928	-	APIEZON Q	1	Kilograms(KG)	02/01/18
944993	-	ANTI-SEIZE AND LUBRICATING COMPOUND	4	Ounces(OZ)	02/01/18
520857	-	WD-40 LUBRICATING SPRAY	11	Ounces(OZ)	02/01/18
520779	-	GLYPTAL 1201A RED INSULATING ENAMEL	12.75	Ounces(OZ)	02/01/18
944959	-	TRUE-TEST X-O RUST 1267 PRIMER RED	12	Ounces(OZ)	02/01/18
797402	-	NAIL ENAMEL/VERNIS	0.45	Ounces(OZ)	02/01/18
797403	-	NAIL ENAMEL/VERNIS	0.45	Ounces(OZ)	02/01/18
797404	-	NAIL ENAMEL/VERNIS	0.45	Ounces(OZ)	02/01/18
999641	-	HEAVY DUTY WATERLESS CREAM HAND CLEANER	2.04	Kilograms(KG)	02/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
806714	-	SAFE TAP ORIGINAL	15	Ounces(OZ)	02/01/18
944916	-	15 MICRON PREMIUM POLY DIAMOND	1	Pint(PT)	02/01/18
1087870	-	15 MICRON PREMIUM POLY DIAMOND	1	Pint(PT)	02/01/18
1089444	-	HARDMAN DOUBLE/BUBBLE EPOXY	1	Ounces(OZ)	02/01/18
1089442	-	HARDMAN DOUBLE/BUBBLE EPOXY	1	Ounces(OZ)	02/01/18
1493608	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493609	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493610	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493611	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493612	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493613	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493614	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493615	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493616	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493617	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493618	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493619	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/01/18
1493801	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/01/18
1493802	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/01/18
1493803	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/01/18
1493804	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/01/18
1493805	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/01/18
1493806	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/01/18
1493807	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/01/18
1493808	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493809	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493810	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493811	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493812	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493813	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493814	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493815	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493816	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1493817	78-48-8	DEF	2.5	Gallon(GAL)	02/01/18
1453086	-	10W-30 SAE MOTOR OIL	1.25	Gallon(GAL)	02/01/18
1493818	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493819	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493820	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493821	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493822	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493823	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493824	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493825	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493826	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493827	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493828	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493829	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493830	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493831	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493832	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493833	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493834	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493835	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493836	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493837	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493838	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493839	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493840	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493841	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493842	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493843	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493844	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493845	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493846	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493847	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493848	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493849	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493850	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493851	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493852	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493853	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493854	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493855	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493856	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493857	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493858	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493859	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493860	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493861	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493862	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493863	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493864	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493865	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493866	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493867	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493868	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493869	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493870	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493871	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493872	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493873	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493874	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493875	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493876	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493877	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493878	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493879	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493880	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493881	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493882	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493883	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493884	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493885	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493886	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493887	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493888	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493889	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493890	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493891	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493892	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/02/18
1493620	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	02/02/18
1493621	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	02/02/18
1493622	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	02/02/18
1493893	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493894	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493895	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493896	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493897	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493898	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493899	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493900	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493901	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493902	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493903	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493904	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493905	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493906	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493907	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493908	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493909	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493910	-	Parts Plus Type F ATF	1	Quarts(QT)	02/02/18
1493911	-	COMPRESSOR OIL	32	Ounces(OZ)	02/02/18
1493912	-	COMPRESSOR OIL	32	Ounces(OZ)	02/02/18
1493913	-	STARTING FLUID	10.7	Ounces(OZ)	02/02/18
1493914	-	266 Threadlocker High Strength	0.34	Ounces(OZ)	02/02/18
1493915	-	STA-LUBE HEAVY DUTY WHEEL BEARING GREASE	14	Ounces(OZ)	02/02/18
1493916	-	BATTERY TERMINAL PROTECTOR	7.5	Ounces(OZ)	02/02/18
1527420	-	VITA-D-CHLOR SLO-TABS	35	Pounds(LB)	02/02/18
1527421	-	VITA-D-CHLOR SLO-TABS	35	Pounds(LB)	02/02/18
1527422	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527423	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527424	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527425	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527426	67-64-1	ACETONE	4	Liters(L)	02/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527427	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527428	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527429	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527497	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527498	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527499	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527500	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527501	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527502	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527503	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527504	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527505	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527506	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527507	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527508	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/02/18
1527509	7664-93-9	SULFURIC ACID	2.5	Liters(L)	02/02/18
1527510	7664-93-9	SULFURIC ACID	2.5	Liters(L)	02/02/18
1527742	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	02/02/18
1527743	3849-21-6	Ethyl (hydroxyimino)cianoacetate tech. ~95%	500	Gram(GM)	02/02/18
1456674	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/02/18
1456675	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/02/18
1456676	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/02/18
1456677	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/02/18
1456678	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/02/18
1493917	-	Yellow Super Trim Adhesive	19	Ounces(OZ)	02/02/18
1493918	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Gloss	12	Ounces(OZ)	02/02/18
1493919	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	02/02/18
1493920	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	02/02/18
1493921	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/02/18
1493922	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/02/18
1493923	-	732 MULTI-PURPOSE SEALANT	10.1	Ounces(OZ)	02/02/18
1493924	-	732 MULTI-PURPOSE SEALANT	10.1	Ounces(OZ)	02/02/18
1493925	-	Durablend SAE 80W-90 SYNTHETIC BLEND GEAR	1	Quarts(QT)	02/02/18
1493926	-	Durablend SAE 80W-90 SYNTHETIC BLEND GEAR	1	Quarts(QT)	02/02/18
1493927	-	SYNPOWER 75W-90 SYNTHETIC GEAR OIL	1	Quarts(QT)	02/02/18
1493928	-	SYNPOWER 75W-90 SYNTHETIC GEAR OIL	1	Quarts(QT)	02/02/18
1493929	-	HD 30 MOTOR OIL	1	Quarts(QT)	02/02/18
1493930	-	HD 30 MOTOR OIL	1	Quarts(QT)	02/02/18
1527454	-	pET-22b(+) DNA - Novagen	10	MicroGram(UG)	02/02/18
1527455	-	Intellipack SmartFoam B	55	Gallon(GAL)	02/02/18
1527456	-	Intellipack SmartFoam A	55	Gallon(GAL)	02/02/18
1527511	92-94-4	P-TERPHENYL	25	Gram(GM)	02/02/18
1527512	-	POLYSTYRENE MONODISPERSED LATEX	5	Milliliter(ML)	02/02/18
1527513	302-79-4	RETINOIC ACID	50	Milligram(MG)	02/02/18
1527514	-	Insulin-like Growth Factor-I human	50	MicroGram(UG)	02/02/18
1527515	-	Insulin-like Growth Factor-I human	50	MicroGram(UG)	02/02/18
1527516	68-12-2	N N-DIMETHYLFORMAMIDE	500	Milliliter(ML)	02/02/18
1527517	127-08-2	POTASSIUM ACETATE	500	Gram(GM)	02/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527518	219814-29-6	2 5-Dibromo-4-methylimidazole	10	Gram(GM)	02/02/18
1527519	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	02/02/18
1527520	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	02/02/18
1527521	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	02/02/18
1527522	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	02/02/18
1527523	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	100	Gram(GM)	02/02/18
1527524	16883-45-7	TETRAMETHYLAMMONIUM BOROHYDRIDE	5	Gram(GM)	02/02/18
1527525	2820-37-3	3 4-Dimethyl-1H-pyrazole 97%	5	Gram(GM)	02/02/18
1527625	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527626	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527627	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527628	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527629	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527630	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527631	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527632	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527633	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527634	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527635	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527636	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527637	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527638	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527639	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527640	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527641	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527642	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527643	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527644	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527645	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527646	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527647	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527648	64-17-5	ETHANOL 200 PROOF	1	Pint(PT)	02/02/18
1527744	26628-22-8	Image-iT FX Signal Enhancer	20	Milliliter(ML)	02/02/18
1527745	26628-22-8	Image-iT FX Signal Enhancer	20	Milliliter(ML)	02/02/18
1527746	26628-22-8	Image-iT FX Signal Enhancer	20	Milliliter(ML)	02/02/18
1527747	26628-22-8	Image-iT FX Signal Enhancer	20	Milliliter(ML)	02/02/18
1527748	26628-22-8	Image-iT FX Signal Enhancer	20	Milliliter(ML)	02/02/18
1527749	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	50	Gram(GM)	02/02/18
1527750	-	MICROTOX RECONS SOLUTION	50	Milliliter(ML)	02/02/18
1527751	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527752	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527753	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527754	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527755	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527756	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527757	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527758	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527759	67-64-1	ACETONE	4	Liters(L)	02/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527760	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527761	67-64-1	ACETONE	4	Liters(L)	02/02/18
1527762	67-64-1	ACETONE	4	Liters(L)	02/02/18
1061156	-	WATER SOLUBLE COOLANT	1	Quarts(QT)	02/02/18
1493931	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493932	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493933	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493934	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493935	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493936	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493937	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493938	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493939	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1493940	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/02/18
1061164	-	KRYTOX GREASE	8	Ounces(OZ)	02/02/18
1061165	-	KRYTOX GREASE	8	Ounces(OZ)	02/02/18
1061166	-	KRYTOX GREASE	8	Ounces(OZ)	02/02/18
1061168	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/02/18
1527457	100587-90-4	LANTHANUM ACETATE	25	Gram(GM)	02/05/18
1527458	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527459	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527460	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527461	123-86-4	N-BUTYL ACETATE	1	Liters(L)	02/05/18
1527462	67-64-1	ACETONE	500	Milliliter(ML)	02/05/18
1527526	1571-08-0	METHYL 4-FORMYLBENZOATE 99%	5	Gram(GM)	02/05/18
1527527	1571-08-0	METHYL 4-FORMYLBENZOATE 99%	5	Gram(GM)	02/05/18
1527528	1313-82-2	SODIUM SULFIDE ANHYDROUS	10	Gram(GM)	02/05/18
1527529	-	ALCOJET	1.8	Kilograms(KG)	02/05/18
1527530	-	QIAEX II GEL EXTRACTION KIT 150	150	Milliliter(ML)	02/05/18
1527531	872-50-4	NMP	1	Gallon(GAL)	02/05/18
1527532	872-50-4	NMP	1	Gallon(GAL)	02/05/18
1527533	872-50-4	NMP	1	Gallon(GAL)	02/05/18
1527534	872-50-4	NMP	1	Gallon(GAL)	02/05/18
1527649	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527650	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527651	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527652	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527653	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527654	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527655	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527656	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527657	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527658	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527659	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527660	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/05/18
1527661	7791-20-0	NICKEL(II) CHLORIDE HEXAHYDRATE	5	Gram(GM)	02/05/18
1527662	-	EpoxySet Hardener - Part B EpoxySet Resin - Part	50	Milliliter(ML)	02/05/18
1527663	-	EpoxySet Hardener - Part B EpoxySet Resin - Part	50	Milliliter(ML)	02/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527664	-	EpoxySet Hardener - Part B EpoxySet Resin - Part	50	Milliliter(ML)	02/05/18
1527665	-	EpoxySet Hardener - Part B EpoxySet Resin - Part	50	Milliliter(ML)	02/05/18
1527666	-	EpoxySet Hardener - Part B EpoxySet Resin - Part	50	Milliliter(ML)	02/05/18
1527667	-	EpoxySet Hardener - Part B EpoxySet Resin - Part	50	Milliliter(ML)	02/05/18
1527668	471-34-1	CALCIUM CARBONATE	100	Gram(GM)	02/05/18
1527669	2820-37-3	3 4-Dimethyl-1H-pyrazole 97%	5	Gram(GM)	02/05/18
1527670	4076-36-2	5-METHYL-1H-TETRAZOLE	5	Gram(GM)	02/05/18
1527671	4076-36-2	5-METHYL-1H-TETRAZOLE	5	Gram(GM)	02/05/18
1527763	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527764	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527765	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527766	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527767	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527768	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527769	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527770	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527771	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527772	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527773	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527774	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527775	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527776	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527777	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527778	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527779	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527780	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527781	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527782	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527783	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527784	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527785	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527786	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527787	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527788	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527789	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527790	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527791	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527792	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527793	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527794	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527795	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527796	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527797	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527798	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527799	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527800	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527801	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527802	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527803	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527804	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527805	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527806	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527807	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527808	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527809	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527810	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527811	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527812	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527813	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527814	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527815	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527816	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527817	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527818	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527819	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527820	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527821	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527822	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/05/18
1527823	108-88-3	TOLUENE	1	Liters(L)	02/05/18
1527824	108-88-3	TOLUENE	1	Liters(L)	02/05/18
1527825	108-88-3	TOLUENE	1	Liters(L)	02/05/18
1527826	108-88-3	TOLUENE	1	Liters(L)	02/05/18
1527827	108-88-3	TOLUENE	1	Liters(L)	02/05/18
1527828	108-88-3	TOLUENE	1	Liters(L)	02/05/18
1527829	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/05/18
1527830	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/05/18
1527831	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/05/18
1527832	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/05/18
1527833	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/05/18
1527834	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/05/18
1527835	110-54-3	N-HEXANE	1	Liters(L)	02/05/18
1527836	75-09-2	DICHLOROMETHANE	1	Liters(L)	02/05/18
1506729	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/05/18
1493941	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493942	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493943	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493944	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493945	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493946	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493947	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493948	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493949	78-48-8	DEF	2.5	Gallon(GAL)	02/05/18
1493950	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	02/05/18
1493951	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/05/18
1493952	-	266 Threadlocker High Strength	0.34	Ounces(OZ)	02/05/18
1493953	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	02/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493954	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	02/05/18
1493955	-	STARTING FLUID	10.7	Ounces(OZ)	02/05/18
1493956	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/05/18
1493957	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	02/05/18
1493958	-	Parts Plus Type F ATF	1	Quarts(QT)	02/05/18
1493959	-	Parts Plus Type F ATF	1	Quarts(QT)	02/05/18
1493960	-	Parts Plus Type F ATF	1	Quarts(QT)	02/05/18
1493961	-	Parts Plus Type F ATF	1	Quarts(QT)	02/05/18
1493962	-	DX-III/MERCON ATF	1	Quarts(QT)	02/05/18
1493963	-	DX-III/MERCON ATF	1	Quarts(QT)	02/05/18
1493964	-	DX-III/MERCON ATF	1	Quarts(QT)	02/05/18
1493965	-	DX-III/MERCON ATF	1	Quarts(QT)	02/05/18
1473390	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	02/05/18
1453085	-	MOCK HIGH EXPLOSIVE (HE) 900-10	4	Kilograms(KG)	02/06/18
1507692	7440-59-7	HELIUM	100	Liters(L)	02/07/18
1507693	7440-59-7	HELIUM	100	Liters(L)	02/07/18
1507694	7440-59-7	HELIUM	100	Liters(L)	02/07/18
1507695	-	Oxygen Nitrogen	34	Liters(L)	02/07/18
1507696	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	02/07/18
1496913	-	WOOD FILLER	1	Pint(PT)	02/07/18
1496914	-	FURNITURE POLISH	16	Ounces(OZ)	02/07/18
1493966	-	Castrol EDGE with Syntec Power Technology 5W-	1	Quarts(QT)	02/07/18
1493967	-	Castrol EDGE with Syntec Power Technology 5W-	1	Quarts(QT)	02/07/18
1493968	-	Castrol EDGE with Syntec Power Technology 5W-	1	Quarts(QT)	02/07/18
1493969	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	02/07/18
1493970	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	02/07/18
1493971	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	02/07/18
1493972	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	02/07/18
1507697	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507698	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507699	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507700	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507701	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507702	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507703	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507704	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507705	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507706	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507707	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507708	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507709	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507710	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507711	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507712	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507713	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507714	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507715	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507716	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507717	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507718	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507719	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507720	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507721	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507722	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507723	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507724	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507725	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507726	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507727	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507728	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507729	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507730	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507731	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507732	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507733	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507734	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507735	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507736	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507737	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507738	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507739	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/08/18
1507740	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507741	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507742	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507743	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507744	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507745	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507746	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507747	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507748	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507749	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507750	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507751	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507752	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507753	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507754	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507755	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507756	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507757	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507758	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507759	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507760	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507761	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507762	-	Nitrogen UHP	220	Cubic Feet(CF)	02/08/18
1507763	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507764	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507765	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507766	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507767	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507768	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507769	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507770	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507771	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1507772	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/08/18
1431147	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431148	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431149	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431150	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431151	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431152	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431153	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431154	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431155	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431156	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431157	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431158	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431159	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431160	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431162	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431163	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431164	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431165	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431166	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431167	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431168	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431169	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431170	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431171	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431172	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431173	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431174	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431175	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431176	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431177	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431178	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431179	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431180	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431181	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431182	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431183	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431184	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431185	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431186	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431187	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1431188	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431189	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431190	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431191	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431192	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431193	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431194	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431195	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431196	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431197	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1431198	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1473334	-	QUIKCRETE CONCRETE	60	Pounds(LB)	02/08/18
1473335	-	QUIKCRETE CONCRETE	60	Pounds(LB)	02/08/18
1473336	-	QUIKCRETE CONCRETE	60	Pounds(LB)	02/08/18
1473337	-	QUIKCRETE CONCRETE	60	Pounds(LB)	02/08/18
1431161	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	02/08/18
1507773	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/08/18
1507774	7440-59-7	HELIUM	220	Cubic Feet(CF)	02/08/18
1507775	7440-59-7	HELIUM	220	Cubic Feet(CF)	02/08/18
1507776	7440-59-7	HELIUM	220	Cubic Feet(CF)	02/08/18
1507777	7440-59-7	HELIUM	220	Cubic Feet(CF)	02/08/18
1507778	7440-59-7	HELIUM	220	Cubic Feet(CF)	02/08/18
1507779	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/08/18
1507780	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/08/18
1507781	-	2% Oxygen Bal Argon	220	Cubic Feet(CF)	02/08/18
1507782	-	25% CARBON DIOXIDE/75% ARGON	220	Cubic Feet(CF)	02/08/18
1507793	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507794	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507795	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507796	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507797	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507798	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507799	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507800	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507801	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507802	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507803	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507804	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/08/18
1507806	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507807	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507808	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507809	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507810	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507811	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507812	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507813	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507814	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507815	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507816	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507817	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/08/18
1507818	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/08/18
913686	-	PURE GOOP	1	Ounces(OZ)	02/09/18
913687	-	PURE GOOP	1	Ounces(OZ)	02/09/18
1473338	-	Sikagard-705 L	5	Gallon(GAL)	02/09/18
1473339	-	Sikagard-705 L	5	Gallon(GAL)	02/09/18
1473441	-	COTE ALL WHITE BASE	1	Gallon(GAL)	02/09/18
1473442	-	COTE ALL WHITE BASE	1	Gallon(GAL)	02/09/18
1527672	100-66-3	ANISOLE ANHYDROUS 99+%	1	Liters(L)	02/12/18
1527675	-	2 Part Epoxy	50	Gram(GM)	02/12/18
1527676	16461-94-2	3-Amino-4-bromopyrazole 97%	25	Gram(GM)	02/12/18
1527677	471-25-0	PROPIOLIC ACID	100	Gram(GM)	02/12/18
1527678	108-20-3	ISOPROPYL ETHER (DIISOPROPYL ETHER)	1	Liters(L)	02/12/18
1527837	13494-98-9	YTTRIUM (III) NITRATE HEXAHYDRATE	100	Gram(GM)	02/12/18
1527838	13494-98-9	YTTRIUM (III) NITRATE HEXAHYDRATE	100	Gram(GM)	02/12/18
1527839	8007-47-4	CANADA BALSAM	100	Milliliter(ML)	02/12/18
1527840	-	STAINLESS STEEL POWDER	11	Pounds(LB)	02/12/18
1527841	-	STAINLESS STEEL POWDER	11	Pounds(LB)	02/12/18
1527842	-	VACTRA OIL NO. 2	5	Gallon(GAL)	02/12/18
1527895	1310-73-2	SODIUM HYDROXIDE 50%	1	Liters(L)	02/12/18
1527896	1310-73-2	SODIUM HYDROXIDE 50%	1	Liters(L)	02/12/18
1527897	1310-73-2	SODIUM HYDROXIDE 50%	1	Liters(L)	02/12/18
1527898	1310-73-2	SODIUM HYDROXIDE 50%	1	Liters(L)	02/12/18
1527899	5557-83-5	L-Alanine benzyl ester hydrochloride	100	Gram(GM)	02/12/18
1527900	2462-31-9	Glycine benzyl ester hydrochloride	100	Gram(GM)	02/12/18
1381333	-	OIL CHAIN	1	Quarts(QT)	02/12/18
1527901	95-45-4	DIMETHYLGLYOXIME	25	Gram(GM)	02/12/18
1527902	7440-09-7	POTASSIUM	50	Gram(GM)	02/12/18
1381324	-	OIL CHAIN	1	Quarts(QT)	02/12/18
1527903	118753-70-1	N-Boc-N N-bis(2-chloroethyl)amine	100	Gram(GM)	02/12/18
1381335	-	HEAVY DUTY BRAKE FLUID	12	Ounces(OZ)	02/12/18
1456679	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/12/18
1456680	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/12/18
1456681	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/12/18
1456682	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/12/18
1456683	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/12/18
1527843	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527844	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527845	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527846	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527847	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527848	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527849	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527850	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527851	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527852	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	2.5	Kilograms(KG)	02/12/18
1527853	-	MOBIL 1 10W-30	1	Quarts(QT)	02/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1493973	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1527854	557-34-6	ZINC ACETATE	250	Gram(GM)	02/12/18
1493974	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493975	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493976	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493977	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493978	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493979	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493980	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493981	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493982	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493983	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1493984	-	PRECISION-LINE INVERTED MARKING PAINT -	12	Ounces(OZ)	02/12/18
1527855	1313-82-2	SODIUM SULFIDE ANHYDROUS	25	Gram(GM)	02/12/18
1527904	7757-83-7	SODIUM SULFITE	500	Gram(GM)	02/12/18
1527905	7757-83-7	SODIUM SULFITE	500	Gram(GM)	02/12/18
1527906	7757-83-7	SODIUM SULFITE	500	Gram(GM)	02/12/18
1527907	7757-83-7	SODIUM SULFITE	500	Gram(GM)	02/12/18
1527908	7757-83-7	SODIUM SULFITE	500	Gram(GM)	02/12/18
1527909	7757-83-7	SODIUM SULFITE	500	Gram(GM)	02/12/18
1527910	7664-38-2	O-PHOSPHORIC ACID 85%	500	Milliliter(ML)	02/12/18
1527911	108-88-3	TOLUENE	1	Liters(L)	02/12/18
1527912	108-88-3	TOLUENE ANHYDROUS	100	Milliliter(ML)	02/12/18
1527913	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	02/12/18
1527914	3588-17-8	TRANS TRANS-MUCONIC ACID	10	Gram(GM)	02/12/18
1527915	3588-17-8	TRANS TRANS-MUCONIC ACID	10	Gram(GM)	02/12/18
1527916	4436-74-2	trans- β -Hydromuconic acid	10	Gram(GM)	02/12/18
1527917	97-65-4	ITACONIC ACID	100	Gram(GM)	02/12/18
1527918	617-52-7	DIMETHYL ITACONATE	25	Gram(GM)	02/12/18
1527919	25503-90-6	1-Acetylpiperidine-4-carboxylic acid	5	Gram(GM)	02/12/18
1527920	27115-50-0	4-Methylhippuric acid	1	Gram(GM)	02/12/18
1527921	27115-50-0	4-Methylhippuric acid	1	Gram(GM)	02/12/18
1527922	1187-42-4	DIAMINOMALEONITRILE	100	Gram(GM)	02/12/18
1527923	1187-42-4	DIAMINOMALEONITRILE	100	Gram(GM)	02/12/18
1527924	127-18-4	TETRACHLOROETHYLENE	1	Liters(L)	02/12/18
1527925	127-18-4	TETRACHLOROETHYLENE	1	Liters(L)	02/12/18
1527926	-	Norland Optical Adhesive 83H	6	Gram(GM)	02/12/18
1527927	-	Norland Optical Adhesive 83H	6	Gram(GM)	02/12/18
1527928	7646-85-7	ZINC CHLORIDE	100	Gram(GM)	02/12/18
1527931	109-72-8	N-BUTYLLITHIUM	25	Milliliter(ML)	02/12/18
1527932	109-72-8	N-BUTYLLITHIUM	25	Milliliter(ML)	02/12/18
1527933	109-72-8	N-BUTYLLITHIUM	25	Milliliter(ML)	02/12/18
1527934	109-72-8	N-BUTYLLITHIUM	25	Milliliter(ML)	02/12/18
1527967	68037-01-4	MECHANICAL PUMP OIL - 45	1	Liters(L)	02/12/18
1527968	68037-01-4	MECHANICAL PUMP OIL - 45	1	Liters(L)	02/12/18
1527969	68037-01-4	MECHANICAL PUMP OIL - 45	1	Liters(L)	02/12/18
1527970	68037-01-4	MECHANICAL PUMP OIL - 45	1	Liters(L)	02/12/18
1527971	-	DOW CORNING(R) 340 HEAT SINK COMPOUND	5	Ounces(OZ)	02/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527972	102-71-6	TRIETHANOLAMINE	2.5	Liters(L)	02/12/18
1456684	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	02/12/18
1456685	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	02/12/18
1507819	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	250	Liters(L)	02/13/18
1527858	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527859	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527860	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527861	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527862	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527863	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527864	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527865	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527866	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527867	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527868	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1527869	1310-73-2	SODIUM HYDROXIDE	1	Liters(L)	02/13/18
1507820	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/13/18
1527870	67-63-0	ISOPROPYL ALCOHOL	5	Gallon(GAL)	02/13/18
1527871	67-63-0	ISOPROPYL ALCOHOL	5	Gallon(GAL)	02/13/18
1507821	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/13/18
1507822	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/13/18
1507823	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/13/18
1507824	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/13/18
1527872	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	02/13/18
1527873	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	02/13/18
1507825	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507826	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507827	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507828	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507829	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507830	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507831	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507832	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507833	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507834	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507835	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507836	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507837	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507838	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507839	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507840	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507841	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507842	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507843	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507844	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507845	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507846	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507847	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507848	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507849	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507850	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507851	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507852	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507853	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507854	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507855	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507856	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507857	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507858	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507859	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1507860	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/13/18
1527875	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	02/13/18
1527876	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	02/13/18
1527877	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	02/13/18
1527878	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	02/13/18
1527879	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	02/13/18
1527880	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	02/13/18
1527881	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	02/13/18
1527882	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	02/13/18
1527883	-	NheI-HF	1000	Milliliter(ML)	02/13/18
1527884	-	NheI-HF	1000	Milliliter(ML)	02/13/18
1527885	111-86-4	OCTYLAMINE	100	Gram(GM)	02/13/18
1527886	112-90-3	OLEYLAMINE 70%	100	Gram(GM)	02/13/18
1527887	112-90-3	OLEYLAMINE 70%	100	Gram(GM)	02/13/18
1527888	112-90-3	OLEYLAMINE 70%	100	Gram(GM)	02/13/18
1527889	108-88-3	TOLUENE ANHYDROUS	1	Liters(L)	02/13/18
1381315	-	THREADLOCKER BLUE MEDIUM STRENGTH	1	Ounces(OZ)	02/13/18
1527890	-	Corning Matrigel Matrix Phenol Red Free	10	Milliliter(ML)	02/13/18
1527929	2401-73-2	1 3-DICHLOROTETRAMETHYLDISILOXANE	25	Milliliter(ML)	02/13/18
1527930	78-62-6	DIMETHYLDIETHOXYSILANE	100	Milliliter(ML)	02/13/18
1527935	14898-67-0	RUTHENIUM(III)CHLORIDE HYDRATE	5	Gram(GM)	02/13/18
1527936	78-67-1	2 2'-AZOBIS[2-METHYLPROPIONITRILE]	1	Gram(GM)	02/13/18
1527937	78-67-1	2 2'-AZOBIS[2-METHYLPROPIONITRILE]	1	Gram(GM)	02/13/18
1527938	-	DNA Clean-up Kit	250	Milliliter(ML)	02/13/18
1527939	7170-01-6	3-Methyl-1H-1 2 4-triazole 95+%	5	Gram(GM)	02/13/18
1527940	7170-01-6	3-Methyl-1H-1 2 4-triazole 95+%	5	Gram(GM)	02/13/18
1527941	91159-73-8	4 5-Dimethyl-1H-pyrazol-3-amine 95+%	5	Gram(GM)	02/13/18
1527942	91159-73-8	4 5-Dimethyl-1H-pyrazol-3-amine 95+%	5	Gram(GM)	02/13/18
1527943	91159-73-8	4 5-Dimethyl-1H-pyrazol-3-amine 95+%	5	Gram(GM)	02/13/18
1527944	91159-73-8	4 5-Dimethyl-1H-pyrazol-3-amine 95+%	5	Gram(GM)	02/13/18
1527945	91159-73-8	4 5-Dimethyl-1H-pyrazol-3-amine 95+%	5	Gram(GM)	02/13/18
1527946	1314-62-1	VANADIUM(V) OXIDE	1	Kilograms(KG)	02/13/18
1527947	1310-73-2	Carbon Dioxide Trap Refill	2.5	Kilograms(KG)	02/13/18
1527948	1310-73-2	SODIUM HYDROXIDE	2.5	Kilograms(KG)	02/13/18
1527949	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/13/18
1527950	-	KRYTOX LVP HIGH-VACUUM GREASE	2	Ounces(OZ)	02/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527951	-	KRYTOX LVP HIGH-VACUUM GREASE	2	Ounces(OZ)	02/13/18
1527952	-	KRYTOX LVP HIGH-VACUUM GREASE	2	Ounces(OZ)	02/13/18
1527953	-	KRYTOX LVP HIGH-VACUUM GREASE	2	Ounces(OZ)	02/13/18
1527954	7098-22-8	Tetratetracontane	1	Gram(GM)	02/13/18
1527955	14324-55-1	ZINC DIETHYLDITHIOCARBAMATE	25	Gram(GM)	02/13/18
1527956	1304-76-3	BISMUTH(III) OXIDE	500	Gram(GM)	02/13/18
1527957	1317-36-8	LEAD(II) OXIDE POWDER <10 MICRON	500	Gram(GM)	02/13/18
1527958	1317-36-8	LEAD(II) OXIDE POWDER <10 MICRON	500	Gram(GM)	02/13/18
1527959	1309-48-4	MAGNESIUM OXIDE	250	Gram(GM)	02/13/18
1527960	1309-48-4	MAGNESIUM OXIDE	250	Gram(GM)	02/13/18
1527961	1304-28-5	BARIUM OXIDE	250	Gram(GM)	02/13/18
1527962	1304-28-5	BARIUM OXIDE	250	Gram(GM)	02/13/18
1527963	1303-86-2	BORIC ANHYDRIDE	500	Gram(GM)	02/13/18
1456686	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/13/18
1457119	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/13/18
1457120	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/13/18
1457121	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/13/18
1457122	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/13/18
1457123	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/13/18
1527430	-	LANL-CAL-2B	125	Milliliter(ML)	02/13/18
1527431	-	LANL-CAL-2B	125	Milliliter(ML)	02/13/18
1527432	-	LANL-CAL-2B	125	Milliliter(ML)	02/13/18
1527433	-	LANL-CAL-2B	125	Milliliter(ML)	02/13/18
1527434	-	LANL-CAL-3	125	Milliliter(ML)	02/13/18
1527435	-	LANL-CAL-3	125	Milliliter(ML)	02/13/18
1527436	-	LANL-CAL-3	125	Milliliter(ML)	02/13/18
1527437	-	LANL-CAL-3	125	Milliliter(ML)	02/13/18
1527438	-	LANL-CAL-5	125	Milliliter(ML)	02/13/18
1527439	-	LANL-CAL-5	125	Milliliter(ML)	02/13/18
1527440	-	LANL-CAL-5	125	Milliliter(ML)	02/13/18
1527441	-	LANL-CAL-5	125	Milliliter(ML)	02/13/18
1527442	-	LANL-CAL-6A	125	Milliliter(ML)	02/13/18
1527443	-	LANL-CAL-6A	125	Milliliter(ML)	02/13/18
1527444	-	LANL-CAL-6A	125	Milliliter(ML)	02/13/18
1527445	-	LANL-CAL-6A	125	Milliliter(ML)	02/13/18
1527446	-	LANL-CCS-1A	125	Milliliter(ML)	02/13/18
1527447	-	LANL-CCS-1A	125	Milliliter(ML)	02/13/18
1527448	-	LANL-CCS-4	125	Milliliter(ML)	02/13/18
1527449	-	LANL-CCS-4	125	Milliliter(ML)	02/13/18
1527450	-	LANL-CCS-5	125	Milliliter(ML)	02/13/18
1527451	-	LANL-CCS-5	125	Milliliter(ML)	02/13/18
1527452	-	LANL-CCS-6	125	Milliliter(ML)	02/13/18
1527453	-	LANL-CCS-6	125	Milliliter(ML)	02/13/18
1527891	-	Alloy 8009-325	1	Pounds(LB)	02/13/18
1527892	-	Alloy 8009-325	1	Pounds(LB)	02/13/18
1527893	7664-93-9	SULFURIC ACID	2.5	Liters(L)	02/13/18
1527894	7664-93-9	SULFURIC ACID	2.5	Liters(L)	02/13/18
1528039	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528040	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528041	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528042	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528043	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528044	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528045	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528046	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528047	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528048	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528049	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528050	811-97-2	AERO-DUSTER	11	Ounces(OZ)	02/13/18
1528051	64-17-5	ETHYL ALCOHOL. DENATURED	5	Gallon(GAL)	02/13/18
1528052	64-17-5	ETHYL ALCOHOL. DENATURED	5	Gallon(GAL)	02/13/18
1528053	64-17-5	ETHYL ALCOHOL. DENATURED	5	Gallon(GAL)	02/13/18
1528054	64-17-5	ETHYL ALCOHOL. DENATURED	5	Gallon(GAL)	02/13/18
1528055	64-17-5	ETHYL ALCOHOL. DENATURED	5	Gallon(GAL)	02/13/18
1528056	4906-24-5	Acetoin acetate	100	Gram(GM)	02/13/18
1528057	1314-56-3	PHOSPHORUS PENTOXIDE	500	Gram(GM)	02/13/18
1528058	14003-66-8	5-Methyl-4-nitroimidazole 98%	5	Gram(GM)	02/13/18
1528059	112945-52-5	SILICA FUMED	500	Gram(GM)	02/13/18
1528060	-	ANSUL MET-L-X DRY CHEM AGENT	50	Pounds(LB)	02/13/18
1528061	-	ANSUL MET-L-X DRY CHEM AGENT	50	Pounds(LB)	02/13/18
1528062	-	ANSUL MET-L-X DRY CHEM AGENT	50	Pounds(LB)	02/13/18
1528063	-	ANSUL MET-L-X DRY CHEM AGENT	50	Pounds(LB)	02/13/18
1528111	-	DOW CORNING(R) 340 HEAT SINK COMPOUND	142	Gram(GM)	02/13/18
1528112	-	DOW CORNING(R) 340 HEAT SINK COMPOUND	142	Gram(GM)	02/13/18
1528113	-	DOW CORNING(R) 340 HEAT SINK COMPOUND	142	Gram(GM)	02/13/18
1528114	-	DOW CORNING(R) 340 HEAT SINK COMPOUND	142	Gram(GM)	02/13/18
1528115	-	HYDRANAL WTR STD	240	Milliliter(ML)	02/13/18
1528116	-	HYDRANAL WTR STD	240	Milliliter(ML)	02/13/18
1528117	-	HYDRANAL WTR STD	240	Milliliter(ML)	02/13/18
1528118	-	HYDRANAL WTR STD	240	Milliliter(ML)	02/13/18
1528119	-	HYDRANAL WTR STD	240	Milliliter(ML)	02/13/18
1528120	1122-91-4	4-BROMOBENZALDEHYDE	100	Gram(GM)	02/13/18
1528121	6485-79-6	TRIIISOPROPYLSILANE	100	Milliliter(ML)	02/13/18
1528122	6485-79-6	TRIIISOPROPYLSILANE	100	Milliliter(ML)	02/13/18
1528123	6485-79-6	TRIIISOPROPYLSILANE	100	Milliliter(ML)	02/13/18
1528124	6485-79-6	TRIIISOPROPYLSILANE	100	Milliliter(ML)	02/13/18
1528125	6485-79-6	TRIIISOPROPYLSILANE	100	Milliliter(ML)	02/13/18
1456481	-	LOCTITE ADHESIVE	4	Gram(GM)	02/14/18
1456508	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456500	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456501	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456506	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
14565499	-	ALLIED POLY DIAMOND COMPOUND 0.5 MICRON	18	Gram(GM)	02/14/18
1456502	-	ALLIED POLY DIAMOND COMPOUND .25 MICRON	18	Gram(GM)	02/14/18
1456503	-	ALLIED POLY DIAMOND COMPOUND .25 MICRON	18	Gram(GM)	02/14/18
1456504	-	ALLIED POLY DIAMOND COMPOUND .25 MICRON	18	Gram(GM)	02/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1456505	-	ALLIED POLY DIAMOND COMPOUND .25 MICRON	18	Gram(GM)	02/14/18
1456471	-	ALLIED POLY DIAMOND COMPOUND 1 MICRON	18	Gram(GM)	02/14/18
1456472	-	ALLIED POLY DIAMOND COMPOUND 1 MICRON	18	Gram(GM)	02/14/18
1456473	-	ALLIED POLY DIAMOND COMPOUND 1 MICRON	18	Gram(GM)	02/14/18
1456538	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456539	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456540	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456541	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456534	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456535	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456536	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456537	-	ALLIED POLY DIAMOND COMPOUND 3 MICRON	18	Gram(GM)	02/14/18
1456493	-	ALLIED POLY DIAMOND COMPOUND 9 MICRON	16	Ounces(OZ)	02/14/18
1456495	-	ALLIED POLY DIAMOND COMPOUND 1 MICRON	16	Ounces(OZ)	02/14/18
1456490	-	ALLIED POLY DIAMOND COMPOUND 15 MICRON	16	Ounces(OZ)	02/14/18
1456483	-	STRUERS OP-ALUMINA SUSPENSION	32	Ounces(OZ)	02/14/18
1456479	-	LOCTITE ADHESIVE	20	Gram(GM)	02/14/18
1474147	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474148	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474149	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474150	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474151	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474152	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474153	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474154	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474155	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474156	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474157	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1474158	-	SILICONE SEALANT	10	Ounces(OZ)	02/14/18
1527964	78-10-4	Tetraethoxysilane 99+ %	2	Kilograms(KG)	02/15/18
1527965	1310-73-2	SODIUM HYDROXIDE 50%	1	Liters(L)	02/15/18
1527966	1310-73-2	SODIUM HYDROXIDE 50%	1	Liters(L)	02/15/18
1528064	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528065	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528066	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528067	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528068	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528069	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528070	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528071	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528072	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528073	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528074	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528075	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528076	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528077	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528078	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528079	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528080	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528081	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528082	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528083	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528084	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528085	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528086	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528087	1336-21-6	AMMONIUM HYDROXIDE 28-30%	2.5	Liters(L)	02/15/18
1528088	-	EPOXY KIT	1	Pint(PT)	02/15/18
1528090	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	02/15/18
1528091	12190-79-3	LITHIUM COBALT(III) OXIDE	25	Gram(GM)	02/15/18
1528092	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528093	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528094	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528095	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528096	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528097	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528098	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528099	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528100	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528101	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	02/15/18
1528126	9000-70-8	GELATIN FROM PORCINE SKIN	10	Milligram(MG)	02/15/18
1528127	57-13-6	UREA	1	Kilograms(KG)	02/15/18
1528128	13476-99-8	VANDIUM ACETYLACETONATE	50	Gram(GM)	02/15/18
1528129	1310-73-2	Carbon Dioxide Trap	250	Cubic	02/15/18
1528130	67-56-1	METHANOL	4	Liters(L)	02/15/18
1528131	67-56-1	METHANOL	4	Liters(L)	02/15/18
1528132	67-56-1	METHANOL	4	Liters(L)	02/15/18
1528133	67-56-1	METHANOL	4	Liters(L)	02/15/18
1528134	7722-84-1	HYDROGEN PEROXIDE 3%	500	Milliliter(ML)	02/15/18
1528135	174899-83-3	1-Butyl-3-methylimidazolium	25	Gram(GM)	02/15/18
1528136	7646-79-9	COBALT(II) CHLORIDE	1	Gram(GM)	02/15/18
1528137	865-47-4	POTASSIUM-TERT-BUTOXIDE	25	Gram(GM)	02/15/18
1528138	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528139	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528140	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528141	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528142	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528143	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528144	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528145	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528146	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528147	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528148	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528149	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528150	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528151	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528152	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528153	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528154	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528155	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528156	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528157	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528158	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528159	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528160	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528161	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/15/18
1528162	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528163	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528164	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528165	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528166	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528167	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528168	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528169	10024-93-8	NEODYMIUM (III) CHLORIDE	5	Gram(GM)	02/15/18
1528170	1665-00-5	DICHLOROMETHANE-D2	25	Gram(GM)	02/15/18
1528171	-	INCUBATER-CLEAN	100	Milliliter(ML)	02/15/18
1528172	52-51-7	AQUABATER-CLEAN	250	Milliliter(ML)	02/15/18
1528173	-	RBS 35 CONCENTRATE	5	Kilograms(KG)	02/15/18
1528174	865-47-4	POTASSIUM-TERT-BUTOXIDE	100	Gram(GM)	02/15/18
1528175	1665-00-5	METHYLENE CHLORIDE-D2	25	Gram(GM)	02/15/18
1528176	930-30-3	2-CYCLOPENTENONE	25	Gram(GM)	02/15/18
1528183	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528184	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528185	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528186	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528187	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528188	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528189	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528190	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528191	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528192	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528193	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528194	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/15/18
1528195	2462-34-2	L-Valine benzyl ester hydrochloride	25	Gram(GM)	02/15/18
1528196	2462-34-2	L-Valine benzyl ester hydrochloride	25	Gram(GM)	02/15/18
1528197	2462-34-2	L-Valine benzyl ester hydrochloride	25	Gram(GM)	02/15/18
1528177	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	100	Milliliter(ML)	02/15/18
1528178	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	100	Milliliter(ML)	02/15/18
1528179	67-63-0	2-PROPANOL	4	Liters(L)	02/15/18
1528180	67-63-0	2-PROPANOL	4	Liters(L)	02/15/18
1528181	67-63-0	2-PROPANOL	4	Liters(L)	02/15/18
1528182	67-63-0	2-PROPANOL	4	Liters(L)	02/15/18
1381308	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
913712	-	Blue Goop	2	Ounces(OZ)	02/15/18
1474013	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474016	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/15/18
913721	-	Blue Goop	2	Ounces(OZ)	02/15/18
1381299	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381300	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381301	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381302	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381303	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381304	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381305	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381306	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381309	-	CLEAR ALL PURPOSE SILICONE	9.8	Ounces(OZ)	02/15/18
1381316	-	SILICON SEALANT	10.1	Ounces(OZ)	02/15/18
1474009	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/15/18
1474024	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/15/18
1474036	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/15/18
1381317	-	SILICON SEALANT	10.1	Ounces(OZ)	02/15/18
1381318	-	SILICON SEALANT	10.1	Ounces(OZ)	02/15/18
1381319	-	SILICON SEALANT	10.1	Ounces(OZ)	02/15/18
1381320	-	SILICON SEALANT	10.1	Ounces(OZ)	02/15/18
1381321	-	SILICON SEALANT	10.1	Ounces(OZ)	02/15/18
1474014	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	02/15/18
1528255	67-56-1	METHANOL	4	Liters(L)	02/15/18
1528256	-	ICP-MS MULTI STANDARD	125	Milliliter(ML)	02/15/18
1528257	7664-39-3	HYDROFLUORIC ACID OPTIMA	500	Milliliter(ML)	02/15/18
1528258	-	ETHANOL ANHYDROUS	1	Gallon(GAL)	02/15/18
1528259	-	ETHANOL ANHYDROUS	1	Gallon(GAL)	02/15/18
1528260	5137-55-3	ALIQUAT 336	500	Milliliter(ML)	02/15/18
1528264	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528265	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528266	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528267	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528268	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528269	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528270	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528271	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	02/15/18
1528272	5970-45-6	ZINC ACETATE DIHYDRATE	16	Ounces(OZ)	02/15/18
1528273	5970-45-6	ZINC ACETATE DIHYDRATE	16	Ounces(OZ)	02/15/18
1528274	5970-45-6	ZINC ACETATE DIHYDRATE	16	Ounces(OZ)	02/15/18
1528275	5970-45-6	ZINC ACETATE DIHYDRATE	16	Ounces(OZ)	02/15/18
1528276	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	200	Liters(L)	02/15/18
1528277	7647-01-0	HYDROCHLORIC ACID 36-38%	20	Kilograms(KG)	02/15/18
1528278	7647-01-0	HYDROCHLORIC ACID 36-38%	20	Kilograms(KG)	02/15/18
1528279	7647-01-0	HYDROCHLORIC ACID 36-38%	20	Kilograms(KG)	02/15/18
1528280	7647-01-0	HYDROCHLORIC ACID 36-38%	20	Kilograms(KG)	02/15/18
1528281	7647-01-0	HYDROCHLORIC ACID 36-38%	20	Kilograms(KG)	02/15/18
1528282	7647-01-0	HYDROCHLORIC ACID 36-38%	20	Kilograms(KG)	02/15/18
1528283	7647-01-0	HYDROCHLORIC ACID 36-38%	20	Kilograms(KG)	02/15/18
1528284	7632-00-0	SODIUM NITRITE	250	Gram(GM)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528285	7632-00-0	SODIUM NITRITE	250	Gram(GM)	02/15/18
1528286	7632-00-0	SODIUM NITRITE	250	Gram(GM)	02/15/18
1528287	7632-00-0	SODIUM NITRITE	250	Gram(GM)	02/15/18
1528288	7632-00-0	SODIUM NITRITE	250	Gram(GM)	02/15/18
1528289	7632-00-0	SODIUM NITRITE	250	Gram(GM)	02/15/18
1457129	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1457130	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1457131	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1457132	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1457133	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1457134	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1457135	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1457136	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/15/18
1528261	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	02/15/18
1528262	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	02/15/18
1528263	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	02/15/18
1507876	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507877	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507878	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507879	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507880	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507881	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507882	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507883	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507884	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507885	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507886	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507887	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507888	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507889	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507890	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507891	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507892	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507893	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507894	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507895	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507896	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507897	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507898	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507899	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507900	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507901	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507902	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507903	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507904	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507905	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507906	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507907	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507908	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507909	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507910	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507911	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507912	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507913	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507914	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507915	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507916	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507917	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507918	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507919	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507920	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507921	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507922	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507923	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507924	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507925	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507926	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507927	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507928	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507929	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507930	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507931	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507932	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507933	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507934	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507935	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507936	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507937	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507938	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507939	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507940	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507941	7440-59-7	Helium UHP	220	Cubic Feet(CF)	02/15/18
1507942	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507943	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507944	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507945	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507946	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507947	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507948	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507949	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507950	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507951	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507952	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507953	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507954	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507955	-	Argon UHP	220	Cubic Feet(CF)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1507956	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507957	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507958	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507959	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507960	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507961	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507962	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507963	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507964	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507965	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507966	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507967	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507968	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507969	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507970	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507971	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507972	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507973	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507974	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507975	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507976	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507977	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507978	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507979	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507980	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507981	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507982	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507983	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507984	-	Argon UHP	220	Cubic Feet(CF)	02/15/18
1507985	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507986	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507987	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507988	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507989	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507990	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507991	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507992	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507993	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507994	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507995	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507996	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507997	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507998	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1507999	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508000	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508001	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508002	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508003	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508004	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508005	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508006	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508007	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508008	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/15/18
1508009	7440-01-9	NEON	220	Cubic Feet(CF)	02/15/18
1508010	-	Oxygen Nitrogen	34	Liters(L)	02/15/18
1508011	-	Oxygen Nitrogen	34	Liters(L)	02/15/18
1508012	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508013	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508014	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508015	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508016	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508017	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508018	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508019	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508020	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508021	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508022	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508023	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508024	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508025	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508026	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508027	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508028	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508029	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508030	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508031	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508032	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508033	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508034	-	Nitrogen UHP	220	Cubic Feet(CF)	02/15/18
1508035	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/15/18
1508036	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/15/18
1508037	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/15/18
1508038	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/15/18
1508039	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/15/18
1508040	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1508041	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/15/18
1508042	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508043	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508044	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508045	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508046	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508047	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508048	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508049	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508050	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508051	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508052	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508053	-	Oxygen UHP	220	Cubic Feet(CF)	02/15/18
1508071	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/15/18
1508072	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/15/18
1508073	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/15/18
1508074	74-86-2	ACETYLENE	40	Cubic Feet(CF)	02/15/18
1508075	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508076	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508077	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508078	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508079	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508080	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508081	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508082	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508083	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508084	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508085	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508086	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508087	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508088	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508089	-	94% Argon and 6% Hydrogen	220	Cubic Feet(CF)	02/15/18
1508090	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1508091	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1508092	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1508093	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1508094	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1508095	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1508096	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1508097	1333-74-0	HYDROGEN	220	Cubic Feet(CF)	02/15/18
1527973	24807-55-4	3-NITRO-1 2 4-TRIAZOLE	10	Gram(GM)	02/15/18
1527974	17136-36-6	N-Benzylglycine	25	Gram(GM)	02/15/18
1527975	3731-52-0	3-(Aminomethyl)pyridine	25	Gram(GM)	02/15/18
1527976	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	02/15/18
1527977	7664-38-2	PHOSPHORIC ACID 85%	1	Liters(L)	02/15/18
1472617	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472618	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472619	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472620	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472621	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472622	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472623	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472624	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472625	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472626	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472627	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472628	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472629	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472630	-	CONCRETE MIX	60	Pounds(LB)	02/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472631	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472632	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472633	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472634	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1472635	-	CONCRETE MIX	60	Pounds(LB)	02/15/18
1527978	62-53-3	ANILINE	100	Milliliter(ML)	02/15/18
1527979	-	NOCHROMIX	1130	Gram(GM)	02/15/18
1527980	3012-65-5	AMMONIUM CITRATE DIBASIC	500	Gram(GM)	02/15/18
1527981	7727-54-0	AMMONIUM PERSULFATE 98%	100	Gram(GM)	02/15/18
1527982	1313-59-3	SODIUM OXIDE	250	Gram(GM)	02/15/18
1527983	1313-59-3	SODIUM OXIDE	250	Gram(GM)	02/15/18
1527984	10294-41-4	CERIUM(III) NITRATE HYDRATE	100	Gram(GM)	02/15/18
1527985	13126-12-0	RUBIDIUM NITRATE	10	Gram(GM)	02/15/18
1527986	8001-79-4	CASTOR OIL	250	Milliliter(ML)	02/15/18
1527987	8001-79-4	CASTOR OIL	500	Milliliter(ML)	02/15/18
1527988	8001-79-4	CASTOR OIL	1	Liters(L)	02/15/18
1527989	16029-98-4	IODOTRIMETHYLSILANE	5	Gram(GM)	02/15/18
1527990	16029-98-4	IODOTRIMETHYLSILANE	5	Gram(GM)	02/15/18
1527991	16029-98-4	IODOTRIMETHYLSILANE	5	Gram(GM)	02/15/18
1527992	16029-98-4	IODOTRIMETHYLSILANE	5	Gram(GM)	02/15/18
1472636	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/15/18
1527993	21651-19-4	TIN(II) OXIDE	100	Gram(GM)	02/15/18
1527994	1314-13-2	ZINC OXIDE	500	Gram(GM)	02/15/18
1528102	109-99-9	TETRAHYDROFURAN	500	Milliliter(ML)	02/15/18
1528103	109-99-9	TETRAHYDROFURAN	500	Milliliter(ML)	02/15/18
1528104	109-99-9	TETRAHYDROFURAN	500	Milliliter(ML)	02/15/18
1528105	109-99-9	TETRAHYDROFURAN	500	Milliliter(ML)	02/15/18
1528106	67-63-0	ISOPROPYL ALCOHOL ANHYDROUS	1	Liters(L)	02/15/18
1528107	67-63-0	ISOPROPYL ALCOHOL ANHYDROUS	1	Liters(L)	02/15/18
1528108	-	Stellaris RNA FISH Wash Buffer A	60	Milliliter(ML)	02/16/18
1528109	-	Stellaris RNA FISH Wash Buffer B	20	Milliliter(ML)	02/16/18
1528110	-	Stellaris RNA FISH Hybridization Buffer	10	Milliliter(ML)	02/16/18
1528198	-	Human Serum (Normal Pool)	100	Milliliter(ML)	02/16/18
1528199	8001-79-4	CASTOR OIL	10	Gram(GM)	02/16/18
1528200	27871-49-4	METHYL (S)-(-)-LACTATE	100	Gram(GM)	02/16/18
1528201	-	Human Hepatocytes	45	Milliliter(ML)	02/16/18
1528202	-	Human Hepatocytes	45	Milliliter(ML)	02/16/18
1528203	-	Human Hepatocytes	45	Milliliter(ML)	02/16/18
1528204	-	Human Hepatocytes	45	Milliliter(ML)	02/16/18
1528210	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528211	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528212	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528213	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528214	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528215	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528216	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528217	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	02/16/18
1528290	-	TOTAL CHLORINE INDICATOR	473	Milliliter(ML)	02/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528291	-	TOTAL CHLORINE INDICATOR	473	Milliliter(ML)	02/16/18
1528292	-	TOTAL CHLORINE INDICATOR	473	Milliliter(ML)	02/16/18
1528293	-	TOTAL CHLORINE INDICATOR	473	Milliliter(ML)	02/16/18
1528294	62-56-6	THIOUREA	1	Kilograms(KG)	02/16/18
1528295	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/16/18
1528296	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/16/18
1528297	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/16/18
1528298	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/16/18
1528299	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/16/18
1528300	7722-84-1	HYDROGEN PEROXIDE 30%	500	Milliliter(ML)	02/16/18
1528301	67-63-0	ISOPROPANOL (2-PROPANOL)	2.5	Liters(L)	02/16/18
1528302	67-63-0	ISOPROPANOL (2-PROPANOL)	2.5	Liters(L)	02/16/18
1528303	67-63-0	ISOPROPANOL (2-PROPANOL)	2.5	Liters(L)	02/16/18
1528304	67-63-0	ISOPROPANOL (2-PROPANOL)	2.5	Liters(L)	02/16/18
1528305	7775-27-1	SODIUM PERSULFATE	1	Kilograms(KG)	02/16/18
1528306	84-58-2	2 3-DICHLORO-5 6-DICYANO-1 4-	100	Gram(GM)	02/16/18
1528307	-	COOLUBE 2210	1	Gallon(GAL)	02/16/18
1528308	-	COOLUBE 2210	1	Gallon(GAL)	02/16/18
1528309	-	ENERPAC HYDRAULIC OIL	1	Gallon(GAL)	02/16/18
1528310	-	ENERPAC HYDRAULIC OIL	1	Gallon(GAL)	02/16/18
1528311	-	ENERPAC HYDRAULIC OIL	1	Gallon(GAL)	02/16/18
1528312	15077-13-1	Formic acid triethylamine complex 5:2	10	Gram(GM)	02/16/18
1457137	7705-08-0	FERRIC CHLORIDE SOLUTION 0.025%	3400	Pounds(LB)	02/16/18
1457138	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	02/16/18
1457139	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/16/18
1457140	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/16/18
1457141	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/16/18
1457142	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/16/18
1457143	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/16/18
1528205	2752-64-9	Mesaconitine	10	Milligram(MG)	02/16/18
1528206	2752-64-9	Mesaconitine	10	Milligram(MG)	02/16/18
1528207	-	Tulsion MB-115	1	Cubic Feet(CF)	02/16/18
1528208	67-63-0	ISOPROPYL ALCOHOL	5	Gallon(GAL)	02/16/18
1528209	67-63-0	ISOPROPYL ALCOHOL	5	Gallon(GAL)	02/16/18
1528218	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528219	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528220	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528221	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528222	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528223	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528224	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528225	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528226	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528227	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528228	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528229	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528230	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528231	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528232	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528233	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528234	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528235	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528236	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528237	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528238	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528239	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528240	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528241	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528242	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528243	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528244	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528245	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528246	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528247	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	02/16/18
1528248	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	1	Liters(L)	02/16/18
1528249	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	1	Liters(L)	02/16/18
1528250	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/16/18
1528251	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/16/18
1528252	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/16/18
1528253	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/16/18
1528313	2462-34-2	L-Valine benzyl ester hydrochloride	25	Gram(GM)	02/16/18
1528314	7440-46-2	CESIUM	30	Milliliter(ML)	02/16/18
1528315	9548-62-9	CRYSTAL VIOLET	25	Gram(GM)	02/16/18
1528316	16681-56-4	2-Bromoimidazole	5	Gram(GM)	02/16/18
1528317	16681-56-4	2-Bromoimidazole	5	Gram(GM)	02/16/18
1528318	28466-26-4	4-Amino-1H-pyrazole	5	Gram(GM)	02/16/18
1528319	28466-26-4	4-Amino-1H-pyrazole	5	Gram(GM)	02/16/18
1528320	28466-26-4	4-Amino-1H-pyrazole	5	Gram(GM)	02/16/18
1528321	28466-26-4	4-Amino-1H-pyrazole	5	Gram(GM)	02/16/18
1528322	28466-26-4	4-Amino-1H-pyrazole	5	Gram(GM)	02/16/18
1528323	79-09-4	PROPICNIC ACID	500	Milliliter(ML)	02/16/18
1528324	14808-60-7	SAND SEA WASHED	5	Kilograms(KG)	02/16/18
1528325	493-52-7	METHYL RED	25	Gram(GM)	02/16/18
1528326	7791-13-1	COBALT(II) CHLORIDE HEXAHYDRATE	100	Gram(GM)	02/16/18
1528327	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528328	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528329	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528330	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528331	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528332	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528333	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528334	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528335	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	2	Liters(L)	02/16/18
1528336	540-69-2	AMMONIUM FORMATE	100	Gram(GM)	02/16/18
1528337	1119-72-8	cis cis-Muconic acid	5	Gram(GM)	02/16/18
1528363	-	UTEVA RESIN	2	Milliliter(ML)	02/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528399	67-56-1	METHYL ALCOHOL ANHYDROUS	4	Liters(L)	02/16/18
1528400	67-56-1	METHYL ALCOHOL ANHYDROUS	4	Liters(L)	02/16/18
1528401	67-56-1	METHYL ALCOHOL ANHYDROUS	4	Liters(L)	02/16/18
1528402	67-56-1	METHYL ALCOHOL ANHYDROUS	4	Liters(L)	02/16/18
1457144	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/16/18
1457145	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/16/18
1457146	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/16/18
1457147	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/16/18
1457148	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/16/18
1457149	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/16/18
1288965	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288966	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288967	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288968	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288969	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288970	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288971	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288972	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288973	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288974	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288975	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288976	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288977	-	MARKING PAINT RED-ORANGE	15	Ounces(OZ)	02/20/18
1288978	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288980	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288981	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288982	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288983	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288984	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288985	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288986	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288987	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288988	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288989	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288990	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288991	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288992	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288993	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288994	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288995	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288996	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288997	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288998	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1288999	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1289000	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1289001	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1289002	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18
1289003	64742-47-8	HYDROTREATED LIGHT DISTILLATE	10.5	Ounces(OZ)	02/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528338	-	PERCHLORATE TEST	1	Pint(Pt)	02/20/18
1528339	7440-15-5	RHENIUM ICP STANDARD 1000PPM	125	Milliliter(ML)	02/20/18
1528340	682-30-4	DIETHYL VINYLPHOSPHONATE	5	Gram(GM)	02/20/18
1528341	682-30-4	DIETHYL VINYLPHOSPHONATE	5	Gram(GM)	02/20/18
1528342	12027-06-4	AMMONIUM IODIDE	100	Gram(GM)	02/20/18
1528343	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528344	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528345	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528346	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528347	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528348	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528349	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528350	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528351	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528352	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528353	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528354	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528355	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528356	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528357	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528358	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528359	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528360	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528361	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528362	-	3M Scotch-Weld DP190 Gray	1.69	Ounces(OZ)	02/20/18
1528364	-	5-MINUTE EPOXY	25	Milliliter(ML)	02/20/18
1528365	-	5-MINUTE EPOXY	25	Milliliter(ML)	02/20/18
1528366	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528367	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528368	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528369	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528370	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528371	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528372	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528373	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528374	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528375	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528376	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528377	811-97-2	AERO-DUSTER	15	Ounces(OZ)	02/20/18
1528378	615-42-9	1 2-DIIODOBENZENE	25	Gram(GM)	02/20/18
1528379	615-42-9	1 2-DIIODOBENZENE	25	Gram(GM)	02/20/18
1528380	429-06-1	TETRAETHYLAMMONIUM TETRAFLUOROBORATE	100	Gram(GM)	02/20/18
1528381	61-73-4	METHYLENE BLUE	500	Milliliter(ML)	02/20/18
1528382	1344-28-1	ALUMINUM OXIDE	500	Gram(GM)	02/20/18
1528383	7440-56-4	GERMANIUM	25	Gram(GM)	02/20/18
1528384	26628-22-8	Dynabeads MyOne Silane	5	Milliliter(ML)	02/20/18
1528385	26628-22-8	Dynabeads MyOne Silane	5	Milliliter(ML)	02/20/18
1528386	1310-73-2	SODIUM HYDROXIDE	100	Milliliter(ML)	02/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528387	1310-73-2	SODIUM HYDROXIDE	100	Milliliter(ML)	02/20/18
1528388	-	IRON STANDARD	125	Milliliter(ML)	02/20/18
1528389	-	IRON STANDARD	125	Milliliter(ML)	02/20/18
1457150	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	02/20/18
1457151	-	NALCO 7408 CHLORINE SCAVENGER SOLUTION	55	Gallon(GAL)	02/20/18
1457152	-	NALCO 8735 ALKALINEITY SO	639	Pounds(LB)	02/20/18
1457153	-	Nalco 22341	503	Pounds(LB)	02/20/18
1528254	75-05-8	ACETONITRILE OPTIMA	4	Liters(L)	02/20/18
1528390	16733-97-4	LITHIUM CYCLOPENTADIENIDE	5	Gram(GM)	02/21/18
1528391	85-68-7	BUTYL BENZYL PHTHALATE	1	Liters(L)	02/21/18
1528392	85-68-7	BUTYL BENZYL PHTHALATE	1	Liters(L)	02/21/18
1528393	68440-42-6	BROWN MENHADEN FISH OIL	1	Liters(L)	02/21/18
1528394	68440-42-6	BROWN MENHADEN FISH OIL	1	Liters(L)	02/21/18
1528395	-	POLYVINYL BUTYRAL BINDER	2	Pounds(LB)	02/21/18
1528396	-	POLYVINYL BUTYRAL BINDER	2	Pounds(LB)	02/21/18
1528397	-	POLYALKYLENE GLYCOL	1	Liters(L)	02/21/18
1528398	-	POLYALKYLENE GLYCOL	1	Liters(L)	02/21/18
1528403	-	Hepatocyte MM w/Splmnt	5	Milliliter(ML)	02/21/18
1528404	-	Hepatocyte MM w/Splmnt	5	Milliliter(ML)	02/21/18
1528405	-	Hepatocyte MM w/Splmnt	5	Milliliter(ML)	02/21/18
1058995	-	ACTIVATED CARBON	50	Gram(GM)	02/21/18
1421231	-	PUTTY EPOXY	2	Ounces(OZ)	02/21/18
1421240	-	LOCTITE	0.85	Ounces(OZ)	02/21/18
1058992	-	1% palladium on carbon	50	Gram(GM)	02/21/18
1058993	-	2% palladium on carbon	50	Gram(GM)	02/21/18
1058994	-	ACTIVATED CARBON	50	Gram(GM)	02/21/18
1472642	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472643	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472644	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472645	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472646	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472647	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472648	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472649	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472650	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472651	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472652	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472653	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472654	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472655	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472656	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472657	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472658	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472659	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472660	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472661	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472662	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472663	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1472664	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472665	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472666	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472667	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472668	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472669	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472670	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472671	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472672	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472673	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472674	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472675	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472676	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472677	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472678	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472679	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472680	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472681	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472682	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472683	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472684	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472685	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472686	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472687	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472688	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1472689	-	FIREFIGHTER GL48	5	Gallon(GAL)	02/21/18
1453669	-	SILICONE COMPOUND	1	Ounces(OZ)	02/21/18
1453678	-	SILICONE COMPOUND	1	Ounces(OZ)	02/21/18
1508098	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508099	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508100	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508101	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508102	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508103	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508104	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508105	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508106	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508107	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508108	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508109	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	02/21/18
1508110	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/21/18
1508111	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/21/18
1508112	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/21/18
1508113	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/21/18
1508114	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/21/18
1508115	7440-59-7	HELIUM	220	Cubic Feet(CF)	02/21/18
1508116	-	AIR COMPRESSED	60	Cubic Feet(CF)	02/21/18
1508117	7440-59-7	HELIUM	60	Cubic Feet(CF)	02/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528406	867-47-0	LEAD (II) ACRYLATE	25	Gram(GM)	02/21/18
1528408	-	MagMAX DNA Multi-Sample Kit	215.39	Milliliter(ML)	02/21/18
1528409	-	MagMAX DNA Multi-Sample Kit	215.39	Milliliter(ML)	02/21/18
1528410	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	02/21/18
1528411	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	02/21/18
1528412	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	02/21/18
1528413	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	02/21/18
1528414	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	02/21/18
1528415	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	02/21/18
1528416	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528417	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528418	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528419	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528420	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528421	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528422	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528423	-	NITRAVER-TEST-N-TUBE REAGENT HACH # 26053-	50	Milliliter(ML)	02/21/18
1528424	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	02/21/18
1528425	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	02/21/18
1528471	-	EP62-1 EPOXY NON MEDICAL	1	Pint(PT)	02/21/18
1528472	-	DPD COMPOUND FOR FREE AND TOTAL	24	Gram(GM)	02/21/18
1528473	-	DPD COMPOUND FOR FREE AND TOTAL	24	Gram(GM)	02/21/18
1528474	-	DPD COMPOUND FOR FREE AND TOTAL	24	Gram(GM)	02/21/18
1528475	-	DPD COMPOUND FOR FREE AND TOTAL	24	Gram(GM)	02/21/18
1528476	104-15-4	Chlorine Free Indicator Solution 473 mL	473	Milliliter(ML)	02/21/18
1528477	104-15-4	Chlorine Free Indicator Solution 473 mL	473	Milliliter(ML)	02/21/18
1528478	104-15-4	Chlorine Free Indicator Solution 473 mL	473	Milliliter(ML)	02/21/18
1528479	104-15-4	Chlorine Free Indicator Solution 473 mL	473	Milliliter(ML)	02/21/18
1528480	1313-84-4	SODIUM SULFIDE NONAHYDRATE	1	Kilograms(KG)	02/21/18
1528481	1313-84-4	SODIUM SULFIDE NONAHYDRATE	1	Kilograms(KG)	02/21/18
1528482	17083-85-1	TETRAETHYLAMMONIUM BOROHYDRIDE	5	Gram(GM)	02/21/18
1528483	1305-78-8	CALCIUM OXIDE	1	Kilograms(KG)	02/21/18
1528484	-	BLEACH	64	Ounces(OZ)	02/21/18
1528485	-	BLEACH	64	Ounces(OZ)	02/21/18
1528486	-	BLEACH	64	Ounces(OZ)	02/21/18
1528487	-	BLEACH	64	Ounces(OZ)	02/21/18
1528488	-	BLEACH	64	Ounces(OZ)	02/21/18
1528489	-	BLEACH	64	Ounces(OZ)	02/21/18
1528490	-	BLEACH	64	Ounces(OZ)	02/21/18
1528491	-	BLEACH	64	Ounces(OZ)	02/21/18
1528492	-	Micro 291U	1	Liters(L)	02/21/18
1528493	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	02/21/18
1528494	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	02/21/18
1528495	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	02/21/18
1528496	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	02/21/18
1528497	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	02/21/18
1528498	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	02/21/18
1528499	64-17-5	ETHYL ALCOHOL 200 PROOF	2	Liters(L)	02/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528500	64-17-5	ETHYL ALCOHOL 200 PROOF	2	Liters(L)	02/21/18
1528501	12008-21-8	Lanthanum Hexaboride	25	Gram(GM)	02/21/18
1528502	12008-21-8	LANTHANUM BORIDE	5	Gram(GM)	02/21/18
1528503	6900-87-4	Hypaconitine	5	Milligram(MG)	02/21/18
1528504	6900-87-4	Hypaconitine	5	Milligram(MG)	02/21/18
1528505	6900-87-4	Hypaconitine	5	Milligram(MG)	02/21/18
1528506	6900-87-4	Hypaconitine	5	Milligram(MG)	02/21/18
1528507	302-27-2	Aconitine	10	Milligram(MG)	02/21/18
1528508	302-27-2	Aconitine	10	Milligram(MG)	02/21/18
1528509	302-27-2	Aconitine	10	Milligram(MG)	02/21/18
1528510	375-73-5	Nonafluoro-1-butanefulfonic Acid	25	Gram(GM)	02/21/18
1528511	7783-46-2	LEAD(II) FLUORIDE	100	Gram(GM)	02/21/18
1528512	7783-46-2	LEAD(II) FLUORIDE	100	Gram(GM)	02/21/18
1528513	7722-76-1	AMMONIUM PHOSPHATE MONOBASIC	250	Gram(GM)	02/21/18
1528514	13494-80-9	TELLURIUM POWDER	25	Gram(GM)	02/21/18
1528517	513-86-0	3-HYDROXY-2-BUTANONE	1	Kilograms(KG)	02/21/18
1496917	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	02/21/18
1496918	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	02/21/18
1496919	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	02/21/18
1496920	-	SAE 15W-40 MOTOR OIL	1	Quarts(QT)	02/21/18
1496921	-	50/50 PREDILUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	02/21/18
1497007	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497008	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497009	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497010	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497011	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497012	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497013	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497014	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497015	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497016	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497017	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497018	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497019	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497020	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497021	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497022	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497023	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497024	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497025	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497026	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497027	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497028	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497029	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497030	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497031	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497032	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497033	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497034	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497035	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497036	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497037	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497038	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497039	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497040	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497041	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497042	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497043	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497044	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497045	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497046	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497047	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497048	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497049	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497050	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497051	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497052	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497053	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497054	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497055	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497056	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497057	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497058	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497059	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497060	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497061	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497062	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497063	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497064	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497065	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497066	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497067	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497068	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497069	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497070	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497071	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497072	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497073	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497074	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497075	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497076	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497077	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497078	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497079	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497080	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1528518	64-17-5	ALCOHOL ANHYDROUS REAGENT	4	Liters(L)	02/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497081	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497082	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497083	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1497084	-	RV ANTIFREEZE	1	Gallon(GAL)	02/21/18
1528519	7631-86-9	SILICON DIOXIDE	100	Gram(GM)	02/21/18
1528520	7440-50-8	COPPER POWDER	5	Pounds(LB)	02/22/18
1528521	7440-50-8	COPPER POWDER	5	Pounds(LB)	02/22/18
1528526	78560-45-9	1H 1H 2H 2H-	10	Gram(GM)	02/22/18
1528527	172222-30-9	GRUBBS CATALYST 1ST GENERATION	50	Gram(GM)	02/22/18
1528528	-	CALCIUM GLUCONATE 2.5%	25	Gram(GM)	02/22/18
1528529	-	CALCIUM GLUCONATE 2.5%	25	Gram(GM)	02/22/18
1528530	-	CALCIUM GLUCONATE 2.5%	25	Gram(GM)	02/22/18
1528531	1529-47-1	CHLOROTRIMETHYLGERMANE	25	Gram(GM)	02/22/18
1528532	1529-47-1	CHLOROTRIMETHYLGERMANE	25	Gram(GM)	02/22/18
1528533	1638-86-4	Diethyl phenylphosphonite	25	Gram(GM)	02/22/18
1528534	1638-86-4	Diethyl phenylphosphonite	25	Gram(GM)	02/22/18
1528545	109-65-9	1-BROMOBUTANE	100	Milliliter(ML)	02/22/18
1528546	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528547	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528548	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528549	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528550	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528551	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528552	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528553	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528554	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528555	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528556	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528557	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528558	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528559	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528560	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528561	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528562	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528563	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528564	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528565	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528566	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528567	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528568	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1528569	811-97-2	DUSTER ES1017	10	Ounces(OZ)	02/22/18
1457156	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/22/18
1457157	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/22/18
1457158	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/22/18
1457159	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/22/18
1266926	-	Decon Gell 1101	500	Milliliter(ML)	02/22/18
1494044	-	PARTS PLUS SAE 10W-30 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/22/18
1494045	-	PARTS PLUS SAE 10W-30 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494046	-	PARTS PLUS SAE 10W-30 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/22/18
1494047	-	PARTS PLUS SAE 10W-30 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/22/18
1494048	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/22/18
1494049	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/22/18
1494050	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/22/18
1494051	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/22/18
1494052	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/22/18
1494053	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/22/18
1494054	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/22/18
1494055	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	02/22/18
1494056	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	02/22/18
1494057	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	02/22/18
1494058	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	02/22/18
1494059	-	MULTI PURPOSE SUPER WHITE GREASE	14	Ounces(OZ)	02/22/18
1494060	-	MULTI PURPOSE SUPER WHITE GREASE	14	Ounces(OZ)	02/22/18
1494061	-	MULTI PURPOSE SUPER WHITE GREASE	14	Ounces(OZ)	02/22/18
1494062	-	MULTI PURPOSE SUPER WHITE GREASE	14	Ounces(OZ)	02/22/18
1494063	-	Valvoline HIGH PERFORMANCE SAE 75W-90	1	Quarts(QT)	02/22/18
1494064	-	Valvoline HIGH PERFORMANCE SAE 75W-90	1	Quarts(QT)	02/22/18
1494065	-	HEAVY DUTY SILICONE	7.5	Ounces(OZ)	02/22/18
1494066	-	HEAVY DUTY SILICONE	7.5	Ounces(OZ)	02/22/18
1494067	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/22/18
1494068	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/22/18
1494069	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	02/22/18
1494070	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	02/22/18
1494071	-	Pneumatic/Hydraulic Sealant	1.22	Ounces(OZ)	02/22/18
1387180	7440-59-7	HELIUM	219	Pounds(LB)	02/22/18
1494072	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	02/26/18
1494073	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	02/26/18
1494074	-	3M Rubberized Undercoating Black PN08883	19.7	Ounces(OZ)	02/26/18
1494075	-	3M Rubberized Undercoating Black PN08883	19.7	Ounces(OZ)	02/26/18
1494076	-	3M Rubberized Undercoating Black PN08883	19.7	Ounces(OZ)	02/26/18
1494077	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/26/18
1494078	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/26/18
1494079	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/26/18
1494080	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/26/18
1494081	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/26/18
1494082	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/26/18
1494083	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	02/26/18
1494084	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	02/26/18
1494085	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	02/26/18
1494086	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	02/26/18
1494087	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	02/26/18
1494088	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	02/26/18
1494089	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	02/26/18
1494090	-	PREMIUM HYDRAULIC FLUID AW-32	5	Gallon(GAL)	02/26/18
1494091	-	PREMIUM HYDRAULIC FLUID AW-32	5	Gallon(GAL)	02/26/18
1494092	-	PREMIUM HYDRAULIC FLUID AW-32	5	Gallon(GAL)	02/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494093	-	PREMIUM HYDRAULIC FLUID AW-32	5	Gallon(GAL)	02/26/18
1494094	-	PREMIUM HYDRAULIC FLUID AW-32	5	Gallon(GAL)	02/26/18
1494095	79-01-6	Pre-Buff Cleaner	32	Ounces(OZ)	02/26/18
1494096	79-01-6	Pre-Buff Cleaner	32	Ounces(OZ)	02/26/18
1494097	79-01-6	Pre-Buff Cleaner	32	Ounces(OZ)	02/26/18
1385628	7697-37-2	NITRIC ACID	4	Milliliter(ML)	02/26/18
1385630	7697-37-2	NITRIC ACID	4	Milliliter(ML)	02/26/18
1385629	7697-37-2	NITRIC ACID	4	Milliliter(ML)	02/26/18
1385627	-	SODIUM HYDROXIDE 20%	4	Milliliter(ML)	02/26/18
1494098	78-48-8	DEF	2.5	Gallon(GAL)	02/26/18
1494099	78-48-8	DEF	2.5	Gallon(GAL)	02/26/18
1494100	78-48-8	DEF	2.5	Gallon(GAL)	02/26/18
1494101	78-48-8	DEF	2.5	Gallon(GAL)	02/26/18
1494102	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494103	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494104	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494105	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494106	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494107	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494108	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494109	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494110	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494111	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494112	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494113	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/26/18
1494114	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/26/18
1475789	-	LAQUER THINNER	1	Gallon(GAL)	02/26/18
1475790	-	COTE ALL DEEP BASE	1	Gallon(GAL)	02/26/18
1475791	-	COTE ALL DEEP BASE	1	Gallon(GAL)	02/26/18
1475792	-	COTE ALL DEEP BASE	1	Gallon(GAL)	02/26/18
1475793	-	COTE ALL DEEP BASE	1	Gallon(GAL)	02/26/18
1475794	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	02/26/18
1475795	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	02/26/18
1475796	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	02/26/18
1475797	-	PORCH AND FLOOR COATING ANTI SKID	1	Gallon(GAL)	02/26/18
1475798	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475799	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475800	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475801	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475802	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475803	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475812	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475813	-	PSX 700 CURE US	0.2	Gallon(GAL)	02/26/18
1475804	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18
1475805	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18
1475806	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18
1475807	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18
1475808	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475809	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18
1475810	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18
1475811	-	PSX 700 pearl gray resin	1	Gallon(GAL)	02/26/18
1528407	56-81-5	GLYCEROL	1	Liters(L)	02/27/18
1528426	8042-47-5	MINERAL OIL	2.5	Liters(L)	02/27/18
1528427	5154-00-7	2-amino-6-hydroxypyridine	25	Gram(GM)	02/27/18
1528428	7440-58-6	HAFNIUM	10	Gram(GM)	02/27/18
1528429	7440-58-6	HAFNIUM	10	Gram(GM)	02/27/18
1528535	68891-79-2	Polybutadiene dicarboxy terminated	250	Milliliter(ML)	02/27/18
1528536	68891-46-3	Poly(acrylonitrile-co-butadiene) dicarboxy	250	Milliliter(ML)	02/27/18
1475782	-	COTE ALL MULTI-PURPOSE ENAMEL	1	Gallon(GAL)	02/27/18
1475783	-	COTE ALL MULTI-PURPOSE ENAMEL	1	Gallon(GAL)	02/27/18
1475784	-	COTE ALL MULTI-PURPOSE ENAMEL	1	Gallon(GAL)	02/27/18
1528537	-	Polystyrene DDMAT terminated	1	Gram(GM)	02/27/18
1528538	-	Polystyrene DDMAT terminated	1	Gram(GM)	02/27/18
1528539	-	Polystyrene DDMAT terminated	1	Gram(GM)	02/27/18
1528540	-	Polystyrene DDMAT terminated	1	Gram(GM)	02/27/18
1528541	-	Polystyrene DDMAT terminated	1	Gram(GM)	02/27/18
1475785	-	COTE ALL MULTI-PURPOSE ENAMEL	1	Gallon(GAL)	02/27/18
1528542	25190-06-1	POLYTETRAMETHYLENE ETHER GLYCOL	25	Milliliter(ML)	02/27/18
1528543	7440-44-0	CARBON ACTIVATED	100	Gram(GM)	02/27/18
1528544	6046-93-1	CUPRIC ACETATE MONOHYDRATE	500	Milliliter(ML)	02/27/18
1528570	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528571	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528572	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528573	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528574	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528575	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528576	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528577	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528578	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528579	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528580	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528581	7722-84-1	HYDROGEN PEROXIDE 30%	100	Milliliter(ML)	02/27/18
1528582	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528583	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528584	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528585	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528586	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528587	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528588	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528589	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528590	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528591	-	DPD TOT CHLOR ACCUVAC PK/25	25	Milliliter(ML)	02/27/18
1528592	25322-69-4	POLYPROPYLENE GLYCOL	250	Gram(GM)	02/27/18
1528593	75-22-9	BORANE-TRIMETHYLAMINE COMPLEX	5	Gram(GM)	02/27/18
1528594	1529-47-1	CHLOROTRIMETHYLGERMANE	5	Gram(GM)	02/27/18
1528595	1199-95-7	Trimethyl(phenylethynyl)tin	1	Gram(GM)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528596	7718-98-1	VANADIUM(III) CHLORIDE	5	Gram(GM)	02/27/18
1528597	7758-09-0	POTASSIUM NITRITE	1	Kilograms(KG)	02/27/18
1528598	1666-13-3	DIPHENYL DISELENIDE (PHENYL DISELENIDE)	5	Gram(GM)	02/27/18
1528599	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	02/27/18
1528600	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/27/18
1528601	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/27/18
1528602	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/27/18
1528603	75-09-2	DICHLOROMETHANE	4	Liters(L)	02/27/18
1475820	-	ZINSSER 123 BULLSEYE PRIMER	5	Gallon(GAL)	02/27/18
1528604	-	DIAMOND PASTE	5	Gram(GM)	02/27/18
1528605	-	DIAMOND PASTE	5	Gram(GM)	02/27/18
1528615	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528616	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528617	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528618	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528619	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528620	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528621	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528622	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528623	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528624	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528625	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528626	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528627	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528628	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528629	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528630	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528631	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528632	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528633	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528634	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528635	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528636	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528637	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528638	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528639	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528640	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528641	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528642	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528643	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528644	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528645	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528646	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528647	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528648	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528649	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528650	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528651	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528652	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528653	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528654	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528655	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528656	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528657	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528658	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528659	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528660	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528661	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528662	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528663	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528664	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528665	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528666	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528667	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528668	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528669	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528670	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528671	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528672	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528673	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528674	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1457160	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	02/27/18
1457161	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	02/27/18
1475732	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1457162	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	02/27/18
1457163	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	02/27/18
1457164	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	02/27/18
1457165	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	02/27/18
1475733	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475734	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475735	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475736	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475737	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475738	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475739	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475740	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475741	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475742	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475743	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475744	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475745	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475746	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475747	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475748	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475749	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475750	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475751	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475752	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475753	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475754	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475755	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475756	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475757	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475758	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475759	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475760	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475761	-	SureFlo Acrylic Gloss Enamel D/B	1	Gallon(GAL)	02/27/18
1475762	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475763	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475764	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475765	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475766	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475774	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475775	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475776	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475777	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475778	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475779	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475780	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475781	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1475839	-	SureFlo Acrylic Gloss Enamel N/B	1	Gallon(GAL)	02/27/18
1527995	-	MIXED BED RESIN	1	Cubic Feet(CF)	02/27/18
1527996	-	MIXED BED RESIN	1	Cubic Feet(CF)	02/27/18
1527997	-	MIXED BED RESIN	1	Cubic Feet(CF)	02/27/18
1527998	-	MIXED BED RESIN	1	Cubic Feet(CF)	02/27/18
1527999	7681-52-9	Bleach-Rite	1	Gram(GM)	02/27/18
1528000	7681-52-9	Bleach-Rite	1	Gram(GM)	02/27/18
1528001	7681-52-9	Bleach-Rite	1	Gram(GM)	02/27/18
1528002	7681-52-9	Bleach-Rite	1	Gram(GM)	02/27/18
1528003	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	02/27/18
1528004	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	02/27/18
1528005	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	02/27/18
1528006	-	KRAZY GLUE	3	Gram(GM)	02/27/18
1528007	-	KRAZY GLUE	3	Gram(GM)	02/27/18
1528008	-	KRAZY GLUE	3	Gram(GM)	02/27/18
1528009	-	KRAZY GLUE	3	Gram(GM)	02/27/18
1528010	-	KRAZY GLUE	3	Gram(GM)	02/27/18
1528011	-	SUPER GLUE	0.5	Gram(GM)	02/27/18
1528012	-	SUPER GLUE	0.5	Gram(GM)	02/27/18
1528013	-	SUPER GLUE	0.5	Gram(GM)	02/27/18
1528014	-	SUPER GLUE	0.5	Gram(GM)	02/27/18
1528430	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528431	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528432	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528433	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528434	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528435	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528436	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528437	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528438	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528439	106-94-5	ENSOLV PRECISION VAPOR DEGREASING AND	1	Gallon(GAL)	02/27/18
1528440	-	2-Chlorotriptyl chloride resin (100-200 mesh)	25	Gram(GM)	02/27/18
1528441	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528442	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528443	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528444	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528445	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528446	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528447	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528448	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528449	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528450	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528451	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528452	60-29-7	DIETHYL ETHER ANHYDROUS	500	Gram(GM)	02/27/18
1528453	7697-37-2	NITRIC ACID	2.5	Liters(L)	02/27/18
1528454	7697-37-2	NITRIC ACID TRACEMETAL	2.5	Liters(L)	02/27/18
1528455	7697-37-2	NITRIC ACID TRACEMETAL	2.5	Liters(L)	02/27/18
1528456	50-81-7	L-(+)-ASCORBIC ACID	100	Gram(GM)	02/27/18
1528457	7631-99-4	SODIUM NITRATE	25	Gram(GM)	02/27/18
1528606	78-93-3	2-BUTANONE	4	Liters(L)	02/27/18
1528607	78-93-3	2-BUTANONE	4	Liters(L)	02/27/18
1528608	78-93-3	2-BUTANONE	4	Liters(L)	02/27/18
1528609	78-93-3	2-BUTANONE	4	Liters(L)	02/27/18
1528610	2417-72-3	METHYL 4-(BROMOMETHYL)BENZOATE	25	Gram(GM)	02/27/18
1528611	62-23-7	4-NITROBENZOIC ACID	50	Gram(GM)	02/27/18
1528612	62-23-7	4-NITROBENZOIC ACID	50	Gram(GM)	02/27/18
1528613	787-70-2	4 4'-BIPHENYLDICARBOXYLIC ACID	25	Gram(GM)	02/27/18
1528614	8001-79-4	CASTOR OIL	300	Milligram(MG)	02/27/18
1528687	882-33-7	PHENYL DISULFIDE	50	Gram(GM)	02/27/18
1528688	32294-60-3	DIPHENYL DITELLURIDE	5	Gram(GM)	02/27/18
1528689	110-06-5	TERT-BUTYL DISULFIDE	100	Milliliter(ML)	02/27/18
1528690	4097-89-6	TRIS(2-AMINOETHYL)AMINE	25	Gram(GM)	02/27/18
1528691	13965-03-2	BIS(TRIPHENYLPHOSPHINE)PALLADIUM(II)	1	Gram(GM)	02/27/18
1528692	1493-13-6	TRIFLUOROMETHANE SULFONIC ACID	10	Gram(GM)	02/27/18
1528693	55120-76-8	Manganese bis(trifluoromethanesulfonate)	1	Gram(GM)	02/27/18
1528694	1486-28-8	METHYLDIPHENYLPHOSPHINE	10	Gram(GM)	02/27/18
1528695	61790-53-2	CELLITE	1	Kilograms(KG)	02/27/18
1528696	61790-53-2	CELLITE	1	Kilograms(KG)	02/27/18
1528697	65-85-0	BENZOIC ACID	500	Gram(GM)	02/27/18
1528698	65-85-0	BENZOIC ACID	500	Gram(GM)	02/27/18
1528699	65-85-0	BENZOIC ACID	500	Gram(GM)	02/27/18
1457166	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1457167	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/27/18
1457168	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/27/18
1457169	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/27/18
1457170	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	02/27/18
1457171	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/27/18
1457172	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/27/18
1457173	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/27/18
1457174	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/27/18
1457175	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/27/18
1457176	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	02/27/18
1473656	-	INGERSOLL-RAND ULTRA COOLANT	1.32	Gallon(GAL)	02/27/18
1473657	-	INGERSOLL-RAND ULTRA COOLANT	1.32	Gallon(GAL)	02/27/18
1473658	-	INGERSOLL-RAND ULTRA COOLANT	1.32	Gallon(GAL)	02/27/18
1473659	-	INGERSOLL-RAND ULTRA COOLANT	1.32	Gallon(GAL)	02/27/18
1494115	-	ANTIFREEZE/COOLANT	1	Gallon(GAL)	02/27/18
1494116	-	ANTIFREEZE/COOLANT	1	Gallon(GAL)	02/27/18
1494117	-	ANTIFREEZE/COOLANT	1	Gallon(GAL)	02/27/18
1494118	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494119	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494120	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494121	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494122	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494123	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494124	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494125	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494126	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494127	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494128	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494129	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494130	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494131	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494132	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494133	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494134	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494135	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494136	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494137	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494138	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494139	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494140	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494141	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494142	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494143	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494144	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494145	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1494146	78-48-8	DEF	2.5	Gallon(GAL)	02/27/18
1473660	-	ISO-100 SAE 30 RECIPROCATING COMPRESSOR	1	Gallon(GAL)	02/27/18
1508120	-	21% OXYGEN/BAL. HELIUM	220	Cubic Feet(CF)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508121	-	21% OXYGEN/BAL. HELIUM	220	Cubic Feet(CF)	02/27/18
1508122	-	21% OXYGEN/BAL. HELIUM	220	Cubic Feet(CF)	02/27/18
1473661	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	02/27/18
1508123	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1473662	-	SYNTHETIC 4 CYCLE ENGINE OIL	1	Gallon(GAL)	02/27/18
1473663	-	SYNTHETIC 4 CYCLE ENGINE OIL	1	Gallon(GAL)	02/27/18
1473664	-	SYNTHETIC 4 CYCLE ENGINE OIL	1	Gallon(GAL)	02/27/18
1473665	-	SYNTHETIC 4 CYCLE ENGINE OIL	1	Gallon(GAL)	02/27/18
1508124	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508125	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508126	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508127	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508128	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508129	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508130	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508131	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508132	-	94% ARGON/6% HYDROGEN	220	Cubic	02/27/18
1508133	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508134	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508135	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508136	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508137	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508138	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508139	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508140	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508141	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508142	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508143	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508144	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508145	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508146	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508147	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508148	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	02/27/18
1508158	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508159	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508160	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508161	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508162	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508163	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508164	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508165	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508166	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508167	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508168	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508169	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508170	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508171	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508172	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508173	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508174	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508175	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508176	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508177	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508178	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508179	-	Nitrogen UHP	220	Cubic Feet(CF)	02/27/18
1508180	-	CARBON MONOXIDE 50PPM IN HYDROGEN	220	Cubic Feet(CF)	02/27/18
1508181	7440-37-1	ARGON	220	Cubic Feet(CF)	02/27/18
1508182	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508183	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508184	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508185	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508186	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508187	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508188	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508189	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508190	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508191	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508192	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508193	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508194	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508195	-	AIR COMPRESSED	220	Cubic Feet(CF)	02/27/18
1528015	-	LOCTITE 271 ADHESIVE/SEALANT	50	Milliliter(ML)	02/27/18
1528016	-	LOCTITE 271 ADHESIVE/SEALANT	50	Milliliter(ML)	02/27/18
1508197	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508198	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508199	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508200	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508201	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508202	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508203	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508204	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508205	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	02/27/18
1508206	-	Argon UHP	220	Cubic Feet(CF)	02/27/18
1508207	-	Argon UHP	220	Cubic Feet(CF)	02/27/18
1508208	-	Argon UHP	220	Cubic Feet(CF)	02/27/18
1508209	-	Argon UHP	220	Cubic Feet(CF)	02/27/18
1508210	-	Argon UHP	220	Cubic Feet(CF)	02/27/18
1508211	-	Argon UHP	220	Cubic Feet(CF)	02/27/18
1508214	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18
1508212	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	500	Liters(L)	02/27/18
1508215	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18
1508216	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18
1508217	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18
1508218	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18
1508219	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18
1508220	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508213	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	02/27/18
1508149	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508150	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508151	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508152	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508153	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508154	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508155	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508156	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1508157	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	02/27/18
1475532	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475533	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475534	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475535	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475536	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475537	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475538	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475539	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475540	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475541	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475542	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475543	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475544	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475545	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475546	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475547	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475548	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475549	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475550	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475551	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475552	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475553	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475554	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475555	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475556	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475557	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475558	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475559	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475560	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475561	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475562	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475563	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475564	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475565	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475566	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475567	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475568	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475569	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475570	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475571	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475572	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475573	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475574	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475575	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475576	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475577	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475578	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475579	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475580	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475581	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475582	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475583	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475584	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1475585	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	02/27/18
1508196	75-73-0	TETRAFLUOROMETHANE	150	Cubic Feet(CF)	02/27/18
1528017	12060-08-1	SCANDIUM(III) OXIDE	5	Gram(GM)	02/27/18
1473757	-	COTE ALL WHITE BASE	116	Ounces(OZ)	02/27/18
1528018	14023-80-4	DICARBONYLACETYLACETONATE	500	Milligram(MG)	02/27/18
1473758	-	COTE ALL WHITE BASE	116	Ounces(OZ)	02/27/18
1528019	7439-94-3	LUTETIUM	1	Gram(GM)	02/27/18
1528020	68609-97-2	Lord E-301 Adhesive Black	1	Pounds(LB)	02/27/18
1473789	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	02/27/18
1473770	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473771	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473772	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473773	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473774	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473775	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473776	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473777	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473778	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473779	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473780	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473781	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473782	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473783	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473784	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473785	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473786	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473787	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473788	-	BROMICIDE TABLETS	1	Gallon(GAL)	02/27/18
1473790	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	02/27/18
1473794	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	02/27/18
1473795	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	02/27/18
1473796	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	02/27/18
1473797	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473798	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	02/27/18
1473799	-	PermAcryl Interior Latex Satin Enamel DS-1531	608	Ounces(OZ)	02/27/18
1473806	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/27/18
1473807	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/27/18
1473808	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/27/18
1473809	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473810	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473811	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473812	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473813	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473814	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473815	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473816	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473817	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473818	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1473819	-	EASY SAND 20	18	Pounds(LB)	02/27/18
1528021	-	EPO-TEK 301-2FL Part A	1	Pounds(LB)	02/27/18
1528022	-	EPOXY ADHESIVE	1	Pounds(LB)	02/27/18
1528023	1344-28-1	ALUMINUM OXIDE	500	Gram(GM)	02/27/18
1473844	-	CONCRETE MIX	60	Pounds(LB)	02/27/18
1473845	-	CONCRETE MIX	60	Pounds(LB)	02/27/18
1473846	-	CONCRETE MIX	60	Pounds(LB)	02/27/18
1528024	-	CESIUM STANDARD	50	Milliliter(ML)	02/27/18
1528025	557-20-0	DIETHYLZINC 1.0M SOLUTION IN HEXANES	100	Milliliter(ML)	02/27/18
1528458	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	02/27/18
1528459	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	02/27/18
1528460	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	02/27/18
1528461	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	02/27/18
1528462	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	02/27/18
1528463	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	02/27/18
1528464	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	02/27/18
1528465	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	02/27/18
1528470	32005-36-0	BIS(DIBENZYLIDENE ACETONE) PALLADIUM (0)	2	Gram(GM)	02/27/18
1528675	865-48-5	SODIUM TERT-BUTOXIDE	25	Gram(GM)	02/27/18
1528759	10025-78-2	TRICHLOROSILANE	100	Gram(GM)	02/27/18
1528760	10025-78-2	TRICHLOROSILANE	100	Gram(GM)	02/27/18
1528767	16853-85-3	LITHIUM ALUMINUM HYDRIDE	25	Gram(GM)	02/27/18
1494271	-	PARTS PLUS SAE 10W-30 SYNTHETIC MOTOR OIL	1	Quarts(QT)	02/27/18
1528768	16853-85-3	LITHIUM ALUMINUM HYDRIDE	25	Gram(GM)	02/27/18
1528776	681-84-5	TETRAMETHYL ORTHOSILICATE	100	Gram(GM)	02/27/18
1494272	-	HD 30 MOTOR OIL	1	Quarts(QT)	02/27/18
1528777	594-27-4	TETRAMETHYLTIN	5	Gram(GM)	02/27/18
1528831	-	Clear Resin	1	Liters(L)	02/27/18
1494273	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/27/18
1528832	-	Clear Resin	1	Liters(L)	02/27/18
1528833	-	Clear Resin	1	Liters(L)	02/27/18
1528834	-	Clear Resin	1	Liters(L)	02/27/18
1528835	-	Clear Resin	1	Liters(L)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528836	-	Clear Resin	1	Liters(L)	02/27/18
1528837	-	Clear Resin	1	Liters(L)	02/27/18
1528838	-	Clear Resin	1	Liters(L)	02/27/18
1528839	-	Clear Resin	1	Liters(L)	02/27/18
1528840	-	Clear Resin	1	Liters(L)	02/27/18
1528841	-	Clear Resin	1	Liters(L)	02/27/18
1528842	-	Clear Resin	1	Liters(L)	02/27/18
1528843	-	Clear Resin	1	Liters(L)	02/27/18
1528844	-	Clear Resin	1	Liters(L)	02/27/18
1528845	-	Clear Resin	1	Liters(L)	02/27/18
1528846	-	Clear Resin	1	Liters(L)	02/27/18
1494274	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/27/18
1457177	-	SODIUM BISULFITE 38-42%	2464	Pounds(LB)	02/27/18
1494275	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/27/18
1473867	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473868	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473869	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473870	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473871	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473872	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473873	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473874	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473875	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473876	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473877	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473878	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473879	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473880	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473881	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473882	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473883	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473884	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473885	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473886	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473887	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473888	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473889	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473890	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473891	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473892	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473893	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473894	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473895	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473896	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473897	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473898	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473899	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473900	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473901	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473902	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473903	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473904	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473905	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473906	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473907	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473908	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473909	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473910	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473911	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473912	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473913	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473914	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473915	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473916	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473917	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473918	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473919	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473920	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473921	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473922	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473923	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473924	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473925	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473926	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473927	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473928	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473929	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473930	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473931	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473932	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473933	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473934	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473935	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473936	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473937	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473938	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473939	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473940	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473941	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473942	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473943	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473944	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473945	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473946	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473947	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473948	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473949	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473950	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473951	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473952	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473953	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473954	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473955	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473956	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473957	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473958	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473959	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473960	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473961	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473962	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473963	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473964	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473965	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473966	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473967	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473968	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1494276	-	ANTIFREEZE COOLANT	1	Gallon(GAL)	02/27/18
1473969	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473970	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473971	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473972	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473973	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473974	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473975	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473976	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473977	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473978	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473979	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473980	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473981	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473982	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473983	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473984	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473985	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473986	-	HENRY 440 Cove Base Adhesive	1	Gallon(GAL)	02/27/18
1473987	-	HENRY 440 Cove Base Adhesive	1	Gallon(GAL)	02/27/18
1473988	-	HENRY 440 Cove Base Adhesive	1	Gallon(GAL)	02/27/18
1473989	-	HENRY 440 Cove Base Adhesive	1	Gallon(GAL)	02/27/18
1473990	-	HENRY 440 Cove Base Adhesive	1	Gallon(GAL)	02/27/18
1473991	-	HENRY 440 Cove Base Adhesive	1	Gallon(GAL)	02/27/18
1494277	-	Zerex ^z HD EXTENDED LIFE 50/50 ANTIFREEZE	1	Gallon(GAL)	02/27/18
1473992	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473993	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473994	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473995	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473996	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473997	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473998	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1473999	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1474000	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1474001	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1474002	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1474003	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/27/18
1474040	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474041	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474042	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474043	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474044	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474045	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474046	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474047	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474048	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474049	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474050	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474051	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474052	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474053	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474054	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474055	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474056	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474057	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474058	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474059	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474060	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474061	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474062	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474063	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474064	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474065	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474066	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474067	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474068	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474069	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474070	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474071	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474072	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474073	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474074	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474075	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474076	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474077	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474078	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474127	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474128	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474129	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474130	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474131	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474132	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474133	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474134	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474135	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474136	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474137	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474138	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474139	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474140	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474141	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/27/18
1474142	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/27/18
1474143	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/27/18
1474144	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/27/18
1474145	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/27/18
1474146	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/27/18
1474159	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474160	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474161	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474162	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474163	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474164	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474165	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474166	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474167	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474168	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474169	-	WHITE LIGHTNING SILICONE ULTRA ALL PURPOSE	10	Ounces(OZ)	02/27/18
1474170	-	ACOUSTICAL CELING TILE ADHESIVE	4	Gallon(GAL)	02/27/18
1474171	-	ACOUSTICAL CELING TILE ADHESIVE	4	Gallon(GAL)	02/27/18
1474172	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474173	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474174	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474175	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474176	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474177	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474178	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474179	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474180	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474181	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474182	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474183	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474184	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474185	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474186	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474187	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474188	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474189	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474190	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1474191	-	ARDEX FEATHER FINISH	10	Pounds(LB)	02/27/18
1475360	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/27/18
1475361	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/27/18
1528676	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Pint(PT)	02/28/18
1528677	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	02/28/18
1528678	107-21-1	ETHYLENE GLYCOL	4	Liters(L)	02/28/18
1528679	107-21-1	ETHYLENE GLYCOL	4	Liters(L)	02/28/18
1528680	107-21-1	ETHYLENE GLYCOL	4	Liters(L)	02/28/18
1528681	107-21-1	ETHYLENE GLYCOL	4	Liters(L)	02/28/18
1528682	164298-23-1	TFFH Fluoro-N N N' N'-	25	Gram(GM)	02/28/18
1528683	164298-23-1	TFFH Fluoro-N N N' N'-	25	Gram(GM)	02/28/18
1528684	132705-51-2	Bromotripyrrolidinophosphonium	100	Gram(GM)	02/28/18
1528685	132705-51-2	Bromotripyrrolidinophosphonium	100	Gram(GM)	02/28/18
1528686	102-82-9	TRI-N-BUTYLAMINE	50	Milliliter(ML)	02/28/18
1528748	-	Polyimide Sealing Resin	5	Gram(GM)	02/28/18
1528778	28920-43-6	Fmoc-Cl	500	Gram(GM)	02/28/18
1528779	75-05-8	ACETONITRILE HPLC	4	Liters(L)	02/28/18
1528780	75-05-8	ACETONITRILE HPLC	4	Liters(L)	02/28/18
1528781	75-05-8	ACETONITRILE HPLC	4	Liters(L)	02/28/18
1528782	75-05-8	ACETONITRILE HPLC	4	Liters(L)	02/28/18
1528783	109-99-9	TETRAHYDROFURAN	10	Gram(GM)	02/28/18
1528784	109-99-9	TETRAHYDROFURAN	10	Gram(GM)	02/28/18
1528785	109-99-9	TETRAHYDROFURAN	10	Gram(GM)	02/28/18
1528786	109-99-9	TETRAHYDROFURAN	10	Gram(GM)	02/28/18
1528787	109-99-9	TETRAHYDROFURAN	10	Gram(GM)	02/28/18
1494280	78-48-8	DEF	2.5	Gallon(GAL)	02/28/18
1494281	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494282	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494283	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494284	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494285	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494286	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494287	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494288	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494289	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494290	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494291	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494292	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494293	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494294	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494295	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494296	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494297	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494298	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494299	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494300	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494301	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494302	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494303	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494304	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494305	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494306	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494307	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494308	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494309	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494310	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	02/28/18
1494199	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494200	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494201	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494202	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494203	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494204	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494205	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494206	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494207	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494208	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494209	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494210	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494211	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494212	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494213	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494214	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494215	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494216	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494217	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494218	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494219	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494220	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494221	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494222	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494223	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494224	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494225	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494226	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494227	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494228	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494229	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494230	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494231	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494232	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494233	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494234	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494235	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494236	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494237	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494238	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494239	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494240	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494241	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494242	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494243	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494244	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494245	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494246	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494247	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494248	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494249	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494250	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494251	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494252	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494253	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494254	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494255	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494256	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494257	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494258	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494259	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494260	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494261	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494262	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494263	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494264	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494265	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494266	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494267	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494268	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494269	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1494270	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	02/28/18
1475718	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/28/18
1475719	-	BULLS EYE 1-2-3	5	Gallon(GAL)	02/28/18
1474196	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474197	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474198	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474199	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474200	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474201	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474202	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474203	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474204	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474205	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474206	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474207	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474208	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474209	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474210	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474211	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474212	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474213	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474214	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474215	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474216	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474217	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474218	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474219	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474220	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474221	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474222	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474223	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474224	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474225	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474226	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474227	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474228	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474229	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474230	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474231	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474232	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474233	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474234	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474235	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474236	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474237	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474238	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474239	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474240	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474241	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474242	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474243	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474244	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474245	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474246	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474247	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474248	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474249	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474250	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474251	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474252	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474253	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474254	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474255	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474256	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474257	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474258	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474259	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474260	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474261	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474262	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474263	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474264	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474265	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474266	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474267	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474268	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474269	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474270	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474271	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474272	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474273	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474274	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474275	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474276	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474277	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474278	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474279	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474280	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474281	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474282	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474283	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474284	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474285	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474286	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474287	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474288	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474289	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474290	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474291	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474292	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474293	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474294	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474295	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474296	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474297	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474298	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474299	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474300	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474301	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474302	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474303	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474304	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474305	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474306	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474307	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474308	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474309	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474310	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474311	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474312	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474313	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474314	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474315	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474316	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474317	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474318	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474319	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474320	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474321	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474322	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474323	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474324	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474325	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474326	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474327	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474328	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474329	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474330	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474331	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474332	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474333	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474334	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474335	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474336	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474337	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474338	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474339	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474340	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474341	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474342	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474343	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474344	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474345	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474346	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474347	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474348	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474349	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474350	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474351	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474352	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474353	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474354	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474355	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474356	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474357	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474358	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474359	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474360	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474361	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474362	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474363	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474364	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474365	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474366	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474367	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474368	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474369	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474370	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474371	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474372	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474373	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474374	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474375	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474376	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474377	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474378	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474379	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474380	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474381	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474382	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474383	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474384	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474385	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474386	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474387	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474388	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474389	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474390	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474391	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474392	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474393	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474394	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474395	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474396	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474397	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474398	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474399	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474400	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474401	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474402	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474403	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474404	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474405	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474406	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474407	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474408	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474409	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474410	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474411	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474412	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474413	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474414	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474415	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474416	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474417	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474418	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474419	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474420	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474421	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474422	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474423	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474424	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474425	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474426	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474427	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474428	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474429	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474430	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474431	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474432	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474433	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474434	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474435	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474436	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474437	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474438	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474439	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474440	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474441	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474442	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474443	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474444	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474445	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474446	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474447	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474448	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474449	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474450	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474451	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474452	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474453	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474454	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474455	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474456	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474457	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474458	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474459	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474460	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474461	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474462	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474463	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474464	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474465	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474466	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474467	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474468	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474469	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474470	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474471	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474472	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474473	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474474	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474475	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474476	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474477	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474478	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474479	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474480	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474481	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474482	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474483	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474484	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474485	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474486	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474487	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474488	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474489	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474490	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474491	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474492	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474493	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474494	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474495	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474496	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474497	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474498	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474499	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474500	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474501	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474502	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474503	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474504	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474505	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474506	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474507	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474508	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474509	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474510	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474511	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474512	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474513	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474514	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474515	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474516	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474517	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474518	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474519	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474520	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474521	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474522	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474523	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474524	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474525	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474526	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474527	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474528	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474529	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474530	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474531	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474532	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474533	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474534	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474535	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474536	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474537	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474538	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474539	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474540	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474541	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474542	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474543	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474544	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474545	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474546	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474547	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474548	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474549	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474550	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474551	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474552	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474553	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474554	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474555	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474556	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474557	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474558	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474559	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474560	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474561	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474562	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474563	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474564	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474565	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474566	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474567	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474568	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474569	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474570	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474571	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474572	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474573	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474574	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474575	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474576	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474577	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474578	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474579	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474580	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474581	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474582	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474583	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474584	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474585	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474586	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474587	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474588	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474589	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474590	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474591	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474592	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474593	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474594	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474595	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474596	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474597	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474598	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474599	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474600	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474601	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474602	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474603	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474604	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474605	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474606	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474607	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474608	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474609	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474610	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474611	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474612	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474613	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474614	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474615	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474616	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474617	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474618	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474619	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474620	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474621	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474622	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474623	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474624	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474625	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474626	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474627	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474628	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474629	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474630	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474631	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474632	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474633	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474634	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474635	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474636	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474637	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474638	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474639	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474640	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474641	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474642	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474643	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474644	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474645	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474646	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474647	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474648	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474649	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474650	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474651	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474652	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474653	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474654	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474655	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474656	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474657	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474658	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474659	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474660	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474661	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474662	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474663	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474664	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474665	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474666	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474667	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474668	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474669	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474670	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474671	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474672	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474673	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474674	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474675	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474676	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474677	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474678	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474679	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474680	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474681	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474682	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474683	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474684	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474685	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474686	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474687	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474688	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474689	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474690	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474691	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474692	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474693	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474694	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1474695	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	02/28/18
1417412	-	CV-2568	250	Gram(GM)	02/28/18
1417413	-	CV-2568	250	Gram(GM)	02/28/18
1474696	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474697	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474698	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474699	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474700	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474701	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474702	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474703	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474704	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474705	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474706	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474707	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474708	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474709	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474710	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474711	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474712	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474713	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474714	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474715	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474716	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474717	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474718	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474719	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474720	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474721	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474722	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474723	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474724	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474725	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474726	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474727	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474728	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474729	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474730	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474731	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474732	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474733	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474734	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474735	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474736	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474737	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474738	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474739	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474740	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474741	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474742	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474743	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474744	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474745	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474746	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474747	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474748	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474749	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474750	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474751	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474752	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474753	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474754	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474755	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474756	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474757	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474758	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474759	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474760	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474761	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474762	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474763	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474764	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474765	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474766	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474767	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474768	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474769	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474797	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474798	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474799	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474800	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474801	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474802	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474803	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474804	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474805	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474806	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474807	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474808	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474809	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474810	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474811	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474812	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474813	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474814	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474815	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474816	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474817	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474818	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474819	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474820	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474821	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474822	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474823	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474824	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474825	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474826	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474827	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474828	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474829	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474830	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474831	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474832	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474833	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474834	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474835	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474836	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474837	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474838	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474839	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474840	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474841	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474842	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474843	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474844	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474845	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474846	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474847	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474848	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474849	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474850	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474851	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474852	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474853	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474854	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474855	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474856	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474857	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474858	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474859	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474860	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474861	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474862	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474863	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474864	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474865	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474866	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474867	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474868	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474869	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474870	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474871	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474872	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474873	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474874	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474875	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474876	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474877	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474878	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474879	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474880	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474881	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474882	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474883	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474884	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474885	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474886	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474887	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474888	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474889	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474890	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474891	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474892	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474893	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474894	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474895	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474896	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474897	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474898	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474899	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474900	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474901	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474902	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474903	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474904	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474905	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474906	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474907	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474908	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474909	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474910	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474911	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474912	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474913	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474914	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474915	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474916	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474917	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474918	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474919	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474920	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474921	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474922	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474923	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474924	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474925	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474926	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474927	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474928	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474929	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474930	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474931	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474932	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474933	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474934	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474935	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474936	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474937	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474938	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474939	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474940	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474941	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474942	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474943	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474944	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474945	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474946	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474947	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474948	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474949	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474950	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474951	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474952	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474953	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474954	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474955	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474956	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474957	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474958	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474959	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474960	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474961	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474962	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474963	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474964	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474965	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474966	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474967	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474968	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474969	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474970	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474971	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474972	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474973	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474974	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474975	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474976	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474977	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474978	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474979	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474980	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474981	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474982	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474983	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474984	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474985	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474986	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474987	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474988	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474989	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474990	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474991	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474992	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474993	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474994	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474995	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474996	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474997	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1474998	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474999	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475000	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475001	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475002	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475003	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475004	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475005	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475006	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475007	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475008	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475009	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475010	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475011	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475012	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475013	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475014	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475015	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475016	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475017	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475018	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475019	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475020	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475021	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475022	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475023	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475024	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475025	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475026	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475027	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475028	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475029	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475030	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475031	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475032	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475033	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475034	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475035	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475036	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475037	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475038	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475039	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475040	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475041	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475042	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475043	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475044	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475045	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475046	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475047	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475048	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475049	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475050	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475051	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475052	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475053	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475054	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475055	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475056	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475057	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475058	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475059	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475060	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475061	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475062	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475063	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475064	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475065	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475066	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475067	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475068	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475069	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475070	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475071	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475072	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475073	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475074	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475075	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475076	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475077	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475078	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475079	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475080	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475081	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475082	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475083	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475084	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475085	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475086	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475087	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475088	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475089	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475090	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475091	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475092	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475093	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475094	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475095	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475096	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475097	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475098	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475099	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475100	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475101	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475102	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475103	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475104	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475105	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475106	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475107	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475108	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475109	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475110	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475111	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475112	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475113	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475114	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475115	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475116	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475117	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475118	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475119	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475120	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475121	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475122	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475123	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475124	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475125	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475126	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475127	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475128	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475129	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475130	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475131	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475132	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475133	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475134	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475135	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475136	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475137	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475138	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475139	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475140	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475141	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475142	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475143	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475144	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475145	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475146	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475147	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475148	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475149	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475150	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475151	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475152	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475153	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475154	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475155	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475156	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475157	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475158	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475159	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475160	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475161	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475162	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475163	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475164	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475165	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475166	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475167	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475168	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475169	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475170	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475171	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475172	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475173	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475174	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475175	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475176	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475177	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475178	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475179	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475180	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475181	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475182	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475183	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475184	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475185	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475186	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475187	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475188	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475189	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475190	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475191	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475192	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475193	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475194	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475195	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475196	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475197	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475198	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475199	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475200	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475201	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475202	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475203	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475204	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475205	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475206	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475207	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475208	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475209	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475210	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475211	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475212	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475213	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475214	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475215	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475216	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475217	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475218	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475219	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475220	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475221	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475222	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475223	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475224	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475225	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475226	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475227	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475228	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475229	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475230	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475231	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475232	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475233	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475234	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475235	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475236	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475237	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475238	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475239	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475240	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475241	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475242	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475243	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475244	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475245	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475246	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475247	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475248	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475249	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475250	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475251	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475252	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475253	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475254	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475255	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475256	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475257	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475258	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475259	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475260	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475261	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475262	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475263	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475264	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475265	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475266	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475267	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475268	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475269	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475270	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475271	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475272	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475273	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475274	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475275	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475276	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475277	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475278	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475279	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475280	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475281	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475282	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475283	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475284	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475285	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475286	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475287	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475288	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475289	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475290	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475291	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475292	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475293	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475294	-	VULKEM 116 WHITE	10.1	Ounces(OZ)	02/28/18
1475354	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475355	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475356	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475357	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475358	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475359	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475362	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475363	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475364	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475365	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475366	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475367	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475368	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475369	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	02/28/18
1475415	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/28/18
1475383	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475384	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475385	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475386	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475387	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475388	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475389	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475390	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475391	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475392	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475393	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475394	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475395	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475397	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475398	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475399	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475400	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475401	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475402	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475403	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475404	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475405	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475406	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475407	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475408	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475410	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475411	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475412	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475413	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475414	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	02/28/18
1475416	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/28/18
1475417	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/28/18
1475418	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/28/18
1475419	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/28/18
1475420	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	3.5	Gallon(GAL)	02/28/18
1475421	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475422	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475423	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475424	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475425	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475426	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475427	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475428	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475429	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475430	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475431	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475432	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475433	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475434	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475435	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475436	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475437	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475438	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475439	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475440	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475441	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475442	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475443	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475444	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475445	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475446	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475447	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475448	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475449	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475450	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475451	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475452	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475453	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475454	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475455	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475456	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475457	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475458	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475459	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475460	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475461	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475462	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475463	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475464	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475465	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475466	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475467	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475468	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475469	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475470	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475471	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475472	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475473	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475474	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475475	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475476	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475477	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475478	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475479	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475480	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475481	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475482	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475483	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475484	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475485	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475486	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475487	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475488	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475489	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475490	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475491	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475492	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475493	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475494	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475495	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475496	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475497	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475498	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475499	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475500	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475501	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475502	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	02/28/18
1475503	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	1	Gallon(GAL)	02/28/18
1475504	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	1	Gallon(GAL)	02/28/18
1475505	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475506	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475507	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475508	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475509	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475510	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475511	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475512	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475513	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475514	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475515	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475516	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475517	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475518	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475519	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475520	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1475521	-	ORANGE PEEL SPRAY ON TEXTURE WATER	25	Ounces(OZ)	02/28/18
1528029	-	FMOC-GLY-WANG RESIN	100	Gram(GM)	02/28/18
1528030	1313-85-5	SODIUM SELENIDE	100	Milligram(MG)	02/28/18
1528031	15715-58-9	TRIETHYLAMMONIUM BICARBONATE BUFFER PH	500	Milliliter(ML)	02/28/18
1528032	132873-57-5	(S)-a-Methyl-4-nitrobenzylamine hydrochloride	5	Gram(GM)	02/28/18
1528033	132873-57-5	(S)-a-Methyl-4-nitrobenzylamine hydrochloride	5	Gram(GM)	02/28/18
1528034	132873-57-5	(S)-a-Methyl-4-nitrobenzylamine hydrochloride	5	Gram(GM)	02/28/18
1528035	132873-57-5	(S)-a-Methyl-4-nitrobenzylamine hydrochloride	5	Gram(GM)	02/28/18
1528036	1330-20-7	XYLENE (XYLENES)	2.5	Liters(L)	02/28/18
1528037	1330-20-7	XYLENE (XYLENES)	2.5	Liters(L)	02/28/18
1528749	7732-18-5	Ammonium Standard Solution	500	Milliliter(ML)	02/28/18
1528750	-	BROMIDE STANDARD SOLUTION	500	Milliliter(ML)	02/28/18
1528751	7647-14-5	CHLORIDE STANDARD	500	Milliliter(ML)	02/28/18
1528752	7681-49-4	FLUORIDE STANDARD SOLUTION	500	Milliliter(ML)	02/28/18
1528753	7757-79-1	NITRATE STANDARD SOLUTION	500	Milliliter(ML)	02/28/18
1528754	-	NITRITE STANDARD SOLUTION	500	Milliliter(ML)	02/28/18
1528755	-	OXALATE STANDARD	125	Milliliter(ML)	02/28/18
1528756	7558-79-4	SODIUM PHOSPHATE DIBASIC (DISODIUM	500	Milliliter(ML)	02/28/18
1528757	7757-82-6	SULFATE STANDARD SOLUTION	500	Milliliter(ML)	02/28/18
1528761	917-54-4	METHYL LITHIUM	100	Gram(GM)	02/28/18
1528762	5518-62-7	1,2-Bis(phosphino)ethane 99%	1	Gram(GM)	02/28/18
1528763	865-48-5	SODIUM TERT-BUTOXIDE	100	Gram(GM)	02/28/18
1528764	829-85-6	DIPHENYLPHOSPHINE	10	Gram(GM)	02/28/18
1528765	829-85-6	DIPHENYLPHOSPHINE	10	Gram(GM)	02/28/18
1528766	829-85-6	DIPHENYLPHOSPHINE	10	Gram(GM)	02/28/18
1528769	75-24-1	TRIMETHYLALUMINUM	25	Gram(GM)	02/28/18
1528770	7775-14-6	SODIUM HYDROSULFITE	500	Gram(GM)	02/28/18
1528771	7775-14-6	SODIUM HYDROSULFITE	500	Gram(GM)	02/28/18
1528772	7775-14-6	SODIUM HYDROSULFITE	500	Gram(GM)	02/28/18
1528773	7775-14-6	SODIUM HYDROSULFITE	500	Gram(GM)	02/28/18
1528774	7775-14-6	SODIUM HYDROSULFITE	500	Gram(GM)	02/28/18
1528775	7775-14-6	SODIUM HYDROSULFITE	500	Gram(GM)	02/28/18
1528788	4731-53-7	TRI-N-OCTYLPHOSPHINE	500	Gram(GM)	02/28/18
1528789	-	LOCTITE 242 ADHESIVE	10	Milliliter(ML)	02/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528790	-	THREADLOCKER 262	10	Milliliter(ML)	02/28/18
1508221	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508222	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508223	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508224	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508225	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508226	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508227	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508228	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508229	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508230	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508233	-	AIR COMPRESSED	105	Liters(L)	03/01/18
1508234	-	AIR COMPRESSED	105	Liters(L)	03/01/18
1508235	-	25ppm Hydrogen Chloride/Balance Nitrogen	58	Liters(L)	03/01/18
1508236	-	25ppm Hydrogen Chloride/Balance Nitrogen	58	Liters(L)	03/01/18
1508237	-	25ppm Hydrogen Chloride/Balance Nitrogen	58	Liters(L)	03/01/18
1508238	-	25ppm Hydrogen Chloride/Balance Nitrogen	58	Liters(L)	03/01/18
1508239	-	25ppm Hydrogen Chloride/Balance Nitrogen	58	Liters(L)	03/01/18
1508240	-	25ppm Hydrogen Chloride/Balance Nitrogen	58	Liters(L)	03/01/18
1508241	7782-39-0	DEUTERIUM	300	Cubic	03/01/18
1508242	7782-39-0	DEUTERIUM	300	Cubic	03/01/18
1508243	115-10-6	DIMETHYL ETHER	1	Kilograms(KG)	03/01/18
1508244	115-10-6	DIMETHYL ETHER	1	Kilograms(KG)	03/01/18
1508245	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508246	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508247	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508248	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508249	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508250	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508251	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508252	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508253	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508254	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508255	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508256	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508257	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508258	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508259	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508260	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508261	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508262	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508263	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508264	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508265	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508266	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1508267	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/01/18
1474004	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474005	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1474006	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474007	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474008	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474010	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474011	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474012	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474015	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474017	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474018	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474019	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474020	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474021	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474022	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474023	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474025	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474026	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474027	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474028	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474029	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474030	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474031	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474032	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474033	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474034	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474035	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474037	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474038	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1474039	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/01/18
1475370	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475371	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475372	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475373	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475374	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475375	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475376	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475377	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475378	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475379	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475380	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1475381	-	Vers-Acryl 222 S/G Finish Safety Yellow	128	Ounces(OZ)	03/01/18
1494311	78-48-8	DEF	2.5	Gallon(GAL)	03/02/18
1494312	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	03/02/18
1494313	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	03/02/18
1494314	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	03/02/18
1494315	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	03/02/18
1494316	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	03/02/18
1494317	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	03/02/18
1494318	-	Zerex HD Extended Life 50/50 Antifreeze Coolant	1	Gallon(GAL)	03/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494319	-	Mobil 1 5W-40	1	Gallon(GAL)	03/02/18
1494320	-	Mobil 1 5W-40	1	Gallon(GAL)	03/02/18
1494321	-	Mobil 1 5W-40	1	Gallon(GAL)	03/02/18
1494322	-	Mobil 1 5W-40	1	Gallon(GAL)	03/02/18
1494323	-	Mobil 1 5W-40	1	Gallon(GAL)	03/02/18
1494324	-	SUPER HEAVY DUTY BRAKE FLUID	1	Gallon(GAL)	03/02/18
1494325	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	03/02/18
1494326	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	03/02/18
1494327	-	STARTING FLUID	10.7	Ounces(OZ)	03/02/18
1494328	-	STARTING FLUID	10.7	Ounces(OZ)	03/02/18
1494329	-	DOW CORNING(R) HIGH VACUUM GREASE	5.3	Ounces(OZ)	03/02/18
1494330	-	266 Threadlocker High Strength	0.34	Ounces(OZ)	03/02/18
1494331	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	03/02/18
1494332	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	03/02/18
1494333	-	10W-30 SAE MOTOR OIL	1	Quarts(QT)	03/02/18
1494334	-	10W-30 SAE MOTOR OIL	1	Quarts(QT)	03/02/18
1494335	-	10W-30 SAE MOTOR OIL	1	Quarts(QT)	03/02/18
1494336	-	10W-30 SAE MOTOR OIL	1	Quarts(QT)	03/02/18
1494337	-	Durablend SAE 80W-90 SYNTHETIC BLEND GEAR	1	Quarts(QT)	03/02/18
1494338	-	Durablend SAE 80W-90 SYNTHETIC BLEND GEAR	1	Quarts(QT)	03/02/18
1494339	-	Durablend SAE 80W-90 SYNTHETIC BLEND GEAR	1	Quarts(QT)	03/02/18
1494340	-	Durablend SAE 80W-90 SYNTHETIC BLEND GEAR	1	Quarts(QT)	03/02/18
1494341	-	Parts Plus Type F ATF	1	Quarts(QT)	03/02/18
1494342	-	Parts Plus Type F ATF	1	Quarts(QT)	03/02/18
1494343	-	Parts Plus Type F ATF	1	Quarts(QT)	03/02/18
1494344	-	Parts Plus Type F ATF	1	Quarts(QT)	03/02/18
1494345	-	Parts Plus Type F ATF	1	Quarts(QT)	03/02/18
1494346	Multi	The Right Stuff	10.1	Ounces(OZ)	03/02/18
1494347	Multi	The Right Stuff	10.1	Ounces(OZ)	03/02/18
1494348	Multi	The Right Stuff	10.1	Ounces(OZ)	03/02/18
1494349	Multi	The Right Stuff	10.1	Ounces(OZ)	03/02/18
1494350	Multi	The Right Stuff	10.1	Ounces(OZ)	03/02/18
1494351	Multi	The Right Stuff	10.1	Ounces(OZ)	03/02/18
1528026	-	AMMONIA SOLUTION OPTIMA	500	Milliliter(ML)	03/02/18
1528027	67-64-1	ACETONE FOR HPLC	4	Liters(L)	03/02/18
1528028	67-64-1	ACETONE FOR HPLC	4	Liters(L)	03/02/18
1528038	7718-98-1	VANADIUM(III) CHLORIDE	10	Gram(GM)	03/02/18
1528466	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	03/02/18
1528467	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	03/02/18
1528468	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	03/02/18
1528469	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	03/02/18
1528700	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528701	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528702	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528703	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528704	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528705	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528706	67-64-1	ACETONE	4	Liters(L)	03/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528707	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528708	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528709	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528710	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528711	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528712	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528713	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528714	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528715	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528716	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528717	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528718	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528719	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528720	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528721	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528722	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528723	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528724	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528725	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528726	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528727	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528728	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528729	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528730	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528731	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528732	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528733	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528734	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528735	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528736	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528737	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528738	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528739	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528740	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528741	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528742	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528743	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528744	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528745	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528746	67-64-1	ACETONE	4	Liters(L)	03/02/18
1528747	67-64-1	ACETONE	4	Liters(L)	03/02/18
1508268	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508269	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508270	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508271	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508272	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508273	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508274	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508275	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508276	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508277	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508278	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508279	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508280	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508281	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508282	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508283	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508284	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508285	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508286	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508287	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508288	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508289	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508290	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508291	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508292	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508293	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508294	-	Nitrogen UHP	220	Cubic Feet(CF)	03/05/18
1508295	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/05/18
1508296	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/05/18
1508297	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/05/18
1508298	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508299	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508300	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508301	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508302	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508303	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508304	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508305	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508306	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508307	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508308	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508309	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508310	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508311	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508312	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508313	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508314	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508315	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508316	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03/05/18
1508347	-	1% Carbon Dioxide/Balance Helium	40	Cubic Feet(CF)	03/05/18
1508348	-	25% Carbon Dioxide 75% Argon	40	Cubic Feet(CF)	03/05/18
1473721	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473722	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473723	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473724	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473725	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473726	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473727	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473728	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473729	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473730	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473731	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473732	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473733	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473734	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473735	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473736	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473737	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473738	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473739	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473740	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473741	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473742	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473743	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473744	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473745	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473746	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473747	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473748	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473749	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473750	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473751	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473752	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473753	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473754	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473755	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1473756	-	PSX 700 CURE US	0.2	Gallon(GAL)	03/05/18
1508349	-	1% CARBON DIOXIDE/BAL. AR	40	Cubic Feet(CF)	03/05/18
1508350	-	Hydrogen UHP	40	Cubic Feet(CF)	03/05/18
1508351	-	Hydrogen UHP	220	Cubic Feet(CF)	03/05/18
1508352	-	Hydrogen UHP	220	Cubic Feet(CF)	03/05/18
1508353	1333-74-0	HYDROGEN	100	Liters(L)	03/05/18
1508354	1333-74-0	HYDROGEN	100	Liters(L)	03/05/18
1508355	1333-74-0	HYDROGEN	100	Liters(L)	03/05/18
1508356	1333-74-0	HYDROGEN	100	Liters(L)	03/05/18
1508357	1333-74-0	HYDROGEN	100	Liters(L)	03/05/18
1508317	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508318	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508319	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508320	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508321	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508322	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508323	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508324	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508325	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	03/05/18
1508341	74-86-2	ACETYLENE	40	Cubic Feet(CF)	03/05/18
1508342	74-86-2	ACETYLENE	40	Cubic Feet(CF)	03/05/18
1508343	74-86-2	ACETYLENE	40	Cubic Feet(CF)	03/05/18
1508344	74-86-2	ACETYLENE	40	Cubic Feet(CF)	03/05/18
1508345	-	500PPM NITRIC OXIDE/BAL.N	150	Cubic Feet(CF)	03/05/18
1508346	-	500ppm Carbon Monoxide/Balance Nitrogen	150	Cubic Feet(CF)	03/05/18
1528791	-	DEOXIT	142	Gram(GM)	03/05/18
1528792	-	DEOXIT	142	Gram(GM)	03/05/18
1528793	865-52-1	Tetramethylgermanium	1	Gram(GM)	03/05/18
1528794	57-50-1	SUCROSE	500	Gram(GM)	03/05/18
1528795	57-50-1	SUCROSE	500	Gram(GM)	03/05/18
1528796	144-55-8	PH BUFFER POUCHES	20	Milliliter(ML)	03/05/18
1528797	7732-18-5	PH BUFFER 10	20	Milliliter(ML)	03/05/18
1528798	-	BUFFER PH 7 (GREEN BUFFER)	20	Milliliter(ML)	03/05/18
1528799	-	LOCTITE ADHESIVE	13.5	Ounces(OZ)	03/05/18
1528800	-	LOCTITE ADHESIVE	13.5	Ounces(OZ)	03/05/18
1528801	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528802	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528803	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528804	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528805	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528806	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528807	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528808	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528809	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528810	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528811	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528812	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528813	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528814	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528815	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528816	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528817	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528818	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528819	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528820	-	J-B WELD EPOXY KIT (2 PART)	2	Ounces(OZ)	03/05/18
1528821	10533-44-5	1 3 5-NAPHTHALENE TRI-SULFONATE	1	Kilograms(KG)	03/05/18
1528822	10533-44-5	1 3 5-NAPHTHALENE TRI-SULFONATE	1	Kilograms(KG)	03/05/18
1528823	8002-74-2	PARAFFIN WAX	10	Kilograms(KG)	03/05/18
1528824	-	TentaGel S RAM Fmoc	5	Gram(GM)	03/05/18
1528847	7235-40-7	BETA-CAROTENE	5	Gram(GM)	03/05/18
1528848	7235-40-7	BETA-CAROTENE	5	Gram(GM)	03/05/18
1528849	7235-40-7	BETA-CAROTENE	5	Gram(GM)	03/05/18
1528850	7235-40-7	BETA-CAROTENE	5	Gram(GM)	03/05/18
1528851	7235-40-7	BETA-CAROTENE	5	Gram(GM)	03/05/18
1475522	-	CONCRETE MIX	50	Pounds(LB)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475523	-	CONCRETE MIX	50	Pounds(LB)	03/05/18
1475524	-	CONCRETE MIX	50	Pounds(LB)	03/05/18
1475525	-	CONCRETE MIX	50	Pounds(LB)	03/05/18
1475526	-	CONCRETE MIX	50	Pounds(LB)	03/05/18
1528852	26472-00-4	METHYLCYCLOPENTADIENE DIMER	500	Milliliter(ML)	03/05/18
1528853	26628-22-8	Qdot Streptavidin Sampler Kit	50	Microliter	03/05/18
1528854	-	Qdot 565 ITK Carboxyl Quantum Dots	250	Microliter	03/05/18
1528855	-	Qdot 605 ITK Carboxyl Quantum Dots	250	Microliter	03/05/18
1528856	-	Qdot 655 ITK Carboxyl Quantum Dots	250	Microliter	03/05/18
1528857	-	BARCO BOND MB-165	4	Ounces(OZ)	03/05/18
1528858	-	BARCO BOND MB-165	4	Ounces(OZ)	03/05/18
1528859	-	BARCO BOND MB-165	4	Ounces(OZ)	03/05/18
1528860	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	03/05/18
1528861	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	03/05/18
1528862	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	03/05/18
1528863	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	03/05/18
1528864	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	03/05/18
1528865	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	03/05/18
1528866	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	03/05/18
1528867	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	03/05/18
1528903	652-22-2	Perfluoroacetophenone >98%	5	Gram(GM)	03/05/18
1528904	1314-36-9	YTTRIUM(III) OXIDE	25	Gram(GM)	03/05/18
1528905	7439-91-0	LANTHANUM CHIPS	100	Gram(GM)	03/05/18
1528906	1330-20-7	XYLENE (XYLENES)	2.5	Liters(L)	03/05/18
1528907	1330-20-7	XYLENE (XYLENES)	2.5	Liters(L)	03/05/18
1528908	1310-73-2	SODIUM HYDROXIDE BIO-RAD DC PROTEIN	500	Gram(GM)	03/05/18
1475527	68411-46-1	Atlas Copco Roto Z	20	Liters(L)	03/05/18
1528909	67-56-1	METHANOL HPLC	1	Liters(L)	03/05/18
1528910	623-43-8	METHYL CROTONATE	100	Milliliter(ML)	03/05/18
1528911	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	03/05/18
1528912	95-93-2	1 2 4 5-TETRAMETHYLBENZENE	100	Gram(GM)	03/05/18
1528913	7681-82-5	SODIUM IODIDE	100	Gram(GM)	03/05/18
1528914	631-61-8	AMMONIUM ACETATE	100	Gram(GM)	03/05/18
1528915	77-92-9	CITRIC ACID ANYHDROUS	100	Gram(GM)	03/05/18
1528916	32005-36-0	BIS(DIBENZYLIDENE ACETONE) PALLADIUM (0)	500	Milligram(MG)	03/05/18
1528917	32005-36-0	BIS(DIBENZYLIDENE ACETONE) PALLADIUM (0)	500	Milligram(MG)	03/05/18
1528918	19955-99-8	3-Vinylbenzaldehyde	5	Gram(GM)	03/05/18
1528919	19955-99-8	3-Vinylbenzaldehyde	5	Gram(GM)	03/05/18
1528920	19955-99-8	3-Vinylbenzaldehyde	5	Gram(GM)	03/05/18
1524799	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/05/18
1524800	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/05/18
1524801	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/05/18
1524802	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/05/18
1524803	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/05/18
1524804	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/05/18
1524805	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/05/18
1528921	106-40-1	P-BROMOANILINE	25	Gram(GM)	03/05/18
1528922	534-17-8	CESIUM CARBONATE	250	Gram(GM)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1457178	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	03/05/18
1457179	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/05/18
1457180	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/05/18
1457181	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/05/18
1457182	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/05/18
1457183	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/05/18
1475586	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475587	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475588	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475589	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475590	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475591	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475592	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475593	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475594	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475595	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475596	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475597	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475598	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475599	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475600	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475601	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475602	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475603	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475604	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475605	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475606	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475607	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475608	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475609	-	Rando HD 32 46 68	5	Gallon(GAL)	03/05/18
1475610	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	03/05/18
1475611	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	03/05/18
1475612	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	03/05/18
1475613	-	COTE ALL SAFETY YELLOW	128	Ounces(OZ)	03/05/18
1475614	-	Cote All M.F. (Safety) Red	3.8	Liters(L)	03/05/18
1475615	-	Cote All M.F. (Safety) Red	3.8	Liters(L)	03/05/18
1475616	-	Cote All D/B	3.8	Liters(L)	03/05/18
1475617	-	Cote All D/B	3.8	Liters(L)	03/05/18
1475618	-	Cote All D/B	3.8	Liters(L)	03/05/18
1475619	-	Cote All D/B	3.8	Liters(L)	03/05/18
1475620	-	DENATURED ALCOHOL	1	Gallon(GAL)	03/05/18
1475621	-	DENATURED ALCOHOL	1	Gallon(GAL)	03/05/18
1475622	-	DENATURED ALCOHOL	1	Gallon(GAL)	03/05/18
1475623	-	DENATURED ALCOHOL	1	Gallon(GAL)	03/05/18
1475624	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475625	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475626	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475627	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475628	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475629	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475630	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475631	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475632	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475633	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475634	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475635	-	Weld-On 724 for CPVC and PVC Plastic Pipe	1	Pint(PT)	03/05/18
1475636	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475637	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475638	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475639	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475640	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475641	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475642	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475643	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475644	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475645	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475646	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475647	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	16	Ounces(OZ)	03/05/18
1475648	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475649	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475650	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475651	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475652	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475653	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475654	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475655	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475656	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475657	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475658	-	Avalon Premium 100% Acrylic Interior Satin W/B	18	Liters(L)	03/05/18
1475880	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/05/18
1475881	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/05/18
1475882	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/05/18
1475883	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/05/18
1475884	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/05/18
1475682	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475683	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475684	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475685	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475686	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475687	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475688	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475689	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475690	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475691	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475692	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475693	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475694	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475695	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475696	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475697	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475698	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475699	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475700	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475701	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475702	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475703	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475704	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475705	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475706	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475707	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475708	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475709	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475710	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475711	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475712	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475713	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475714	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475715	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475716	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475717	-	4092 AEROSOL WALL TEXTURE WATER BASED -	25	Ounces(OZ)	03/05/18
1475720	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475721	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475722	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475723	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475724	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475725	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475726	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475727	-	SureFlo Acrylic Gloss Enamel W/B	5	Gallon(GAL)	03/05/18
1475826	-	Grain Stain Semi Trans. French White	1	Gallon(GAL)	03/05/18
1475827	-	Grain Stain Semi Trans. French White	1	Gallon(GAL)	03/05/18
1475528	-	FSC-8000 COMPRESSOR FLUID	1	Gallon(GAL)	03/05/18
1475529	-	FSC-8000 COMPRESSOR FLUID	1	Gallon(GAL)	03/05/18
1475530	-	FSC-8000 COMPRESSOR FLUID	1	Gallon(GAL)	03/05/18
1475531	-	FSC-8000 COMPRESSOR FLUID	1	Gallon(GAL)	03/05/18
1528923	-	NITRATE AS N STANDARD 100	120	Milliliter(ML)	03/05/18
1528924	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528925	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528926	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528927	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528928	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528929	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528930	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528931	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528932	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528933	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528934	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528935	-	ALL PURPOSE CLEANER	32	Ounces(OZ)	03/05/18
1528936	7697-37-2	NITRIC ACID	100	Milliliter(ML)	03/05/18
1528937	77128-70-2	Fmoc-Sar-OH (Fmoc-MeGly-OH)	25	Gram(GM)	03/05/18
1528938	530-62-1	N N'-CARBONYLDIIMIDAZOLE	25	Gram(GM)	03/05/18
1528939	-	2-CHLOROTRITYLCHLORIDE RESIN	25	Gram(GM)	03/05/18
1528940	-	2-CHLOROTRITYLCHLORIDE RESIN	25	Gram(GM)	03/05/18
1528941	129-56-6	JNK Inhibitor II; Anthra(1 9-cd)pyrazol-6(2H)-one	10	Milligram(MG)	03/05/18
1528942	693-98-1	2-METHYLIMIDAZOLE	500	Gram(GM)	03/05/18
1528943	682-30-4	DIETHYL VINYLPHOSPHONATE	25	Gram(GM)	03/05/18
1528944	682-30-4	DIETHYL VINYLPHOSPHONATE	25	Gram(GM)	03/05/18
1528945	1313-84-4	SODIUM SULFIDE NONAHYDRATE	500	Gram(GM)	03/05/18
1528946	-	D-salt dextran plastic desalting columns	0.5	Milliliter(ML)	03/05/18
1528947	29658-26-2	Poly(oxy-1 4-phenyleneoxy-1 4-	50	Gram(GM)	03/05/18
1475828	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	03/05/18
1475886	-	fast setting cement	60	Pounds(LB)	03/05/18
1528948	-	10x Tris Buffered Saline (TBS)	1	Liters(L)	03/05/18
1475887	-	fast setting cement	60	Pounds(LB)	03/05/18
1475888	-	fast setting cement	60	Pounds(LB)	03/05/18
1475889	-	fast setting cement	60	Pounds(LB)	03/05/18
1475890	-	fast setting cement	60	Pounds(LB)	03/05/18
1475891	-	fast setting cement	60	Pounds(LB)	03/05/18
1475892	-	fast setting cement	60	Pounds(LB)	03/05/18
1475893	-	fast setting cement	60	Pounds(LB)	03/05/18
1475894	-	fast setting cement	60	Pounds(LB)	03/05/18
1475895	-	fast setting cement	60	Pounds(LB)	03/05/18
1475896	-	fast setting cement	60	Pounds(LB)	03/05/18
1475897	-	fast setting cement	60	Pounds(LB)	03/05/18
1475898	-	fast setting cement	60	Pounds(LB)	03/05/18
1475899	-	fast setting cement	60	Pounds(LB)	03/05/18
1475900	-	fast setting cement	60	Pounds(LB)	03/05/18
1475901	-	fast setting cement	60	Pounds(LB)	03/05/18
1475902	-	fast setting cement	60	Pounds(LB)	03/05/18
1475903	-	fast setting cement	60	Pounds(LB)	03/05/18
1475904	-	fast setting cement	60	Pounds(LB)	03/05/18
1475905	-	fast setting cement	60	Pounds(LB)	03/05/18
1475906	-	fast setting cement	60	Pounds(LB)	03/05/18
1475907	-	fast setting cement	60	Pounds(LB)	03/05/18
1475908	-	fast setting cement	60	Pounds(LB)	03/05/18
1475909	-	fast setting cement	60	Pounds(LB)	03/05/18
1475910	-	fast setting cement	60	Pounds(LB)	03/05/18
1475911	-	fast setting cement	60	Pounds(LB)	03/05/18
1475912	-	fast setting cement	60	Pounds(LB)	03/05/18
1475913	-	fast setting cement	60	Pounds(LB)	03/05/18
1475914	-	fast setting cement	60	Pounds(LB)	03/05/18
1475829	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	03/05/18
1475830	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475831	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	03/05/18
1528949	-	2 3-BUTANEDIOL	500	Gram(GM)	03/05/18
1475832	-	BULLS EYE 1-2-3	1	Gallon(GAL)	03/05/18
1475833	-	BULLS EYE 1-2-3	1	Gallon(GAL)	03/05/18
1475834	-	BULLS EYE 1-2-3	1	Gallon(GAL)	03/05/18
1475835	-	BULLS EYE 1-2-3	1	Gallon(GAL)	03/05/18
1528950	14808-60-7	SAND WHITE QUARTZ	1	Kilograms(KG)	03/05/18
1528975	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/05/18
1528976	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/05/18
1528977	77-92-9	CITRIC ACID	4	Liters(L)	03/05/18
1475843	-	Original KRUD KUTTER	1	Gallon(GAL)	03/05/18
1528978	77-92-9	CITRIC ACID	4	Liters(L)	03/05/18
1528979	77-92-9	CITRIC ACID	4	Liters(L)	03/05/18
1528980	77-92-9	CITRIC ACID	4	Liters(L)	03/05/18
1475844	-	Original KRUD KUTTER	1	Gallon(GAL)	03/05/18
1475845	-	Original KRUD KUTTER	1	Gallon(GAL)	03/05/18
1475846	-	Original KRUD KUTTER	1	Gallon(GAL)	03/05/18
1475847	-	OLD MASTERS POLYURETHANE GLOSS #MP-850-	1	Gallon(GAL)	03/05/18
1475848	-	OLD MASTERS POLYURETHANE GLOSS #MP-850-	1	Gallon(GAL)	03/05/18
1475849	-	OLD MASTERS POLYURETHANE GLOSS #MP-850-	1	Gallon(GAL)	03/05/18
1475850	-	OLD MASTERS POLYURETHANE GLOSS #MP-850-	1	Gallon(GAL)	03/05/18
1475851	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	5	Gallon(GAL)	03/05/18
1475852	-	SHEETROCK LIGHTWEIGHT ALL PURPOSE JOINT	5	Gallon(GAL)	03/05/18
1475857	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475858	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475859	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475860	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475861	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475862	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475863	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475864	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475865	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475866	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475867	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475868	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475869	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475870	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475871	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	03/05/18
1475872	-	Roto-Xtend Duty Fluid	5	Gallon(GAL)	03/05/18
1475873	-	Roto-Xtend Duty Fluid	5	Gallon(GAL)	03/05/18
1475874	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/05/18
1475875	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	03/05/18
1475876	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	03/05/18
1475877	-	INGERSOLL-RAND ULTRA COOLANT	5	Liters(L)	03/05/18
1475878	-	INGERSOLL-RAND ULTRA COOLANT	5	Liters(L)	03/05/18
1475879	-	INGERSOLL-RAND ULTRA COOLANT	5	Liters(L)	03/05/18
1475885	-	EASY SAND 45	18	Pounds(LB)	03/05/18
1387038	-	PSX 700	1	Gallon(GAL)	03/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528984	111-30-8	GLUTARALDEHYDE	10	Milliliter(ML)	03/06/18
1528985	-	Hydrolubric 120B	1	Gallon(GAL)	03/06/18
1528986	-	Hydrolubric 120B	1	Gallon(GAL)	03/06/18
1528987	682-30-4	DIETHYL VINYLPHOSPHONATE	5	Gram(GM)	03/06/18
1528988	682-30-4	DIETHYL VINYLPHOSPHONATE	5	Gram(GM)	03/06/18
1528989	682-30-4	DIETHYL VINYLPHOSPHONATE	5	Gram(GM)	03/06/18
1528990	682-30-4	DIETHYL VINYLPHOSPHONATE	5	Gram(GM)	03/06/18
1528991	682-30-4	DIETHYL VINYLPHOSPHONATE	5	Gram(GM)	03/06/18
1528992	100-46-9	BENZYLAMINE 99%	500	Milliliter(ML)	03/06/18
1528993	67-64-1	ACETONE	4	Liters(L)	03/06/18
1453968	-	PSX 700 CURE US	1	Gallon(GAL)	03/06/18
1528994	67-64-1	ACETONE	4	Liters(L)	03/06/18
1528995	67-64-1	ACETONE	4	Liters(L)	03/06/18
1528996	67-64-1	ACETONE	4	Liters(L)	03/06/18
1457263	-	NALCO 7408 CHLORINE SCAVENGER SOLUTION	55	Gallon(GAL)	03/06/18
1457184	-	TRI-ACT 1820	450	Pounds(LB)	03/06/18
1457185	-	Nexguard 22350	551	Pounds(LB)	03/06/18
1457186	-	Nexguard 22350	551	Pounds(LB)	03/06/18
1457187	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/06/18
1457188	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/06/18
1457189	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/06/18
1457190	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/06/18
1527856	67-56-1	METHANOL HPLC	4	Liters(L)	03/06/18
1527857	67-56-1	METHANOL HPLC	4	Liters(L)	03/06/18
1528868	64-18-6	FORMIC ACID	50	Milliliter(ML)	03/06/18
1528869	631-61-8	AMMONIUM ACETATE	50	Milliliter(ML)	03/06/18
1528870	294-90-6	CYCLLEN (1 4 7 10-TETRAAZACYCLODODECANE)	25	Gram(GM)	03/06/18
1528871	7440-19-9	SAMARIUM	25	Gram(GM)	03/06/18
1528872	7783-90-6	SILVER CHLORIDE	25	Gram(GM)	03/06/18
1528873	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528874	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528875	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528876	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528877	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528878	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528879	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528880	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528881	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528882	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528883	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528884	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528885	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528886	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528887	-	KRAZY GLUE	3	Gram(GM)	03/06/18
1528888	-	PLATSIL GEL-0020	1	Gallon(GAL)	03/06/18
1528889	-	PLATSIL GEL-0020	1	Gallon(GAL)	03/06/18
1528890	10034-99-8	MAGNESIUM SULFATE HEPTAHYDRATE	500	Gram(GM)	03/06/18
1528891	95-92-1	DIETHYL OXALATE	500	Gram(GM)	03/06/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1528892	516-06-3	DL-VALINE	100	Gram(GM)	03/06/18
1528893	640-68-6	D-VALINE	100	Gram(GM)	03/06/18
1528894	72-18-4	L-VALINE	100	Gram(GM)	03/06/18
1528895	6306-52-1	L-VALINE METHYL ESTER HYD	100	Gram(GM)	03/06/18
1528896	7146-15-8	D-Valine methyl ester HCl	100	Gram(GM)	03/06/18
1528897	5619-05-6	DL-Valine methyl ester HCl	100	Gram(GM)	03/06/18
1528898	7440-25-7	TANTALUM FOIL	100	Milligram(MG)	03/06/18
1528899	-	Phenol/Chloroform/Isoamyl Alcohol Solution pH	400	Milliliter(ML)	03/06/18
1528900	925-90-6	ETHYLMAGNESIUM BROMIDE	100	Milliliter(ML)	03/06/18
1528901	925-90-6	ETHYLMAGNESIUM BROMIDE	100	Milliliter(ML)	03/06/18
1528902	10034-85-2	HYDRITIC ACID 57%	250	Milliliter(ML)	03/06/18
1528951	-	Titebond Solvent Free Adhesive	10	Ounces(OZ)	03/06/18
1528952	-	Titebond Solvent Free Adhesive	10	Ounces(OZ)	03/06/18
1528953	25036-25-3	EPOXY RESIN	1	Pint(PT)	03/06/18
1528954	7789-20-0	DEUTERIUM OXIDE	10	Gram(GM)	03/06/18
1528955	7789-20-0	DEUTERIUM OXIDE	10	Gram(GM)	03/06/18
1528956	7789-20-0	DEUTERIUM OXIDE	10	Gram(GM)	03/06/18
1528957	7789-20-0	DEUTERIUM OXIDE	10	Gram(GM)	03/06/18
1528958	9000-70-8	GELATIN FROM PORCINE SKIN	10	Milligram(MG)	03/06/18
1528959	56-81-5	E-GEL	20	Microliter	03/06/18
1528997	1600-27-7	MERCURIC ACETATE	50	Gram(GM)	03/06/18
1528999	1305-78-8	CALCIUM OXIDE 99.995%	250	Gram(GM)	03/06/18
1529000	1305-78-8	CALCIUM OXIDE 99.995%	250	Gram(GM)	03/06/18
1529001	7758-94-3	IRON(II) CHLORIDE ANHYDROUS	50	Gram(GM)	03/06/18
1529002	7440-06-4	PLATINUM WIRE	50	Gram(GM)	03/06/18
1529003	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	03/06/18
1529004	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	03/06/18
1529005	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	03/06/18
1529006	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	03/06/18
1529007	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	03/06/18
1529008	-	FERROVER IRON REAGENT	10	Milliliter(ML)	03/06/18
1529009	-	DIPHENYLCARBAZONE REAGENT POWDER	100	Milliliter(ML)	03/06/18
1529010	-	DIPHENYLCARBAZONE REAGENT POWDER	100	Milliliter(ML)	03/06/18
1529011	-	DIPHENYLCARBAZONE REAGENT POWDER	100	Milliliter(ML)	03/06/18
1529012	-	DIPHENYLCARBAZONE REAGENT POWDER	100	Milliliter(ML)	03/06/18
1529013	-	DIPHENYLCARBAZONE REAGENT POWDER	100	Milliliter(ML)	03/06/18
1529014	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	03/06/18
1529015	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	03/06/18
1529016	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	03/06/18
1529017	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	03/06/18
1529018	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	03/06/18
1529019	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	03/06/18
1529020	7697-37-2	NITRIC ACID	500	Milliliter(ML)	03/06/18
1529021	7697-37-2	NITRIC ACID	500	Milliliter(ML)	03/06/18
1529022	-	NEBUILDER HiFi DNA Assembly Cloning Kit New	10	Milliliter(ML)	03/06/18
1529023	-	NEBUILDER HiFi DNA Assembly Cloning Kit New	10	Milliliter(ML)	03/06/18
1529047	1627840-21-4	OsHCl(CO)[ζ 3-PyCH ₂ NHC ₂ H ₄ NHPtBu ₂]	500	Milligram(MG)	03/06/18
1529048	584-08-7	POTASSIUM CARBONATE ANHYDROUS	100	Gram(GM)	03/06/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529049	638-10-8	Ethyl 3 3-dimethylacrylate	25	Gram(GM)	03/06/18
1529050	1567-14-2	Methyl trans-2-methyl-2-pentenoate	10	Gram(GM)	03/06/18
1529051	9011-14-7	POLY METHYL METHACRYLATE POLYMERIZED	25	Gram(GM)	03/06/18
1529052	9011-14-7	POLY(METHYL METHACRYLATE)	50	Gram(GM)	03/06/18
1529053	-	LIPOPROTEIN	5	Milligram(MG)	03/06/18
1529054	461642-78-4	2-(Dodecylthiocarbonothioylthio)-2-	1	Gram(GM)	03/06/18
1529117	5292-43-3	TERT-BUTYL BROMOACETATE 98%	250	Gram(GM)	03/06/18
1529118	5292-43-3	TERT-BUTYL BROMOACETATE 98%	250	Gram(GM)	03/06/18
1418036	-	PVC CEMENT	32	Ounces(OZ)	03/06/18
1418037	-	PVC CEMENT	32	Ounces(OZ)	03/06/18
1508358	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/06/18
1508359	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/06/18
1508370	-	25% CARBON DIOXIDE/75% ARGON	220	Cubic Feet(CF)	03/06/18
1508371	-	25% CARBON DIOXIDE/75% ARGON	220	Cubic Feet(CF)	03/06/18
1508372	-	25% CARBON DIOXIDE/75% ARGON	220	Cubic Feet(CF)	03/06/18
1422618	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422619	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422620	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422621	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422622	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422623	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422624	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422625	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422626	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422627	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422628	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422629	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422630	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422631	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422632	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422633	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422634	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1422635	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	03/06/18
1485715	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1508360	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1485716	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485717	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485718	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485719	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485720	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485721	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485722	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485723	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485724	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485725	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1485726	-	WD-40 AEROSOL	16	Ounces(OZ)	03/07/18
1508361	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1508362	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508363	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1508364	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1508365	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1508366	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1508367	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1508368	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1508369	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/07/18
1485727	-	GOJO Orange Pumice Hand Cleaner	1	Gallon(GAL)	03/07/18
1485617	-	STEEL BLUE LAYOUT FLUID TRANSPARENT BLUE	8	Ounces(OZ)	03/07/18
1485618	-	STEEL BLUE LAYOUT FLUID TRANSPARENT BLUE	8	Ounces(OZ)	03/07/18
1485619	-	STEEL BLUE LAYOUT FLUID TRANSPARENT BLUE	8	Ounces(OZ)	03/07/18
1485620	-	STEEL BLUE LAYOUT FLUID TRANSPARENT BLUE	8	Ounces(OZ)	03/07/18
1485611	-	STARRETT GRANITE	1	Gallon(GAL)	03/07/18
1485613	-	BLASOCUT 2000	5	Gallon(GAL)	03/07/18
1485614	-	BLASOCUT 2000	5	Gallon(GAL)	03/07/18
1485615	-	BLASOCUT 2000	5	Gallon(GAL)	03/07/18
1485616	-	BLASOCUT 2000	5	Gallon(GAL)	03/07/18
1485408	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/07/18
1485409	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/07/18
1485410	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/07/18
1485411	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	03/07/18
1485607	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/07/18
1485608	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/07/18
1485609	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/07/18
1485610	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/07/18
1485703	-	KROIL	10	Ounces(OZ)	03/07/18
1485704	-	KROIL	10	Ounces(OZ)	03/07/18
1485705	-	KROIL	10	Ounces(OZ)	03/07/18
1485706	-	KROIL	10	Ounces(OZ)	03/07/18
1485707	-	KROIL	10	Ounces(OZ)	03/07/18
1485708	-	KROIL	10	Ounces(OZ)	03/07/18
1485709	-	KROIL	10	Ounces(OZ)	03/07/18
1485710	-	KROIL	10	Ounces(OZ)	03/07/18
1485711	-	KROIL	10	Ounces(OZ)	03/07/18
1485712	-	KROIL	10	Ounces(OZ)	03/07/18
1485713	-	KROIL	10	Ounces(OZ)	03/07/18
1485714	-	KROIL	10	Ounces(OZ)	03/07/18
1485538	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485539	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485540	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485541	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485542	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485543	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485544	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485545	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485546	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485547	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485548	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485549	-	PURELL INSTANT HAND SANITIZER	200	Milliliter(ML)	03/07/18
1485583	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485584	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485585	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485586	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485587	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485588	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485589	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485590	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485591	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485592	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485593	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485594	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485595	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485596	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485597	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485598	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485599	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485600	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485601	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485602	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485603	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485604	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485605	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485606	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485559	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485560	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485561	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485562	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485563	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485564	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485565	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485566	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485567	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485568	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485569	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485570	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485571	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485572	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485573	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485574	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485575	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485576	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485577	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485578	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485579	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485580	-	FS-One Max	10	Ounces(OZ)	03/07/18
1485581	-	FS-One Max	10	Ounces(OZ)	03/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485582	-	FS-One Max	10	Ounces(OZ)	03/07/18
1528960	32315-10-9	TRIPHOSGENE 99	100	Gram(GM)	03/07/18
1528961	-	Liquid Metal Alloy (10g) Bottle -19C Comparable	10	Gram(GM)	03/07/18
1528962	-	Liquid Metal Alloy (10g) Bottle -19C Comparable	10	Gram(GM)	03/07/18
1528963	-	STANDARD TOC	100	Milliliter(ML)	03/07/18
1528964	-	CARBON STANDARD	120	Milliliter(ML)	03/07/18
1528965	71-23-8	N-PROPANOL	500	Milliliter(ML)	03/07/18
1528966	71-23-8	N-PROPANOL	500	Milliliter(ML)	03/07/18
1528967	26780-50-7	POLY(DL-LACTIDE-CO-GLYCOLIDE)	1	Gram(GM)	03/07/18
1528968	9002-89-5	POLY(VINYL ALCOHOL) 88-89% HYDROLYZED	25	Gram(GM)	03/07/18
1528969	17534-15-5	1 2-BENZENEDITHIOL	500	Milligram(MG)	03/07/18
1528970	17534-15-5	1 2-BENZENEDITHIOL	500	Milligram(MG)	03/07/18
1528971	296-35-5	Hexacyclen	100	Milligram(MG)	03/07/18
1528972	10196-18-6	ZINC NITRATE HEXAHYDRATE	500	Gram(GM)	03/07/18
1528973	-	DESICCANT	8	Pounds(LB)	03/07/18
1529024	64-17-5	ETHANOL ANHYDROUS	4	Liters(L)	03/07/18
1529025	7440-00-8	NEODYMIUM INGOT	25	Gram(GM)	03/07/18
1472816	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1529026	7440-54-2	GADOLINIUM	10	Gram(GM)	03/07/18
1472817	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1472818	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1472819	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1529027	7440-53-1	EUROPIUM	1	Gram(GM)	03/07/18
1529028	67-56-1	METHANOL	2500	Milliliter(ML)	03/07/18
1529029	79-01-6	TRICHLOROETHYLENE	2500	Milliliter(ML)	03/07/18
1469364	-	HENRY 440 Cove Base Adhesive	1	Gallon(GAL)	03/07/18
1529030	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/07/18
1529031	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/07/18
1529032	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/07/18
1529033	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/07/18
1529034	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/07/18
1529035	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/07/18
1529036	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529037	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529038	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529039	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529040	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529041	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529042	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529043	872-50-4	N-METHYL-2-PYRROLIDONE	4	Liters(L)	03/07/18
1529056	16369-05-4	2-Amino-3-methyl-1-butanol	1	Gram(GM)	03/07/18
1472820	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/07/18
1529057	2026-48-4	(S)-(+)-2-AMINO-3-METHYL-1-BUTANOL (L-	1	Gram(GM)	03/07/18
1472823	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/07/18
1529058	4276-09-9	(R)-(-)-2-Amino-3-methyl-1-butanol	1	Gram(GM)	03/07/18
1472880	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/07/18
1472879	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/07/18
1529059	110-16-7	MALEIC ACID	500	Gram(GM)	03/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529060	7697-37-2	NITRIC ACID 69%-70%	7	Pounds(LB)	03/07/18
1529061	13831-31-7	ACETOXYACETYL CHLORIDE	4	Kilograms(KG)	03/07/18
1529062	70131-67-8	Poly(dimethylsiloxane) hydroxy terminated	1	Pint(PT)	03/07/18
1529063	778-25-6	PLY-7602 DIPHENYLMETHYLSILANOL	1	Pint(PT)	03/07/18
1529064	7440-21-3	SILICON	1	Pint(PT)	03/07/18
1529065	70131-67-8	PLY-7609 SILICONE FLUID	1	Gallon(GAL)	03/07/18
1529066	00682-01-9	TETRA-N-PROPYL-SILICATE	1	Pint(PT)	03/07/18
1473041	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	03/07/18
1473097	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1473112	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1473113	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1529067	63148-57-2	METHYLHYDROGEN POLYSILOXANE	1	Pint(PT)	03/07/18
1529119	591-50-4	IODOBENZENE	100	Milliliter(ML)	03/07/18
1529120	-	chloroform:Isoamyl Alcohol	1	Liters(L)	03/07/18
1472099	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1529121	56-81-5	GLYCEROL ULTRAPURE 99+%	2.5	Liters(L)	03/07/18
1472100	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1472101	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1472102	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1529122	7647-01-0	HYDROGEN CHLORIDE	800	Milliliter(ML)	03/07/18
1529123	67-68-5	Quant-iT Qubit ssDNA Assay Kit	500	Milliliter(ML)	03/07/18
1529124	56-81-5	E-GEL	18	Milliliter(ML)	03/07/18
1529125	56-81-5	E-GEL	18	Milliliter(ML)	03/07/18
1529126	-	SYBR SAFE DNA GEL STAIN IN 0.5	400	Milliliter(ML)	03/07/18
1529127	-	SYBR SAFE DNA GEL STAIN IN 0.5	400	Milliliter(ML)	03/07/18
1529128	-	RNA SAMPLE LOADING BUFFER	1.25	Milliliter(ML)	03/07/18
1529129	-	RNA SAMPLE LOADING BUFFER	1.25	Milliliter(ML)	03/07/18
1529130	9012-36-6	Ultrapure Agarose	500	Gram(GM)	03/07/18
1529131	-	TAE BUFFER 10X	1000	Milliliter(ML)	03/07/18
1529132	7758-09-0	POTASSIUM NITRITE	1	Kilograms(KG)	03/07/18
1529133	-	al2o3	10	Kilograms(KG)	03/07/18
1529134	-	STRUERS OP-S SUSPENSION	5	Liters(L)	03/07/18
1529135	-	STRUERS OP-S SUSPENSION	5	Liters(L)	03/07/18
1529136	-	STRUERS OP-S SUSPENSION	5	Liters(L)	03/07/18
1529137	-	STRUERS OP-S SUSPENSION	5	Liters(L)	03/07/18
1472420	-	ARDEX FEATHER FINISH	10	Pounds(LB)	03/07/18
1528974	1344-28-1	ALUMINUM OXIDE	1	Kilograms(KG)	03/07/18
1529138	NA	Nessler Reagent	500	Milliliter(ML)	03/07/18
1529139	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	03/07/18
1529263	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529264	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529265	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529266	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529267	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529268	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529269	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529270	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529271	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529272	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529273	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529274	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529275	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529276	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529277	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529278	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529279	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529280	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529281	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529282	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529283	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529284	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529285	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529286	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/07/18
1529287	-	BAFILOMYCIN	10	MicroGram(UG)	03/07/18
1529288	-	2-CHLOROTRITYLCHLORIDE RESIN	25	Gram(GM)	03/07/18
1529289	-	NOCHROMIX	113	Gram(GM)	03/07/18
1529294	20769-85-1	a-Bromoisobutyryl bromide	100	Gram(GM)	03/07/18
1473090	-	fast setting cement	60	Pounds(LB)	03/07/18
1473091	-	fast setting cement	60	Pounds(LB)	03/07/18
1473092	-	fast setting cement	60	Pounds(LB)	03/07/18
1473093	-	fast setting cement	60	Pounds(LB)	03/07/18
1473094	-	fast setting cement	60	Pounds(LB)	03/07/18
1473095	-	fast setting cement	60	Pounds(LB)	03/07/18
1529295	623-70-1	TRANS-ETHYL CROTONATE	0.23	Kilograms(KG)	03/07/18
1457264	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/07/18
1457265	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/07/18
1457266	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/07/18
1457267	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/07/18
1457268	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/07/18
1494352	-	DIESEL EXHAUST FLUID	2.5	Gallon(GAL)	03/08/18
1494353	-	EXTENDED LIFE COOLANT	1	Gallon(GAL)	03/08/18
1494354	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	03/08/18
1494355	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	03/08/18
1494356	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	03/08/18
1494357	-	CAT TRANSMISSION & DRIVETRAIN OIL SAE 30	5	Gallon(GAL)	03/08/18
1494358	-	Cat Hydraulic Oil (HYDO) SAE 10W	5	Gallon(GAL)	03/08/18
1494359	-	Cat Hydraulic Oil (HYDO) SAE 10W	5	Gallon(GAL)	03/08/18
1494360	-	Cat Hydraulic Oil (HYDO) SAE 10W	5	Gallon(GAL)	03/08/18
1494361	-	Cat Hydraulic Oil (HYDO) SAE 10W	5	Gallon(GAL)	03/08/18
1494362	-	ACRYLIC ENAMEL	12	Ounces(OZ)	03/08/18
1494363	-	LOCTITE 242 THREADLOCKER	0.34	Ounces(OZ)	03/08/18
1494364	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	03/08/18
1473342	-	CONCRETE MIX	60	Pounds(LB)	03/08/18
1473343	-	CONCRETE MIX	60	Pounds(LB)	03/08/18
1473344	-	CONCRETE MIX	60	Pounds(LB)	03/08/18
1473345	-	CONCRETE MIX	60	Pounds(LB)	03/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473346	-	CONCRETE MIX	60	Pounds(LB)	03/08/18
1473347	-	CONCRETE MIX	60	Pounds(LB)	03/08/18
1473348	-	CONCRETE MIX	60	Pounds(LB)	03/08/18
1473349	-	CONCRETE MIX	60	Pounds(LB)	03/08/18
1473350	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	03/08/18
1473351	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	03/08/18
1473352	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	03/08/18
1473353	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	03/08/18
1385469	Multi	SuperSignal West Dura Extended Duration	100	Milliliter(ML)	03/09/18
1385470	Multi	SuperSignal West Dura Extended Duration	100	Milliliter(ML)	03/09/18
1473672	-	5080 PRESSURE SENSITIVE ADHESIVE	5	Gallon(GAL)	03/09/18
1529140	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529141	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529142	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529143	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529144	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529145	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529146	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529147	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529148	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529149	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529150	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529151	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529152	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529153	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529154	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529155	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529156	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529157	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529158	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529159	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529160	7553-56-2	IODINE	10	Gram(GM)	03/12/18
1529161	358-23-6	TRIFLUOROMETHANESULFONIC ANHYDRIDE	10	Gram(GM)	03/12/18
1529162	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	03/12/18
1529163	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	03/12/18
1529164	64-19-7	ACETIC ACID	500	Milliliter(ML)	03/12/18
1529165	64-19-7	ACETIC ACID	500	Milliliter(ML)	03/12/18
1529166	64-19-7	ACETIC ACID	500	Milliliter(ML)	03/12/18
1529167	64-19-7	ACETIC ACID	500	Milliliter(ML)	03/12/18
1529168	6131-90-4	SODIUM ACETATE TRIHYDRATE	500	Gram(GM)	03/12/18
1529169	6153-56-6	OXALIC ACID CERT. ACS	500	Gram(GM)	03/12/18
1529170	-	TANGOBLOCK PLUS FLX980	3.6	Kilograms(KG)	03/12/18
1529173	-	COPPER AAS STANDARD SOLU	125	Milliliter(ML)	03/12/18
1529290	67-63-0	2-PROPANOL (2-PROPANOL ANHYDROUS	2	Liters(L)	03/12/18
1529291	67-63-0	2-PROPANOL (2-PROPANOL ANHYDROUS	2	Liters(L)	03/12/18
1529292	67-63-0	2-PROPANOL (2-PROPANOL ANHYDROUS	2	Liters(L)	03/12/18
1529293	67-63-0	2-PROPANOL (2-PROPANOL ANHYDROUS	2	Liters(L)	03/12/18
1529297	7722-84-1	HYDROGEN PEROXIDE 3%	500	Milliliter(ML)	03/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529298	25322-68-3	POLYETHYLENE GLYCOL 600	250	Gram(GM)	03/12/18
1529299	10035-10-6	HYDROBROMIC ACID 48%	500	Milliliter(ML)	03/12/18
1529300	36877-69-7	RHODAMINE B ISOTHIOCYANATE	100	Milligram(MG)	03/12/18
1529301	36877-69-7	RHODAMINE B ISOTHIOCYANATE	100	Milligram(MG)	03/12/18
1529302	50-99-7	D-[+]-GLUCOSE	100	Gram(GM)	03/12/18
1529303	367-51-1	SODIUM THIOGLYCOLATE	25	Gram(GM)	03/12/18
1529304	144-55-8	SODIUM BICARBONATE	25	Gram(GM)	03/12/18
1529305	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	03/12/18
1529306	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	03/12/18
1529307	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	03/12/18
1529308	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	03/12/18
1529309	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	03/12/18
1529310	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	03/12/18
1529311	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	03/12/18
1529312	1076-43-3	BENZENE-D6	25	Gram(GM)	03/12/18
1529313	1076-43-3	BENZENE-D6	25	Gram(GM)	03/12/18
1529314	1076-43-3	BENZENE-D6	25	Gram(GM)	03/12/18
1529315	7726-95-6	BROMINE CERTIFIED ACS	150	Milliliter(ML)	03/12/18
1529316	681-84-5	TETRAMETHYL ORTHOSILICATE	100	Gram(GM)	03/12/18
1529317	3282-30-2	TRIMETHYLACETYL CHLORIDE	100	Milliliter(ML)	03/12/18
1529318	3282-30-2	TRIMETHYLACETYL CHLORIDE	100	Milliliter(ML)	03/12/18
1529319	3282-30-2	TRIMETHYLACETYL CHLORIDE	100	Milliliter(ML)	03/12/18
1529320	829-85-6	DIPHENYLPHOSPHINE	10	Gram(GM)	03/12/18
1529321	829-85-6	DIPHENYLPHOSPHINE	10	Gram(GM)	03/12/18
1529322	829-85-6	DIPHENYLPHOSPHINE	10	Gram(GM)	03/12/18
1529323	829-85-6	DIPHENYLPHOSPHINE	10	Gram(GM)	03/12/18
1457269	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	03/12/18
1457270	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	03/12/18
1457271	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	03/12/18
1457272	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	03/12/18
1457273	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	03/12/18
1457274	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	03/12/18
1457275	-	POLYMETHYLMETHACRYLATE	50	Pounds(LB)	03/12/18
1457276	-	POLYMETHYLMETHACRYLATE	5	Pounds(LB)	03/12/18
1457277	9002-88-4	POLYETHYLENE	50	Pounds(LB)	03/12/18
1457278	-	POLYMETHYLMETHACRYLATE	50	Pounds(LB)	03/12/18
1457279	9003-53-6	POLYSTYRENE	2	Pounds(LB)	03/12/18
1457280	9003-53-6	POLYSTYRENE	2	Pounds(LB)	03/12/18
1457281	-	POLYMETHYLMETHACRYLATE	50	Pounds(LB)	03/12/18
1457282	-	POLYMETHYLMETHACRYLATE	25	Pounds(LB)	03/12/18
1457283	-	POLYMETHYLMETHACRYLATE	25	Pounds(LB)	03/12/18
1457284	-	POLYMETHYLMETHACRYLATE	50	Pounds(LB)	03/12/18
1529044	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	03/12/18
1529045	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	03/12/18
1529046	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	03/12/18
1508380	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1529174	67-64-1	ACETONE FOR HPLC	1	Liters(L)	03/12/18
1508381	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508382	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508383	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508384	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508385	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508386	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508387	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508388	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508389	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508390	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508391	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508392	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508393	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508394	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1529175	75-05-8	ACETONITRILE HPLC	4	Liters(L)	03/12/18
1529176	75-05-8	ACETONITRILE HPLC	4	Liters(L)	03/12/18
1529177	75-05-8	ACETONITRILE HPLC	4	Liters(L)	03/12/18
1529178	75-05-8	ACETONITRILE HPLC	4	Liters(L)	03/12/18
1508395	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508396	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508397	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508398	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508399	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508400	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508401	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508402	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508403	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508404	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508405	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508406	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508407	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508408	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508409	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508410	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508411	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508412	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508413	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508414	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508415	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508416	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508417	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508418	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508419	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508420	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508421	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508422	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508423	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508424	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508425	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508426	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508427	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1508428	-	Nitrogen UHP	220	Cubic Feet(CF)	03/12/18
1529179	-	CHITOSAN	50	Gram(GM)	03/12/18
1529180	3282-73-3	DIDODECYLDIMETHYLAMMONIUM BROMIDE	2	Gram(GM)	03/12/18
1529181	67533-12-4	TETRAETHYLAMMONIUM ACETATE	25	Gram(GM)	03/12/18
1529182	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/12/18
1529324	9011-14-7	POLY(METHYL METHACRYLATE)	50	Gram(GM)	03/12/18
1529325	127-18-4	TETRACHLOROETHYLENE	1	Liters(L)	03/12/18
1529326	67-64-1	ACETONE FOR HPLC	1	Liters(L)	03/12/18
1508441	-	75% ARGON/25% CARBON DIOX	220	Cubic Feet(CF)	03/12/18
1508442	-	75% ARGON/25% CARBON DIOX	220	Cubic Feet(CF)	03/12/18
1508443	-	75% ARGON/25% CARBON DIOX	220	Cubic Feet(CF)	03/12/18
1508444	-	75% ARGON/25% CARBON DIOX	220	Cubic Feet(CF)	03/12/18
1508445	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/12/18
1508446	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/12/18
1508447	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/12/18
1508448	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/12/18
1508449	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/12/18
1508450	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/12/18
1508451	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508452	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508453	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508454	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508455	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508456	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508457	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508458	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508459	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508460	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508461	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1508462	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/12/18
1529327	13453-07-1	Gold(III) chloride	5	Gram(GM)	03/12/18
1529328	13453-07-1	Gold(III) chloride	5	Gram(GM)	03/12/18
1529329	13453-07-1	Gold(III) chloride	5	Gram(GM)	03/12/18
1529330	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	03/12/18
1529334	-	BEFINDER CH-A CHEMICAL KIT	720	Milliliter(ML)	03/12/18
1529335	67-63-0	ISOPROPYL ALCOHOL 2-PROPANOL HPLC GRADE	4	Liters(L)	03/12/18
1529336	67-63-0	ISOPROPYL ALCOHOL 2-PROPANOL HPLC GRADE	4	Liters(L)	03/12/18
1529337	67-63-0	ISOPROPYL ALCOHOL 2-PROPANOL HPLC GRADE	4	Liters(L)	03/12/18
1529338	67-63-0	ISOPROPYL ALCOHOL 2-PROPANOL HPLC GRADE	4	Liters(L)	03/12/18
1529339	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529340	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529341	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529342	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529347	108-88-3	TOLUENE	4	Liters(L)	03/12/18
1529348	108-88-3	TOLUENE	4	Liters(L)	03/12/18
1529349	108-88-3	TOLUENE	4	Liters(L)	03/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529350	108-88-3	TOLUENE	4	Liters(L)	03/12/18
1508474	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1457285	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/12/18
1457286	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/12/18
1457287	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/12/18
1457288	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/12/18
1457289	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/12/18
1508475	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508476	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508477	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508478	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508479	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508480	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508481	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508482	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508483	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508484	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1508485	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/12/18
1529183	682-30-4	DIETHYL VINYLPHOSPHONATE	10	Gram(GM)	03/12/18
1529184	67-64-1	ACETONE	4	Liters(L)	03/12/18
1529191	-	NITROGEN STANDARD	500	Milliliter(ML)	03/12/18
1529192	7647-15-6	BROMIDE STANDARD	500	Milliliter(ML)	03/12/18
1529193	7647-14-5	CHLORIDE STANDARD	500	Milliliter(ML)	03/12/18
1529194	7681-49-4	FLUORIDE STANDARD SOLUTION	500	Milliliter(ML)	03/12/18
1529195	7631-99-4	NITRATE STANDARD	500	Milliliter(ML)	03/12/18
1529196	-	NITRITE STANDARD	500	Milliliter(ML)	03/12/18
1529197	62-76-0	SODIUM OXALATE	500	Milliliter(ML)	03/12/18
1529198	7601-89-0	SODIUM PERCHLORATE	500	Milliliter(ML)	03/12/18
1529199	7778-77-0	PHOSPHATE STANDARD SOLUTION (1 MG/ML	500	Milliliter(ML)	03/12/18
1529200	7757-82-6	SODIUM SULFATE	500	Milliliter(ML)	03/12/18
1529201	65997-17-3	GLASS SPHERES	5	Gram(GM)	03/12/18
1529202	65997-17-3	GLASS SPHERES	5	Gram(GM)	03/12/18
1529203	9002-18-0	AGAR NOBLE	250	Gram(GM)	03/12/18
1529204	-	TRYPTICASE SOY AGAR	500	Gram(GM)	03/12/18
1508488	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1529205	-	SIMMONS CITRATE AGAR	500	Gram(GM)	03/12/18
1508489	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1508490	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1508491	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1508492	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1508493	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1508494	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1508495	75-45-6	CHLORODIFLUOROMETHANE	30	Pounds(LB)	03/12/18
1529206	-	ACTINOMYCETE ISOLATION AG	500	Gram(GM)	03/12/18
1508496	-	R-410A	25	Pounds(LB)	03/12/18
1508497	-	R-410A	25	Pounds(LB)	03/12/18
1529207	64-19-7	ACETIC ACID	100	Milliliter(ML)	03/12/18
1508498	-	Tetrafluoroethane Pentafluoroethane	25	Pounds(LB)	03/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529208	71010-52-1	PHYTAGEL	250	Gram(GM)	03/12/18
1529209	67-63-0	2-PROPANOL	1	Liters(L)	03/12/18
1529210	1009-43-4	p-Trimethylsilylstyrene	50	Gram(GM)	03/12/18
1529211	121-44-8	TRIETHYLAMINE	1	Liters(L)	03/12/18
1529331	682-30-4	DIETHYL VINYLPHOSPHONATE	25	Gram(GM)	03/12/18
1529072	5470-11-1	HYDROXYLAMINE HYDROCHLORIDE	500	Gram(GM)	03/12/18
1529185	69991-67-9	LEYBONOL LVO 400	1	Liters(L)	03/12/18
1529186	69991-67-9	LEYBONOL LVO 400	1	Liters(L)	03/12/18
1529187	69991-67-9	LEYBONOL LVO 400	1	Liters(L)	03/12/18
1529188	69991-67-9	LEYBONOL LVO 400	1	Liters(L)	03/12/18
1529189	-	LEYBONOL LVO 100	5	Liters(L)	03/12/18
1529212	2462-31-9	Glycine benzyl ester hydrochloride	100	Gram(GM)	03/12/18
1529213	2462-31-9	Glycine benzyl ester hydrochloride	100	Gram(GM)	03/12/18
1529214	41851-59-6	(S)-(-)-4-Methoxy-a-methylbenzylamine	25	Gram(GM)	03/12/18
1529215	77-09-8	PHENOLPHTHALEIN	250	Milliliter(ML)	03/12/18
1529216	67-43-6	DIETHYLENTRIAMINEPENTAACETIC ACID	50	Gram(GM)	03/12/18
1529217	67-43-6	DIETHYLENTRIAMINEPENTAACETIC ACID	50	Gram(GM)	03/12/18
1529218	1305-78-8	CALCIUM OXIDE	50	Gram(GM)	03/12/18
1529219	1305-78-8	CALCIUM OXIDE	50	Gram(GM)	03/12/18
1529220	-	CONDUCTIVE SILVER ADHESIVE	1	Gram(GM)	03/12/18
1529221	56-81-5	E-GEL	20	Microliter	03/12/18
1529222	86088-83-7	FIBRONECTIN	1	Milligram(MG)	03/12/18
1529223	64-19-7	Geltrex hESC-Qualified Ready-To-Use Reduced	50	Milliliter(ML)	03/12/18
1529224	-	SnaBI	500	Microliter	03/13/18
1529225	80-62-6	METHYL METHACRYLATE	1	Liters(L)	03/13/18
1529226	7697-37-2	NITRIC ACID	500	Milliliter(ML)	03/13/18
1529227	7697-37-2	NITRIC ACID	500	Milliliter(ML)	03/13/18
1529332	-	IODIDE STANDARD SOLUTION	100	Milliliter(ML)	03/13/18
1387895	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387896	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387897	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387898	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387899	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387900	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387901	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387902	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387903	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387904	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387905	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387906	-	INDUSTREX SINGLE PART DEVELOPER	20	Liters(L)	03/13/18
1387907	-	INDUSTREX FIXER AND REPLENISHER	20	Liters(L)	03/13/18
1387908	-	INDUSTREX FIXER AND REPLENISHER	20	Liters(L)	03/13/18
1387909	-	INDUSTREX FIXER AND REPLENISHER	20	Liters(L)	03/13/18
1387910	-	INDUSTREX FIXER AND REPLENISHER	20	Liters(L)	03/13/18
1387911	-	INDUSTREX FIXER AND REPLENISHER	20	Liters(L)	03/13/18
1387912	-	INDUSTREX FIXER AND REPLENISHER	20	Liters(L)	03/13/18
1387913	-	INDUSTREX FIXER AND REPLENISHER	20	Liters(L)	03/13/18
1473670	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	03/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1473671	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	03/13/18
1473791	65997-15-1	PORTLAND CEMENT	94	Pounds(LB)	03/13/18
1473792	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473793	-	SHEETROCK EASY SAND 20	18	Pounds(LB)	03/13/18
1473847	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473848	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473849	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473850	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473851	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473852	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473853	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473854	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473855	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473856	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473857	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473858	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473859	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473860	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473861	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473862	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473863	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473864	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473865	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1473866	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475916	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	03/13/18
1475915	-	5080 PRESSURE SENSITIVE ADHESIVE	5	Gallon(GAL)	03/13/18
1475923	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475924	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475925	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475926	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475927	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475928	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475929	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475930	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475931	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475932	-	CONCRETE MIX	50	Pounds(LB)	03/13/18
1475950	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475951	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475952	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475953	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475954	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475955	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475956	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475957	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475958	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475959	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475960	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475961	-	CONCRETE MIX	60	Pounds(LB)	03/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475962	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475963	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1475964	-	CONCRETE MIX	60	Pounds(LB)	03/13/18
1524806	-	FANTASTIK SPRAY CLEAN	1	Gallon(GAL)	03/13/18
1475316	-	ANTI-BACTERIAL FANTASTIC	32	Ounces(OZ)	03/13/18
13955553	-	CONCRETE SEALER	1	Gallon(GAL)	03/13/18
1422636	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422637	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422638	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422639	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422640	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422641	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422642	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422643	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422644	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422645	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422646	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422647	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422648	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422649	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	03/13/18
1422650	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	03/13/18
1422651	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	03/13/18
1422652	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	03/13/18
1422653	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	03/13/18
1422654	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	03/13/18
1475933	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	03/14/18
1508499	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/14/18
1475938	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475939	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475940	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475941	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475942	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475943	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475944	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475945	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475946	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475947	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475948	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475949	-	Summit SHV-32	1	Gallon(GAL)	03/14/18
1475965	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475966	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475967	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475968	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475969	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475970	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475971	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475972	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475973	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1475974	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475975	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475976	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475977	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475978	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475979	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475980	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475981	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475982	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475983	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475984	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475985	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475986	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475987	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475988	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475989	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475990	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475991	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475992	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1475993	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	03/14/18
1331389	-	SPRAY PAINT BLACK	12	Ounces(OZ)	03/14/18
1331388	-	SPRAY PAINT BLACK	12	Ounces(OZ)	03/14/18
1475995	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1475996	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1475997	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1475998	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1475999	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476000	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476001	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476002	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476003	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476004	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476005	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476006	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476007	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476008	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476009	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476010	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476011	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476012	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476013	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476014	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476015	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476016	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476017	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476018	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476019	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476020	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476021	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476022	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476023	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476024	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476025	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476026	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476027	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476028	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476029	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476030	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476031	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476032	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476033	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476034	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476035	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476036	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476037	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476038	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476039	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476040	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476041	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476042	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476043	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476044	-	FLEETGUARD ES	1	Gallon(GAL)	03/14/18
1476047	-	SUPER 77 MULTIPURPOSE ADHESIVE	0.75	Ounces(OZ)	03/14/18
1476048	-	SUPER 77 MULTIPURPOSE ADHESIVE	0.75	Ounces(OZ)	03/14/18
1422655	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422656	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422657	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422658	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422659	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422660	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422661	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422662	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422663	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1422664	-	SYNTHETIC AIRCRAFT GREASE	13.4	Ounces(OZ)	03/14/18
1476067	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476068	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476069	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476070	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476071	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476072	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476073	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476074	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476075	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476076	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476077	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476078	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476079	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476080	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476081	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476082	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476083	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476084	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476085	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476086	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476087	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476088	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476089	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476090	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476091	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476092	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476093	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476094	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476095	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476096	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476097	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476098	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476099	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476100	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476101	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476102	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476103	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476104	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476105	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476106	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476107	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476108	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476109	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476110	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476111	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476112	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476113	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476114	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476115	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476116	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476117	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476118	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476119	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476120	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476121	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476122	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476123	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476124	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476125	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476126	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476127	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476128	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476129	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476130	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476131	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476132	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476133	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476134	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476135	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476136	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476137	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476138	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476139	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476140	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476141	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476142	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476143	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476144	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476145	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476146	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476147	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476148	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476149	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476150	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476151	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476152	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476153	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476154	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476155	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476156	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476157	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476158	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476159	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476160	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476161	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476162	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476163	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476164	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476165	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476166	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476167	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476168	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476169	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476170	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476171	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476172	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476173	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18
1476174	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	03/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1148570	-	VF-77T Vibra Finish Cleaner	5	Gallon(GAL)	03/15/18
1148571	-	VF-100 Vibra Finish Cleaner	5	Gallon(GAL)	03/15/18
1494365	-	RIDGID THREAD CUTTING OIL	1	Gallon(GAL)	03/16/18
1494366	-	RIDGID THREAD CUTTING OIL	1	Gallon(GAL)	03/16/18
1508500	630-08-0	CARBON MONOXIDE	11.6	Cubic Feet(CF)	03/16/18
1508525	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508526	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508527	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508528	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508529	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508530	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508531	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508532	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508533	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508534	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508535	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508536	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508537	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508538	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508539	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508540	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508541	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508542	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508543	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508544	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508545	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508546	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508547	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508548	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508549	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508550	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508551	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508552	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508553	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508554	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508555	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508556	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508557	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508558	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508559	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508560	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508561	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508562	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508563	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508564	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508565	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508566	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508567	-	Argon UHP	220	Cubic Feet(CF)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508568	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508569	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508570	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508571	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508572	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508573	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508574	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508575	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508576	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508577	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508578	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508579	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508580	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508581	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508582	-	Argon UHP	220	Cubic Feet(CF)	03/16/18
1508583	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508584	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508585	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508586	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508587	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508588	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508589	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508590	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508591	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508592	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508593	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508594	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508595	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508596	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508597	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508598	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508599	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508600	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508601	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508602	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508603	-	Nitrogen UHP	220	Cubic Feet(CF)	03/16/18
1508604	-	7% HYDROGEN BAL. HELIUM	220	Cubic Feet(CF)	03/16/18
1508605	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508606	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508607	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508608	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508609	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508610	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508611	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508612	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508613	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508614	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508615	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508616	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508617	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508618	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1508619	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/16/18
1420189	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420190	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420191	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420192	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420193	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420194	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420195	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420196	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420197	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420198	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1420199	-	FANTASTIKE ALL PURPOSE CLEANER	1	Quarts(QT)	03/16/18
1529238	7446-07-3	TELLURIUM DIOXIDE	250	Gram(GM)	03/16/18
1529239	3011-34-5	4-HYDROXY-3-NITROBENZALDEHYDE	25	Gram(GM)	03/16/18
1529240	14882-18-9	Bismuth(III) subsalicylate	100	Gram(GM)	03/16/18
1529241	110-94-1	GLUTARIC ACID	25	Gram(GM)	03/16/18
1529242	9003-01-4	POLY(ACRYLIC ACID)	100	Milliliter(ML)	03/16/18
1529243	48209-28-5	Copper(I) trifluoromethanesulfonate toluene	5	Gram(GM)	03/16/18
1529244	1122-91-4	4-BROMOBENZALDEHYDE	100	Gram(GM)	03/16/18
1529245	24856-58-4	4-Bromobenzaldehyde dimethyl acetal	10	Milliliter(ML)	03/16/18
1529246	89711-08-0	N-Boc-2-aminoacetaldehyde	5	Gram(GM)	03/16/18
1529247	89711-08-0	N-Boc-2-aminoacetaldehyde	5	Gram(GM)	03/16/18
1529249	1113-88-5	Silver oxide (multiple oxidation states)	50	Gram(GM)	03/16/18
1529250	22015-35-6	EUROPIUM (II) IODIDE	5	Gram(GM)	03/16/18
1529251	16961-25-4	Gold(III) chloride trihydrate	1	Gram(GM)	03/16/18
1529252	16961-25-4	Gold(III) chloride trihydrate	1	Gram(GM)	03/16/18
1529254	14518-69-5	Tetrabutylphosphonium hydroxide	100	Milliliter(ML)	03/16/18
1529353	10034-85-2	HYDRIODIC ACID	250	Milliliter(ML)	03/16/18
1529354	10034-85-2	HYDRIODIC ACID	250	Milliliter(ML)	03/16/18
1529355	10034-85-2	HYDRIODIC ACID	250	Milliliter(ML)	03/16/18
1529356	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529357	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529358	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529359	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529360	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529361	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529362	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529363	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529364	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/16/18
1529365	-	HIGH VACUUM GREASE	8	Pounds(LB)	03/16/18
1529366	-	HIGH VACUUM GREASE	8	Pounds(LB)	03/16/18
1529367	-	HIGH VACUUM GREASE	8	Pounds(LB)	03/16/18
1529368	-	HIGH VACUUM GREASE	8	Pounds(LB)	03/16/18
1529369	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/16/18
1529370	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529371	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/16/18
1529372	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/16/18
1529373	67-56-1	METHANOL OPTIMA	1	Liters(L)	03/16/18
1529374	67-56-1	METHANOL OPTIMA	1	Liters(L)	03/16/18
1529375	67-56-1	METHANOL OPTIMA	1	Liters(L)	03/16/18
1529376	67-56-1	METHANOL OPTIMA	1	Liters(L)	03/16/18
1529377	67-56-1	METHANOL OPTIMA	1	Liters(L)	03/16/18
1529378	67-56-1	METHANOL OPTIMA	1	Liters(L)	03/16/18
1529407	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529408	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529409	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529410	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529411	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529412	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529413	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529414	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529415	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529416	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529417	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529418	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529419	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529420	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529421	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529422	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529423	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529424	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529425	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529426	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529427	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529428	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529429	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529430	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529431	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529432	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529433	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529434	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529435	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529436	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529437	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529438	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529439	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529440	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529441	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529442	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529443	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529444	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529445	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529446	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529447	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529448	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529449	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529450	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529451	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529452	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529453	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529454	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529455	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529456	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529457	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529458	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529459	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529460	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529461	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529462	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529463	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529464	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529465	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529466	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529467	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529468	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529469	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529470	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529471	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529472	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529473	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529474	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529475	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529476	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529477	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529478	112926-00-8	SILICA GEL DESICCANT INDICATING (6-16MESH)	30	Pounds(LB)	03/16/18
1529190	108-39-4	M-CRESOL	1	Kilograms(KG)	03/16/18
1529255	7337-45-3	BORANE-TERT-BUTYLAMINE COMPLEX	100	Gram(GM)	03/16/18
1529256	119-64-2	1 2 3 4-TETRAHYDRONAPHTHALENE (TETRALIN)	1	Liters(L)	03/16/18
1529257	-	TRIMETHYLPHOSPHATE OXIDE	5	Gram(GM)	03/16/18
1529258	1076-43-3	BENZENE-D6	50	Gram(GM)	03/16/18
1529259	7440-31-5	TIN SHOT	500	Gram(GM)	03/16/18
1529260	7782-42-5	GRAPHITE SYNTHETIC	250	Gram(GM)	03/16/18
1529351	6303-21-5	HYPOPHOSPHOROUS ACID 30%	500	Gram(GM)	03/16/18
1529352	-	PERMABOND 910	1	Ounces(OZ)	03/16/18
1494367	-	MOBIL 1 5W-50	1	Quarts(QT)	03/16/18
1494368	-	MOBIL 1 5W-50	1	Quarts(QT)	03/16/18
1494369	-	MOBIL 1 5W-50	1	Quarts(QT)	03/16/18
1494370	-	MOBIL 1 5W-50	1	Quarts(QT)	03/16/18
1529379	7783-47-3	TIN(II) FLUORIDE (STANNOUS FLUORIDE)	100	Gram(GM)	03/16/18
1529380	7783-47-3	TIN(II) FLUORIDE (STANNOUS FLUORIDE)	100	Gram(GM)	03/16/18
1529479	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529480	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/16/18
1529481	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/16/18
1529482	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/16/18
1529483	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/16/18
1529484	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/16/18
1529485	7697-37-2	NITRIC ACID	2.5	Liters(L)	03/16/18
1529486	69011-20-7	DOWEX 50WX8	250	Gram(GM)	03/16/18
1529487	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529488	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529489	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529490	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529491	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529492	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529493	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529494	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529495	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529496	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529497	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529498	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529499	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529500	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529501	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529502	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529503	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529504	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529505	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1529506	-	POLYURETHANE COMPOUND B	50	Milliliter(ML)	03/16/18
1457290	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	03/16/18
1457291	7705-08-0	FERRIC CHLORIDE SOLUTION 0.025%	3400	Pounds(LB)	03/16/18
1457292	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/16/18
1457293	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/16/18
1457294	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/16/18
1457295	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/16/18
1457296	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/16/18
1485728	-	VACTRA OIL NO. 2	5	Gallon(GAL)	03/16/18
1485729	-	VACTRA OIL NO. 2	5	Gallon(GAL)	03/16/18
1485730	-	VACTRA OIL NO. 2	5	Gallon(GAL)	03/16/18
1485731	-	VACTRA OIL NO. 2	5	Gallon(GAL)	03/16/18
1485775	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485776	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485777	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485778	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485779	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485780	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485781	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485782	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485783	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485784	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485785	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485786	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485787	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485788	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485789	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485790	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485791	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485792	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485793	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485794	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485795	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485796	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485797	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485798	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485799	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485800	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485801	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485802	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485803	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485804	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485805	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485806	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485807	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485808	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485809	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485810	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485811	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485812	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485813	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485814	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485815	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485816	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485817	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485818	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485819	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485820	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485821	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485822	-	Stihl HP 2-Cycle Engine Oil	6.4	Ounces(OZ)	03/16/18
1485685	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485686	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485687	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485688	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485689	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485690	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485691	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485692	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485693	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485694	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485695	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485696	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485697	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485698	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485699	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485700	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485701	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485702	-	PIG Steel Repair Putty	4	Ounces(OZ)	03/16/18
1485529	-	TRI-FLOW SUPERIOR LUBRICANT	6	Ounces(OZ)	03/16/18
1485530	-	TRI-FLOW SUPERIOR LUBRICANT	6	Ounces(OZ)	03/16/18
1485531	-	TRI-FLOW SUPERIOR LUBRICANT	6	Ounces(OZ)	03/16/18
1485532	-	TRI-FLOW SUPERIOR LUBRICANT	6	Ounces(OZ)	03/16/18
1485533	-	TRI-FLOW SUPERIOR LUBRICANT	6	Ounces(OZ)	03/16/18
1485534	-	TRI-FLOW SUPERIOR LUBRICANT	6	Ounces(OZ)	03/16/18
1485535	-	Stick-Kut	15	Ounces(OZ)	03/16/18
1485536	-	Stick-Kut	15	Ounces(OZ)	03/16/18
1485537	-	Stick-Kut	15	Ounces(OZ)	03/16/18
1485269	-	WHITE LITHIUM GREASE	10	Ounces(OZ)	03/16/18
1485270	-	WHITE LITHIUM GREASE	10	Ounces(OZ)	03/16/18
1485527	-	WD-40 AEROSOL	16	Ounces(OZ)	03/16/18
1485528	-	WD-40 AEROSOL	16	Ounces(OZ)	03/16/18
1485515	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485516	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485517	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485518	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485519	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485520	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485521	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485522	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485523	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485524	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485525	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485526	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485499	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485500	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485501	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485502	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485503	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485504	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485505	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485506	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485507	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485508	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485509	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485510	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485511	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485512	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485513	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485514	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	03/16/18
1485406	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485407	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/16/18
1485382	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485383	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485384	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485385	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485386	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485387	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485388	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485389	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485390	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485391	-	JB WELD STIK	2	Ounces(OZ)	03/16/18
1485394	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485395	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485396	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485397	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485398	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485399	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485400	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485401	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485402	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485403	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485404	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485405	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	03/16/18
1485392	-	GORILLA GLUE	2	Ounces(OZ)	03/16/18
1485393	-	GORILLA GLUE	2	Ounces(OZ)	03/16/18
1485381	-	STARRETT TOOL AND INSTRUMENT OIL	4	Ounces(OZ)	03/16/18
1485415	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485416	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485417	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485418	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485419	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485420	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485421	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485422	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485423	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485424	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485425	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485426	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485427	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485428	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485429	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485430	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485431	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485432	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485433	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485434	-	FS-One Max	10	Ounces(OZ)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485435	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485436	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485437	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485438	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485439	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485440	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485441	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485442	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485443	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485444	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485445	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485446	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485447	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485448	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485449	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485450	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485451	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485452	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485453	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485454	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485455	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485456	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485457	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485458	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485459	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485460	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485461	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485462	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485463	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485464	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485465	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485466	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485467	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485468	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485469	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485470	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485471	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485472	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485473	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485474	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485475	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485476	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485477	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485478	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485479	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485480	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485481	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485482	-	FS-One Max	10	Ounces(OZ)	03/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485483	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485484	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485485	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485486	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485487	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485488	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485489	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485490	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485491	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485492	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485493	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485494	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485495	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485496	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485497	-	FS-One Max	10	Ounces(OZ)	03/16/18
1485498	-	FS-One Max	10	Ounces(OZ)	03/16/18
1148572	-	Valvoline Professional Series SAE 75W-90 FULL	1	Quarts(QT)	03/16/18
1148573	-	Valvoline Professional Series SAE 75W-90 FULL	1	Quarts(QT)	03/16/18
1148574	-	Valvoline Professional Series SAE 75W-90 FULL	1	Quarts(QT)	03/16/18
1148575	-	Valvoline Professional Series SAE 75W-90 FULL	1	Quarts(QT)	03/16/18
1148576	-	Valvoline Professional Series SAE 75W-90 FULL	1	Quarts(QT)	03/16/18
1529253	1310-58-3	POTASSIUM HYDROXIDE	500	Gram(GM)	03/19/18
1529261	1309-48-4	MAGNESIUM OXIDE	2.5	Kilograms(KG)	03/19/18
1529333	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/19/18
1529381	1344-28-1	ALUMINUM OXIDE	25	Milligram(MG)	03/19/18
1529382	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529383	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529384	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529385	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529386	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529387	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529388	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529389	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529390	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529391	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529392	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529393	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529394	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529395	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529396	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529397	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529398	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529399	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529400	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529401	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529402	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529403	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529404	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529405	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/19/18
1529406	2679-01-8	METHYLENE GREEN	25	Gram(GM)	03/19/18
1529507	5144-89-8	1 10-PHENANTHROLINE MONOHYDRATE	10	Gram(GM)	03/19/18
1529508	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/19/18
1529509	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/19/18
1529510	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/19/18
1529511	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/19/18
1529512	592-88-1	ALLYL SULFIDE	100	Milliliter(ML)	03/19/18
1529513	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	03/19/18
1529514	7681-52-9	Bleach-Rite	1	Gallon(GAL)	03/19/18
1529515	7681-52-9	Bleach-Rite	1	Gallon(GAL)	03/19/18
1529516	7681-52-9	Bleach-Rite	1	Gallon(GAL)	03/19/18
1529517	7681-52-9	Bleach-Rite	1	Gallon(GAL)	03/19/18
1529518	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/19/18
1529519	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/19/18
1529520	10196-18-6	ZINC NITRATE HEXAHYDRATE	500	Gram(GM)	03/19/18
1529521	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529522	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529523	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529524	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529525	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529526	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529527	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529528	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529529	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529530	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529531	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529532	110-86-1	Pyridine anhydrous	100	Milliliter(ML)	03/19/18
1529533	1310-73-2	SODIUM HYDROXIDE	100	Gram(GM)	03/19/18
1529534	-	APIEZON H GREASE	25	Gram(GM)	03/19/18
1529551	22306-37-2	BISMUTH(III) ACETATE	10	Gram(GM)	03/19/18
1529552	15280-58-7	YTTERBIUM ACETATE TETRAHYDRATE	10	Gram(GM)	03/19/18
1457297	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/19/18
1457298	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/19/18
1457299	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/19/18
1457300	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/19/18
1485364	-	EPOXY GLUE	1	Ounces(OZ)	03/19/18
1331390	-	HI Q HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	03/19/18
1485341	-	J-B WELD	2	Ounces(OZ)	03/19/18
1485342	-	J-B WELD	2	Ounces(OZ)	03/19/18
1485335	-	5-MINUTE EPOXY RESIN	25	Milliliter(ML)	03/19/18
1485336	-	5-MINUTE EPOXY RESIN	25	Milliliter(ML)	03/19/18
1485337	-	5-MINUTE EPOXY RESIN	25	Milliliter(ML)	03/19/18
1485338	-	5-MINUTE EPOXY RESIN	25	Milliliter(ML)	03/19/18
1485339	-	5-MINUTE EPOXY RESIN	25	Milliliter(ML)	03/19/18
1485340	-	5-MINUTE EPOXY RESIN	25	Milliliter(ML)	03/19/18
1485373	-	2-TON CLEAR EPOXY	1.7	Ounces(OZ)	03/19/18
1331391	-	HI Q HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	03/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485374	-	2-TON CLEAR EPOXY	1.7	Ounces(OZ)	03/19/18
1485369	123-42-2	Rectorseal No. 5	0.5	Pint(PT)	03/19/18
1485370	123-42-2	Rectorseal No. 5	0.5	Pint(PT)	03/19/18
1476049	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476050	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476051	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476052	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476053	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476054	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476055	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476056	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476057	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476058	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476059	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476060	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476061	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476062	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476063	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476064	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476065	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476066	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	03/19/18
1476175	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	03/19/18
806777	-	GLYPTAL 1201B RED ENAMEL	1	Quarts(QT)	03/19/18
806778	-	GLYPTAL 1201B RED ENAMEL	1	Quarts(QT)	03/19/18
806779	-	GLYPTAL 1201B RED ENAMEL	1	Quarts(QT)	03/19/18
1331359	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	03/19/18
1331360	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	03/19/18
1331358	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	03/19/18
1331357	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	03/19/18
1331362	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	03/19/18
1331361	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	03/19/18
1508620	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/19/18
1508621	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	500	Liters(L)	03/19/18
1529535	123-91-1	1 4-DIOXANE	1	Liters(L)	03/20/18
1529536	123-91-1	1 4-DIOXANE	1	Liters(L)	03/20/18
1529537	123-91-1	1 4-DIOXANE	1	Liters(L)	03/20/18
1529538	123-91-1	1 4-DIOXANE	1	Liters(L)	03/20/18
1529539	123-91-1	1 4-DIOXANE	1	Liters(L)	03/20/18
1529540	123-91-1	1 4-DIOXANE	1	Liters(L)	03/20/18
1529541	-	SILVER COBALTOUS/IC OXIDE	25	Gram(GM)	03/20/18
1529542	-	SILVER COBALTOUS/IC OXIDE	25	Gram(GM)	03/20/18
1529543	-	SILVER COBALTOUS/IC OXIDE	25	Gram(GM)	03/20/18
1529544	60-29-7	DIETHYL ETHER	5	Liters(L)	03/20/18
1529545	37933-66-7	Thevetin A	1	Milligram(MG)	03/20/18
1529546	7558-80-7	SODIUM PHOSPHATE MONOBASIC	250	Gram(GM)	03/20/18
1529547	6381-92-6	ETHYLENEDIAMINETETRAACETIC ACID	100	Gram(GM)	03/20/18
1529548	56-81-5	E-GEL	20	Microliter	03/20/18
1529549	97-64-3	ETHYL LACTATE	1	Kilograms(KG)	03/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529550	97-64-3	ETHYL LACTATE	1	Kilograms(KG)	03/20/18
1529553	63148-62-9	SILICONE OIL FOR MELTING POINT AND BOILING	1	Liters(L)	03/20/18
1529554	4410-99-5	2-Phenylethanethiol	10	Gram(GM)	03/20/18
1529555	16961-25-4	GOLD ACID CHLORIDE TRIHYDRATE	25	Gram(GM)	03/20/18
1529568	7664-39-3	HYDROFLUORIC ACID OPTIMA	250	Milliliter(ML)	03/20/18
1529569	7664-93-9	SULFURIC ACID	1	Liters(L)	03/20/18
1529570	7664-93-9	SULFURIC ACID	1	Liters(L)	03/20/18
1529571	7664-93-9	SULFURIC ACID	1	Liters(L)	03/20/18
1529572	67-64-1	ACETONE REAGENT ACS	4	Liters(L)	03/20/18
1529573	67-64-1	ACETONE REAGENT ACS	4	Liters(L)	03/20/18
1529574	67-64-1	ACETONE REAGENT ACS	4	Liters(L)	03/20/18
1529575	67-64-1	ACETONE REAGENT ACS	4	Liters(L)	03/20/18
1529576	67-63-0	ISOPROPANOL (2-PROPANOL)	4	Liters(L)	03/20/18
1529577	67-63-0	ISOPROPANOL (2-PROPANOL)	4	Liters(L)	03/20/18
1529578	67-63-0	ISOPROPANOL (2-PROPANOL)	4	Liters(L)	03/20/18
1529579	67-63-0	ISOPROPANOL (2-PROPANOL)	4	Liters(L)	03/20/18
1529580	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529581	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529582	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529583	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529584	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529585	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529586	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529587	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529588	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529589	7778-74-7	POTASSIUM PERCHLORATE	1	Pounds(LB)	03/20/18
1529590	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529591	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529592	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529593	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529594	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529595	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529596	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529597	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529598	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529599	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529600	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529601	7681-52-9	Bleach-Rite	19	Ounces(OZ)	03/20/18
1529602	15489-90-4	HEMATIN FROM BOVINE BLOOD	1	Gram(GM)	03/20/18
1529603	7697-37-2	NITRIC ACID	32	Ounces(OZ)	03/20/18
1529604	7697-37-2	NITRIC ACID	32	Ounces(OZ)	03/20/18
1529605	7697-37-2	NITRIC ACID	32	Ounces(OZ)	03/20/18
1529606	7697-37-2	NITRIC ACID	32	Ounces(OZ)	03/20/18
1529607	7697-37-2	NITRIC ACID	32	Ounces(OZ)	03/20/18
1529608	30525-89-4	PARAFORMALDEHYDE	500	Gram(GM)	03/20/18
1529623	-	DRY FILM LUBRICANT	8	Ounces(OZ)	03/20/18
1529624	-	DRY FILM LUBRICANT	8	Ounces(OZ)	03/20/18
1529625	-	DRY FILM LUBRICANT	8	Ounces(OZ)	03/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529626	-	DRY FILM LUBRICANT	8	Ounces(OZ)	03/20/18
1529627	-	DRY FILM LUBRICANT	8	Ounces(OZ)	03/20/18
1529628	-	DRY FILM LUBRICANT	8	Ounces(OZ)	03/20/18
1529629	-	Black Resin	1	Liters(L)	03/20/18
1529630	-	Grey Photoreactive Resin	1	Liters(L)	03/20/18
1529631	-	White Photoreactive Resin	1	Liters(L)	03/20/18
1529609	108-24-7	ACETIC ANHYDRIDE	100	Gram(GM)	03/20/18
1529610	96-33-3	METHYL ACRYLATE INHIBITED	250	Milliliter(ML)	03/20/18
1529638	-	SILVER CONDUCTIVE EPOXY	1	Ounces(OZ)	03/20/18
1529639	-	FORMULA 409	32	Ounces(OZ)	03/20/18
1529640	-	FORMULA 409	32	Ounces(OZ)	03/20/18
1529641	-	FORMULA 409	32	Ounces(OZ)	03/20/18
1529642	-	FORMULA 409	32	Ounces(OZ)	03/20/18
1529643	-	FORMULA 409	32	Ounces(OZ)	03/20/18
1529644	-	FORMULA 409	32	Ounces(OZ)	03/20/18
1529645	7681-52-9	SODIUM HYPOCHLORITE 5%	1	Liters(L)	03/20/18
1485365	123-42-2	Rectorseal No. 5	1	Pint(PT)	03/20/18
1485366	123-42-2	Rectorseal No. 5	1	Pint(PT)	03/20/18
1485367	123-42-2	Rectorseal No. 5	1	Pint(PT)	03/20/18
1485368	123-42-2	Rectorseal No. 5	1	Pint(PT)	03/20/18
1485126	-	TRI-FLOW INDUSTRIAL LUBRICANT WITH TEFLON	24	Ounces(OZ)	03/20/18
1485226	-	TAP MAGIC ALUMINUM	4	Ounces(OZ)	03/20/18
1485211	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485212	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485347	-	RTV 108 Silicone Rubber Adhesive Sealent	10.1	Ounces(OZ)	03/20/18
1485348	-	RTV 108 Silicone Rubber Adhesive Sealent	10.1	Ounces(OZ)	03/20/18
1485349	-	RTV 108 Silicone Rubber Adhesive Sealent	10.1	Ounces(OZ)	03/20/18
1485350	-	RTV 108 Silicone Rubber Adhesive Sealent	10.1	Ounces(OZ)	03/20/18
1485351	-	RTV 108 Silicone Rubber Adhesive Sealent	10.1	Ounces(OZ)	03/20/18
1485352	-	RTV 108 Silicone Rubber Adhesive Sealent	10.1	Ounces(OZ)	03/20/18
1485343	-	Stick-Kut	15	Ounces(OZ)	03/20/18
1485344	-	Stick-Kut	15	Ounces(OZ)	03/20/18
1485345	-	Stick-Kut	15	Ounces(OZ)	03/20/18
1485346	-	Stick-Kut	15	Ounces(OZ)	03/20/18
1484330	-	Stick-Kut	15	Ounces(OZ)	03/20/18
1485245	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485246	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485247	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485248	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485249	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485250	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485251	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485252	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485253	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485254	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485255	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485256	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485257	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485258	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485259	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485260	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485261	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485262	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485263	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485264	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485265	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485266	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485267	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485268	7631-86-9	Dow Corning 733 Glass & Metal Sealant-	10.1	Ounces(OZ)	03/20/18
1485271	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485272	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485273	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485274	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485275	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485276	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485277	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485278	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485279	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485280	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485281	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485282	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485283	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485284	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485285	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485286	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485287	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485288	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485289	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485290	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485291	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485292	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485293	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485294	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485295	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485296	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485297	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485298	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485299	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485300	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485301	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485302	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485303	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485304	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485305	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485306	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485307	-	FS-One Max	10	Ounces(OZ)	03/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485308	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485309	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485310	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485311	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485312	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485313	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485314	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485315	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485316	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485317	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485318	-	FS-One Max	10	Ounces(OZ)	03/20/18
1485319	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485320	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485321	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485322	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485323	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485324	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485325	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485326	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485327	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485328	-	KSG Grease	14	Ounces(OZ)	03/20/18
1485213	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	03/20/18
1485199	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485200	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485201	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485202	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485203	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485204	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485205	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485206	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485207	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485208	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485209	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485210	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/20/18
1485049	-	BLASOCUT 2000	5	Gallon(GAL)	03/20/18
1485050	-	BLASOCUT 2000	5	Gallon(GAL)	03/20/18
1485051	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	03/20/18
1485052	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	03/20/18
1485053	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	03/20/18
1485054	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	03/20/18
1485197	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	03/20/18
1485198	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	03/20/18
1331371	7681-52-9	SODIUM HYPOCHLORITE	1	Gallon(GAL)	03/20/18
1432472	-	Hercules Pro Dope	0.5	Pint(PT)	03/21/18
1432471	-	VICTAULIC LUBRICANT	1	Quarts(QT)	03/21/18
1432461	-	Oatey All Purpose Milky Clear Cement	1	Pint(PT)	03/21/18
1432457	-	SHERLOCK LEAK DETECTOR	1	Gallon(GAL)	03/21/18
1432458	-	SHERLOCK LEAK DETECTOR	1	Gallon(GAL)	03/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432459	-	SHERLOCK LEAK DETECTOR	1	Gallon(GAL)	03/21/18
1432460	-	SHERLOCK LEAK DETECTOR	1	Gallon(GAL)	03/21/18
1432449	-	Staput plumbers putty	14	Ounces(OZ)	03/21/18
1432450	-	Staput plumbers putty	14	Ounces(OZ)	03/21/18
1432447	-	OATEY CLEAR CEMENT FOR PVC	1	Quarts(QT)	03/21/18
1432446	-	Hercules PVC plastic pipe cement (clear med	1	Quarts(QT)	03/21/18
1432463	-	GORILLA GLUE	15	Gram(GM)	03/21/18
1432464	-	GORILLA GLUE	15	Gram(GM)	03/21/18
1432465	-	GORILLA GLUE	15	Gram(GM)	03/21/18
1432462	-	BRIDGIT SOLDERING PASTE FLUX	1	Pounds(LB)	03/21/18
1432456	-	Megaloc	1	Pint(PT)	03/21/18
1432448	-	Megaloc	1	Pint(PT)	03/21/18
1432548	-	silvabrite 100	1	Pounds(LB)	03/21/18
1432549	-	silvabrite 100	1	Pounds(LB)	03/21/18
1432487	-	Megaloc	0.5	Pint(PT)	03/21/18
1432466	-	Bridgit Lead Free Solder	1	Pounds(LB)	03/21/18
1432467	-	Bridgit Lead Free Solder	1	Pounds(LB)	03/21/18
1432468	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	03/21/18
1432455	-	HERCULES CLEAR PVC PRIMER	8	Ounces(OZ)	03/21/18
1432454	-	Hercules PVC plastic pipe cement (clear med	8	Ounces(OZ)	03/21/18
1432453	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	03/21/18
1432452	-	Bridgit Lead Free Solder	1	Pounds(LB)	03/21/18
1432207	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	03/21/18
1432438	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432439	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432440	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432441	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432442	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432443	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432444	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432445	-	CITGO DUOprime Oil 90	10.5	Ounces(OZ)	03/21/18
1432430	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432431	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432432	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432433	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432434	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432435	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432436	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432437	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432561	-	Oatey Purple Primer	1	Pint(PT)	03/21/18
1432560	-	Hercules PVC plastic pipe cement (clear med	1	Pint(PT)	03/21/18
1432550	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432551	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432552	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432553	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432554	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432555	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432556	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432557	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432558	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432559	-	EPCON A7 FAST DISPENSING AND CURING	10	Ounces(OZ)	03/21/18
1432547	-	NOKORODE REGULAR PASTE FLUX	1	Pint(PT)	03/21/18
1432545	-	NOKORODE AQUA FLUX	1	Pounds(LB)	03/21/18
1432546	-	NOKORODE AQUA FLUX	1	Pounds(LB)	03/21/18
1432543	-	silvabrite 100	1	Pint(PT)	03/21/18
1432544	-	silvabrite 100	1	Pint(PT)	03/21/18
1432541	-	PLASTIC PIPE CLEANER	16	Ounces(OZ)	03/21/18
1432517	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432518	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432519	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432520	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432521	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432522	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432523	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432524	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432525	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432526	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432527	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432528	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432529	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432530	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432531	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432532	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432533	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432534	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432535	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432536	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432537	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432538	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432539	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432540	-	VACUUM PUMP OIL	1	Quarts(QT)	03/21/18
1432542	-	Mainline CPVC Orange Regular Bodied Low VOC	16	Ounces(OZ)	03/21/18
1432475	-	Staput plumbers putty	14	Ounces(OZ)	03/21/18
1432476	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	03/21/18
1432474	-	Tru-Blue Thread Sealant	8	Ounces(OZ)	03/21/18
1432477	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432478	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432479	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432480	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432481	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432482	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432483	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432484	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432485	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432486	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	03/21/18
1432493	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432494	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432495	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432496	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432497	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432498	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432499	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432500	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432501	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432502	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432503	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432504	-	WELD-ON 724 Low VOC Cement for CPVC Plastic	1	Pint(PT)	03/21/18
1432505	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432506	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432507	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432508	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432509	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432510	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432511	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432512	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432513	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432514	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432515	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432516	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	03/21/18
1432489	-	Blue Monster PTFE Pipe Thread Sealant	1	Quarts(QT)	03/21/18
1432490	-	Blue Monster PTFE Pipe Thread Sealant	1	Quarts(QT)	03/21/18
1432491	-	Blue Monster PTFE Pipe Thread Sealant	1	Quarts(QT)	03/21/18
1432492	-	Blue Monster PTFE Pipe Thread Sealant	1	Quarts(QT)	03/21/18
1432488	-	Megaloc	1	Pint(PT)	03/21/18
1432473	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	03/21/18
1432469	-	Tru-Blue Thread Sealant	16	Ounces(OZ)	03/21/18
1432470	-	Tru-Blue Thread Sealant	16	Ounces(OZ)	03/21/18
1494371	-	Mobil 1 5W-40	1	Gallon(GAL)	03/21/18
1494372	-	Mobil 1 5W-40	1	Gallon(GAL)	03/21/18
1494373	-	Mobil 1 5W-40	1	Gallon(GAL)	03/21/18
1476177	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476178	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476179	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476180	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476181	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476182	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476183	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476184	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476185	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476186	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476187	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476188	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476189	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476190	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476191	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476192	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476193	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476194	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476195	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476196	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476197	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476198	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476199	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476200	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476201	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476202	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476203	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476204	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476205	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476206	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476207	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476208	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476209	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476210	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476211	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476212	-	KRYLON 7150 RED-ORANGE FLUORESCENT	15	Ounces(OZ)	03/21/18
1476213	-	ROOF GUARD 700 ELASTOMERIC COATING	5	Gallon(GAL)	03/21/18
1476214	-	ROOF GUARD 700 ELASTOMERIC COATING	5	Gallon(GAL)	03/21/18
1476215	-	ROOF GUARD 700 ELASTOMERIC COATING	5	Gallon(GAL)	03/21/18
1476216	-	ROOF GUARD 700 ELASTOMERIC COATING	5	Gallon(GAL)	03/21/18
1476217	-	ROOF GUARD 700 ELASTOMERIC COATING	5	Gallon(GAL)	03/21/18
1476218	-	ROOF GUARD 700 ELASTOMERIC COATING	5	Gallon(GAL)	03/21/18
1476223	-	JOINT COMPOUND	4.5	Gallon(GAL)	03/21/18
1476224	-	JOINT COMPOUND	4.5	Gallon(GAL)	03/21/18
1476225	-	JOINT COMPOUND	4.5	Gallon(GAL)	03/21/18
1476226	-	JOINT COMPOUND	4.5	Gallon(GAL)	03/21/18
1476227	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476228	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476229	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476230	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476231	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476232	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476233	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476234	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476235	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476236	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476237	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476238	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476239	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476240	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476241	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476242	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476243	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476244	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476245	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476246	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476247	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476248	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476249	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476250	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476251	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476252	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476253	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476254	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476255	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476256	-	VULKEM 116 BUFF	10.1	Ounces(OZ)	03/21/18
1476263	-	BULLS EYE 1-2-3	1	Gallon(GAL)	03/21/18
1476264	-	BULLS EYE 1-2-3	1	Gallon(GAL)	03/21/18
1476265	-	COTE ALL DEEP BASE	1	Gallon(GAL)	03/21/18
1476266	-	COTE ALL DEEP BASE	1	Gallon(GAL)	03/21/18
1476267	-	COTE ALL DEEP BASE	1	Gallon(GAL)	03/21/18
1476268	-	COTE ALL DEEP BASE	1	Gallon(GAL)	03/21/18
1476269	-	Titebond Solvent Free Adhesive	4	Gallon(GAL)	03/21/18
1476270	-	Titebond Solvent Free Adhesive	4	Gallon(GAL)	03/21/18
1508622	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508623	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508624	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508625	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508626	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508627	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508628	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508629	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508630	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508631	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508632	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508633	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508634	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508635	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508636	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508637	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508638	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508639	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508640	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508641	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508642	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508643	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508644	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508645	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508646	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508647	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508648	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508649	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508650	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508651	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508652	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508653	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508654	7440-59-7	HELIUM	220	Cubic Feet(CF)	03/22/18
1508655	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508656	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508657	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508658	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508659	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508660	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508661	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508662	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508663	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508664	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508665	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508666	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508667	-	Argon UHP	220	Cubic Feet(CF)	03/22/18
1508668	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508669	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508670	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508671	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508672	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508673	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508674	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508675	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508676	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508677	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508678	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508679	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508680	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508681	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508682	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508683	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508684	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508685	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508686	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508687	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508688	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508689	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508690	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508691	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508692	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508693	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508694	-	Nitrogen UHP	220	Cubic Feet(CF)	03/22/18
1508695	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508696	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508697	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508698	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508699	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508700	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508701	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508702	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508703	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508704	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508705	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508706	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508707	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508708	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508709	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508710	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508711	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508712	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508713	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508714	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508715	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508716	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508717	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508718	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508719	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508720	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508721	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508722	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508723	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508724	-	ARGON/METHANE	220	Cubic Feet(CF)	03/22/18
1508725	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508726	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508727	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508728	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508729	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508730	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508731	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508732	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/22/18
1508733	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508734	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508735	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508736	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1508737	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1494374	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1508738	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/22/18
1494375	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494376	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494377	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494378	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494379	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494380	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494381	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494382	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494383	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494384	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494385	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494386	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494387	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494388	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494389	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494390	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494391	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494392	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494393	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494394	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494395	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494396	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494397	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494398	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494399	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494400	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494401	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494402	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494403	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494404	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494405	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494406	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494407	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494408	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494409	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494410	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494411	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494412	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494413	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494414	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494415	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494416	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494417	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494418	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494419	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494420	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1494421	-	Mobil 1 5W-40	1	Gallon(GAL)	03/22/18
1508739	-	AB50-P COMPRESSED ACETYLENE BLACK	130	Cubic Feet(CF)	03/22/18
1508740	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508741	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508742	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508743	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508744	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508745	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508746	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508747	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508748	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508749	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508750	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508751	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508752	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508753	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508754	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508755	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508756	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508757	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508758	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508759	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508760	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508761	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1508762	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	50	Pounds(LB)	03/22/18
1494422	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494423	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494424	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494425	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494426	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494427	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494428	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494429	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494430	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494431	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494432	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1494433	-	SYNFILM GT 220	1	Quarts(QT)	03/22/18
1529794	-	GLYPTAL 1201 RED ENAMEL	1	Quarts(QT)	03/23/18
1529073	1309-48-4	MAGNESIUM OXIDE	1000	Gram(GM)	03/26/18
1529074	1309-48-4	MAGNESIUM OXIDE	1000	Gram(GM)	03/26/18
1529262	-	IODIDE REAGENT	500	Milliliter(ML)	03/26/18
1529611	12027-43-9	Silicotungstic Acid Hydrate	100	Gram(GM)	03/26/18
1529612	55844-94-5	Merrifield resin HL (100-200 mesh)	25	Gram(GM)	03/26/18
1529613	55844-94-5	Merrifield resin HL (100-200 mesh)	25	Gram(GM)	03/26/18
1529614	123-05-7	2-Ethylhexanal	250	Milliliter(ML)	03/26/18
1529615	97-96-1	2-ETHYLBUTYRALDEHYDE	250	Milliliter(ML)	03/26/18
1529616	124-13-0	OCTANAL	500	Milliliter(ML)	03/26/18
1529617	66-25-1	HEXANAL (CAPROALDEHYDE HEXALDEHYDE)	100	Milliliter(ML)	03/26/18
1529618	66-25-1	HEXANAL (CAPROALDEHYDE HEXALDEHYDE)	100	Milliliter(ML)	03/26/18
1529619	123-72-8	BUTYRALDEHYDE	100	Milliliter(ML)	03/26/18
1529620	123-72-8	BUTYRALDEHYDE	100	Milliliter(ML)	03/26/18
1529632	-	RVM-Ti 30-40 Powder	100	Gram(GM)	03/26/18
1529633	-	MBM-Ti 8-16	100	Gram(GM)	03/26/18
1529634	-	MBM-Ti 10-20	100	Gram(GM)	03/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529635	-	MBM-Ti 15-25	100	Gram(GM)	03/26/18
1529636	-	MBM-Ti 40-50	100	Gram(GM)	03/26/18
1529637	-	MBM-Ti 54-80	100	Gram(GM)	03/26/18
1529646	530-62-1	N N'-CARBONYLDIIMIDAZOLE	250	Gram(GM)	03/26/18
1529647	2809-69-0	2 4-Hexadiyne	3	Gram(GM)	03/26/18
1529648	-	KRAZY GLUE	3	Gram(GM)	03/26/18
1529649	-	KRAZY GLUE	3	Gram(GM)	03/26/18
1529650	-	KRAZY GLUE	3	Gram(GM)	03/26/18
1529651	-	KRAZY GLUE	3	Gram(GM)	03/26/18
1529652	-	KRAZY GLUE	3	Gram(GM)	03/26/18
1496922	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496923	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496924	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496925	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496926	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496927	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496928	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496929	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496930	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496931	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496932	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1496933	-	WHITE UPSIDE DOWN SPRAY PAINT	15	Ounces(OZ)	03/26/18
1529653	629-09-4	1 6-DIIODOHEXANE	25	Gram(GM)	03/26/18
1529654	86-73-7	FLUORENE	100	Gram(GM)	03/26/18
1529655	7782-42-5	GRAPHITE	180.7	Gram(GM)	03/26/18
1529656	78-93-3	2-BUTANONE	2000	MicroGram(UG)	03/26/18
1529695	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529696	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529697	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529698	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529699	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529700	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529701	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529702	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529703	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529704	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529705	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529706	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529707	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529708	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529709	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529710	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529711	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529712	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529713	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529714	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	03/26/18
1529884	-	Vermiculite	12	Pounds(LB)	03/26/18
1529885	-	Vermiculite	12	Pounds(LB)	03/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529075	10124-56-8	SODIUM HEXAMETAPHOSPHATE	500	Gram(GM)	03/26/18
1529076	-	4% PARAFORMALDEHYDE IN PBS	250	Milliliter(ML)	03/26/18
1529077	7440-48-4	COBALT	100	Gram(GM)	03/26/18
1529078	10035-10-6	HYDROBROMIC ACID 48%	100	Milliliter(ML)	03/26/18
1529079	10035-10-6	HYDROBROMIC ACID 48%	100	Milliliter(ML)	03/26/18
1529080	-	QIAZOL LYSIS REAGENT	200	Milliliter(ML)	03/26/18
1529081	-	UltraClean 96 PCR Cleanup Kit	20	MicroGram(UG)	03/26/18
1529114	7778-18-9	W.A. HAMMOND DRIERITE (INDICATING	1	Pounds(LB)	03/26/18
1529115	7778-18-9	W.A. HAMMOND DRIERITE (INDICATING	1	Pounds(LB)	03/26/18
1529116	-	R2A AGAR	500	Gram(GM)	03/26/18
1529621	141-78-6	ETHYL ACETATE	4	Liters(L)	03/26/18
1529622	141-78-6	ETHYL ACETATE	4	Liters(L)	03/26/18
1529658	60-24-2	2-MERCAPTOETHANOL	100	Milliliter(ML)	03/26/18
1529659	50-81-7	L-ASCORBIC ACID	100	Gram(GM)	03/26/18
1529660	50-81-7	L-ASCORBIC ACID	100	Gram(GM)	03/26/18
1529661	50-81-7	L-ASCORBIC ACID	100	Gram(GM)	03/26/18
1529662	50-81-7	L-ASCORBIC ACID	100	Gram(GM)	03/26/18
1529663	50-81-7	L-ASCORBIC ACID	100	Gram(GM)	03/26/18
1529664	50-81-7	L-ASCORBIC ACID	100	Gram(GM)	03/26/18
1529665	-	PELCO Conductive Carbon Glue	30	Gram(GM)	03/26/18
1529715	67-63-0	2-PROPANOL	4	Liters(L)	03/26/18
1529716	67-63-0	2-PROPANOL	4	Liters(L)	03/26/18
1529717	67-63-0	2-PROPANOL	4	Liters(L)	03/26/18
1529718	67-63-0	2-PROPANOL	4	Liters(L)	03/26/18
1529719	77-77-0	VINYL SULFONE (DIVINYLSULFONE)	50	Gram(GM)	03/26/18
1529720	2627-86-3	(S)-(-)-1-Phenylethylamine	250	Gram(GM)	03/26/18
1529721	NA	Nessler Reagent	100	Milliliter(ML)	03/26/18
1529722	67-64-1	ACETONE	2.5	Liters(L)	03/26/18
1529723	2232-12-4	1 3-Diiodo-5 5-dimethylhydantoin	5	Gram(GM)	03/26/18
1529724	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529725	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529726	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529727	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529728	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529729	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529730	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529731	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529732	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529733	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529734	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529735	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	03/26/18
1529736	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529737	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529738	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529739	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529740	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529741	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529742	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529743	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529744	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529745	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529746	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529747	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	03/26/18
1529748	1344-28-1	ALUMINA POWDER	10	Kilograms(KG)	03/26/18
1529749	7697-37-2	NITRIC ACID	2.5	Liters(L)	03/26/18
1529750	64-17-5	ETHANOL (ETHYL ALCOHOL)	4	Liters(L)	03/26/18
1529751	64-17-5	ETHANOL (ETHYL ALCOHOL)	4	Liters(L)	03/26/18
1529752	64-17-5	ETHANOL (ETHYL ALCOHOL)	4	Liters(L)	03/26/18
1529753	64-17-5	ETHANOL (ETHYL ALCOHOL)	4	Liters(L)	03/26/18
1529756	24936-68-3	POLYCARBONATE	55	Pounds(LB)	03/26/18
1457321	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	03/26/18
1457322	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/26/18
1457323	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/26/18
1457324	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/26/18
1457325	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/26/18
1457326	7786-30-3	MAGNESIUM CHLORIDE 30% SOLUTION	3300	Pounds(LB)	03/26/18
1529083	10099-58-8	LANTHANUM (III) CHLORIDE ANHYDROUS	100	Gram(GM)	03/27/18
1529084	-	TRIS-BORATE-EDTA BUFFER	5	Liters(L)	03/27/18
1529085	Multi	FAST DNA SPIN KIT FOR SOIL	50	Milliliter(ML)	03/27/18
1529556	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529557	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529558	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529559	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529560	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529561	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529562	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529563	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529564	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529565	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529566	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529567	67-64-1	ACETONE	4	Liters(L)	03/27/18
1529657	-	ANTI-STATIC SPRAY	14	Ounces(OZ)	03/27/18
1529666	133745-75-2	N-Fluorobenzenesulfonimide	5	Gram(GM)	03/27/18
1529667	107263-95-6	1-FLUOROPYRIDINIUM TRIFLATE	1	Gram(GM)	03/27/18
1529668	7144-05-0	4-(AMINOMETHYL)-PIPERIDINE	5	Gram(GM)	03/27/18
1529669	112-90-3	OLEYLAMINE 70%	100	Gram(GM)	03/27/18
1529670	112-90-3	OLEYLAMINE 70%	100	Gram(GM)	03/27/18
1529671	110-54-3	HEXANE (HEXANE ANHYDROUS)	2	Liters(L)	03/27/18
1529672	118-52-5	1 3-DICHLORO-5 5-DIMETHYLHYDANTOIN	250	Gram(GM)	03/27/18
1529673	109-89-7	DIETHYLAMINE	100	Milliliter(ML)	03/27/18
1529674	109-89-7	DIETHYLAMINE	100	Milliliter(ML)	03/27/18
1529675	-	2 3-BUTANEDIOL	500	Gram(GM)	03/27/18
1529676	109-66-0	N-PENTANE	1	Liters(L)	03/27/18
1529677	Multi	Agilent RNA 6000 Pico Kit	50	Milliliter(ML)	03/27/18
1529678	Multi	Agilent RNA 6000 Pico Kit	50	Milliliter(ML)	03/27/18
1529679	67-68-5	Agilent High Sensitivity DNA Kit	50	Milliliter(ML)	03/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529680	67-68-5	Agilent High Sensitivity DNA Kit	50	Milliliter(ML)	03/27/18
1529681	67-68-5	Agilent High Sensitivity DNA Kit	50	Milliliter(ML)	03/27/18
1529682	67-68-5	Agilent High Sensitivity DNA Kit	50	Milliliter(ML)	03/27/18
1529754	74-89-5	METHYLAMINE SOLUTION 40%	100	Milliliter(ML)	03/27/18
1529755	74-89-5	METHYLAMINE SOLUTION 40%	100	Milliliter(ML)	03/27/18
1529757	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/27/18
1529758	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/27/18
1529759	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/27/18
1529760	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/27/18
1529761	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/27/18
1529762	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	03/27/18
1529763	64-17-5	ETHANOL	500	Milliliter(ML)	03/27/18
1529764	64-17-5	ETHANOL	500	Milliliter(ML)	03/27/18
1529765	1312-73-8	POTASSIUM SULFIDE	5	Gram(GM)	03/27/18
1529767	-	WD-40	12	Ounces(OZ)	03/27/18
1529768	-	WD-40	12	Ounces(OZ)	03/27/18
1529769	-	WD-40	12	Ounces(OZ)	03/27/18
1529770	-	WD-40	12	Ounces(OZ)	03/27/18
1529771	-	WD-40	12	Ounces(OZ)	03/27/18
1529772	-	WD-40	12	Ounces(OZ)	03/27/18
1529773	-	WD-40	12	Ounces(OZ)	03/27/18
1529774	-	WD-40	12	Ounces(OZ)	03/27/18
1529775	-	WD-40	12	Ounces(OZ)	03/27/18
1529776	-	WD-40	12	Ounces(OZ)	03/27/18
1529777	-	WD-40	12	Ounces(OZ)	03/27/18
1529778	-	WD-40	12	Ounces(OZ)	03/27/18
1529779	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529780	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529781	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529782	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529783	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529784	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529785	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529786	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529787	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529788	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529789	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1529790	67-63-0	ISOPROPYL ALCOHOL	500	Milliliter(ML)	03/27/18
1457357	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1457358	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1457359	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1457360	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1457361	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1457362	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1457363	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1457364	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	03/27/18
1494434	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494435	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494436	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494437	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494438	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494439	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494440	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494441	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494442	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494443	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494444	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494445	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494446	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494447	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494448	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494449	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494450	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494451	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494452	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494453	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494454	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494455	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494456	-	Mobil 1 5W-40	1	Quarts(QT)	03/27/18
1494457	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	03/27/18
1529685	-	3-(aminomethyl)piperidine	1	Gram(GM)	03/27/18
1494458	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	03/27/18
1494459	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	03/27/18
1494460	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	03/27/18
1494461	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	03/27/18
1529686	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	03/27/18
1529687	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	03/27/18
1494462	-	DX-111/M ATF	1	Quarts(QT)	03/27/18
1529688	60-29-7	DIETHYL ETHER	1	Liters(L)	03/27/18
1529689	60-29-7	DIETHYL ETHER	1	Liters(L)	03/27/18
1529690	60-29-7	DIETHYL ETHER	1	Liters(L)	03/27/18
1494463	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	03/27/18
1494464	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	03/27/18
1494465	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	03/27/18
1529691	109-66-0	N-PENTANE	1	Liters(L)	03/27/18
1494466	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	03/27/18
1494467	-	3M Windo-Weld Super Fast Urethane PN 08608	10.5	Ounces(OZ)	03/27/18
1529692	13755-29-8	SODIUM TETRAFLUOROBORATE	500	Gram(GM)	03/27/18
1529693	101-84-8	PHENYL ETHER (DIPHENYL ETHER)	100	Gram(GM)	03/27/18
1529694	101-84-8	PHENYL ETHER (DIPHENYL ETHER)	100	Gram(GM)	03/27/18
1529766	9012-36-6	AGAROSE	500	Gram(GM)	03/27/18
1529791	-	AGAROSE GEL LOADING DYE	5	Milliliter(ML)	03/27/18
1529795	-	ARATHANE 5753-A/B	151	Gram(GM)	03/27/18
1529796	-	ARATHANE 5753-A/B	151	Gram(GM)	03/27/18
1529797	-	ARATHANE 5753-A/B	151	Gram(GM)	03/27/18
1529798	-	ARATHANE 5753-A/B	151	Gram(GM)	03/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529799	-	ARATHANE 5753-A/B	151	Gram(GM)	03/27/18
1529800	-	ARATHANE 5753-A/B	151	Gram(GM)	03/27/18
1529801	7757-82-6	SODIUM SULFATE	1	Kilograms(KG)	03/27/18
1529802	67-66-3	CHLOROFORM	4	Liters(L)	03/27/18
1529803	67-66-3	CHLOROFORM	4	Liters(L)	03/27/18
1529804	67-66-3	CHLOROFORM	4	Liters(L)	03/27/18
1529805	67-66-3	CHLOROFORM	4	Liters(L)	03/27/18
1476222	-	HIT-RE 500 V3	11.1	Ounces(OZ)	03/27/18
1476271	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476272	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476273	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476274	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476352	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476353	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476354	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476355	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476356	-	SHAW 4100	4	Gallon(GAL)	03/27/18
1476357	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476358	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476359	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476360	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476361	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476362	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476363	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476364	-	ARDEX FEATHER FINISH	10.1	Pounds(LB)	03/27/18
1476343	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476344	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476345	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476346	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476347	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476348	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476349	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/27/18
1476350	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/27/18
1476351	-	5080 PRESSURE SENSITIVE ADHESIVE	4	Gallon(GAL)	03/27/18
1476365	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476366	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476367	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476368	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476369	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476370	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476371	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476372	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476373	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476374	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476375	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476376	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476377	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476378	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476379	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476380	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476381	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476382	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476383	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476384	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476385	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476386	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476387	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476388	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476389	-	ANTI-BACTERIAL FANTASTIC	36	Ounces(OZ)	03/27/18
1476390	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476391	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476392	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476393	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476394	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476395	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476396	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476397	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476398	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476399	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476400	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476401	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476402	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476403	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476404	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476405	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476406	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476407	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476408	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476409	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476410	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476411	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476412	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476413	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476414	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476415	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476416	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476417	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476418	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476419	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476420	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476421	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476422	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476423	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476424	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476425	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476426	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476427	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476428	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476429	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476430	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476431	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476432	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476433	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476434	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476435	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476436	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476437	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1476438	-	QUIN-CIP RECRIPROCRATING OIL	1	Gallon(GAL)	03/27/18
1508763	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/28/18
1508764	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/28/18
1508765	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	03/28/18
1508766	7439-90-9	KRYPTON	200	Liters(L)	03/28/18
1508767	7439-90-9	KRYPTON	200	Liters(L)	03/28/18
1508768	-	Nitrogen UHP	220	Cubic Feet(CF)	03/28/18
1529806	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529807	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529808	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529809	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529810	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529811	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529812	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529813	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529814	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529815	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529816	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529817	-	D1 N-PROPYL BROMIDE SAFETY SOLVENT	20	Ounces(OZ)	03/28/18
1529818	1795-64-8	Tellurium(IV) isopropoxide	10	Gram(GM)	03/28/18
1529819	822-36-6	4-METHYLIMIDAZOLE	50	Gram(GM)	03/28/18
1529820	4418-61-5	5-AMINOTETRAZOLE MONOHYDRATE	25	Gram(GM)	03/28/18
1529821	15965-30-7	4:5-dichloro-1H-imidazole	5	Gram(GM)	03/28/18
1529822	15965-30-7	4:5-dichloro-1H-imidazole	5	Gram(GM)	03/28/18
1529823	288-94-8	1H-TETRAZOLE	200	Milliliter(ML)	03/28/18
1529824	112825-05-5	Methyllycaconitine citrate salt	25	Milligram(MG)	03/28/18
1529825	9041-93-4	BLEOMYCIN SULFATE (BLENOXANE) STERILE	1	Milligram(MG)	03/28/18
1529826	9041-93-4	BLEOMYCIN SULFATE (BLENOXANE) STERILE	1	Milligram(MG)	03/28/18
1529827	9041-93-4	BLEOMYCIN SULFATE (BLENOXANE) STERILE	1	Milligram(MG)	03/28/18
1529828	629-82-3	OCTYL ETHER	100	Gram(GM)	03/28/18
1529829	7758-95-4	LEAD(II) CHLORIDE	10	Gram(GM)	03/28/18
1529830	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	03/28/18
1529831	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	03/28/18
1529832	1309-48-4	MAGNESIUM OXIDE	1	Kilograms(KG)	03/28/18
1529833	10377-60-3	MAGNESIUM NITRATE	100	Gram(GM)	03/28/18
1529834	-	TRU RESIN	2	Milliliter(ML)	03/28/18
1529835	-	TRU RESIN	2	Milliliter(ML)	03/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529839	7558-80-7	SODIUM PHOSPHATE MONOBASIC	3	Kilograms(KG)	03/28/18
1529840	7558-80-7	SODIUM PHOSPHATE MONOBASIC	3	Kilograms(KG)	03/28/18
1529841	7558-80-7	SODIUM PHOSPHATE MONOBASIC	3	Kilograms(KG)	03/28/18
1529842	14898-67-0	RUTHENIUM(III)CHLORIDE HYDRATE	5	Gram(GM)	03/28/18
1529843	14284-93-6	RUTHENIUM(III) ACETYLACETONATE	5	Gram(GM)	03/28/18
1529844	10025-99-7	POTASSIUM TETRACHLOROPLATINATE(II)	5	Gram(GM)	03/28/18
1529845	15170-57-7	PLATINUM(II) ACETYLACETONATE	2	Gram(GM)	03/28/18
1529846	15635-87-7	IRIDIUM ACETYLACETONATE	2.5	Gram(GM)	03/28/18
1529847	7647-10-1	PALLADIUM(II) CHLORIDE	5	Gram(GM)	03/28/18
1529848	14024-61-4	PALLADIUM(II) ACETYLACETONATE	5	Gram(GM)	03/28/18
1529849	7718-54-9	NICKEL(II) CHLORIDE	5	Gram(GM)	03/28/18
1529850	103-50-4	BENZYL ETHER	1	Kilograms(KG)	03/28/18
1529851	18996-35-5	CITRIC ACID MONOSODIUM SALT ANHYDROUS	250	Gram(GM)	03/28/18
1529852	1336-21-6	Ammonia (Deuterated 14N)	2.5	Liters(L)	03/28/18
1529853	89031-84-5	(3-Bromopropoxy)-tert-butyldimethylsilane	100	Gram(GM)	03/28/18
1529854	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	03/28/18
1529855	123-91-1	1,4-DIOXANE	100	Milliliter(ML)	03/28/18
1529856	14104-20-2	SILVER TETRAFLUOROBORATE	5	Gram(GM)	03/28/18
1457365	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	03/28/18
1457366	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	03/28/18
1529112	7664-38-2	PHOSPHORIC ACID 85%	1	Kilograms(KG)	03/28/18
1529113	1313-96-8	NIOBIUM(V) OXIDE	1	Kilograms(KG)	03/28/18
1529683	1066-45-1	TRIMETHYL TIN CHLORIDE	10	Gram(GM)	03/28/18
1529684	1066-45-1	TRIMETHYL TIN CHLORIDE	10	Gram(GM)	03/28/18
1529857	24304-00-5	Aluminum nitride (Sintered Ceramic Parts)	10	Gram(GM)	03/28/18
1148271	-	OMEGABOND 101 CATALYST	8	Ounces(OZ)	03/28/18
1148272	-	OMEGABOND 101 CATALYST	8	Ounces(OZ)	03/28/18
1383396	-	Thermoset Hardener No. 67	8	Ounces(OZ)	03/28/18
1386042	-	Thermoset Hardener No. 67	8	Ounces(OZ)	03/28/18
1386038	68609-97-2	Lord E-301 Adhesive Black	1	Quarts(QT)	03/28/18
1386035	68609-97-2	Lord E-301 Adhesive Black	1	Quarts(QT)	03/28/18
1056977	-	Fluropon Air Dry	60	Cubic	03/28/18
1056978	-	Fluropon Air Dry	60	Cubic	03/28/18
1056979	-	Fluropon Air Dry	60	Cubic	03/28/18
1056980	-	Fluropon Air Dry	60	Cubic	03/28/18
1056986	-	Fluropon Air Dry	60	Cubic	03/28/18
1056987	-	Fluropon Air Dry	60	Cubic	03/28/18
1056988	-	Fluropon Air Dry	60	Cubic	03/28/18
1056989	-	Fluropon Air Dry	60	Cubic	03/28/18
1056995	-	Fluropon Air Dry	60	Cubic	03/28/18
1056996	-	Fluropon Air Dry	60	Cubic	03/28/18
1056997	-	Fluropon Air Dry	60	Cubic	03/28/18
1056998	-	Fluropon Air Dry	60	Cubic	03/28/18
1457327	-	Fluropon Air Dry	60	Cubic	03/28/18
1457328	-	Fluropon Air Dry	60	Cubic	03/28/18
1457329	-	Fluropon Air Dry	60	Cubic	03/28/18
1454882	-	Fluropon Air Dry	60	Cubic	03/28/18
1454883	-	Fluropon Air Dry	60	Cubic	03/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1454884	-	Fluropon Air Dry	60	Cubic	03/28/18
1454885	-	Fluropon Air Dry	60	Cubic	03/28/18
1454886	-	Fluropon Air Dry	60	Cubic	03/28/18
1455415	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455416	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455417	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455418	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455419	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455420	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455421	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455422	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455423	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455424	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455425	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455426	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455427	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455428	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455429	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455430	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455431	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455432	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455433	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455434	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455435	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455436	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455437	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455438	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455439	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455440	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455441	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455442	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455443	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455444	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455445	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455446	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455447	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455448	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455449	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455450	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455451	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455452	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455453	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455454	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455455	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455456	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455457	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455458	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18
1455459	-	Freeman Super Pink Jewelry Wax	50	Pounds(LB)	03/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1455487	-	OBJET VEROBBLACKPLUS RGD875	3.6	Kilograms(KG)	03/28/18
1455488	-	OBJET VEROBBLACKPLUS RGD875	3.6	Kilograms(KG)	03/28/18
1455489	-	OBJET VEROBBLACKPLUS RGD875	3.6	Kilograms(KG)	03/28/18
1455490	-	OBJET VEROBBLACKPLUS RGD875	3.6	Kilograms(KG)	03/28/18
1455491	-	OBJET VEROBBLACKPLUS RGD875	3.6	Kilograms(KG)	03/28/18
1455482	-	OBJET VEROCLEAR RGD810	3.6	Kilograms(KG)	03/28/18
1455483	-	OBJET VEROCLEAR RGD810	3.6	Kilograms(KG)	03/28/18
1455484	-	OBJET VEROCLEAR RGD810	3.6	Kilograms(KG)	03/28/18
1455485	-	OBJET VEROCLEAR RGD810	3.6	Kilograms(KG)	03/28/18
1455486	-	OBJET VEROCLEAR RGD810	3.6	Kilograms(KG)	03/28/18
1455479	-	OBJET VEROGRAY RGD850	3.6	Kilograms(KG)	03/28/18
1455480	-	OBJET VEROGRAY RGD850	3.6	Kilograms(KG)	03/28/18
1455481	-	OBJET VEROGRAY RGD850	3.6	Kilograms(KG)	03/28/18
1455474	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	03/28/18
1455475	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	03/28/18
1455476	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	03/28/18
1455477	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	03/28/18
1455478	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	03/28/18
1455492	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	03/28/18
1455493	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	03/28/18
1455494	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	03/28/18
1455495	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	03/28/18
1455496	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	03/28/18
1455463	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455464	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455465	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455466	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455467	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455468	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455460	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455461	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1455462	-	EPOXY	13.5	Ounces(OZ)	03/28/18
1529858	77-48-5	1 3-Dibromo-5 5-dimethylhydantoin	25	Gram(GM)	03/29/18
1529859	-	ASTRO MB-165 - EPOXY RESIN CURING KIT	3	Ounces(OZ)	03/29/18
1529860	1809-20-7	DIISOPROPYL HYDROGEN PHOSPHITE	500	Gram(GM)	03/29/18
1529861	-	FLEXBAR REPRORUBBER THIN POUR MATERIAL	130	Milliliter(ML)	03/29/18
1529862	-	Flexbar Repro Rubber Putty Material	220	Milliliter(ML)	03/29/18
1529863	-	RPMI-1640 MEDIUM	500	Milliliter(ML)	03/29/18
1529864	-	RPMI-1640 MEDIUM	500	Milliliter(ML)	03/29/18
1529865	-	LIVE/DEAD Cell Vitality Assay Kit	480	Microliter	03/29/18
1529866	99768-12-4	4-Methoxycarbonylphenylboronic Acid	5	Gram(GM)	03/29/18
1529867	99768-12-4	4-Methoxycarbonylphenylboronic Acid	5	Gram(GM)	03/29/18
1529868	7778-53-2	POTASSIUM PHOSPHATE TRIBASIC	500	Gram(GM)	03/29/18
1529869	-	D-SALT DEXTRAN PLASTIC DESALTING COLUMNS	5	Milliliter(ML)	03/29/18
1529870	98-01-1	2-FURALDEHYDE	100	Milliliter(ML)	03/29/18
1529871	24304-00-5	Aluminum nitride (Sintered Ceramic Parts)	10	Gram(GM)	03/29/18
1529911	7601-90-3	PERCHLORIC ACID OPTIMA	1	Liters(L)	03/29/18
1529912	7601-90-3	PERCHLORIC ACID OPTIMA	1	Liters(L)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529913	7601-90-3	PERCHLORIC ACID OPTIMA	1	Liters(L)	03/29/18
1529086	1849-27-0	1 4-BIS(PHENYLETHYNYL)BENZENE	1	Gram(GM)	03/29/18
1529087	63295-48-7	Iron(III) trifluoromethanesulfonate	5	Gram(GM)	03/29/18
1529088	23978-55-4	1 4 10 13-TETRAOXA-7 16-	1	Gram(GM)	03/29/18
1529836	146-77-0	2-Chloroadenosine	10	Milligram(MG)	03/29/18
1529837	146-77-0	2-Chloroadenosine	10	Milligram(MG)	03/29/18
1529838	4097-89-6	TRIS(2-AMINOETHYL)AMINE	25	Gram(GM)	03/29/18
1529872	-	MicroC 2000	55	Gallon(GAL)	03/29/18
1529873	-	Krylon 2444 Clear Gloss	11	Ounces(OZ)	03/29/18
1529874	-	Krylon 2444 Clear Gloss	11	Ounces(OZ)	03/29/18
1529875	-	Krylon 2444 Clear Gloss	11	Ounces(OZ)	03/29/18
1529876	-	Krylon 2444 Clear Gloss	11	Ounces(OZ)	03/29/18
1529877	-	Krylon 2444 Clear Gloss	11	Ounces(OZ)	03/29/18
1529878	-	Krylon 2444 Clear Gloss	11	Ounces(OZ)	03/29/18
1529879	-	EXTRUDE MEDIUM	100	Milligram(MG)	03/29/18
1529880	-	EXTRUDE MEDIUM	100	Milligram(MG)	03/29/18
1529881	-	EXTRUDE MEDIUM	100	Milligram(MG)	03/29/18
1529882	-	EXTRUDE MEDIUM	100	Milligram(MG)	03/29/18
1529883	-	EXTRUDE MEDIUM	100	Milligram(MG)	03/29/18
1529914	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529915	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529916	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529917	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529918	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529919	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529920	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529921	64742-65-0	19 MECHANICAL PUMP OIL	4	Liters(L)	03/29/18
1529922	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	03/29/18
1529923	311-28-4	TETRABUTYLAMMONIUM IODIDE	25	Gram(GM)	03/29/18
1529924	37933-66-7	Thevetin A	1	Milligram(MG)	03/29/18
1529925	37933-66-7	Thevetin A	1	Milligram(MG)	03/29/18
1529926	37933-66-7	Thevetin A	1	Milligram(MG)	03/29/18
1529927	37933-66-7	Thevetin A	1	Milligram(MG)	03/29/18
1529928	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529929	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529930	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529931	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529932	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529933	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529934	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529935	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529936	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529937	60177-39-1	RESIN AG 1-X4	500	Gram(GM)	03/29/18
1529938	14808-60-7	Sand pure 40-100 mesh	250	Gram(GM)	03/29/18
1529990	-	CLOROX	1	Gallon(GAL)	03/29/18
1529991	-	CLOROX	1	Gallon(GAL)	03/29/18
1529992	-	CLOROX	1	Gallon(GAL)	03/29/18
1529993	-	CLOROX	1	Gallon(GAL)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529994	-	CLOROX	1	Gallon(GAL)	03/29/18
1529995	-	CLOROX	1	Gallon(GAL)	03/29/18
1529996	-	CLOROX	1	Gallon(GAL)	03/29/18
1529997	-	CLOROX	1	Gallon(GAL)	03/29/18
1529998	-	CLOROX	1	Gallon(GAL)	03/29/18
1529999	-	CLOROX	1	Gallon(GAL)	03/29/18
1530000	-	CLOROX	1	Gallon(GAL)	03/29/18
1530001	-	CLOROX	1	Gallon(GAL)	03/29/18
1530002	-	CLOROX	1	Gallon(GAL)	03/29/18
1530003	-	CLOROX	1	Gallon(GAL)	03/29/18
1530004	-	CLOROX	1	Gallon(GAL)	03/29/18
1530005	-	CLOROX	1	Gallon(GAL)	03/29/18
1530006	-	CLOROX	1	Gallon(GAL)	03/29/18
1530007	-	CLOROX	1	Gallon(GAL)	03/29/18
1530008	-	CLOROX	1	Gallon(GAL)	03/29/18
1530009	-	CLOROX	1	Gallon(GAL)	03/29/18
1530010	-	CLOROX	1	Gallon(GAL)	03/29/18
1530011	-	CLOROX	1	Gallon(GAL)	03/29/18
1530012	-	CLOROX	1	Gallon(GAL)	03/29/18
1530013	-	CLOROX	1	Gallon(GAL)	03/29/18
1530014	-	CLOROX	1	Gallon(GAL)	03/29/18
1530015	-	CLOROX	1	Gallon(GAL)	03/29/18
1529089	906650-60-0	1-(2-Phenylethyl)-4-(phenylethynyl)benzene	1	Gram(GM)	03/29/18
1529090	71-91-0	TETRAETHYLAMMONIUM BROMIDE	250	Gram(GM)	03/29/18
1529091	-	DOW CORNING PR-1200 RTV PRIME COAT	309	Gram(GM)	03/29/18
1529092	7440-21-3	SYLGARD 184 SILICONE ELASTOMER KIT [MOSTLY	1.1	Pounds(LB)	03/29/18
1529093	-	MAGNESIUM PLASMA STANDARDS 1 000 PPM	50	Milliliter(ML)	03/29/18
1529094	13031-32-8	NITROMETHANE-D3	25	Gram(GM)	03/29/18
1529095	13031-32-8	NITROMETHANE-D3	25	Gram(GM)	03/29/18
1529889	6025-53-2	trans-Zeatin-riboside	10	Milligram(MG)	03/29/18
1529890	6025-53-2	trans-Zeatin-riboside	10	Milligram(MG)	03/29/18
1529891	67-56-1	METHYL ALCOHOL	4	Liters(L)	03/29/18
1529892	67-56-1	METHYL ALCOHOL	4	Liters(L)	03/29/18
1529893	67-56-1	METHYL ALCOHOL	4	Liters(L)	03/29/18
1529894	67-56-1	METHYL ALCOHOL	4	Liters(L)	03/29/18
1485919	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1508769	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1485920	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485921	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485922	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485923	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485924	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485925	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485926	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485927	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485928	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485929	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485930	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485931	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485932	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485933	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485934	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485935	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485936	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485937	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485938	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485939	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485940	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485941	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485942	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485943	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485944	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485945	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485946	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485947	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485948	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485949	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485950	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485951	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485952	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485953	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485954	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485955	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485956	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485957	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485958	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485959	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485960	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485961	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485962	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485963	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485964	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485965	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485966	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485967	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1485968	-	LOCTITE ADHESIVE	4	Gram(GM)	03/29/18
1508770	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508771	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508772	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508773	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508774	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508775	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508776	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508777	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508778	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508779	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508780	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508781	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508782	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508783	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508784	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508785	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508786	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508787	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508788	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508789	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508790	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508791	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508792	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508793	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508794	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508795	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508796	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508797	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508798	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508799	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508800	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508801	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508802	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508803	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508804	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508805	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508806	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508807	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508808	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508809	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508810	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508811	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508812	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508813	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508814	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508815	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508816	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508817	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508818	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	03/29/18
1508824	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508825	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508826	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508827	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508828	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508829	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508830	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508831	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508832	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508833	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508834	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508835	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508836	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508837	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508838	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508839	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508840	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508841	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508842	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508843	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508844	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508845	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508846	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508847	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508848	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508849	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508850	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508851	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508852	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508853	-	UHP Nitrogen	220	Cubic Feet(CF)	03/29/18
1508854	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508855	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508856	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508857	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508858	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508859	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508860	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508861	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508862	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508863	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508864	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508865	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508866	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508867	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508868	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508869	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508870	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508871	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508872	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508873	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508874	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508875	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508876	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508877	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508878	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508879	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508880	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508881	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508882	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508883	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508884	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508885	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508886	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508887	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508888	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508889	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508890	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508891	-	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/29/18
1508892	-	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	03/29/18
1508893	-	AIR COMPRESSED	220	Cubic Feet(CF)	03/29/18
1508894	-	10% CARBON DIOXIDE BAL ARGON	40	Cubic Feet(CF)	03/29/18
1529939	10043-35-3	BORIC ACID	250	Gram(GM)	03/29/18
1529940	1163733-25-2	Aquivion D83-24B	25	Milliliter(ML)	03/29/18
1529941	112-88-9	1-OCTADECENE	1	Liters(L)	03/29/18
1529942	112-88-9	1-OCTADECENE	1	Liters(L)	03/29/18
1529958	-	EPO-FIX EPOXY RESIN	1130	Milliliter(ML)	03/29/18
1529962	69011-20-7	AG 50W-X8 RESIN	500	Gram(GM)	03/29/18
1529963	110-17-8	FUMARIC ACID	100	Gram(GM)	03/29/18
1529964	6074-84-6	TANTALUM(V)ETHOXIDE	10	Gram(GM)	03/29/18
1529965	6074-84-6	TANTALUM(V)ETHOXIDE	10	Gram(GM)	03/29/18
1529966	6074-84-6	TANTALUM(V)ETHOXIDE	10	Gram(GM)	03/29/18
1529967	13462-88-9	NICKEL BROMIDE ANHYDROUS	2	Gram(GM)	03/29/18
1529968	1185-55-3	METHYLTRIMETHOXSILANE	250	Milliliter(ML)	03/29/18
1529969	75-79-6	METHYLTRICHLOROSILANE	100	Gram(GM)	03/29/18
1529970	67-56-1	METHANOL ANHYDROUS	1	Liters(L)	03/29/18
1529989	-	MasterSil 151	0.5	Pint(PT)	03/29/18
1530055	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530056	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530057	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530058	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530059	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530060	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530061	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530062	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530063	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530064	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530065	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530066	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530067	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530068	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530069	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530070	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530071	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530072	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530073	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530074	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530075	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530076	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530077	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530078	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530079	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530080	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530081	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530082	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530083	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530084	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530085	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530086	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530087	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530088	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530089	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530090	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530091	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530092	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530093	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530094	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530095	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530096	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530097	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530098	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530099	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530100	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530101	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530102	64-17-5	ETHYL ALCOHOL 200 PROOF	24	Pint(PT)	03/29/18
1530127	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530128	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530129	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530130	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530131	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530132	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530133	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530134	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530135	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530136	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530137	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530138	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	03/29/18
1530139	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530140	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530141	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530142	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530143	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530144	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530145	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530146	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530147	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530148	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530149	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530150	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530151	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530152	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530153	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530154	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530155	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530156	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530157	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530158	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530159	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530160	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530161	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1530162	-	RELEASE AGENT DRY LUBRICANT	14	Ounces(OZ)	03/29/18
1457367	-	NALCO 7408 CHLORINE SCAVENGER SOLUTION	55	Gallon(GAL)	03/29/18
1457368	-	TRI-ACT 1820	450	Pounds(LB)	03/29/18
1529098	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529099	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529100	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529101	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529102	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529103	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529104	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529105	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529106	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529107	7664-93-9	SULFURIC ACID	100	Milliliter(ML)	03/29/18
1529108	-	2-(phenylsulfanyl)ethan-1-amine	10	Gram(GM)	03/29/18
1529109	-	2-(phenylsulfanyl)ethan-1-amine	10	Gram(GM)	03/29/18
1529110	-	2-(phenylsulfanyl)ethan-1-amine	10	Gram(GM)	03/29/18
1529888	917-58-8	POTASSIUM ETHOXIDE	100	Gram(GM)	03/29/18
1529895	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/29/18
1529896	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/29/18
1529897	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/29/18
1529898	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/29/18
1529899	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/29/18
1529900	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/29/18
1529901	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/29/18
1529902	594-19-4	TERT-BUTYLLITHIUM	100	Milliliter(ML)	03/29/18
1529903	-	Acidity Reagent Set For Digital Titrator	50	Milliliter(ML)	03/29/18
1529904	917-54-4	METHYLLITHIUM 1.6M SOLUTION	25	Milliliter(ML)	03/29/18
1529905	917-54-4	METHYLLITHIUM 1.6M SOLUTION	25	Milliliter(ML)	03/29/18
1529906	917-54-4	METHYLLITHIUM 1.6M SOLUTION	25	Milliliter(ML)	03/29/18
1529907	917-54-4	METHYLLITHIUM 1.6M SOLUTION	25	Milliliter(ML)	03/29/18
1529908	3282-30-2	TRIMETHYLACETYL CHLORIDE	500	Milliliter(ML)	03/29/18
1529909	-	SNOOP	1	Gallon(GAL)	03/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529979	5518-62-7	1 2-Bis(phosphino)ethane 99%	1	Gram(GM)	03/30/18
1530103	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530104	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530105	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530106	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530107	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530108	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530109	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530110	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530111	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530112	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530113	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530114	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530115	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530116	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530117	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530118	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530119	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530120	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530121	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530122	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530123	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1530124	61-82-5	3-AMINO-124-TRIAZOLE 96% 250G	500	Gram(GM)	03/30/18
1529971	617-84-5	N N-DIETHYLFORMAMIDE 99%	100	Gram(GM)	03/30/18
1529972	10026-13-8	PHOSPHORUS PENTACHLORIDE	500	Gram(GM)	03/30/18
1529973	13520-92-8	ZIRCONYL CHLORIDE OCTAHYDRATE	100	Gram(GM)	03/30/18
1529974	128-08-5	N-BROMOSUCCINIMIDE	100	Gram(GM)	03/30/18
1529975	108-88-3	TOLUENE ANHYDROUS	1	Liters(L)	03/30/18
1529977	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/30/18
1529978	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	03/30/18
1529980	7664-93-9	SULFURIC ACID	250	Milliliter(ML)	03/30/18
1529981	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/30/18
1529982	814-68-6	ACRYLOYL CHLORIDE	100	Gram(GM)	03/30/18
1530031	-	TEVA RESIN	2	Milliliter(ML)	03/30/18
1530032	-	TEVA RESIN	2	Milliliter(ML)	03/30/18
1530033	-	TEVA RESIN	2	Milliliter(ML)	03/30/18
1530034	-	TEVA RESIN	2	Milliliter(ML)	03/30/18
1530035	-	TRU RESIN	2	Milliliter(ML)	03/30/18
1530036	-	TRU RESIN	2	Milliliter(ML)	03/30/18
1530037	-	TRU RESIN	2	Milliliter(ML)	03/30/18
1530038	-	TRU RESIN	2	Milliliter(ML)	03/30/18
1530125	109-64-8	1 3-DIBROMOPROPANE	50	Milliliter(ML)	03/30/18
1530163	-	SELENIUM PLASMA STANDARDS 1 000 PPM 10	50	Milliliter(ML)	03/30/18
1530164	-	PlasPINK	1	Liters(L)	03/30/18
1530165	-	PlasGRAY	1	Liters(L)	03/30/18
1530166	-	SuperCAST	1	Liters(L)	03/30/18
1530167	-	Pro3dure GR-1 Clear	1	Liters(L)	03/30/18
1530168	-	Pro3dure GR-1 Clear	1	Liters(L)	03/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530169	-	Pro3dure GR1 Black	1	Liters(L)	03/30/18
1530170	-	Pro3dure GR1 Black	1	Liters(L)	03/30/18
1530171	67-68-5	DE3 Lysogenization Kit	10	Milliliter(ML)	03/30/18
1530172	298-07-7	BIS(2-ETHYLHEXYL) PHOSPHATE	100	Gram(GM)	03/30/18
1530199	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	03/30/18
1530200	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	03/30/18
1530201	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	03/30/18
1530202	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	03/30/18
1530203	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	03/30/18
1530204	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	500	Milliliter(ML)	03/30/18
1530205	-	TOTAL CHLORINE INDICATOR SOLUTION# 22634-	473	Milliliter(ML)	03/30/18
1530206	-	TOTAL CHLORINE INDICATOR SOLUTION# 22634-	473	Milliliter(ML)	03/30/18
1530207	-	TOTAL CHLORINE INDICATOR SOLUTION# 22634-	473	Milliliter(ML)	03/30/18
1530208	-	TOTAL CHLORINE INDICATOR SOLUTION# 22634-	473	Milliliter(ML)	03/30/18
1530209	-	TOTAL CHLORINE BUFFER SOL	473	Milliliter(ML)	03/30/18
1530210	-	TOTAL CHLORINE BUFFER SOL	473	Milliliter(ML)	03/30/18
1530211	-	TOTAL CHLORINE BUFFER SOL	473	Milliliter(ML)	03/30/18
1530212	-	TOTAL CHLORINE BUFFER SOL	473	Milliliter(ML)	03/30/18
1530213	-	TOTAL CHLORINE BUFFER SOL	473	Milliliter(ML)	03/30/18
1530214	-	TOTAL CHLORINE BUFFER SOL	473	Milliliter(ML)	03/30/18
1530215	-	INDICATOR SOLUTION AMTAX	1	Liters(L)	03/30/18
1530216	-	INDICATOR SOLUTION AMTAX	1	Liters(L)	03/30/18
1530217	-	INDICATOR SOLUTION AMTAX	1	Liters(L)	03/30/18
1530218	-	INDICATOR SOLUTION AMTAX	1	Liters(L)	03/30/18
1530219	-	INDICATOR SOLUTION AMTAX	1	Liters(L)	03/30/18
1530220	-	INDICATOR SOLUTION AMTAX	1	Liters(L)	03/30/18
1530221	7732-18-5	Chlorine Free Buffer Solution 473 mL	473	Milliliter(ML)	03/30/18
1530222	7732-18-5	Chlorine Free Buffer Solution 473 mL	473	Milliliter(ML)	03/30/18
1530223	7732-18-5	Chlorine Free Buffer Solution 473 mL	473	Milliliter(ML)	03/30/18
1530224	7732-18-5	Chlorine Free Buffer Solution 473 mL	473	Milliliter(ML)	03/30/18
1530225	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530226	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530227	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530228	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530229	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530230	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530231	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530232	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530233	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530234	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530235	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530236	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530237	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530238	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530239	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530240	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530241	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530242	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530243	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530244	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530245	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530246	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530247	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530248	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530249	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530250	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530251	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530252	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530253	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530254	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530255	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530256	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530257	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530258	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530259	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530260	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530261	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530262	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530263	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530264	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530265	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530266	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530267	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530268	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530269	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530270	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530271	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530272	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530273	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530274	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530275	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530276	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530277	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530278	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530279	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530280	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530281	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530282	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530283	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530284	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530285	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530286	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530287	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530288	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530289	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18
1530290	-	ULTRA CLOROX GERMICIDAL	121	Ounces(OZ)	03/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530291	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530292	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530293	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530294	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530295	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530296	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530297	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530298	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530299	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530300	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530301	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530302	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530303	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530304	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530305	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530306	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530307	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530308	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530309	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530310	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530311	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530312	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530313	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530314	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530315	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530316	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530317	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530318	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530319	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530320	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530321	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530322	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530323	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530324	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530325	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530326	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530327	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530328	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530329	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530330	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530331	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530332	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530333	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530334	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530335	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530336	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530337	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530338	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530339	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530340	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530341	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530342	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530343	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530344	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530345	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530346	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530347	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530348	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530349	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530350	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530351	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530352	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530353	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530354	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530355	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530356	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530357	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530358	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530359	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530360	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530361	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530362	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530363	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530364	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530365	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530366	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530367	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530368	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530369	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530370	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530371	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530372	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530373	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530374	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530375	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530376	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530377	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530378	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530379	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530380	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530381	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530382	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530383	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530384	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530385	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18
1530386	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	03/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530387	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/30/18
1530388	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/30/18
1530389	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/30/18
1530390	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	03/30/18
1530391	67-56-1	METHANOL HPLC	4	Liters(L)	03/30/18
1530392	67-56-1	METHANOL HPLC	4	Liters(L)	03/30/18
1530393	67-56-1	METHANOL HPLC	4	Liters(L)	03/30/18
1530394	67-56-1	METHANOL HPLC	4	Liters(L)	03/30/18
1530395	75-09-2	DICHLOROMETHANE	4	Liters(L)	03/30/18
1530396	75-09-2	DICHLOROMETHANE	4	Liters(L)	03/30/18
1530397	75-09-2	DICHLOROMETHANE	4	Liters(L)	03/30/18
1530398	75-09-2	DICHLOROMETHANE	4	Liters(L)	03/30/18
1530399	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/30/18
1530400	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/30/18
1530401	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/30/18
1530402	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/30/18
1530403	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/30/18
1530404	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	03/30/18
1530405	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/30/18
1530406	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/30/18
1530407	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/30/18
1530408	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/30/18
1530409	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/30/18
1530410	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	03/30/18
1529111	7646-79-9	Silicagel humidity indicator cards	2.5	Kilograms(KG)	03/30/18
1529988	-	LIQUID SOLDER FLUX	0.5	Ounces(OZ)	04/02/18
1530042	-	VACUUM GREASE	5.3	Ounces(OZ)	04/02/18
1530043	-	VACUUM GREASE	5.3	Ounces(OZ)	04/02/18
1530044	-	VACUUM GREASE	5.3	Ounces(OZ)	04/02/18
1530045	128-63-2	1 3 6 8-Tetrabromopyrene	5	Gram(GM)	04/02/18
1530046	128-63-2	1 3 6 8-Tetrabromopyrene	5	Gram(GM)	04/02/18
1530047	7439-95-4	MAGNESIUM TURNINGS	1	Kilograms(KG)	04/02/18
1530048	7440-38-2	ARSENIC	30	Milliliter(ML)	04/02/18
1530415	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530416	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530417	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530418	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530419	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530420	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530421	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530422	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530423	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530424	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530425	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530426	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530427	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530428	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530429	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530430	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530431	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530432	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530433	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530434	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530435	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530436	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530437	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530438	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530439	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530440	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530441	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530442	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530443	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530444	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530445	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530446	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530447	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530448	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530449	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530450	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530451	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530452	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530453	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530454	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530455	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530456	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530457	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530458	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530459	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530460	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530461	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530462	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530463	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530464	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530465	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530466	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530467	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530468	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530469	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530470	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530471	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530472	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530473	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530474	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530475	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530476	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530477	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530478	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530479	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530480	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530481	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530482	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530483	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530484	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530485	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530486	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/02/18
1530487	-	Compare Cleaner	5	Gallon(GAL)	04/02/18
1530488	-	Compare Cleaner	5	Gallon(GAL)	04/02/18
1530489	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530490	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530491	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530492	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530493	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530494	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530495	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530496	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530497	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1530498	-	ENSOLV-IONIC	1	Gallon(GAL)	04/02/18
1455472	-	Penetrating oil finish Brazilian rarewood oil	5	Gallon(GAL)	04/02/18
1455473	-	Penetrating oil finish Brazilian rarewood oil	5	Gallon(GAL)	04/02/18
1529984	6950-53-4	2-(methylsulfanyl)ethan-1-amine hydrochloride	10	Gram(GM)	04/02/18
1529985	6950-53-4	2-(methylsulfanyl)ethan-1-amine hydrochloride	10	Gram(GM)	04/02/18
1529986	22572-33-4	2-(benzylthio)ethanamine hydrochloride	10	Gram(GM)	04/02/18
1529987	22572-33-4	2-(benzylthio)ethanamine hydrochloride	10	Gram(GM)	04/02/18
1494468	-	LOCKTITE 242 THREADLOCKER	0.34	Ounces(OZ)	04/02/18
1494469	-	Parts Plus SAE 10W-40 Motor Oil	1	Quarts(QT)	04/02/18
1494470	-	Parts Plus SAE 10W-40 Motor Oil	1	Quarts(QT)	04/02/18
1494471	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	04/02/18
1494472	-	GM-CHRYSLER-EUROPEAN & JAPANESE MULTI	14.1	Ounces(OZ)	04/02/18
1494473	-	KRYLON ColorMaster with Covermax Technology	12	Ounces(OZ)	04/02/18
1494474	-	STA-BIL FUEL STABILIZER	8	Ounces(OZ)	04/02/18
1494475	-	RONSON MULTI-FILL ULTRA BUTANE FUEL	5.82	Ounces(OZ)	04/02/18
1494476	-	732 MULTI-PURPOSE SEALANT	10.1	Ounces(OZ)	04/02/18
1494478	-	Valvoline HIGH PERFORMANCE SAE 75W-90	1	Quarts(QT)	04/02/18
1494479	-	Valvoline HIGH PERFORMANCE SAE 75W-90	1	Quarts(QT)	04/02/18
1494480	-	DUPLI-COLOR Acrylic Lacquer Aerosol Paint Gloss	12	Ounces(OZ)	04/02/18
1494481	-	DUPLI-COLOR Acrylic Lacquer Aerosol Paint Gloss	12	Ounces(OZ)	04/02/18
1494482	-	DUPLI-COLOR Acrylic Lacquer Aerosol Paint Gloss	12	Ounces(OZ)	04/02/18
1494483	-	DUPLI-COLOR Acrylic Lacquer Aerosol Paint Gloss	12	Ounces(OZ)	04/02/18
1494484	-	DUPLI-COLOR Acrylic Lacquer Aerosol Paint Gloss	12	Ounces(OZ)	04/02/18
1494485	-	DUPLI-COLOR Acrylic Lacquer Aerosol Paint Gloss	12	Ounces(OZ)	04/02/18
1494486	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	04/02/18
1494487	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	04/02/18
1494488	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	04/02/18
1494489	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	04/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494490	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Flat	12	Ounces(OZ)	04/02/18
1494491	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Flat	12	Ounces(OZ)	04/02/18
1494492	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Flat	12	Ounces(OZ)	04/02/18
1494493	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Flat	12	Ounces(OZ)	04/02/18
1494494	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Flat	12	Ounces(OZ)	04/02/18
1494495	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Flat	12	Ounces(OZ)	04/02/18
1494496	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Flat	12	Ounces(OZ)	04/02/18
1494497	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494498	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494499	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494500	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494501	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494502	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494503	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494504	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494505	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494506	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494507	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494508	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494509	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494510	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494511	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494512	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494513	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494514	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494515	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494516	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494517	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494518	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494519	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494520	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	04/02/18
1494521	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494522	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494523	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494524	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494525	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494526	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494527	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494528	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/02/18
1494529	-	HD 30 MOTOR OIL	1	Quarts(QT)	04/02/18
1494530	-	HD 30 MOTOR OIL	1	Quarts(QT)	04/02/18
1494531	-	Parts Plus Type F ATF	1	Quarts(QT)	04/02/18
1494532	-	Parts Plus Type F ATF	1	Quarts(QT)	04/02/18
1494533	-	Parts Plus Type F ATF	1	Quarts(QT)	04/02/18
1494534	-	Parts Plus Type F ATF	1	Quarts(QT)	04/02/18
1494535	-	POWER STEERING FLUID	1	Quarts(QT)	04/02/18
1422509	-	PSX 700 PART A(RESin)	5	Gallon(GAL)	04/02/18
1422510	-	PSX 700 PART A(RESin)	5	Gallon(GAL)	04/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1422511	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1422512	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1422513	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1422514	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1422515	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1422516	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1422517	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1422518	-	PSX 700 PART A(RE SIN)	5	Gallon(GAL)	04/02/18
1386707	-	Krazy Glue Maximum Bond Formula	5	Gram(GM)	04/02/18
1422501	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422519	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422520	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422521	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422522	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422523	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422524	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422525	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422526	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1422502	-	PSX 700 CURE US	1	Gallon(GAL)	04/02/18
1419503	-	AMERICOAT 114A RESIN	2.5	Gallon(GAL)	04/02/18
1419504	-	AMERICOAT 114A RESIN	2.5	Gallon(GAL)	04/02/18
1419505	-	AMERICOAT 114A CURE	0.5	Gallon(GAL)	04/02/18
1419506	-	AMERICOAT 114A CURE	0.5	Gallon(GAL)	04/02/18
1529976	55-91-4	DIISOPROPYL FLUOROPHOSPHATE	1	Gram(GM)	04/03/18
1530049	1266615-59-1	MES hydrate 99+%	500	Gram(GM)	04/03/18
1530050	-	TORR SEAL LOW-VAPOR PRESSURE RESIN (BASE	4	Ounces(OZ)	04/03/18
1530051	1132-61-2	3-N-MORPHOLINO PROPANESULFONIC ACID	25	Gram(GM)	04/03/18
1530052	77-86-1	TRIS(HYDROXYMETHYL)AMINOMETHANE	25	Gram(GM)	04/03/18
1530053	105-07-7	4-FORMYLBENZONITRILE	25	Gram(GM)	04/03/18
1530054	105-07-7	4-FORMYLBENZONITRILE	25	Gram(GM)	04/03/18
1530126	88189-03-1	Bismuth (III) trifluoromethanesulfonate	5	Gram(GM)	04/03/18
1530173	111-31-9	1-HEXANETHIOL	100	Milliliter(ML)	04/03/18
1530174	4799-67-1	3-(Benzyloxy)propane-1 2-diol	10	Gram(GM)	04/03/18
1530175	64-19-7	ACETIC ACID GLACIAL	500	Milliliter(ML)	04/03/18
1530176	123-91-1	1 4-DIOXANE	100	Milliliter(ML)	04/03/18
1530177	123-91-1	1 4-DIOXANE	100	Milliliter(ML)	04/03/18
1530178	7757-79-1	POTASSIUM NITRATE	500	Gram(GM)	04/03/18
1530179	7631-99-4	SODIUM NITRATE	250	Gram(GM)	04/03/18
1530180	7440-50-8	COPPER	200	Gram(GM)	04/03/18
1530181	7439-89-6	HIGH PURITY IRON	454	Gram(GM)	04/03/18
1530182	7440-31-5	TIN METAL	2	Pounds(LB)	04/03/18
1530183	-	LECOCEL COMBUSTION ACCELERATOR	5	Pounds(LB)	04/03/18
1530184	-	LECOCELL II	750	Gram(GM)	04/03/18
1530185	-	LECOCELL II	750	Gram(GM)	04/03/18
1530186	-	LECOCELL II	750	Gram(GM)	04/03/18
1530631	603-35-0	TRIPHENYLPHOSPHINE	250	Gram(GM)	04/03/18
1530632	3687-18-1	3-Amino-1-propanesulfonic acid	5	Gram(GM)	04/03/18
1530633	121-57-3	SULFANILIC ACID	25	Gram(GM)	04/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530634	107-35-7	TAURINE	25	Gram(GM)	04/03/18
1530635	112945-52-5	SILICA FUMED	100	Gram(GM)	04/03/18
1530703	25658-42-8	ZIRCONIUM NITRIDE	100	Gram(GM)	04/03/18
1530704	25658-42-8	ZIRCONIUM NITRIDE	100	Gram(GM)	04/03/18
1530705	25658-42-8	ZIRCONIUM NITRIDE	100	Gram(GM)	04/03/18
1457369	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/03/18
1494537	-	Mobil 1 5W-40	1	Gallon(GAL)	04/03/18
1494538	-	Mobil 1 5W-40	1	Gallon(GAL)	04/03/18
1494539	-	Mobil 1 5W-40	1	Gallon(GAL)	04/03/18
1494540	-	Mobil 1 5W-40	1	Gallon(GAL)	04/03/18
1494541	-	Mobil 1 5W-40	1	Gallon(GAL)	04/03/18
1494542	-	Mobil 1 5W-40	1	Gallon(GAL)	04/03/18
1494543	-	Mobil 1 5W-40	1	Gallon(GAL)	04/03/18
1494544	-	SAE 80W-90 GEAR OIL	5	Gallon(GAL)	04/03/18
1494545	-	SAE 80W-90 GEAR OIL	5	Gallon(GAL)	04/03/18
1494546	-	Service Pro Premium AW Hydraulic Oil AW 32	5	Gallon(GAL)	04/03/18
1494547	-	DIESEL FUEL SUPPLEMENT	32	Ounces(OZ)	04/03/18
1494548	-	DIESEL FUEL SUPPLEMENT	32	Ounces(OZ)	04/03/18
1508895	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/03/18
1508896	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/03/18
1508897	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/03/18
1508898	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/03/18
1508899	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/03/18
1508900	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/03/18
1508901	-	OXYGEN IN NITROGEN	34	Liters(L)	04/03/18
1485991	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485992	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485993	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485994	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485995	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485996	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485997	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485998	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485999	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1486000	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1486001	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1486002	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1486003	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1486004	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1486005	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1486006	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	04/03/18
1485627	-	FS-One Max	10	Ounces(OZ)	04/03/18
1485628	-	FS-One Max	10	Ounces(OZ)	04/03/18
1485629	-	FS-One Max	10	Ounces(OZ)	04/03/18
1485630	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486013	-	Tap Magic EP-Xtra Cutting Fluid	1	Gallon(GAL)	04/03/18
1486014	-	Tap Magic EP-Xtra Cutting Fluid	1	Gallon(GAL)	04/03/18
1486015	-	Tap Magic EP-Xtra Cutting Fluid	1	Gallon(GAL)	04/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486016	-	Tap Magic EP-Xtra Cutting Fluid	1	Gallon(GAL)	04/03/18
1486007	-	TAPMATIC NATURAL CUTTING FLUID	16	Ounces(OZ)	04/03/18
1486008	-	TAPMATIC NATURAL CUTTING FLUID	16	Ounces(OZ)	04/03/18
1486009	-	TAPMATIC NATURAL CUTTING FLUID	16	Ounces(OZ)	04/03/18
1486010	-	TAPMATIC NATURAL CUTTING FLUID	16	Ounces(OZ)	04/03/18
1486011	-	TAPMATIC NATURAL CUTTING FLUID	16	Ounces(OZ)	04/03/18
1486012	-	TAPMATIC NATURAL CUTTING FLUID	16	Ounces(OZ)	04/03/18
1486067	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486068	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486069	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486070	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486071	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486072	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486073	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486074	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486075	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486076	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486077	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486078	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486079	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486080	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486081	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486082	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486083	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486084	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486085	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486086	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486087	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486088	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486089	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486090	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486091	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486092	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486093	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486094	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486095	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486096	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486097	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486098	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486099	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486100	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486101	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486102	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486103	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486104	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486105	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486106	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486107	-	FS-One Max	10	Ounces(OZ)	04/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486108	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486109	-	FS-One Max	10	Ounces(OZ)	04/03/18
1486110	-	FS-One Max	10	Ounces(OZ)	04/03/18
1485414	-	BLASOCUT 2000	55	Gallon(GAL)	04/03/18
1485622	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	04/03/18
1485623	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	04/03/18
1485624	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	04/03/18
1485625	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	04/03/18
1485626	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	04/03/18
1506265	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/03/18
1506266	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/03/18
1383397	-	Torr Seal Hardener Part A	82	Gram(GM)	04/03/18
1485969	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485970	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485971	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485972	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485973	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485974	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485975	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485976	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485977	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485978	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485979	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485980	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485981	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485982	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485983	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485984	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485985	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485986	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485987	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485988	-	MOBIL VACUUM PUMP OIL	1	Quarts(QT)	04/04/18
1485553	-	LOCTITE 262 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485554	-	LOCTITE 262 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485555	-	LOCTITE 262 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485556	-	LOCTITE 262 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485557	-	LOCTITE 262 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485558	-	LOCTITE 262 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485413	-	TEXACO MEROPA 220	35	Pint(PT)	04/04/18
1485412	-	TEXACO MEROPA 68	35	Pounds(LB)	04/04/18
1485899	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485900	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485901	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485902	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485903	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485904	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485905	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485906	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485907	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485908	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485909	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485910	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485911	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485912	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485913	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485914	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485915	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485916	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485917	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485918	-	5 MINUTE EPOXY	1	Ounces(OZ)	04/04/18
1485834	-	LOCTITE 242 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485835	-	LOCTITE 242 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485836	-	LOCTITE 242 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485837	-	LOCTITE 242 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485838	-	LOCTITE 242 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485839	-	LOCTITE 242 THREADLOCKER	50	Milliliter(ML)	04/04/18
1485840	-	DAP 8675 SILICONE PLUS PREMIUM SILICONE	10.14	Ounces(OZ)	04/04/18
1485841	-	DAP 8675 SILICONE PLUS PREMIUM SILICONE	10.14	Ounces(OZ)	04/04/18
1485842	-	DAP 8675 SILICONE PLUS PREMIUM SILICONE	10.14	Ounces(OZ)	04/04/18
1485843	-	DAP 8675 SILICONE PLUS PREMIUM SILICONE	10.14	Ounces(OZ)	04/04/18
1485844	-	DAP 8675 SILICONE PLUS PREMIUM SILICONE	10.14	Ounces(OZ)	04/04/18
1485845	-	DAP 8675 SILICONE PLUS PREMIUM SILICONE	10.14	Ounces(OZ)	04/04/18
1485823	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485824	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485825	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485826	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485827	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485828	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485829	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485830	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485831	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485832	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485756	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485757	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485758	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485759	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485760	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485761	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485762	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485763	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485764	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485765	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485766	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485767	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485768	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485769	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485770	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485771	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485772	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485773	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485774	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485833	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/04/18
1485621	-	VACTRA II OIL	55	Gallon(GAL)	04/04/18
1457301	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457302	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457303	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457304	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457305	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457306	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457307	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457308	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457309	-	PAINT THINNER	1	Gallon(GAL)	04/04/18
1457310	-	CUTTING LUBRICANT	15	Ounces(OZ)	04/04/18
1457311	-	CUTTING LUBRICANT	15	Ounces(OZ)	04/04/18
1457312	-	CUTTING LUBRICANT	15	Ounces(OZ)	04/04/18
1457313	-	CUTTING LUBRICANT	13	Ounces(OZ)	04/04/18
1457314	-	CUTTING LUBRICANT	13	Ounces(OZ)	04/04/18
1457315	-	CUTTING LUBRICANT	13	Ounces(OZ)	04/04/18
1457316	-	GREASE VACUUM	5.3	Ounces(OZ)	04/04/18
1457317	-	GREASE VACUUM	5.3	Ounces(OZ)	04/04/18
1457318	-	GREASE VACUUM	5.3	Ounces(OZ)	04/04/18
1457319	-	GREASE VACUUM	5.3	Ounces(OZ)	04/04/18
1457320	-	GREASE VACUUM	5.3	Ounces(OZ)	04/04/18
958538	-	MOBIL DTE 24 HYDRAULIC OIL	5	Gallon(GAL)	04/04/18
958539	-	MOBIL DTE 24 HYDRAULIC OIL	5	Gallon(GAL)	04/04/18
0	-	KRYLON UPSIDE DOWN MARKING PAINT	12	Ounces(OZ)	04/04/18
1496698	513-49-5	(S)-SEC-BUTYLAMINE	12	Ounces(OZ)	04/04/18
1331393	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331394	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331395	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331396	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331397	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331398	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331467	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331468	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331469	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331470	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331471	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331472	-	KRYLON HIGH HEAT SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331473	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331474	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331475	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331476	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331477	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1331478	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331479	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331480	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331481	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331482	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331483	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331484	-	OSHA 2116 SAFETY RED	12	Ounces(OZ)	04/04/18
1331455	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331456	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331457	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331458	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331459	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331460	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331461	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331462	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331463	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331464	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331465	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331466	-	KRYLON WHITE SPRAY PAINT 3001	12	Ounces(OZ)	04/04/18
1331431	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331432	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331433	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331434	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331435	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331436	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331437	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331438	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331439	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331440	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331441	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331442	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331443	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331444	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331445	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331446	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331447	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331448	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331449	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331450	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331451	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331452	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331453	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331454	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331485	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331486	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331487	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331488	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331489	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1331490	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331491	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331492	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331493	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331494	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331495	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331496	-	KRYLON SPRAY PAINT	12	Ounces(OZ)	04/04/18
1331497	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331498	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331499	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331500	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331501	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331502	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331503	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331504	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331505	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331506	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331507	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331508	-	RUSTTOUGH	15	Ounces(OZ)	04/04/18
1331399	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331400	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331401	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331402	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331403	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331404	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331405	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331406	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331407	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331408	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331409	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331410	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331411	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331412	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331413	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331414	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331415	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331416	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331417	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331418	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331419	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331420	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331421	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331422	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331423	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331424	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331425	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331426	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331427	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1331428	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331429	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1331430	-	3M SUPER 77 SPRAY ADHESIVE	16.75	Ounces(OZ)	04/04/18
1530187	2809-69-0	2 4-Hexadiyne	10	Gram(GM)	04/05/18
1530188	67-64-1	ACETONE FOR HPLC	1	Liters(L)	04/05/18
1530189	67-64-1	ACETONE FOR HPLC	1	Liters(L)	04/05/18
1530190	67-64-1	ACETONE FOR HPLC	1	Liters(L)	04/05/18
1530191	67-64-1	ACETONE FOR HPLC	1	Liters(L)	04/05/18
1530192	7697-37-2	NexION KED Mode Setup Solution	500	Milliliter(ML)	04/05/18
1530193	497-19-8	SODIUM CARBONATE ANHYDROUS	500	Gram(GM)	04/05/18
1530194	109-74-0	BUTYRONITRILE	100	Milliliter(ML)	04/05/18
1530637	301-10-0	TIN (II) 2-ETHYLHEXANOATE	250	Gram(GM)	04/05/18
1530638	7778-80-5	POTASSIUM SULFATE	250	Gram(GM)	04/05/18
1530639	7789-00-6	POTASSIUM CHROMATE	100	Gram(GM)	04/05/18
1530640	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530641	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530642	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530643	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530644	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530645	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530646	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530647	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530648	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530649	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530650	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1530651	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/05/18
1383398	-	CRYSTAL CLEAR SPRAY PAINT	12	Ounces(OZ)	04/05/18
1383399	-	CRYSTAL CLEAR SPRAY PAINT	12	Ounces(OZ)	04/05/18
1383400	-	CRYSTAL CLEAR SPRAY PAINT	12	Ounces(OZ)	04/05/18
1383401	-	CRYSTAL CLEAR SPRAY PAINT	12	Ounces(OZ)	04/05/18
1383402	-	CRYSTAL CLEAR SPRAY PAINT	12	Ounces(OZ)	04/05/18
1383403	-	CRYSTAL CLEAR SPRAY PAINT	12	Ounces(OZ)	04/05/18
1383404	-	SAFETY YELLOW PAINT	15	Ounces(OZ)	04/05/18
1383405	-	SAFETY YELLOW PAINT	15	Ounces(OZ)	04/05/18
1383406	-	SAFETY YELLOW PAINT	15	Ounces(OZ)	04/05/18
1383407	-	SAFETY YELLOW PAINT	15	Ounces(OZ)	04/05/18
1383408	-	SAFETY YELLOW PAINT	15	Ounces(OZ)	04/05/18
1383409	-	SAFETY YELLOW PAINT	15	Ounces(OZ)	04/05/18
1508902	-	3PPM CHLORINE IN NITROGEN	58	Liters(L)	04/05/18
1508903	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508904	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508905	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508906	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508907	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508908	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508909	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508910	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508911	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508912	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508913	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508914	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508915	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508916	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508917	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508918	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508919	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508920	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508921	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508922	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508923	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508924	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508925	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508926	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508927	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508928	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508929	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508930	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508931	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508932	-	Nitrogen UHP	220	Cubic Feet(CF)	04/05/18
1508933	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508934	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508935	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508936	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508937	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508938	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508939	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508940	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508941	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508942	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508943	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508944	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508945	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508946	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508947	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508948	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508949	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508950	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508951	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508952	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508953	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508954	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508955	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508956	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508957	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508958	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508959	-	Argon UHP	220	Cubic Feet(CF)	04/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1508960	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508961	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508962	-	Argon UHP	220	Cubic Feet(CF)	04/05/18
1508963	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508964	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508965	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508966	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508967	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508968	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508969	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508970	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508971	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508972	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508973	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508974	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508975	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508976	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508977	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508978	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508979	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508980	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	04/05/18
1508981	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508982	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508983	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508984	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508985	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508986	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508987	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508988	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508989	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508990	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508991	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508992	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508993	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508994	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508995	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508996	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508997	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508998	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1508999	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509000	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509001	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509002	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509003	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509004	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509005	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509006	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509007	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509008	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509009	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509010	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/05/18
1509011	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509012	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509013	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509014	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509015	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509016	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509017	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509018	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509019	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509020	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509021	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509022	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509023	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509024	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509025	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/05/18
1509026	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/05/18
1509027	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/05/18
1509028	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/05/18
1509029	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/05/18
1509030	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/05/18
1509031	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/05/18
1509032	124-38-9	CARBON DIOXIDE GAS	50	Pounds(LB)	04/05/18
1509033	124-38-9	CARBON DIOXIDE GAS	50	Pounds(LB)	04/05/18
1509034	7782-44-7	OXYGEN COMPRESSED GAS	60	Cubic Feet(CF)	04/05/18
1509035	7782-44-7	OXYGEN COMPRESSED GAS	60	Cubic Feet(CF)	04/05/18
1509036	7782-44-7	OXYGEN COMPRESSED GAS	60	Cubic Feet(CF)	04/05/18
1509037	7782-44-7	OXYGEN COMPRESSED GAS	60	Cubic Feet(CF)	04/05/18
1468223	-	CLOROX	1	Gallon(GAL)	04/05/18
1509038	7782-44-7	OXYGEN COMPRESSED GAS	40	Cubic Feet(CF)	04/05/18
1509039	7782-44-7	OXYGEN COMPRESSED GAS	40	Cubic Feet(CF)	04/05/18
1509040	-	CARBON MONOXIDE 10% HYROGEN 40% IN	220	Cubic Feet(CF)	04/05/18
1454001	-	Red Waterborne Traffic L/F Fast Dry UC-5503v	5	Gallon(GAL)	04/05/18
1453999	-	Red Waterborne Traffic L/F Fast Dry UC-5503v	5	Gallon(GAL)	04/05/18
1454000	-	Red Waterborne Traffic L/F Fast Dry UC-5503v	5	Gallon(GAL)	04/05/18
1476448	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476449	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476450	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476451	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476452	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476453	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476454	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476455	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476456	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476457	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476458	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476459	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476460	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476461	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476462	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476463	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476464	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476465	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476466	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476467	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476468	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476469	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476470	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476471	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476472	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476473	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476474	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476475	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476476	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476477	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476478	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476479	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476480	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476481	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476482	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476483	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476484	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1476485	-	QUIKCRETE CONCRETE	60	Pounds(LB)	04/05/18
1454035	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18
1453993	-	Blue Waterborne Traffic L/F Fast Dry	5	Gallon(GAL)	04/05/18
1453994	-	Blue Waterborne Traffic L/F Fast Dry	5	Gallon(GAL)	04/05/18
1453995	-	Blue Waterborne Traffic L/F Fast Dry	5	Gallon(GAL)	04/05/18
1476308	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476309	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476310	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476311	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476312	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476313	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476314	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476315	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476316	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1476317	-	CONCRETE MIX	60	Pounds(LB)	04/05/18
1454036	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18
1454037	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18
1454038	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18
1453998	-	LEAD FREE YELLOW WATER BORNE TRAFFIC	5	Gallon(GAL)	04/05/18
1453996	-	LEAD FREE YELLOW WATER BORNE TRAFFIC	5	Gallon(GAL)	04/05/18
1387139	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18
1387140	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1387390	-	PERMACRYL INTERIOR FLAT WHITE BASE	5	Gallon(GAL)	04/05/18
1387062	-	BLUE TRAFFIC PAINT	5	Gallon(GAL)	04/05/18
1387081	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18
1387381	-	Weather-Plate Ext Flat W/B	5	Gallon(GAL)	04/05/18
1387389	-	PERMACRYL INT. FLAT WHITE BASE	5	Gallon(GAL)	04/05/18
127009	-	GLASS CLEANER	32	Ounces(OZ)	04/06/18
1270009	-	GLASS CLEANER	32	Ounces(OZ)	04/06/18
1270010	-	GLASS CLEANER	32	Ounces(OZ)	04/06/18
1270000	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1270001	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1270002	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1270003	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1270004	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1270005	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1270006	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1270007	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/06/18
1269997	63148-62-9	POLYDIMETHYLSILOXANE	5.3	Ounces(OZ)	04/06/18
1269998	63148-62-9	POLYDIMETHYLSILOXANE	5.3	Ounces(OZ)	04/06/18
1270011	-	GLASS CLEANER	32	Ounces(OZ)	04/06/18
1269999	-	3 IN 1 OIL	3	Ounces(OZ)	04/06/18
1270008	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	04/06/18
1455517	-	VERO YELLOW RGD836	1.44	Kilograms(KG)	04/06/18
1455518	-	VERO YELLOW RGD836	1.44	Kilograms(KG)	04/06/18
1455515	-	VERO MAGENTA RGD851	1.44	Kilograms(KG)	04/06/18
1455516	-	VERO MAGENTA RGD851	1.44	Kilograms(KG)	04/06/18
1455497	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455498	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455499	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455500	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455501	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455502	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455503	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455504	-	OBJET SUPPORT SUP705	3.6	Kilograms(KG)	04/06/18
1455507	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	04/06/18
1455508	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	04/06/18
1455509	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	04/06/18
1455510	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	04/06/18
1455511	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	04/06/18
1455512	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	04/06/18
1455513	-	VEROCYAN RGD843	1.44	Kilograms(KG)	04/06/18
1455514	-	VEROCYAN RGD843	1.44	Kilograms(KG)	04/06/18
1530652	7681-57-4	SODIUM META-BISULFITE	10000	Gram(GM)	04/09/18
1530653	7681-57-4	SODIUM META-BISULFITE	10000	Gram(GM)	04/09/18
1530654	7681-57-4	SODIUM META-BISULFITE	10000	Gram(GM)	04/09/18
1530658	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	04/09/18
1530659	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	04/09/18
1530660	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	04/09/18
1530661	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530662	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	04/09/18
1530706	Multi	FAST DNA SPIN KIT FOR SOIL	50	Milliliter(ML)	04/09/18
1530707	Multi	FAST DNA SPIN KIT FOR SOIL	50	Milliliter(ML)	04/09/18
1530708	7761-88-8	SILVER NITRATE	25	Gram(GM)	04/09/18
1530709	7782-40-3	DIAMOND DUST	200	Gram(GM)	04/09/18
1530710	7782-40-3	DIAMOND DUST	200	Gram(GM)	04/09/18
1530711	7782-40-3	DIAMOND DUST	200	Gram(GM)	04/09/18
1530712	1309-48-4	MAGNESIUM OXIDE	100	Gram(GM)	04/09/18
1530713	103-90-2	4-Acetamidophenol	1000	Gram(GM)	04/09/18
1530775	127-19-5	N N-DIMETHYLACETAMIDE	100	Milliliter(ML)	04/09/18
1530776	127-19-5	N N-DIMETHYLACETAMIDE	100	Milliliter(ML)	04/09/18
1530777	67-68-5	DIMETHYL SULFOXIDE	100	Milliliter(ML)	04/09/18
1530778	67-68-5	DIMETHYL SULFOXIDE	100	Milliliter(ML)	04/09/18
1530779	37366-09-9	Benzeneruthenium(II) chloride dimer	2	Gram(GM)	04/09/18
1455505	-	TANGOPLUS FLX930	3.6	Kilograms(KG)	04/09/18
1455506	-	TANGOPLUS FLX930	3.6	Kilograms(KG)	04/09/18
1455519	-	TANGOBBLACK FLX973	3.6	Kilograms(KG)	04/09/18
1457386	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/09/18
1455520	-	TANGOBBLACK FLX973	3.6	Kilograms(KG)	04/09/18
1455521	-	TANGOBBLACK FLX973	3.6	Kilograms(KG)	04/09/18
1457387	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/09/18
1457388	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/09/18
1457389	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/09/18
1457390	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/09/18
1457391	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/09/18
1529886	-	Ammonium-Nitrogen for IC	500	Milliliter(ML)	04/09/18
1529887	-	Nitrogen from NH4Cl	500	Milliliter(ML)	04/09/18
1530195	71-48-7	COBALT(II) ACETATE	10	Gram(GM)	04/09/18
1530196	21679-46-9	COBALT (III) ACETYLACETONATE	5	Gram(GM)	04/09/18
1383416	-	ACRYLIC PRIMER	1	Gallon(GAL)	04/09/18
1530197	7646-79-9	COBALT(II) CHLORIDE	100	Gram(GM)	04/09/18
1383417	-	ACRYLIC PRIMER	1	Gallon(GAL)	04/09/18
1530198	14024-48-7	COBALT(II) ACETYLACETONATE	50	Gram(GM)	04/09/18
1530411	7664-39-3	HYDROFLUORIC ACID OPTIMA	1	Liters(L)	04/09/18
1530412	7664-39-3	HYDROFLUORIC ACID OPTIMA	1	Liters(L)	04/09/18
1530413	7664-39-3	HYDROFLUORIC ACID OPTIMA	1	Liters(L)	04/09/18
1530414	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/09/18
1530663	64-17-5	ALCOHOL ANHYDROUS REAGENT	4	Liters(L)	04/09/18
1530664	64-17-5	ALCOHOL ANHYDROUS REAGENT	4	Liters(L)	04/09/18
1530665	64-17-5	ALCOHOL ANHYDROUS REAGENT	4	Liters(L)	04/09/18
1530666	64-17-5	ALCOHOL ANHYDROUS REAGENT	4	Liters(L)	04/09/18
1530667	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	04/09/18
1530668	64-17-5	ETHYL ALCOHOL 200 PROOF	1	Gallon(GAL)	04/09/18
1530669	67-56-1	METHANOL	1	Liters(L)	04/09/18
1530670	67-56-1	METHANOL	1	Liters(L)	04/09/18
1530671	67-56-1	METHANOL	1	Liters(L)	04/09/18
1530672	67-56-1	METHANOL	1	Liters(L)	04/09/18
1530673	67-56-1	METHANOL	1	Liters(L)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530674	67-56-1	METHANOL	1	Liters(L)	04/09/18
1530714	1313-85-5	SODIUM SELENIDE	1	Gram(GM)	04/09/18
1530715	1313-85-5	SODIUM SELENIDE	1	Gram(GM)	04/09/18
1530716	1303-96-4	SODIUM BORATE DECAHYDRATE	2.5	Kilograms(KG)	04/09/18
1530717	67-64-1	ACETONE	1	Liters(L)	04/09/18
1530718	7664-39-3	HYDROFLUORIC ACID OPTIMA	250	Milliliter(ML)	04/09/18
1530719	108-88-3	TOLUENE	500	Milliliter(ML)	04/09/18
1530720	108-88-3	TOLUENE	500	Milliliter(ML)	04/09/18
1530727	67-63-0	2-PROPANOL	4	Liters(L)	04/09/18
1472881	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472882	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472883	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472884	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472885	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472886	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472887	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472888	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472889	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472890	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472891	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472892	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472893	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472894	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472895	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472896	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472897	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472898	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472899	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472900	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472901	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472902	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472903	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472904	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1472905	-	CONCRETE MIX	60	Pounds(LB)	04/09/18
1383418	-	RUSH-OLEUM DTM ACRYLIC ENAMEL	1	Gallon(GAL)	04/09/18
1383419	-	RUSH-OLEUM DTM ACRYLIC ENAMEL	1	Gallon(GAL)	04/09/18
1530780	1493-13-6	TRIFLUOROMETHANESULFONIC ACID (TRIFLIC	10	Milliliter(ML)	04/09/18
1530781	1493-13-6	TRIFLUOROMETHANESULFONIC ACID (TRIFLIC	10	Milliliter(ML)	04/09/18
1530782	1493-13-6	TRIFLUOROMETHANESULFONIC ACID (TRIFLIC	10	Milliliter(ML)	04/09/18
1530783	1493-13-6	TRIFLUOROMETHANESULFONIC ACID (TRIFLIC	10	Milliliter(ML)	04/09/18
1530784	1493-13-6	TRIFLUOROMETHANESULFONIC ACID (TRIFLIC	10	Milliliter(ML)	04/09/18
1530785	109425-51-6	FMOC-L-HIS(TRT)-OH	100	Gram(GM)	04/09/18
1530786	86088-83-7	FIBRONECTIN	5	MicroGram(UG	04/09/18
1475935	-	SYNTHETIC SAWING COOLANT	1	Gallon(GAL)	04/09/18
1486114	-	BLASOCUT 2000	5	Gallon(GAL)	04/09/18
1486115	-	BLASOCUT 2000	5	Gallon(GAL)	04/09/18
1486116	-	BLASOCUT 2000	5	Gallon(GAL)	04/09/18
1475934	-	SYNTHETIC SAWING COOLANT	1	Gallon(GAL)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530675	-	DESS-MARTIN PERIODINANE	25	Gram(GM)	04/09/18
1530676	-	DESS-MARTIN PERIODINANE	25	Gram(GM)	04/09/18
1530677	-	DESS-MARTIN PERIODINANE	25	Gram(GM)	04/09/18
1530678	-	DESS-MARTIN PERIODINANE	25	Gram(GM)	04/09/18
1476275	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476276	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476277	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476278	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476279	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476280	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476281	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476282	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476283	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476284	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476285	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476286	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476287	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476288	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476289	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476290	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476291	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476292	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476293	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476294	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476295	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476296	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1476297	-	Lysol Disinfectant Cleaner	12.5	Ounces(OZ)	04/09/18
1530679	-	Silver/Copper Powder	200	Gram(GM)	04/09/18
1530680	56183-63-2	BIS(DIISOPROPYLAMINO)CHLOROPHOSPHINE	5	Gram(GM)	04/09/18
1530681	56183-63-2	BIS(DIISOPROPYLAMINO)CHLOROPHOSPHINE	5	Gram(GM)	04/09/18
1530682	56183-63-2	BIS(DIISOPROPYLAMINO)CHLOROPHOSPHINE	5	Gram(GM)	04/09/18
1530683	56183-63-2	BIS(DIISOPROPYLAMINO)CHLOROPHOSPHINE	5	Gram(GM)	04/09/18
1530684	149-73-5	TRIMETHYL ORTHOFORMATE	1	Liters(L)	04/09/18
1530685	103-90-2	4-Acetamidophenol	1	Kilograms(KG)	04/09/18
1530728	5796-98-5	BIS(TRIMETHYLSILYL)PEROXIDE	10	Gram(GM)	04/09/18
1530730	112-90-3	OLEYLAMINE	100	Milliliter(ML)	04/09/18
1530731	112-90-3	OLEYLAMINE	100	Milliliter(ML)	04/09/18
1530732	64741-88-4	IVP-200	1	Gallon(GAL)	04/09/18
1530733	21850-30-6	1-(trans-2-Phenylethenyl)-4-	1	Gram(GM)	04/09/18
1530734	21850-30-6	1-(trans-2-Phenylethenyl)-4-	1	Gram(GM)	04/09/18
1530787	-	DETERGENT 8	1	Gallon(GAL)	04/09/18
1530788	-	DETERGENT 8	1	Gallon(GAL)	04/09/18
1530789	-	DETERGENT 8	1	Gallon(GAL)	04/09/18
1530790	-	DETERGENT 8	1	Gallon(GAL)	04/09/18
1530791	-	DETERGENT 8	1	Gallon(GAL)	04/09/18
1530792	-	4% PARAFORMALDEHYDE IN PBS	500	Milliliter(ML)	04/09/18
1530793	60-54-8	TETRACYCLINE	25	Gram(GM)	04/09/18
1530794	-	SUPER EPOXY	0.14	Ounces(OZ)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530795	-	SUPER EPOXY	0.14	Ounces(OZ)	04/09/18
1530796	-	SUPER EPOXY	0.14	Ounces(OZ)	04/09/18
1530797	34722-90-2	BROMOTHYMOL BLUE SODIUM SALT	500	Milliliter(ML)	04/09/18
1530798	64-17-5	ETHANOL (ETHYL ALCOHOL)	2.5	Liters(L)	04/09/18
1530799	64-17-5	ETHANOL (ETHYL ALCOHOL)	2.5	Liters(L)	04/09/18
1530800	64-17-5	ETHANOL (ETHYL ALCOHOL)	2.5	Liters(L)	04/09/18
1530801	64-17-5	ETHANOL (ETHYL ALCOHOL)	2.5	Liters(L)	04/09/18
1530802	-	COOLUBE 2210	1	Gallon(GAL)	04/09/18
1530803	-	COOLUBE 2210	1	Gallon(GAL)	04/09/18
1457392	7705-08-0	FERRIC CHLORIDE	3400	Pounds(LB)	04/09/18
1432636	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432637	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432638	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432639	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432640	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432641	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432642	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432643	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432644	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432645	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432646	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432647	-	TRU-BLU	0.5	Pint(PT)	04/09/18
1432621	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432622	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432623	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432624	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432625	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432626	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432627	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432628	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432629	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432630	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432631	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432632	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432633	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432634	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432635	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432619	-	Rectorseek Low-Temp Leak Detector	8	Ounces(OZ)	04/09/18
1432620	-	SUPER 77 MULTIPURPOSE ADHESIVE	16.75	Ounces(OZ)	04/09/18
1432618	-	SUPER 77 MULTIPURPOSE ADHESIVE	16.75	Ounces(OZ)	04/09/18
1432617	-	Rectorseek Low-Temp Leak Detector	8	Ounces(OZ)	04/09/18
1432611	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	04/09/18
1432612	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	04/09/18
1432613	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	04/09/18
1432614	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	04/09/18
1432615	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	04/09/18
1432616	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	04/09/18
1432591	-	silvabrite 100	1	Pounds(LB)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432592	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432593	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432594	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432595	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432596	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432597	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432598	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432599	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432600	-	silvabrite 100	1	Pounds(LB)	04/09/18
1432601	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432602	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432603	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432604	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432605	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432606	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432607	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432608	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432609	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432610	-	NOKORODE REGULAR PASTE FLUX	16	Ounces(OZ)	04/09/18
1432563	-	HERCULES PURPLE PVC PRIMER	1	Quarts(QT)	04/09/18
1432562	-	HERCULES CLEAR PVC PIPE CEMENT	1	Quarts(QT)	04/09/18
1432589	-	Megaloc	0.5	Pint(PT)	04/09/18
1432590	-	Megaloc	0.5	Pint(PT)	04/09/18
1432586	-	NOKORODE REGULAR PASTE FLUX	1.7	Ounces(OZ)	04/09/18
1432587	-	NOKORODE REGULAR PASTE FLUX	1.7	Ounces(OZ)	04/09/18
1432588	-	NOKORODE REGULAR PASTE FLUX	1.7	Ounces(OZ)	04/09/18
1432584	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432585	-	Bridgit Lead Free Solder	1	Pounds(LB)	04/09/18
1432564	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432565	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432566	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432567	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432568	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432569	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432570	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432571	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432572	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432573	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432574	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432575	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432576	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432577	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432578	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432579	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432580	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432581	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432582	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18
1432583	-	Rectorseek Low-Temp Leak Detector	1	Gallon(GAL)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1420179	-	7 RELEASE COMPOUND	150	Gram(GM)	04/09/18
1420180	-	7 RELEASE COMPOUND	150	Gram(GM)	04/09/18
1420183	-	7 RELEASE COMPOUND	150	Gram(GM)	04/09/18
1420184	-	7 RELEASE COMPOUND	150	Gram(GM)	04/09/18
1420186	-	7 RELEASE COMPOUND	150	Gram(GM)	04/09/18
1420187	-	7 RELEASE COMPOUND	150	Gram(GM)	04/09/18
1497151	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497152	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497153	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497154	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497155	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497156	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497157	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497158	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497159	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497160	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497161	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497162	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497163	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497164	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497165	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497166	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497167	-	3M Hi-Strength Spray Adhesive 90	17.6	Ounces(OZ)	04/09/18
1497168	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497169	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497170	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497171	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497172	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497173	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497174	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497175	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497176	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497177	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497178	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497179	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497180	-	SIKAFLEX 15LM	10.1	Ounces(OZ)	04/09/18
1497181	-	LIQUID NAILS HEAVY DUTY	10	Ounces(OZ)	04/09/18
1497182	-	LIQUID NAILS HEAVY DUTY	10	Ounces(OZ)	04/09/18
1497183	-	LIQUID NAILS HEAVY DUTY	10	Ounces(OZ)	04/09/18
1497184	-	LIQUID NAILS HEAVY DUTY	10	Ounces(OZ)	04/09/18
1497185	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1453042	-	OBJET Support SUP706	1	Kilograms(KG)	04/09/18
1453043	-	OBJET Support SUP706	1	Kilograms(KG)	04/09/18
1497186	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497187	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497188	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497189	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497190	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497191	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497192	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497193	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497194	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497195	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1497196	-	KRYLON PROFESSIONAL Water-Based Marking	15	Ounces(OZ)	04/09/18
1453044	-	OBJET VEROBLACKPLUS RGD875	1	Kilograms(KG)	04/09/18
1453045	-	OBJET VEROBLACKPLUS RGD875	1	Kilograms(KG)	04/09/18
1453046	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/09/18
1453047	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/09/18
1453048	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/09/18
1453049	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/09/18
1497197	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/09/18
1497198	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/09/18
1530686	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530687	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530688	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530689	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530690	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530691	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530692	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530693	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530694	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530695	-	ULTIMA GOLD	10	Liters(L)	04/09/18
1530696	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/09/18
1530697	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/09/18
1530698	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/09/18
1530699	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/09/18
1530700	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/09/18
1530701	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/09/18
1530735	64697-40-1	1-Methyl-3-octylimidazolium chloride	100	Gram(GM)	04/09/18
1530736	79917-89-8	1-Methyl-3-propylimidazolium chloride	100	Gram(GM)	04/09/18
1530737	171058-18-7	1-DECYL-3-METHYLIMIDAZOLIUM CHLORIDE	100	Gram(GM)	04/09/18
1530738	79917-90-1	1-BUTYL-3-METHYLIMIDAZOLIUM CHLORIDE	100	Gram(GM)	04/09/18
1530739	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	04/09/18
1530804	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	04/09/18
1530805	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	04/09/18
1530806	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	04/09/18
1530807	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	04/09/18
1530808	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	04/09/18
1530809	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	04/09/18
1530810	13494-80-9	TELLURIUM POWDER	25	Gram(GM)	04/09/18
1530811	81995-09-7	1-Dodecyl-3-methylimidazolium iodide	5	Gram(GM)	04/09/18
1530812	171058-18-7	1-DECYL-3-METHYLIMIDAZOLIUM CHLORIDE	5	Gram(GM)	04/09/18
1530813	171058-18-7	1-DECYL-3-METHYLIMIDAZOLIUM CHLORIDE	5	Gram(GM)	04/09/18
1457393	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/09/18
1476601	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	04/09/18
1476602	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	04/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476603	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	04/09/18
1476604	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	04/09/18
1476605	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	04/09/18
1476606	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	04/09/18
1476318	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476319	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476320	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476321	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476322	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476323	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476324	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476325	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476326	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476327	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476328	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476329	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476330	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476331	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476332	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476333	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476334	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476335	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476336	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476337	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476338	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476339	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476340	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476341	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1476342	-	SASHCO BIG STRETCH SEALER	10.5	Ounces(OZ)	04/09/18
1454094	-	Permacryl Int. Latex Semi-Gloss W/B DS-1571	1	Gallon(GAL)	04/09/18
1387093	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	1	Gallon(GAL)	04/09/18
1387241	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	1	Gallon(GAL)	04/09/18
1454093	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	1	Gallon(GAL)	04/09/18
1530702	811-98-3	METHANOL D4	100	Gram(GM)	04/10/18
1530740	63-74-1	SULFANILAMIDE	100	Gram(GM)	04/10/18
1530741	7440-48-4	COBALT	100	Gram(GM)	04/10/18
1530742	7758-89-6	COPPER(I) CHLORIDE	25	Gram(GM)	04/10/18
1530743	7447-39-4	COPPER (II) CHLORIDE 99.999%	25	Gram(GM)	04/10/18
1530744	373-68-2	TETRAMETHYLAMMONIUM FLUORIDE	5	Gram(GM)	04/10/18
1530745	39339-85-0	Fluoride on polymer support	10	Gram(GM)	04/10/18
1530746	207300-76-3	Glycine Sodium Salt Hydrate	100	Gram(GM)	04/10/18
1530747	6485-79-6	TRIISOPROPYLSILANE	100	Milliliter(ML)	04/10/18
1530748	25114-58-3	INDIUM (III) ACETATE	25	Gram(GM)	04/10/18
1530814	56-81-5	E-GEL	20	Microliter	04/10/18
1530815	1119-72-8	cis cis-Muconic acid	5	Gram(GM)	04/10/18
1530816	24964-91-8	TRIS(4-BROMOPHENYL)AMINIUM HEXACHLORO-	5	Gram(GM)	04/10/18
1530817	80-62-6	METHYL METHACRYLATE	2	Liters(L)	04/10/18
1530820	95-45-4	DIMETHYLGLYOXIME	100	Gram(GM)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530847	78-10-4	TETRAETHYL ORTHOSILICATE	4	Liters(L)	04/10/18
1530848	78-10-4	TETRAETHYL ORTHOSILICATE	100	Milliliter(ML)	04/10/18
1530849	100-66-3	ANISOLE ANHYDROUS	100	Milliliter(ML)	04/10/18
1530850	100-66-3	ANISOLE ANHYDROUS	100	Milliliter(ML)	04/10/18
1494549	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494550	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494551	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494552	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494553	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494554	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494555	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494556	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494557	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494558	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494559	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494560	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494561	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494562	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494563	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494564	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494565	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494566	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494567	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494568	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494569	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494570	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494571	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494572	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494573	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494574	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494575	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494576	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494577	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494578	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494579	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494580	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494581	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494582	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494583	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494584	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494585	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494586	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494587	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494588	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494589	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494590	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494591	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494592	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494593	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494594	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494595	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494596	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494597	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494598	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494599	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494600	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494601	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494602	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494603	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494604	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494605	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494606	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494607	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494608	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494609	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494610	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494611	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1284782	-	LOCTITE 262 THREADLOCKER	50	Milliliter(ML)	04/10/18
1494613	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494614	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494615	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494616	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494617	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494618	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494619	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494620	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494621	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494622	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494623	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494624	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494625	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494626	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494627	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494628	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494629	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494630	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494631	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494632	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494633	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494634	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494635	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494636	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494637	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494638	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494639	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494640	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494641	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494642	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494643	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494644	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494645	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494646	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494647	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494648	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494649	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494650	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494651	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494652	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494653	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494654	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494655	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494656	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494657	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494658	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494659	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494660	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494661	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494662	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494663	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494664	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494665	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494666	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494667	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494668	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494669	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494670	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494671	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494672	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494673	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494674	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494675	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494676	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494677	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494678	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494679	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1494680	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1476439	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1476440	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1476441	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1476442	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1476443	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1476444	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1476445	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1476446	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476447	-	CONCRET BONDING ADHESIVE	1	Gallon(GAL)	04/10/18
1494681	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494682	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494683	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494684	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494685	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494686	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494687	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494688	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494689	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494690	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494691	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494692	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494693	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494694	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494695	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494696	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494697	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494698	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494699	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494700	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494701	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494702	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494703	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494704	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494705	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494706	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494707	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494708	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494709	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494710	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494711	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494712	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494713	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494714	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494715	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494716	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494717	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494718	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494719	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494720	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494721	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494722	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494723	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494724	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494725	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494726	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494727	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494728	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494729	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494730	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494731	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494732	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494733	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494734	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494735	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494736	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494737	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494738	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494739	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494740	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494741	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494742	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494743	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494744	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494745	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494746	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494747	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494748	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494749	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494750	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494751	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494752	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494753	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494754	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494755	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494756	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494757	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494758	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494759	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494760	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494761	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494762	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494763	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494764	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494765	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494766	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494767	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494768	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494769	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494770	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494771	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494772	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494773	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494774	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494775	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494776	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494777	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494778	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494779	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1420202	-	7 RELEASE COMPOUND	150	Gram(GM)	04/10/18
1494780	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1420201	-	7 RELEASE COMPOUND	150	Gram(GM)	04/10/18
1494781	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494782	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494783	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494784	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494785	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494786	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494787	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494788	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494789	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494790	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494791	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494792	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494793	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494794	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494795	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494796	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494797	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494798	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494799	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494800	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494801	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494802	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494803	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494804	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494805	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494806	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494807	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494808	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494809	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494810	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494811	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494812	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494813	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494814	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494815	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494816	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494817	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494818	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494819	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494820	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494821	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494822	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494823	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494824	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494825	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494826	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494827	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494828	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494829	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494830	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494831	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494832	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494833	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494834	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494835	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494836	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494837	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494838	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494839	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494840	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494841	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494842	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494843	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494844	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494845	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494846	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494847	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494848	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494849	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494850	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494851	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494852	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494853	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494854	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494855	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494856	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494857	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494858	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494859	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494860	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494861	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494862	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494863	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494864	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494865	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494866	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494867	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494868	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494869	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494870	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494871	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494872	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494873	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494874	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494875	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494876	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494877	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494878	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494879	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494880	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494881	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494882	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494883	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494884	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494885	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494886	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494887	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494888	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494889	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494890	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494891	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494892	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494893	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494894	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494895	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494896	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494897	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494898	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494899	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494900	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494901	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494902	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494903	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494904	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494905	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494906	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494907	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494908	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1494909	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	04/10/18
1509041	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/10/18
1509042	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/10/18
1509043	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/10/18
1476491	-	Sikalastic 710 Base	5	Gallon(GAL)	04/10/18
1476492	-	Sikalastic 710 Base	5	Gallon(GAL)	04/10/18
1419917	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/10/18
1387193	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1387195	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1387196	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1387194	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1496699	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496700	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496701	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496702	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496703	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496704	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496705	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496706	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496707	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496708	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496709	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496710	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496711	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496712	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496713	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496714	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496715	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496716	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496717	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1496718	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1497085	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1497086	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1497087	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1497088	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1497089	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1497090	-	Pyroil CARB & THROTTLE BODY CLEANER PYC16	13	Ounces(OZ)	04/10/18
1387231	-	ZINSSER 123 BULLSEYE PRIMER	1	Gallon(GAL)	04/10/18
1387232	-	ZINSSER 123 BULLSEYE PRIMER	1	Gallon(GAL)	04/10/18
1387233	-	ZINSSER 123 BULLSEYE PRIMER	1	Gallon(GAL)	04/10/18
1387234	-	ZINSSER 123 BULLSEYE PRIMER	1	Gallon(GAL)	04/10/18
1454052	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	04/10/18
1454053	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	04/10/18
1454054	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	04/10/18
1453959	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	04/10/18
1387219	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1387220	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1387221	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1387222	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1454049	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	04/10/18
1454041	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1454042	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1454043	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1454044	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1454045	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1454047	-	808-0422 COLORTREND V MAGENTA	1	Liters(L)	04/10/18
1454048	-	808-0422 COLORTREND V MAGENTA	1	Liters(L)	04/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1454050	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	04/10/18
1454051	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	04/10/18
1454040	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1453957	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1453956	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	04/10/18
1386199	-	TELLUS OIL 32	1	Liters(L)	04/10/18
1454055	-	Cote All Safety Green	1	Gallon(GAL)	04/10/18
1387198	-	Vers-Acryl 222 S/G Finish Safety Yellow	1	Gallon(GAL)	04/10/18
1453927	-	AMERCOAT ANTI SLIP ADDITIVE 888	1	Gallon(GAL)	04/10/18
1387199	-	Vers-Acryl 222 S/G Finish Safety Yellow	1	Gallon(GAL)	04/10/18
1387200	-	Vers-Acryl 222 S/G Finish Safety Yellow	1	Gallon(GAL)	04/10/18
1387201	-	Vers-Acryl 222 S/G Finish Safety Yellow	1	Gallon(GAL)	04/10/18
1453928	-	AMERCOAT ANTI SLIP ADDITIVE 888	1	Gallon(GAL)	04/10/18
1453958	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	04/10/18
1454090	-	COLORTREND 808	1	Liters(L)	04/10/18
1453960	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	04/10/18
1453955	-	808-2009 COLORTREND L RAW UMBER	1	Liters(L)	04/10/18
1454089	-	COLORTREND 808	1	Liters(L)	04/10/18
1454046	-	808-0422 COLORTREND V MAGENTA	1	Liters(L)	04/10/18
1387110	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	04/10/18
1387304	-	DIAMOND PRIME WHITE	1	Gallon(GAL)	04/10/18
1529959	-	Calgonate Calcium Gluconate Gel 2.5%	25	Gram(GM)	04/11/18
1529960	-	Calgonate Calcium Gluconate Gel 2.5%	25	Gram(GM)	04/11/18
1529961	-	Calgonate Calcium Gluconate Gel 2.5%	25	Gram(GM)	04/11/18
1454304	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1454305	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1454306	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1454302	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1454303	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1456969	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453970	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453971	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453973	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453974	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453975	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453976	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453977	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453978	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453979	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453980	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453981	-	RED TRAFFIC PAINT	18	Ounces(OZ)	04/11/18
1453983	-	RED TRAFFIC PAINT	18	Ounces(OZ)	04/11/18
1453984	-	RED TRAFFIC PAINT	18	Ounces(OZ)	04/11/18
1453985	-	RED TRAFFIC PAINT	18	Ounces(OZ)	04/11/18
1453986	-	RED TRAFFIC PAINT	18	Ounces(OZ)	04/11/18
1453982	-	RED TRAFFIC PAINT	18	Ounces(OZ)	04/11/18
1453987	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1453988	-	Diamond Spray Paint Desert Orange	12	Ounces(OZ)	04/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1453989	-	Diamond Spray Paint Desert Orange	12	Ounces(OZ)	04/11/18
1453990	-	Diamond Spray Paint Desert Orange	12	Ounces(OZ)	04/11/18
1453991	-	Diamond Spray Paint Desert Orange	12	Ounces(OZ)	04/11/18
1453992	-	Diamond Spray Paint Desert Orange	12	Ounces(OZ)	04/11/18
1454024	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454025	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454026	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454027	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454028	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454029	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454030	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454031	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454032	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454033	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454034	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1387240	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	1	Gallon(GAL)	04/11/18
1453972	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1454969	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1454972	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	04/11/18
1453969	-	WHITE TRAFFIC PAINT	18	Ounces(OZ)	04/11/18
1454023	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/11/18
1454297	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1453922	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	25	Ounces(OZ)	04/11/18
1453923	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	25	Ounces(OZ)	04/11/18
1453924	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	25	Ounces(OZ)	04/11/18
1453925	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	25	Ounces(OZ)	04/11/18
1453926	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	25	Ounces(OZ)	04/11/18
1454299	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1454300	-	PERMACRYL INTERIOR SEMI-GLOSS MIDTONE	5	Gallon(GAL)	04/11/18
1453921	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	25	Ounces(OZ)	04/11/18
1387197	-	White Traffic L/F Regular Dry	5	Gallon(GAL)	04/11/18
1387458	-	GRAY METAL PRIMER	10	Ounces(OZ)	04/11/18
1387319	-	Diamond Spray Paint Forest Green	12.8	Ounces(OZ)	04/11/18
1420161	-	SILICONE SEALANT	28	Ounces(OZ)	04/11/18
1453913	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	20	Ounces(OZ)	04/11/18
1453915	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	20	Ounces(OZ)	04/11/18
1453916	-	4592 PRO GRADE - AEROSOL WALL TEXTURE	20	Ounces(OZ)	04/11/18
1383766	-	Red Traffic L/F Regular Dry	5	Gallon(GAL)	04/11/18
1387072	-	PAINT HARDENER	5	Gallon(GAL)	04/11/18
1387126	-	Red Traffic L/F Regular Dry	5	Gallon(GAL)	04/11/18
1420200	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/11/18
1420203	-	FANTASTIKE ALL PURPOSE CLEANER	32	Ounces(OZ)	04/11/18
1453997	-	Yellow Traffic L/F Regular Dry	5	Gallon(GAL)	04/11/18
1454307	-	PSX 700	1	Gallon(GAL)	04/11/18
1454308	-	PSX 700	1	Gallon(GAL)	04/11/18
1454309	-	PSX 700	1	Gallon(GAL)	04/11/18
1454310	-	PSX 700	1	Gallon(GAL)	04/11/18
1454085	-	PSX 700 CURE	1	Quarts(QT)	04/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1387230	-	PSX 700 CURE	1	Quarts(QT)	04/11/18
1387239	-	PSX 700 PART A(RE SIN)	1	Gallon(GAL)	04/11/18
1387175	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387176	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387177	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387178	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387179	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387181	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387182	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387183	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387184	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387185	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387186	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1453938	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1453939	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1453940	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1453941	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1453942	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387365	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387366	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387367	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387368	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387369	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387370	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387371	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387372	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387373	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387374	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387375	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387376	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387377	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387378	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387379	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387380	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387382	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387383	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387384	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387385	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387289	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387288	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387291	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18
1387391	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1454002	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18
1454003	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18
1454004	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18
1454005	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18
1454006	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18
1454007	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1454008	-	PSX 700 pearl gray resin	1	Gallon(GAL)	04/12/18
1387187	-	PSX 700 PART A(RESIN)	1	Gallon(GAL)	04/12/18
1387188	-	PSX 700 PART A(RESIN)	1	Gallon(GAL)	04/12/18
1387189	-	PSX 700 PART A(RESIN)	1	Gallon(GAL)	04/12/18
1387190	-	PSX 700 PART A(RESIN)	1	Gallon(GAL)	04/12/18
1453893	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453894	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453895	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453896	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453897	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453898	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453953	-	AMERCOAT ANTI SLIP ADDITIVE 888	1	Quarts(QT)	04/12/18
1453952	-	AMERCOAT ANTI SLIP ADDITIVE 888	1	Quarts(QT)	04/12/18
1453967	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453966	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1453908	-	AMERCOAT ANTI SLIP ADDITIVE 888	1	Gallon(GAL)	04/12/18
1509044	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509045	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509046	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509047	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509048	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509049	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509050	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509051	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509052	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509053	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509054	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509055	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509056	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509057	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509058	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/12/18
1509059	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509060	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509061	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509062	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509063	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509064	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509065	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509066	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509067	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509068	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509069	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509070	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509071	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509072	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509073	-	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509074	-	Argon UHP	220	Cubic Feet(CF)	04/12/18
1509075	-	Argon UHP	220	Cubic Feet(CF)	04/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509076	-	Argon UHP	220	Cubic Feet(CF)	04/12/18
1509077	-	Argon UHP	220	Cubic	04/12/18
1509078	-	Argon UHP	220	Cubic	04/12/18
1509079	-	Argon UHP	220	Cubic	04/12/18
1509080	-	Argon UHP	220	Cubic	04/12/18
1509081	-	Argon UHP	220	Cubic	04/12/18
1509082	-	Argon UHP	220	Cubic	04/12/18
1509083	-	Argon UHP	220	Cubic	04/12/18
1509084	-	Argon UHP	220	Cubic	04/12/18
1509085	-	Argon UHP	220	Cubic	04/12/18
1509086	-	Argon UHP	220	Cubic	04/12/18
1509087	-	Argon UHP	220	Cubic	04/12/18
1509088	-	Argon UHP	220	Cubic	04/12/18
1509089	-	Argon UHP	220	Cubic	04/12/18
1509090	-	Argon UHP	220	Cubic	04/12/18
1509091	-	Argon UHP	220	Cubic	04/12/18
1509092	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509093	7440-37-1	ARGON	220	Cubic Feet(CF)	04/12/18
1509094	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509095	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509096	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509097	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509098	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509099	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509100	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509101	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509102	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509103	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509104	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509105	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509106	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509107	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509108	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509109	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509110	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509111	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509112	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509113	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509114	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509115	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509116	-	Nitrogen UHP	220	Cubic Feet(CF)	04/12/18
1509117	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509118	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509119	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509120	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509121	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509122	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509123	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509124	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509125	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509126	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509127	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509128	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509129	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509130	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509131	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509132	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509133	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509134	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509135	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509136	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509137	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509138	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509139	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509140	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509141	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509142	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/12/18
1509143	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/12/18
1509144	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/12/18
1509145	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/12/18
1509146	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/12/18
1509147	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/12/18
1509148	7440-59-7	HELIUM	220	Cubic Feet(CF)	04/12/18
1509149	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509150	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509151	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509152	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509153	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509154	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509155	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509156	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509157	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509158	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509159	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509160	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509161	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509162	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509163	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509164	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509165	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509166	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509167	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509168	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/12/18
1509169	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509170	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509171	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509172	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509173	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/12/18
1509174	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509175	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509176	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509177	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509178	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509179	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509180	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509181	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509182	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509183	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509184	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509185	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509186	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509187	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509188	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509189	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509190	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509191	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509192	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509193	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509194	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509195	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509196	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509197	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509198	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509199	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509200	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509201	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509202	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509203	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509204	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509205	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509206	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509207	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509208	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509209	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509210	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509211	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509212	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509213	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1509214	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/12/18
1148273	13780-48-8	EUROPIUM(II) BROMIDE	1	Gram(GM)	04/12/18
1509215	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509216	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509217	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509218	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509219	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509220	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509221	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509222	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509223	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509224	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509225	-	Hydrogen UHP	220	Cubic Feet(CF)	04/12/18
1509226	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509227	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509228	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509229	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509230	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509231	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509232	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509233	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509234	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509235	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509236	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509237	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509238	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509239	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509240	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509241	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1509242	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/12/18
1383811	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387573	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1383834	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1383832	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1383887	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1383573	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387285	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1383901	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387290	-	PSX 700 CURE US	1	Gallon(GAL)	04/12/18
1383828	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387524	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1387286	-	PSX 700 CURE US	1	Quarts(QT)	04/12/18
1453881	-	AMERLOCK SEALER CLEAR RESIN PART A	1	Gallon(GAL)	04/12/18
1453880	-	PSX 700 pearl gray resin	5	Gallon(GAL)	04/12/18
1530821	1310-73-2	AMMONIA PH ADJUSTING	475	Milliliter(ML)	04/12/18
1530822	1310-73-2	AMMONIA PH ADJUSTING	475	Milliliter(ML)	04/12/18
1530823	1310-73-2	AMMONIA PH ADJUSTING	475	Milliliter(ML)	04/12/18
1530824	1310-73-2	AMMONIA PH ADJUSTING	475	Milliliter(ML)	04/12/18
1530825	1310-73-2	AMMONIA PH ADJUSTING	475	Milliliter(ML)	04/12/18
1530826	1310-73-2	AMMONIA PH ADJUSTING	475	Milliliter(ML)	04/12/18
1087928	126-73-8	TRI-N-BUTYL PHOSPHATE	500	Milliliter(ML)	04/12/18
1494910	-	MOBIL 1 5W-50	1	Quarts(QT)	04/12/18
1494911	-	MOBIL 1 5W-50	1	Quarts(QT)	04/12/18
1494912	-	MOBIL 1 5W-50	1	Quarts(QT)	04/12/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494913	-	MOBIL 1 5W-50	1	Quarts(QT)	04/12/18
1494914	-	MOBIL 1 5W-50	1	Quarts(QT)	04/12/18
1494915	-	MOBIL 1 5W-50	1	Quarts(QT)	04/12/18
1530750	-	SPRAY ADHESIVE	18	Ounces(OZ)	04/13/18
1530751	76-05-1	TRIFLUOROACETIC ACID	500	Gram(GM)	04/13/18
1530752	75277-39-3	HEPES SODIUM SALT	500	Gram(GM)	04/13/18
1530753	-	HYDROBROMIC ACID OPTIMA	1	Liters(L)	04/13/18
1530754	-	HYDROBROMIC ACID OPTIMA	1	Liters(L)	04/13/18
1530755	-	HYDROBROMIC ACID OPTIMA	1	Liters(L)	04/13/18
1530819	638-21-1	PHENYLPHOSPHINE	25	Gram(GM)	04/13/18
1530831	55-91-4	DIISOPROPYL FLUOROPHOSPHATE	1	Gram(GM)	04/13/18
1530832	55-91-4	DIISOPROPYL FLUOROPHOSPHATE	1	Gram(GM)	04/13/18
1530833	55-91-4	DIISOPROPYL FLUOROPHOSPHATE	1	Gram(GM)	04/13/18
1530834	55-91-4	DIISOPROPYL FLUOROPHOSPHATE	1	Gram(GM)	04/13/18
1530851	-	CLARIFLOC C-6266	55	Gallon(GAL)	04/13/18
1530852	-	CLARIFLOC C-6266	55	Gallon(GAL)	04/13/18
1530853	-	CLARIFLOC C-6266	55	Gallon(GAL)	04/13/18
1530854	7697-37-2	NITRIC ACID	2.5	Liters(L)	04/13/18
1530855	7697-37-2	NITRIC ACID	2.5	Liters(L)	04/13/18
1530856	7697-37-2	NITRIC ACID	2.5	Liters(L)	04/13/18
1530857	7697-37-2	NITRIC ACID	2.5	Liters(L)	04/13/18
1530858	7697-37-2	NITRIC ACID	2.5	Liters(L)	04/13/18
1530859	7697-37-2	NITRIC ACID	2.5	Liters(L)	04/13/18
1530860	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/13/18
1530861	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/13/18
1530862	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530863	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530864	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530865	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530866	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530867	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530868	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530869	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	04/13/18
1530870	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530871	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530872	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530873	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530874	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530875	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530876	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530877	141-78-6	ETHYL ACETATE	4	Liters(L)	04/13/18
1530878	67-64-1	ACETONE	4	Liters(L)	04/13/18
1530879	67-64-1	ACETONE	4	Liters(L)	04/13/18
1530880	67-64-1	ACETONE	4	Liters(L)	04/13/18
1530881	67-64-1	ACETONE	4	Liters(L)	04/13/18
1530882	58620-93-2	tert-Butyl 3-aminopropanoate hydrochloride	10	Gram(GM)	04/13/18
1530883	58620-93-2	tert-Butyl 3-aminopropanoate hydrochloride	10	Gram(GM)	04/13/18
1530884	61-54-1	TRYPTAMINE	10	Gram(GM)	04/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530885	61-54-1	TRYPTAMINE	10	Gram(GM)	04/13/18
1530886	100364-10-1	3-(tert-butoxy)propan-1-amine	10	Gram(GM)	04/13/18
1530887	100364-10-1	3-(tert-butoxy)propan-1-amine	10	Gram(GM)	04/13/18
1530888	56-92-8	2-(1H-imidazol-4-yl)ethan-1-amine	10	Gram(GM)	04/13/18
1530889	56-92-8	2-(1H-imidazol-4-yl)ethan-1-amine	10	Gram(GM)	04/13/18
1530890	3094-87-9	IRON(II) ACETATE	5	Gram(GM)	04/13/18
1530891	50-81-7	L-ASCORBIC ACID	50	Gram(GM)	04/13/18
1530892	584-08-7	POTASSIUM CARBONATE	500	Gram(GM)	04/13/18
1530893	7664-38-2	PHOSPHORIC ACID	500	Milliliter(ML)	04/13/18
1530894	-	MALT EXTRACT	500	Gram(GM)	04/13/18
1457395	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/13/18
1457396	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/13/18
1457397	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/13/18
1457398	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/13/18
1457399	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/13/18
1457400	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/13/18
1497091	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497092	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497093	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497094	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497095	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497096	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497097	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497098	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497099	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497100	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497101	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497102	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497103	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497104	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497105	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497106	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497107	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497108	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497109	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497110	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497111	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497112	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497113	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497114	-	RANGER PRO HERBICIDE	2.5	Gallon(GAL)	04/13/18
1497115	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497116	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497117	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497118	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497119	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497120	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497121	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497122	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497123	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497124	-	Helena Spray Indicator XL	1	Gallon(GAL)	04/13/18
1497125	-	GROUNDED (ADJUVANT)	2.5	Gallon(GAL)	04/13/18
1497126	-	GROUNDED (ADJUVANT)	2.5	Gallon(GAL)	04/13/18
1497127	-	GROUNDED (ADJUVANT)	2.5	Gallon(GAL)	04/13/18
1529055	95-92-1	DIETHYL OXALATE	500	Gram(GM)	04/13/18
1530756	7440-06-4	PLATINUM	1	Gram(GM)	04/13/18
1530757	7440-06-4	PLATINUM	1	Gram(GM)	04/13/18
1530758	-	POTASSIUM HYDROGEN PHTHALATE (BUFFER	500	Milliliter(ML)	04/13/18
1530759	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	04/13/18
1530760	-	Buffer pH 3.00	500	Milliliter(ML)	04/13/18
1530761	591778-70-0	CP-640186 hydrochloride	5	Milligram(MG)	04/13/18
1530763	127-19-5	N N-DIMETHYLACETAMIDE	2	Liters(L)	04/13/18
1530766	-	PMA DYE 20 MM IN H2O	100	Microliter	04/13/18
1530767	-	PMA DYE 20 MM IN H2O	100	Microliter	04/13/18
1530768	-	PMA DYE 20 MM IN H2O	100	Microliter	04/13/18
1530769	-	PMA DYE 20 MM IN H2O	100	Microliter	04/13/18
1530770	-	PMA DYE 20 MM IN H2O	100	Microliter	04/13/18
1530771	-	PMA DYE 20 MM IN H2O	100	Microliter	04/13/18
1530835	-	ULTRA-TEMP (Zirconium Oxide Zirconium Silicate	4	Pint(PT)	04/13/18
1530895	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	04/13/18
1530896	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	04/13/18
1530897	7782-86-7	Mercury(I) nitrate dihydrate	50	Gram(GM)	04/13/18
1530898	7782-86-7	Mercury(I) nitrate dihydrate	50	Gram(GM)	04/13/18
1530901	67-63-0	ISOPROPANOL ANHYDROUS	1	Liters(L)	04/13/18
1530902	67-63-0	ISOPROPANOL ANHYDROUS	1	Liters(L)	04/13/18
1530903	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	04/13/18
1530904	67-63-0	ISOPROPYL ALCOHOL	1	Liters(L)	04/13/18
1530905	-	BUFFER PH 7 (GREEN BUFFER)	500	Milliliter(ML)	04/13/18
1530919	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530920	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530921	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530922	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530923	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530924	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530925	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530926	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530927	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530928	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530929	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1530930	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/13/18
1476490	-	Sikalastic 715 Top	5	Gallon(GAL)	04/13/18
1476493	-	Sikalastic FTP Primer Part A	0.28	Gallon(GAL)	04/13/18
1476494	-	Sikalastic FTP Primer Part A	0.28	Gallon(GAL)	04/13/18
1476495	-	Sikalastic FTP Primer Part B	0.35	Gallon(GAL)	04/13/18
1476496	-	Sikalastic FTP Primer Part B	0.35	Gallon(GAL)	04/13/18
1476497	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/13/18
1476498	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476499	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/13/18
1476500	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/13/18
1476501	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/13/18
1476502	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/13/18
1476511	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	04/13/18
1476512	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	04/13/18
1476513	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	04/13/18
1476514	-	Avalon Premium 100% Acrylic Interior Satin W/B	3.6	Liters(L)	04/13/18
1476515	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476516	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476517	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476518	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476519	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476520	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476521	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476522	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476523	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476524	-	Yellow Traffic L/F Regular Dry	18.9	Liters(L)	04/13/18
1476503	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476504	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476505	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476506	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476507	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476508	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476509	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476510	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/13/18
1476525	-	PSX 700 CURE US	1	Quarts(QT)	04/13/18
1476526	-	PSX 700 CURE US	1	Quarts(QT)	04/13/18
1528522	-	ALCONOX	4	Pounds(LB)	04/16/18
1528523	-	ALCONOX	4	Pounds(LB)	04/16/18
1528524	-	ALCONOX	4	Pounds(LB)	04/16/18
1530764	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	10	Gram(GM)	04/16/18
1494919	-	MOBIL 1 5W-50	1	Quarts(QT)	04/16/18
1494920	-	MOBIL 1 5W-50	1	Quarts(QT)	04/16/18
1494921	-	MOBIL 1 5W-50	1	Quarts(QT)	04/16/18
1494922	-	MOBIL 1 5W-50	1	Quarts(QT)	04/16/18
1494923	-	MOBIL 1 5W-50	1	Quarts(QT)	04/16/18
1494924	-	MOBIL 1 5W-50	1	Quarts(QT)	04/16/18
1494925	-	MOBIL 1 5W-50	1	Quarts(QT)	04/16/18
1494916	-	DIELECTRIC GREASE	3.3	Ounces(OZ)	04/16/18
1494917	-	ANTI-SEIZE LUBRICANT	16	Ounces(OZ)	04/16/18
1494918	-	SUPER 77 MULTIPURPOSE ADHESIVE	7.3	Ounces(OZ)	04/16/18
1494926	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	04/16/18
1494927	-	ULTRA GREY RTV SILICONE	3.5	Ounces(OZ)	04/16/18
1494928	-	PERMATEX ANTI-SEIZE LUBRICANT	1	Ounces(OZ)	04/16/18
1494929	-	PERMATEX ANTI-SEIZE LUBRICANT	1	Ounces(OZ)	04/16/18
1494930	-	3M Windo-Weld Super Fast Urethane PN 08608	10.5	Ounces(OZ)	04/16/18
1494931	-	3M Windo-Weld Super Fast Urethane PN 08608	10.5	Ounces(OZ)	04/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530765	-	Ammonium niobate(V) oxalate hydrate	50	Gram(GM)	04/16/18
1530772	25583-20-4	TITANIUM NITRIDE	25	Gram(GM)	04/16/18
1530773	41267-76-9	COUMARIN 102	1	Gram(GM)	04/16/18
1530774	-	ELIMINASE	250	Milliliter(ML)	04/16/18
1530906	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530907	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530908	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530909	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530910	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530911	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530912	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530913	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530914	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530915	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530916	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530917	-	SIMPLE GREEN	1	Gallon(GAL)	04/16/18
1530918	-	FORMULA 1015-L	55	Gallon(GAL)	04/16/18
1530931	-	5-MINUTE EPOXY	25	Milliliter(ML)	04/16/18
1530932	-	5-MINUTE EPOXY	25	Milliliter(ML)	04/16/18
1530933	-	5-MINUTE EPOXY	25	Milliliter(ML)	04/16/18
1530934	-	Clorox Commercial Solutions Green Works 97%	32	Ounces(OZ)	04/16/18
1530935	-	Clorox Commercial Solutions Green Works 97%	32	Ounces(OZ)	04/16/18
1530936	67-66-3	CHLOROFORM ANHYDROUS	1	Liters(L)	04/16/18
1530937	-	ALCONOX DETERGENT	4	Pounds(LB)	04/16/18
1530938	68076-36-8	tert-Butyl N-(4-aminobutyl)carbamate	25	Gram(GM)	04/16/18
1530939	68076-36-8	tert-Butyl N-(4-aminobutyl)carbamate	25	Gram(GM)	04/16/18
1530940	13465-08-2	HYDROXYLAMINE NITRATE	500	Milliliter(ML)	04/16/18
1530947	7664-41-7	AMMONIA 7N IN METHANOL	1	Liters(L)	04/16/18
1530991	13031-32-8	NITROMETHANE-D3	25	Gram(GM)	04/16/18
1530992	13031-32-8	NITROMETHANE-D3	25	Gram(GM)	04/16/18
1530993	13031-32-8	NITROMETHANE-D3	25	Gram(GM)	04/16/18
1530994	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1530995	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1530996	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1530997	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1530998	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1530999	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1531000	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1531001	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1531002	10043-52-4	CALCIUM CHLORIDE ANHYDROUS	250	Gram(GM)	04/16/18
1531003	294-93-9	12-CROWN-4	5	Gram(GM)	04/16/18
1531004	294-93-9	12-CROWN-4	5	Gram(GM)	04/16/18
1531005	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18
1531006	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18
1531007	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18
1531008	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18
1531009	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18
1531010	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531011	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18
1531012	24304-00-5	Ultrahigh TC AIN-CC powder	10	Gram(GM)	04/16/18
1531013	-	PH ELECTRODE STORAGE SOLUTION	230	Milliliter(ML)	04/16/18
1531014	-	PH ELECTRODE STORAGE SOLUTION	230	Milliliter(ML)	04/16/18
1531063	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531064	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531065	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531066	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531067	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531068	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531069	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531070	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531071	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531072	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531073	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531074	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531075	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531076	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531077	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531078	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531079	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531080	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531081	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531082	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531083	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531084	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531085	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531086	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531087	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531088	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531089	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531090	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531091	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531092	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531093	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531094	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531095	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531096	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531097	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531098	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531099	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531100	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531101	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531102	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531103	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531104	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531105	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531106	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531107	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531108	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531109	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531110	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/16/18
1531111	-	LEYBONOL LVO 100	5	Liters(L)	04/16/18
1531112	-	LEYBONOL LVO 100	5	Liters(L)	04/16/18
1531113	-	LEYBONOL LVO 100	5	Liters(L)	04/16/18
1531114	-	LEYBONOL LVO 100	5	Liters(L)	04/16/18
1531115	-	LEYBONOL LVO 100	5	Liters(L)	04/16/18
1531116	-	LEYBONOL LVO 100	5	Liters(L)	04/16/18
1531117	-	KLEENOL 30	1	Gallon(GAL)	04/16/18
1531118	-	KLEENOL 30	1	Gallon(GAL)	04/16/18
1531119	-	KLEENOL 30	1	Gallon(GAL)	04/16/18
1531120	-	KLEENOL 30	1	Gallon(GAL)	04/16/18
1531121	-	KLEENOL 30	1	Gallon(GAL)	04/16/18
1531122	-	KLEENOL 30	1	Gallon(GAL)	04/16/18
1331510	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331511	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331512	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331513	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331514	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331515	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331516	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331517	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331518	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331519	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331520	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331521	-	Krylon Paint	12	Ounces(OZ)	04/16/18
1331522	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331523	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331524	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331525	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331526	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331527	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331528	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331529	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331530	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331531	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331532	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1331533	-	Krylon Paint	17	Ounces(OZ)	04/16/18
1530836	67-64-1	ACETONE REAGENT ACS	4	Liters(L)	04/16/18
1530837	26628-22-8	Dynabeads MyOne Silane	5	Milliliter(ML)	04/16/18
1530838	1000	POP 7 polymer	3500	Milliliter(ML)	04/16/18
1530839	1000	POP 7 polymer	3500	Milliliter(ML)	04/16/18
1530840	1000	POP 7 polymer	3500	Milliliter(ML)	04/16/18
1530841	1000	POP 7 polymer	3500	Milliliter(ML)	04/16/18
1530842	1336-21-6	AMMONIUM HYDROXIDE	1	Liters(L)	04/16/18
1530843	1336-21-6	AMMONIUM HYDROXIDE	1	Liters(L)	04/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530844	1336-21-6	AMMONIUM HYDROXIDE	1	Liters(L)	04/16/18
1530845	1137-42-4	4-HYDROXYBENZOPHENONE	25	Gram(GM)	04/16/18
1530846	112825-05-5	Methyllycaconitine citrate salt	25	Milligram(MG)	04/16/18
1531015	68951-96-2	VINYL TERMINATED DIMETHYL-	3	Kilograms(KG)	04/16/18
1531016	9000-70-8	Gelatin type A 175 Bloom	100	Gram(GM)	04/16/18
1531017	54-21-7	SODIUM SALICYLATE	250	Gram(GM)	04/16/18
1531018	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/16/18
1531019	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/16/18
1531020	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/16/18
1531021	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/16/18
1531022	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/16/18
1531023	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/16/18
1531025	7664-93-9	SULFURIC ACID (TRACEPUR)	500	Milliliter(ML)	04/16/18
1531026	7664-93-9	SULFURIC ACID (TRACEPUR)	500	Milliliter(ML)	04/16/18
1531027	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	04/16/18
1531028	59163-91-6	IRON(II) TRIFLUOROMETHANE	25	Gram(GM)	04/16/18
1531029	6131-90-4	SODIUM ACETATE TRIHYDRATE	1	Kilograms(KG)	04/16/18
1531030	6131-90-4	SODIUM ACETATE TRIHYDRATE	1	Kilograms(KG)	04/16/18
1531031	1313-84-4	SODIUM SULFIDE NONAHYDRATE	100	Gram(GM)	04/16/18
1531032	-	pH Buffer Solution Kit 4 L Color-coded pH 4.01	4	Liters(L)	04/16/18
1531131	7757-82-6	SODIUM SULFATE ANHYDROUS	500	Gram(GM)	04/16/18
1531132	7757-82-6	SODIUM SULFATE ANHYDROUS	500	Gram(GM)	04/16/18
1531133	67-56-1	METHANOL OPTIMA	4	Liters(L)	04/16/18
1531134	13472-33-8	SODIUM PERRHENATE 99.9	50	Gram(GM)	04/16/18
1531135	7664-93-9	SULFURIC ACID	1	Liters(L)	04/16/18
1531136	7664-93-9	SULFURIC ACID	1	Liters(L)	04/16/18
1531137	7664-93-9	SULFURIC ACID	1	Liters(L)	04/16/18
1531138	7664-93-9	SULFURIC ACID	1	Liters(L)	04/16/18
1531139	7664-93-9	SULFURIC ACID	1	Liters(L)	04/16/18
1531140	7664-93-9	SULFURIC ACID	1	Liters(L)	04/16/18
1531141	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/16/18
1531142	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/16/18
1531143	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/16/18
1531144	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/16/18
1531145	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/16/18
1531146	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/16/18
1531147	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	04/16/18
1531148	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	04/16/18
1531149	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	04/16/18
1531150	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	04/16/18
1531151	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	04/16/18
1531152	7697-37-2	NITRIC ACID TRACEMETAL	500	Milliliter(ML)	04/16/18
1531153	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/16/18
1531154	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/16/18
1531155	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/16/18
1531156	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/16/18
1531157	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/16/18
1531158	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	04/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531159	1310-73-2	SODIUM HYDROXIDE .1N	1	Liters(L)	04/16/18
1457401	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/16/18
1457402	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/16/18
1422665	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422666	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422667	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422668	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422669	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422670	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422671	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422672	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422673	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422674	-	DCA-4 SUPPLEMENTAL COOLANT ADDITIVE	16	Ounces(OZ)	04/16/18
1422675	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422676	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422677	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422678	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422679	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422680	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422681	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422682	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422683	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422684	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422685	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422686	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422687	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422688	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422689	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422690	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422691	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422692	-	50/50 PREDILLUTED ANTI-FREEZE COOLANT	1	Gallon(GAL)	04/16/18
1422693	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422694	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422695	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422696	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422697	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422698	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422699	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422700	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422701	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422702	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422703	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422704	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422705	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422706	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422707	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1422708	-	VALVOLINE PREMIUM BLUE HD DIESEL OIL 15W-	1	Gallon(GAL)	04/16/18
1530948	-	CC FIX	5	Gallon(GAL)	04/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530949	-	CC FIX	5	Gallon(GAL)	04/17/18
1530950	-	CC FIX	5	Gallon(GAL)	04/17/18
1530951	-	CC WET ENCAPSULATION FLUID	5	Gallon(GAL)	04/17/18
1530952	-	CC WET ENCAPSULATION FLUID	5	Gallon(GAL)	04/17/18
1530953	-	CC WET ENCAPSULATION FLUID	5	Gallon(GAL)	04/17/18
1530954	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	04/17/18
1530955	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	04/17/18
1530956	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	04/17/18
1530957	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	04/17/18
1530958	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	04/17/18
1530959	-	NITROGEN AMMONIA STANDARD	500	Milliliter(ML)	04/17/18
1530960	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530961	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530962	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530963	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530964	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530965	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530966	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530967	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530968	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530969	-	NITRAVER X TEST N TUBE RE	50	Milliliter(ML)	04/17/18
1530970	2638-94-0	4 4'-Azobis(4-cyanovaleric acid)	25	Gram(GM)	04/17/18
1530971	79-10-7	ACRYLIC ACID	100	Gram(GM)	04/17/18
1530972	111-65-9	OCTANE	100	Milliliter(ML)	04/17/18
1530973	7447-40-7	POTASSIUM CHLORIDE	50	Gram(GM)	04/17/18
1530974	7447-40-7	POTASSIUM CHLORIDE	50	Gram(GM)	04/17/18
1530975	7647-14-5	SODIUM CHLORIDE	250	Gram(GM)	04/17/18
1530976	-	CITRANOX ACID CLEANER LIQUID DETERGENT	1	Gallon(GAL)	04/17/18
1531033	51142-49-5	FLOURINERT FC-40	100	Milliliter(ML)	04/17/18
1531034	1344-09-8	SODIUM SILICATE SOLUTION	2.5	Liters(L)	04/17/18
1531035	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	04/17/18
1531036	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	04/17/18
1531037	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	04/17/18
1531038	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	04/17/18
1531039	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	04/17/18
1531040	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	04/17/18
1531041	-	DIFCO SPOT TEST LACTOPHENOL COTTON BLUE	15	Milliliter(ML)	04/17/18
1531042	7722-64-7	POTASSIUM PERMANGANATE	100	Gram(GM)	04/17/18
1531043	67-56-1	METHANOL CHROMASOLV(R)	500	Milliliter(ML)	04/17/18
1531044	-	Norland Optical Adhesive 71	100	Gram(GM)	04/17/18
1531045	-	Norland Optical Adhesive 71	6	Gram(GM)	04/17/18
1531046	-	Norland Optical Adhesive 71	6	Gram(GM)	04/17/18
1531050	-	OHM Shield Floor Cleaner	4	Gallon(GAL)	04/17/18
1531051	-	OHM Shield Floor Cleaner	4	Gallon(GAL)	04/17/18
1531052	-	OHM Shield Floor Cleaner	4	Gallon(GAL)	04/17/18
1531053	-	OHM Shield Floor Cleaner	4	Gallon(GAL)	04/17/18
1531054	7697-37-2	NITRIC ACID	1	Liters(L)	04/17/18
1531055	7697-37-2	NITRIC ACID	1	Liters(L)	04/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531056	7697-37-2	NITRIC ACID	1	Liters(L)	04/17/18
1531057	7697-37-2	NITRIC ACID	1	Liters(L)	04/17/18
1531058	7697-37-2	NITRIC ACID	1	Liters(L)	04/17/18
1531060	-	CMP 19 vacuum pump fluid	1	Gallon(GAL)	04/17/18
1531061	-	CMP 19 vacuum pump fluid	1	Gallon(GAL)	04/17/18
1531062	-	CMP 19 vacuum pump fluid	1	Gallon(GAL)	04/17/18
1531160	67-64-1	ACETONE REAGENT ACS	1	Gallon(GAL)	04/17/18
1531161	67-64-1	ACETONE REAGENT ACS	1	Gallon(GAL)	04/17/18
1531162	67-64-1	ACETONE REAGENT ACS	1	Gallon(GAL)	04/17/18
1531163	67-64-1	ACETONE REAGENT ACS	1	Gallon(GAL)	04/17/18
1531166	7439-97-6	MERCURY	1	Pounds(LB)	04/17/18
1531167	7439-97-6	MERCURY	1	Pounds(LB)	04/17/18
1531168	7439-97-6	MERCURY	1	Pounds(LB)	04/17/18
1531169	67-56-1	METHANOL HPLC	2	Liters(L)	04/17/18
1531207	64-17-5	ETHANOL	500	Milliliter(ML)	04/17/18
1531208	64-17-5	ETHANOL	500	Milliliter(ML)	04/17/18
1531209	64-17-5	ETHANOL	500	Milliliter(ML)	04/17/18
1531210	64-17-5	ETHANOL	500	Milliliter(ML)	04/17/18
1531211	64-17-5	ETHANOL	500	Milliliter(ML)	04/17/18
1531212	64-17-5	ETHANOL	500	Milliliter(ML)	04/17/18
1531213	108-90-7	CHLOROBENZENE	1	Liters(L)	04/17/18
1531214	108-90-7	CHLOROBENZENE	1	Liters(L)	04/17/18
1531215	506-87-6	AMMONIUM CARBONATE	50	Gram(GM)	04/17/18
1531216	506-87-6	AMMONIUM CARBONATE	50	Gram(GM)	04/17/18
1531217	506-87-6	AMMONIUM CARBONATE	50	Gram(GM)	04/17/18
1531218	506-87-6	AMMONIUM CARBONATE	50	Gram(GM)	04/17/18
1531219	594-61-6	2-HYDROXYISOBUTYRIC ACID	500	Gram(GM)	04/17/18
1531220	594-61-6	2-HYDROXYISOBUTYRIC ACID	500	Gram(GM)	04/17/18
1476608	65997-15-1	PORTLAND CEMENT	50	Pounds(LB)	04/17/18
1476609	65997-15-1	PORTLAND CEMENT	50	Pounds(LB)	04/17/18
1476610	65997-15-1	PORTLAND CEMENT	50	Pounds(LB)	04/17/18
1476611	65997-15-1	PORTLAND CEMENT	50	Pounds(LB)	04/17/18
1476612	65997-15-1	PORTLAND CEMENT	50	Pounds(LB)	04/17/18
1476613	65997-15-1	PORTLAND CEMENT	50	Pounds(LB)	04/17/18
1509243	-	Nitrogen Dioxide 10 ppm/Bal Air	34	Liters(L)	04/17/18
1509244	-	Nitrogen Dioxide 10 ppm/Bal Air	34	Liters(L)	04/17/18
1509245	-	Nitrogen Dioxide 10 ppm/Bal Air	34	Liters(L)	04/17/18
1509246	-	Nitrogen Dioxide 10 ppm/Bal Air	34	Liters(L)	04/17/18
1509247	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	500	Liters(L)	04/17/18
1509252	-	REFRIGERANT R-22	30	Pounds(LB)	04/17/18
1509253	-	REFRIGERANT R-22	30	Pounds(LB)	04/17/18
1509254	7727-37-9	NITROGEN COMPRESSED GAS	20	Cubic Feet(CF)	04/17/18
1509255	7727-37-9	NITROGEN COMPRESSED GAS	20	Cubic Feet(CF)	04/17/18
1509256	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18
1509257	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18
1509258	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18
1509259	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18
1509260	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509261	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18
1509262	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18
1509263	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/17/18
1494933	67-56-1	HEET Gas Line Antifreeze	12	Ounces(OZ)	04/17/18
1494934	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	04/17/18
1494935	-	WHITE LITHIUM GREASE SPRAY	10	Ounces(OZ)	04/17/18
1494936	-	WHITE LITHIUM GREASE SPRAY	10	Ounces(OZ)	04/17/18
1494937	-	Valvoline ATF DEX/MERC AUTOMATIC	1	Quarts(QT)	04/17/18
1494938	-	Valvoline ATF DEX/MERC AUTOMATIC	1	Quarts(QT)	04/17/18
1494939	-	STA-BIL FUEL STABILIZER	8	Ounces(OZ)	04/17/18
1494940	-	CLEAN-R-CARB	1	Pounds(LB)	04/17/18
1509248	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/17/18
1509249	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/17/18
1509250	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/17/18
1509251	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/17/18
981337	6131-90-4	SODIUM ACETATE TRIHYDRATE 99+%	1	Kilograms(KG)	04/18/18
1457551	-	WD-40 AEROSOL	226	Gram(GM)	04/18/18
1457560	-	LUBRICANT SPRAY	312	Gram(GM)	04/18/18
1457569	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457552	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457553	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457554	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457555	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457556	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457557	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457558	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457559	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457561	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457562	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457563	409-21-2	SILICON CARBIDE POWDER	1	Pounds(LB)	04/18/18
1457570	12069-32-8	BORON CARBIDE	125	Gram(GM)	04/18/18
1457571	12069-32-8	BORON CARBIDE	125	Gram(GM)	04/18/18
1457572	12069-32-8	BORON CARBIDE	125	Gram(GM)	04/18/18
1457573	12069-32-8	BORON CARBIDE	125	Gram(GM)	04/18/18
1457574	12069-32-8	BORON CARBIDE	125	Gram(GM)	04/18/18
1457575	12069-32-8	BORON CARBIDE	125	Gram(GM)	04/18/18
1530818	7722-64-7	POTASSIUM PERMANGANATE	500	Gram(GM)	04/18/18
1530977	64-17-5	ETHANOL	1	Liters(L)	04/18/18
1530978	64-17-5	ETHANOL	1	Liters(L)	04/18/18
1530979	75-09-2	DICHLOROMETHANE	4	Liters(L)	04/18/18
1530980	1309-48-4	MAGNESIUM OXIDE	1	Kilograms(KG)	04/18/18
1530981	1309-48-4	MAGNESIUM OXIDE	1	Kilograms(KG)	04/18/18
1530982	-	PHOSPHATE BUFFER SOLUTION (BLUE BUFFER PH	500	Milliliter(ML)	04/18/18
1530983	-	Roots ISO-VG 150	1	Gallon(GAL)	04/18/18
1530984	-	Loctite Threadlocker 220	0.34	Ounces(OZ)	04/18/18
1530985	-	Loctite Threadlocker 220	0.34	Ounces(OZ)	04/18/18
1530986	-	Loctite Threadlocker 220	0.34	Ounces(OZ)	04/18/18
1530987	-	Loctite Threadlocker 220	0.34	Ounces(OZ)	04/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1419947	78-93-3	METHYL ETHYL KETONE	20	Liters(L)	04/18/18
1419948	78-93-3	METHYL ETHYL KETONE	20	Liters(L)	04/18/18
1530988	-	HYDRANAL COULOMAT CG	50	Milliliter(ML)	04/18/18
1530989	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	04/18/18
1531170	67-64-1	ACETONE	200	Liters(L)	04/18/18
1531171	-	ISOTON III DILUENT	20	Liters(L)	04/18/18
1531172	-	ISOTON III DILUENT	20	Liters(L)	04/18/18
1531173	-	ISOTON III DILUENT	20	Liters(L)	04/18/18
1531174	-	ISOTON III DILUENT	20	Liters(L)	04/18/18
1531175	-	ISOTON III DILUENT	20	Liters(L)	04/18/18
1531176	-	MagMAX DNA Multi-Sample Kit	50	Milliliter(ML)	04/18/18
1531177	-	MagMAX DNA Multi-Sample Kit	50	Milliliter(ML)	04/18/18
1531178	-	TRIZOL REAGENT	200	Milliliter(ML)	04/18/18
1531179	-	TRIZOL REAGENT	200	Milliliter(ML)	04/18/18
1531180	100-42-5	STYRENE	500	Milliliter(ML)	04/18/18
1531181	10035-10-6	HYDROBROMIC ACID 48%	1	Liters(L)	04/18/18
1531182	7722-84-1	HYDROGEN PEROXIDE SOLUTIONS	250	Milliliter(ML)	04/18/18
1531183	-	DOW CORNING SYLTHERM XLT	5	Gallon(GAL)	04/18/18
1531184	-	DOW CORNING SYLTHERM XLT	5	Gallon(GAL)	04/18/18
1531185	-	DOW CORNING SYLTHERM XLT	5	Gallon(GAL)	04/18/18
1531186	-	DOW CORNING SYLTHERM XLT	5	Gallon(GAL)	04/18/18
1531187	-	OBJET VEROBLACKPLUS RGD875	3.6	Kilograms(KG)	04/18/18
1531189	-	LUBRISEAL STOPCOCK GREASE	75	Gram(GM)	04/18/18
1531190	-	LUBRISEAL STOPCOCK GREASE	75	Gram(GM)	04/18/18
1531222	-	BROMOTHYMOL BLUE SOLUTION 0.04%	500	Milliliter(ML)	04/18/18
1531223	-	BROMOTHYMOL BLUE SOLUTION 0.04%	500	Milliliter(ML)	04/18/18
1531224	-	TSAT: Tris (Succinimidyl Aminotriacetate)	50	Milligram(MG)	04/18/18
1531225	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531226	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531227	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531228	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531229	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531230	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531231	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531232	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531233	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531234	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531235	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531236	-	SIMPLE GREEN	24	Ounces(OZ)	04/18/18
1531237	-	COOLUBE 2210	1	Gallon(GAL)	04/18/18
1531238	-	COOLUBE 2210	1	Gallon(GAL)	04/18/18
1531239	-	HYDRANAL WATER STANDARD 1.00	40	Milliliter(ML)	04/18/18
1531240	90-93-7	4 4'-Bis(diethylamino)benzophenone	25	Gram(GM)	04/18/18
1531241	7773-01-5	MANGANESE(II) CHLORIDE	10	Gram(GM)	04/18/18
1531242	7718-54-9	NICKEL(II) CHLORIDE	50	Gram(GM)	04/18/18
1531243	112926-00-8	SILICA GEL (DESSICANT)	1	Kilograms(KG)	04/18/18
1531244	75980-60-8	Diphenyl(2 4 6-trimethylbenzoyl)phosphine oxide	10	Gram(GM)	04/18/18
1531245	7789-46-0	IRON(II) BROMIDE	10	Gram(GM)	04/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531246	13446-03-2	MANGANESE(II) BROMIDE	25	Gram(GM)	04/18/18
1531247	-	AG 1-X4 RESIN	500	Gram(GM)	04/18/18
1531248	-	AG 1-X4 RESIN	500	Gram(GM)	04/18/18
1531249	-	AG 1-X4 RESIN	500	Gram(GM)	04/18/18
1531250	-	AG 1-X4 RESIN	500	Gram(GM)	04/18/18
1531279	7732-18-5	ULTRASONIC CLEANING SOLUTION	1	Gallon(GAL)	04/18/18
1531280	7732-18-5	ULTRASONIC CLEANING SOLUTION	1	Gallon(GAL)	04/18/18
1531281	7732-18-5	ULTRASONIC CLEANING SOLUTION	1	Gallon(GAL)	04/18/18
1531282	7732-18-5	ULTRASONIC CLEANING SOLUTION	1	Gallon(GAL)	04/18/18
1494941	-	Blaw-Kote	5	Gallon(GAL)	04/19/18
1494942	-	Blaw-Kote	5	Gallon(GAL)	04/19/18
1494943	-	3M Brand Black Super Weatherstrip Adhesive	5	Ounces(OZ)	04/19/18
1494944	-	3M Brand Black Super Weatherstrip Adhesive	5	Ounces(OZ)	04/19/18
1494945	-	3M Brand Black Super Weatherstrip Adhesive	5	Ounces(OZ)	04/19/18
1494946	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	04/19/18
1494948	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	04/19/18
1494949	-	DEX/MERC	1	Quarts(QT)	04/19/18
1494950	-	DUPLI-COLOR Trim & Bumper Paint Black	11	Ounces(OZ)	04/19/18
1494951	-	MasterPro Super White Grease	14	Ounces(OZ)	04/19/18
1494952	-	MasterPro Super White Grease	14	Ounces(OZ)	04/19/18
1494953	-	MasterPro Super White Grease	14	Ounces(OZ)	04/19/18
1494954	-	MasterPro Super White Grease	14	Ounces(OZ)	04/19/18
1494955	-	MasterPro Super White Grease	14	Ounces(OZ)	04/19/18
1494956	-	Zerex Heavy Duty Nitrite Free Extended Life	1	Gallon(GAL)	04/19/18
1494957	-	Zerex Heavy Duty Nitrite Free Extended Life	1	Gallon(GAL)	04/19/18
1494958	-	Zerex Heavy Duty Nitrite Free Extended Life	1	Gallon(GAL)	04/19/18
1494959	-	Zerex Heavy Duty Nitrite Free Extended Life	1	Gallon(GAL)	04/19/18
1494960	-	Zerex Heavy Duty Nitrite Free Extended Life	1	Gallon(GAL)	04/19/18
1494961	-	O&REILLY PREMIUM ATF TYPE F	1	Quarts(QT)	04/19/18
1531188	-	OBJET VEROBLACKPLUS RGD875	3.6	Kilograms(KG)	04/19/18
1494962	-	O&REILLY MOTOR OIL SAE 15W40	1	Gallon(GAL)	04/19/18
1494963	-	O&REILLY MOTOR OIL SAE 15W40	1	Gallon(GAL)	04/19/18
1494964	-	O&REILLY MOTOR OIL SAE 15W40	1	Gallon(GAL)	04/19/18
1509264	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509265	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509266	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509267	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509268	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509269	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509270	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509271	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509272	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509273	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509274	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509275	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509276	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509277	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509278	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509279	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509280	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509281	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509282	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509283	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509284	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509285	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509286	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509287	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509288	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509289	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509290	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509291	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509292	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509293	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509294	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509295	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509296	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509297	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509298	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509299	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509300	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509301	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/19/18
1509302	-	Carbon Dioxide 5% Bal Helium	220	Cubic Feet(CF)	04/19/18
1509303	-	Carbon Dioxide 5% Bal Helium	220	Cubic Feet(CF)	04/19/18
1509304	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509305	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509306	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509307	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509308	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509309	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509310	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509311	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509312	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509313	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509314	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509315	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509316	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
1509317	-	Argon UHP	220	Cubic Feet(CF)	04/19/18
15093318	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509319	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509320	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509321	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509322	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509323	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509324	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509325	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509326	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509327	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509328	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509329	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	04/19/18
1509330	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/19/18
1509331	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/19/18
1509333	7782-44-7	OXYGEN COMPRESSED GAS	20	Cubic Feet(CF)	04/19/18
1509334	7782-44-7	OXYGEN COMPRESSED GAS	20	Cubic Feet(CF)	04/19/18
1509335	7782-44-7	OXYGEN COMPRESSED GAS	40	Cubic Feet(CF)	04/19/18
1509336	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509337	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509338	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509339	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509340	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509341	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509342	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509343	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509344	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509345	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509346	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509347	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509348	-	Oxygen UHP	220	Cubic Feet(CF)	04/19/18
1509349	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509350	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509351	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509352	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509353	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509354	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509355	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509356	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509357	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509358	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509359	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509360	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509361	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509362	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509363	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509364	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509365	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509366	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509367	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509368	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509369	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509370	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509371	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509372	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509373	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509374	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18
1509375	-	Nitrogen UHP	220	Cubic Feet(CF)	04/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509376	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509377	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509378	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509379	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509380	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509381	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509382	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509383	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509384	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509385	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509386	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509387	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509388	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509389	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509390	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509391	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509392	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509393	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509394	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509395	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509396	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509397	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/19/18
1509398	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509399	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509400	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509401	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509402	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509403	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509404	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509405	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509406	74-98-6	PROPANE REFRIGERATED LIQUID (CRYOGENIC	11	Gallon(GAL)	04/19/18
1509332	7782-44-7	OXYGEN COMPRESSED GAS	60	Cubic Feet(CF)	04/19/18
1266721	-	BUFFER SOLUTION PH 7.0 COLOR CODED	500	Milliliter(ML)	04/20/18
1455524	-	MOLD MAX 40 SILICONE RUBBER COMPOUND	10	Pounds(LB)	04/20/18
1455525	-	MOLD MAX 40 SILICONE RUBBER COMPOUND	10	Pounds(LB)	04/20/18
1455522	-	MOLD MAX 40 SILICONE RUBBER COMPOUND	1	Pounds(LB)	04/20/18
1455523	-	MOLD MAX 40 SILICONE RUBBER COMPOUND	1	Pounds(LB)	04/20/18
1420151	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420152	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420153	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420154	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420155	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420156	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420157	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420158	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420159	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1420160	-	SILICONE SEALANT	2.8	Ounces(OZ)	04/20/18
1531196	-	Intellipack SmartFoam B	55	Gallon(GAL)	04/23/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531197	-	Intellipack SmartFoam A	55	Gallon(GAL)	04/23/18
1531252	-	EP21TDC-2LO	0.5	Pint(PT)	04/23/18
1531253	-	Contrex® AP Powder Detergent	1.8	Kilograms(KG)	04/23/18
1531254	-	Contrex® AP Powder Detergent	1.8	Kilograms(KG)	04/23/18
1531255	Multi	EPO-TEK H2OE Part A	1	Ounces(OZ)	04/23/18
1417463	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417464	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417465	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417466	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417467	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417468	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417469	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417470	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417471	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417472	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417473	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417474	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417475	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417476	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417477	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417478	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417479	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417480	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417481	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417482	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417483	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1417484	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1455175	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1455176	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1455177	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1455178	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1455179	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1201639	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1201636	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1201637	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1201638	-	Nitrogen UHP	220	Cubic Feet(CF)	04/23/18
1531256	1336-21-6	AMMONIUM HYDROXIDE OPTIMA	250	Milliliter(ML)	04/23/18
1531257	1336-21-6	AMMONIUM HYDROXIDE OPTIMA	250	Milliliter(ML)	04/23/18
1531258	1336-21-6	AMMONIUM HYDROXIDE OPTIMA	250	Milliliter(ML)	04/23/18
1531283	7664-39-3	HYDROFLUORIC ACID OPTIMA	250	Milliliter(ML)	04/23/18
1531284	-	THERMAL SPRAY POWDER (ACICULAR)	14	Gram(GM)	04/23/18
1531285	-	THERMAL SPRAY POWDER (ACICULAR)	14	Gram(GM)	04/23/18
1531286	-	THERMAL SPRAY POWDER (SPH	14	Gram(GM)	04/23/18
1531287	-	THERMAL SPRAY POWDER (SPH	14	Gram(GM)	04/23/18
1531288	-	Plexcore OC RG-1150 organic conductive ink	25	Milliliter(ML)	04/23/18
1531289	7447-39-4	COPPER(II) CHLORIDE	25	Gram(GM)	04/23/18
1531290	33953-86-5	2 2 2-Trifluoro-acetaldehyde hydrate	10	Gram(GM)	04/23/18
1531291	-	DMEM	500	Milliliter(ML)	04/23/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531292	-	DMEM	500	Milliliter(ML)	04/23/18
1531293	-	DMEM	500	Milliliter(ML)	04/23/18
1531294	-	DMEM	500	Milliliter(ML)	04/23/18
1531295	-	DMEM	500	Milliliter(ML)	04/23/18
1531296	-	DMEM	500	Milliliter(ML)	04/23/18
1531297	-	DMEM	500	Milliliter(ML)	04/23/18
1531298	-	DMEM	500	Milliliter(ML)	04/23/18
1531299	-	DMEM	500	Milliliter(ML)	04/23/18
1531300	-	DMEM	500	Milliliter(ML)	04/23/18
1531301	17455-13-9	18-CROWN-6	25	Gram(GM)	04/23/18
1531302	7786-30-3	MAGNESIUM CHLORIDE ANHYDROUS	1	Kilograms(KG)	04/23/18
1509450	-	LIQUID NITROGEN	440	Cubic Feet(CF)	04/23/18
1509407	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509408	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509409	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509410	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509411	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509412	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509413	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509414	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509415	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509416	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509417	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509418	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509419	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509420	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509421	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509422	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509423	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509424	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509425	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509426	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509427	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509428	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1509429	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/23/18
1531303	11-24-7	1 10-DECANEDIOL	500	Gram(GM)	04/23/18
1531198	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531199	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531200	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531201	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531202	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531203	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531204	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531205	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531206	7447-40-7	POTASSIUM CHLORIDE	1	Kilograms(KG)	04/23/18
1531259	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531260	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531261	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531262	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531263	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531264	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531265	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531266	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531267	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531268	70131-67-8	POLYDIMETHYLSILOXANE SILANOL TERMINATED	100	Gram(GM)	04/23/18
1531271	621-23-8	1 3 5-TRIMETHOXYBENZENE	1	Gram(GM)	04/23/18
1531272	621-23-8	1 3 5-TRIMETHOXYBENZENE	1	Gram(GM)	04/23/18
1531273	-	RPMI-1640 MEDIUM	500	Milliliter(ML)	04/23/18
1531274	-	RPMI-1640 MEDIUM	500	Milliliter(ML)	04/23/18
1531275	112-88-9	1-OCTADECENE	1	Liters(L)	04/23/18
1531276	112-88-9	1-OCTADECENE	1	Liters(L)	04/23/18
1509430	-	5PPM CHLORINE/BAL. NITROG	58	Liters(L)	04/23/18
1509432	-	5PPM CHLORINE/BAL. NITROG	58	Liters(L)	04/23/18
1509433	-	5PPM CHLORINE/BAL. NITROG	58	Liters(L)	04/23/18
1531277	-	Polystyrene DDMAT terminated	1	Gram(GM)	04/23/18
1531278	-	Polystyrene DDMAT terminated	1	Gram(GM)	04/23/18
1531351	1341-49-7	AMMONIUM HYDROGEN FLUORIDE	25	Gram(GM)	04/23/18
1531352	55804-65-4	COUMARIN 343	100	Milligram(MG)	04/23/18
1531353	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531354	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531355	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531356	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531357	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531358	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531359	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531360	-	ULTIMA GOLD	10	Liters(L)	04/23/18
1531423	-	KRYTOX LVP HIGH-VACUUM GREASE	2	Ounces(OZ)	04/23/18
1509434	-	CARBON DIOXIDE IN NITROGEN	100	Liters(L)	04/23/18
1509435	-	CARBON DIOXIDE IN NITROGEN	100	Liters(L)	04/23/18
1509436	-	CARBON DIOXIDE IN NITROGEN	100	Liters(L)	04/23/18
1457403	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/23/18
1457404	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/23/18
1457405	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/23/18
1457406	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/23/18
1457623	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/23/18
1509437	7440-59-7	Helium UHP	220	Cubic Feet(CF)	04/23/18
1509438	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509439	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509440	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509441	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509442	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509443	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509444	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509445	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509446	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509447	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509448	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1509449	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	04/23/18
1530990	-	HYDRANAL COULOMAT AG	1	Liters(L)	04/23/18
1531123	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531124	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531125	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531126	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531127	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531128	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531129	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531130	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531164	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531165	-	DETERGENT 8	1	Gallon(GAL)	04/23/18
1531304	16853-85-3	LITHIUM ALUMINUM HYDRIDE	50	Gram(GM)	04/23/18
1531305	127903-20-2	6-(Fmoc-amino)-1-hexanol	1	Gram(GM)	04/23/18
1531306	64-17-5	ALCOHOL REAGENT	1	Gallon(GAL)	04/23/18
1531307	64-17-5	ALCOHOL REAGENT	1	Gallon(GAL)	04/23/18
1531308	64-17-5	ALCOHOL REAGENT	1	Gallon(GAL)	04/23/18
1531309	64-17-5	ALCOHOL REAGENT	1	Gallon(GAL)	04/23/18
1531424	-	TYPE Y	1	Gallon(GAL)	04/23/18
1531429	16925-25-0	SODIUM HEXAFLUOROANTIMONATE	25	Gram(GM)	04/23/18
1531430	374-99-2	2 2 3 3 4 4 4-Heptafluorobutylamine	5	Gram(GM)	04/23/18
1531431	75-59-2	TETRAMETHYL AMMONIUM HYDROXIDE	250	Milliliter(ML)	04/23/18
1531432	-	HYDRANAL WATER STANDARD 1.00	40	Milliliter(ML)	04/23/18
1457624	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/23/18
1494968	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494969	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494970	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494971	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494972	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494973	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494974	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494975	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494976	-	DURABLEND SAE 5W-20 SYNTHETIC BLEND	1	Quarts(QT)	04/23/18
1494977	-	SAE 10W-30	1	Quarts(QT)	04/23/18
1494978	-	SAE 10W-30	1	Quarts(QT)	04/23/18
1494979	-	SAE 10W-30	1	Quarts(QT)	04/23/18
1494980	-	SAE 10W-30	1	Quarts(QT)	04/23/18
1494981	-	SAE 10W-30	1	Quarts(QT)	04/23/18
1494982	-	SAE 10W-30	1	Quarts(QT)	04/23/18
1494983	-	SAE 10W-30	1	Quarts(QT)	04/23/18
1494984	-	O¿REILLY PREMIUM ATF TYPE F	1	Quarts(QT)	04/23/18
1494985	-	O¿REILLY PREMIUM ATF TYPE F	1	Quarts(QT)	04/23/18
1494986	-	O¿REILLY PREMIUM ATF TYPE F	1	Quarts(QT)	04/23/18
1494987	-	O¿REILLY PREMIUM ATF TYPE F	1	Quarts(QT)	04/23/18
1494991	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1494992	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1494993	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1494994	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1494995	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1494996	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1494997	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1494998	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1494999	-	MasterPro Super White Grease	14	Ounces(OZ)	04/23/18
1495000	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495001	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495002	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495003	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495004	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495005	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495006	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495007	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495008	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495009	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495010	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1495011	-	Valvoline DEX/MERC AUTOMATIC	1	Quarts(QT)	04/23/18
1494988	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	04/23/18
1494989	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	04/23/18
1494990	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	04/23/18
1495012	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	04/23/18
1495013	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	04/23/18
1495014	-	CHAIN & CABLE LUBRICANT	11	Ounces(OZ)	04/23/18
1495015	-	Allied Genuine Chisel Paste	5	Gallon(GAL)	04/23/18
1495016	-	HYDRAULIC OIL	55	Gallon(GAL)	04/23/18
1148275	112926-00-8	SILICA GEL DESICCANT 6-16 MESH	250	Gram(GM)	04/23/18
1383294	-	IMMERSOL-W	100	Milliliter(ML)	04/23/18
1383321	1405-20-5	POLYMYXIN B SULFATE	10	Gram(GM)	04/23/18
981338	66-81-9	CYCLOHEXIMIDE	25	Gram(GM)	04/23/18
1383303	-	SODIUM ACETATE 3M PH 5.2	500	Milliliter(ML)	04/23/18
1383312	16009-13-5	HEMIN	25	Gram(GM)	04/23/18
1383295	-	CRYSTAL VIOLET	250	Gram(GM)	04/23/18
1383322	91183-87-8	D-GLUCOSE 1 6-DIPHOSPHATE	25	Gram(GM)	04/23/18
1383331	69-52-3	AMPICILLIN SODIUM SALT	5	Gram(GM)	04/23/18
1383330	65072-00-6	CASEIN HYDROLYZATE	100	Gram(GM)	04/23/18
1383313	50-99-7	DEXTROSE ANHYDROUS	500	Gram(GM)	04/23/18
1383304	1405-89-6	ZINC BACITRACIN	5	Gram(GM)	04/23/18
1455221	-	HYDRAULIC OIL	1	Gallon(GAL)	04/23/18
1509451	107-21-1	ETHYLENE GLYCOL 50-60% SOLUTION	40	Cubic Feet(CF)	04/24/18
1509452	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/24/18
1509453	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	04/24/18
1509454	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509455	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509456	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509457	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509458	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509459	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509460	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509461	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509462	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509463	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509464	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509465	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/24/18
1509431	-	5PPM CHLORINE/BAL. NITROG	58	Liters(L)	04/24/18
1495017	-	MasterPro Super White Grease	11	Ounces(OZ)	04/24/18
1495018	-	CHAIN & CABLE LUBRICANT	11	Ounces(OZ)	04/24/18
1495019	-	STARTING FLUID	10.7	Ounces(OZ)	04/24/18
1495020	-	O'REILLY PREMIUM ATF TYPE F	1	Quarts(QT)	04/24/18
1495021	-	PREMIUM BLUE 15W40 DIESEL OIL	1	Quarts(QT)	04/24/18
1476831	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476832	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476833	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476834	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476835	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476836	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476837	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476838	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476839	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1476840	-	PERMACRYL INTERIOR SEMI-GLOSS WHITE BASE	608	Ounces(OZ)	04/24/18
1453055	9003-53-6	POLYSTYRENE	300	Milligram(MG)	04/25/18
1453053	9003-53-6	POLYSTYRENE	300	Milligram(MG)	04/25/18
1453054	9003-53-6	POLYSTYRENE	300	Milligram(MG)	04/25/18
1453052	25322-68-3	POLYETHYLENE OXIDE	250	Milligram(MG)	04/25/18
1531191	56-81-5	GLYCERIN	5	Gallon(GAL)	04/26/18
1531192	56-81-5	GLYCERIN	5	Gallon(GAL)	04/26/18
1531193	56-81-5	GLYCERIN	5	Gallon(GAL)	04/26/18
1531194	56-81-5	GLYCERIN	5	Gallon(GAL)	04/26/18
1531195	56-81-5	GLYCERIN	5	Gallon(GAL)	04/26/18
1531310	5144-89-8	1 10-PHENANTHROLINE MONOHYDRATE	10	Gram(GM)	04/26/18
1531311	7791-20-0	NICKEL(II) CHLORIDE HEXAHYDRATE	250	Gram(GM)	04/26/18
1531312	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	04/26/18
1531313	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	04/26/18
1531314	1693-74-9	TETRAHYDROFURAN-D8	10	Milliliter(ML)	04/26/18
1531315	-	KRYTOX FLUORINATED GREASE	2	Ounces(OZ)	04/26/18
1531316	-	KRYTOX FLUORINATED GREASE	2	Ounces(OZ)	04/26/18
1531317	-	KRYTOX FLUORINATED GREASE	2	Ounces(OZ)	04/26/18
1531361	6153-56-6	OXALIC ACID CERT. ACS	500	Gram(GM)	04/26/18
1531362	64-19-7	ACETIC ACID	500	Milliliter(ML)	04/26/18
1531363	64-19-7	ACETIC ACID	500	Milliliter(ML)	04/26/18
1531364	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/26/18
1531365	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	04/26/18
1531366	5470-11-1	HYDROXYLAMINE HYDROCHLORIDE	500	Gram(GM)	04/26/18
1531367	6131-90-4	SODIUM ACETATE TRIHYDRATE	500	Gram(GM)	04/26/18
1531368	7487-88-9	MAGNESIUM SULFATE ANHYDROUS	500	Gram(GM)	04/26/18
1531372	1309-37-1	IRON(III) OXIDE	25	Gram(GM)	04/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531373	-	QIAQUICK PCR PURIFICATION KIT	50	Milliliter(ML)	04/26/18
1531433	112-40-3	DODECANE	100	Milligram(MG)	04/26/18
1531434	7787-64-6	BISMUTH (III) IODIDE	25	Gram(GM)	04/26/18
1531435	318-98-9	PROPRANOLOL HYDROCHLORIDE	1	Gram(GM)	04/26/18
1531436	5984-95-2	(-)-Isoproterenol hydrochloride	100	Milligram(MG)	04/26/18
1531437	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/26/18
1531438	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/26/18
1531439	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/26/18
1531440	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/26/18
1418038	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418039	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418040	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418041	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418042	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418043	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418044	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418045	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418046	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1418047	-	TRU-BLU	4	Ounces(OZ)	04/26/18
1531318	-	CATALYST 23LV	1	Pounds(LB)	04/26/18
1531319	112-57-2	9-CATALYST AMBER	4	Ounces(OZ)	04/26/18
1531320	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	04/26/18
1531321	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	04/26/18
1531322	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	04/26/18
1531323	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	04/26/18
1531324	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	04/26/18
1531325	-	ULTIMA GOLD AB	1	Liters(L)	04/26/18
1531326	-	ULTIMA GOLD AB	1	Liters(L)	04/26/18
1531327	-	100BP DNA LADDER	500	MicroGram(UG)	04/26/18
1531328	-	Phusion* Hot Start II High-Fidelity DNA	100	Milliliter(ML)	04/26/18
1531329	-	Quick-Load Purple 50 bp DNA Ladder	60	MicroGram(UG)	04/26/18
1531330	13780-48-8	EUROPIUM(II) BROMIDE	1	Gram(GM)	04/26/18
1531374	60-29-7	ETHYL ETHER ANHYDROUS	1	Liters(L)	04/26/18
1531375	60-29-7	ETHYL ETHER ANHYDROUS	1	Liters(L)	04/26/18
1531376	60-29-7	ETHYL ETHER ANHYDROUS	1	Liters(L)	04/26/18
1531377	60-29-7	ETHYL ETHER ANHYDROUS	1	Liters(L)	04/26/18
1531378	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531379	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531380	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531381	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531382	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531383	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531384	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531385	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531386	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531387	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531388	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531389	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531390	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531391	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531392	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531393	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531394	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531395	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531396	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531397	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531398	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531399	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531400	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531401	811-97-2	DUSTER ES1017	10	Ounces(OZ)	04/26/18
1531441	-	PH BUFFER PH 1.00	500	Milliliter(ML)	04/26/18
1531442	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/26/18
1531443	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/26/18
1531444	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/26/18
1531445	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/26/18
1531446	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/26/18
1531447	109-99-9	TETRAHYDROFURAN ANHYDROUS	1	Liters(L)	04/26/18
1531448	7778-77-0	PHOSPHATE STANDARD SOLUTION (1 MG/ML	125	Milliliter(ML)	04/26/18
1531449	-	OXALATE STANDARD	125	Milliliter(ML)	04/26/18
1531450	7631-99-4	NITRATE STANDARD	125	Milliliter(ML)	04/26/18
1531451	-	NITRITE STANDARD	125	Milliliter(ML)	04/26/18
1531452	7681-49-4	FLUORIDE STANDARD SOLUTION	125	Milliliter(ML)	04/26/18
1531453	7647-15-6	BROMIDE STANDARD	125	Milliliter(ML)	04/26/18
1531454	-	SULFATE STANDARD	125	Milliliter(ML)	04/26/18
1531455	-	IC INSTRUMENT CHECK STANDARD 1	125	Milliliter(ML)	04/26/18
1531457	624-92-0	METHYL DISULFIDE	5	Milliliter(ML)	04/26/18
1531458	-	BUFFER KIT	500	Milliliter(ML)	04/26/18
1531459	-	Dissolved Oxygen 3 Powder Pillows	60	Milliliter(ML)	04/26/18
1531460	-	Dissolved Oxygen 3 Powder Pillows	60	Milliliter(ML)	04/26/18
1531461	-	Dissolved Oxygen 3 Powder Pillows	60	Milliliter(ML)	04/26/18
1531462	-	Dissolved Oxygen 3 Powder Pillows	60	Milliliter(ML)	04/26/18
1531463	-	Dissolved Oxygen 3 Powder Pillows	60	Milliliter(ML)	04/26/18
1531464	7440-50-8	COPPER POWDER	500	Gram(GM)	04/26/18
1531465	7782-49-2	SELENIUM PELLETS 2MM	250	Gram(GM)	04/26/18
1457625	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	04/26/18
1457626	-	SODIUM BISULFITE SOLUTION	2464	Pounds(LB)	04/26/18
1457627	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457628	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457629	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457630	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457631	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457632	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457633	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457634	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457635	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18
1457636	7786-30-3	MAGNESIUM CHLORIDE	3300	Pounds(LB)	04/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531331	25583-20-4	TITANIUM NITRIDE	50	Gram(GM)	04/26/18
1531332	142-62-1	HEXANOIC ACID	1	Kilograms(KG)	04/26/18
1531333	25103-87-1	POLY(1 4-BUTYLENE ADIPATE)	25	Gram(GM)	04/26/18
1531334	827-54-3	2-VINYLNAPHTHALENE	25	Gram(GM)	04/26/18
1531335	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/26/18
1509467	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509468	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509469	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509470	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509471	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509472	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509473	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509474	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509475	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509476	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509477	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509478	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509479	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1531336	64-17-5	ETHANOL	2.5	Liters(L)	04/26/18
1531402	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/26/18
1531403	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/26/18
1531404	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/26/18
1531405	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/26/18
1531406	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/26/18
1531407	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	04/26/18
1531408	1772-03-8	D-GALACTOSAMINE HYDROCHLORIDE	25	Gram(GM)	04/26/18
1531409	5505-63-5	D-MANNOSAMINE	5	Gram(GM)	04/26/18
1531410	66-84-2	D-GLUCOSAMINE HYDROCHLORIDE	100	Gram(GM)	04/26/18
1531411	131-48-6	N-ACETYLNEURAMINIC ACID	25	Gram(GM)	04/26/18
1531466	7647-14-5	CHLORIDE STANDARD	500	Milliliter(ML)	04/26/18
1509491	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1531467	7440-22-4	SILVER POWDER	100	Gram(GM)	04/26/18
1509492	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509493	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509494	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509495	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509496	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509497	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509498	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509499	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509500	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509501	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509502	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509503	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509504	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509505	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509506	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509507	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509508	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509509	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509510	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509511	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509512	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509513	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509514	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509515	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509516	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509517	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509518	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509519	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509520	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509521	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509522	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509523	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509524	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509525	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509526	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509527	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509528	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509529	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509530	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509531	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509532	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509533	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509534	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1509535	-	Nitrogen UHP	220	Cubic Feet(CF)	04/26/18
1457637	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	04/26/18
1457638	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	04/26/18
1457639	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	04/26/18
1457640	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	04/26/18
1457641	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	04/26/18
1509536	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509537	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509538	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509539	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509540	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509541	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509542	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509543	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509544	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509545	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509546	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509547	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509548	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509549	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509550	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509551	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509552	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509553	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509554	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509555	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509556	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509557	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509558	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509559	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509560	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509561	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509562	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509563	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509564	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509565	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509566	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509567	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509568	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509569	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509570	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509571	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509572	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509573	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509574	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509575	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509576	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509577	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509578	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509579	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509580	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509581	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509582	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509583	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509584	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509585	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509586	-	94% ARGON/6% HYDROGEN	220	Cubic Feet(CF)	04/26/18
1509587	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509588	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509589	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509590	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509591	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509592	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509593	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509594	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509595	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509596	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509597	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509598	-	Argon UHP	220	Cubic Feet(CF)	04/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509599	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509600	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509601	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509602	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509603	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509604	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509605	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509606	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509607	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509608	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509609	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509610	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509611	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509612	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509613	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509614	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509615	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509616	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509617	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509618	-	Argon UHP	220	Cubic Feet(CF)	04/26/18
1509628	-	CARBON MONOXIDE 10% IN HELIUM	22	Cubic Feet(CF)	04/26/18
1509632	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/26/18
1509633	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/26/18
1509634	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/26/18
1509635	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/26/18
1509636	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/26/18
1509637	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/26/18
1509638	-	AIR COMPRESSED	220	Cubic Feet(CF)	04/26/18
1509480	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509481	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509482	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509483	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509484	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509485	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509486	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509487	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509488	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509489	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509490	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	04/26/18
1509466	-	1% ISOBUTANE/BAL. ARGON	34	Liters(L)	04/26/18
1387712	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387713	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387714	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387715	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387716	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387717	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387718	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387719	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1387720	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387721	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387722	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1387723	7440-21-3	SILICONE LUBRICANT SPRAY	11	Ounces(OZ)	04/26/18
1509619	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509620	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509621	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509622	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509623	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509624	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509625	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509626	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509627	74-98-6	PROPANE	11	Gallon(GAL)	04/26/18
1509629	1333-74-0	HYDROGEN	100	Liters(L)	04/26/18
1509630	1333-74-0	HYDROGEN	100	Liters(L)	04/26/18
1509631	1333-74-0	HYDROGEN	100	Liters(L)	04/26/18
1387724	-	SARGENT WELCH DUO-SEAL PUMP OIL	1	Quarts(QT)	04/26/18
1387725	-	SARGENT WELCH DUO-SEAL PUMP OIL	1	Quarts(QT)	04/26/18
1387726	-	SARGENT WELCH DUO-SEAL PUMP OIL	1	Quarts(QT)	04/26/18
1387727	-	SARGENT WELCH DUO-SEAL PUMP OIL	1	Quarts(QT)	04/26/18
1328594	-	STA PUT PLUMBERS PUTTY	5	Pounds(LB)	04/26/18
1383769	-	PREMIUM ENAMEL-GLOSS HUNTER GREEN	12	Ounces(OZ)	04/26/18
1387728	-	WAY OIL	0.5	Quarts(QT)	04/26/18
1387729	-	SHERWIN-WILLIAMS TURQUOISE PAINT	0.5	Quarts(QT)	04/26/18
1387730	-	HYDRAULIC JACK OIL	1	Quarts(QT)	04/26/18
1331509	7681-52-9	SODIUM HYPOCHLORITE	1	Gallon(GAL)	04/26/18
981341	7631-99-4	SODIUM NITRATE	100	Gram(GM)	04/27/18
981340	12125-02-9	AMMONIUM CHLORIDE	500	Gram(GM)	04/27/18
981335	-	BACTO AGAR	500	Gram(GM)	04/27/18
981334	67-03-8	THIAMINE HYDROCHLORIDE	25	Gram(GM)	04/27/18
981333	7631-99-4	SODIUM NITRATE	250	Gram(GM)	04/27/18
981339	144-55-8	SODIUM BICARBONATE	250	Gram(GM)	04/27/18
981342	144-55-8	SODIUM BICARBONATE	250	Gram(GM)	04/27/18
1476577	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476578	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476579	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476580	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476581	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476582	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476583	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476584	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476585	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476586	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476587	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476588	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476589	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476590	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476591	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476592	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476593	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476594	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476595	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476596	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476597	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476598	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476599	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476600	-	10W-30 SAE MOTOR OIL	32	Ounces(OZ)	04/27/18
1476614	-	Diamond Spray Paint Sun Yellow	12	Ounces(OZ)	04/27/18
1476615	-	Diamond Spray Paint Sun Yellow	12	Ounces(OZ)	04/27/18
1476616	-	Diamond Spray Paint Sun Yellow	12	Ounces(OZ)	04/27/18
1476617	-	Diamond Spray Paint Sun Yellow	12	Ounces(OZ)	04/27/18
1476618	-	Diamond Spray Paint Sun Yellow	12	Ounces(OZ)	04/27/18
1476619	-	Diamond Spray Paint Sun Yellow	12	Ounces(OZ)	04/27/18
1476620	-	DIAMOND HARD ACRYLIC ENAMEL GRAY PRIMER	12	Ounces(OZ)	04/27/18
1476621	-	DIAMOND HARD ACRYLIC ENAMEL GRAY PRIMER	12	Ounces(OZ)	04/27/18
1476622	-	DIAMOND HARD ACRYLIC ENAMEL GRAY PRIMER	12	Ounces(OZ)	04/27/18
1476623	-	DIAMOND HARD ACRYLIC ENAMEL GRAY PRIMER	12	Ounces(OZ)	04/27/18
1476624	-	DIAMOND HARD ACRYLIC ENAMEL GRAY PRIMER	12	Ounces(OZ)	04/27/18
1476625	-	DIAMOND HARD ACRYLIC ENAMEL GRAY PRIMER	12	Ounces(OZ)	04/27/18
1485631	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485632	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485633	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485634	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485635	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485636	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485637	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485638	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485639	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485640	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485641	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485642	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485643	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485644	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485645	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485646	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485647	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485648	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485649	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485650	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485651	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485652	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485653	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1485654	-	FS-One Max	10.1	Ounces(OZ)	04/27/18
1476626	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476627	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476628	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476629	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476630	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476631	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476632	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476633	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476634	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476635	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476636	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476637	-	OLD MASTERS PENETRATING STAIN	12	Ounces(OZ)	04/27/18
1476640	-	OLD MASTERS PENETRATING STAIN	1	Gallon(GAL)	04/27/18
1476641	-	OLD MASTERS PENETRATING STAIN	1	Gallon(GAL)	04/27/18
1476642	-	BULLS EYE 1-2-3	5	Gallon(GAL)	04/27/18
1476643	-	BULLS EYE 1-2-3	5	Gallon(GAL)	04/27/18
1476644	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	04/27/18
1476645	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	04/27/18
1476646	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	04/27/18
1476647	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	04/27/18
1476648	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	04/27/18
1476649	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	04/27/18
1476650	-	ARMSTRONG COMMERCIAL VINYL SHEET	4	Gallon(GAL)	04/27/18
1476651	-	ARMSTRONG COMMERCIAL VINYL SHEET	4	Gallon(GAL)	04/27/18
1476652	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476653	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476654	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476655	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476656	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476657	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476658	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476659	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476660	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476661	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476662	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476663	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476664	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476665	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476666	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476667	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476668	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476669	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476670	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476671	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476672	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476673	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476674	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476675	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476676	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476677	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476678	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476679	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476680	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476681	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476682	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476683	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476684	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	04/27/18
1476685	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476686	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476687	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476688	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476689	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476690	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476691	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476692	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476693	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476694	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476695	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476696	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	04/27/18
1476698	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476699	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476700	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476701	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476702	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476703	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476704	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476705	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476706	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476707	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476708	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476709	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476710	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476711	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476712	-	PSX 700 WHITE RESIN	0.8	Gallon(GAL)	04/27/18
1476713	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476714	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476715	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476716	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476717	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476718	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476719	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476720	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476721	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476722	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476723	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476724	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476725	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476726	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476727	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476728	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476729	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476730	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476731	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476732	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476733	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476734	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476735	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476736	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476737	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476738	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476739	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476740	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476741	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476742	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476743	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476744	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476745	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476746	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476747	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476748	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476749	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476750	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476751	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476752	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476753	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476754	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476755	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476756	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476757	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/27/18
1476758	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476759	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476760	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476761	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476762	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476763	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476764	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476765	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476766	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476767	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476768	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1476769	-	SKID-TEX ST30 ANTI SLIP	1	Pounds(LB)	04/27/18
1531337	3398-16-1	4-Bromo-3 5-dimethylpyrazole	10	Gram(GM)	04/30/18
1531338	3398-16-1	4-Bromo-3 5-dimethylpyrazole	10	Gram(GM)	04/30/18
1531339	3398-16-1	4-Bromo-3 5-dimethylpyrazole	10	Gram(GM)	04/30/18
1531340	501-53-1	BENZYL CHLOROFORMATE (CARBOBENZOXY	100	Gram(GM)	04/30/18
1531341	13453-07-1	Gold(III) chloride	50	Gram(GM)	04/30/18
1531342	104-87-0	P-TOLUALDEHYDE	100	Gram(GM)	04/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531414	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	04/30/18
1531415	-	FULLCURE 705	3.6	Kilograms(KG)	04/30/18
1531416	-	FULLCURE 705	3.6	Kilograms(KG)	04/30/18
1531417	-	FULLCURE 840	3.6	Kilograms(KG)	04/30/18
1531418	-	FULLCURE 840	3.6	Kilograms(KG)	04/30/18
1531419	-	FULLCURE 705	3.6	Kilograms(KG)	04/30/18
1531420	693-13-0	N N'-DIISOPROPYLCARBODIIMIDE	100	Gram(GM)	04/30/18
1531421	693-13-0	N N'-DIISOPROPYLCARBODIIMIDE	100	Gram(GM)	04/30/18
1531422	693-13-0	N N'-DIISOPROPYLCARBODIIMIDE	100	Gram(GM)	04/30/18
1531468	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531469	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531470	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531471	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531472	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531473	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531474	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531475	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531476	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531477	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531478	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531479	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	04/30/18
1531480	141-78-6	ETHYL ACETATE	4	Liters(L)	04/30/18
1531481	141-78-6	ETHYL ACETATE	4	Liters(L)	04/30/18
1531482	141-78-6	ETHYL ACETATE	4	Liters(L)	04/30/18
1531483	141-78-6	ETHYL ACETATE	4	Liters(L)	04/30/18
1531484	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531485	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531486	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531487	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531488	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531489	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531490	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531491	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531492	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531493	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	04/30/18
1531494	35725-34-9	YTTERBIUM(III) NITRATE PENTAHYDRATE	10	Gram(GM)	04/30/18
1531495	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531496	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531497	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531498	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531499	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531500	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531501	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531502	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531503	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531504	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531505	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531506	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531507	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531508	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531509	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531510	75-09-2	METHYLENE CHLORIDE	4	Liters(L)	04/30/18
1531567	1707-03-5	DIPHENYLPHOSPHINIC ACID	5	Gram(GM)	04/30/18
1531568	7447-39-4	COPPER (II) CHLORIDE ANHYDROUS	5	Gram(GM)	04/30/18
1531569	1321-74-0	DIVINYLBENZENE	250	Milliliter(ML)	04/30/18
1531343	39389-20-3	AMBERLYST 15 ION-EXCHANGE RESIN	2.5	Kilograms(KG)	04/30/18
1453050	-	OBJET Support SUP706	1	Kilograms(KG)	04/30/18
1453051	-	OBJET Support SUP706	1	Kilograms(KG)	04/30/18
1453056	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/30/18
1453057	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/30/18
1453058	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/30/18
1453059	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/30/18
1453060	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/30/18
1453061	-	OBJET VEROBLUE RGD840	1	Kilograms(KG)	04/30/18
1531344	83766-52-3	4-(Heptadecafluorooctyl)aniline	10	Gram(GM)	04/30/18
1476789	-	BULLS EYE 1-2-3	5	Gallon(GAL)	04/30/18
1476790	-	BULLS EYE 1-2-3	5	Gallon(GAL)	04/30/18
1531345	-	MOLD MAX 40 SILICONE RUBBER COMPOUND	2.2	Pounds(LB)	04/30/18
1531346	-	MOLD MAX 40 SILICONE RUBBER COMPOUND	2.2	Pounds(LB)	04/30/18
1476799	-	SBS FLASHING CEMENT MATRIX 202	4.75	Gallon(GAL)	04/30/18
1531347	-	IMS DRY POWDER UNIVERSAL MOLD RELEASE	12	Ounces(OZ)	04/30/18
1531348	-	IMS DRY POWDER UNIVERSAL MOLD RELEASE	12	Ounces(OZ)	04/30/18
1476800	-	SBS FLASHING CEMENT MATRIX 202	4.75	Gallon(GAL)	04/30/18
1476801	-	SBS FLASHING CEMENT MATRIX 202	4.75	Gallon(GAL)	04/30/18
1476802	-	SBS FLASHING CEMENT MATRIX 202	4.75	Gallon(GAL)	04/30/18
1476803	-	SBS FLASHING CEMENT MATRIX 202	4.75	Gallon(GAL)	04/30/18
1531570	6419-19-8	Nitrioltri(methylphosphonic acid)	10	Gram(GM)	04/30/18
1531571	1305-62-0	CALCIUM HYDROXIDE	100	Gram(GM)	04/30/18
1531572	97-90-5	ETHYLENE DIMETHACRYLATE	100	Milliliter(ML)	04/30/18
1531573	518-47-8	FLUORESCIEIN SODIUM SALT	100	Gram(GM)	04/30/18
1531574	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	04/30/18
1531575	109-99-9	TETRAHYDROFURAN	1	Liters(L)	04/30/18
1531576	60-29-7	DIETHYL ETHER	1	Liters(L)	04/30/18
1476816	-	BULLS EYE 1-2-3	5	Gallon(GAL)	04/30/18
1531577	19423-76-8	CERIUM(III) CHLORIDE HYDROUS	100	Gram(GM)	04/30/18
1531578	19423-76-8	CERIUM(III) CHLORIDE HYDROUS	100	Gram(GM)	04/30/18
1531579	19423-76-8	CERIUM(III) CHLORIDE HYDROUS	100	Gram(GM)	04/30/18
1531581	297730-93-9	HFE-7500 ENGINEERED FLUID	100	Gram(GM)	04/30/18
1476817	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/30/18
1531582	297730-93-9	HFE-7500 ENGINEERED FLUID	100	Gram(GM)	04/30/18
1476818	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/30/18
1531583	1344-28-1	Alumina	50	Gram(GM)	04/30/18
1531584	1344-28-1	ALPHA-ALUMINA	60	Gram(GM)	04/30/18
1531585	13463-67-7	FUMED TITANIA	46	Gram(GM)	04/30/18
1531639	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18
1531640	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531641	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18
1531642	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18
1531643	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18
1531644	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18
1531645	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18
1531646	-	LIME-A-WAY	4	Gallon(GAL)	04/30/18
1476841	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476842	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476843	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476844	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476845	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476846	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476847	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476848	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476849	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476850	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476851	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476852	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476853	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476854	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476855	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476856	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476857	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476858	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476859	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476860	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476861	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476862	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476863	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476864	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476865	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476866	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476867	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476868	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476869	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476870	-	VULKEM 116 POLYURETHANE SEALANT	10.1	Ounces(OZ)	04/30/18
1476879	-	SBS FLASHING CEMENT MATRIX 202	5	Gallon(GAL)	04/30/18
1476872	-	SBS MEMBRANE ADHESIVE MATRIX 102	5	Gallon(GAL)	04/30/18
1476873	-	SBS MEMBRANE ADHESIVE MATRIX 102	5	Gallon(GAL)	04/30/18
1476874	-	SBS MEMBRANE ADHESIVE MATRIX 102	5	Gallon(GAL)	04/30/18
1476875	-	SBS MEMBRANE ADHESIVE MATRIX 102	5	Gallon(GAL)	04/30/18
1476876	-	SBS MEMBRANE ADHESIVE MATRIX 102	5	Gallon(GAL)	04/30/18
1476877	-	SBS MEMBRANE ADHESIVE MATRIX 102	5	Gallon(GAL)	04/30/18
1476878	-	SBS MEMBRANE ADHESIVE MATRIX 102	5	Gallon(GAL)	04/30/18
1476950	-	Original KRUD KUTTER	1	Gallon(GAL)	04/30/18
1476951	-	Original KRUD KUTTER	1	Gallon(GAL)	04/30/18
1476973	-	LAQUER THINNER	1	Gallon(GAL)	04/30/18
1476974	-	LAQUER THINNER	1	Gallon(GAL)	04/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476975	-	LAQUER THINNER	1	Gallon(GAL)	04/30/18
1476976	-	LAQUER THINNER	1	Gallon(GAL)	04/30/18
1476983	-	ZINSSER 123 BULLSEYE PRIMER	5	Gallon(GAL)	04/30/18
1476984	-	ZINSSER 123 BULLSEYE PRIMER	5	Gallon(GAL)	04/30/18
1477059	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	04/30/18
1477060	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	04/30/18
1477061	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	04/30/18
1477062	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	04/30/18
1476989	-	SKID-TEX ST30 ANTI SLIP	1	Pint(PT)	04/30/18
1476990	-	SKID-TEX ST30 ANTI SLIP	1	Pint(PT)	04/30/18
1476991	-	SKID-TEX ST30 ANTI SLIP	1	Pint(PT)	04/30/18
1478997	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/30/18
1477004	-	PSX 700 CURE US	0.2	Gallon(GAL)	04/30/18
1477005	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	04/30/18
1477006	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	04/30/18
1477007	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	04/30/18
1477008	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	04/30/18
1477009	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	04/30/18
1477010	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	04/30/18
1477011	-	DENATURED ALCOHOL	1	Gallon(GAL)	04/30/18
1477012	-	DENATURED ALCOHOL	1	Gallon(GAL)	04/30/18
1477013	-	DENATURED ALCOHOL	1	Gallon(GAL)	04/30/18
1477015	-	AEON 9000 SP LUBRICANT	5	Gallon(GAL)	04/30/18
1477016	-	AEON 9000 SP LUBRICANT	5	Gallon(GAL)	04/30/18
1477017	-	AEON 9000 SP LUBRICANT	5	Gallon(GAL)	04/30/18
1477018	-	AEON 9000 SP LUBRICANT	5	Gallon(GAL)	04/30/18
1477019	-	AEON 9000 SP LUBRICANT	5	Gallon(GAL)	04/30/18
1477020	-	AEON 9000 SP LUBRICANT	5	Gallon(GAL)	04/30/18
1497223	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497224	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497225	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497226	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497227	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497228	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497229	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497230	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497231	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497232	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497233	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497234	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497235	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497236	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497237	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497238	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497239	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497240	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497241	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497242	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497243	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497244	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497245	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497246	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497247	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497248	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497249	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497250	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1497251	-	PUROBROM TABLETS (BROMICIDE)	5	Gallon(GAL)	05/01/18
1477021	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477022	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477023	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477024	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477025	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477026	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477027	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477028	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477029	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477030	-	PSX 700A Clear Coat Resin	1	Gallon(GAL)	05/01/18
1477031	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477032	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477033	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477034	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477035	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477036	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477037	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477038	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477039	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477040	-	PSX 700A CLEAR COAT CURE	0.17	Gallon(GAL)	05/01/18
1477041	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477042	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477043	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477044	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477045	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477046	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477047	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477048	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477049	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477050	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477051	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477052	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477053	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477054	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477055	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477056	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1531598	-	MOBIL DTE OIL HEAVY MEDIUM	1	Gallon(GAL)	05/01/18
1531599	-	MOBIL DTE OIL HEAVY MEDIUM	1	Gallon(GAL)	05/01/18
1531600	-	MOBIL DTE OIL HEAVY MEDIUM	1	Gallon(GAL)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531601	-	MOBIL DTE OIL HEAVY MEDIUM	1	Gallon(GAL)	05/01/18
1531602	-	TORR SEAL LOW-VAPOR PRESSURE RESIN (BASE	4	Ounces(OZ)	05/01/18
1531603	13453-07-1	GOLD (III) CHLORIDE	5	Gram(GM)	05/01/18
1531604	-	UTEVA RESIN	200	Gram(GM)	05/01/18
1531605	1007-54-1	2-(benzylsulfanyl)ethan-1-amine	10	Gram(GM)	05/01/18
1531606	1007-54-1	2-(benzylsulfanyl)ethan-1-amine	10	Gram(GM)	05/01/18
1477057	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1531607	2014-75-7	[(2-aminoethyl)sulfanyl]benzene	10	Gram(GM)	05/01/18
1477058	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477063	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477064	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477065	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477066	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477067	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477068	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477069	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477070	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477071	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477072	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1477073	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/01/18
1531608	18542-42-2	2-(METHYLTHIO)ETHYLAMINE	10	Gram(GM)	05/01/18
1531609	18542-42-2	2-(METHYLTHIO)ETHYLAMINE	10	Gram(GM)	05/01/18
1531610	22572-38-9	2-(tert-butylsulfanyl)ethan-1-amine	10	Gram(GM)	05/01/18
1531611	22572-38-9	2-(tert-butylsulfanyl)ethan-1-amine	10	Gram(GM)	05/01/18
1531612	108-88-3	TOLUENE	1	Liters(L)	05/01/18
1531647	7664-38-2	PHOSPHORIC ACID	1	Kilograms(KG)	05/01/18
1496934	-	ASPHALT BINDER	55	Gallon(GAL)	05/01/18
1531648	60-29-7	DIETHYL ETHER	1	Liters(L)	05/01/18
1531649	60-29-7	DIETHYL ETHER	1	Liters(L)	05/01/18
1531650	60-29-7	DIETHYL ETHER	1	Liters(L)	05/01/18
1531651	60-29-7	DIETHYL ETHER	1	Liters(L)	05/01/18
1531652	60-29-7	DIETHYL ETHER	1	Liters(L)	05/01/18
1531653	60-29-7	DIETHYL ETHER	1	Liters(L)	05/01/18
1497128	-	ASPHALT BINDER	55	Gallon(GAL)	05/01/18
1531654	-	ethanol	1	Gallon(GAL)	05/01/18
1531655	-	ethanol	1	Gallon(GAL)	05/01/18
1531656	-	ethanol	1	Gallon(GAL)	05/01/18
1531657	-	ethanol	1	Gallon(GAL)	05/01/18
1531658	-	ethanol	1	Gallon(GAL)	05/01/18
1531659	-	ethanol	1	Gallon(GAL)	05/01/18
1531660	-	ethanol	1	Gallon(GAL)	05/01/18
1531661	-	ethanol	1	Gallon(GAL)	05/01/18
1531662	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531663	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531664	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531665	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531666	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531667	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531668	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531669	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531670	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531671	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531672	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531673	872-50-4	1-METHYL-2-PYRROLIDINONE	4	Liters(L)	05/01/18
1531674	75-52-5	NITROMETHANE	2.5	Liters(L)	05/01/18
1531675	75-52-5	NITROMETHANE	2.5	Liters(L)	05/01/18
1531676	121-44-8	TRIETHYLAMINE	250	Milliliter(ML)	05/01/18
1531677	121-44-8	TRIETHYLAMINE	250	Milliliter(ML)	05/01/18
1457642	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	05/01/18
1457643	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	05/01/18
1457644	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	05/01/18
1457645	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	05/01/18
1454383	-	FOAM SEALANT	10.1	Ounces(OZ)	05/01/18
1454384	-	FOAM SEALANT	10.1	Ounces(OZ)	05/01/18
1454385	-	FOAM SEALANT	10.1	Ounces(OZ)	05/01/18
1454386	-	FOAM SEALANT	10.1	Ounces(OZ)	05/01/18
1454387	-	FOAM SEALANT	10.1	Ounces(OZ)	05/01/18
1454388	-	FOAM SEALANT	10.1	Ounces(OZ)	05/01/18
1454389	-	CARLON ELECTRICAL PRODUCTS STANDARD	1	Quarts(QT)	05/01/18
1454391	-	CHICO X FIBER	8	Ounces(OZ)	05/01/18
1454390	-	CHICO X FIBER	8	Ounces(OZ)	05/01/18
1509639	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509640	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509641	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509642	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509643	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509644	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509645	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509646	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509647	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509648	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509649	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509650	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/01/18
1509651	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	250	Liters(L)	05/01/18
1509652	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/01/18
1509653	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/01/18
1509654	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/01/18
1486207	-	Mobil Vacuoline 1409	5	Gallon(GAL)	05/01/18
1486208	-	Mobil Vacuoline 1409	5	Gallon(GAL)	05/01/18
1486221	-	STARRET GRANITE SURFACE CLEANER	1	Gallon(GAL)	05/01/18
1486223	-	W522C	5	Gram(GM)	05/01/18
1486224	-	W522C	5	Gram(GM)	05/01/18
1477081	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477082	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477083	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477084	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477085	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477086	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477087	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477088	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477089	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477090	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477091	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477092	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477093	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477094	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477095	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477096	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477097	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477098	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477099	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477100	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477101	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477102	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477103	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477104	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477105	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477106	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477107	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477108	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477109	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477110	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477111	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477112	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477113	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477114	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477115	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477116	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477117	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477118	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477119	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477120	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477121	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477122	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477123	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477124	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477125	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477126	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477127	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477128	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477129	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477130	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477131	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477132	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477133	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477134	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477135	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477136	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477137	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477138	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477139	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477140	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477141	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477142	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477143	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477144	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477145	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477146	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477147	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477148	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477149	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477150	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477151	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477152	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477153	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477154	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477155	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477156	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477157	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477158	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477159	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477160	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477161	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477162	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477163	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477164	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477165	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477166	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477167	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477168	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477169	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477170	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477171	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477172	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477173	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477174	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477175	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477176	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477177	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477178	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477179	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477180	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477181	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477182	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477183	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477184	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477185	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477186	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477187	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1477188	497-19-8	SODIUM CARBONATE (SODA ASH)	50	Pounds(LB)	05/01/18
1476884	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476885	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476886	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476887	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476888	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476889	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476890	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476891	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476892	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476893	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476894	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476895	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476896	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476897	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476898	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476899	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476900	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476901	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476902	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476903	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476904	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476905	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476906	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476907	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476908	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476909	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476910	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476911	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476912	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476913	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476914	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476915	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476916	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476917	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476918	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476919	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476920	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476921	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476922	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476923	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1476924	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476925	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476926	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476927	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476928	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476929	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476930	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1476931	-	QUIKCRETE CONCRETE	60	Pounds(LB)	05/01/18
1454393	-	SYNTHETIC SAWING COOLANT	1	Gallon(GAL)	05/01/18
1486222	-	3M High Performance Rubber and Gasket	16	Ounces(OZ)	05/01/18
1486209	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486210	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486211	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486212	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486213	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486214	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486215	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486216	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486217	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486218	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486219	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486220	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486047	-	CP 606 Flexible Firestop Sealant	10.1	Ounces(OZ)	05/01/18
1486048	-	CP 606 Flexible Firestop Sealant	10.1	Ounces(OZ)	05/01/18
1486129	-	SUPERBONDER (R) 495	1	Ounces(OZ)	05/01/18
1486130	-	SUPERBONDER (R) 495	1	Ounces(OZ)	05/01/18
1486131	-	SUPERBONDER (R) 495	1	Ounces(OZ)	05/01/18
1486132	-	SUPERBONDER (R) 495	1	Ounces(OZ)	05/01/18
1486133	-	SUPERBONDER (R) 495	1	Ounces(OZ)	05/01/18
1486049	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486050	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486051	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486052	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486053	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486054	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486055	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486056	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486057	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486058	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486059	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1486060	-	Steel Reinforced Epoxy Resin	2	Ounces(OZ)	05/01/18
1485675	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485676	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485677	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485678	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485679	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485680	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485681	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485682	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485683	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1485684	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1486032	-	AIR TOOL OIL	16	Ounces(OZ)	05/01/18
1486034	-	Air Tool Lubricant	16	Ounces(OZ)	05/01/18
1486035	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486036	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486037	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486038	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486039	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486040	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486041	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486042	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486043	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486044	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486045	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486046	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486017	-	VACTRA OIL #2	5	Gallon(GAL)	05/01/18
1486018	-	VACTRA OIL #2	5	Gallon(GAL)	05/01/18
1486118	-	LOCTITE 272 THREADLOCKER	50	Milliliter(ML)	05/01/18
1486064	-	STAY CLEAN PASTE SOLDERING FLUX	16	Ounces(OZ)	05/01/18
1486183	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486184	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486185	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486186	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486187	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486188	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486189	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486190	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486191	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486192	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486193	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486194	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486195	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486196	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486197	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486198	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486199	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486200	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486201	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486202	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486203	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486204	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486205	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486206	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486135	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486136	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486137	-	FS-One Max	10	Ounces(OZ)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486138	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486139	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486140	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486141	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486142	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486143	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486144	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486145	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486146	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486147	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486148	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486149	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486150	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486151	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486152	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486153	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486154	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486155	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486156	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486157	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486158	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486159	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486160	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486161	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486162	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486163	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486164	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486165	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486166	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486167	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486168	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486169	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486170	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486171	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486172	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486173	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486174	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486175	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486176	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486177	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486178	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486179	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486180	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486181	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486182	-	FS-One Max	10	Ounces(OZ)	05/01/18
1486033	-	LOCTITE 567 THREAD SEALANT	1.69	Ounces(OZ)	05/01/18
1486119	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486120	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486121	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486122	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486123	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486124	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486125	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486126	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486127	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486128	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/01/18
1486065	-	LOCTITE 272 THREADLOCKER	50	Milliliter(ML)	05/01/18
1486066	-	LOCTITE 272 THREADLOCKER	50	Milliliter(ML)	05/01/18
1432650	-	SUPER 77 MULTIPURPOSE ADHESIVE	11.75	Ounces(OZ)	05/01/18
1432651	-	Rectorseek Low-Temp Leak Detector	8	Ounces(OZ)	05/01/18
1432648	-	Rectorseek Low-Temp Leak Detector	8	Ounces(OZ)	05/01/18
1432649	-	RECTORSEAL TRU-BLU PIPE THREAD SEALANT	0.5	Pint(PT)	05/01/18
1432652	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	05/01/18
1432653	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	05/01/18
1432654	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	05/01/18
1432655	-	CITGO DUOprime Oil 90	1	Gallon(GAL)	05/01/18
1432656	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	05/01/18
1432657	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	05/01/18
1432658	-	Hercules Plumber's Caulk White	6	Ounces(OZ)	05/01/18
1432659	-	silvabrite 100	1	Pounds(LB)	05/01/18
1432660	-	silvabrite 100	1	Pounds(LB)	05/01/18
1432661	-	NO. 95 LEAD-FREE TINNING FLUX	1	Pint(PT)	05/01/18
1432662	-	NO. 95 LEAD-FREE TINNING FLUX	1	Pint(PT)	05/01/18
1148276	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	05/01/18
1148277	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	05/01/18
1457564	-	BUEHLER METADI DIAMOND SUSPENSION	32	Ounces(OZ)	05/01/18
1457565	-	BUEHLER METADI DIAMOND SUSPENSION	32	Ounces(OZ)	05/01/18
1454403	-	FS-One Max	10.1	Ounces(OZ)	05/02/18
1454394	-	HYDRAULIC FLUID	1	Gallon(GAL)	05/02/18
1454395	-	THREAD CUTTING OIL	1	Gallon(GAL)	05/02/18
1454396	-	CHAIN AND CABLE LUBRICANT	1	Quarts(QT)	05/02/18
1454401	-	CHAIN AND CABLE LUBRICANT	1	Quarts(QT)	05/02/18
1454402	-	FS-One Max	10.1	Ounces(OZ)	05/02/18
1531349	7778-18-9	DRIERITE 10-20 MESH	2.3	Kilograms(KG)	05/02/18
1531412	-	MICROTOX ACUTE REAGENT	10	Milliliter(ML)	05/02/18
1531413	67-64-1	ACETONE	200	Liters(L)	05/02/18
1531511	10043-11-5	BORON NITRIDE	0.5	Ounces(OZ)	05/02/18
1531512	120-92-3	CYCLOPENTANONE	1	Kilograms(KG)	05/02/18
1531613	616-38-6	DIMETHYL CARBONATE	100	Gram(GM)	05/02/18
1531614	95-47-6	O-XYLENE	1	Liters(L)	05/02/18
1531615	108-38-3	M-XYLENE	1	Liters(L)	05/02/18
1531616	106-42-3	P-XYLENE	1	Liters(L)	05/02/18
1531617	108-67-8	MESITYLENE	500	Milliliter(ML)	05/02/18
1477207	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/02/18
1531618	123-91-1	1 4-DIOXANE	1	Liters(L)	05/02/18
1531619	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	05/02/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531620	80-62-6	METHYL METHACRYLATE	500	Milliliter(ML)	05/02/18
1531621	106-91-2	GLYCIDYL METHACRYLATE	100	Gram(GM)	05/02/18
1531622	79-10-7	ACRYLIC ACID	100	Gram(GM)	05/02/18
1531624	96-41-3	CYCLOPENTANOL	500	Milliliter(ML)	05/02/18
1531625	96-41-3	CYCLOPENTANOL	500	Milliliter(ML)	05/02/18
1531626	142-29-0	CYCLOPENTENE	500	Milliliter(ML)	05/02/18
1531627	142-29-0	CYCLOPENTENE	500	Milliliter(ML)	05/02/18
1531628	13139-17-8	Z-OSu	100	Gram(GM)	05/02/18
1531629	107-22-2	Glyaxal 40%	100	Gram(GM)	05/02/18
1531630	584-08-7	POTASSIUM CARBONATE ANHYDROUS	100	Gram(GM)	05/02/18
1531631	811-98-3	METHANOL D4	0.75	Milliliter(ML)	05/02/18
1531632	626-04-0	1 3-BENZENEDITHIOL	1	Gram(GM)	05/02/18
1531633	7782-63-0	FERROUS SULFATE HEPTAHYDRATE	250	Gram(GM)	05/02/18
1531634	7732-18-5	AquaPur Sterile Purified Water	500	Milliliter(ML)	05/02/18
1531635	67-56-1	METHANOL HPLC	4	Liters(L)	05/02/18
1531678	109-99-9	TETRAHYDROFURAN HPLC GRADE	1	Liters(L)	05/02/18
1531679	109-99-9	TETRAHYDROFURAN HPLC GRADE	1	Liters(L)	05/02/18
1531680	109-99-9	TETRAHYDROFURAN HPLC GRADE	1	Liters(L)	05/02/18
1531681	109-99-9	TETRAHYDROFURAN HPLC GRADE	1	Liters(L)	05/02/18
1531682	109-99-9	TETRAHYDROFURAN HPLC GRADE	1	Liters(L)	05/02/18
1531683	109-99-9	TETRAHYDROFURAN HPLC GRADE	1	Liters(L)	05/02/18
1531684	7697-37-2	NITRIC ACID TRACEMETAL	2.5	Liters(L)	05/02/18
1531685	7697-37-2	NITRIC ACID TRACEMETAL	2.5	Liters(L)	05/02/18
1531686	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/02/18
1531687	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/02/18
1531688	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/02/18
1457646	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	05/02/18
1531513	10191-41-0	(±)-a-Tocopherol	100	Gram(GM)	05/03/18
1531514	67-68-5	GelRed Nucleic Acid Stain	1	Gallon(GAL)	05/03/18
1531515	7722-84-1	HYDROGEN PEROXIDE	100	Milliliter(ML)	05/03/18
1531516	7722-84-1	HYDROGEN PEROXIDE	100	Milliliter(ML)	05/03/18
1531517	75-05-8	ACETONITRILE ANHYDROUS	4	Liters(L)	05/03/18
1531518	75-05-8	ACETONITRILE ANHYDROUS	4	Liters(L)	05/03/18
1531519	75-05-8	ACETONITRILE ANHYDROUS	4	Liters(L)	05/03/18
1531520	75-05-8	ACETONITRILE ANHYDROUS	4	Liters(L)	05/03/18
1531521	-	E&C STYCAST 2850FT BLACK EPOXY RESIN	3	Pounds(LB)	05/03/18
1531522	-	E&C STYCAST 2850FT BLACK EPOXY RESIN	3	Pounds(LB)	05/03/18
1531523	-	E&C STYCAST 2850FT BLACK EPOXY RESIN	3	Pounds(LB)	05/03/18
1531524	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/03/18
1531525	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/03/18
1531526	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/03/18
1531527	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/03/18
1531528	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/03/18
1531636	12069-32-8	BORON CARBIDE	1	Kilograms(KG)	05/03/18
1531637	12069-32-8	BORON CARBIDE	1	Kilograms(KG)	05/03/18
1531638	12069-32-8	BORON CARBIDE	1	Kilograms(KG)	05/03/18
1531689	62-56-6	THIOUREA	100	Gram(GM)	05/03/18
1531690	41365-75-7	1-Amino-3 3-diethoxypropane	25	Gram(GM)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531691	6018-89-9	NICKEL(II) ACETATE TETRAHYDRATE	10	Gram(GM)	05/03/18
1531692	6018-89-9	NICKEL(II) ACETATE TETRAHYDRATE	10	Gram(GM)	05/03/18
1531693	141-53-7	SODIUM FORMATE	1	Kilograms(KG)	05/03/18
1531711	-	SCOTCH-WELD EPOXY ADHESIVE	2	Ounces(OZ)	05/03/18
1531712	-	SCOTCH-WELD EPOXY ADHESIVE	2	Ounces(OZ)	05/03/18
1531713	-	SCOTCH-WELD EPOXY ADHESIVE	2	Ounces(OZ)	05/03/18
1531714	-	SCOTCH-WELD EPOXY ADHESIVE	2	Ounces(OZ)	05/03/18
1531715	-	SCOTCH-WELD EPOXY ADHESIVE	2	Ounces(OZ)	05/03/18
1531716	-	SCOTCH-WELD EPOXY ADHESIVE	2	Ounces(OZ)	05/03/18
1495022	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495023	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495024	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495025	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495026	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495027	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495028	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495029	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495030	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495031	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495032	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495033	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495034	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495035	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495036	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495037	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495038	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495039	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495040	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495041	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495042	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495043	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495044	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495045	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495046	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495047	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495048	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495049	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495050	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495051	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495052	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495053	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495054	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495055	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495056	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495057	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495058	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495059	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495060	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495061	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495062	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495063	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495064	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495065	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495066	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495067	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495068	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495069	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495070	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/03/18
1495071	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495072	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495073	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495074	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495075	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495076	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495077	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495078	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495079	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495080	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495081	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495082	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495083	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495084	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495085	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495086	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495087	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495088	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495089	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495090	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495091	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495092	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495093	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495094	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495095	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495096	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495097	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495098	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495099	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495100	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495101	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495102	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495103	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495104	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495105	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495106	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495107	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495108	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495109	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495110	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495111	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495112	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495113	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495114	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495115	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495116	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495117	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495118	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495119	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495120	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495121	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495122	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495123	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495124	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495125	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495126	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495127	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495128	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495129	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495130	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1509786	7440-59-7	HELIUM	20	Cubic Feet(CF)	05/03/18
1509787	7440-59-7	HELIUM	20	Cubic Feet(CF)	05/03/18
1509788	7440-59-7	HELIUM	20	Cubic Feet(CF)	05/03/18
1509789	7440-59-7	HELIUM	20	Cubic Feet(CF)	05/03/18
1509790	74-86-2	ACETYLENE	230	Pounds(LB)	05/03/18
1509791	74-86-2	ACETYLENE	230	Pounds(LB)	05/03/18
1509792	74-86-2	ACETYLENE	230	Pounds(LB)	05/03/18
1509793	74-86-2	ACETYLENE	230	Pounds(LB)	05/03/18
1509794	74-86-2	ACETYLENE	230	Pounds(LB)	05/03/18
1509795	74-86-2	ACETYLENE	230	Pounds(LB)	05/03/18
1509796	74-86-2	ACETYLENE	40	Pounds(LB)	05/03/18
1509797	74-86-2	ACETYLENE	40	Pounds(LB)	05/03/18
1509798	74-86-2	ACETYLENE	40	Pounds(LB)	05/03/18
1509799	74-86-2	ACETYLENE	40	Pounds(LB)	05/03/18
1509800	74-86-2	ACETYLENE	40	Pounds(LB)	05/03/18
1509801	74-86-2	ACETYLENE	40	Pounds(LB)	05/03/18
1509802	1333-74-0	HYDROGEN	20	Pounds(LB)	05/03/18
1509803	1333-74-0	HYDROGEN	20	Pounds(LB)	05/03/18
1509804	1333-74-0	HYDROGEN	20	Pounds(LB)	05/03/18
1509805	1333-74-0	HYDROGEN	20	Pounds(LB)	05/03/18
1495131	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18
1495132	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18
1495133	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18
1495134	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18
1495135	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18
1495136	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495137	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18
1495138	-	MasterPro Super White Grease	14	Ounces(OZ)	05/03/18
1495139	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495140	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495141	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495142	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495143	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495144	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495145	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495146	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495147	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495148	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495149	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495150	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495151	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495152	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495153	-	Mobil 1 5W-40	1	Quarts(QT)	05/03/18
1495154	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1509806	7440-59-7	HELIUM	20	Cubic Feet(CF)	05/03/18
1495155	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495156	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495157	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495158	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495159	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495160	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495161	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495162	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495163	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495164	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495165	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495166	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1495167	-	Delo 400 SDE SAE 15W-40	1	Quarts(QT)	05/03/18
1509731	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509732	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509733	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509734	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509735	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509736	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509737	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509738	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509739	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509740	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509741	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509742	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509743	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	05/03/18
1509744	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509745	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509746	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509747	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509748	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509749	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509750	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509751	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509752	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509753	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509754	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509755	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509756	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509757	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1509758	-	25% ARGON 75% CARBON DIOXIDE	220	Cubic Feet(CF)	05/03/18
1495168	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495169	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495170	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495171	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495172	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495173	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495174	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495175	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495176	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495177	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495178	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495179	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495180	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495181	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495182	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495183	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495184	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495185	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495186	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495187	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495188	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495189	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495190	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495191	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495192	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495193	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495194	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495195	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495196	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495197	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495198	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495199	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495200	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495201	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495202	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495203	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495204	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495205	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495206	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495207	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495208	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495209	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495210	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495211	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495212	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495213	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495214	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495215	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495216	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495217	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495218	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495219	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495220	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495221	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495222	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495223	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495224	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495225	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495226	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1495227	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/03/18
1509759	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509760	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509761	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509762	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509763	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509764	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509765	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509766	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/03/18
1509767	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/03/18
1509768	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/03/18
1509769	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/03/18
1509770	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/03/18
1509771	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/03/18
1509772	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/03/18
1509773	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509774	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509775	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509776	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509777	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509778	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509779	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509780	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509781	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509782	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509783	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509784	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509785	74-98-6	PROPANE	11	Gallon(GAL)	05/03/18
1509655	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/03/18
1509656	75-45-6	CHLORODIFLUOROMETHANE	30	Cubic Feet(CF)	05/03/18
1509657	811-97-2	TETRAFLUOROETHANE	25	Gallon(GAL)	05/03/18
1266438	7789-00-6	POTASSIUM CHROMATE	25	Gram(GM)	05/03/18
1509658	-	Refrigerant R22	1509658	Cubic Feet(CF)	05/03/18
1509659	-	Refrigerant R22	1509658	Cubic Feet(CF)	05/03/18
1509660	-	Refrigerant R22	1509658	Cubic Feet(CF)	05/03/18
1509661	-	Refrigerant R22	1509658	Cubic Feet(CF)	05/03/18
1509662	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509663	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509664	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509665	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509666	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509667	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509668	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509669	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509670	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509671	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509672	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509673	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509674	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509675	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509676	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509677	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509678	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509679	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509680	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509681	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509682	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509683	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509684	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509685	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509686	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509687	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509688	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509689	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509690	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509691	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509692	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509693	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509694	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509695	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509696	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509697	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509698	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509699	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509700	-	10% Methane/90% Argon aka/P-10 P-10 (220 cf)	220	Cubic Feet(CF)	05/03/18
1509701	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509702	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509703	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509704	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509705	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509706	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509707	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509708	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509709	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509710	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509711	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509712	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509713	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509714	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509715	-	Argon UHP	220	Cubic Feet(CF)	05/03/18
1509716	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509717	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509718	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509719	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509720	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509721	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509722	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509723	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509724	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509725	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509726	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509727	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509728	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509729	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1509730	-	Nitrogen UHP	220	Cubic Feet(CF)	05/03/18
1495228	-	Mobil 1 5W-40	1	Gallon(GAL)	05/03/18
1495229	-	Mobil 1 5W-40	1	Gallon(GAL)	05/03/18
1495230	-	Mobil 1 5W-40	1	Gallon(GAL)	05/03/18
1495231	-	Mobil 1 5W-40	1	Gallon(GAL)	05/03/18
1495232	-	Mobil 1 5W-40	1	Gallon(GAL)	05/03/18
1495233	-	Mobil 1 5W-40	1	Gallon(GAL)	05/03/18
1455528	-	Ease Release 2831	0.8	Pounds(LB)	05/03/18
1386200	-	VACUUM GREASE	150	Gram(GM)	05/03/18
1356446	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1356447	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1356448	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1356449	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1356450	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1356451	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1356452	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1356453	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1356454	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421663	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421664	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421665	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421666	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421667	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421668	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421669	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421670	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421671	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421672	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421673	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421674	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421675	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421676	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421677	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421678	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421679	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421680	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421681	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421682	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421688	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1421689	12069-32-8	BORON CARBIDE	2	Gallon(GAL)	05/03/18
1477208	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477209	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477210	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477211	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477212	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477213	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477214	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477215	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477216	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477217	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477218	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477219	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477220	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477221	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477222	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477223	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477224	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477225	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477226	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477227	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477228	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477229	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477230	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477231	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477232	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477233	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477234	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477235	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477236	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477237	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477238	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477239	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477240	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477241	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477242	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477243	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477244	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477245	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477246	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477247	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477248	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477249	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477250	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477251	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477252	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477253	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477254	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477255	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477256	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477257	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477258	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477259	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477260	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477261	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477262	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477263	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477264	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477265	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477266	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477267	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477268	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477269	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477270	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477271	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477272	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477273	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477274	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477275	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477276	-	Permacryl Ext Latex Flat W/B	5	Gallon(GAL)	05/04/18
1477445	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	05/04/18
1477446	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	05/04/18
1477447	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	05/04/18
1477448	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	05/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477449	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	05/04/18
1477450	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	05/04/18
1477279	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477280	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477281	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477282	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477283	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477284	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477285	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477286	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477287	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477288	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477289	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477290	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477291	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477292	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477293	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477294	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477295	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477296	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477297	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477298	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477299	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477300	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477301	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477302	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477303	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477304	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477305	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477306	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477307	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477308	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477309	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477310	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477311	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477312	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477313	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477314	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477315	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477316	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477317	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477318	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477319	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477320	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477321	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477322	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477323	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477324	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477421	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477422	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477189	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477190	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477191	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477192	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477193	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477194	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477195	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477196	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477197	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477198	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477199	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477200	-	Contact Cleaner 2000 Precision Cleaner (aerosol)	13	Ounces(OZ)	05/04/18
1477451	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477452	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477453	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477454	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477455	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477456	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477457	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477458	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477459	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477460	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477461	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477462	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	05/04/18
1477463	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477464	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477465	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477466	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477467	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477468	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477469	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477470	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477471	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477472	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477473	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477474	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477475	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477476	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	05/04/18
1477477	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477478	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477479	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477480	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477481	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477482	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477483	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477484	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477485	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477486	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477487	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477488	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477489	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477490	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477491	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477492	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477493	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477494	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477495	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477496	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477497	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477498	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477499	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477500	-	BIG STRETCH CAULK	10.5	Ounces(OZ)	05/04/18
1477507	-	Permacryl Ext Latex Semi-Gloss N/B	1	Gallon(GAL)	05/04/18
1477508	-	Permacryl Ext Latex Semi-Gloss N/B	1	Gallon(GAL)	05/04/18
1477509	-	Permacryl Ext Latex Semi-Gloss N/B	1	Gallon(GAL)	05/04/18
1477510	-	Permacryl Ext Latex Semi-Gloss N/B	1	Gallon(GAL)	05/04/18
1477501	-	LACQUER THINNER	1	Gallon(GAL)	05/04/18
1477502	-	LACQUER THINNER	1	Gallon(GAL)	05/04/18
1477503	-	LACQUER THINNER	1	Gallon(GAL)	05/04/18
1477504	-	LACQUER THINNER	1	Gallon(GAL)	05/04/18
1477505	-	LACQUER THINNER	1	Gallon(GAL)	05/04/18
1477506	-	LACQUER THINNER	1	Gallon(GAL)	05/04/18
1495234	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	05/07/18
1495235	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	05/07/18
1495236	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	05/07/18
1495237	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	05/07/18
1495238	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	05/07/18
1495239	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	05/07/18
1495240	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	05/07/18
1495241	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	05/07/18
1495242	-	mobile 80w90	1	Quarts(QT)	05/07/18
1495243	-	mobile 80w90	1	Quarts(QT)	05/07/18
1495244	-	mobile 80w90	1	Quarts(QT)	05/07/18
1495245	-	mobile 80w90	1	Quarts(QT)	05/07/18
1495246	-	mobile 80w90	1	Quarts(QT)	05/07/18
1495247	-	DUPLI-COLOR Trim & Bumper Paint Black	11	Ounces(OZ)	05/07/18
1495248	-	DUPLI-COLOR Trim & Bumper Paint Black	11	Ounces(OZ)	05/07/18
1495249	-	DUPLI-COLOR Trim & Bumper Paint Black	11	Ounces(OZ)	05/07/18
1495250	-	DUPLI-COLOR Trim & Bumper Paint Black	11	Ounces(OZ)	05/07/18
1495251	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/07/18
1495252	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/07/18
1495253	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/07/18
1495254	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495255	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495256	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	05/07/18
1495257	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	05/07/18
1495258	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/07/18
1495259	-	STA-BIL FUEL STABILIZER	8	Ounces(OZ)	05/07/18
1495260	-	HI TEMPERATURE DISC BRAKE WHEEL BEARING	14	Ounces(OZ)	05/07/18
1495261	-	ANTI SEIZE LUBRICANT	16	Ounces(OZ)	05/07/18
1495262	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	05/07/18
1495263	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495264	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495265	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495266	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495267	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495268	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495269	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495270	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495271	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495272	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495273	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495274	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495275	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495276	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495277	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495278	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495279	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495280	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495281	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495282	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495283	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495284	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495285	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495286	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495287	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495288	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495289	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495290	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495291	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495292	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495293	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495294	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495295	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495296	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495297	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495298	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495299	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1495300	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/07/18
1530559	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1495301	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495302	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495303	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495304	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495305	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495306	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495307	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495308	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495309	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495310	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495311	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495312	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495313	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495314	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495315	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495316	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1495317	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/07/18
1530560	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530561	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530562	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530563	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530564	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530565	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530566	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530567	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530568	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530569	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530570	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530571	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530572	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530573	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530574	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530575	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530576	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530577	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530578	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530579	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530580	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530581	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530582	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530583	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530584	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530585	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530586	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530587	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530588	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530589	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530590	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530591	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530592	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1530593	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530594	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530595	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530596	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530597	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530598	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530599	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530600	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530601	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530602	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530603	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530604	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530605	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530606	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530607	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530608	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530609	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530610	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530611	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530612	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530613	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530614	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530615	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530616	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530617	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1530618	-	#102 Pocket-ETK	4	Ounces(OZ)	05/07/18
1531529	67-56-1	METHANOL	4	Liters(L)	05/07/18
1531530	67-56-1	METHANOL	4	Liters(L)	05/07/18
1531531	67-56-1	METHANOL	4	Liters(L)	05/07/18
1531532	67-56-1	METHANOL	4	Liters(L)	05/07/18
1531533	1336-21-6	AMMONIUM HYDROXIDE	2.5	Liters(L)	05/07/18
1531534	7647-18-9	ANTIMONY PENTACHLORIDE	50	Gram(GM)	05/07/18
1531535	119478-56-7	Meropenem trihydrate	50	Milligram(MG)	05/07/18
1531536	67-66-3	CHLOROFORM ANHYDROUS	1	Liters(L)	05/07/18
1531537	107-15-3	ETHYLENEDIAMINE 99+%	1	Liters(L)	05/07/18
1531538	9049-12-1	Dowex Marathon A hydroxide form	1	Kilograms(KG)	05/07/18
1531539	39339-85-0	AMBERLYST A-26 ION-EXCHANGE RESIN	1	Kilograms(KG)	05/07/18
1531540	920-46-7	METHACRYLOYL CHLORIDE	100	Milliliter(ML)	05/07/18
1531694	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531695	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531696	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531697	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531698	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531699	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531700	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531701	110-54-3	HEXANE CERTIFIED ACS	4	Liters(L)	05/07/18
1531702	67-56-1	METHANOL HPLC	4	Liters(L)	05/07/18
1531703	67-56-1	METHANOL HPLC	4	Liters(L)	05/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531704	67-56-1	METHANOL HPLC	4	Liters(L)	05/07/18
1531705	67-56-1	METHANOL HPLC	4	Liters(L)	05/07/18
1531706	75-05-8	ACETONITRILE	4	Liters(L)	05/07/18
1531707	75-05-8	ACETONITRILE	4	Liters(L)	05/07/18
1531708	75-05-8	ACETONITRILE	4	Liters(L)	05/07/18
1531709	75-05-8	ACETONITRILE	4	Liters(L)	05/07/18
1531710	502-97-6	Glycolide	25	Gram(GM)	05/07/18
1531717	-	FULLCURE 705	1	Kilograms(KG)	05/07/18
1531718	-	FULLCURE 705	1	Kilograms(KG)	05/07/18
1531719	-	FULLCURE 705	1	Kilograms(KG)	05/07/18
1531720	-	FULLCURE 705	1	Kilograms(KG)	05/07/18
1531721	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	1	Kilograms(KG)	05/07/18
1531722	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	1	Kilograms(KG)	05/07/18
1531723	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	1	Kilograms(KG)	05/07/18
1531724	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	1	Kilograms(KG)	05/07/18
1531725	-	HYDRANAL COULOMAT AG-H	500	Milliliter(ML)	05/07/18
1531726	-	Grey Pro Resin	1	Liters(L)	05/07/18
978983	996-50-9	N N-DIETHYLTREIMETHYLSILYLAMINE	100	Gram(GM)	05/07/18
1531728	-	FMOC-GLY-OH	250	Gram(GM)	05/07/18
978984	1529-47-1	CHLOROTRIMETHYLGEMANE	25	Gram(GM)	05/07/18
1531729	2206-27-1	DIMETHYLSULFOXIDE-D6	0.8	Milliliter(ML)	05/07/18
978985	Multi	SuperSignal West Dura Extended Duration	100	Milliliter(ML)	05/07/18
1148885	7782-44-7	OXYGEN COMPRESSED GAS	425	Liters(L)	05/07/18
1531730	7440-41-7	BERYLLIUM STANDARD	100	Milliliter(ML)	05/08/18
1531731	7446-70-0	ALUMINUM CHLORIDE ANHYDROUS	250	Gram(GM)	05/08/18
1531732	13472-33-8	SODIUM PERRHENATE 99.9	50	Gram(GM)	05/08/18
1531733	25583-20-4	TITANIUM NITRIDE	50	Gram(GM)	05/08/18
1531783	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531784	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531785	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531786	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531787	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531788	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531789	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531790	141-78-6	ETHYL ACETATE	4	Liters(L)	05/08/18
1531791	7758-09-0	POTASSIUM NITRITE	100	Gram(GM)	05/08/18
1509807	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/08/18
1509808	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/08/18
1509809	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/08/18
1495318	-	KRYLON RUST TOUGH Enamel (aerosol) Hunter	12	Ounces(OZ)	05/08/18
1495319	-	KRYLON RUST TOUGH Enamel (aerosol) Hunter	12	Ounces(OZ)	05/08/18
1495320	-	KRYLON RUST TOUGH Enamel (aerosol) Hunter	12	Ounces(OZ)	05/08/18
1495321	-	MOBIL 1 5W-50	1	Quarts(QT)	05/08/18
1495322	-	MOBIL 1 5W-50	1	Quarts(QT)	05/08/18
1495323	-	MOBIL 1 5W-50	1	Quarts(QT)	05/08/18
1495324	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/08/18
1495325	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/08/18
1495326	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495327	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/08/18
1495328	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/08/18
1495329	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/08/18
1495330	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/08/18
1147759	-	TORR SEAL LOW-VAPOR PRESSURE RESIN (BASE	4	Ounces(OZ)	05/08/18
1147760	-	TORR SEAL LOW-VAPOR PRESSURE RESIN	2	Ounces(OZ)	05/08/18
1383420	-	Torr Seal Hardener Part B	36	Gram(GM)	05/08/18
1383421	-	TORR SEAL	82	Gram(GM)	05/08/18
1477511	-	INGERSOLL-RAND ULTRA COOLANT	1.32	Gallon(GAL)	05/09/18
1477512	-	INGERSOLL-RAND ULTRA COOLANT	1.32	Gallon(GAL)	05/09/18
1477513	-	INGERSOLL-RAND ULTRA COOLANT	1.32	Gallon(GAL)	05/09/18
1477514	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	05/09/18
1477515	-	SULLUBE COMPRESSOR FLUID	5	Gallon(GAL)	05/09/18
1477516	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/09/18
1477517	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/09/18
1477518	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/09/18
1477519	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/09/18
1531727	-	Rigid Photoreactive Resin for Form 2	1	Liters(L)	05/09/18
1530619	-	3-METHYLPYRROLE	10	Gram(GM)	05/09/18
1530620	5272-86-6	3 5-Dimethyl-1H-pyrazol-4-amine	10	Gram(GM)	05/09/18
1530621	84406-63-3	4-Nitro-1H-[1 2 3]triazole	10	Gram(GM)	05/09/18
958542	-	VACTRA OIL #1	5	Gallon(GAL)	05/09/18
958543	-	VACTRA OIL #1	5	Gallon(GAL)	05/09/18
958544	-	VACTRA OIL #1	5	Gallon(GAL)	05/09/18
958545	-	VACTRA OIL #1	5	Gallon(GAL)	05/09/18
958546	-	VACTRA OIL #1	5	Gallon(GAL)	05/09/18
1530622	101-80-4	4-(4-Aminophenoxy)aniline	5	Gram(GM)	05/09/18
1530623	41365-75-7	1-Amino-3 3-diethoxypropane	10	Gallon(GAL)	05/09/18
1531541	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	500	Milliliter(ML)	05/09/18
1531549	-	EPON RESIN 825	1	Pint(PT)	05/09/18
1531550	-	EPON RESIN 825	1	Pint(PT)	05/09/18
1531553	-	DOUBLE BUBBLE EPOXY	350	Gram(GM)	05/09/18
1531554	-	DOUBLE BUBBLE EPOXY	350	Gram(GM)	05/09/18
1531551	-	EPIKURE Curing Agent 3282	1	Pint(PT)	05/09/18
1531552	-	EPIKURE Curing Agent 3282	1	Pint(PT)	05/09/18
1531555	-	REAGENT ALCOHOL	1	Gallon(GAL)	05/09/18
1531556	-	REAGENT ALCOHOL	1	Gallon(GAL)	05/09/18
1531557	-	REAGENT ALCOHOL	1	Gallon(GAL)	05/09/18
1531558	-	REAGENT ALCOHOL	1	Gallon(GAL)	05/09/18
1531559	7697-37-2	NITRIC ACID CERTIFIED ACS	500	Milliliter(ML)	05/09/18
1531561	-	Negative Photo Resist NR7-1000	16	Ounces(OZ)	05/09/18
1497129	-	Mobil 1 5W-40	1	Gallon(GAL)	05/09/18
1531562	-	Resist Developer RD6	4	Liters(L)	05/09/18
1497130	-	Mobil 1 5W-40	1	Gallon(GAL)	05/09/18
1497131	-	Mobil 1 5W-40	1	Gallon(GAL)	05/09/18
1497132	-	Mobil 1 5W-40	1	Gallon(GAL)	05/09/18
1497133	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	05/09/18
1531563	-	Negative Resist NR9-500PY	16	Ounces(OZ)	05/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497134	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	05/09/18
1497135	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/09/18
1531734	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531735	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531736	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531737	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531738	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531739	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531740	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531741	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531742	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531743	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531744	-	Compressed Air	12	Ounces(OZ)	05/09/18
1531745	-	Compressed Air	12	Ounces(OZ)	05/09/18
1497136	-	GENERAL PURPOSE GREASE	14	Ounces(OZ)	05/09/18
1531746	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/09/18
1531747	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/09/18
1531748	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/09/18
1531749	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/09/18
1531750	-	CONDUCTIVITY STANDARD 10 MICRO OHMS	120	Milliliter(ML)	05/09/18
1531751	-	2 Part Epoxy	1	Ounces(OZ)	05/09/18
1531752	811-68-7	Silver(I) Trifluoromethanethiolate	5	Gram(GM)	05/09/18
1531753	-	RTV SILICONE RUBBER SEALANT	12.9	Ounces(OZ)	05/09/18
1531754	873-69-8	2-Pyridinecarbaldehyde oxime	25	Gram(GM)	05/09/18
1531755	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531756	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531757	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531758	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531759	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531760	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531761	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531762	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531763	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531764	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531765	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531766	75-09-2	DICHLOROMETHANE	100	Milliliter(ML)	05/09/18
1531767	13967-50-5	Gold(I) potassium cyanide Premion	1	Gram(GM)	05/09/18
1531855	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531856	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531857	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531858	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531859	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531860	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531861	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531862	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531863	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531864	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531865	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531866	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531867	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531868	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531869	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1531870	-	STRUCTURAL PLASTIC ADHESIVE	1.25	Ounces(OZ)	05/09/18
1517599	6074-84-6	TANTALUM(V)ETHOXIDE	10	Gram(GM)	05/09/18
1517600	6074-84-6	TANTALUM(V)ETHOXIDE	10	Gram(GM)	05/09/18
1517601	6074-84-6	TANTALUM(V)ETHOXIDE	10	Gram(GM)	05/09/18
1530624	67-56-1	METHANOL	4	Liters(L)	05/09/18
1530625	67-56-1	METHANOL	4	Liters(L)	05/09/18
1530626	67-56-1	METHANOL	4	Liters(L)	05/09/18
1530627	67-56-1	METHANOL	4	Liters(L)	05/09/18
1530628	7664-39-3	HYDROFLUORIC ACID	500	Milliliter(ML)	05/09/18
1530629	7664-39-3	HYDROFLUORIC ACID	500	Milliliter(ML)	05/09/18
1531542	603-34-9	TRIPHENYLAMINE	100	Gram(GM)	05/09/18
1531543	1336-21-6	AMMONIUM HYDROXIDE	250	Milliliter(ML)	05/09/18
1531544	-	ALKANE STANDARD	5	Milliliter(ML)	05/09/18
1531545	10125-13-0	COPPER(II) CHLORIDE DIHYDRATE	500	Gram(GM)	05/09/18
1531546	5919-26-6	2-Nitro-1H-pyrrole	10	Gram(GM)	05/09/18
1531547	-	ULTIMA GOLD AB	1	Liters(L)	05/10/18
1531548	-	ULTIMA GOLD AB	1	Liters(L)	05/10/18
1531560	492-08-0	(+)-Sparteine	500	Milligram(MG)	05/10/18
1531566	547-58-0	METHYL ORANGE	500	Milliliter(ML)	05/10/18
1531768	-	H2SO4 PRESERVATION KIT FOR 250 ML	250	Milliliter(ML)	05/10/18
1531769	-	H2SO4 PRESERVATION KIT FOR 250 ML	250	Milliliter(ML)	05/10/18
1531770	-	H2SO4 PRESERVATION KIT FOR 250 ML	250	Milliliter(ML)	05/10/18
1531772	-	PUMP OIL ROTARY ULTRAGRADE 15	1	Liters(L)	05/10/18
1531773	-	PUMP OIL ROTARY ULTRAGRADE 15	1	Liters(L)	05/10/18
1531774	-	PUMP OIL ROTARY ULTRAGRADE 15	1	Liters(L)	05/10/18
1531775	-	PUMP OIL ROTARY ULTRAGRADE 15	1	Liters(L)	05/10/18
1531776	-	PUMP OIL ROTARY ULTRAGRADE 15	1	Liters(L)	05/10/18
1531777	-	PUMP OIL ROTARY ULTRAGRADE 15	1	Liters(L)	05/10/18
1531778	865-49-6	CHLOROFORM-D	100	Gram(GM)	05/10/18
1531779	77-86-1	TRIS BASE CRYSTALLINE	1	Kilograms(KG)	05/10/18
1531780	7720-39-0	1H-Imidazol-2-amine	10	Gram(GM)	05/10/18
1531781	62-56-6	THIOUREA	500	Gram(GM)	05/10/18
1531808	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/10/18
1531809	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/10/18
1531810	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531811	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531812	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531813	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531814	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531815	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531816	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531817	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531818	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531819	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531820	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531821	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531822	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531823	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531824	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531825	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531871	75-24-1	TRIMETHYLALUMINUM 2.0M SOLUTION IN	100	Milliliter(ML)	05/10/18
1531927	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531928	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531929	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531930	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531931	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531932	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531933	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531934	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531935	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531936	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531937	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531938	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531939	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531940	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531941	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531942	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531943	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531944	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531945	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531946	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531947	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531948	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531949	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531950	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531951	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531952	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531953	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531954	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531955	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531956	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531957	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531958	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531959	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531960	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531961	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531962	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531963	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531964	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531965	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531966	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531967	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531968	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531969	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531970	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531971	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531972	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531973	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531974	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531975	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531976	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531977	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531978	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531979	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531980	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531981	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531982	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531983	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531984	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531985	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531986	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/10/18
1531987	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/10/18
1531988	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/10/18
1531989	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/10/18
1531990	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531991	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531992	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531993	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531994	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531995	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531996	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1531997	7697-37-2	NITRIC ACID	2.5	Liters(L)	05/10/18
1477527	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477528	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477529	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477530	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477531	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477532	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477533	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477534	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477535	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477536	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477537	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477538	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477539	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477540	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477541	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477542	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477543	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477544	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477545	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477546	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477547	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477548	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477549	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477550	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1477551	-	READY-MIXED CONCRETE	60	Pounds(LB)	05/10/18
1517602	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517603	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517604	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517605	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517606	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517607	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517608	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517609	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517610	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517611	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517612	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517613	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517614	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517615	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517616	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517617	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517618	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517619	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	05/10/18
1517620	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/10/18
1517621	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/10/18
1517622	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/10/18
1517623	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/10/18
1517624	63295-48-7	Iron(III) trifluoromethanesulfonate	5	Gram(GM)	05/10/18
1517625	35895-70-6	TETRA-N-BUTYLAMMONIUM	25	Gram(GM)	05/10/18
1517626	299-28-5	CALCIUM GLUCONATE GEL	30	Gram(GM)	05/10/18
1517627	299-28-5	CALCIUM GLUCONATE GEL	30	Gram(GM)	05/10/18
1517628	299-28-5	CALCIUM GLUCONATE GEL	30	Gram(GM)	05/10/18
1517629	299-28-5	CALCIUM GLUCONATE GEL	30	Gram(GM)	05/10/18
1531782	64742-65-0	19 MECHANICAL PUMP OIL	5	Gallon(GAL)	05/10/18
1531834	-	ISOPROPANOL 70%	2.5	Liters(L)	05/10/18
1531835	-	ISOPROPANOL 70%	2.5	Liters(L)	05/10/18
1531873	7697-37-2	NITRIC ACID ULTREX	500	Milliliter(ML)	05/10/18
1531874	7697-37-2	NITRIC ACID ULTREX	500	Milliliter(ML)	05/10/18
1531875	64-18-6	FORMIC ACID	1	Liters(L)	05/10/18
1531876	64-18-6	FORMIC ACID	1	Liters(L)	05/10/18
1531878	110-54-3	HEXANES MIXTURE	4	Liters(L)	05/10/18
1531879	110-54-3	HEXANES MIXTURE	4	Liters(L)	05/10/18
1531880	110-54-3	HEXANES MIXTURE	4	Liters(L)	05/10/18
1531881	110-54-3	HEXANES MIXTURE	4	Liters(L)	05/10/18
1531882	67-64-1	ACETONE FOR HPLC	4	Liters(L)	05/10/18
1531883	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531884	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/10/18
1531885	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/10/18
1531886	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/10/18
1531887	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/10/18
1531888	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/10/18
1531889	75-05-8	ACETONITRILE	4	Liters(L)	05/10/18
1531890	75-05-8	ACETONITRILE	4	Liters(L)	05/10/18
1531891	75-05-8	ACETONITRILE	4	Liters(L)	05/10/18
1531892	75-05-8	ACETONITRILE	4	Liters(L)	05/10/18
1531893	67-68-5	DIMETHYL SULFOXIDE	1000	Gram(GM)	05/10/18
1517631	75-05-8	ACETONITRILE OPTIMA	1	Liters(L)	05/10/18
1517632	75-05-8	ACETONITRILE OPTIMA	1	Liters(L)	05/10/18
1517633	75-05-8	ACETONITRILE OPTIMA	1	Liters(L)	05/10/18
1517634	-	RUST REMOVER	1	Gallon(GAL)	05/10/18
1517635	-	VECTASTAIN Elite ABC Kit (Mouse IgG)	2	Ounces(OZ)	05/10/18
1517636	-	RUST REMOVER	1	Gallon(GAL)	05/10/18
1517637	-	RUST REMOVER	1	Gallon(GAL)	05/10/18
1517638	-	RUST REMOVER	1	Gallon(GAL)	05/10/18
1517639	-	RUST REMOVER	1	Gallon(GAL)	05/10/18
1517671	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517672	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517673	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517674	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517675	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517676	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517677	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517678	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517679	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517680	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517681	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517682	-	SYLGARD 184	1.1	Pounds(LB)	05/10/18
1517683	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	05/10/18
1517684	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	05/10/18
1517685	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	05/10/18
1517686	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	05/10/18
1517687	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	05/10/18
1517688	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517689	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517690	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517691	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517692	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517693	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517694	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517695	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517696	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517697	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517698	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18
1517699	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1531837	7087-68-5	N-Ethyl-diisopropylamine	500	Milliliter(ML)	05/10/18
1531838	7087-68-5	N-Ethyl-diisopropylamine	500	Milliliter(ML)	05/10/18
1531839	7087-68-5	N-Ethyl-diisopropylamine	500	Milliliter(ML)	05/10/18
1531877	67-63-0	ISOPROPYL ALCOHOL	4	Liters(L)	05/10/18
1531894	24973-59-9	2,4,6-TRI-TERT-BUTYLNITROSOBENZENE	100	Gram(GM)	05/10/18
1531895	24973-59-9	2,4,6-TRI-TERT-BUTYLNITROSOBENZENE	100	Gram(GM)	05/10/18
1531897	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531898	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531899	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531900	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531901	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531902	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531903	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531904	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531905	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531906	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531907	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531908	68-12-2	N,N-DIMETHYLFORMAMIDE ANHYDROUS	100	Milliliter(ML)	05/10/18
1531909	-	CONDUCTIVITY STANDARD	1	Liters(L)	05/10/18
1531910	-	CONDUCTIVITY STANDARD	1	Liters(L)	05/10/18
1531911	1310-73-2	SODIUM HYDROXIDE	100	Gram(GM)	05/10/18
1509810	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509811	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509812	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509813	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509814	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509815	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509816	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509817	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509818	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509819	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509820	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509821	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/10/18
1509822	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509823	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509824	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509825	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509826	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509827	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509828	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509829	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509830	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509831	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509832	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509833	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509834	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509835	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509836	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509837	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509838	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509839	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509840	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509841	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509842	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509843	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509844	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509845	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509846	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509847	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509848	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509849	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509850	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509851	-	P-10 (90% ARGON 10% METHANE)	220	Cubic	05/10/18
1509852	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509853	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509854	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509855	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509856	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509857	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509858	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509859	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509860	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509861	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509862	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509863	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509864	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509865	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509866	-	Oxygen UHP	220	Cubic Feet(CF)	05/10/18
1509870	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509871	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509872	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509873	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509874	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509875	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509876	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509877	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509878	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509879	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509880	2551-62-4	SULFUR HEXAFLUORIDE	220	Cubic Feet(CF)	05/10/18
1509881	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509882	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509883	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509884	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509885	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509886	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509887	-	Argon UHP	220	Cubic Feet(CF)	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509888	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509889	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509890	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509891	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509892	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509893	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509894	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509895	-	Argon UHP	220	Cubic Feet(CF)	05/10/18
1509896	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509897	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509898	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509899	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509900	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509901	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509902	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509903	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509904	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509905	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509906	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509907	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509908	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509909	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509910	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/10/18
1509911	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509912	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509913	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509914	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509915	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509916	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509917	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509918	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509919	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509920	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509921	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509922	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509923	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509924	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509925	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509926	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509927	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509928	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509929	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509930	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509931	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509932	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509933	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509934	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509935	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1509936	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509937	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509938	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509939	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509940	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509941	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509942	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509943	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509944	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509945	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509946	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509947	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509948	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509949	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509950	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509951	-	Nitrogen UHP	220	Cubic Feet(CF)	05/10/18
1509952	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/10/18
1509953	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/10/18
1509954	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/10/18
1509955	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/10/18
1509956	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/10/18
1509957	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/10/18
1509958	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/10/18
1509959	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509960	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509961	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509962	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509963	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509964	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509965	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509966	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/10/18
1509967	74-98-6	PROPANE	220	Cubic Feet(CF)	05/10/18
1509968	74-98-6	PROPANE	220	Cubic Feet(CF)	05/10/18
1509969	74-98-6	PROPANE	220	Cubic Feet(CF)	05/10/18
1509970	74-98-6	PROPANE	220	Cubic Feet(CF)	05/10/18
1509971	74-98-6	PROPANE	220	Cubic Feet(CF)	05/10/18
1509972	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509973	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509974	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509975	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509976	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509977	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509978	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509979	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509980	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1509981	74-98-6	PROPANE	50	Pounds(LB)	05/10/18
1517640	90-47-1	XANTHONE	25	Gram(GM)	05/11/18
1517641	1015-38-9	DIPHENYLDITHIOPHOSPHONIC ACID	2	Gram(GM)	05/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1517642	583-55-1	1-BROMO-2-IODOBENZENE	100	Gram(GM)	05/11/18
1517644	10361-37-2	BARIUM CHLORIDE ANHYDROUS	100	Gram(GM)	05/11/18
1517645	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/11/18
1517646	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/11/18
1517647	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/11/18
1517648	-	CONDUCTIVITY STANDARD	500	Milliliter(ML)	05/11/18
1517649	507-20-0	TERT-BUTYL CHLORIDE	500	Milliliter(ML)	05/11/18
1517650	1344-28-1	Alumina	10	Kilograms(KG)	05/11/18
1517700	67-68-5	Quant-iT dsDNA Assay Kit high sensitivity	10	Microliter	05/11/18
1517701	-	Phusion* Hot Start II High-Fidelity DNA	2	Microliter	05/11/18
1517702	-	Phusion* Hot Start II High-Fidelity DNA	2	Microliter	05/11/18
1517703	-	Phusion* Hot Start II High-Fidelity DNA	2	Microliter	05/11/18
1517704	-	GENE AMP KIT	1	Milliliter(ML)	05/11/18
1517705	-	GENE AMP KIT	1	Milliliter(ML)	05/11/18
1517706	-	GENE AMP KIT	1	Milliliter(ML)	05/11/18
1517707	-	GENE AMP KIT	1	Milliliter(ML)	05/11/18
1517708	-	GENE AMP KIT	1	Milliliter(ML)	05/11/18
1517709	12055-23-1	HAFNIUM OXIDE	1	Kilograms(KG)	05/11/18
1517710	12033-82-8	Strontium nitride -60 Mesh	250	Gram(GM)	05/11/18
1509867	-	5% Nitrogen/ Balance Helium	220	Cubic Feet(CF)	05/11/18
1509868	-	5% Nitrogen/ Balance Helium	220	Cubic Feet(CF)	05/11/18
1509869	-	5% Nitrogen/ Balance Helium	220	Cubic Feet(CF)	05/11/18
1517712	123-35-3	MYRCENE TECHNICAL GRADE	1	Kilograms(KG)	05/14/18
1517713	141-78-6	ETHYL ACETATE	180	Kilograms(KG)	05/14/18
1517743	-	CLOROX	121	Ounces(OZ)	05/14/18
1517744	-	CLOROX	121	Ounces(OZ)	05/14/18
1517745	-	CLOROX	121	Ounces(OZ)	05/14/18
1517746	-	CLOROX	121	Ounces(OZ)	05/14/18
1517747	-	CLOROX	121	Ounces(OZ)	05/14/18
1517748	-	CLOROX	121	Ounces(OZ)	05/14/18
1517749	-	CLOROX	121	Ounces(OZ)	05/14/18
1517750	-	CLOROX	121	Ounces(OZ)	05/14/18
1517751	-	CLOROX	121	Ounces(OZ)	05/14/18
1517752	-	CLOROX	121	Ounces(OZ)	05/14/18
1517753	-	CLOROX	121	Ounces(OZ)	05/14/18
1517754	-	CLOROX	121	Ounces(OZ)	05/14/18
1517755	-	CLOROX	121	Ounces(OZ)	05/14/18
1517756	-	CLOROX	121	Ounces(OZ)	05/14/18
1517757	-	CLOROX	121	Ounces(OZ)	05/14/18
1517758	-	CLOROX	121	Ounces(OZ)	05/14/18
1517759	-	CLOROX	121	Ounces(OZ)	05/14/18
1517760	-	CLOROX	121	Ounces(OZ)	05/14/18
1517761	-	CLOROX	121	Ounces(OZ)	05/14/18
1517762	-	CLOROX	121	Ounces(OZ)	05/14/18
1517763	-	CLOROX	121	Ounces(OZ)	05/14/18
1517764	-	CLOROX	121	Ounces(OZ)	05/14/18
1517765	-	CLOROX	121	Ounces(OZ)	05/14/18
1517766	-	CLOROX	121	Ounces(OZ)	05/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1517767	-	CLOROX	121	Ounces(OZ)	05/14/18
1517768	-	CLOROX	121	Ounces(OZ)	05/14/18
1517769	-	CLOROX	121	Ounces(OZ)	05/14/18
1517770	-	CLOROX	121	Ounces(OZ)	05/14/18
1517771	-	CLOROX	121	Ounces(OZ)	05/14/18
1517772	-	CLOROX	121	Ounces(OZ)	05/14/18
1517773	-	CLOROX	121	Ounces(OZ)	05/14/18
1517774	-	CLOROX	121	Ounces(OZ)	05/14/18
1517775	-	CLOROX	121	Ounces(OZ)	05/14/18
1517776	-	CLOROX	121	Ounces(OZ)	05/14/18
1517777	-	CLOROX	121	Ounces(OZ)	05/14/18
1517778	-	CLOROX	121	Ounces(OZ)	05/14/18
1517779	-	CLOROX	121	Ounces(OZ)	05/14/18
1517780	-	CLOROX	121	Ounces(OZ)	05/14/18
1517781	-	CLOROX	121	Ounces(OZ)	05/14/18
1517782	-	CLOROX	121	Ounces(OZ)	05/14/18
1517783	-	CLOROX	121	Ounces(OZ)	05/14/18
1517784	-	CLOROX	121	Ounces(OZ)	05/14/18
1517785	-	CLOROX	121	Ounces(OZ)	05/14/18
1517786	-	CLOROX	121	Ounces(OZ)	05/14/18
1517787	-	CLOROX	121	Ounces(OZ)	05/14/18
1517788	-	CLOROX	121	Ounces(OZ)	05/14/18
1517789	-	CLOROX	121	Ounces(OZ)	05/14/18
1517790	-	CLOROX	121	Ounces(OZ)	05/14/18
1517791	-	CLOROX	121	Ounces(OZ)	05/14/18
1517792	-	CLOROX	121	Ounces(OZ)	05/14/18
1517793	-	CLOROX	121	Ounces(OZ)	05/14/18
1517794	-	CLOROX	121	Ounces(OZ)	05/14/18
1517795	-	CLOROX	121	Ounces(OZ)	05/14/18
1517796	-	CLOROX	121	Ounces(OZ)	05/14/18
1517797	-	CLOROX	121	Ounces(OZ)	05/14/18
1517798	-	CLOROX	121	Ounces(OZ)	05/14/18
1517799	-	CLOROX	121	Ounces(OZ)	05/14/18
1517800	-	CLOROX	121	Ounces(OZ)	05/14/18
1517801	-	CLOROX	121	Ounces(OZ)	05/14/18
1517802	-	CLOROX	121	Ounces(OZ)	05/14/18
1517803	-	CLOROX	121	Ounces(OZ)	05/14/18
1517804	-	CLOROX	121	Ounces(OZ)	05/14/18
1517805	-	CLOROX	121	Ounces(OZ)	05/14/18
1517806	-	CLOROX	121	Ounces(OZ)	05/14/18
1517807	-	CLOROX	121	Ounces(OZ)	05/14/18
1517808	-	CLOROX	121	Ounces(OZ)	05/14/18
1517809	-	CLOROX	121	Ounces(OZ)	05/14/18
1517810	-	CLOROX	121	Ounces(OZ)	05/14/18
1517811	-	CLOROX	121	Ounces(OZ)	05/14/18
1517812	-	CLOROX	121	Ounces(OZ)	05/14/18
1517813	-	CLOROX	121	Ounces(OZ)	05/14/18
1517814	-	CLOROX	121	Ounces(OZ)	05/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1517815	-	CLOROX	121	Ounces(OZ)	05/14/18
1517816	-	CLOROX	121	Ounces(OZ)	05/14/18
1517817	-	CLOROX	121	Ounces(OZ)	05/14/18
1517818	127-18-4	TETRACHLOROETHYLENE	1	Liters(L)	05/14/18
1517819	127-18-4	TETRACHLOROETHYLENE	1	Liters(L)	05/14/18
1530630	26628-22-8	Image-iT FX Signal Enhancer	10	Milliliter(ML)	05/14/18
1531836	-	NucBlue Fixed Cell ReadyProbes Reagent	2.5	Milliliter(ML)	05/14/18
1531896	1305-78-8	CALCIUM OXIDE	500	Gram(GM)	05/14/18
1531913	-	3M Adhesive	10	Ounces(OZ)	05/14/18
1531914	-	3M Adhesive	10	Ounces(OZ)	05/14/18
1531915	-	3M Adhesive	10	Ounces(OZ)	05/14/18
1531916	-	3M Adhesive	10	Ounces(OZ)	05/14/18
1531917	-	3M Adhesive	10	Ounces(OZ)	05/14/18
1531918	-	3M Adhesive	10	Ounces(OZ)	05/14/18
1531922	407-25-0	TRIFLUOROACETIC ANHYDRIDE	25	Gram(GM)	05/14/18
1531923	407-25-0	TRIFLUOROACETIC ANHYDRIDE	25	Gram(GM)	05/14/18
1531924	119-47-1	2 2'-Methylenebis(6-tert-butyl-4-methylphenol)	100	Gram(GM)	05/14/18
1531925	7790-80-9	CADMIUM IODIDE	10	Gram(GM)	05/14/18
1531926	67-68-5	DIMETHYL SULFOXIDE	1	Liters(L)	05/14/18
1531998	11032-79-4	a-bungarotoxin Alexa Fluor 647 conjugate	500	MicroGram(UG)	05/14/18
1517711	7440-33-7	Copper Coated Tungsten	10	Kilograms(KG)	05/14/18
1148274	-	Storage Phosphor Paint Type F5m	2.7	Ounces(OZ)	05/14/18
1485847	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485848	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485849	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485850	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485851	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485852	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485853	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485854	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485855	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485856	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485857	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485858	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485859	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485860	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485861	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485862	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485863	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485864	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485865	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485866	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485867	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485868	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485869	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485870	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485871	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485872	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1485873	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485874	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485875	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1485876	-	3 IN 1 OIL	3	Ounces(OZ)	05/14/18
1517651	-	BUFFER PH 2	500	Milliliter(ML)	05/14/18
1517652	109-70-6	1-BROMO-3-CHLOROPROPANE	250	Gram(GM)	05/14/18
1517654	644-97-3	DICHLOROPHENYLPHOSPHINE	250	Gram(GM)	05/14/18
1517655	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517656	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517657	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517658	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517659	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517660	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517661	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517662	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517663	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517664	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517665	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517666	-	STRUCTURAL PLASTIC ADHESIVE	6.76	Ounces(OZ)	05/14/18
1517829	1493-13-6	TRIFLUOROMETHANE SULFONIC ACID	4	Gallon(GAL)	05/14/18
1517830	1493-13-6	TRIFLUOROMETHANE SULFONIC ACID	4	Gallon(GAL)	05/14/18
1517831	3112-85-4	Methyl phenyl sulfone	10	Gram(GM)	05/14/18
1517832	486-25-9	9-FLUORENONE	100	Gram(GM)	05/14/18
1531840	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531841	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531842	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531843	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531844	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531845	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531846	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531847	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531848	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531849	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	05/14/18
1531850	56-81-5	ProLong Gold Antifade Mountant	2	Milliliter(ML)	05/14/18
1531851	22483-09-6	AMINOACETALDEHYDE DIMETHYL ACETAL (2 2-	100	Milliliter(ML)	05/14/18
1531853	-	VARIAN TORR SEAL	1.69	Ounces(OZ)	05/14/18
1531854	2997-92-4	AAPH	1	Gram(GM)	05/14/18
1509997	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1509998	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1509999	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510000	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510001	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510002	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510003	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510004	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510005	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510006	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510007	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510008	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510009	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510010	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510011	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510012	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510013	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510014	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510015	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510016	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510017	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510018	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510019	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510020	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510021	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510022	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510023	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510024	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510025	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510026	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510027	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/14/18
1510028	-	hydrogen 2%/Bal. Air	105	Liters(L)	05/14/18
1510029	-	hydrogen 2%/Bal. Air	105	Liters(L)	05/14/18
1510030	-	hydrogen 2%/Bal. Air	105	Liters(L)	05/14/18
1510031	-	hydrogen 2%/Bal. Air	105	Liters(L)	05/14/18
1510032	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510033	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510034	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510035	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510036	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510037	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510038	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510039	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510040	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510041	-	Nitrogen UHP	220	Cubic Feet(CF)	05/14/18
1510042	-	Argon UHP	220	Cubic Feet(CF)	05/14/18
1510043	-	Argon UHP	220	Cubic Feet(CF)	05/14/18
1510044	-	Argon UHP	220	Cubic Feet(CF)	05/14/18
1510045	-	Argon UHP	220	Cubic Feet(CF)	05/14/18
1510046	-	Argon UHP	220	Cubic Feet(CF)	05/14/18
1510047	-	Argon UHP	220	Cubic Feet(CF)	05/14/18
1510048	-	Argon UHP	220	Cubic Feet(CF)	05/14/18
1517667	7778-18-9	DRIERITE 8 MESH	2.3	Kilograms(KG)	05/15/18
1510049	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/15/18
1517668	7778-18-9	DRIERITE 8 MESH	2.3	Kilograms(KG)	05/15/18
1517669	7778-18-9	DRIERITE 8 MESH	2.3	Kilograms(KG)	05/15/18
1517670	7778-18-9	DRIERITE 8 MESH	2.3	Kilograms(KG)	05/15/18
1510050	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/15/18
1510051	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510052	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/15/18
1510053	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/15/18
1517714	100-42-5	STYRENE	1	Liters(L)	05/15/18
1517715	100-42-5	STYRENE	1	Liters(L)	05/15/18
1510054	-	REFRIGERANT R-22	25	Pounds(LB)	05/15/18
1510055	-	REFRIGERANT R-22	25	Pounds(LB)	05/15/18
1510056	-	REFRIGERANT R-22	25	Pounds(LB)	05/15/18
1510057	-	REFRIGERANT R-22	25	Pounds(LB)	05/15/18
1510058	-	REFRIGERANT R-22	25	Pounds(LB)	05/15/18
1510059	-	REFRIGERANT R-22	25	Pounds(LB)	05/15/18
1517716	80-62-6	METHYL METHACRYLATE	1	Liters(L)	05/15/18
1510060	-	FORANE 407 C	25	Pounds(LB)	05/15/18
1517717	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/15/18
1517718	109-99-9	TETRAHYDROFURAN	500	Milliliter(ML)	05/15/18
1517719	1310-73-2	SODIUM HYDROXIDE PELLETS	500	Gram(GM)	05/15/18
1517720	1310-73-2	SODIUM HYDROXIDE PELLETS	500	Gram(GM)	05/15/18
1517721	67-56-1	METHANOL CHROMASOLV(R)	1	Liters(L)	05/15/18
1517722	108-93-0	CYCLOHEXANOL	1	Liters(L)	05/15/18
1517723	25979-07-1	TERT-BUTYLDICHLOROPHOSPHINE	10	Gram(GM)	05/15/18
1517724	109-97-7	PYRROLE 99%	100	Gram(GM)	05/15/18
1517725	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517726	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517727	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517728	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517729	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517730	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517731	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517732	7697-37-2	NIT ACID R ACS SAF 6x21	2.5	Liters(L)	05/15/18
1517733	40244-90-4	CHLORODIISOPROPYLPHOSPHINE	25	Gram(GM)	05/15/18
1517833	7440-44-0	CHARCOAL POWDER ACTIVATED	1	Kilograms(KG)	05/15/18
1457655	75-07-0	ACETALDEHYDE	500	Milliliter(ML)	05/15/18
1469060	-	GREASLESS LUBE	11	Ounces(OZ)	05/15/18
1477524	-	CLOROX	1	Gallon(GAL)	05/15/18
1477525	-	CLOROX	1	Gallon(GAL)	05/15/18
1477526	-	CLOROX	1	Gallon(GAL)	05/15/18
1477562	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477563	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477564	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477565	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477566	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477571	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477572	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477573	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477574	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477575	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477567	-	COTE ALL WHITE BASE	3.7	Liters(L)	05/15/18
1477568	-	COTE ALL WHITE BASE	3.7	Liters(L)	05/15/18
1477569	-	COTE ALL WHITE BASE	3.7	Liters(L)	05/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477570	-	COTE ALL WHITE BASE	3.7	Liters(L)	05/15/18
1477576	-	LATEX ENAMEL	5	Gallon(GAL)	05/15/18
1477577	-	LATEX ENAMEL	5	Gallon(GAL)	05/15/18
1477578	-	LATEX ENAMEL	5	Gallon(GAL)	05/15/18
1477579	-	LATEX ENAMEL	5	Gallon(GAL)	05/15/18
1477580	-	LATEX ENAMEL	5	Gallon(GAL)	05/15/18
1477581	-	LATEX ENAMEL	5	Gallon(GAL)	05/15/18
1517834	20776-51-6	2-Amino-3-bromobenzoic Acid	100	Gram(GM)	05/15/18
1517835	102-54-5	FERROCENE	100	Gram(GM)	05/15/18
1517836	100-42-5	STYRENE	1	Liters(L)	05/15/18
1517837	109-66-0	PENTANE ANHYDROUS	100	Milliliter(ML)	05/15/18
1517838	375-50-8	1 4-DIIODOOCTAFLUOROBUTANE	5	Gram(GM)	05/15/18
1517839	25322-68-3	POLY(ETHYLENE GLYCOL)	100	Gram(GM)	05/15/18
1517840	25322-68-3	POLY(ETHYLENE GLYCOL)	250	Gram(GM)	05/15/18
1517841	25190-06-1	POLYTETRAMETHYLENE ETHER GLYCOL	25	Milliliter(ML)	05/15/18
1517842	25190-06-1	POLYTETRAMETHYLENE ETHER GLYCOL	25	Milliliter(ML)	05/15/18
1517843	-	TERATHANE	25	Milliliter(ML)	05/15/18
1517844	-	TERATHANE	25	Milliliter(ML)	05/15/18
1517845	25190-06-1	Poly(tetrahydrofuran)	25	Milliliter(ML)	05/15/18
1517846	25190-06-1	Poly(tetrahydrofuran)	25	Milliliter(ML)	05/15/18
1517887	1314-61-0	TANTALUM(V) OXIDE	50	Gram(GM)	05/15/18
1517888	10025-87-3	PHOSPHORUS OXYCHLORIDE	1	Kilograms(KG)	05/15/18
1517889	112-88-9	1-OCTADECENE	2.5	Liters(L)	05/15/18
1517890	112-88-9	1-OCTADECENE	2.5	Liters(L)	05/15/18
1517891	7803-49-8	HYDROXYLAMINE	250	Milliliter(ML)	05/15/18
1517892	7803-49-8	HYDROXYLAMINE	250	Milliliter(ML)	05/15/18
1517893	7803-49-8	HYDROXYLAMINE	250	Milliliter(ML)	05/15/18
1517894	7803-49-8	HYDROXYLAMINE	250	Milliliter(ML)	05/15/18
1531852	10026-13-8	PHOSPHORUS PENTACHLORIDE	100	Gram(GM)	05/15/18
1477582	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477583	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477584	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477585	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477586	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477587	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477588	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477589	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477590	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477591	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477592	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477593	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477594	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477595	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477596	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1486303	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1477597	-	PERMACRYL INTERIOR SEMI GLOSS DEEP BASE	1	Gallon(GAL)	05/15/18
1486304	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486305	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486306	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486307	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486308	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486309	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486310	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486311	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486312	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486313	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486314	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486315	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486316	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486317	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486318	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486319	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486320	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486321	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486322	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486323	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486324	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486325	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1486326	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	05/15/18
1477598	-	PERMACRYL INTERIOR SEMI GLOSS DEEP BASE	1	Gallon(GAL)	05/15/18
1477599	-	PERMACRYL INTERIOR SEMI GLOSS DEEP BASE	1	Gallon(GAL)	05/15/18
1477600	-	PERMACRYL INTERIOR SEMI GLOSS DEEP BASE	1	Gallon(GAL)	05/15/18
1486279	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486280	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486281	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486282	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486283	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486284	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486285	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486286	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486287	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486288	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486289	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486290	-	POLYREX EM ELECTRIC MOTOR BEARING GREASE	13.7	Ounces(OZ)	05/15/18
1486237	-	ANTI-SEIZE LUBRICANT	8	Ounces(OZ)	05/15/18
1486238	-	ANTI-SEIZE LUBRICANT	8	Ounces(OZ)	05/15/18
1486239	-	ANTI-SEIZE LUBRICANT	8	Ounces(OZ)	05/15/18
1486240	-	Lubriplate (white lithium grease)	14.5	Ounces(OZ)	05/15/18
1486241	-	Lubriplate (white lithium grease)	14.5	Ounces(OZ)	05/15/18
1486242	-	Lubriplate (white lithium grease)	14.5	Ounces(OZ)	05/15/18
1486243	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486244	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486245	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486246	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486247	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486248	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486249	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486250	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486251	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486252	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486253	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486254	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/15/18
1486236	-	LOCTITE 7649 PRIMER N	1.75	Ounces(OZ)	05/15/18
1486255	-	LOCTITE 272 THREADLOCKER	50	Milliliter(ML)	05/15/18
1486227	-	MOBIL SYSTEM CLEANER	5	Gallon(GAL)	05/15/18
1486228	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1486229	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1486230	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1486231	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1486232	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1486233	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1486234	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1486235	-	WINDEX GLASS CLEANER	23	Ounces(OZ)	05/15/18
1477601	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1485846	-	CLR	128	Ounces(OZ)	05/15/18
1477602	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477603	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477604	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477605	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477606	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477607	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477608	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477609	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477610	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477611	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477612	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477613	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477614	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477615	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477616	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477617	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477618	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477619	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477620	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477621	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477622	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477623	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477624	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477625	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477626	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477627	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477628	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477629	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18
1477630	-	ES COMPLEAT OAT 50/50 PREDILUTED; ES	1	Gallon(GAL)	05/15/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477631	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477632	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477633	-	Avalon Premium 100% Acrylic Interior Satin W/B	5	Gallon(GAL)	05/15/18
1477634	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477635	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477636	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477637	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477638	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/15/18
1477639	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477640	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477641	-	COTE ALL WHITE BASE	1	Gallon(GAL)	05/15/18
1477642	-	LAQUER THINNER	1	Gallon(GAL)	05/15/18
1477643	-	LAQUER THINNER	1	Gallon(GAL)	05/15/18
1477644	-	LAQUER THINNER	1	Gallon(GAL)	05/15/18
1477645	-	Vers-Acryl 222 S/G Finish Safety Red	1	Gallon(GAL)	05/15/18
1477646	-	Vers-Acryl 222 S/G Finish Safety Red	1	Gallon(GAL)	05/15/18
1477647	-	Vers-Acryl 222 S/G Finish Safety Red	1	Gallon(GAL)	05/15/18
1477648	-	Vers-Acryl 222 S/G Finish Safety Red	1	Gallon(GAL)	05/15/18
1517734	7601-90-3	PERCHLORIC ACID OPTIMA	1	Liters(L)	05/16/18
1517735	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517736	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517737	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517738	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517739	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517740	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517741	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517742	75-05-8	ACETONITRILE	4	Liters(L)	05/16/18
1517847	557-05-1	ZINC STEARATE	1	Kilograms(KG)	05/16/18
1517848	8002-74-2	PARAFFIN WAX	1	Kilograms(KG)	05/16/18
1517849	127-66-2	2-Phenyl-3-butyn-2-ol	25	Gram(GM)	05/16/18
1517850	79-41-4	METHACRYLIC ACID	100	Gram(GM)	05/16/18
1517851	7727-21-1	POTASSIUM PERSULFATE	100	Gram(GM)	05/16/18
1517852	-	PORAPAK TYPE Q	75	Milliliter(ML)	05/16/18
1517853	-	Ammonium hydrogenoxalate hydrate	25	Gram(GM)	05/16/18
1517854	75-09-2	DICHLOROMETHANE	4	Liters(L)	05/16/18
1517908	-	X-GAL	10	Milliliter(ML)	05/16/18
1517909	172222-30-9	GRUBBS CATALYST 1ST GENERATION	1	Gram(GM)	05/16/18
1517910	-	RTV60 001-KIT	1	Pint(PT)	05/16/18
1517911	7726-95-6	BROMINE	250	Gram(GM)	05/16/18
1518031	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518032	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518033	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518034	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518035	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518036	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518037	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518038	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518039	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518040	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518041	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518042	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518043	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518044	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518045	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518046	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518047	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518048	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518049	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518050	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518051	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518052	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518053	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518054	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518055	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518056	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518057	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518058	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518059	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518060	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518061	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518062	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518063	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518064	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518065	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518066	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518067	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518068	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518069	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518070	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518071	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518072	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518073	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518074	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518075	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518076	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518077	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518078	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518079	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518080	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518081	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518082	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518083	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518084	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518085	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518086	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518087	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518088	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518089	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518090	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	05/16/18
1518091	7664-39-3	HYDROFLUORIC ACID OPTIMA	500	Milliliter(ML)	05/16/18
1518092	7664-39-3	HYDROFLUORIC ACID OPTIMA	500	Milliliter(ML)	05/16/18
1518103	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518104	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518105	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518106	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518107	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518108	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518109	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518110	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518111	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518112	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518113	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518114	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518115	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518116	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518117	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518118	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518119	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518120	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518121	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518122	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518123	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518124	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518125	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1518126	811-97-2	DUSTER ES1017	10	Ounces(OZ)	05/16/18
1531872	-	RNEASY MINI KIT	50	Milliliter(ML)	05/16/18
1392811	-	Kwik Foam Sealant	12	Ounces(OZ)	05/16/18
1477649	-	Vers-Acryl 222 S/G Finish Safety Yellow	1	Gallon(GAL)	05/16/18
1477653	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477654	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477655	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477656	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477657	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477658	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477659	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477660	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477661	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477662	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477663	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477664	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477665	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477666	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477667	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477668	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477669	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477670	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477671	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477672	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477673	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477674	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477675	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477676	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477677	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477678	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477679	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477680	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477681	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477682	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477683	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477684	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477685	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477686	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477687	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477688	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477689	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477690	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477691	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477692	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477693	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477694	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477695	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477696	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477697	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477698	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477699	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477700	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477701	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477702	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477703	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477704	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477705	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477706	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477707	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477708	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477709	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477710	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477711	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477712	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477713	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477714	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477715	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477716	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477717	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477718	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477719	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477720	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477721	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477722	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477723	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477724	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477725	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477726	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477727	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477728	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477729	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477730	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477731	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477732	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477733	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477734	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477735	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477736	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477737	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477738	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477739	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477740	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477741	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477742	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477743	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477744	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477745	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477746	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477747	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477748	-	CONTACT CLEANER 2000	13	Ounces(OZ)	05/16/18
1477753	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477754	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477755	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477756	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477757	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477758	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477759	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477760	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477761	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477762	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477763	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477764	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477765	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477766	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477767	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18
1477768	-	Vers-Acryl 222 S/G Finish White Base	5	Gallon(GAL)	05/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477749	-	ZINSSER 123 BULLSEYE PRIMER	5	Gallon(GAL)	05/16/18
1477750	-	ZINSSER 123 BULLSEYE PRIMER	5	Gallon(GAL)	05/16/18
1477751	-	ZINSSER 123 BULLSEYE PRIMER	5	Gallon(GAL)	05/16/18
1477752	-	ZINSSER 123 BULLSEYE PRIMER	5	Gallon(GAL)	05/16/18
1477277	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477278	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477201	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477202	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477203	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477204	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477205	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477206	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477074	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477075	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477076	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477077	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477078	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477079	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477080	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477423	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477424	-	WEST C-358 INHIBITOR ALKILINE	55	Gallon(GAL)	05/16/18
1477425	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477426	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477427	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477428	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477429	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477430	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477431	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477432	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477433	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477434	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477435	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477436	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477437	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477438	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477439	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477440	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477441	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477442	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477443	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477444	-	WEST R-630 SODIUM/POTASSIUM SULFATE	55	Gallon(GAL)	05/16/18
1477552	-	Rando HD 32 46 68	5	Gallon(GAL)	05/16/18
1477553	-	Rando HD 32 46 68	5	Gallon(GAL)	05/16/18
1477554	-	Rando HD 32 46 68	5	Gallon(GAL)	05/16/18
1477555	-	Rando HD 32 46 68	5	Gallon(GAL)	05/16/18
1455198	-	STARTING FLUID	14	Ounces(OZ)	05/16/18
1455197	-	OFF! DEEP WOODS INSECT REPELLENT	8	Ounces(OZ)	05/16/18
1455196	-	THREAD CUTTING OIL	32	Ounces(OZ)	05/16/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1457767	-	Water	1	Liters(L)	05/16/18
1457768	-	Water	1	Liters(L)	05/16/18
1457769	-	Water	1	Liters(L)	05/16/18
1457770	-	Water	1	Liters(L)	05/16/18
1457771	-	Water	1	Liters(L)	05/16/18
1457772	-	Water	1	Liters(L)	05/16/18
1457773	-	Water	1	Liters(L)	05/16/18
1457774	-	Water	1	Liters(L)	05/16/18
1457775	-	Water	1	Liters(L)	05/16/18
1457776	-	Water	1	Liters(L)	05/16/18
1457777	-	Water	1	Liters(L)	05/16/18
1457778	-	Water	1	Liters(L)	05/16/18
1457779	7732-18-5	WATER	20	Liters(L)	05/16/18
1457780	7732-18-5	WATER	20	Liters(L)	05/16/18
1457781	7732-18-5	WATER	20	Liters(L)	05/16/18
1457782	7732-18-5	WATER	20	Liters(L)	05/16/18
1457783	7732-18-5	WATER	20	Liters(L)	05/16/18
1457784	7732-18-5	WATER	20	Liters(L)	05/16/18
1422344	-	MIXED ANTIFREEZE	1	Gallon(GAL)	05/17/18
1510061	7727-37-9	NITROGEN COMPRESSED GAS	400	Cubic Feet(CF)	05/17/18
1510062	7727-37-9	NITROGEN COMPRESSED GAS	400	Cubic Feet(CF)	05/17/18
1510063	7727-37-9	NITROGEN COMPRESSED GAS	400	Cubic Feet(CF)	05/17/18
1510064	7727-37-9	NITROGEN COMPRESSED GAS	400	Cubic Feet(CF)	05/17/18
1510065	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/17/18
1510066	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/17/18
1510067	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	100	Liters(L)	05/17/18
1510068	-	AIR COMPRESSED	105	Liters(L)	05/17/18
1510069	-	AIR COMPRESSED	105	Liters(L)	05/17/18
1510070	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510071	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510072	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510073	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510074	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510075	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510076	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510077	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510078	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510079	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510080	74-98-6	PROPANE	50	Pounds(LB)	05/17/18
1510083	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510084	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510085	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510086	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510087	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510088	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510089	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510090	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510091	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510092	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510093	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510094	74-86-2	ACETYLENE	40	Pounds(LB)	05/17/18
1510095	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/17/18
1510096	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/17/18
1510097	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/17/18
1510098	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/17/18
1510099	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/17/18
1510100	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/17/18
1510101	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/17/18
1510102	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/17/18
1510103	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/17/18
1510104	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/17/18
1510105	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/17/18
1510106	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/17/18
1510107	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510108	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510109	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510110	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510111	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510112	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510113	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510114	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510115	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510116	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510117	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510118	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510119	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510120	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510121	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510122	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510123	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510124	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510125	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510126	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510127	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510128	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510129	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510130	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510131	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510132	-	Nitrogen UHP	220	Cubic Feet(CF)	05/17/18
1510134	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510135	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510136	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510137	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510138	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510139	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510140	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510141	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510142	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510143	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510144	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510145	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510146	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510147	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510148	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510149	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510150	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510151	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510152	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510153	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510154	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510155	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510156	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510157	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510158	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510159	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510160	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510161	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510162	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510163	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510164	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510165	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510166	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510167	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510168	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510169	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510170	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510171	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510172	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510173	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	05/17/18
1510133	-	Carbon Dioxide 50%/Bal. Helium	40	Cubic Feet(CF)	05/17/18
1497199	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497200	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497201	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497202	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497203	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497204	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497205	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497206	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497207	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497208	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497209	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497210	-	Johnsens Premium Starting Fluid 50%	10.7	Ounces(OZ)	05/17/18
1497211	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497212	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497213	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497214	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497215	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497216	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497217	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497218	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497219	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497220	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497221	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1497222	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/17/18
1420583	25036-25-3	EPOXY RESIN	128	Ounces(OZ)	05/17/18
1420584	25036-25-3	EPOXY RESIN	128	Ounces(OZ)	05/17/18
1420585	-	EPOXY HARDNER PART B (EPO-TEK H-77)	16	Ounces(OZ)	05/17/18
1420586	-	EPOXY HARDNER PART B (EPO-TEK H-77)	16	Ounces(OZ)	05/17/18
1517855	7727-21-1	POTASSIUM PERSULFATE	500	Gram(GM)	05/21/18
1517856	26780-50-7	POLY(DL-LACTIDE-CO-GLYCOLIDE)	5	Gram(GM)	05/21/18
1517857	24937-78-8	Poly(ethylene-co-vinyl acetate)	250	Gram(GM)	05/21/18
1517858	842-07-9	Sudan I	100	Gram(GM)	05/21/18
1517859	75-09-2	DICHLOROMETHANE	1	Liters(L)	05/21/18
1517861	1344-28-1	INHIBITOR REMOVER	250	Gram(GM)	05/21/18
1517862	1344-28-1	INHIBITOR REMOVER	250	Gram(GM)	05/21/18
1517863	9005-64-5	POLYOXYETHYLENESORITAN MONOLAURATE	50	Milliliter(ML)	05/21/18
1517864	557-04-0	MAGNESIUM STEARATE	25	Gram(GM)	05/21/18
1517865	-	NO-CLEAN FLUX REMOVER	5	Cubic	05/21/18
1517866	-	NO-CLEAN FLUX REMOVER	5	Cubic	05/21/18
1517867	-	NO-CLEAN FLUX REMOVER	5	Cubic	05/21/18
1517868	-	NO-CLEAN FLUX REMOVER	5	Cubic	05/21/18
1517869	-	NO-CLEAN FLUX REMOVER	5	Cubic	05/21/18
1517870	67-64-1	ACETONE	4	Liters(L)	05/21/18
1517871	67-64-1	ACETONE	4	Liters(L)	05/21/18
1517872	67-64-1	ACETONE	4	Liters(L)	05/21/18
1517873	67-64-1	ACETONE	4	Liters(L)	05/21/18
1517895	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517896	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517897	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517898	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517899	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517900	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517901	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517902	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517903	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517904	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517905	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517906	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517907	25068-38-6	SCOTCH-WELD(TM) 2216 B/A PART B	43	Milliliter(ML)	05/21/18
1517912	-	MOBIL VACTRA OIL NO. 2	5	Gallon(GAL)	05/21/18
1517913	9012-36-6	AGAROSE	100	Gram(GM)	05/21/18
1517914	7697-37-2	NITRIC ACID	1	Liters(L)	05/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1517915	10294-34-5	BORON TRICHLORIDE	100	Milliliter(ML)	05/21/18
1517916	3283-12-3	Dimethylphosphinic acid	500	Milligram(MG)	05/21/18
1517917	3283-12-3	Dimethylphosphinic acid	500	Milligram(MG)	05/21/18
1517918	3283-12-3	Dimethylphosphinic acid	500	Milligram(MG)	05/21/18
1517919	7761-88-8	SILVER NITRATE	50	Gram(GM)	05/21/18
1517920	67-68-5	DIMETHYL SULFOXIDE	10	Milliliter(ML)	05/21/18
1517921	-	ALCOJET	1.8	Kilograms(KG)	05/21/18
1517922	140-88-5	ETHYL ACRYLATE	1	Liters(L)	05/21/18
1518093	492-22-8	Thioxanthen-9-one	25	Gram(GM)	05/21/18
1518094	100-46-9	BENZYLAMINE	500	Milliliter(ML)	05/21/18
1517874	-	APIEZON L GREASE	25	Gram(GM)	05/21/18
1517875	-	APIEZON L GREASE	25	Gram(GM)	05/21/18
1517876	-	APIEZON L GREASE	25	Gram(GM)	05/21/18
1517877	-	APIEZON L GREASE	25	Gram(GM)	05/21/18
1517923	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517924	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517925	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517926	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517927	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517928	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517929	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517930	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517931	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517932	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517933	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517934	-	IF-10a GN Base	125	Milliliter(ML)	05/21/18
1517935	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517936	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517937	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517938	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517939	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517940	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517941	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517942	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517943	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517944	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517945	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517946	-	IF-0a GN/GP Base	125	Milliliter(ML)	05/21/18
1517947	-	Redox Dye Mix H	20	Milliliter(ML)	05/21/18
1517948	-	BARIUM STANDARD	125	Milliliter(ML)	05/21/18
1517949	-	CHROMIUM STANDARD	125	Milliliter(ML)	05/21/18
1517950	-	LEAD STANDARD	125	Milliliter(ML)	05/21/18
1517951	-	SELENIUM STANDARD	125	Milliliter(ML)	05/21/18
1517952	-	ZINC STANDARD	125	Milliliter(ML)	05/21/18
1517953	7647-14-5	CHLORIDE STANDARD	125	Milliliter(ML)	05/21/18
1517954	1344-43-0	MANGANOUS OXIDE	500	Gram(GM)	05/21/18
1517955	56-81-5	SlowFade Gold Antifade Mountant	10	Milliliter(ML)	05/21/18
1517956	21324-39-0	SODIUM HEXAFLUOROPHOSPHATE	10	Gram(GM)	05/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518095	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518096	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518097	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518098	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518099	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518100	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518101	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518102	67-56-1	METHANOL	4	Liters(L)	05/21/18
1518127	67-63-0	2-PROPANOL	4	Liters(L)	05/21/18
1518128	67-63-0	2-PROPANOL	4	Liters(L)	05/21/18
1517878	7789-20-0	DEUTERIUM OXIDE 99.9 ATOM % D	25	Gram(GM)	05/21/18
1517879	1306-38-3	CERIUM(IV) OXIDE	100	Gram(GM)	05/21/18
1517880	12055-23-1	HAFNIUM(IV) OXIDE	25	Gram(GM)	05/21/18
1517881	-	ZINC PLASMA STANDARDS 1 000 PPM 10 000	50	Milliliter(ML)	05/21/18
1517882	-	FLEXBAR REPRORUBBER THIN POUR MATERIAL	380	Milliliter(ML)	05/21/18
1517883	-	LOCTITE	1.69	Ounces(OZ)	05/21/18
1517884	-	LOCTITE 262 THREADLOCKER	0.34	Ounces(OZ)	05/21/18
1517885	110-54-3	HEXANES (CERTIFIED ACS)	4	Liters(L)	05/21/18
1517957	17084-13-8	POTASSIUM HEXAFLUOROPHOSPHATE	50	Gram(GM)	05/21/18
1517958	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	05/21/18
1518129	-	PermaTreat PC-510T	55	Gallon(GAL)	05/21/18
1518130	7664-93-9	SULFURIC ACID	500	Milliliter(ML)	05/21/18
1518131	7757-82-6	SODIUM SULFATE	500	Gram(GM)	05/21/18
1518175	2751-90-8	TETRAPHENYLPHOSPHONIUM BROMIDE	25	Gram(GM)	05/21/18
1518176	112926-00-8	SILICA GEL 60 (230-400 MESH)	1	Kilograms(KG)	05/21/18
1518247	-	Tethon3D Ceramic Binder	1	Pounds(LB)	05/21/18
1518248	-	Tethon3D Ceramic Binder	1	Pounds(LB)	05/21/18
1518249	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/21/18
1518250	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/21/18
1518251	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/21/18
1518252	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/21/18
1518253	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/21/18
1518254	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/21/18
1531802	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	05/21/18
1531803	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	05/21/18
1531804	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	05/21/18
1531805	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	05/21/18
1531806	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	05/21/18
1531807	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	05/21/18
1531826	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1531827	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1531828	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1531829	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1531830	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1531831	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1531832	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1531833	67-63-0	2-PROPANOL	1	Liters(L)	05/21/18
1369630	7664-39-3	HYDROFLUORIC ACID OPTIMA	500	Milliliter(ML)	05/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497137	-	NAPA Hydraulic Jack Oil	1	Gallon(GAL)	05/23/18
1497138	-	A/C Solvent Flush & Clean	1	Quarts(QT)	05/23/18
1477769	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477770	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477771	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477772	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477773	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477774	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477775	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477776	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477777	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477778	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477779	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477780	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	05/23/18
1477781	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477782	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477783	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477784	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477785	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477786	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477787	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477788	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477789	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477790	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477791	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477792	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/23/18
1477793	-	BIN PRIMER SEALER	13	Ounces(OZ)	05/23/18
1477794	-	BIN PRIMER SEALER	13	Ounces(OZ)	05/23/18
1477795	-	BIN PRIMER SEALER	13	Ounces(OZ)	05/23/18
1477796	-	BIN PRIMER SEALER	13	Ounces(OZ)	05/23/18
1477797	-	BIN PRIMER SEALER	13	Ounces(OZ)	05/23/18
1477798	-	BIN PRIMER SEALER	13	Ounces(OZ)	05/23/18
806928	-	POWER FAST EPOXY ANCHORING ADHESIVE	22	Ounces(OZ)	05/23/18
806930	-	POWER FAST EPOXY ANCHORING ADHESIVE	22	Ounces(OZ)	05/23/18
806931	-	POWER FAST EPOXY ANCHORING ADHESIVE	22	Ounces(OZ)	05/23/18
806932	-	POWER FAST EPOXY ANCHORING ADHESIVE	22	Ounces(OZ)	05/23/18
806933	-	POWER FAST EPOXY ANCHORING ADHESIVE	22	Ounces(OZ)	05/23/18
1386708	-	CIRCUIT WORKS NO CLEAN FLUX PEN	9	Gram(GM)	05/23/18
806935	-	KRAZY GLUE	20	Gram(GM)	05/23/18
806936	-	ISOPROPANOL	16	Ounces(OZ)	05/23/18
1510174	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510175	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510176	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510177	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510178	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510179	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510180	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510181	-	Argon UHP	220	Cubic Feet(CF)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510182	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510183	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510184	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510185	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510186	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510187	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510188	-	Argon UHP	220	Cubic Feet(CF)	05/24/18
1510189	7440-59-7	HELIUM	10	Cubic Feet(CF)	05/24/18
1510190	7440-59-7	HELIUM REFRIGERATED LIQUID (CRYOGENIC	500	Liters(L)	05/24/18
1478029	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478030	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478031	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478032	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478033	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478034	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478035	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478036	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478037	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1478038	-	RAPID ROAD REPAIR	50	Pint(PT)	05/24/18
1510196	-	Hydrogen 3%/Bal. Argone	220	Cubic Feet(CF)	05/24/18
1510197	-	Hydrogen 3%/Bal. Argone	220	Cubic Feet(CF)	05/24/18
1510198	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510199	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510200	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510201	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510202	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510203	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510204	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510205	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510206	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510207	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510208	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510209	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510210	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510211	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510212	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/24/18
1510213	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510214	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510215	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510216	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510217	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510218	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510242	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510219	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510220	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510221	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510222	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510223	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510224	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510225	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510226	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510227	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510228	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510229	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510230	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510231	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510232	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510233	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510234	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510235	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510236	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510237	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510238	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510239	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510240	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510241	-	ARGON/METHANE	220	Cubic Feet(CF)	05/24/18
1510243	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510244	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510245	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510246	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510247	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510248	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510249	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510250	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510251	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510252	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510253	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510254	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510255	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510256	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510257	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510258	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510259	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510260	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510261	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510262	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510263	-	Nitrogen UHP	220	Cubic Feet(CF)	05/24/18
1510264	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510265	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510266	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510267	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510268	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510269	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510270	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510271	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1510272	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510273	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510274	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510275	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510276	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510277	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510278	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510279	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510280	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510281	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510282	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510283	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510284	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510285	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510286	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510287	-	Oxygen UHP	220	Cubic Feet(CF)	05/24/18
1510288	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510289	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510290	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510291	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510292	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510293	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510294	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510295	-	5% HYDROGEN/BAL. NITROGEN	220	Cubic Feet(CF)	05/24/18
1510296	-	Hydrogen 3%/Bal. Argone	220	Cubic Feet(CF)	05/24/18
1510297	-	Hydrogen 3%/Bal. Argone	220	Cubic Feet(CF)	05/24/18
1477807	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477808	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477809	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477810	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477811	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477812	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477813	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477814	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477815	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477816	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477817	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477818	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477819	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477820	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477821	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477822	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477823	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477824	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477825	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477826	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477827	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477828	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477829	-	CONCRETE MIX	60	Pounds(LB)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477830	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477831	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477832	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477833	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477834	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477835	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477836	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477837	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477838	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477839	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477840	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477841	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477842	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477843	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477844	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477845	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477846	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477847	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477848	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477849	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477850	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477851	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477852	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477853	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477854	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477855	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477856	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477857	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477858	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477859	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477860	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477861	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477862	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477863	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477864	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477865	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477866	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477867	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477868	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477869	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477870	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477871	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477872	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477873	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477874	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477875	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477876	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477877	-	CONCRETE MIX	60	Pounds(LB)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477878	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477879	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477880	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477881	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477882	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477883	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477884	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477885	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477886	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477887	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477888	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477889	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477890	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477891	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477892	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477893	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477894	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477895	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477896	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477897	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477898	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477899	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477900	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477901	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477902	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1477903	-	CONCRETE MIX	60	Pounds(LB)	05/24/18
1510299	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510300	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510301	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510302	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510303	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510304	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510305	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510306	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510307	74-98-6	PROPANE	50	Pounds(LB)	05/24/18
1510308	74-98-6	PROPANE	5	Gallon(GAL)	05/24/18
1510309	74-98-6	PROPANE	5	Gallon(GAL)	05/24/18
1510310	74-98-6	PROPANE	5	Gallon(GAL)	05/24/18
1510311	74-98-6	PROPANE	5	Gallon(GAL)	05/24/18
1510312	74-98-6	PROPANE	5	Gallon(GAL)	05/24/18
1510313	74-86-2	ACETYLENE	40	Cubic Feet(CF)	05/24/18
1510314	74-86-2	ACETYLENE	40	Cubic Feet(CF)	05/24/18
1510315	74-86-2	ACETYLENE	40	Cubic Feet(CF)	05/24/18
1510316	74-86-2	ACETYLENE	40	Cubic Feet(CF)	05/24/18
1510317	1333-74-0	HYDROGEN	150	Cubic Feet(CF)	05/24/18
1510318	1333-74-0	HYDROGEN	150	Cubic Feet(CF)	05/24/18
1509318	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/24/18
1477799	-	Cote All D/B	1	Gallon(GAL)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477945	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477946	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477947	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477948	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477949	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477950	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477951	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477952	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477953	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477954	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477955	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477956	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477957	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477958	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477959	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477960	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477961	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477962	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477963	-	Avalon Premium 100% Acrylic Interior Satin W/B	1	Gallon(GAL)	05/24/18
1477964	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477965	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477966	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477967	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477968	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477969	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477970	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477971	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477972	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1477973	-	BULLS EYE 1-2-3	5	Gallon(GAL)	05/24/18
1495351	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495352	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495353	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495354	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495355	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495356	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495357	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495358	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495359	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495360	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495361	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495362	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495363	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495364	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495365	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495366	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495367	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495368	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495369	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495370	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495371	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495372	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495373	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495374	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495375	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495376	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495377	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495378	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	05/24/18
1495379	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495380	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495381	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495382	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495383	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495384	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495385	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495386	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495387	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495388	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495389	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495390	-	Parts Plus SAE 5W-20 SYNTHETIC MOTOR OIL	1	Quarts(QT)	05/24/18
1495331	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495332	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495333	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495334	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495335	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495336	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495337	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495338	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495339	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495340	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495341	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495342	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495343	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1495344	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	05/24/18
1497139	-	Parts Plus Power Steering Fld	1	Quarts(QT)	05/24/18
1497140	-	Parts Plus Power Steering Fld	1	Quarts(QT)	05/24/18
1477974	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477975	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477976	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477977	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477978	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477979	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477980	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477981	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477982	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477983	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477984	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1477985	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477986	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477987	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477988	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477989	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477990	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477991	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477992	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477993	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477994	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477995	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477996	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477997	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477998	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1477999	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478000	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478001	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478002	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478003	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478004	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478005	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478006	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478007	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1478008	-	PSX 700 CURE US	0.2	Gallon(GAL)	05/24/18
1497141	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/24/18
1497142	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/24/18
1497143	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	05/24/18
1497144	-	BUG & TAR	16	Ounces(OZ)	05/24/18
1478019	-	SIKAFLEX -2C	1.5	Gallon(GAL)	05/24/18
1478020	-	SIKAFLEX -2C	1.5	Gallon(GAL)	05/24/18
1148577	-	Haas Liquid Grease	1	Liters(L)	05/25/18
1148578	-	Haas Liquid Grease	1	Liters(L)	05/25/18
1148579	-	Haas Liquid Grease	1	Liters(L)	05/25/18
1148580	-	Haas Liquid Grease	1	Liters(L)	05/25/18
1148581	-	Haas Liquid Grease	1	Liters(L)	05/25/18
1148582	-	Haas Liquid Grease	1	Liters(L)	05/25/18
1148583	-	RECTORSEAL T PLUS 2	1	Pint(PT)	05/25/18
1148584	-	RECTORSEAL T PLUS 2	1	Pint(PT)	05/25/18
1148585	-	RECTORSEAL T PLUS 2	1	Pint(PT)	05/25/18
1148586	-	RECTORSEAL T PLUS 2	1	Pint(PT)	05/25/18
1148587	-	RECTORSEAL T PLUS 2	1	Pint(PT)	05/25/18
1148588	-	RECTORSEAL T PLUS 2	1	Pint(PT)	05/25/18
1148589	-	RECTORSEAL T PLUS 2	1	Pint(PT)	05/25/18
1510298	-	Carbon Dioxide /Bal. Air	220	Cubic Feet(CF)	05/29/18
1144654	886-86-2	Tricaine-S Topical Anesthetic	10	Gram(GM)	05/29/18
1144655	886-86-2	Tricaine-S Topical Anesthetic	10	Gram(GM)	05/29/18
1419452	-	M-PREP NEUTRALIZER 5A	2	Ounces(OZ)	05/29/18
1419453	-	M-PREP CONDITIONER A	2	Ounces(OZ)	05/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1419450	-	200 CATALYST C	2	Ounces(OZ)	05/29/18
1419451	-	M-bond 200 adhesive	1	Ounces(OZ)	05/29/18
1486256	Multi	Crack Check PHF Penetrant	16	Ounces(OZ)	05/29/18
1486257	Multi	Crack Check PHF Penetrant	16	Ounces(OZ)	05/29/18
1486258	Multi	Crack Check PHF Penetrant	16	Ounces(OZ)	05/29/18
1486259	75-09-2	Crack Check CNF Cleaner	16	Ounces(OZ)	05/29/18
1486260	75-09-2	Crack Check CNF Cleaner	16	Ounces(OZ)	05/29/18
1486261	75-09-2	Crack Check CNF Cleaner	16	Ounces(OZ)	05/29/18
1486262	75-09-2	Crack Check CNF Cleaner	16	Ounces(OZ)	05/29/18
1486263	Multi	Crack Check DF Developer	16	Ounces(OZ)	05/29/18
1486264	Multi	Crack Check DF Developer	16	Ounces(OZ)	05/29/18
1486265	Multi	Crack Check DF Developer	16	Ounces(OZ)	05/29/18
1486266	Multi	Crack Check DF Developer	16	Ounces(OZ)	05/29/18
1486267	Multi	Crack Check DF Developer	16	Ounces(OZ)	05/29/18
1486268	Multi	Crack Check DF Developer	16	Ounces(OZ)	05/29/18
1518134	16853-85-3	LITHIUM ALUMINUM HYDRIDE	25	Gram(GM)	05/29/18
1518135	1576-35-8	p-Toluenesulfonylhydrazide	100	Gram(GM)	05/29/18
1518136	-	MAGNESIUM TURNINGS	500	Gram(GM)	05/29/18
1518137	583-53-9	1 2-DIBROMOBENZENEZ	100	Gram(GM)	05/29/18
1518138	109-72-8	1.6 M N-Butyl lithium in hexanes	800	Milliliter(ML)	05/29/18
1518139	109-99-9	TETRAHYDROFURAN	4	Liters(L)	05/29/18
1518140	558-32-7	TETRAMETHYLAMMONIUM	25	Gram(GM)	05/29/18
1518141	558-32-7	TETRAMETHYLAMMONIUM	25	Gram(GM)	05/29/18
1518142	558-32-7	TETRAMETHYLAMMONIUM	25	Gram(GM)	05/29/18
1518143	558-32-7	TETRAMETHYLAMMONIUM	25	Gram(GM)	05/29/18
1518144	67-56-1	METHANOL HPLC	2	Liters(L)	05/29/18
1518145	67-56-1	METHANOL HPLC	2	Liters(L)	05/29/18
1518146	67-56-1	METHANOL HPLC	2	Liters(L)	05/29/18
1518147	67-56-1	METHANOL HPLC	2	Liters(L)	05/29/18
1518177	26628-22-8	Agencourt AMPure XP	60	Milliliter(ML)	05/29/18
1518182	16961-25-4	Gold(III) chloride trihydrate	5	Gram(GM)	05/29/18
1518183	18024-34-5	Dichloro(dppe)digold(I)	250	Gram(GM)	05/29/18
1518184	311-28-4	TETRABUTYLAMMONIUM IODIDE	100	Gram(GM)	05/29/18
1518185	1122-62-9	2-ACETILPYRIDINE	25	Gram(GM)	05/29/18
1518186	540-37-4	4-IODOANILINE	25	Gram(GM)	05/29/18
1518188	623-04-1	4 Aminobenzyl Alcohol 98%	100	Gram(GM)	05/29/18
1518189	-	EPO-TEK	1	Ounces(OZ)	05/29/18
1518319	1132-61-2	MOPS	100	Gram(GM)	05/29/18
1518320	78-67-1	2 2'-AZOBISISOBUTYRONITRILE	25	Gram(GM)	05/29/18
1148279	-	Pylakrome Red LX-1903	10	Gram(GM)	05/29/18
1518321	75-05-8	ACETONITRILE HPLC	100	Milliliter(ML)	05/29/18
1148278	-	Sudan Red O	10	Gram(GM)	05/29/18
1518322	7789-45-9	COPPER(II) BROMIDE	100	Gram(GM)	05/29/18
1518323	-	Alliant Reloader 17 Rifle Powder	1	Pounds(LB)	05/29/18
1518324	-	Alliant Reloader 17 Rifle Powder	1	Pounds(LB)	05/29/18
1518325	-	IMR 3031 Smokeless Rifle Powder	1	Pounds(LB)	05/29/18
1518326	-	IMR 3031 Smokeless Rifle Powder	1	Pounds(LB)	05/29/18
1518148	-	DOW CORNING SYLGARD 186 SILICONE	19.9	Kilograms(KG)	05/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518149	-	DOW CORNING SYLGARD 186 SILICONE	19.9	Kilograms(KG)	05/29/18
1518150	-	DOW CORNING SYLGARD 186 SILICONE	19.9	Kilograms(KG)	05/29/18
1518151	67-63-0	2-PROPANOL	4	Liters(L)	05/29/18
1518152	67-63-0	2-PROPANOL	4	Liters(L)	05/29/18
1518153	67-63-0	2-PROPANOL	4	Liters(L)	05/29/18
1518154	67-63-0	2-PROPANOL	4	Liters(L)	05/29/18
1518155	67-63-0	2-PROPANOL	4	Liters(L)	05/29/18
1518156	67-63-0	2-PROPANOL	4	Liters(L)	05/29/18
1518157	64-17-5	ETHANOL ANHYDROUS	4	Liters(L)	05/29/18
1518158	67-64-1	ACETONE	4	Liters(L)	05/29/18
1518159	67-64-1	ACETONE	4	Liters(L)	05/29/18
1518160	67-64-1	ACETONE	4	Liters(L)	05/29/18
1518161	67-64-1	ACETONE	4	Liters(L)	05/29/18
1518190	-	CALCIUM STANDARD	125	Milliliter(ML)	05/29/18
1518191	7439-95-4	MAGNESIUM STANDARD SOLUTION	125	Milliliter(ML)	05/29/18
1518192	-	ALUMINUM STANDARD SOLUTION	125	Milliliter(ML)	05/29/18
1518193	7440-42-8	BORON STANDARD	125	Milliliter(ML)	05/29/18
1518194	-	LITHIUM STANDARD	125	Milliliter(ML)	05/29/18
1518195	-	MANGANESE STANDARD	125	Milliliter(ML)	05/29/18
1518196	7440-21-3	SILICON STANDARD	125	Milliliter(ML)	05/29/18
1518197	-	STRONTIUM STANDARD	125	Milliliter(ML)	05/29/18
1518198	-	BARIUM STANDARD	125	Milliliter(ML)	05/29/18
1518199	-	TITANIUM STANDARD	125	Milliliter(ML)	05/29/18
1518200	-	ZINC STANDARD	125	Milliliter(ML)	05/29/18
1518201	-	TIN STANDARD	125	Milliliter(ML)	05/29/18
1518202	-	MOLYBDENUM STANDARD	125	Milliliter(ML)	05/29/18
1518203	-	ANTIMONY STANDARD	125	Milliliter(ML)	05/29/18
1518204	-	THORIUM STANDARD	125	Milliliter(ML)	05/29/18
1518328	7681-49-4	SODIUM FLUORIDE	1	Kilograms(KG)	05/29/18
1518329	7681-49-4	SODIUM FLUORIDE	1	Kilograms(KG)	05/29/18
1518330	7681-49-4	SODIUM FLUORIDE	1	Kilograms(KG)	05/29/18
1518331	7681-49-4	SODIUM FLUORIDE	1	Kilograms(KG)	05/29/18
1518332	-	4 4 5 5-TETRAMETHYL-1 3 2-DIOXABOROLANE	25	Gram(GM)	05/29/18
1518333	7758-98-7	CUPRIC SULFATE ANYDROUS	500	Gram(GM)	05/29/18
1518334	811-98-2	METHANOL-D	25	Gram(GM)	05/29/18
1518335	811-98-2	METHANOL-D	25	Gram(GM)	05/29/18
1518336	811-98-2	METHANOL-D	25	Gram(GM)	05/29/18
1518337	811-98-2	METHANOL-D	25	Gram(GM)	05/29/18
1518132	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	05/29/18
1518133	109-72-8	N-BUTYLLITHIUM	100	Milliliter(ML)	05/29/18
1518205	56-81-5	E-GEL	20	Microliter	05/29/18
1518206	-	NEODYMIUM PLASMA STANDARD	500	Milliliter(ML)	05/29/18
1518207	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	05/29/18
1518208	-	BUFFER PH 7 (GREEN BUFFER)	500	Milliliter(ML)	05/29/18
1518209	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	05/29/18
1518210	667-27-6	ETHYL BROMODIFLUOROACETATE	10	Gram(GM)	05/29/18
1518211	667-27-6	ETHYL BROMODIFLUOROACETATE	10	Gram(GM)	05/29/18
1518212	667-27-6	ETHYL BROMODIFLUOROACETATE	10	Gram(GM)	05/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518213	667-27-6	ETHYL BROMODIFLUOROACETATE	10	Gram(GM)	05/29/18
1518214	7790-47-8	Tin(IV) iodide	5	Gram(GM)	05/29/18
1518338	-	BLOCKER BSA IN TBS(10X) C	200	Milliliter(ML)	05/29/18
1518339	151-21-3	DODECYL SODIUM SULFATE (SDS)	1000	Milliliter(ML)	05/29/18
1518340	-	KARYO MAX COLCEMID SOLUTION	10	Milliliter(ML)	05/29/18
1518341	-	MEM ALPHA MEDIUM	1000	Milliliter(ML)	05/29/18
1518342	-	MEM ALPHA MEDIUM	1000	Milliliter(ML)	05/29/18
1518343	9002-07-7	TRYPsin	100	Milliliter(ML)	05/29/18
1518344	13528-93-3	1,2-ETHANEDIYLBISCHLORODIMETHYLSILANE	25	Gram(GM)	05/29/18
1518162	64-19-7	ACETIC ACID	20	Liters(L)	05/30/18
1518163	64-19-7	ACETIC ACID	20	Liters(L)	05/30/18
1518164	64-19-7	ACETIC ACID	20	Liters(L)	05/30/18
1518165	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	05/30/18
1518166	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	05/30/18
1518167	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	05/30/18
1518168	7697-37-2	NITRIC ACID	500	Milliliter(ML)	05/30/18
1518169	7697-37-2	NITRIC ACID	500	Milliliter(ML)	05/30/18
1518215	Multi	FAST DNA SPIN KIT FOR SOIL	50	Milliliter(ML)	05/30/18
1518216	1344-28-1	ALUMINUM OXIDE	5	Kilograms(KG)	05/30/18
1518217	8001-79-4	CASTOR OIL	1	Liters(L)	05/30/18
1518218	39968-33-7	3H-1,2,3-Triazolo[4,5-b]pyridin-3-ol	5	Gram(GM)	05/30/18
1518219	1002-88-6	COBALT (II) STEARATE	100	Gram(GM)	05/30/18
1518220	3396-11-0	CESIUM ACETATE	25	Gram(GM)	05/30/18
1518221	10031-22-8	LEAD BROMIDE	5	Gram(GM)	05/30/18
1518222	71-23-8	1-PROPANOL	1	Liters(L)	05/30/18
1518223	71-36-3	1-BUTANOL	1	Liters(L)	05/30/18
1518224	67-63-0	2-PROPANOL	1	Liters(L)	05/30/18
1518225	78-92-2	2-BUTANOL ANHYDROUS	1	Liters(L)	05/30/18
1518226	123-86-4	BUTYL ACETATE	1	Liters(L)	05/30/18
1518227	67-56-1	METHANOL HPLC	1	Liters(L)	05/30/18
1518228	71-43-2	BENZENE	1	Liters(L)	05/30/18
1457785	64-17-5	ETHYL ALCOHOL	1	Pint(PT)	05/30/18
1518229	109-99-9	TETRAHYDROFURAN	1	Liters(L)	05/30/18
1518345	993-50-0	(Dimethylamino)trimethyltin(IV)	5	Gram(GM)	05/30/18
1518346	107-21-1	ETHYLENE GLYCOL	1	Liters(L)	05/30/18
1518347	107-21-1	ETHYLENE GLYCOL	1	Liters(L)	05/30/18
1518348	107-21-1	ETHYLENE GLYCOL	1	Liters(L)	05/30/18
1518349	107-21-1	ETHYLENE GLYCOL	1	Liters(L)	05/30/18
1518350	107-21-1	ETHYLENE GLYCOL	1	Liters(L)	05/30/18
1518351	107-21-1	ETHYLENE GLYCOL	1	Liters(L)	05/30/18
1518352	108-67-8	MESITYLENE	250	Milliliter(ML)	05/30/18
1518353	7647-14-5	SODIUM CHLORIDE	1	Kilograms(KG)	05/30/18
1518354	50-84-0	2,4-DICHLOROBENZOIC ACID	100	Gram(GM)	05/30/18
1518355	107-46-0	HEXAMETHYLDISILOXANE	500	Milliliter(ML)	05/30/18
1518356	60-29-7	DIETHYL ETHER	1	Liters(L)	05/30/18
1518357	60-29-7	DIETHYL ETHER	1	Liters(L)	05/30/18
1457786	-	LUBRICANT	12	Ounces(OZ)	05/30/18
1518358	108-88-3	TOLUENE ANHYDROUS	1	Liters(L)	05/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497145	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	05/30/18
1497146	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	05/30/18
1497147	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	05/30/18
1497148	-	LOCTITE 242 THREADLOCKER	0.34	Ounces(OZ)	05/30/18
1497149	-	RONSON MULTI-FILL ULTRA BUTANE FUEL	5.82	Ounces(OZ)	05/30/18
1497150	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	05/30/18
1495345	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	05/30/18
1518359	110-54-3	HEXANE (HEXANE ANHYDROUS)	1	Liters(L)	05/30/18
1495346	-	DA1605 FLAT BLACK ACRYLIC ENAMEL	12	Ounces(OZ)	05/30/18
1518170	-	DOW CORNING 184 SILICONE	3.9	Kilograms(KG)	05/30/18
1518171	-	DOW CORNING 184 SILICONE	3.9	Kilograms(KG)	05/30/18
1518172	-	DOW CORNING 184 SILICONE	3.9	Kilograms(KG)	05/30/18
1518173	-	DOW CORNING 184 SILICONE	3.9	Kilograms(KG)	05/30/18
1495348	-	Lucas Heavy Duty Oil Stabilizer	1	Gallon(GAL)	05/30/18
1421239	-	NANOMETER ALPHA ALUMINA	0.5	Gallon(GAL)	05/30/18
1495391	-	CHAIN & CABLE LUBRICANT	11	Ounces(OZ)	05/30/18
1421238	-	Colloidal Silica	64	Ounces(OZ)	05/30/18
1495392	-	CHAIN & CABLE LUBRICANT	11	Ounces(OZ)	05/30/18
1495393	-	CHAIN & CABLE LUBRICANT	11	Ounces(OZ)	05/30/18
1495394	-	CHAIN & CABLE LUBRICANT	11	Ounces(OZ)	05/30/18
1495395	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495396	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495397	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495398	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495399	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495400	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495401	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495402	-	JOHNSEN'S STARTING FLUID	10.7	Ounces(OZ)	05/30/18
1495347	-	3M Rubberized Undercoating Black PN08883	19.7	Ounces(OZ)	05/30/18
1495349	-	3M Rubberized Undercoating Black PN08883	19.7	Ounces(OZ)	05/30/18
1495350	-	3M Rubberized Undercoating Black PN08883	19.7	Ounces(OZ)	05/30/18
1518174	-	UniVer 3 Hardness Reagent	454	Gram(GM)	05/30/18
1518230	1310-73-2	SODIUM HYDROXIDE	100	Milliliter(ML)	05/30/18
1518231	51-43-4	EPINEPHRINE	5	Gram(GM)	05/30/18
1518232	108-88-3	TOLUENE	1	Liters(L)	05/30/18
1518233	68-12-2	N N-DIMETHYLFORMAMIDE	100	Milliliter(ML)	05/30/18
1518234	68-12-2	N N-DIMETHYLFORMAMIDE	100	Milliliter(ML)	05/30/18
1518235	68-12-2	N N-DIMETHYLFORMAMIDE	100	Milliliter(ML)	05/30/18
1518236	68-12-2	N N-DIMETHYLFORMAMIDE	100	Milliliter(ML)	05/30/18
1518237	68-12-2	N N-DIMETHYLFORMAMIDE	100	Milliliter(ML)	05/30/18
1518238	68-12-2	N N-DIMETHYLFORMAMIDE	100	Milliliter(ML)	05/30/18
1518239	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	05/30/18
1518240	1310-73-2	SODIUM HYDROXIDE	500	Gram(GM)	05/30/18
1518241	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milliliter(ML)	05/30/18
1518242	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milliliter(ML)	05/30/18
1518243	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milliliter(ML)	05/30/18
1518244	56-54-2	QUINIDINE	5	Gram(GM)	05/30/18
1518246	75-52-5	NITROMETHANE	2.5	Liters(L)	05/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518360	65997-18-4	Ferro Frit 3269	1	Pounds(LB)	05/30/18
1518361	57-13-6	UREA	5	Kilograms(KG)	05/30/18
1518362	1693-74-9	TETRAHYDROFURAN-D8	10	Gram(GM)	05/30/18
1518363	70-18-8	L-Glutathione reduced	5	Gram(GM)	05/30/18
1518364	27025-41-8	L-Glutathione oxidized	5	Gram(GM)	05/30/18
1518365	3849-21-6	Ethyl (hydroxyimino)cynoacetate tech. ~95%	500	Gram(GM)	05/30/18
1518366	3849-21-6	Ethyl (hydroxyimino)cynoacetate tech. ~95%	500	Gram(GM)	05/30/18
1518367	-	HARDMAN EXTRA-FAST SETTING EPOXY KIT	350	Gram(GM)	05/30/18
1518368	110-54-3	N-HEXANE	800	Milliliter(ML)	05/30/18
1518369	-	HYDRANAL COULOMAT CG	50	Milliliter(ML)	05/30/18
1518370	-	HYDRANAL COULOMAT CG	50	Milliliter(ML)	05/30/18
1518391	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518392	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518393	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518394	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518395	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518396	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518397	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518398	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518399	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518400	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518401	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518402	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518403	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518404	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518405	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518406	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518407	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518408	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518409	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518410	-	SILICA REAGENT KIT	10	Milliliter(ML)	05/30/18
1518411	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	05/30/18
1518412	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	05/30/18
1518413	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	05/30/18
1518414	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	05/30/18
1518415	-	CUVER 1 COPPER REAGENT	10	Milliliter(ML)	05/30/18
1518416	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518417	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518418	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518419	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518420	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518421	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518422	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518423	-	MOLYBDOVANADATE REAGENT	100	Milliliter(ML)	05/30/18
1518424	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518425	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518426	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518427	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518428	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518429	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518430	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518431	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518432	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518433	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518434	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518435	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518436	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518437	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518438	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518439	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518440	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518441	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518442	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518443	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518444	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518445	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518446	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518447	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518448	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518449	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518450	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518451	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518452	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518453	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518454	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518455	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518456	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518457	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518458	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518459	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518460	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518461	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518462	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518463	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	05/30/18
1518488	7733-02-0	ZINC SULFATE	500	Gram(GM)	05/30/18
1518489	7733-02-0	ZINC SULFATE	500	Gram(GM)	05/30/18
1518490	7733-02-0	ZINC SULFATE	500	Gram(GM)	05/30/18
1518491	7733-02-0	ZINC SULFATE	500	Gram(GM)	05/30/18
1518492	7733-02-0	ZINC SULFATE	500	Gram(GM)	05/30/18
1518493	7733-02-0	ZINC SULFATE	500	Gram(GM)	05/30/18
1518494	7733-02-0	ZINC SULFATE	500	Gram(GM)	05/30/18
1518495	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	05/30/18
1518496	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	05/30/18
1518497	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	05/30/18
1518498	-	BUFFER PH 10 (BLUE BUFFER)	500	Milliliter(ML)	05/30/18
1518499	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	05/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518500	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	05/30/18
1518501	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	05/30/18
1518502	-	BUFFER PH 7 (YELLOW BUFFER)	500	Milliliter(ML)	05/30/18
1518503	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	05/30/18
1518504	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	05/30/18
1518505	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	05/30/18
1518506	877-24-7	BUFFER PH 4 (RED BUFFER)	500	Milliliter(ML)	05/30/18
1518535	67-66-3	CHLOROFORM HPLC FOR HIGH PERFORMANCE	1	Liters(L)	05/30/18
1518536	79-01-6	TRICHLOROETHYLENE	1	Liters(L)	05/30/18
1457656	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	05/30/18
1518327	5470-11-1	HYDROXYLAMINE HYDROCHLORIDE	50	Gram(GM)	05/30/18
806937	-	VACUUM GREASE	50	Gram(GM)	05/30/18
806938	-	VACUUM GREASE	50	Gram(GM)	05/30/18
806939	-	VACUUM GREASE	50	Gram(GM)	05/30/18
806940	-	VACUUM GREASE	50	Gram(GM)	05/30/18
1518371	7782-40-3	DIAMOND POWDER 15-30 MICRONS	100	Gram(GM)	05/30/18
806941	-	SUPER GLUE GEL	4	Gram(GM)	05/30/18
1518372	7782-40-3	DIAMOND POWDER 20-30 MICRONS	100	Gram(GM)	05/30/18
806942	-	SUPER GLUE GEL	4	Gram(GM)	05/30/18
806943	-	SUPER GLUE GEL	4	Gram(GM)	05/30/18
806944	-	SUPER GLUE GEL	4	Gram(GM)	05/30/18
1518373	9002-97-5	Poly(vinylsulfonic acid sodium salt) solution	250	Milliliter(ML)	05/30/18
1518374	71-43-2	BENZENE	100	Milliliter(ML)	05/30/18
1518375	71-43-2	BENZENE	100	Milliliter(ML)	05/30/18
1518376	10043-11-5	BORON NITRIDE	100	Gram(GM)	05/30/18
1518507	10034-85-2	HYDRIOTIC ACID 57%	250	Milliliter(ML)	05/30/18
806783	25322-69-4	POLYPROPYLENE GLYCOL	1	Gallon(GAL)	05/30/18
1518508	10034-85-2	HYDRIOTIC ACID 57%	250	Milliliter(ML)	05/30/18
1518509	67-68-5	DIMETHYL SULFOXIDE	2	Liters(L)	05/30/18
1518510	67-68-5	DIMETHYL SULFOXIDE	2	Liters(L)	05/30/18
1497252	-	Chevron Hydraulic Oil AW 32 46 68	5	Gallon(GAL)	05/30/18
1497253	-	Chevron Hydraulic Oil AW 32 46 68	5	Gallon(GAL)	05/30/18
1497254	-	Chevron Hydraulic Oil AW 32 46 68	5	Gallon(GAL)	05/30/18
1497255	-	Chevron Hydraulic Oil AW 32 46 68	5	Gallon(GAL)	05/30/18
806929	25322-69-4	POLYPROPYLENE GLYCOL	1	Gallon(GAL)	05/30/18
1518511	258278-25-0	1 3-Bis-(2 6-diisopropylphenyl)imidazolium	5	Gram(GM)	05/30/18
1518517	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/30/18
1518518	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/30/18
1518519	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/30/18
1518520	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/30/18
1518521	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/30/18
1518522	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	05/30/18
1497256	-	O'REILLY AW HYDRAULIC OILS ALL GRADES	1	Gallon(GAL)	05/30/18
1497257	-	O'REILLY AW HYDRAULIC OILS ALL GRADES	1	Gallon(GAL)	05/30/18
1497258	-	O'REILLY AW HYDRAULIC OILS ALL GRADES	1	Gallon(GAL)	05/30/18
1497259	-	O'REILLY AW HYDRAULIC OILS ALL GRADES	1	Gallon(GAL)	05/30/18
1518537	7758-95-4	LEAD(II) CHLORIDE	250	Gram(GM)	05/30/18
1518538	7758-95-4	LEAD(II) CHLORIDE	250	Gram(GM)	05/30/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518539	7758-95-4	LEAD(II) CHLORIDE	250	Gram(GM)	05/30/18
1518540	7758-95-4	LEAD(II) CHLORIDE	250	Gram(GM)	05/30/18
1518541	156-28-5	2-Phenylethylamine hydrochloride	100	Gram(GM)	05/30/18
1518542	156-28-5	2-Phenylethylamine hydrochloride	100	Gram(GM)	05/30/18
1518543	1317-36-8	LEAD(II) OXIDE POWDER <10 MICRON	500	Gram(GM)	05/30/18
1518544	7782-40-3	Diamond nanopowder 3-10nm	5	Gram(GM)	05/30/18
1518545	3012-65-5	AMMONIUM CITRATE DIBASIC	1	Kilograms(KG)	05/30/18
1518546	67-68-5	DIMETHYL SULFOXIDE	100	Milliliter(ML)	05/30/18
1518547	67-68-5	DIMETHYL SULFOXIDE	100	Milliliter(ML)	05/30/18
1518548	67-68-5	DIMETHYL SULFOXIDE	100	Milliliter(ML)	05/30/18
1518549	67-68-5	DIMETHYL SULFOXIDE	100	Milliliter(ML)	05/30/18
1148280	-	APIEZON L GREASE	25	Gram(GM)	05/30/18
1148281	-	APIEZON L GREASE	25	Gram(GM)	05/30/18
1148282	-	APIEZON L GREASE	25	Gram(GM)	05/30/18
1148283	-	APIEZON L GREASE	25	Gram(GM)	05/30/18
1148284	-	APIEZON L GREASE	25	Gram(GM)	05/30/18
1457653	110-22-5	ACETYL PEROXIDE	500	Milliliter(ML)	05/31/18
1517886	7440-50-8	COPPER	4	Kilograms(KG)	05/31/18
1518255	-	HARDMAN EXTRA-FAST SETTING EPOXY KIT	350	Gram(GM)	05/31/18
1518256	-	HARDMAN EXTRA-FAST SETTING EPOXY KIT	350	Gram(GM)	05/31/18
1518257	-	Rust-Oleum Professional HP Enamel Gloss Royal	15	Ounces(OZ)	05/31/18
1518258	-	Rust-Oleum Professional HP Enamel Gloss Royal	15	Ounces(OZ)	05/31/18
1518259	-	Rust-Oleum Professional HP Enamel Gloss Royal	15	Ounces(OZ)	05/31/18
1518260	-	Rust-Oleum Professional HP Enamel Gloss Royal	15	Ounces(OZ)	05/31/18
1518261	-	Rust-Oleum Professional HP Enamel Gloss Royal	15	Ounces(OZ)	05/31/18
1518262	-	Rust-Oleum Professional HP Enamel Gloss Royal	15	Ounces(OZ)	05/31/18
1510323	-	OXYGEN 15% CO 30 PPM H2S 10 PPM BALANCE	34	Liters(L)	05/31/18
1510324	-	OXYGEN 15% CO 30 PPM H2S 10 PPM BALANCE	34	Liters(L)	05/31/18
1518377	-	TUNGSTEN(IV) OXIDE	25	Gram(GM)	05/31/18
1510325	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510326	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510341	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510342	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510343	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510344	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510345	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510346	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510347	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510348	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510349	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510350	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510351	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510352	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510353	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510354	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1510355	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510356	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510357	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510358	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510359	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510360	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510361	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510362	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510363	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1510364	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	05/31/18
1518378	112-80-1	OLEIC ACID	1000	Milliliter(ML)	05/31/18
1510365	7727-37-9	NITROGEN COMPRESSED GAS	40	Cubic Feet(CF)	05/31/18
1510366	7727-37-9	NITROGEN COMPRESSED GAS	40	Cubic Feet(CF)	05/31/18
1518379	-	DOUBLE-BUBBLE EPOXY	350	Gram(GM)	05/31/18
1518380	11028-71-0	CONCAVALIN A	100	Milligram(MG)	05/31/18
1518381	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518382	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518383	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518384	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518385	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518386	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518387	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518388	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518389	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1518390	-	SNOOP LEAK DETECT	8	Ounces(OZ)	05/31/18
1510367	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510368	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510369	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510370	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510371	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510372	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510373	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510374	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510375	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510376	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510377	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510378	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510379	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510380	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510381	-	Nitrogen UHP	220	Cubic Feet(CF)	05/31/18
1510382	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510383	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510384	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510385	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510386	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510387	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510388	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510389	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510390	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510391	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510392	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1510393	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1510394	7440-59-7	HELIUM	220	Cubic Feet(CF)	05/31/18
1558399	74-86-2	ACETYLENE	130	Cubic Feet(CF)	05/31/18
1558400	74-86-2	ACETYLENE	130	Cubic Feet(CF)	05/31/18
1558401	74-86-2	ACETYLENE	130	Cubic Feet(CF)	05/31/18
1558402	74-86-2	ACETYLENE	130	Cubic Feet(CF)	05/31/18
1558403	74-86-2	ACETYLENE	130	Cubic Feet(CF)	05/31/18
1558404	74-86-2	ACETYLENE	130	Cubic Feet(CF)	05/31/18
1558409	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558410	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558411	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558412	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558413	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558414	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558415	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558416	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558417	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558418	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558419	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558420	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558421	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558422	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558423	7440-59-7	Helium UHP	220	Cubic Feet(CF)	05/31/18
1558424	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558425	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558426	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558427	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558428	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558429	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558430	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558431	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558432	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558433	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558434	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558435	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558436	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558437	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558438	-	Argon UHP	220	Cubic Feet(CF)	05/31/18
1558439	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558440	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558441	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558442	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558443	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558444	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558445	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558446	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558447	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558448	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558449	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558450	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558451	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558452	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558453	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558454	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558455	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558456	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558457	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1558458	-	ARGON/METHANE	220	Cubic Feet(CF)	05/31/18
1518512	67-64-1	ACETONE	2.5	Liters(L)	05/31/18
1558459	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558460	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558461	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558462	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558463	-	AIR COMPRESSED	220	Cubic Feet(CF)	05/31/18
1518513	67-56-1	METHANOL	2.5	Liters(L)	05/31/18
1558464	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1518514	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	500	Milliliter(ML)	05/31/18
1558465	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558466	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558467	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558468	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558469	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558470	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558471	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558472	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1558473	7440-37-1	ARGON COMPRESSED	220	Cubic Feet(CF)	05/31/18
1518515	-	ULTIMA GOLD AB	5	Liters(L)	05/31/18
1518516	-	ULTIMA GOLD AB	5	Liters(L)	05/31/18
1518550	63148-62-9	SILICONE OIL FOR MELTING POINT AND BOILING	1	Liters(L)	05/31/18
1518551	6876-37-5	Methylammonium Bromide	10	Gram(GM)	05/31/18
1518552	6876-37-5	Methylammonium Bromide	10	Gram(GM)	05/31/18
1518553	6876-37-5	Methylammonium Bromide	10	Gram(GM)	05/31/18
1518554	6876-37-5	Methylammonium Bromide	10	Gram(GM)	05/31/18
1518555	2031-62-1	METHYLDIETHOXSILANE	10	Milliliter(ML)	05/31/18
1518556	2031-62-1	METHYLDIETHOXSILANE	10	Milliliter(ML)	05/31/18
1518557	258278-28-3	1 3-Bis(2 6-di-i-propylphenyl)imidazolidin-2-	250	Milligram(MG)	05/31/18
1518558	258278-28-3	1 3-Bis(2 6-di-i-propylphenyl)imidazolidin-2-	250	Milligram(MG)	05/31/18
1518559	6132-04-3	Sodium citrate tribasic dihydrate	25	Gram(GM)	05/31/18
1518560	85-44-9	PHTHALIC ANHYDRIDE	1	Kilograms(KG)	05/31/18
1518561	367-25-9	2 4-Difluoroaniline	25	Gram(GM)	05/31/18
1518562	1317-37-9	IRON (II) SULFIDE	250	Gram(GM)	05/31/18
1518563	5970-45-6	ZINC ACETATE DIHYDRATE	250	Gram(GM)	05/31/18
1518564	-	LK BINDER	1	Gallon(GAL)	05/31/18
1518565	-	POTASSIUM STANDARD 1000MG/L	125	Milliliter(ML)	05/31/18
1518566	95-50-1	1 2-DICHLOROBENZENE	1	Liters(L)	05/31/18
1518607	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518608	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518609	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518610	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518611	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518612	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518613	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518614	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518615	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518616	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518617	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518618	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518619	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518620	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518621	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518622	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518623	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518624	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518625	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518626	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518627	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518628	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518629	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518630	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518631	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518632	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518633	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518634	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518635	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518636	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518637	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518638	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518639	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518640	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518641	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518642	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	05/31/18
1518643	-	M-BOND 200 ADHESIVE KIT	10	Gram(GM)	05/31/18
1518644	-	M-BOND 200 CATALYST	30	Milliliter(ML)	05/31/18
1518645	-	M-COAT A	1	Ounces(OZ)	05/31/18
1518646	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	05/31/18
1518679	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518680	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518681	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518682	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518683	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518684	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518685	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518686	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518687	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518688	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518689	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518690	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518691	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518692	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518693	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518694	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518695	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518696	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518697	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518698	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518699	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518700	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518701	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518702	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518703	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518704	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518705	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518706	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518707	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518708	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518709	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518710	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518711	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518712	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518713	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518714	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518715	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518716	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518717	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1518718	1309-48-4	MAGNESIUM OXIDE	25	Kilograms(KG)	05/31/18
1478091	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478092	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478093	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478094	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478095	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478096	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478097	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478098	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478099	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478100	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478101	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478102	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478103	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478104	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478105	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478106	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478107	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1478108	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478109	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478110	-	Zinc-It Instant Cold Galvanize	5	Gallon(GAL)	06/01/18
1478111	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478112	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478113	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478114	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478115	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478116	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478117	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478118	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478119	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478120	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478121	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478122	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478123	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478124	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478125	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478126	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478127	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478128	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478129	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1478130	-	TRAFFIC PAINT TB-1501	5	Gallon(GAL)	06/01/18
1518269	60-29-7	DIETHYL ETHER	1	Liters(L)	06/04/18
1518270	60-29-7	DIETHYL ETHER	1	Liters(L)	06/04/18
1518271	60-29-7	DIETHYL ETHER	1	Liters(L)	06/04/18
1518272	60-29-7	DIETHYL ETHER	1	Liters(L)	06/04/18
1518273	60-29-7	DIETHYL ETHER	1	Liters(L)	06/04/18
1518274	60-29-7	DIETHYL ETHER	1	Liters(L)	06/04/18
1518275	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518276	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518277	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518278	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518279	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518280	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518281	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518282	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518283	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518284	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518285	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518286	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518287	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518288	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518289	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518290	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518291	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518292	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518293	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518294	10045-94-0	MERCURIC NITRATE	100	Milliliter(ML)	06/04/18
1518295	12070-12-1	TUNGSTEN CARBIDE	100	Gram(GM)	06/04/18
1518296	123-91-1	1 4-DIOXANE	100	Milliliter(ML)	06/04/18
1518297	123-91-1	1 4-DIOXANE	100	Milliliter(ML)	06/04/18
1518298	108-77-0	CYANURIC CHLORIDE	250	Gram(GM)	06/04/18
1518299	110-54-3	N-HEXANE	800	Milliliter(ML)	06/04/18
1518300	110-54-3	N-HEXANE	1	Liters(L)	06/04/18
1518301	-	VACTRA OIL NO. 2	5	Gallon(GAL)	06/04/18
1518302	-	VACTRA OIL NO. 2	5	Gallon(GAL)	06/04/18
1518567	10101-63-0	LEAD(II) IODIDE	50	Gram(GM)	06/04/18
1518568	10101-63-0	LEAD(II) IODIDE	50	Gram(GM)	06/04/18
1518569	10101-63-0	LEAD(II) IODIDE	50	Gram(GM)	06/04/18
1518570	10101-63-0	LEAD(II) IODIDE	50	Gram(GM)	06/04/18
1518571	10101-63-0	LEAD(II) IODIDE	50	Gram(GM)	06/04/18
1518572	-	LEAD (II) BROMIDE	100	Gram(GM)	06/04/18
1518573	-	LEAD (II) BROMIDE	100	Gram(GM)	06/04/18
1518574	-	LEAD (II) BROMIDE	100	Gram(GM)	06/04/18
1518575	-	LEAD (II) BROMIDE	100	Gram(GM)	06/04/18
1518576	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/04/18
1518577	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/04/18
1518578	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/04/18
1518579	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/04/18
1518580	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/04/18
1518581	146958-06-7	Formamidinium Bromide	10	Gram(GM)	06/04/18
1518582	146958-06-7	Formamidinium Bromide	10	Gram(GM)	06/04/18
1518583	146958-06-7	Formamidinium Bromide	10	Gram(GM)	06/04/18
1518584	146958-06-7	Formamidinium Bromide	10	Gram(GM)	06/04/18
1511518585	53916-94-2	Phenethylammonium bromide	25	Gram(GM)	06/04/18
1518586	-	BUFFER PH 2	500	Milliliter(ML)	06/04/18
1518588	617-48-1	DL-MALIC ACID	500	Gram(GM)	06/04/18
1518599	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	06/04/18
1518600	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	06/04/18
1518601	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	06/04/18
1518602	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	06/04/18
1518603	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	06/04/18
1518604	68-12-2	N N-DIMETHYLFORMAMIDE	1	Liters(L)	06/04/18
1518605	1692-15-5	4-Pyridinylboronic acid	25	Gram(GM)	06/04/18
1518606	106-37-6	1 4-DIBROMOBENZENE	100	Gram(GM)	06/04/18
1518647	-	SYLGARD 184	0.5	Kilograms(KG)	06/04/18
1558476	-	REFRIGERANT R-22	30	Pounds(LB)	06/04/18
1518648	-	SYLGARD 184	0.5	Kilograms(KG)	06/04/18
1518649	-	SYLGARD 184	0.5	Kilograms(KG)	06/04/18
1518650	-	SYLGARD 184	0.5	Kilograms(KG)	06/04/18
1518651	-	SYLGARD 184	0.5	Kilograms(KG)	06/04/18
1558477	-	REFRIGERANT R-22	30	Pounds(LB)	06/04/18
1558478	-	REFRIGERANT R-22	30	Pounds(LB)	06/04/18
1518652	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/04/18
1518653	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518654	-	Amplex Red Hydrogen Peroxide/Peroxidase	500	Milliliter(ML)	06/04/18
1518655	71989-35-0	N-ALPHA-FMOC-O-T-BUTYL-L-THREONINE	250	Gram(GM)	06/04/18
1518656	109425-51-6	FMOC-L-HIS(TRT)-OH	250	Gram(GM)	06/04/18
1558492	-	OXYGEN COMPRESSED GAS	60	Cubic Feet(CF)	06/04/18
1558493	-	OXYGEN COMPRESSED GAS	60	Cubic Feet(CF)	06/04/18
1518657	-	RINK AMIDE AM RESIN LL	25	Gram(GM)	06/04/18
1518658	123333-53-9	HOBt hydrate	500	Gram(GM)	06/04/18
1518729	-	Universal calibration mix cylinders	1	Liters(L)	06/04/18
1518751	14221-01-3	TETRAKIS(TRIPHENYLPHOSPHINE)-PALLADIUM(O)	5	Gram(GM)	06/04/18
1518752	497-19-8	SODIUM CARBONATE POWDER ANHYDROUS	500	Gram(GM)	06/04/18
1558489	-	Nitrogen Dioxide 10 ppm/Bal Air	34	Liters(L)	06/04/18
1558490	-	Nitrogen Dioxide 10 ppm/Bal Air	34	Liters(L)	06/04/18
1558491	-	Nitrogen Dioxide 10 ppm/Bal Air	34	Liters(L)	06/04/18
1518753	73183-34-3	BIS(PIACOLATO)DIBORON	25	Gram(GM)	06/04/18
1518754	95464-05-4	Dichloro 1 1'-bis(diphenylphosphino)ferrocene	5	Gram(GM)	06/04/18
1518755	13965-03-2	BIS(TRIPHENYLPHOSPHINE)PALLADIUM(II)	5	Gram(GM)	06/04/18
1518756	1303-96-4	577	250	Milliliter(ML)	06/04/18
1518757	-	Low Level Total Residual Chlorine	2	Milliliter(ML)	06/04/18
1518758	-	Low-Level Total Residual Chlorine	2	Milliliter(ML)	06/04/18
1518759	-	pH WasteWatR	250	Milliliter(ML)	06/04/18
1558474	-	R-23 Refrigerant	40	Cubic Feet(CF)	06/04/18
1558475	-	R-23 Refrigerant	40	Cubic Feet(CF)	06/04/18
1518303	-	20X SSC BUFFER	500	Milliliter(ML)	06/04/18
1518304	50-00-0	Pierce 16% Formaldehyde (w/v) Methanol-free	10	Milliliter(ML)	06/04/18
1518659	100-43-6	4-VINYLPYRIDINE	25	Milliliter(ML)	06/04/18
1518660	100-43-6	4-VINYLPYRIDINE	25	Milliliter(ML)	06/04/18
1518661	16774-21-3	AMMONIUM CERIU(IV)NITRATE (CERIC	100	Gram(GM)	06/04/18
1518662	10294-41-4	CERIUM(III) NITRATE HEXAHYDRATE	100	Gram(GM)	06/04/18
1518663	16454-60-7	NEODYMIUM (III) NITRATE HEXHYDRATE	25	Gram(GM)	06/04/18
1518719	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518720	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518721	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518722	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518723	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518724	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518725	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518726	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518727	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518728	-	ENSOLV-IONIC	1	Gallon(GAL)	06/04/18
1518760	10031-22-8	LEAD BROMIDE	100	Gram(GM)	06/04/18
1518761	5574-97-0	TETRABUTYLAMMONIUM PHOSPHATE	500	Milliliter(ML)	06/04/18
1518762	67-56-1	METHANOL	1	Liters(L)	06/04/18
1518763	1608-41-9	1 4-Bis(trans-2-phenylethenyl)benzene 97%	1	Gallon(GAL)	06/04/18
1518767	97-90-5	ETHYLENE DIMETHACRYLATE	50	Gram(GM)	06/04/18
1518768	97-90-5	ETHYLENE DIMETHACRYLATE	50	Gram(GM)	06/04/18
1518769	-	RUBIDIUM STANDARD SOLUTION	100	Milliliter(ML)	06/04/18
1518770	-	MULTI-ELEMENT QC-7 CHECK STANDARD	100	Milliliter(ML)	06/04/18
1518771	5431-44-7	2 6-PYRIDINEDICARBOXALDEHYDE	5	Gram(GM)	06/04/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518772	-	Stellaris RNA FISH Wash Buffer A	60	Milliliter(ML)	06/04/18
1518773	-	Stellaris RNA FISH Hybridization Buffer	10	Milliliter(ML)	06/04/18
1518774	-	Stellaris RNA FISH Hybridization Buffer	10	Milliliter(ML)	06/04/18
1478061	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478062	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478063	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478064	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478065	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478066	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478067	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478068	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478069	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478070	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478071	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478072	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478073	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478074	-	STRIPE WHITE TRAFFIC MARKER	18	Ounces(OZ)	06/04/18
1478075	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478076	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478077	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478078	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478079	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478080	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478081	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478082	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478083	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478084	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478085	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478086	-	MACHINERY GRAY	12.8	Ounces(OZ)	06/04/18
1478087	-	BIN PRIMER SEALER	1	Gallon(GAL)	06/04/18
1478088	-	BIN PRIMER SEALER	1	Gallon(GAL)	06/04/18
1478089	-	BIN PRIMER SEALER	1	Gallon(GAL)	06/04/18
1478090	-	BIN PRIMER SEALER	1	Gallon(GAL)	06/04/18
1266082	51-79-6	URETHANE	1	Gram(GM)	06/04/18
1457695	-	Smart Lube	2.5	Gallon(GAL)	06/05/18
1457696	-	Smart Lube	2.5	Gallon(GAL)	06/05/18
1558499	-	METHANE 10-20% IN HYDROGEN	5	Cubic Feet(CF)	06/05/18
1558500	-	METHANE 10-20% IN HYDROGEN	5	Cubic Feet(CF)	06/05/18
1558498	7440-59-7	HELIUM	150	Cubic Feet(CF)	06/05/18
1558496	-	Gas Mixture Hydrogen Carbon Dioxide Nitrous	150	Cubic Feet(CF)	06/05/18
1558497	-	Gas Mixture Hydrogen Carbon Dioxide Nitrous	150	Cubic Feet(CF)	06/05/18
1518305	144-55-8	SODIUM BICARBONATE	500	Gram(GM)	06/06/18
1518306	144-55-8	SODIUM BICARBONATE	500	Gram(GM)	06/06/18
1518307	144-55-8	SODIUM BICARBONATE	500	Gram(GM)	06/06/18
1518308	7447-40-7	POTASSIUM CHLORIDE	3	Kilograms(KG)	06/06/18
1518309	7447-40-7	POTASSIUM CHLORIDE	3	Kilograms(KG)	06/06/18
1518310	57-13-6	UREA	3	Kilograms(KG)	06/06/18
1518311	9002-93-1	TRITON X-100	60	Milliliter(ML)	06/06/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518312	-	Stellaris RNA FISH Hybridization Buffer	10	Milliliter(ML)	06/06/18
1518313	-	Stellaris RNA FISH Wash Buffer A	60	Milliliter(ML)	06/06/18
1518314	-	Stellaris RNA FISH Wash Buffer B	20	Milliliter(ML)	06/06/18
1518670	67-64-1	ACETONE REAGENT ACS	1	Liters(L)	06/06/18
1518671	768-66-1	2 2 6 6-TETRAMETHYLPIPERIDINE	25	Gram(GM)	06/06/18
1518730	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	06/06/18
1518731	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518732	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518733	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518734	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518735	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518736	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518737	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518738	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/06/18
1518739	7631-99-4	SODIUM NITRATE	500	Gram(GM)	06/06/18
1518740	7631-99-4	SODIUM NITRATE	500	Gram(GM)	06/06/18
1518741	7631-99-4	SODIUM NITRATE	500	Gram(GM)	06/06/18
1518742	7631-99-4	SODIUM NITRATE	500	Gram(GM)	06/06/18
1518743	7631-99-4	SODIUM NITRATE	500	Gram(GM)	06/06/18
1518744	7631-99-4	SODIUM NITRATE	500	Gram(GM)	06/06/18
1518745	7631-99-4	SODIUM NITRATE	500	Gram(GM)	06/06/18
1518746	7632-00-0	SODIUM NITRITE	1000	Gram(GM)	06/06/18
1518775	123-91-1	1 4-DIOXANE	1	Liters(L)	06/06/18
1558501	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1558502	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1558503	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1558504	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1558505	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1558506	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1558507	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1558508	-	Oxygen UHP	220	Cubic Feet(CF)	06/06/18
1518776	-	Pierce DAPI Nuclear Counterstain	1	Milliliter(ML)	06/06/18
1518777	77-92-9	CITRIC ACID ANYHDROUS	500	Gram(GM)	06/06/18
1518778	2037-26-5	TOLUENE-D8	25	Gram(GM)	06/06/18
1518779	-	METHANOL-D4	25	Gram(GM)	06/06/18
1457657	-	MicroC 2000	265	Gallon(GAL)	06/06/18
1457658	-	MicroC 2000	265	Gallon(GAL)	06/06/18
1518780	-	MBM-Ti4-8	100	Gram(GM)	06/06/18
1518781	79-20-9	METHYL ACETATE	2.5	Liters(L)	06/06/18
1518782	318-98-9	PROPRANOLOL HYDROCHLORIDE	1	Gram(GM)	06/06/18
1518783	591778-70-0	CP-640186 hydrochloride	5	MicroGram(UG)	06/06/18
1518784	591778-70-0	CP-640186 hydrochloride	5	MicroGram(UG)	06/06/18
1518785	102-09-0	DIPHENYL CARBONATE	100	Gram(GM)	06/06/18
1558509	-	10W-40 MOTOR OIL	1	Quarts(QT)	06/06/18
1558510	74-86-2	ACETYLENE	240	Cubic Feet(CF)	06/06/18
1558511	74-86-2	ACETYLENE	240	Cubic Feet(CF)	06/06/18
1558512	74-86-2	ACETYLENE	240	Cubic Feet(CF)	06/06/18
1558513	74-86-2	ACETYLENE	240	Cubic Feet(CF)	06/06/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558514	74-86-2	ACETYLENE	240	Cubic Feet(CF)	06/06/18
1558515	74-86-2	ACETYLENE	240	Cubic Feet(CF)	06/06/18
1558516	-	Hydrogen UHP	220	Cubic Feet(CF)	06/06/18
1558517	-	Heptafluoropropane	557	Pounds(LB)	06/06/18
1558518	-	Oxygen Nitrogen	100	Liters(L)	06/06/18
1558519	-	Oxygen Nitrogen	100	Liters(L)	06/06/18
1558520	-	Refrigerant gas N.O.S.(Hydroflurocarbons/inert)	30	Pounds(LB)	06/06/18
1558521	-	Refrigerant gas N.O.S.(Hydroflurocarbons/inert)	30	Pounds(LB)	06/06/18
1558522	-	75% HELIUM/25% ARGON MIXTURE	220	Cubic Feet(CF)	06/06/18
1558523	-	Mystik JT-6 Multi-Purpose Grease No. 2	14	Ounces(OZ)	06/06/18
1558524	-	Mystik JT-6 Multi-Purpose Grease No. 2	14	Ounces(OZ)	06/06/18
1558525	-	Mystik JT-6 Multi-Purpose Grease No. 2	14	Ounces(OZ)	06/06/18
1558526	-	Mystik JT-6 Multi-Purpose Grease No. 2	14	Ounces(OZ)	06/06/18
1558527	-	Mystik JT-6 Multi-Purpose Grease No. 2	14	Ounces(OZ)	06/06/18
1558528	-	Mystik JT-6 Multi-Purpose Grease No. 2	14	Ounces(OZ)	06/06/18
1558529	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	06/06/18
1558530	7782-44-7	OXYGEN COMPRESSED GAS	20	Cubic Feet(CF)	06/06/18
1386321	-	FANTASTIKE ALL PURPOSE CLEANER	1	Gallon(GAL)	06/07/18
1517820	-	LANL-TM-10 STANDARD SOLUTION	125	Milliliter(ML)	06/07/18
1517821	-	RHODIUM STANDARD SOLUTION	125	Milliliter(ML)	06/07/18
1517822	-	SCANDIUM STANDARD SOLUTION	125	Milliliter(ML)	06/07/18
1517823	-	LANL-ICP-MS-1 STANDARD SOLUTION	125	Milliliter(ML)	06/07/18
1517824	-	LANL-ICP-MS-1 STANDARD SOLUTION	125	Milliliter(ML)	06/07/18
1517825	-	LANL-ICP-MS-2 STANDARD SOLUTION	125	Milliliter(ML)	06/07/18
1517826	-	LANL-ICP-MS-2 STANDARD SOLUTION	125	Milliliter(ML)	06/07/18
1518316	99616-43-0	Benzyl 3-aminopropanoate hydrochloride	10	Gram(GM)	06/07/18
1518317	99616-43-0	Benzyl 3-aminopropanoate hydrochloride	10	Gram(GM)	06/07/18
1518318	-	POTATO DEXTROSE AGAR	500	Gram(GM)	06/07/18
1518672	-	MOBIL RARUS 829	5	Gallon(GAL)	06/07/18
1518747	-	EGC III KOH	970	Milliliter(ML)	06/07/18
1518748	-	EGC III KOH	970	Milliliter(ML)	06/07/18
1518749	-	EGC III KOH	970	Milliliter(ML)	06/07/18
1518750	-	EGC III KOH	970	Milliliter(ML)	06/07/18
1518786	1308-06-1	COBALT(II III) OXIDE	25	Gram(GM)	06/07/18
1518787	1313-99-1	NICKEL(II) OXIDE	10	Gram(GM)	06/07/18
1518788	75-09-2	DICHLOROMETHANE	4	Liters(L)	06/07/18
1518789	75-09-2	DICHLOROMETHANE	4	Liters(L)	06/07/18
1518790	75-09-2	DICHLOROMETHANE	4	Liters(L)	06/07/18
1518791	7681-52-9	SODIUM HYPOCHLORITE	1	Liters(L)	06/07/18
1363081	7727-37-9	NITROGEN COMPRESSED GAS	20	Cubic Feet(CF)	06/07/18
1558580	7440-59-7	HELIUM	20	Cubic Feet(CF)	06/07/18
1558581	7440-59-7	HELIUM	20	Cubic Feet(CF)	06/07/18
1558582	7440-59-7	HELIUM	20	Cubic Feet(CF)	06/07/18
1558583	7440-59-7	HELIUM	20	Cubic Feet(CF)	06/07/18
1558584	7440-59-7	HELIUM	20	Cubic Feet(CF)	06/07/18
1558585	7440-59-7	HELIUM	20	Cubic Feet(CF)	06/07/18
1558579	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/07/18
1558531	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558532	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558533	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558534	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558535	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558536	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558537	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558538	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558539	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558540	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558541	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558542	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558543	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558544	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558545	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558546	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558547	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558548	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558549	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558550	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558551	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558552	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558553	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558554	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558555	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558556	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558557	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558558	-	Nitrogen UHP	220	Cubic Feet(CF)	06/07/18
1558559	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558560	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558561	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558562	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558563	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558564	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558565	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558566	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558567	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558568	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558569	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558570	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558571	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558572	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558573	-	Argon UHP	220	Cubic Feet(CF)	06/07/18
1558574	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/07/18
1558575	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/07/18
1558576	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/07/18
1558577	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/07/18
1558578	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/07/18
1518792	-	XIA RTV-4130-J CURING AGENT	400	Gram(GM)	06/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518793	67-64-1	ACETONE REAGENT ACS	2.5	Liters(L)	06/07/18
1518799	144-55-8	SODIUM BICARBONATE	500	Gram(GM)	06/07/18
1518800	-	OxiSelect DNA Double-Strand Break (DSB)	100	Milliliter(ML)	06/07/18
1518801	112-80-1	OLEIC ACID	5	Gram(GM)	06/07/18
1518802	645-36-3	AMINOACETALDEHYDE DIETHYL ACETAL (2 2-	100	Milliliter(ML)	06/07/18
1518823	-	SYLGARD 184	1.1	Pounds(LB)	06/07/18
1518824	63394-02-5	SYLGARD 182	1.1	Pounds(LB)	06/07/18
1518825	110-54-3	N-HEXANE	4	Liters(L)	06/07/18
1518826	110-54-3	N-HEXANE	4	Liters(L)	06/07/18
1518827	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	06/07/18
1518828	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	06/07/18
1518829	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	06/07/18
1518830	-	Alcatel Adixen A121 Hydrocarbon Based Mineral	1	Liters(L)	06/07/18
1518831	-	SILVER PASTE	100	Gram(GM)	06/07/18
1518832	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518833	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518834	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518835	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518836	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518837	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518838	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518839	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518840	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518841	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518842	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518843	-	CONDUCTIVITY STANDARD 100	100	Milliliter(ML)	06/07/18
1518844	-	3 3' 4 4'-Tetrabromobiphenyl	1	Milliliter(ML)	06/07/18
1518895	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518896	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518897	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518898	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518899	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518900	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518901	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518902	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518903	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518904	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518905	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518906	-	MS-122 FLUOROCARBON RELEASE AGENT DRY	14	Ounces(OZ)	06/07/18
1518907	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518908	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518909	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518910	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518911	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518912	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518913	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518914	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518915	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518916	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518917	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518918	-	Flux-Off Rosin	12	Ounces(OZ)	06/07/18
1518919	2206-26-0	ACETONITRILE-D3	25	Gram(GM)	06/07/18
1518920	12069-32-8	BORON CARBIDE	10	Kilograms(KG)	06/07/18
1518921	67-64-1	ACETONE	4	Liters(L)	06/07/18
1518922	67-64-1	ACETONE	4	Liters(L)	06/07/18
1518923	67-64-1	ACETONE	4	Liters(L)	06/07/18
1518924	67-64-1	ACETONE	4	Liters(L)	06/07/18
1518925	7440-10-0	PRASEODYMIUM	125	Milliliter(ML)	06/07/18
1518926	7429-91-6	DYSPROSIUM	100	Milliliter(ML)	06/07/18
1518927	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	1	Liters(L)	06/07/18
1518928	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	1	Liters(L)	06/07/18
1518929	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	1	Liters(L)	06/07/18
1518930	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	1	Liters(L)	06/07/18
1518931	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	1	Liters(L)	06/07/18
1518932	68-12-2	N N-DIMETHYLFORMAMIDE ANHYDROUS	1	Liters(L)	06/07/18
1531792	-	Novec 72DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531793	-	Novec 72DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531794	-	Novec 72DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531795	-	Novec 72DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531796	-	Novec 72DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531797	-	Novec 73DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531798	-	Novec 73DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531799	-	Novec 73DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531800	-	Novec 73DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1531801	-	Novec 73DE Engineered Fluid	1	Gallon(GAL)	06/07/18
1457662	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/07/18
1457663	-	SODIUM BISULFITE SOLUTION	2464	Pounds(LB)	06/07/18
1518852	-	PCB/SIM Solution in Hexane	1	Milliliter(ML)	06/07/18
1518849	-	Decachlorobiphenyl in Acetone	10	Milliliter(ML)	06/07/18
1518850	-	Decachlorobiphenyl in Acetone	10	Milliliter(ML)	06/07/18
1518848	-	PCB Congeners Mixture in Hexane	1	Milliliter(ML)	06/07/18
1518851	-	TCMX in Hexane	1	Milliliter(ML)	06/07/18
1518853	-	Aroclor Kit	1	Milliliter(ML)	06/07/18
1518854	-	Aroclor Kit	1	Milliliter(ML)	06/07/18
1518855	-	Aroclor Kit	1	Milliliter(ML)	06/07/18
1517827	-	LANL-ICP-MS-3REV	125	Milliliter(ML)	06/07/18
1517828	-	LANL-ICP-MS-3REV	125	Milliliter(ML)	06/07/18
1518845	-	PCB Calibration Check Solution	1	Milliliter(ML)	06/07/18
1518846	-	PCB Window Defining Mixture	1	Milliliter(ML)	06/07/18
1518856	-	Decafluorotriphenylphosphine in	1	Milliliter(ML)	06/07/18
1518803	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	06/08/18
1518804	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	06/08/18
1518805	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	06/08/18
1518806	160848-22-6	[6 6]-Phenyl C61 butyric acid methyl ester	100	Milligram(MG)	06/08/18
1518807	5984-95-2	(-)-Isoproterenol hydrochloride	1	Gram(GM)	06/08/18
1518808	68609-43-8	UKL65/L-R1	500	Gram(GM)	06/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518809	68609-43-8	UKL65/L-R1	500	Gram(GM)	06/08/18
1518810	-	UKL65/F-R1	100	Gram(GM)	06/08/18
1518811	-	UKL65/UF-R1	100	Gram(GM)	06/08/18
1518812	112-90-3	OLEYLAMINE 70%	100	Gram(GM)	06/08/18
1518813	1310-73-2	SODIUM HYDROXIDE SOLUTIONS 2N TO 6.25N	500	Milliliter(ML)	06/08/18
1518814	7440-22-4	SILVER POWDER	50	Gram(GM)	06/08/18
1518815	25085-99-8	EPO-TEK 301	8	Ounces(OZ)	06/08/18
1518818	7440-69-9	BISMUTH	500	Gram(GM)	06/08/18
1518819	9005-65-6	TWEEN 80 (POLYOXYETHYLENE (20) SORBITAN	500	Milliliter(ML)	06/08/18
1518820	64-17-5	ETHANOL 200 PROOF	500	Milliliter(ML)	06/08/18
1518821	110-54-3	N-HEXANE	1	Liters(L)	06/08/18
1518857	-	Encapsulation Epoxy for Photovoltaics and OLEDs	10	Milliliter(ML)	06/08/18
1518858	-	IRON STANDARD	125	Milliliter(ML)	06/08/18
1518859	7646-69-7	SODIUM HYDRIDE	100	Gram(GM)	06/08/18
1518860	97-93-8	TRIETHYLALUMINUM	100	Gram(GM)	06/08/18
1518934	-	SODIUM STANDARD	125	Milliliter(ML)	06/08/18
1518935	4418-61-5	5-AMINOTETRAZOLE MONOHYDRATE	500	Gram(GM)	06/08/18
1486410	-	BOELUBE	12	Ounces(OZ)	06/08/18
1486411	-	BOELUBE	12	Ounces(OZ)	06/08/18
1486491	-	TAPMATIC EDGE CUTTING FLUID	13	Ounces(OZ)	06/08/18
1486492	-	TAPMATIC EDGE CUTTING FLUID	13	Ounces(OZ)	06/08/18
1486493	-	TAPMATIC EDGE CUTTING FLUID	13	Ounces(OZ)	06/08/18
1486494	-	TAPMATIC EDGE CUTTING FLUID	13	Ounces(OZ)	06/08/18
1486483	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486484	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486485	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486486	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486487	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486488	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486489	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486490	-	LIQUID NAILS	10	Ounces(OZ)	06/08/18
1486291	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486292	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486293	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486294	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486295	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486296	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486297	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486298	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486299	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486300	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486301	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486302	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	06/08/18
1486479	-	WD-40 AEROSOL	16	Ounces(OZ)	06/08/18
1486480	-	WD-40 AEROSOL	16	Ounces(OZ)	06/08/18
1486481	-	WD-40 AEROSOL	16	Ounces(OZ)	06/08/18
1486482	-	WD-40 AEROSOL	16	Ounces(OZ)	06/08/18
1486471	-	5 MINUTE EPOXY	1	Ounces(OZ)	06/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486472	-	5 MINUTE EPOXY	1	Ounces(OZ)	06/08/18
1486473	-	5 MINUTE EPOXY	1	Ounces(OZ)	06/08/18
1486474	-	5 MINUTE EPOXY	1	Ounces(OZ)	06/08/18
1486475	-	5 MINUTE EPOXY	1	Ounces(OZ)	06/08/18
1486476	-	5 MINUTE EPOXY	1	Ounces(OZ)	06/08/18
1486447	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486448	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486449	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486450	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486451	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486452	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486453	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486454	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486455	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486456	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486457	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486458	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486459	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486460	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486461	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486462	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486463	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486464	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486465	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486466	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486467	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486468	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486469	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486470	-	LPS TAPMATIC TRIPLE E CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486423	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486424	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486425	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486426	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486427	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486428	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486429	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486430	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486431	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486432	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486433	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486434	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486435	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486436	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486437	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486438	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486439	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486440	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486441	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486442	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486443	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486444	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486445	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486446	-	TAPMATIC #1 GOLD CUTTING FLUID	11	Ounces(OZ)	06/08/18
1486397	-	LOCTITE 222MS THREADLOCKER	1.69	Ounces(OZ)	06/08/18
1486398	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486399	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486400	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486401	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486402	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486403	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486404	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486405	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486406	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486407	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486408	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486409	-	TAPMATIC AQUACUT CUTTING FLUID	16	Ounces(OZ)	06/08/18
1486387	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486388	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486389	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486390	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486391	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486392	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486393	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486394	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486395	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486396	-	EPOXY STEEL HARDENER	1	Ounces(OZ)	06/08/18
1486381	-	LOCTITE 242 THREADLOCKER	10	Milliliter(ML)	06/08/18
1486382	-	LOCTITE 242 THREADLOCKER	10	Milliliter(ML)	06/08/18
1486383	-	WD-40	16	Ounces(OZ)	06/08/18
1486384	-	WD-40	16	Ounces(OZ)	06/08/18
1486385	-	WD-40	16	Ounces(OZ)	06/08/18
1486386	-	WD-40	16	Ounces(OZ)	06/08/18
1486375	-	TRI-FLOW INDUSTRIAL LUBRICANT WITH TEFLON	12	Ounces(OZ)	06/08/18
1486376	-	TRI-FLOW INDUSTRIAL LUBRICANT WITH TEFLON	12	Ounces(OZ)	06/08/18
1486351	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486352	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486353	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486354	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486355	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486356	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486357	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486358	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486359	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486360	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486361	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486362	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486363	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486364	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486365	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486366	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486367	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486368	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486369	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486370	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486371	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486372	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486373	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486374	-	AEROKROIL LUBRICANT SPRAY	10	Ounces(OZ)	06/08/18
1486377	-	MOBIL DTE 24 HYDRAULIC OIL	5	Gallon(GAL)	06/08/18
1486378	-	MOBIL DTE 24 HYDRAULIC OIL	5	Gallon(GAL)	06/08/18
1486379	-	MOBIL VELOCITE OIL NO. 3	5	Gallon(GAL)	06/08/18
1486380	-	MOBIL VELOCITE OIL NO. 3	5	Gallon(GAL)	06/08/18
1486327	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486328	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486329	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486330	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486331	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486332	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486333	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486334	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486335	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486336	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486337	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1486338	-	NU-CLEAR THREAD CUTTING OIL	1	Gallon(GAL)	06/08/18
1518822	112-40-3	DODECANE	1	Liters(L)	06/08/18
1518861	10025-87-3	PHOSPHORUS(V) OXYCHLORIDE	1	Kilograms(KG)	06/08/18
1518862	-	NEODYMIUM PLASMA STANDARD	500	Milliliter(ML)	06/08/18
1518863	-	NEODYMIUM PLASMA STANDARD	500	Milliliter(ML)	06/08/18
1518864	7440-42-8	BORON POWDER	250	Gram(GM)	06/08/18
1518865	585-76-2	3-BROMOBENZOIC ACID	25	Gram(GM)	06/08/18
1518866	615-36-1	2-BROMOANILINE	25	Gram(GM)	06/08/18
1518867	-	Q5 Hot Start High-Fidelity 2X Master Mix	50	Microliter	06/08/18
1518868	-	100BP DNA LADDER	0.1	Milliliter(ML)	06/08/18
1518869	-	100BP DNA LADDER	0.1	Milliliter(ML)	06/08/18
1518870	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518871	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518872	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518873	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518874	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518875	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518876	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518877	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518878	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518879	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518880	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518881	-	SYLGARD 184	1.1	Pounds(LB)	06/08/18
1518882	583-53-9	1 2-DIBROMOBENZENEZ	100	Gram(GM)	06/08/18
1518883	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518884	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518885	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518886	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518887	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518888	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518889	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518890	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518891	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518892	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518893	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518894	-	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216	43	Milliliter(ML)	06/08/18
1518937	631-61-8	AMMONIUM ACETATE	500	Gram(GM)	06/08/18
1518967	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518968	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518969	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518970	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518971	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518972	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518973	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518974	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518975	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518976	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518977	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518978	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518979	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518980	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518981	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518982	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518983	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518984	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518985	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518986	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518987	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518988	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518989	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518990	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518991	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518992	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518993	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518994	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518995	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518996	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518997	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1518998	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518999	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519000	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519001	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519002	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519003	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519004	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519005	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519006	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519007	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519008	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519009	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519010	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519011	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519012	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519013	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519014	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519015	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519016	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519017	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519018	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519019	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519020	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519021	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519022	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519023	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519024	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519025	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519026	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519027	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519028	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519029	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519030	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519031	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519032	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519033	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519034	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519035	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519036	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519037	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519038	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519039	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519040	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519041	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519042	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519043	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519044	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519045	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519046	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519047	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519048	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519049	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519050	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519051	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519052	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519053	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519054	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519055	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519056	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519057	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519058	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519059	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519060	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519061	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519062	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519063	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519064	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519065	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519066	9002-93-1	TRITON X-100	100	Milliliter(ML)	06/08/18
1519067	9002-88-4	POLYETHYLENE	100	Gram(GM)	06/08/18
1519068	144-55-8	SODIUM BICARBONATE	12	Kilograms(KG)	06/08/18
1519069	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519070	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519071	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519072	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519073	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519074	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519075	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519076	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519077	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519078	-	TAP MAGIC CUTTING FLUID	4	Ounces(OZ)	06/08/18
1519079	77-09-8	PHENOLPHTHALEIN INDICATOR SOLUTION .5% IN	120	Milliliter(ML)	06/08/18
1519080	7440-45-1	CERIUM POWDER	10	Gram(GM)	06/08/18
1519081	7440-45-1	CERIUM POWDER	10	Gram(GM)	06/08/18
1519082	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	06/08/18
1519083	67-63-0	2-PROPANOL	500	Milliliter(ML)	06/08/18
1519084	1310-73-2	SODIUM HYDROXIDE	500	Gram(GM)	06/08/18
1519085	1310-73-2	SODIUM HYDROXIDE	500	Gram(GM)	06/08/18
1519111	-	DIAMOND SUSPENSION	16	Ounces(OZ)	06/08/18
1519112	-	DIAMOND SUSPENSION	16	Ounces(OZ)	06/08/18
1432684	-	Rectorseek Low-Temp Leak Detector	8	Ounces(OZ)	06/11/18
1432663	-	SUPER 77 MULTIPURPOSE ADHESIVE	11.75	Ounces(OZ)	06/11/18
1432665	-	Tru-Blue Thread Sealant	0.5	Pint(PT)	06/11/18
1432692	-	Tru-Blue Thread Sealant	0.5	Pint(PT)	06/11/18
1432693	-	Tru-Blue Thread Sealant	0.5	Pint(PT)	06/11/18
1432695	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432696	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432697	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432698	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432699	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432700	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432701	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432702	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432703	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432704	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432705	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432706	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432731	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432732	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432733	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432734	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432735	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432736	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432737	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432738	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432739	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432740	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432741	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432742	-	WELD-ON 705 FOR PVC	1	Pint(PT)	06/11/18
1432707	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432708	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432709	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432710	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432711	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432712	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432713	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432714	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432715	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432716	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432717	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432718	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432719	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432720	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432721	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432722	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432723	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432724	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432725	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432726	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432727	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432728	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432729	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432730	-	WELD-ON P-70 PRIMER FOR PVC AND CPVC	1	Pint(PT)	06/11/18
1432792	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432793	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432794	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432795	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432796	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432797	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432798	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432799	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432800	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432801	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432802	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432803	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432804	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432805	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432806	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432807	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432808	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432809	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432810	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432811	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432812	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432813	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432814	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432815	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432816	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432817	-	Tru-Blue Thread Sealant	50	Gram(GM)	06/11/18
1432678	-	HERCULES REAL TUFF TEFLON PASTE THREAD	1	Pint(PT)	06/11/18
1432679	-	HERCULES REAL TUFF TEFLON PASTE THREAD	1	Pint(PT)	06/11/18
1432680	-	HERCULES REAL TUFF TEFLON PASTE THREAD	1	Pint(PT)	06/11/18
1432681	-	HERCULES REAL TUFF TEFLON PASTE THREAD	1	Pint(PT)	06/11/18
1432682	-	HERCULES REAL TUFF TEFLON PASTE THREAD	1	Pint(PT)	06/11/18
1432683	-	HERCULES REAL TUFF TEFLON PASTE THREAD	1	Pint(PT)	06/11/18
1432668	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432669	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432670	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432671	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432672	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432673	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432674	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432675	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432676	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1432677	-	Tru-Blue Thread Sealant	1.75	Ounces(OZ)	06/11/18
1518938	10028-22-5	FERRIC SULFATE	55	Gallon(GAL)	06/11/18
1518939	10028-22-5	FERRIC SULFATE	55	Gallon(GAL)	06/11/18
1518940	10028-22-5	FERRIC SULFATE	55	Gallon(GAL)	06/11/18
1519086	-	Negative Etch Resist	16	Ounces(OZ)	06/11/18
1519087	-	UltraClean 96 PCR Cleanup Kit	20	MicroGram(UG)	06/11/18
1519088	-	BARCO BOND EPOXY KIT MB-165	4	Ounces(OZ)	06/11/18
1519089	-	BARCO BOND EPOXY KIT MB-165	4	Ounces(OZ)	06/11/18
1519090	-	BARCO BOND EPOXY KIT MB-165	4	Ounces(OZ)	06/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519091	-	BARCO BOND EPOXY KIT MB-165	4	Ounces(OZ)	06/11/18
1519092	-	BARCO BOND EPOXY KIT MB-165	4	Ounces(OZ)	06/11/18
1519093	-	BARCO BOND EPOXY KIT MB-165	4	Ounces(OZ)	06/11/18
1519094	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519095	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519096	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519097	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519098	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519099	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519100	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519101	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519102	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519103	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519104	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519105	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519106	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519107	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519108	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519109	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519115	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	06/11/18
1519116	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	06/11/18
1519183	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519184	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519185	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519186	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519187	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519188	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519189	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519190	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519191	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519192	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519193	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519194	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519195	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519196	-	BARCO BOND MB-165	4	Ounces(OZ)	06/11/18
1519197	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519198	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519199	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519200	-	ASTRO MB-175 - EPOXY RESIN CURING KIT	4	Ounces(OZ)	06/11/18
1519201	-	M-Bond 600-1 Kit	19	Gram(GM)	06/11/18
1519202	-	M-Bond 600-1 Kit	19	Gram(GM)	06/11/18
1519203	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1519204	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/11/18
1432691	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	06/11/18
1432690	-	NOKORODE REGULAR PASTE FLUX (LEAD-FREE)	1	Pint(PT)	06/11/18
1432688	-	silvabrite 100	1	Pint(PT)	06/11/18
1432689	-	silvabrite 100	1	Pint(PT)	06/11/18
1432685	-	Megaloc	0.5	Pint(PT)	06/11/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432694	-	Megaloc	0.5	Pint(PT)	06/11/18
1432826	-	Megaloc	0.5	Pint(PT)	06/11/18
1432780	-	Megaloc	0.5	Pint(PT)	06/11/18
1432686	-	silvabrite 100	1	Pounds(LB)	06/11/18
1432687	-	silvabrite 100	1	Pounds(LB)	06/11/18
1432844	-	silvabrite 100	1	Pounds(LB)	06/11/18
1432845	-	silvabrite 100	1	Pounds(LB)	06/11/18
1432846	-	silvabrite 100	1	Pounds(LB)	06/11/18
1432847	-	silvabrite 100	1	Pounds(LB)	06/11/18
1432848	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432849	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432850	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432851	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432843	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	06/11/18
1432842	-	NOKORODE REGULAR PASTE FLUX	1	Pounds(LB)	06/11/18
1432852	-	DOWFROST (R) HEAT TRANSFER FLUID	66	Gallon(GAL)	06/11/18
1432783	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	06/11/18
1432784	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432785	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432786	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432787	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432788	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432789	-	Bridgit Lead Free Solder	1	Pounds(LB)	06/11/18
1432863	-	DOWFROST (R) HEAT TRANSFER FLUID	55	Gallon(GAL)	06/11/18
1418143	-	CUTTING LUBRICANT	5	Gallon(GAL)	06/11/18
1418144	-	CUTTING LUBRICANT	5	Gallon(GAL)	06/11/18
1495403	-	Castrol EDGE with Syntec Power Technology 5W-	1	Quarts(QT)	06/12/18
1495404	-	Castrol EDGE with Syntec Power Technology 5W-	1	Quarts(QT)	06/12/18
1495405	-	Castrol EDGE with Syntec Power Technology 5W-	1	Quarts(QT)	06/12/18
1422347	Multi	The Right Stuff	3	Ounces(OZ)	06/13/18
1422345	-	DRY MOLY LUBRICANT	400	Milliliter(ML)	06/13/18
1422346	68476-85-7	DRY MOLY PASTE	100	Gram(GM)	06/13/18
1518941	-	2.5% Calcium Gluconate Gel	25	Gram(GM)	06/13/18
1518942	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518943	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518944	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518945	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518946	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518947	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518948	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518949	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518950	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518951	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518952	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518953	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518954	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518955	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518956	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1518957	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518958	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518959	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518960	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1518961	-	ANGSTROM BOND AB9110	2.5	Gram(GM)	06/13/18
1519110	1314-56-3	SICAPENT	500	Milliliter(ML)	06/13/18
1519117	64741-88-4	IVP-200	1	Gallon(GAL)	06/13/18
1519118	64741-88-4	IVP-200	1	Gallon(GAL)	06/13/18
1519119	-	2-Chlorotriyl chloride resin (100-200 mesh)	25	Gram(GM)	06/13/18
1519207	1333-86-4	Carbon mesoporous	5	Gram(GM)	06/13/18
1519208	1034343-98-0	Nitrogen-doped graphene	500	Milligram(MG)	06/13/18
1519209	12184-52-0	Bis(cyclooctatetraene)iron(0)	500	Milligram(MG)	06/13/18
1519210	12184-52-0	Bis(cyclooctatetraene)iron(0)	100	Milligram(MG)	06/13/18
1519211	14024-18-1	IRON(III) ACETYLACETONATE	250	Gram(GM)	06/13/18
1457659	7440-33-7	TUNGSTEN WIRE	50	Gram(GM)	06/13/18
1457660	7440-33-7	TUNGSTEN WIRE	0.25	Gram(GM)	06/13/18
1558593	7727-37-9	NITROGEN COMPRESSED GAS	20	Cubic Feet(CF)	06/13/18
1558594	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558595	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558596	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558597	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558598	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558599	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558600	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558601	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558602	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558603	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1558604	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/13/18
1519213	-	EcoFast Heavy Duty Paint Stripper (HD/GEL)	1	Gallon(GAL)	06/13/18
1519214	-	EcoFast Heavy Duty Paint Stripper (HD/GEL)	1	Gallon(GAL)	06/13/18
1519215	-	STATICIDE Ultra Floor Finish	1	Gallon(GAL)	06/13/18
1519216	-	STATICIDE Ultra Floor Finish	1	Gallon(GAL)	06/13/18
1519217	-	STATICIDE Ultra Floor Finish	1	Gallon(GAL)	06/13/18
1519218	-	STATICIDE Ultra Floor Finish	1	Gallon(GAL)	06/13/18
1519219	-	Xylenes ACS 98.5+% (Assay isomers plus	2.5	Liters(L)	06/13/18
1519220	-	Xylenes ACS 98.5+% (Assay isomers plus	2.5	Liters(L)	06/13/18
1519221	-	Xylenes ACS 98.5+% (Assay isomers plus	2.5	Liters(L)	06/13/18
1519222	-	HEXANES REAGENT	4	Liters(L)	06/13/18
1519223	75-05-8	ACETONITRILE HPLC	4	Liters(L)	06/13/18
1519224	-	PAINT TYPE YK	1	Gallon(GAL)	06/13/18
1519225	7722-84-1	HYDROGEN PEROXIDE	100	Milliliter(ML)	06/13/18
1519226	7722-84-1	HYDROGEN PEROXIDE	100	Milliliter(ML)	06/13/18
1519227	7722-84-1	HYDROGEN PEROXIDE	100	Milliliter(ML)	06/13/18
1519228	7722-84-1	HYDROGEN PEROXIDE	100	Milliliter(ML)	06/13/18
1519229	-	BRUSHABLE CERAMIC RESIN	1	Liters(L)	06/13/18
1519230	-	BRUSHABLE CERAMIC RESIN	1	Liters(L)	06/13/18
1519231	-	BRUSHABLE CERAMIC RESIN	1	Liters(L)	06/13/18
1519232	-	BRUSHABLE CERAMIC RESIN	1	Liters(L)	06/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519233	-	Grey Pro Resin	1	Liters(L)	06/13/18
1519234	-	Grey Pro Resin	1	Liters(L)	06/13/18
1519235	-	Grey Pro Resin	1	Liters(L)	06/13/18
1519236	-	Grey Pro Resin	1	Liters(L)	06/13/18
1519255	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519256	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519257	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519258	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519259	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519260	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519261	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519262	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519263	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519264	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519265	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519266	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519267	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519268	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519269	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519270	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519271	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519272	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519273	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519274	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519275	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519276	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519277	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519278	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519279	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519280	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519281	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1519282	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/13/18
1518962	Multi	Sylguard DC 186	8.8	Pounds(LB)	06/13/18
1518963	Multi	Sylguard DC 186	8.8	Pounds(LB)	06/13/18
1518964	Multi	Sylguard DC 186	8.8	Pounds(LB)	06/13/18
1519120	-	SNOOP LEAK DETECT	8	Ounces(OZ)	06/13/18
1519121	-	SNOOP LEAK DETECT	8	Ounces(OZ)	06/13/18
1519122	-	SNOOP LEAK DETECT	8	Ounces(OZ)	06/13/18
1519123	-	SNOOP LEAK DETECT	8	Ounces(OZ)	06/13/18
1519124	-	SNOOP LEAK DETECT	8	Ounces(OZ)	06/13/18
1519125	584-08-7	POTASSIUM CARBONATE ANHYDROUS	1	Kilograms(KG)	06/13/18
1519126	75-03-6	IDOETHANE (ETHYL IODIDE)	100	Gram(GM)	06/13/18
1519127	919-30-2	3-AMINOPROPYLTRIETHOXYSILANE	100	Milliliter(ML)	06/13/18
1519128	919-30-2	3-AMINOPROPYLTRIETHOXYSILANE	100	Milliliter(ML)	06/13/18
1519129	100-66-3	ANISOLE	2.5	Liters(L)	06/13/18
1519130	98-86-2	ACETOPHENONE	2.5	Liters(L)	06/13/18
1519131	124-02-7	DIALLYLAMINE	100	Milliliter(ML)	06/13/18
1519132	-	Fluo-4 Calcium Imaging Kit	10	Milliliter(ML)	06/13/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519133	7440-56-4	GERMANIUM POWDER	10	Gram(GM)	06/13/18
1519134	-	RUTHENIUM STANDARD SOLUTION	125	Milliliter(ML)	06/13/18
1519135	-	PLY-7601	1	Pint(PT)	06/14/18
1519137	-	PLY-7601	1	Pint(PT)	06/14/18
1519136	-	PLY-7608	1	Pint(PT)	06/14/18
1519139	-	PLY-7608	1	Pint(PT)	06/14/18
1519138	778-25-6	PLY-7602 DIPHENYLMETHYLSILANOL	1	Pint(PT)	06/14/18
1519140	-	NUSIL XL-121 SILICONE CROSSLINKER	1	Pint(PT)	06/14/18
1519141	-	NUSIL XL-132 SILICONE FLUID	1	Pint(PT)	06/14/18
1519237	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	06/14/18
1519238	-	HNO3 IL PRESERVATION VIAL	500	Milliliter(ML)	06/14/18
1519239	-	D2020 Nafion Dispersion	250	Milliliter(ML)	06/14/18
1519240	-	D2021 Nafion Dispersion	236	Milliliter(ML)	06/14/18
1519241	110-54-3	HEXANE OPTIMA	4	Liters(L)	06/14/18
1519242	110-54-3	HEXANE OPTIMA	4	Liters(L)	06/14/18
1519243	110-54-3	HEXANE OPTIMA	4	Liters(L)	06/14/18
1519244	110-54-3	HEXANE OPTIMA	4	Liters(L)	06/14/18
1519245	-	OOMOO 30	2.8	Pounds(LB)	06/14/18
1519246	7631-90-5	SODIUM BISULFITE POWDER	500	Gram(GM)	06/14/18
1519247	109-99-9	TETRAHYDROFURAN ANHYDROUS 99.9%	1	Liters(L)	06/14/18
1519248	109-99-9	TETRAHYDROFURAN ANHYDROUS 99.9%	1	Liters(L)	06/14/18
1519249	-	EPO-FIX EPOXY RESIN	11300	Milliliter(ML)	06/14/18
1519250	-	BacTiter-Glo	10	Milliliter(ML)	06/14/18
1519251	1330-20-7	XYLENES	1	Liters(L)	06/14/18
1519252	1330-20-7	XYLENES	1	Liters(L)	06/14/18
1519283	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519284	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519285	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519286	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519287	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519288	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519289	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519290	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519291	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519292	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519293	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1519294	67-64-1	ACETONE OPTIMA	4	Liters(L)	06/14/18
1558605	-	0.080 BAC ETHANOL IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558606	-	0.080 BAC ETHANOL IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558607	-	0.080 BAC ETHANOL IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558608	-	0.080 BAC ETHANOL IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558609	-	0.080 BAC ETHANOL IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558610	-	0.080 BAC ETHANOL IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558611	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558612	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558613	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558614	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558615	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558616	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558617	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558618	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558619	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558620	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558621	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558622	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558623	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558624	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558625	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558626	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558627	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558628	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558629	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558630	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558631	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558632	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558633	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558634	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558635	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558636	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558637	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558638	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558639	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558640	-	Nitrogen UHP	220	Cubic Feet(CF)	06/14/18
1558641	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558642	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558643	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558644	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558645	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558646	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558647	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558648	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558649	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558650	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558651	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558652	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558653	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558654	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558655	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558656	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558657	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558658	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558659	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558660	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558661	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558662	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558663	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558664	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558665	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558666	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558667	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558668	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558669	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558670	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558671	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558672	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558673	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558674	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558675	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558676	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558677	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558678	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558679	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558680	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558681	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558682	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558683	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558684	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558685	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558686	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558687	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558688	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558689	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558690	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558691	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558692	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558693	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558694	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558695	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558696	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558697	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558698	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558699	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558700	-	ARGON/METHANE	220	Cubic Feet(CF)	06/14/18
1558701	-	HYDROGEN 201PPM IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558702	-	HYDROGEN 201PPM IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558703	-	HYDROGEN 201PPM IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558704	-	HYDROGEN 201PPM IN NITROGEN	220	Cubic Feet(CF)	06/14/18
1558705	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558706	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558707	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558708	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558709	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558710	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558711	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558712	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558713	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558714	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558715	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558716	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558717	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558718	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558719	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558720	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558721	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558722	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558723	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558724	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558725	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558726	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558727	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558728	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/14/18
1558729	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558730	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558731	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558732	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558733	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558734	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558735	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558736	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558737	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558738	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558739	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558740	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558741	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558742	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558743	-	Oxygen UHP	220	Cubic Feet(CF)	06/14/18
1558744	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558745	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558746	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558747	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558748	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558749	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558750	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558751	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558752	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558753	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558754	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558755	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558756	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558757	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558758	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558759	-	Argon UHP	220	Cubic Feet(CF)	06/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558760	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558761	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558762	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558763	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558764	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558765	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558766	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558767	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558768	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558769	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558770	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558771	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558772	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1558773	-	Argon UHP	220	Cubic Feet(CF)	06/14/18
1457661	7697-37-2	NITRIC ACID OPTIMA	1	Liters(L)	06/14/18
1558774	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558775	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558776	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558777	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558778	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558779	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558780	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558781	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558782	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558783	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558784	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558785	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558786	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558787	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558788	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558789	7440-59-7	HELIUM	220	Cubic Feet(CF)	06/14/18
1558790	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558791	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558792	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558793	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/14/18
1558794	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558795	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558796	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558797	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558798	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558799	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558800	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558801	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/14/18
1558802	124-38-9	CARBON DIOXIDE GAS	220	Cubic Feet(CF)	06/14/18
1495406	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/14/18
1495407	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/14/18
1495408	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/14/18
1495409	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495410	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/14/18
1495411	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/14/18
1495412	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/14/18
1495413	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/14/18
1495414	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/14/18
1495415	-	DIESEL FUEL SUPPLEMENT	32	Ounces(OZ)	06/14/18
1495416	-	DIESEL FUEL SUPPLEMENT	32	Ounces(OZ)	06/14/18
1495417	-	CRC BRAKLEEN BRAKE CLEANER	14	Ounces(OZ)	06/14/18
1518965	-	Stellaris RNA FISH Wash Buffer A	60	Milliliter(ML)	06/14/18
1518966	-	ANTIBIOTIC ANTIMYCOTIC SOLUTION	100	Milliliter(ML)	06/14/18
1519142	-	MagMAX DNA Multi-Sample Kit	50	Milliliter(ML)	06/14/18
1519143	462-06-6	FLUOROBENZENE	100	Gram(GM)	06/14/18
1519144	462-06-6	FLUOROBENZENE	100	Gram(GM)	06/14/18
1519145	132705-51-2	Bromotripyrrolidinophosphonium	100	Gram(GM)	06/14/18
1519146	132705-51-2	Bromotripyrrolidinophosphonium	100	Gram(GM)	06/14/18
1519147	818-61-1	2-HYDROXYETHYL ACRYLATE	1	Liters(L)	06/14/18
1519148	25322-68-3	POLYETHYLENE GLYCOL	500	Gram(GM)	06/14/18
1519149	25322-68-3	POLYETHYLENE GLYCOL	500	Gram(GM)	06/14/18
1519150	25322-68-3	POLYETHYLENE GLYCOL	500	Gram(GM)	06/14/18
1519151	25322-68-3	POLYETHYLENE GLYCOL	500	Gram(GM)	06/14/18
1519152	644-97-3	DICHLOROPHENYLPHOSPHINE	500	Gram(GM)	06/14/18
1519156	10043-35-3	BORIC ACID	1	Kilograms(KG)	06/14/18
1511519157	540-72-7	SODIUM THIOCYANATE	100	Gram(GM)	06/14/18
1519158	151259-38-0	tert-Butyl N N-diallylcarbamate	10	Milliliter(ML)	06/14/18
1453062	9004-70-0	NITROCELLULOSE WET	1	Pounds(LB)	06/14/18
1519159	682-30-4	DIETHYL VINYLPHOSPHONATE	25	Gram(GM)	06/14/18
1453063	9004-70-0	NITROCELLULOSE WET	1	Pounds(LB)	06/14/18
1453064	9004-70-0	NITROCELLULOSE WET	1	Pounds(LB)	06/14/18
1453065	9004-70-0	NITROCELLULOSE WET	1	Pounds(LB)	06/14/18
1453066	9004-70-0	NITROCELLULOSE WET	1	Pounds(LB)	06/14/18
1519160	2206-27-1	DIMETHYL SULFOXIDE-D6	0.75	Milliliter(ML)	06/14/18
1519161	497-25-6	2-OXAZOLIDONE	25	Gram(GM)	06/14/18
1519165	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519166	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519167	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519168	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519169	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519170	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519171	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519172	75-77-4	CHLOROTRIMETHYLSILANE	100	Milliliter(ML)	06/14/18
1519253	55-48-1	ATROPINE SULFATE	500	Milligram(MG)	06/14/18
1519254	-	1 1-CARBONYLDIIMIDAZOLE	100	Gram(GM)	06/14/18
1519327	7440-44-0	N-Doped Mesoporous Carbon	1	Gram(GM)	06/14/18
1519328	7440-44-0	Nitrogen-Doped Graphitic Porous Carbon	1	Gram(GM)	06/14/18
1519329	7440-44-0	Ordered Mesoporous Carbon Cmk-3	1	Gram(GM)	06/14/18
1519330	308063-67-4	Carbon Nanofibers	25	Gram(GM)	06/14/18
1519331	64-19-7	ACETIC ACID GLACIAL	500	Milliliter(ML)	06/14/18
1519332	64-19-7	ACETIC ACID GLACIAL	500	Milliliter(ML)	06/14/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519333	13450-95-8	GERMANIUM TETRAIODIDE	25	Gram(GM)	06/14/18
1519334	13573-08-5	GERMANIUM (II) IODIDE	5	Gram(GM)	06/14/18
1519335	112-90-3	OLEYLAMINE	5	Gram(GM)	06/14/18
1519336	112-90-3	OLEYLAMINE	5	Gram(GM)	06/14/18
1519337	7790-86-5	CERIUM(III) CHLORIDE	25	Gram(GM)	06/14/18
1519338	10099-58-8	LANTHANUM(III)CHLORIDE	25	Gram(GM)	06/14/18
1519339	10361-92-9	YTTRIUM(III) CHLORIDE ANHYDROUS	50	Gram(GM)	06/14/18
1519340	10099-66-8	LUTETIUM (III) CHLORIDE	5	Gram(GM)	06/14/18
1519341	10138-41-7	ERBIUM(III) CHLORIDE ANHYDROUS	5	Gram(GM)	06/14/18
1519342	10025-74-8	DYSPROSIUM CHLORIDE ANHYDROUS	10	Gram(GM)	06/14/18
1519343	-	PERCHLORATE TEST	1	Ounces(OZ)	06/14/18
1457664	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/14/18
1457665	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/14/18
1558803	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558804	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558805	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558806	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558807	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558808	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558809	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558810	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558811	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558812	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558813	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1558814	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/15/18
1421692	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1421699	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1421700	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1421701	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1421702	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1421703	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1421704	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1421705	-	SAFETY YELLOW PAINT	12	Ounces(OZ)	06/15/18
1531919	-	Aqua Solutions PHENO IND 1% W/V IN METH	250	Milliliter(ML)	06/18/18
1519153	15430-52-1	Propargylamine hydrochloride	10	Gram(GM)	06/18/18
1519162	75-24-1	TRIMETHYLALUMINUM 2.0M SOLUTION IN	100	Milliliter(ML)	06/18/18
1519163	75-24-1	TRIMETHYLALUMINUM 2.0M SOLUTION IN	100	Milliliter(ML)	06/18/18
1519164	-	2 Part Epoxy	0.5	Pint(PT)	06/18/18
1519173	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	250	Milliliter(ML)	06/18/18
1519174	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	250	Milliliter(ML)	06/18/18
1519175	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	250	Milliliter(ML)	06/18/18
1519176	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	250	Milliliter(ML)	06/18/18
1519177	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	250	Milliliter(ML)	06/18/18
1519178	7722-84-1	HYDROGEN PEROXIDE 30% SOLUTION	250	Milliliter(ML)	06/18/18
1519179	77128-70-2	Fmoc-Sar-OH (Fmoc-MeGly-OH)	25	Gram(GM)	06/18/18
1519295	9011-17-0	VITON A	55.12	Pounds(LB)	06/18/18
1519296	-	SK EPOXY-SEAL ARMOR GRAY LOW VOC	5	Gallon(GAL)	06/18/18
1519297	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519298	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519299	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519300	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519301	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519302	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519303	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519304	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519305	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519306	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519307	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519308	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519309	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519310	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519311	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519312	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519313	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519314	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519315	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519316	-	ULTRAGRADE 19 PUMP OIL	1	Liters(L)	06/18/18
1519317	-	STANDARD V-100 EPOXY	22	Pounds(LB)	06/18/18
1519318	-	STANDARD V-100 EPOXY	22	Pounds(LB)	06/18/18
1519319	-	STANDARD V-100 EPOXY	22	Pounds(LB)	06/18/18
1519320	141-78-6	ETHYL ACETATE	4	Liters(L)	06/18/18
1519322	141-78-6	ETHYL ACETATE	4	Liters(L)	06/18/18
1519323	141-78-6	ETHYL ACETATE	4	Liters(L)	06/18/18
1519324	60-29-7	DIETHYL ETHER	1	Liters(L)	06/18/18
1519325	60-29-7	DIETHYL ETHER	1	Liters(L)	06/18/18
1519344	7423-55-4	3-Maleimido-propionic acid	5	Gram(GM)	06/18/18
1519345	-	STREPTAVIDIN	1	Milligram(MG)	06/18/18
1519346	111-66-0	1-OCTENE	100	Milliliter(ML)	06/18/18
1519347	75-76-3	TETRAMETHYLSILANE	100	Milliliter(ML)	06/18/18
1519348	77-73-6	DICYCLOPENTADIENE	1	Kilograms(KG)	06/18/18
1519399	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519400	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519401	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519402	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519403	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519404	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519405	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519406	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519407	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519408	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519409	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519410	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519411	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519412	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519413	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519414	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519415	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519416	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519417	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519418	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519419	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519420	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519421	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519422	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519423	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519424	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519425	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519426	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519427	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519428	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/18/18
1519471	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519472	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519473	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519474	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519475	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519476	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519477	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519478	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519479	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519480	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519481	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519482	Multi	D-Lead Final Clean	32	Ounces(OZ)	06/18/18
1519483	1985-58-6	1 4-Bis(2-phenylethyl)benzene	1	Gram(GM)	06/18/18
1519484	1985-58-6	1 4-Bis(2-phenylethyl)benzene	1	Gram(GM)	06/18/18
1519485	1985-58-6	1 4-Bis(2-phenylethyl)benzene	1	Gram(GM)	06/18/18
1495418	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495419	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495420	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495421	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495422	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495423	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495424	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495425	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495426	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495427	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495428	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495429	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495430	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495431	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495432	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495433	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495434	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1495435	-	Brakleen Brake Parts Cleaner - Non-chlorinated	14	Ounces(OZ)	06/18/18
1457566	-	METADI II DIAMOND POLISHING COMPOUND 9	16	Ounces(OZ)	06/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495436	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	06/18/18
1495437	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	06/18/18
1495438	-	DRY FILM MOLY LUBRICANT LU 200	11	Ounces(OZ)	06/18/18
1457567	-	DIAMOND PASTE	20	Gram(GM)	06/18/18
1457568	-	DIAMOND PASTE	20	Gram(GM)	06/18/18
1495439	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/18/18
1495440	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/18/18
1164960	-	DIAMOND POLISHING COMPOUND (METADI) 3	20	Gram(GM)	06/18/18
1457576	-	DIAMOND POLISHING COMPOUND (METADI) 3	20	Gram(GM)	06/18/18
1457577	-	DIAMOND POLISHING COMPOUND (METADI) 3	20	Gram(GM)	06/18/18
1495441	-	DIELECTRIC GREASE	3.3	Ounces(OZ)	06/18/18
1495442	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495443	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495444	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495445	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495446	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495447	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495448	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495449	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495450	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495451	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/18/18
1495452	-	Parts Plus Power Steering Fld	1	Quarts(QT)	06/18/18
1495453	-	LOCTITE 222MS THREADLOCKER	0.34	Ounces(OZ)	06/18/18
1495454	-	LOCTITE 222MS THREADLOCKER	0.32	Ounces(OZ)	06/18/18
1457578	-	LEITSILBER 200 SILVER PAINT	30	Gram(GM)	06/18/18
1457579	-	LEITSILBER 200 SILVER PAINT	30	Gram(GM)	06/18/18
1457580	-	LEITSILBER 200 SILVER PAINT	30	Gram(GM)	06/18/18
1457581	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1495455	-	ULTRA GREY SILICONE GASKET MAKER	3.5	Ounces(OZ)	06/18/18
1457582	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1457583	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1457584	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1457585	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1457586	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1457587	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1457588	-	TRU BOND 5 MIN EPOXY	0.47	Ounces(OZ)	06/18/18
1495456	-	ULTRA BLACK GASKET MAKER	3.5	Ounces(OZ)	06/18/18
1495457	-	LOCTITE 242 THREADLOCKER	0.34	Ounces(OZ)	06/18/18
1495458	-	LOCTITE 242 THREADLOCKER	0.34	Ounces(OZ)	06/18/18
1495459	-	LOCTITE 242 THREADLOCKER	0.34	Ounces(OZ)	06/18/18
1495460	-	Mobil 1 5W-40	1	Gallon(GAL)	06/18/18
1495461	-	Mobil 1 5W-40	1	Gallon(GAL)	06/18/18
1495462	-	Mobil 1 5W-40	1	Gallon(GAL)	06/18/18
1495463	-	Mobil 1 5W-40	1	Gallon(GAL)	06/18/18
1495464	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495465	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495466	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495467	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495468	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495469	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495470	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495471	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495472	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495473	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495474	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1495475	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/18/18
1457859	-	Torr Seal Hardener Part A	82	Gram(GM)	06/18/18
1457590	-	Torr Seal Hardener Part A	82	Gram(GM)	06/18/18
1457591	-	Torr Seal Hardener Part A	82	Gram(GM)	06/18/18
1457592	-	Torr Seal Hardener Part A	82	Gram(GM)	06/18/18
1457593	-	Torr Seal Hardener Part B	369	Gram(GM)	06/18/18
1457594	-	Torr Seal Hardener Part B	369	Gram(GM)	06/18/18
1457595	-	Torr Seal Hardener Part B	369	Gram(GM)	06/18/18
1457596	-	Torr Seal Hardener Part B	369	Gram(GM)	06/18/18
1457597	-	METADI SUPREME POLYCRYSTALLINE DIAMOND	32	Ounces(OZ)	06/18/18
1455529	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455530	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455531	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455532	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455533	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455534	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455535	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455536	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455537	-	FULLCURE 835 VEROWHITE PLUS MODEL RESIN	3.6	Kilograms(KG)	06/18/18
1455548	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455549	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455550	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455551	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455552	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455553	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455554	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455555	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455556	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455557	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455558	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455559	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1455560	-	ADHESIVE SEALANT	10	Ounces(OZ)	06/18/18
1495476	-	MOBIL 1 5W-50	1	Quarts(QT)	06/18/18
1495477	-	MOBIL 1 5W-50	1	Quarts(QT)	06/18/18
1495478	-	MOBIL 1 5W-50	1	Quarts(QT)	06/18/18
1495479	-	AW HYDRAULIC FLUID ISO 32	5	Gallon(GAL)	06/18/18
1495480	-	AW HYDRAULIC FLUID ISO 32	5	Gallon(GAL)	06/18/18
1495481	-	Castrol Transynd Allison Transmission Fluid	5	Gallon(GAL)	06/18/18
1495482	-	Castrol Transynd Allison Transmission Fluid	5	Gallon(GAL)	06/18/18
1266175	-	KRYTOX LUBRICANT	2	Ounces(OZ)	06/18/18
1519154	-	Platinum Green Hot Start PCR Master Mix (2X)	3.75	Milliliter(ML)	06/19/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519155	-	Stellaris RNA FISH Wash Buffer B	20	Milliliter(ML)	06/19/18
1519180	108-95-2	PHENOL	100	Gram(GM)	06/19/18
1519181	95-50-1	1 2-DICHLOROBENZENE	100	Milliliter(ML)	06/19/18
1519182	822-06-0	HEXAMETHYLENE DIISOCYANATE	100	Milliliter(ML)	06/19/18
1519349	25322-69-4	POLYPROPYLENE GLYCOL 400	1	Liters(L)	06/19/18
1519350	9002-98-6	Polyethylenimine Branched 250mL	250	Milliliter(ML)	06/19/18
1519351	9002-98-6	POLYETHYLENIMINE	250	Gram(GM)	06/19/18
1519352	112-80-1	OLEIC ACID	1	Liters(L)	06/19/18
1519353	57-11-4	STEARIC ACID	100	Gram(GM)	06/19/18
1519354	57-11-4	STEARIC ACID	100	Gram(GM)	06/19/18
1519355	107-21-1	ETHYLENE GLYCOL (ETHYLENE GLYCOL	1	Liters(L)	06/19/18
1519356	77-92-9	CITRIC ACID	500	Gram(GM)	06/19/18
1519357	9002-89-5	POLYVINYL ALCOHOL	500	Gram(GM)	06/19/18
1519358	9002-89-5	POLYVINYL ALCOHOL	500	Gram(GM)	06/19/18
1519359	13048-33-4	1 6-HEXANEDIOL DIACRYLATE	100	Gram(GM)	06/19/18
1519360	4420-74-0	(3-MERCAPTOPROPYL)-TRIMETHOXYSILANE	25	Gram(GM)	06/19/18
1519486	17787-40-5	TETRAMETHYLAMMONIUM FLUORIDE	25	Gram(GM)	06/19/18
1519487	17787-40-5	TETRAMETHYLAMMONIUM FLUORIDE	25	Gram(GM)	06/19/18
1519488	4045-44-7	1 2 3 4 5-PENTAMETHYLCYCLOPENTADIENE	25	Gram(GM)	06/19/18
1519489	4045-44-7	1 2 3 4 5-PENTAMETHYLCYCLOPENTADIENE	25	Gram(GM)	06/19/18
1519490	7775-41-9	SILVER(I) FLUORIDE	25	Gram(GM)	06/19/18
1519491	25987-06-8	POLYETHYLENIMINE LOW MOLECULAR WEIGHT	250	Milliliter(ML)	06/19/18
1519492	127903-20-2	6-(Fmoc-amino)-1-hexanol	1	Gram(GM)	06/19/18
1519493	627-70-3	ACETONE AZINE	25	Gram(GM)	06/19/18
1457682	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/19/18
1457683	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/19/18
1457684	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	06/19/18
1457685	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	06/19/18
1457686	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	06/19/18
1457687	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	06/19/18
1457688	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	06/19/18
1495483	-	Chevron Hydraulic Oil AW	5	Gallon(GAL)	06/19/18
1519361	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519362	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519363	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519364	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519365	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519366	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519367	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519368	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519369	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519370	7787-69-1	CESIUM BROMIDE	10	Gram(GM)	06/20/18
1519371	30604-81-0	POLYPYRROLE	25	Gram(GM)	06/20/18
1519372	-	POLYANILINE (EMERALDINE SALT)	5	Gram(GM)	06/20/18
1519373	865-49-6	CHLOROFORM-D 99.8+ ATOM% D	1	Kilograms(KG)	06/20/18
1519374	2206-27-1	DIMETHYL SULFOXIDE-D6	25	Gram(GM)	06/20/18
1519375	75-09-2	DICHLOROMETHANE	1	Liters(L)	06/20/18
1519376	825-22-9	2-Amino-3-fluorobenzoic Acid	25	Gram(GM)	06/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519377	56-23-5	CARBON TETRACHLORIDE	1	Liters(L)	06/20/18
1519429	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	06/20/18
1519430	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	06/20/18
1519431	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	06/20/18
1519432	7697-37-2	NITRIC ACID OPTIMA	500	Milliliter(ML)	06/20/18
1519494	24304-00-5	Ultrahigh TC AIN-CC powder	70	Gram(GM)	06/20/18
1519495	137-05-3	METHYL 2-CYANOACRYLATE (PERMABOND 910	1	Ounces(OZ)	06/20/18
1519496	137-05-3	METHYL 2-CYANOACRYLATE (PERMABOND 910	1	Ounces(OZ)	06/20/18
1519497	137-05-3	METHYL 2-CYANOACRYLATE (PERMABOND 910	1	Ounces(OZ)	06/20/18
1519498	137-05-3	METHYL 2-CYANOACRYLATE (PERMABOND 910	1	Ounces(OZ)	06/20/18
1519499	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/20/18
1519500	373-68-2	TETRAMETHYLAMMONIUM FLUORIDE	5	Gram(GM)	06/20/18
1519501	373-68-2	TETRAMETHYLAMMONIUM FLUORIDE	5	Gram(GM)	06/20/18
1519502	101-80-4	4 4'-OXYDIANILINE	100	Gram(GM)	06/20/18
1519503	2420-87-3	3 3' 4 4'-BIPHENYLTETRACARBOXYLIC	25	Gram(GM)	06/20/18
1519504	2420-87-3	3 3' 4 4'-BIPHENYLTETRACARBOXYLIC	25	Gram(GM)	06/20/18
1519505	89-32-7	PYROMELLITIC DIANHYDRIDE	100	Gram(GM)	06/20/18
1519507	-	XIA RTV-4130-J CURING AGENT	4	Kilograms(KG)	06/20/18
1519508	-	GALLIUM STANDARD SOLUTION	125	Milliliter(ML)	06/20/18
1519509	-	GALLIUM STANDARD SOLUTION	125	Milliliter(ML)	06/20/18
1519510	-	ZINC STANDARD SOLUTION	125	Milliliter(ML)	06/20/18
1519511	-	ZINC STANDARD SOLUTION	125	Milliliter(ML)	06/20/18
1519512	7440-47-3	CHROMIUM POWDER	10	Pounds(LB)	06/20/18
1519513	-	Ultragrade 70 pump oil	4	Liters(L)	06/20/18
1519514	-	Ultragrade 70 pump oil	4	Liters(L)	06/20/18
1519515	-	Ultragrade 70 pump oil	4	Liters(L)	06/20/18
1519516	-	Ultragrade 70 pump oil	4	Liters(L)	06/20/18
1519543	60-29-7	ETHYL ETHER	500	Milliliter(ML)	06/20/18
1519544	60-29-7	ETHYL ETHER	500	Milliliter(ML)	06/20/18
1519545	60-29-7	ETHYL ETHER	500	Milliliter(ML)	06/20/18
1519546	60-29-7	ETHYL ETHER	500	Milliliter(ML)	06/20/18
1519547	60-29-7	ETHYL ETHER	500	Milliliter(ML)	06/20/18
1519548	60-29-7	ETHYL ETHER	500	Milliliter(ML)	06/20/18
1519549	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519550	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519551	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519552	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519553	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519554	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519555	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519556	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519557	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519558	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519559	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519560	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519561	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519562	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519563	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519564	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519565	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519566	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519567	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519568	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519569	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519570	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519571	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519572	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519573	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519574	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519575	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519576	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519577	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519578	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519579	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519580	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519581	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519582	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519583	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519584	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519585	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519586	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519587	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519588	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519589	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519590	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519591	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519592	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519593	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519594	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519595	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519596	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519597	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1519598	88-89-1	PICRIC ACID	500	Gram(GM)	06/20/18
1531920	1344-28-1	ALUMINUM OXIDE POWDER	1	Pounds(LB)	06/20/18
1531921	1344-28-1	ALUMINUM OXIDE POWDER	1	Pounds(LB)	06/20/18
1457689	-	SODIUM BISULFITE SOLUTION	2464	Pounds(LB)	06/20/18
1457690	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	06/20/18
1457691	1310-73-2	Sodium Hydroxide 25%	3400	Pounds(LB)	06/20/18
1497260	-	R630	55	Gallon(GAL)	06/20/18
1497261	-	R630	55	Gallon(GAL)	06/20/18
1497262	-	R630	55	Gallon(GAL)	06/20/18
1497263	-	R630	55	Gallon(GAL)	06/20/18
1497264	-	R630	55	Gallon(GAL)	06/20/18
1497265	-	R630	55	Gallon(GAL)	06/20/18
1497266	-	R630	55	Gallon(GAL)	06/20/18
1497267	-	R630	55	Gallon(GAL)	06/20/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1497268	-	R630	55	Gallon(GAL)	06/20/18
1497269	-	R630	55	Gallon(GAL)	06/20/18
1497270	-	R630	55	Gallon(GAL)	06/20/18
1497271	-	R630	55	Gallon(GAL)	06/20/18
1497272	-	R630	55	Gallon(GAL)	06/20/18
1497273	-	R630	55	Gallon(GAL)	06/20/18
1497274	-	R630	55	Gallon(GAL)	06/20/18
1497275	-	R630	55	Gallon(GAL)	06/20/18
1497276	-	R630	55	Gallon(GAL)	06/20/18
1497277	-	R630	55	Gallon(GAL)	06/20/18
1497278	-	R630	55	Gallon(GAL)	06/20/18
1497279	-	R630	55	Gallon(GAL)	06/20/18
1497280	-	R630	55	Gallon(GAL)	06/20/18
1497281	-	R630	55	Gallon(GAL)	06/20/18
1497282	-	R630	55	Gallon(GAL)	06/20/18
1497283	-	R630	55	Gallon(GAL)	06/20/18
1497284	-	R630	55	Gallon(GAL)	06/20/18
1497285	-	R630	55	Gallon(GAL)	06/20/18
1497286	-	R630	55	Gallon(GAL)	06/20/18
1497287	-	R630	55	Gallon(GAL)	06/20/18
1497288	-	R630	55	Gallon(GAL)	06/20/18
1497289	-	R630	55	Gallon(GAL)	06/20/18
1497290	-	R630	55	Gallon(GAL)	06/20/18
1497291	-	R630	55	Gallon(GAL)	06/20/18
1497292	-	R630	55	Gallon(GAL)	06/20/18
1497293	-	R630	55	Gallon(GAL)	06/20/18
1497294	-	R630	55	Gallon(GAL)	06/20/18
1497295	-	R630	55	Gallon(GAL)	06/20/18
1497296	-	R630	55	Gallon(GAL)	06/20/18
1497297	-	R630	55	Gallon(GAL)	06/20/18
1497298	-	R630	55	Gallon(GAL)	06/20/18
1497299	-	R630	55	Gallon(GAL)	06/20/18
1497300	-	R630	55	Gallon(GAL)	06/20/18
1497301	-	R630	55	Gallon(GAL)	06/20/18
1497302	-	R630	55	Gallon(GAL)	06/20/18
1497303	-	R630	55	Gallon(GAL)	06/20/18
1497304	-	R630	55	Gallon(GAL)	06/20/18
1497305	-	R630	55	Gallon(GAL)	06/20/18
1497306	-	R630	55	Gallon(GAL)	06/20/18
1497307	-	R630	55	Gallon(GAL)	06/20/18
1497308	-	R630	55	Gallon(GAL)	06/20/18
1497309	-	R630	55	Gallon(GAL)	06/20/18
1519378	94-09-7	Ethyl 4-aminobenzoate	250	Gram(GM)	06/21/18
1519379	-	2 4-DIHYDROXYBENZALDEHYDE	100	Gram(GM)	06/21/18
1519380	6484-52-2	AMMONIUM NITRATE	2	Kilograms(KG)	06/21/18
1519381	6484-52-2	AMMONIUM NITRATE	2	Kilograms(KG)	06/21/18
1519382	6484-52-2	AMMONIUM NITRATE	2	Kilograms(KG)	06/21/18
1519383	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519384	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519385	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519386	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519387	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519388	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519389	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519390	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519391	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519392	-	HUMAN HEMOGLOBIN	100	Milliliter(ML)	06/21/18
1519394	79-37-8	OXALYL CHLORIDE	100	Gram(GM)	06/21/18
1519395	79-37-8	OXALYL CHLORIDE	100	Gram(GM)	06/21/18
1519396	79-37-8	OXALYL CHLORIDE	100	Gram(GM)	06/21/18
1519397	4800-94-6	CARBENCILLIN DISODIUM SALT	10	Gram(GM)	06/21/18
1519398	155090-83-8	POLY(3 4-ETHYLENEDIOXYTHIOPHENE)-	100	Gram(GM)	06/21/18
1519433	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/21/18
1519434	64-17-5	ETHANOL ANHYDROUS	5	Gallon(GAL)	06/21/18
1519517	-	AS23 Eluent Reagent; Sodium	250	Milliliter(ML)	06/21/18
1519518	-	AS23 Eluent Reagent; Sodium	250	Milliliter(ML)	06/21/18
1519519	-	AS23 Eluent Reagent; Sodium	250	Milliliter(ML)	06/21/18
1519520	-	UTEVA RESIN	200	Gram(GM)	06/21/18
1519521	-	UTEVA RESIN	200	Gram(GM)	06/21/18
1519522	79620-28-3	AMBERLITE IRC-718 ION-EXCHANGE RESIN	250	Gram(GM)	06/21/18
1519523	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519524	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519525	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519526	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519527	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519528	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519529	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519530	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519531	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519532	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519533	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519534	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519535	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519536	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519537	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519538	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519539	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519540	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519541	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519542	137-05-3	METHYL 2-CYANOACRYLATE PERMABOND 910 FS	1	Ounces(OZ)	06/21/18
1519599	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/21/18
1519600	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/21/18
1519601	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/21/18
1519602	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/21/18
1519615	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519616	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519617	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519618	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519619	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519620	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519621	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519622	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519623	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519624	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519625	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519626	811-97-2	AERO-DUSTER	11	Ounces(OZ)	06/21/18
1519627	-	EPOXY	9	Ounces(OZ)	06/21/18
1519628	-	EPOXY	9	Ounces(OZ)	06/21/18
1519629	497-19-8	SODIUM CARBONATE	500	Gram(GM)	06/21/18
1558815	7727-37-9	NITROGEN COMPRESSED GAS	40	Cubic Feet(CF)	06/21/18
1558816	7727-37-9	NITROGEN COMPRESSED GAS	40	Cubic Feet(CF)	06/21/18
1558825	7727-37-9	NITROGEN COMPRESSED GAS	40	Cubic Feet(CF)	06/21/18
1457598	200443-95-4	Enriched Boron Carbide Powder	100	Gram(GM)	06/21/18
1558817	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558818	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558819	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558820	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558821	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558822	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558823	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558824	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558914	-	OXYGEN/HELIUM (1:4)	300	Cubic Feet(CF)	06/21/18
1558915	-	OXYGEN/HELIUM (1:4)	300	Cubic Feet(CF)	06/21/18
1558916	-	OXYGEN/HELIUM (1:4)	300	Cubic Feet(CF)	06/21/18
1558917	-	OXYGEN/HELIUM (1:4)	300	Cubic Feet(CF)	06/21/18
1558826	7727-37-9	NITROGEN COMPRESSED GAS	125	Cubic Feet(CF)	06/21/18
1558827	7440-59-7	HELIUM	125	Cubic Feet(CF)	06/21/18
1558828	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558829	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558830	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558831	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558832	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558833	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558834	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558835	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558836	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558837	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558838	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558839	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558840	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558841	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558842	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558843	-	Argon UHP	220	Cubic Feet(CF)	06/21/18
1558844	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558845	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558846	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558847	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558848	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558849	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558850	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558851	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558852	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558853	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558854	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558855	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558856	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558857	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558858	-	Nitrogen UHP	220	Cubic Feet(CF)	06/21/18
1558859	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558860	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558861	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558862	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558863	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558864	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558865	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558866	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558867	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558868	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558869	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558870	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558871	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558872	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558873	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558874	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558875	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558876	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558877	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558878	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558879	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558880	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558881	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558882	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558883	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558884	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558885	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558886	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558887	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558888	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558889	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558890	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558891	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558892	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558893	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558894	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558895	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558896	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558897	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558898	-	ARGON 94% HYDROGEN 6%	220	Cubic Feet(CF)	06/21/18
1558899	-	Argon 75% Carbon Dioxide 25%	220	Cubic Feet(CF)	06/21/18
1558900	-	Argon 75% Carbon Dioxide 25%	220	Cubic Feet(CF)	06/21/18
1558901	-	Argon 75% Carbon Dioxide 25%	220	Cubic Feet(CF)	06/21/18
1558902	-	Argon 75% Carbon Dioxide 25%	220	Cubic Feet(CF)	06/21/18
1558903	-	Argon 75% Carbon Dioxide 25%	220	Cubic Feet(CF)	06/21/18
1558904	-	Argon 75% Carbon Dioxide 25%	220	Cubic Feet(CF)	06/21/18
1558905	-	Argon 75% Carbon Dioxide 25%	220	Cubic Feet(CF)	06/21/18
1558906	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/21/18
1558907	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558908	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558909	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/21/18
1558910	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/21/18
1558911	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/21/18
1558912	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/21/18
1558913	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/21/18
1558918	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558919	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558920	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558921	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558922	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558923	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558924	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558925	74-98-6	PROPANE	11	Cubic Feet(CF)	06/21/18
1558926	-	100PPM CARBON MONOXIDE/B	103	Cubic Feet(CF)	06/21/18
1558927	-	50PPM CARBON MONOXIDE/BAL	103	Cubic Feet(CF)	06/21/18
1558928	-	100PPM ISOBUTYLENE IN AIR	103	Cubic Feet(CF)	06/21/18
1558929	124-38-9	CARBON DIOXIDE GAS	103	Cubic Feet(CF)	06/21/18
1519630	-	Formula 815 GD Process Detergent	2.5	Gallon(GAL)	06/22/18
1519631	-	Formula 815 GD Process Detergent	2.5	Gallon(GAL)	06/22/18
1519632	-	Formula 815 GD Process Detergent	2.5	Gallon(GAL)	06/22/18
1519633	-	Formula 815 GD Process Detergent	2.5	Gallon(GAL)	06/22/18
1519634	-	Formula 815 GD Process Detergent	2.5	Gallon(GAL)	06/22/18
1519635	-	Formula 815 GD Process Detergent	2.5	Gallon(GAL)	06/22/18
1519636	-	AmpliScribe T7 High Yield Transcription Kit Biotin	500	Milliliter(ML)	06/22/18
1519637	-	AmpliScribe T7 High Yield Transcription Kit Biotin	500	Milliliter(ML)	06/22/18
1519638	-	AmpliScribe T7 High Yield Transcription Kit Biotin	500	Milliliter(ML)	06/22/18
1519639	7365-45-9	HEPES FREE ACID DNASE RNASE AND PROTEASE	250	Gram(GM)	06/22/18
1519640	999-97-3	HEXAMETHYLDISILAZANE	100	Milliliter(ML)	06/22/18
1519642	483-14-7	L-Tetrahydropalmatine 97% (HPLC)	1	Gram(GM)	06/22/18
1519687	-	BIO-BEADS S-X1 BEADS	100	Gram(GM)	06/22/18
1519688	-	BIO-BEADS S-X1 BEADS	100	Gram(GM)	06/22/18
1519689	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519690	-	BARCO BOND EPOXY KIT MB-185	4	Ounces(OZ)	06/22/18
1519691	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519692	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519693	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519694	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519695	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519696	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519697	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519698	771-60-8	2 3 4 5 6-PENTAFLUOROANILINE	25	Gram(GM)	06/22/18
1519699	2576-47-8	2-BROMOETHYLAMINE HYDROBROMIDE	100	Gram(GM)	06/22/18
1519700	7365-45-9	HEPES	50	Gram(GM)	06/22/18
1519759	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519760	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519761	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519762	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519763	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519764	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519765	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519766	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519767	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519768	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519769	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519770	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519771	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519772	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519773	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519774	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519775	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519776	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519777	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519778	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519779	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519780	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519781	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519782	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519783	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519784	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519785	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519786	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519787	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519788	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519789	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519790	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519791	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519792	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519793	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519794	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519795	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519796	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519797	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519798	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519799	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519800	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519801	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519802	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519803	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519804	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519805	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519806	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519807	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519808	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519809	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519810	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519811	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519812	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1495484	-	WD-40 NON-AEROSOL	20	Ounces(OZ)	06/22/18
1519326	-	FrostaLife Cryopreservation Solution	100	Milliliter(ML)	06/22/18
1519435	-	RTV11	1	Pint(PT)	06/22/18
1519436	-	RTV11	1	Pint(PT)	06/22/18
1519437	-	RTV11	1	Pint(PT)	06/22/18
1519438	-	RTV11	1	Pint(PT)	06/22/18
1519439	-	RTV11	1	Pint(PT)	06/22/18
1519440	-	RTV11	1	Pint(PT)	06/22/18
1519441	-	RTV11	1	Pint(PT)	06/22/18
1519442	-	RTV11	1	Pint(PT)	06/22/18
1519443	-	RTV11	1	Pint(PT)	06/22/18
1519444	-	RTV11	1	Pint(PT)	06/22/18
1519445	-	RTV11	1	Pint(PT)	06/22/18
1519446	-	RTV11	1	Pint(PT)	06/22/18
1519447	-	RTV11	1	Pint(PT)	06/22/18
1519448	-	RTV11	1	Pint(PT)	06/22/18
1519449	-	RTV11	1	Pint(PT)	06/22/18
1519450	-	RTV11	1	Pint(PT)	06/22/18
1519451	-	RTV11	1	Pint(PT)	06/22/18
1519452	-	RTV11	1	Pint(PT)	06/22/18
1519453	-	RTV11	1	Pint(PT)	06/22/18
1519454	-	RTV11	1	Pint(PT)	06/22/18
1519455	-	RTV11	1	Pint(PT)	06/22/18
1519456	-	RTV11	1	Pint(PT)	06/22/18
1519457	-	RTV11	1	Pint(PT)	06/22/18
1519458	-	RTV11	1	Pint(PT)	06/22/18
1519459	-	RTV11	1	Pint(PT)	06/22/18
1519460	-	RTV11	1	Pint(PT)	06/22/18
1519461	-	RTV11	1	Pint(PT)	06/22/18
1519462	-	RTV11	1	Pint(PT)	06/22/18
1519463	-	RTV11	1	Pint(PT)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519464	-	RTV11	1	Pint(PT)	06/22/18
1519465	-	RTV11	1	Pint(PT)	06/22/18
1519466	-	RTV11	1	Pint(PT)	06/22/18
1519467	-	RTV11	1	Pint(PT)	06/22/18
1519468	-	RTV11	1	Pint(PT)	06/22/18
1519469	-	RTV11	1	Pint(PT)	06/22/18
1519470	-	RTV11	1	Pint(PT)	06/22/18
1519603	67-66-3	CHLOROFORM	4	Liters(L)	06/22/18
1519604	67-66-3	CHLOROFORM	4	Liters(L)	06/22/18
1519605	67-66-3	CHLOROFORM	4	Liters(L)	06/22/18
1519606	67-66-3	CHLOROFORM	4	Liters(L)	06/22/18
1519641	7693-26-7	POTASSIUM HYDRIDE 30% WT IN MINERAL OIL	75	Gram(GM)	06/22/18
1519643	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519644	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519645	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519646	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519647	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519648	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519649	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519650	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519651	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519652	-	DOW CORNING 3145RTV ADHESIVE/SEALANT	90	Milliliter(ML)	06/22/18
1519653	84-74-2	DIBUTYL PHTHALATE	1	Gram(GM)	06/22/18
1519654	84-74-2	DIBUTYL PHTHALATE	1	Gram(GM)	06/22/18
1519655	73-24-5	ADENINE	5	Gram(GM)	06/22/18
1519656	58-63-9	INOSINE	10	Gram(GM)	06/22/18
1519657	72-48-0	ALIZARIN	100	Gram(GM)	06/22/18
1519658	70955-01-0	MOLECULAR SIEVES 4A 1/16-INCH BEADS 8-12	1	Kilograms(KG)	06/22/18
1519659	14187-32-7	DIBENZO-18-CROWN-6	50	Gram(GM)	06/22/18
1519660	7487-88-9	MAGNESIUM SULFATE ANHYDROUS	500	Gram(GM)	06/22/18
1519661	7487-88-9	MAGNESIUM SULFATE ANHYDROUS	500	Gram(GM)	06/22/18
1519662	1291-32-3	BIS(CYCLOPENTADIENYL)ZIRCONIUM	100	Gram(GM)	06/22/18
1519663	1271-19-8	BIS(CYCLOPENTADIENYL)TITANIUM DICHLORIDE	10	Gram(GM)	06/22/18
1519664	7440-66-6	ZINC POWDER	250	Gram(GM)	06/22/18
1519665	119-61-9	BENZOPHENONE	500	Gram(GM)	06/22/18
1519666	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/22/18
1519667	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/22/18
1519668	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/22/18
1519669	132705-51-2	Bromo-tris-pyrrolidino-phosphonium	8	Gram(GM)	06/22/18
1519701	-	XIAMETER RTV-3110 BASE	453	Gram(GM)	06/22/18
1519702	110-71-4	1 2-DIMETHOXYETHANE	1	Liters(L)	06/22/18
1519703	110-71-4	1 2-DIMETHOXYETHANE	1	Liters(L)	06/22/18
1519704	1310-58-3	POTASSIUM HYDROXIDE	1	Kilograms(KG)	06/22/18
1519705	1310-58-3	POTASSIUM HYDROXIDE	1	Kilograms(KG)	06/22/18
1519706	1310-58-3	POTASSIUM HYDROXIDE	1	Kilograms(KG)	06/22/18
1519707	503-17-3	2-BUTYNE	25	Gram(GM)	06/22/18
1519708	77-73-6	DICYCLOPENTADIENE	1	Kilograms(KG)	06/22/18
1519709	7439-95-4	MAGNESIUM TURNINGS	500	Gram(GM)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519710	644-97-3	DICHLOROPHENYLPHOSPHINE	100	Gram(GM)	06/22/18
1519711	75-77-4	CHLOROTRIMETHYLSILANE	500	Gram(GM)	06/22/18
1519712	63393-96-4	ADOGEN 464	500	Milliliter(ML)	06/22/18
1519713	25034-58-6	BIO-GEL GEL	100	Gram(GM)	06/22/18
1519714	9052-95-3	BIO-BEADS S-X3	100	Gram(GM)	06/22/18
1519715	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519716	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519717	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519718	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519719	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1519720	10035-04-8	CALCIUM CHLORIDE DIHYDRATE	500	Gram(GM)	06/22/18
1457693	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/22/18
1457694	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/22/18
1478420	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478421	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478422	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478423	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478424	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478425	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478426	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478427	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478428	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478429	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478430	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478431	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478432	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478433	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478434	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478435	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1519607	-	FUSED SILICA CRYSTALLINE	55	Pounds(LB)	06/22/18
1519608	-	FUSED SILICA CRYSTALLINE	55	Pounds(LB)	06/22/18
1478547	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478548	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478549	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478550	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478551	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478552	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478553	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478554	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478555	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478556	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478557	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478558	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478559	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478560	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478561	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478562	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478563	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1478564	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478565	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478566	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478567	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478568	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478569	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478570	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478571	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478572	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478573	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478574	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478575	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478576	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478577	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478578	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478579	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478580	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478581	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478582	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478583	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478584	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478585	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478586	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478587	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478588	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478589	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478590	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478591	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478592	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478593	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478594	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478595	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478596	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478597	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478598	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478599	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1478600	497-19-8	Soda Ash 58% Dense	50	Pounds(LB)	06/22/18
1519609	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	06/22/18
1519610	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	06/22/18
1519611	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	06/22/18
1519612	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	06/22/18
1519613	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	06/22/18
1519614	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN	2.5	Liters(L)	06/22/18
1519670	506-68-3	Cyanogen bromide	25	Gram(GM)	06/22/18
1519671	-	LMM 6000 Black for Metal	12	Ounces(OZ)	06/22/18
1519672	-	LMM 6000 Black for Metal	12	Ounces(OZ)	06/22/18
1519673	75-52-5	NITROMETHANE	500	Milliliter(ML)	06/22/18
1519674	12030-49-8	IRIDIUM (IV) OXIDE	5	Gram(GM)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519675	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519676	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519677	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519678	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519679	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519680	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519681	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519682	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519683	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519684	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519685	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519686	-	VACUUM GREASE (FISHER)	150	Gram(GM)	06/22/18
1519721	63148-58-3	SILICONE OIL	500	Milliliter(ML)	06/22/18
1519722	63148-58-3	SILICONE OIL	500	Milliliter(ML)	06/22/18
1519723	63148-58-3	SILICONE OIL	500	Milliliter(ML)	06/22/18
1519724	63148-58-3	SILICONE OIL	500	Milliliter(ML)	06/22/18
1519725	63148-58-3	SILICONE OIL	500	Milliliter(ML)	06/22/18
1519726	63148-58-3	SILICONE OIL	500	Milliliter(ML)	06/22/18
1519728	7782-42-5	GRAPHITE	2.5	Kilograms(KG)	06/22/18
1519729	110-30-5	N N'-ETHYLENEDISTEARAMIDE	1	Kilograms(KG)	06/22/18
1519730	557-05-1	ZINC STEARATE	1	Kilograms(KG)	06/22/18
1519731	110-46-3	Isopentyl nitrite	100	Milliliter(ML)	06/22/18
1519825	7722-84-1	HYDROGEN PEROXIDE	500	Milliliter(ML)	06/22/18
1519831	-	TEFLON DRY LUBRICANT SPRAY	15	Ounces(OZ)	06/22/18
1519832	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	06/22/18
1519833	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	06/22/18
1519834	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	06/22/18
1519835	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	06/22/18
1519836	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	06/22/18
1519837	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	06/22/18
1519838	-	AmpliScribe T7 High Yield Transcription Kit Biotin-	50	Milliliter(ML)	06/22/18
1519839	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519840	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519841	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519842	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519843	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519844	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519845	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519846	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519847	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519848	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519849	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519850	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519851	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519852	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519853	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519854	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519855	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519856	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519857	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519858	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	06/22/18
1519859	7429-90-5	ALUMINUM POWDER	11	Pounds(LB)	06/22/18
1457963	7705-08-0	FERRIC CHLORIDE	3400	Pounds(LB)	06/22/18
1432743	-	RT100S G	32	Ounces(OZ)	06/22/18
1432744	-	RT100S G	32	Ounces(OZ)	06/22/18
1432745	-	RT100S G	32	Ounces(OZ)	06/22/18
1432746	-	RT100S G	32	Ounces(OZ)	06/22/18
1432747	-	RT100S G	32	Ounces(OZ)	06/22/18
1432748	-	RT100S G	32	Ounces(OZ)	06/22/18
1432749	-	RT100S G	32	Ounces(OZ)	06/22/18
1432750	-	RT100S G	32	Ounces(OZ)	06/22/18
1432751	-	RT100S G	32	Ounces(OZ)	06/22/18
1432752	-	RT100S G	32	Ounces(OZ)	06/22/18
1432753	-	RT100S G	32	Ounces(OZ)	06/22/18
1432754	-	RT100S G	32	Ounces(OZ)	06/22/18
1432755	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	06/22/18
1432782	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	06/22/18
1432781	-	VICTAULIC LUBRICANT	1	Quarts(QT)	06/22/18
1432790	-	OATEY CLEAR ALL-PURPOSE CEMENT FOR ABS	1	Pint(PT)	06/22/18
1432791	-	HERCULES CLEAR PVC PIPE CEMENT	1	Pint(PT)	06/22/18
1432855	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432856	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432857	-	NOKORODE REGULAR PASTE FLUX	1	Pounds(LB)	06/22/18
1432858	-	NOKORODE AQUA FLUX	16	Ounces(OZ)	06/22/18
1432859	-	VICTAULIC LUBRICANT	1	Quarts(QT)	06/22/18
1432860	-	VICTAULIC LUBRICANT	1	Quarts(QT)	06/22/18
1432861	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	06/22/18
1432862	-	Blue Monster PTFE Pipe Thread Sealant	16	Ounces(OZ)	06/22/18
1432768	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432769	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432770	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432771	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432772	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432773	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432774	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432775	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432776	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432777	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432778	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432779	-	NOKORODE REGULAR PASTE FLUX	4	Ounces(OZ)	06/22/18
1432756	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432757	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432758	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432759	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432760	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432761	-	silvabrite 100	1	Pounds(LB)	06/22/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1432762	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432763	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432764	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432765	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432766	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432767	-	silvabrite 100	1	Pounds(LB)	06/22/18
1432822	-	LOCTITE NICKEL ANTISEIZE	8	Ounces(OZ)	06/22/18
1432823	-	LOCTITE NICKEL ANTISEIZE	8	Ounces(OZ)	06/22/18
1432824	-	Tru-Blue Thread Sealant	1	Pint(PT)	06/22/18
1432825	-	Tru-Blue Thread Sealant	1	Pint(PT)	06/22/18
1432827	-	LEAK LOCK(R)	4	Ounces(OZ)	06/22/18
1432828	-	LEAK LOCK(R)	4	Ounces(OZ)	06/22/18
1432829	-	LEAK LOCK(R)	4	Ounces(OZ)	06/22/18
1432830	-	LEAK LOCK(R)	4	Ounces(OZ)	06/22/18
1432831	-	LEAK LOCK(R)	4	Ounces(OZ)	06/22/18
1432832	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432833	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432834	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432835	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432836	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432837	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432838	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432839	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432840	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432841	-	SQUIRT n BUBBLES	8	Ounces(OZ)	06/22/18
1432853	-	HERCULES PVC CEMENT GRAY	1	Quarts(QT)	06/22/18
1432854	-	HERCULES PURPLE PVC PRIMER	1	Quarts(QT)	06/22/18
1486412	-	LOCTITE 271	50	Milliliter(ML)	06/25/18
1486495	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486496	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486497	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486498	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486499	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486500	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486501	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486502	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486503	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486504	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486505	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486506	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486507	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486508	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486509	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486510	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486511	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486512	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486513	-	KSG Grease	14	Ounces(OZ)	06/25/18
1486514	-	KSG Grease	14	Ounces(OZ)	06/25/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1486339	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486340	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486341	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486342	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486343	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486344	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486345	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486346	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486347	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486348	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486349	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486350	-	FS-One Max	10	Ounces(OZ)	06/25/18
1486515	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486516	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486517	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486518	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486519	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486520	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486521	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486522	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486523	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486524	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486525	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1486526	-	CP 618 Firestop Putty Stick	295	Milliliter(ML)	06/25/18
1519732	622-97-9	P-METHYLSTYRENE	100	Milliliter(ML)	06/25/18
1519733	112-55-0	1-DODECANETHIOL	500	Milliliter(ML)	06/25/18
1519860	15244-10-7	IRON(III) SULFATE	250	Gram(GM)	06/25/18
1519861	75980-60-8	Diphenyl(2 4 6-trimethylbenzoyl)phosphine oxide	25	Gram(GM)	06/25/18
1519862	-	LOCTITE SUPER GLUE	20	Gram(GM)	06/25/18
1519863	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519864	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519865	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519866	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519867	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519868	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519869	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519870	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519871	-	DC 3-6559 ACCELERATOR	0.45	Kilograms(KG)	06/25/18
1519872	75-52-5	NITROMETHANE	500	Gram(GM)	06/25/18
1519873	54505-72-5	DIETHYLMALONYL DICHLORIDE	25	Gram(GM)	06/25/18
1519874	-	Phusion* Hot Start II High-Fidelity DNA	100	Milliliter(ML)	06/25/18
1519876	6132-04-3	SODIUM CITRATE	3	Kilograms(KG)	06/25/18
1519903	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/25/18
1519904	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/25/18
1519905	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/25/18
1519906	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/25/18
1519907	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/25/18
1519908	7697-37-2	NITRIC ACID	2.5	Liters(L)	06/25/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519909	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519910	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519911	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519912	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519913	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519914	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519915	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519916	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519917	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519918	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519919	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519920	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519921	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519922	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519923	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1519924	-	FANTASTIK ALL PURPOSE CLEANER	1	Gallon(GAL)	06/25/18
1457985	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/25/18
1457692	-	SODIUM BISULFITE SOLUTION	2464	Pounds(LB)	06/25/18
1457983	7705-08-0	FERRIC CHLORIDE	3400	Pounds(LB)	06/25/18
1497310	-	RANDO HDZ	55	Gallon(GAL)	06/26/18
1497311	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497312	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497313	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497314	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497315	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497316	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497317	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497318	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497319	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497320	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497321	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497322	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497323	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497324	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497325	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497326	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497327	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1497328	-	SPLASH Original Blue Windshield Wash	1	Gallon(GAL)	06/26/18
1558930	-	Compressed Gas N.O.S	103	Cubic Feet(CF)	06/26/18
1519734	-	Zinc ore concentrate (trace elements)	200	Gram(GM)	06/26/18
1519735	4197-25-5	SUDAN BLACK B	25	Gram(GM)	06/26/18
1519736	3109-63-5	TETRABUTYLAMMONIUM	100	Gram(GM)	06/26/18
1519737	1822-00-0	(Trimethylsilyl)methylithium solution	50	Milliliter(ML)	06/26/18
1519738	1822-00-0	(Trimethylsilyl)methylithium solution	50	Milliliter(ML)	06/26/18
1519826	-	PURIFIER CHARGE REPLACEMENT	6	Pounds(LB)	06/26/18
1519827	-	PURIFIER CHARGE REPLACEMENT	6	Pounds(LB)	06/26/18
1519828	67-64-1	ACETONE	1	Liters(L)	06/26/18
1519829	108-88-3	TOLUENE	1	Liters(L)	06/26/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519830	64742-65-0	PUMP OIL	1	Liters(L)	06/26/18
1519875	-	SILVER CONDUCTIVE EPOXY	1	Ounces(OZ)	06/26/18
1519877	-	HIGH TEMPERATURE WHITE RGD525	3.6	Kilograms(KG)	06/26/18
1519878	-	OBJET VEROCLEAR RGD810	3.6	Kilograms(KG)	06/26/18
1519879	-	OBJET VEROGRAY RGD850	3.6	Kilograms(KG)	06/26/18
1245353	7664-93-9	SULFURIC ACID	500	Milliliter(ML)	06/26/18
1381346	-	FANTASTIKE ALL PURPOSE CLEANER	500	Milliliter(ML)	06/26/18
1381347	-	FANTASTIKE ALL PURPOSE CLEANER	500	Milliliter(ML)	06/26/18
1519880	-	RGD720 Transparent Resin	3.6	Kilograms(KG)	06/26/18
1519881	1079-66-9	CHLORODIPHENYLPHOSPHINE	50	Gram(GM)	06/26/18
1519885	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	06/26/18
1519886	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	06/26/18
1519887	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	06/26/18
1519888	7647-01-0	HYDROCHLORIC ACID TRACE METAL-35%	500	Milliliter(ML)	06/26/18
1519893	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519894	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519895	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519896	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519897	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519898	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519899	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519900	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519901	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519902	-	2-TON CLEAR EPOXY	25	Milliliter(ML)	06/26/18
1519975	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	06/26/18
1519976	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	06/26/18
1519977	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	06/26/18
1519978	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	06/26/18
1519979	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	06/26/18
1519980	7784-27-2	ALUMINUM NITRATE NONAHYDRATE	500	Gram(GM)	06/26/18
1148285	67-63-0	ISOPROPYL ALCOHOL	16	Ounces(OZ)	06/27/18
1519739	84-67-3	2 2'-Dimethyl-[1 1'-biphenyl]-4 4'-diamine	100	Gram(GM)	06/27/18
1519740	102852-92-6	1 3 5-Tris(4-aminophenoxy)benzene	1	Gram(GM)	06/27/18
1519741	102852-92-6	1 3 5-Tris(4-aminophenoxy)benzene	1	Gram(GM)	06/27/18
1519742	1310-73-2	SODIUM HYDROXIDE BEADS	1	Kilograms(KG)	06/27/18
1519743	144-62-7	OXALIC ACID	100	Gram(GM)	06/27/18
1519744	144-62-7	OXALIC ACID	100	Gram(GM)	06/27/18
1519745	144-62-7	OXALIC ACID	100	Gram(GM)	06/27/18
1519747	7693-26-7	POTASSIUM HYDRIDE	75	Gram(GM)	06/27/18
1519748	2857-97-8	BROMOTRIMETHYLSILANE	100	Gram(GM)	06/27/18
1519749	123-91-1	1 4-DIOXANE	1	Liters(L)	06/27/18
1519750	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	06/27/18
1519751	75-05-8	ACETONITRILE ANHYDROUS	1	Liters(L)	06/27/18
1519752	121-44-8	TRIETHYLAMINE	100	Milliliter(ML)	06/27/18
1519753	9002-98-6	POLYETHYLENIMINE	100	Gram(GM)	06/27/18
1519813	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519814	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519815	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519816	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519817	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519818	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519819	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519820	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519821	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519822	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519823	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519824	110-89-4	PIPERIDINE	500	Gram(GM)	06/27/18
1519883	7664-39-3	HYDROFLUORIC ACID	5	Gallon(GAL)	06/27/18
1519891	16853-85-3	LITHIUM ALUMINUM HYDRIDE	25	Gram(GM)	06/27/18
1519892	16853-85-3	LITHIUM ALUMINUM HYDRIDE	25	Gram(GM)	06/27/18
1519930	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/27/18
1519931	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/27/18
1519932	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/27/18
1519933	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/27/18
1519934	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/27/18
1519935	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	06/27/18
1519938	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519939	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519940	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519941	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519942	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519943	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519944	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519945	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519946	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1519947	7697-37-2	NITRIC ACID	500	Milliliter(ML)	06/27/18
1453068	-	SPARKLEEN	500	Milliliter(ML)	06/27/18
1453077	-	ANTI-BACTERIAL FANTASTIC	500	Milliliter(ML)	06/27/18
1453076	-	POLISHING COMPOUND	500	Milliliter(ML)	06/27/18
1453075	-	ACETONE ACS	4	Liters(L)	06/27/18
1453074	-	Emerel Multi-Surface Creme Cleanser	500	Milliliter(ML)	06/27/18
1453073	-	Soft Scrub Cleanser Orange	250	Milliliter(ML)	06/27/18
1453067	7791-25-5	SULFURYL CHLORIDE	250	Milliliter(ML)	06/27/18
1457680	1315-09-9	ZINC SELENIDE	9	Cubic	06/28/18
1457681	1315-09-9	ZINC SELENIDE	9	Cubic	06/28/18
1454329	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	06/28/18
1454330	-	PSX 700 WHITE RESIN	1	Gallon(GAL)	06/28/18
1454333	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454334	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454335	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454336	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454337	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454338	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454145	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454146	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454147	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1454148	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454149	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454150	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454151	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454152	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454153	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454154	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454155	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454156	-	Homax Wall Texture Pro Grade- Orange Peel	25	Ounces(OZ)	06/28/18
1454323	-	KRUD KUTTER CLEANER/DEGREASER	1	Gallon(GAL)	06/28/18
1454319	-	Floetrol Latex Paint Additive	1	Quarts(QT)	06/28/18
1454320	-	Floetrol Latex Paint Additive	1	Quarts(QT)	06/28/18
1454118	-	Floetrol Latex Paint Additive	1	Gallon(GAL)	06/28/18
1454119	-	Floetrol Latex Paint Additive	1	Gallon(GAL)	06/28/18
1558945	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558946	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558947	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558948	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558949	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558950	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558951	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558952	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558953	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558954	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558955	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558956	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558957	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558958	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558959	-	Argon UHP	220	Cubic Feet(CF)	06/28/18
1558960	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558961	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558962	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558963	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558964	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558965	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558966	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558967	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558968	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558969	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558970	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558971	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558972	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558973	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558974	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558975	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558976	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558977	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558978	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1558979	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558980	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558981	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558982	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558983	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558984	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558985	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558986	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558987	-	Nitrogen UHP	220	Cubic Feet(CF)	06/28/18
1558988	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558989	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558990	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558991	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558992	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558993	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558994	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558995	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558996	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558997	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558998	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1558999	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559000	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559001	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559002	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559003	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559004	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559005	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559006	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559007	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559008	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559009	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559010	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559011	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559012	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559013	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559014	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559015	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559016	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559017	-	ARGON/METHANE	220	Cubic Feet(CF)	06/28/18
1559018	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559019	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559020	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559021	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559022	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559023	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559024	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559025	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559026	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1559027	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559028	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559029	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559030	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559031	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559032	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559033	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559034	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559035	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559036	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559037	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559038	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559039	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559040	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559041	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559042	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559043	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559044	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559045	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559046	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559047	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559048	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559049	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559050	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559051	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559052	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559053	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559054	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1559055	7440-59-7	Helium UHP	220	Cubic Feet(CF)	06/28/18
1454324	-	FLOOD PENETROL OIL BASED PAINT ADDITIVE	1	Gallon(GAL)	06/28/18
1559056	74-86-2	ACETYLENE STABILIZED	40	Pounds(LB)	06/28/18
1559057	74-86-2	ACETYLENE STABILIZED	40	Pounds(LB)	06/28/18
1559058	74-86-2	ACETYLENE STABILIZED	40	Pounds(LB)	06/28/18
1559059	74-86-2	ACETYLENE STABILIZED	40	Pounds(LB)	06/28/18
1559060	74-86-2	ACETYLENE STABILIZED	40	Pounds(LB)	06/28/18
1559061	74-86-2	ACETYLENE STABILIZED	40	Pounds(LB)	06/28/18
1559062	74-86-2	ACETYLENE STABILIZED	40	Pounds(LB)	06/28/18
1454095	-	888-2551 COLORTREND ORGANIC YELLOW AXX	1	Liters(L)	06/28/18
1454096	-	888-2551 COLORTREND ORGANIC YELLOW AXX	1	Liters(L)	06/28/18
1559080	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/28/18
1559081	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/28/18
1559082	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/28/18
1559083	-	AIR COMPRESSED	220	Cubic Feet(CF)	06/28/18
1519754	7664-93-9	SULFURIC ACID	500	Milliliter(ML)	06/28/18
1519755	7783-50-8	IRON(III) FLUORIDE (FERRIC FLUORIDE)	10	Gram(GM)	06/28/18
1519756	64742-65-0	INLAND 19	1	Liters(L)	06/28/18
1519757	62929-02-6	Polyimide resin	250	Gram(GM)	06/28/18
1519758	62929-02-6	Polyimide resin	250	Gram(GM)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1519882	96-21-9	1 3-DIBROMO-2-PROPANOL	25	Gram(GM)	06/28/18
1519884	109-72-8	N-BUTYLLITHIUM	800	Milliliter(ML)	06/28/18
1519890	-	E.Z.N.A. Plant RNA Kit	165	Milliliter(ML)	06/28/18
1519982	75-12-7	FORMAMIDE	100	Milliliter(ML)	06/28/18
1519983	-	KRYTOX VACUUM PUMP OIL	500	Gram(GM)	06/28/18
1495486	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1519984	142-82-5	HEPTANE	1	Liters(L)	06/28/18
1519986	-	CONTRAD 70 CLEANER DETERGENT	1	Liters(L)	06/28/18
1519987	-	CONTRAD 70 CLEANER DETERGENT	1	Liters(L)	06/28/18
1495487	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495488	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495489	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495490	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495491	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495492	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495493	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495494	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495495	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495496	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1495497	-	LUBRIPLATE CHAIN AND CABLE FLUID	11	Ounces(OZ)	06/28/18
1519988	7782-61-8	IRON (III) NITRATE	411	Gram(GM)	06/28/18
1519989	7782-61-8	IRON (III) NITRATE	411	Gram(GM)	06/28/18
1519990	-	GLYCEROL GEL LOADING DYE-	4	Milliliter(ML)	06/28/18
1519991	14808-60-7	SAND WHITE QUARTZ	5	Kilograms(KG)	06/28/18
1519992	2127-03-9	ALDRITHIOL-2	5	Gram(GM)	06/28/18
1519993	311-28-4	TETRABUTYLAMMONIUM IODIDE	25	Gram(GM)	06/28/18
1519994	92-94-4	P-TERPHENYL	25	Gram(GM)	06/28/18
1519995	762-04-9	DIETHYL PHOSPHITE	250	Gram(GM)	06/28/18
1519996	56-81-5	SlowFade Gold Antifade Mountant	10	Milliliter(ML)	06/28/18
1519997	56-81-5	SlowFade Gold Antifade Mountant	10	Milliliter(ML)	06/28/18
1520047	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	06/28/18
1520048	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	06/28/18
1520049	1306-38-3	CERIUM(IV) OXIDE	500	Gram(GM)	06/28/18
1520050	86508-42-1	FC-40 FLUORINERT BRAND ELECTRONIC LIQUID	200	Milliliter(ML)	06/28/18
1495498	-	CAT HYDO ADVANCED 10 HYDRAULIC OIL	55	Gallon(GAL)	06/28/18
1520051	86508-42-1	FC-40 FLUORINERT BRAND ELECTRONIC LIQUID	200	Milliliter(ML)	06/28/18
1520052	4045-44-7	PENTAMETHYLCYCLOPENTADIENE	25	Gram(GM)	06/28/18
1520053	4045-44-7	PENTAMETHYLCYCLOPENTADIENE	25	Gram(GM)	06/28/18
1520054	112-40-3	DODECANE	2500	Milliliter(ML)	06/28/18
1495499	-	Chevron Ultra-Duty Grease EP NLGI 0 1 2	33	Gallon(GAL)	06/28/18
1520119	-	CLOROX	1	Gallon(GAL)	06/28/18
1520120	-	CLOROX	1	Gallon(GAL)	06/28/18
1520121	-	CLOROX	1	Gallon(GAL)	06/28/18
1520122	-	CLOROX	1	Gallon(GAL)	06/28/18
1520123	-	CLOROX	1	Gallon(GAL)	06/28/18
1520124	-	CLOROX	1	Gallon(GAL)	06/28/18
1520125	-	CLOROX	1	Gallon(GAL)	06/28/18
1520126	-	CLOROX	1	Gallon(GAL)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1520127	-	CLOROX	1	Gallon(GAL)	06/28/18
1520128	-	CLOROX	1	Gallon(GAL)	06/28/18
1520129	-	CLOROX	1	Gallon(GAL)	06/28/18
1520130	-	CLOROX	1	Gallon(GAL)	06/28/18
1520131	-	CLOROX	1	Gallon(GAL)	06/28/18
1520132	-	CLOROX	1	Gallon(GAL)	06/28/18
1520133	-	CLOROX	1	Gallon(GAL)	06/28/18
1520134	-	CLOROX	1	Gallon(GAL)	06/28/18
1520135	-	CLOROX	1	Gallon(GAL)	06/28/18
1520136	-	CLOROX	1	Gallon(GAL)	06/28/18
1520137	-	CLOROX	1	Gallon(GAL)	06/28/18
1520138	-	CLOROX	1	Gallon(GAL)	06/28/18
1520139	-	CLOROX	1	Gallon(GAL)	06/28/18
1520140	-	CLOROX	1	Gallon(GAL)	06/28/18
1520141	-	CLOROX	1	Gallon(GAL)	06/28/18
1520142	-	CLOROX	1	Gallon(GAL)	06/28/18
1520143	-	CLOROX	1	Gallon(GAL)	06/28/18
1520144	-	CLOROX	1	Gallon(GAL)	06/28/18
1520145	-	CLOROX	1	Gallon(GAL)	06/28/18
1520146	-	CLOROX	1	Gallon(GAL)	06/28/18
1520147	-	CLOROX	1	Gallon(GAL)	06/28/18
1520148	-	CLOROX	1	Gallon(GAL)	06/28/18
1520149	-	CLOROX	1	Gallon(GAL)	06/28/18
1520150	-	CLOROX	1	Gallon(GAL)	06/28/18
1520151	-	CLOROX	1	Gallon(GAL)	06/28/18
1520152	-	CLOROX	1	Gallon(GAL)	06/28/18
1520153	-	CLOROX	1	Gallon(GAL)	06/28/18
1520154	-	CLOROX	1	Gallon(GAL)	06/28/18
1520155	-	CLOROX	1	Gallon(GAL)	06/28/18
1520156	-	CLOROX	1	Gallon(GAL)	06/28/18
1520157	-	CLOROX	1	Gallon(GAL)	06/28/18
1520158	-	CLOROX	1	Gallon(GAL)	06/28/18
1520159	-	CLOROX	1	Gallon(GAL)	06/28/18
1520160	-	CLOROX	1	Gallon(GAL)	06/28/18
1520161	-	CLOROX	1	Gallon(GAL)	06/28/18
1520162	-	CLOROX	1	Gallon(GAL)	06/28/18
1520163	-	CLOROX	1	Gallon(GAL)	06/28/18
1520164	-	CLOROX	1	Gallon(GAL)	06/28/18
1520165	-	CLOROX	1	Gallon(GAL)	06/28/18
1520166	-	CLOROX	1	Gallon(GAL)	06/28/18
1520167	-	CLOROX	1	Gallon(GAL)	06/28/18
1520168	-	CLOROX	1	Gallon(GAL)	06/28/18
1520169	-	CLOROX	1	Gallon(GAL)	06/28/18
1520170	-	CLOROX	1	Gallon(GAL)	06/28/18
1520171	-	CLOROX	1	Gallon(GAL)	06/28/18
1520172	-	CLOROX	1	Gallon(GAL)	06/28/18
1520173	-	CLOROX	1	Gallon(GAL)	06/28/18
1520174	-	CLOROX	1	Gallon(GAL)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1520175	-	CLOROX	1	Gallon(GAL)	06/28/18
1520176	-	CLOROX	1	Gallon(GAL)	06/28/18
1520177	-	CLOROX	1	Gallon(GAL)	06/28/18
1520178	-	CLOROX	1	Gallon(GAL)	06/28/18
1520179	-	CLOROX	1	Gallon(GAL)	06/28/18
1520180	-	CLOROX	1	Gallon(GAL)	06/28/18
1520181	-	CLOROX	1	Gallon(GAL)	06/28/18
1520182	-	CLOROX	1	Gallon(GAL)	06/28/18
1520183	-	CLOROX	1	Gallon(GAL)	06/28/18
1520184	-	CLOROX	1	Gallon(GAL)	06/28/18
1520185	-	CLOROX	1	Gallon(GAL)	06/28/18
1520186	-	CLOROX	1	Gallon(GAL)	06/28/18
1520187	-	CLOROX	1	Gallon(GAL)	06/28/18
1520188	-	CLOROX	1	Gallon(GAL)	06/28/18
1520189	-	CLOROX	1	Gallon(GAL)	06/28/18
1520190	-	CLOROX	1	Gallon(GAL)	06/28/18
1520191	-	CLOROX	1	Gallon(GAL)	06/28/18
1520192	-	CLOROX	1	Gallon(GAL)	06/28/18
1520193	-	CLOROX	1	Gallon(GAL)	06/28/18
1457986	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/28/18
1457987	7732-18-5	Hydrochloric Acid 30-31%	3000	Pounds(LB)	06/28/18
1476770	-	Avalon Premium 100% Acrylic Interior Flat W/B	5	Gallon(GAL)	06/28/18
1476771	-	Avalon Premium 100% Acrylic Interior Flat W/B	5	Gallon(GAL)	06/28/18
1476772	-	Avalon Premium 100% Acrylic Interior Flat W/B	5	Gallon(GAL)	06/28/18
1476773	-	Avalon Premium 100% Acrylic Interior Flat W/B	5	Gallon(GAL)	06/28/18
1476775	-	Avalon Premium 100% Acrylic Interior Satin D/B	5	Gallon(GAL)	06/28/18
1476776	-	Avalon Premium 100% Acrylic Interior Satin D/B	5	Gallon(GAL)	06/28/18
1476777	-	Avalon Premium 100% Acrylic Interior Satin D/B	5	Gallon(GAL)	06/28/18
1476778	-	Avalon Premium 100% Acrylic Interior Satin D/B	5	Gallon(GAL)	06/28/18
1454097	-	808-7214 COLORTREND E PHTHALO BLUE	1	Liters(L)	06/28/18
1454098	-	808-7214 COLORTREND E PHTHALO BLUE	1	Liters(L)	06/28/18
1454099	-	808-9907 COLORTREND B LAMP BLACK	1	Quarts(QT)	06/28/18
1559084	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/28/18
1559085	7782-44-7	OXYGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/28/18
1454100	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	06/28/18
1454117	-	808-0422 COLORTREND V MAGENTA	1	Liters(L)	06/28/18
1559086	124-38-9	CARBON DIOXIDE GAS	50	Pounds(LB)	06/28/18
1454101	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	06/28/18
1559087	-	HYDROGEN 5% IN NITROGEN	220	Cubic Feet(CF)	06/28/18
1559088	-	HYDROGEN 5% IN NITROGEN	220	Cubic Feet(CF)	06/28/18
1559089	-	HYDROGEN 5% IN NITROGEN	220	Cubic Feet(CF)	06/28/18
1559090	-	HYDROGEN 5% IN NITROGEN	220	Cubic Feet(CF)	06/28/18
1559091	-	HYDROGEN 5% IN NITROGEN	220	Cubic Feet(CF)	06/28/18
1559092	-	HYDROGEN 5% IN NITROGEN	220	Cubic Feet(CF)	06/28/18
1559093	-	HYDROGEN 5% IN NITROGEN	220	Cubic Feet(CF)	06/28/18
1454102	-	808-1810 COLORTREND C YELLOW OXIDE	1	Liters(L)	06/28/18
1454115	-	808-0020 TITANIUM WHITE	1	Liters(L)	06/28/18
1559094	-	HYDROGEN (H2) IN ARGON (AR) MIXTURES	220	Cubic Feet(CF)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1559095	-	HYDROGEN (H2) IN ARGON (AR) MIXTURES	220	Cubic Feet(CF)	06/28/18
1454116	-	808-0020 TITANIUM WHITE	1	Liters(L)	06/28/18
1454103	-	888-1572 COLORTREND BROWN OXIDE	1	Liters(L)	06/28/18
1454104	-	888-1572 COLORTREND BROWN OXIDE	1	Liters(L)	06/28/18
1454113	-	888-2040 COLORTREND MEDIUM YELLOW T	1	Liters(L)	06/28/18
1454114	-	888-2040 COLORTREND MEDIUM YELLOW T	1	Liters(L)	06/28/18
1559096	-	Helium/Argon	220	Cubic Feet(CF)	06/28/18
1454105	-	888-0836 COLORTREND ORGANIC RED R	1	Liters(L)	06/28/18
1454106	-	888-0836 COLORTREND ORGANIC RED R	1	Liters(L)	06/28/18
1454111	-	888-2040 COLORTREND MEDIUM YELLOW T	1	Liters(L)	06/28/18
1454107	-	808-5511 COLORTREND D PHTHALO GREEN	1	Liters(L)	06/28/18
1454112	-	888-2040 COLORTREND MEDIUM YELLOW T	1	Liters(L)	06/28/18
1454108	-	808-5511 COLORTREND D PHTHALO GREEN	1	Liters(L)	06/28/18
1454109	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	06/28/18
1476219	67-63-0	ISOPROPYL ALCOHOL	1	Gallon(GAL)	06/28/18
1454110	-	808-1045 COLORTREND F RED OXIDE	1	Liters(L)	06/28/18
1476220	67-63-0	ISOPROPYL ALCOHOL	1	Gallon(GAL)	06/28/18
1476221	67-63-0	ISOPROPYL ALCOHOL	1	Gallon(GAL)	06/28/18
1476257	-	FLAME STOP III	16	Ounces(OZ)	06/28/18
1476258	-	FLAME STOP III	16	Ounces(OZ)	06/28/18
1476259	-	FLAME STOP III	16	Ounces(OZ)	06/28/18
1476260	-	FLAME STOP III	16	Ounces(OZ)	06/28/18
1476261	-	FLAME STOP III	16	Ounces(OZ)	06/28/18
1476262	-	FLAME STOP III	16	Ounces(OZ)	06/28/18
1476302	-	CAMIE 313 FAST TACK UPHOLSTERY ADHESIVE	12	Ounces(OZ)	06/28/18
1476303	-	CAMIE 313 FAST TACK UPHOLSTERY ADHESIVE	12	Ounces(OZ)	06/28/18
1476304	-	CAMIE 313 FAST TACK UPHOLSTERY ADHESIVE	12	Ounces(OZ)	06/28/18
1476305	-	CAMIE 313 FAST TACK UPHOLSTERY ADHESIVE	12	Ounces(OZ)	06/28/18
1476306	-	CAMIE 313 FAST TACK UPHOLSTERY ADHESIVE	12	Ounces(OZ)	06/28/18
1476307	-	CAMIE 313 FAST TACK UPHOLSTERY ADHESIVE	12	Ounces(OZ)	06/28/18
1476527	-	Finium DTM-AT S/G Acrylic N/B	114	Ounces(OZ)	06/28/18
1476528	-	Finium DTM-AT S/G Acrylic N/B	114	Ounces(OZ)	06/28/18
1476529	-	Finium DTM-AT S/G Acrylic N/B	114	Ounces(OZ)	06/28/18
1476530	-	Finium DTM-AT S/G Acrylic N/B	114	Ounces(OZ)	06/28/18
1476779	-	Avalon Premium 100% Acrylic Interior Semi-Gloss	1	Gallon(GAL)	06/28/18
1476780	-	Avalon Premium 100% Acrylic Interior Semi-Gloss	1	Gallon(GAL)	06/28/18
1476781	-	Avalon Premium 100% Acrylic Interior Semi-Gloss	1	Gallon(GAL)	06/28/18
1476782	-	Avalon Premium 100% Acrylic Interior Semi-Gloss	1	Gallon(GAL)	06/28/18
1476783	-	Avalon Premium 100% Acrylic Interior Semi-Gloss	1	Gallon(GAL)	06/28/18
1476784	-	Avalon Premium 100% Acrylic Interior Semi-Gloss	1	Gallon(GAL)	06/28/18
1476785	-	Avalon Premium 100% Acrylic Interior Semi-Gloss	1	Gallon(GAL)	06/28/18
1476786	-	808-9907 COLORTREND B LAMP BLACK	1	Liters(L)	06/28/18
1478436	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478437	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478438	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478439	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478440	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478441	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1478442	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478443	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478444	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478445	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478446	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478447	-	HENRY 440 Cove Base Adhesive	4	Gallon(GAL)	06/28/18
1478601	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478602	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478603	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478604	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478605	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478606	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478607	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478608	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478609	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478610	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478611	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478612	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478613	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478614	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478615	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478616	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478617	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478618	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478619	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478620	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478621	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478622	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478623	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478624	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478625	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478626	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478627	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478628	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478629	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478630	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478631	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478632	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478633	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478634	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478635	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478636	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478637	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478638	-	Kwik Foam Sealant	12	Ounces(OZ)	06/28/18
1478768	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478769	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478770	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478771	-	CONCRETE MIX	60	Pounds(LB)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1478772	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478773	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478774	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478775	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478776	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478777	-	CONCRETE MIX	60	Pounds(LB)	06/28/18
1478704	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478705	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478706	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478707	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478708	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478709	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478710	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478711	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478712	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478713	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478714	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478715	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478716	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478717	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478718	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478719	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478720	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478721	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478722	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478723	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478724	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478725	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478726	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478727	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478728	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478729	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478730	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478731	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478732	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478733	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478734	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478735	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478736	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478737	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478738	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478739	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478740	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478741	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478742	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478743	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478744	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478745	-	CONCRETE MIX	50	Pounds(LB)	06/28/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1478746	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478747	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478748	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478749	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478750	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478751	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478752	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478753	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478754	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478755	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478756	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478757	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478758	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478759	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478760	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478761	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478762	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478763	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478764	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478765	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478766	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478767	-	CONCRETE MIX	50	Pounds(LB)	06/28/18
1478782	-	DP 1030 Water Based Duct Sealant (Caulking)	1	Gallon(GAL)	06/29/18
1478151	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	06/29/18
1478152	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	06/29/18
1478153	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	06/29/18
1478154	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND -	18	Pounds(LB)	06/29/18
1559097	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559098	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559099	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559100	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559101	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559102	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559103	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559104	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559105	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559106	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1559107	7727-37-9	NITROGEN COMPRESSED GAS	220	Cubic Feet(CF)	06/29/18
1495502	-	DUPLI-COLOR Acrylic Enamel Aerosol Paint Gloss	12	Ounces(OZ)	06/29/18
1495503	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495504	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495505	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495506	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495507	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495508	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495509	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495510	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495511	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495512	-	Brakleen Brake Parts Cleaner (aerosol)	14	Ounces(OZ)	06/29/18
1495513	-	PARTS PLUS HD SAE 30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495514	-	PARTS PLUS HD SAE 30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495515	-	PARTS PLUS HD SAE 30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495516	-	PARTS PLUS HD SAE 30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495517	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/29/18
1495518	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/29/18
1495519	-	Parts Plus DEX/MERC AUTOMATIC	1	Quarts(QT)	06/29/18
1495520	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495521	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495522	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495523	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495524	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495525	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495526	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495527	-	ATF+4 AUTOMATIC TRANSMISSION FLUID	1	Quarts(QT)	06/29/18
1495528	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	06/29/18
1495529	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	06/29/18
1495530	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	06/29/18
1495531	-	ULTRA BLACK GASKET MAKER	3.35	Ounces(OZ)	06/29/18
1495532	-	Mobil 1 5W-40	1	Gallon(GAL)	06/29/18
1495533	-	Mobil 1 5W-40	1	Gallon(GAL)	06/29/18
1495534	-	Mobil 1 5W-40	1	Gallon(GAL)	06/29/18
1495535	-	Mobil 1 5W-40	1	Gallon(GAL)	06/29/18
1495536	-	Mobil 1 5W-40	1	Gallon(GAL)	06/29/18
1495537	-	Mobil 1 5W-40	1	Gallon(GAL)	06/29/18
1495538	-	Mobil 1 5W-40	1	Gallon(GAL)	06/29/18
1495539	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495540	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495541	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495542	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495543	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495544	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495545	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495546	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495547	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495548	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495549	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495550	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495551	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495552	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495553	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495554	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495555	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495556	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495557	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495558	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495559	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1495560	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495561	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18
1495562	-	PARTS PLUS SAE 5W-30 PREMIUM MOTOR OIL	1	Quarts(QT)	06/29/18

AI 856 | Los Alamos National Laboratory

Operating Permit P100-R2M1 & P100-R2M2

Monitoring Period January 1–June 30, 2018

ATTACHMENT A907.B.a.

Chemical Usage

RLUOB-CHEM Chemical Purchases from ChemDB

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1527872	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%		1 Liters(L)	13-Feb-18
1527873	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%		1 Liters(L)	13-Feb-18
1527877	7697-37-2	NITRIC ACID OPTIMA		1 Liters(L)	13-Feb-18
1527878	7697-37-2	NITRIC ACID OPTIMA		1 Liters(L)	13-Feb-18
1527882	7697-37-2	NITRIC ACID OPTIMA		1 Liters(L)	13-Feb-18
1527881	7697-37-2	NITRIC ACID OPTIMA		1 Liters(L)	13-Feb-18
1527879	7697-37-2	NITRIC ACID OPTIMA		1 Liters(L)	13-Feb-18
1527880	7697-37-2	NITRIC ACID OPTIMA		1 Liters(L)	13-Feb-18
1528173	-	RBS 35 CONCENTRATE		5 Kilograms(KG)	15-Feb-18
1508071	74-86-2	ACETYLENE		40 Cubic Feet(CF)	15-Feb-18
1508074	74-86-2	ACETYLENE		40 Cubic Feet(CF)	15-Feb-18
1508073	74-86-2	ACETYLENE		40 Cubic Feet(CF)	15-Feb-18
1528295	7722-84-1	HYDROGEN PEROXIDE 30%		500 Milliliter(ML)	16-Feb-18
1528300	7722-84-1	HYDROGEN PEROXIDE 30%		500 Milliliter(ML)	16-Feb-18
1528299	7722-84-1	HYDROGEN PEROXIDE 30%		500 Milliliter(ML)	16-Feb-18
1528296	7722-84-1	HYDROGEN PEROXIDE 30%		500 Milliliter(ML)	16-Feb-18
1528297	7722-84-1	HYDROGEN PEROXIDE 30%		500 Milliliter(ML)	16-Feb-18
1528298	7722-84-1	HYDROGEN PEROXIDE 30%		500 Milliliter(ML)	16-Feb-18
1528248	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN CHLORIDE)		1 Liters(L)	16-Feb-18
1528249	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN CHLORIDE)		1 Liters(L)	16-Feb-18
1528388	-	IRON STANDARD		125 Milliliter(ML)	20-Feb-18
1528389	-	IRON STANDARD		125 Milliliter(ML)	20-Feb-18
1528453	7697-37-2	NITRIC ACID		2.5 Liters(L)	27-Feb-18
1475885	-	EASY SAND 45		18 Pounds(LB)	05-Mar-18
1473041	-	LIGHTWEIGHT SETTING TYPE JOINT COMPOUND - EASY SAND 20		18 Pounds(LB)	07-Mar-18
1529139	7697-37-2	NITRIC ACID OPTIMA		1 Liters(L)	07-Mar-18
1529162	1336-21-6	AMMONIUM HYDROXIDE		500 Milliliter(ML)	12-Mar-18
1529163	1336-21-6	AMMONIUM HYDROXIDE		500 Milliliter(ML)	12-Mar-18
1529164	64-19-7	ACETIC ACID		500 Milliliter(ML)	12-Mar-18
1529167	64-19-7	ACETIC ACID		500 Milliliter(ML)	12-Mar-18
1529166	64-19-7	ACETIC ACID		500 Milliliter(ML)	12-Mar-18
1529165	64-19-7	ACETIC ACID		500 Milliliter(ML)	12-Mar-18
1529168	6131-90-4	SODIUM ACETATE TRIHYDRATE		500 Gram(GM)	12-Mar-18
1529169	6153-56-6	OXALIC ACID CERT. ACS		500 Gram(GM)	12-Mar-18
1529297	7722-84-1	HYDROGEN PEROXIDE 3%		500 Milliliter(ML)	12-Mar-18
1529182	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%		1 Liters(L)	12-Mar-18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529334	-	BEFINDER CH-A CHEMICAL KIT	720	Milliliter(ML)	12-Mar-18
1529072	5470-11-1	HYDROXYLAMINE HYDROCHLORIDE	500	Gram(GM)	12-Mar-18
1485499	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485514	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485513	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485512	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485509	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485511	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485510	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485508	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485500	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485507	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485506	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485505	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485504	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485503	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485502	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1485501	-	SaniZide Plus Germicidal Solution	4	Ounces(OZ)	16-Mar-18
1529333	7647-01-0	HYDROCHLORIC ACID OPTIMA- 34%	1	Liters(L)	19-Mar-18
1529507	5144-89-8	1 10-PHENANTHROLINE MONOHYDRATE	10	Gram(GM)	19-Mar-18
1529533	1310-73-2	SODIUM HYDROXIDE	100	Gram(GM)	19-Mar-18
1529568	7664-39-3	HYDROFLUORIC ACID OPTIMA	250	Milliliter(ML)	20-Mar-18
1529569	7664-93-9	SULFURIC ACID	1	Liters(L)	20-Mar-18
1529571	7664-93-9	SULFURIC ACID	1	Liters(L)	20-Mar-18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529570	7664-93-9	SULFURIC ACID	1	Liters(L)	20-Mar-18
1529603	7697-37-2	NITRIC ACID	32	Ounces(OZ)	20-Mar-18
1529607	7697-37-2	NITRIC ACID	32	Ounces(OZ)	20-Mar-18
1529604	7697-37-2	NITRIC ACID	32	Ounces(OZ)	20-Mar-18
1529606	7697-37-2	NITRIC ACID	32	Ounces(OZ)	20-Mar-18
1529605	7697-37-2	NITRIC ACID	32	Ounces(OZ)	20-Mar-18
1485051	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	20-Mar-18
1485052	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	20-Mar-18
1485053	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	20-Mar-18
1485054	-	Hilti HIT-HY-200-A	11	Ounces(OZ)	20-Mar-18
1529114	7778-18-9	W.A. HAMMOND DRIERITE (INDICATING DRIERITE)	1	Pounds(LB)	26-Mar-18
1529115	7778-18-9	W.A. HAMMOND DRIERITE (INDICATING DRIERITE)	1	Pounds(LB)	26-Mar-18
1529830	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	28-Mar-18
1529831	-	HIGH VACUUM GREASE	5.3	Ounces(OZ)	28-Mar-18
1529834	-	TRU RESIN	2	Milliliter(ML)	28-Mar-18
1529835	-	TRU RESIN	2	Milliliter(ML)	28-Mar-18
1530127	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530136	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530135	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530134	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530131	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530137	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530138	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530130	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530129	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530128	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530132	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1530133	-	FANTASTIK ALL PURPOSE CLEANER	32	Ounces(OZ)	29-Mar-18
1529977	7647-01-0	HYDROCHLORIC ACID OPTIMA- 34%	1	Liters(L)	30-Mar-18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1529978	7647-01-0	HYDROCHLORIC ACID OPTIMA-34%	1	Liters(L)	30-Mar-18
1530180	7440-50-8	COPPER	200	Gram(GM)	03-Apr-18
1530181	7439-89-6	HIGH PURITY IRON	454	Gram(GM)	03-Apr-18
1530182	7440-31-5	TIN METAL	2	Pounds(LB)	03-Apr-18
1530183	-	LECOCEL COMBUSTION ACCELERATOR	5	Pounds(LB)	03-Apr-18
1530184	-	LECOCELL II	750	Gram(GM)	03-Apr-18
1530185	-	LECOCELL II	750	Gram(GM)	03-Apr-18
1530186	-	LECOCELL II	750	Gram(GM)	03-Apr-18
1485991	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1486005	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1486004	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1486003	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1486006	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1486002	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1486000	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485992	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485995	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485994	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485993	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485999	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485998	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485997	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1485996	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1486001	-	SaniZide Plus Germicidal Solution	1	Gallon(GAL)	03-Apr-18
1506265	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03-Apr-18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1506266	-	P-10 (90% ARGON 10% METHANE)	220	Cubic Feet(CF)	03-Apr-18
1530716	1303-96-4	SODIUM BORATE DECAHYDRATE	2.5	Kilograms(KG)	09-Apr-18
1531310	5144-89-8	1 10-PHENANTHROLINE MONOHYDRATE	10	Gram(GM)	26-Apr-18
1531361	6153-56-6	OXALIC ACID CERT. ACS	500	Gram(GM)	26-Apr-18
1531362	64-19-7	ACETIC ACID	500	Milliliter(ML)	26-Apr-18
1531363	64-19-7	ACETIC ACID	500	Milliliter(ML)	26-Apr-18
1531364	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	26-Apr-18
1531365	1336-21-6	AMMONIUM HYDROXIDE	500	Milliliter(ML)	26-Apr-18
1531366	5470-11-1	HYDROXYLAMINE HYDROCHLORIDE	500	Gram(GM)	26-Apr-18
1531367	6131-90-4	SODIUM ACETATE TRIHYDRATE	500	Gram(GM)	26-Apr-18
1531320	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	26-Apr-18
1531321	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	26-Apr-18
1531322	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	26-Apr-18
1531323	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	26-Apr-18
1531324	-	JB WELD EPOXY/ STEEL RESIN	10	Ounces(OZ)	26-Apr-18
1531325	-	ULTIMA GOLD AB	1	Liters(L)	26-Apr-18
1531326	-	ULTIMA GOLD AB	1	Liters(L)	26-Apr-18
1531335	7647-01-0	HYDROCHLORIC ACID (HCL HYDROGEN CHLORIDE)	2.5	Liters(L)	26-Apr-18
1531484	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531493	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531492	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531488	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531491	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531487	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531485	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531486	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531490	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1531489	7697-37-2	NITRIC ACID 1:1	1	Liters(L)	30-Apr-18
1509796	74-86-2	ACETYLENE	40	Pounds(LB)	03-May-18
1509797	74-86-2	ACETYLENE	40	Pounds(LB)	03-May-18
1517820	-	LANL-TM-10 STANDARD SOLUTION	125	Milliliter(ML)	07-Jun-18
1517821	-	RHODIUM STANDARD SOLUTION	125	Milliliter(ML)	07-Jun-18

Barcode	CAS #	Chemical Name	Container Size	Unit of Measure	Date
1517822	-	SCANDIUM STANDARD SOLUTION	125	Milliliter(ML)	07-Jun-18
1517823	-	LANL-ICP-MS-1 STANDARD SOLUTION	125	Milliliter(ML)	07-Jun-18
1517824	-	LANL-ICP-MS-1 STANDARD SOLUTION	125	Milliliter(ML)	07-Jun-18
1517825	-	LANL-ICP-MS-2 STANDARD SOLUTION	125	Milliliter(ML)	07-Jun-18
1517826	-	LANL-ICP-MS-2 STANDARD SOLUTION	125	Milliliter(ML)	07-Jun-18
1517827	-	LANL-ICP-MS-3REV	125	Milliliter(ML)	07-Jun-18
1517828	-	LANL-ICP-MS-3REV	125	Milliliter(ML)	07-Jun-18
1558910	-	AIR COMPRESSED	220	Cubic Feet(CF)	21-Jun-18
1558911	-	AIR COMPRESSED	220	Cubic Feet(CF)	21-Jun-18
1519666	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	22-Jun-18
1519668	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	22-Jun-18
1519667	7697-37-2	NITRIC ACID OPTIMA	2	Liters(L)	22-Jun-18
1519675	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519676	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519686	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519685	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519684	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519683	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519682	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519681	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519680	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519679	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519677	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18
1519678	-	VACUUM GREASE (FISHER)	150	Gram(GM)	22-Jun-18