



ESHID-603366

*Environmental Protection & Compliance Division
Environmental Compliance Programs (EPC-CP)*
PO Box 1663, K490
Los Alamos, New Mexico 87545
(505) 667-0666

*National Nuclear Security Administration
Los Alamos Field Office*
3747 West Jemez Road, A316
Los Alamos, New Mexico, 87544
(505) 665-7314 /Fax (505) 667-5948

Symbol: EPC-DO-19-018

LA-UR: 19-20526

Locates Action No.: U1801172

Date: **JAN 31 2019**

Ms. Michelle Hunter, Chief
Ground Water Quality Bureau
New Mexico Environment Department
Harold Runnels Building, Room N2261
1190 St. Francis Drive
P.O. Box 26110
Santa Fe, NM 87502

Subject: DP-1132, Annual Update and Fourth Quarter Monitoring Report for 2018

Dear Ms. Hunter:

On August 29, 2018, the New Mexico Environment Department (NMED) issued Discharge Permit DP-1132 to the U.S. Department of Energy (DOE) and Los Alamos National Security, LLC for the TA-50 Radioactive Liquid Waste Treatment Facility (RLWTF). Subsequently, on November 1, 2018, DP-1132 was transferred to DOE and Triad National Security, LLC (DOE/Triad).

Pursuant to permit Condition No. 4, *Monitoring Reports*, DOE/Triad is required to submit a quarterly monitoring report by February 1, 2019, for the period October 1 to December 31, 2018. In addition, the February 1st monitoring report must include the information required by permit Condition No. 1, *Annual Update*. The following permit conditions require the submittal of information in the February 1st monitoring report:

- Quarterly Monitoring Report
 - ✓ Condition No. 13: Maintenance and Repair
 - ✓ Condition No. 25: Influent Volumes RLW
 - ✓ Condition No. 26: Influent Volumes TRU
 - ✓ Condition No. 27: Discharge Volumes
 - ✓ Condition No. 29: Effluent Sampling
 - ✓ Condition No. 30: Soil Moisture Monitoring System for the SET
 - ✓ Condition No. 36: Ground Water Monitoring

- Annual Update
 - ✓ Condition No. 1: Updated Facility Process Description
 - ✓ Condition No. 8: Water Tightness Test Results
 - ✓ Condition No. 10: Settled Solids Measurements
 - ✓ Condition No. 32: Ground Water Flow Report
 - ✓ Condition No. 42: Closure Plan

Information on each of the above conditions is presented below.

Condition No. 1: Annual Update

The Permittees shall submit to NMED an updated Facility Process Description annually by February 1 of each year in conjunction with the February Quarterly Report. The annual Facility Process Description shall include the following:

- a. *A schematic of all major structures associated with the Facility, including all influent lines, buildings, exterior tanks, effluent lines, outfall and discharge locations identified in this Discharge Permit.*
 - ✓ A schematic of all major structures at the RLWTF is provided as **Attachment 1**.
 - ✓ A schematic showing treatment units to be stabilized is provided as **Attachment 2**.
- b. *A comprehensive flow chart demonstrating the most current processes in operation for the collection, treatment and disposal of waste water for the Facility. The flow chart shall indicate any processes which have been bypassed, decommissioned, or are no longer used for the collection, treatment or final disposal of the waste water.*
 - ✓ An overview flow chart of current treatment processes is provided as **Attachment 3**.
 - ✓ A detailed flow chart of current treatment processes is provided as **Attachment 4**.
- c. *An associated narrative describing each of the systems and treatment units outlined in the flow chart. This narrative shall include the collection system, primary treatment units, secondary treatment units and any systems used in the disposition of any associated waste streams at the Facility.*
 - ✓ An updated narrative describing systems and treatment units is provided as **Attachment 5**. The attached description updates information submitted to NMED in the February 2012 Discharge Permit Application to reflect current operating conditions.
- d. *The Annual Update shall also include the following documents to be submitted annually by February 1 of each year.*
 - 1) *Summary of maintenance and repairs made during the reporting period.*
 - ✓ A maintenance and repair summary is provided under Condition No. 13

2) *Water Tightness Testing results (VI.A.8).*

- ✓ **RLWTF to SET Pipeline.** Pursuant to **Condition No. 8**, water tightness testing of the pipeline from the RLWTF to the Solar Evaporation Tank (SET) must be completed by February 25, 2019. On October 31, 2018, DOE/LANS submitted a request to NMED for an extension of time for 15 months to complete water tightness testing of the pipeline from the RLWTF to the SET (EPC-DO-18-393). NMED approved the request in a November 13, 2018, email.
- ✓ **RLWTF to Outfall 051 Pipeline.** Pursuant to **Condition No. 8**, water tightness testing of the pipeline from the RLWTF to Outfall 051 must be completed by February 25, 2019. On January 23, 2019, DOE/Triad submitted a request to NMED for an extension of time until June 25, 2019, to complete the above-referenced water tightness testing of the pipeline from the RLWTF to Outfall 051 (EPC-DO-19-010). NMED approval of the request was pending at the time this report was prepared.

3) *Settled Solids measurements (VI.A.10).*

- ✓ The SET has not been placed in service. No treated effluent was discharged to the SET during the monitoring period.

4) *Ground Water Flow report (VI.A.32).*

- ✓ Pursuant to permit Condition No. 32, a ground water flow direction report is provided as **Attachment 6**.

Condition No. 10: Settled Solids; Settled Solids Removal

The Permittees shall inspect and measure the thickness of the settled solids in the SET on an annual basis.

- ✓ The SET has not been placed into service. No treated effluent was discharged to the SET during the monitoring period.

Condition No. 13: Maintenance and Repair

The Permittees shall submit to NMED a summary and description of the maintenance and repair activities performed on the Facility as part of the quarterly monitoring reports.

- ✓ **Attachment 7** provides a summary of the maintenance and repair activities conducted at the RLWTF during the monitoring period.

Condition No. 25: Influent Volumes RLW

The Permittees shall measure the volume of all RLW influent waste water being conveyed to the Facility on a daily basis using the flow meter required to be installed pursuant to this Discharge Permit.

- ✓ **Attachment 8** provides the total daily and monthly volumes of RLW influent wastewater received by the RLWTF during the monitoring period.

Condition No. 26: Influent Volumes TRU

The Permittees shall measure the daily volume of TRU influent waste water being conveyed to the Facility using electronic sensors which measure tank levels in both the acid waste and caustic waste influent tanks.

- ✓ **Attachment 8** provides the total daily and monthly volumes of TRU influent wastewater received by the RLWTF during the monitoring period.

Condition No. 27: Discharge Volumes

The Permittees shall measure and record the volume of treated waste water discharged to the SET, MES and Outfall 051 on a daily basis.

- ✓ **Attachment 8** provides the daily volume of treated effluent discharged to the MES during the monitoring period.
- ✓ No treated effluent was discharged to the SET during the monitoring period.
- ✓ No treated effluent was discharged to Outfall 051 during the monitoring period.

Condition No. 29: Effluent Sampling

The Permittees shall sample and analyze effluent waste streams discharged to Outfall 051, SET, and MES.

- *Treated effluent samples shall be collected once per calendar month for any month in which a discharge occurs to Outfall 051.*
 - ✓ No treated effluent was discharged to Outfall 051 during the monitoring period.
- *Treated effluent samples shall be collected once per calendar month for any month in which a discharge occurs to the MES or SET. The Permittees shall collect a grab sample of treated effluent which shall be analyzed for TKN, NO₃-N, TDS, Cl, F and perchlorate.*
 - ✓ No treated effluent was discharged to the SET during the monitoring period.
 - ✓ Analytical results from sampling treated effluent discharged to the MES on September 24, 2018, were not available in time for submittal in the third quarter monitoring report (EPC-DO-18-375). The results for TKN, NO₃+NO₂-N, TDS, Cl, F, and perchlorate are provided in **Attachment 9, Table 1**. All results were less than the effluent limits specified in permit Condition No. 17.

Condition No. 29: Effluent Sampling (cont)

- ✓ Monthly sampling of treated effluent discharged to the MES was conducted on October 3, November 7, and December 5, 2018, for TKN, NO₃+NO₂-N, TDS, Cl, F and perchlorate. Analytical results are provided in **Attachment 9, Tables 2, 3, and 4**. All results were less than the effluent limits specified in permit Condition No. 17.
- *The Permittees shall collect and analyze effluent samples once per quarter for any quarterly period in which a discharge occurs to the MES or SET. The Permittees shall collect a grab sample of treated effluent which shall be analyzed for all water contaminants listed in 20.6.2.3103 NMAC and all toxic pollutants as defined in 20.6.2.7.WW NMAC.*
- ✓ Quarterly sampling of treated effluent discharged to the MES was conducted on October 3, 2018, for all water contaminants listed in 20.6.2.3103 NMAC and all Toxic Pollutants, as defined in 20.6.2.7.WW NMAC. Analytical results are provided in **Attachment 9, Table 5**. All results were less than the effluent limits specified in permit Condition No. 17.

The following organic constituent was detected in the October 3rd sample from the MES:

- Chloroform was detected at a concentration of 1.29 µg/L. The NMWQCC Regulation 3103 Ground Water Standard for chloroform is 100 µg/L.

Condition No. 30: Soil Moisture Monitoring System for the SET

Upon approval or approval with conditions by NMED of the completed installation and soil moisture action level, discharge to the SET can commence. The Permittees shall perform quarterly soil moisture monitoring in the moisture monitoring boreholes, and shall provide this information in the quarterly reports required by Condition VI.B.24 (Monitoring Reports).

- ✓ On October 31, 2018, DOE/Triad submitted a work plan for the SET Soil Moisture Monitoring System for NMED approval (EPC-DO-18-366). Approval by NMED was pending at the time this report was prepared. Quarterly soil moisture monitoring results will be reported to NMED once the system is approved by NMED and becomes operational.

Condition No. 36: Ground Water Monitoring-Quarterly

The Permittees shall collect ground water samples from the following ground water monitoring wells on a quarterly basis and analyze the samples for TKN, NO₃-N, TDS, Cl, F and perchlorate. The Permittees shall prepare ground water monitoring reports describing, in detail, the sampling and analytical methods used. The ground water monitoring report shall be submitted to NMED with the quarterly monitoring report required in this Discharge Permit.

- *Replacement Alluvial Wells #1 and #2 Quarterly.*
- ✓ A work plan for the installation of two replacement monitoring wells was submitted to NMED on November 19, 2018 (EPC-DO-18-414). Following NMED approval of the plan, the replacement alluvial wells will be installed. Sampling will begin following well installation.

- *MCOI-6 Quarterly.*
 - ✓ **Attachment 10** provides the complete groundwater monitoring report, including Chain-of-Custody and analytical results, from the quarterly sampling of perched/intermediate groundwater monitoring well MCOI-6 on November 8, 2018. Quarterly results for TKN, NO₃+NO₂-N, TDS, chloride, and fluoride are provided in **Table 1**. All results from the November 8th sampling at MCOI-6 were below NMWQCC Regulation 3103 Ground Water Standards (20.6.2.3103 NMAC) with the exception of the following:
 - Nitrate-Nitrite as Nitrogen (NO₃+NO₂-N) was detected at a concentration of 11.2 mg/L; the NMWQCC Regulation 3103 Ground Water Standard is 10 mg/L. The average NO₃+NO₂-N concentration at MCOI-6 during the 5-yr period from 2014 through 2018 was 9.0 mg/L. The maximum NO₃+NO₂-N concentration during the referenced period was 11.5 mg/L. Detections of NO₃+NO₂-N at MCOI-6 at concentrations greater than the ground water standard were previously identified and reported to NMED. Monitoring well MCOI-6 will continue to be routinely sampled for NO₃+NO₂-N under Discharge Permit DP-1132 and, pursuant to the Compliance Order on Consent (Consent Order, June 2016), the Chromium Investigation Monitoring Group.
 - Perchlorate was detected at a concentration of 124 µg/L; the NMED Risk Assessment Guidance Table A-1 Tap Water Limit is 13.8 µg/L. The average perchlorate concentration at MCOI-6 during the 5-yr period from 2014 through 2018 was 72.9 µg/L. The maximum perchlorate concentration during the referenced period was 124 µg/L. Detections of perchlorate at MCOI-6 at concentrations greater than the Table A-1 Tap Water Limit were previously identified and reported to NMED. Monitoring well MCOI-6 will continue to be routinely sampled for perchlorate under Discharge Permit DP-1132 and, pursuant to the Compliance Order on Consent (Consent Order, June 2016), the Chromium Investigation Monitoring Group.

Condition No. 36: Ground Water Monitoring-Annual

The Permittees shall collect ground water samples from the following ground water monitoring wells on an annual basis and analyze the samples for all water contaminants listed in 20.6.2.3103 NMAC and all toxic pollutants listed in 20.6.2.7.WW.

- *Replacement Alluvial Well #1 and #2 Annual.*
 - ✓ Annual sampling at replacement alluvial wells #1 and #2 will begin following installation.
- *MCOI-6 Annual*
 - ✓ **Attachment 10** provides the complete groundwater monitoring report, including Chain-of-Custody and analytical results, from annual sampling at MCOI-6 on November 8, 2018. All results in **Table 2** were below NMWQCC Regulation 3103 Ground Water Standards (20.6.2.3103 NMAC) and the limits for Toxic Pollutants (20.6.2.7.WW NMAC) listed in the NMED Risk Assessment Guidance Table A-1 (Tap Water, March 2017) with the exception of the following:

- Chromium was detected at a concentration of 68.2 µg/L; the NMWQCC Regulation 3103 Ground Water Standard is 50 µg/L. The average chromium concentration at MCOI-6 during the 5-yr period from 2014 through 2018 was 73.4 µg/L. The maximum Cr concentration during the referenced period was 86.6 µg/L. Detections of chromium at MCOI-6 at concentrations greater than the ground water standard were previously identified and reported to NMED. Monitoring well MCOI-6 will continue to be routinely sampled for chromium under Discharge Permit DP-1132 and, pursuant to the Compliance Order on Consent (Consent Order, June 2016), the Chromium Investigation Monitoring Group.
- ✓ The following organic constituent was detected at MCOI-6:
 - Dioxane[1,4-] was detected at a concentration of 12.9 µg/L. Dioxane[1,4-] is not a Toxic Pollutant as defined in 20.6.2.7.WW NMAC. The NMED Risk Assessment Guidance Table A-1 Tap Water Limit for dioxane[1,4-] is 4.59 µg/L. Detections of dioxane[1,4-] at MCOI-6 at concentrations greater than the Table A-1 Tap Water Limit were previously identified and reported to NMED. Monitoring well MCOI-6 will continue to be routinely sampled for dioxane[1,4-] under Discharge Permit DP-1132 and, pursuant to the Compliance Order on Consent (Consent Order, June 2016), the Chromium Investigation Monitoring Group.

- *R-1 Annual*

- ✓ **Attachment 11** provides the complete groundwater monitoring report, including Chain-of-Custody and analytical results, from annual sampling at R-1 on November 8, 2018. All results in **Table 1** were below NMWQCC Regulation 3103 Ground Water Standards (20.6.2.3103 NMAC) and the limits for Toxic Pollutants (20.6.2.7.WW NMAC) listed in the NMED Risk Assessment Guidance Table A-1 (Tap Water, March 2017).

The following organic constituent was detected at R-1:

- Bis(2-ethylhexyl)phthalate was detected at a concentration of 0.39J µg/L (Note: the "J" flag was assigned by the analytical laboratory to indicate the reported result is an estimated value). Bis(2-ethylhexyl)phthalate is a Toxic Pollutant as defined in 20.6.2.7.WW NMAC. The NMED Risk Assessment Guidance Table A-1 Tap Water Limit (cancer) for bis(2-ethylhexyl)phthalate is 55.6 µg/L. Bis(2-ethylhexyl)phthalate is a common plasticizer.

- *R-14 Screen 1 Annual*

- ✓ **Attachment 12** provides the complete groundwater monitoring report, including Chain-of-Custody and analytical results, from the annual sampling at R-14 Screen 1 (S1) on November 9, 2018. R-14 was originally constructed as a two-screen well but the bottom screen was abandoned in 2008. All results in **Table 1** were below NMWQCC Regulation 3103 Ground Water Standards (20.6.2.3103 NMAC) and the limits for Toxic Pollutants (20.6.2.7.WW NMAC) listed in the NMED Risk Assessment Guidance Table A-1 (Tap Water, March 2017). No organic constituents were detected in the sample from R-14 S1.

- *R-46 Annual*
- ✓ **Attachment 13** provides the complete groundwater monitoring report, including Chain-of-Custody and analytical results, from the annual sampling at R-46 on November 13, 2018. All results in **Table 1** were below NMWQCC Regulation 3103 Ground Water Standards (20.6.2.3103 NMAC) and the limits for Toxic Pollutants (20.6.2.7.WW NMAC) listed in the NMED Risk Assessment Guidance Table A-1 (Tap Water, March 2017).

The following organic constituents were detected at R-46:

- Bis(2-ethylhexyl)phthalate was detected at a concentration of 0.35J $\mu\text{g/L}$ (Note: the “J” flag was assigned by the analytical laboratory is indicate the reported result is an estimated value). Bis(2-ethylhexyl)phthalate is a Toxic Pollutant as defined in 20.6.2.7.WW NMAC. The NMED Risk Assessment Guidance Table A-1 Tap Water Limit (cancer) for bis(2-ethylhexyl)phthalate is 55.6 $\mu\text{g/L}$. Bis(2-ethylhexyl)phthalate is a common plasticizer.
- Benzoic Acid was detected at a concentration of 14.4J $\mu\text{g/L}$ (Note: the “J” flag was assigned by the analytical laboratory is indicate the reported result is an estimated value). Benzoic Acid is not a Toxic Pollutant as defined in 20.6.2.7.WW NMAC. There is no NMED Risk Assessment Guidance Table A-1 Tap Water Limit for benzoic acid.
- Acetone was detected at a concentrations of 2.7J $\mu\text{g/L}$ (Note: the “J” flag was assigned by the analytical laboratory is indicate the reported result is an estimated value). Acetone is not a Toxic Pollutant as defined in 20.6.2.7.WW NMAC. The NMED Risk Assessment Guidance Table A-1 Tap Water Limit for acetone is 14,100 $\mu\text{g/L}$.

- *R-60 Annual*
- ✓ **Attachment 14** provides the complete groundwater monitoring report, including Chain-of-Custody and analytical results, from the annual sampling at R-60 on November 13, 2018. All results in **Table 1** were below NMWQCC Regulation 3103 Ground Water Standards (20.6.2.3103 NMAC) and the limits for Toxic Pollutants (20.6.2.7.WW NMAC) listed in the NMED Risk Assessment Guidance Table A-1 (Tap Water, March 2017).

The following organic constituent was tentatively detected at R-60:

- Acetone was detected at a concentration of 2.21J $\mu\text{g/L}$ in the field sample (Note: the “J” flag was assigned by the analytical laboratory is indicate the reported result is an estimated value). However, acetone was also detected in a field blank sample at a concentration of 2.74J $\mu\text{g/L}$. Acetone is not a Toxic Pollutant as defined in 20.6.2.7.WW NMAC. The NMED Risk Assessment Guidance Table A-1 Tap Water Limit for acetone is 14,100 $\mu\text{g/L}$.

-
- ✓ A map showing the location of ground water monitoring wells MCOI-6, R-1, R-14, R-46 and R-60 is provided in **Attachment 6**.
-

Condition No. 42: Closure Plan Annual Updates

Permittees will provide annual updates to NMED describing modifications to the Closure Plan.

✓ No modifications to the Closure Plan are required at this time.

Please contact Karen E. Armijo by telephone at (505) 665-7314 or by email at Karen.Armijo@nnsa.doe.gov, or Robert S. Beers by telephone at (505) 667-7969 or by email at bbeers@lanl.gov if you have questions regarding this annual update and quarterly monitoring report.

Sincerely,



Enrique "Kiki" Torres
Division Leader
Environmental Protection & Compliance
Triad National Security, LLC

Sincerely,



Karen E. Armijo
Permitting and Compliance Program Manager
National Nuclear Security Administration
U.S. Department of Energy

ET/KEA/MTS/RSB:jdm

Attachment(s): Attachment 1 Updated schematic of all major structures at the RLWTF
Attachment 2 Schematic showing treatment units to be stabilized at the RLWTF
Attachment 3 Flow chart showing an overview of current treatment processes at the RLWTF
Attachment 4 Flow chart showing a detailed view of the current treatment process at the RLWTF
Attachment 5 Updated narrative describing systems and treatment units at the RLWTF
Attachment 6 Ground water flow direction report
Attachment 7 Summary of maintenance and repair activities conducted at the RLWTF
Attachment 8 Daily volume of RLW influent wastewater received by the RLWTF
Attachment 9 Monthly and quarterly treated effluent monitoring results
Attachment 10 MCOI-6 quarterly and annual ground water monitoring report
Attachment 11 R-1 annual ground water monitoring report
Attachment 12 R-14 S1 annual ground water monitoring report
Attachment 13 R-46 annual ground water monitoring report
Attachment 14 R-60 annual ground water monitoring report

Copy: Shelly Lemon, NMED/SWQB, Shelly.Lemon@state.nm.us, (E-File)
John E. Kieling, NMED/HWB, john.kieling@state.nm.us, (E-File)
Gerald Knutson, NMED/GWQB, Gerald.Knutson@state.nm.us, (E-File)
Andrew Romero, NMED/GWQB, AndrewC.Romero@state.nm.us, (E-File)
Karen E. Armijo, NA-LA, Karen.Armijo@nnsa.doe.gov, (E-File)
Michael W. Hazen, ALDESHQSS, mhazen@lanl.gov, (E-File)
William R. Marison, ADESHQSS, wmairson@lanl.gov, (E-File)
Enrique Torres, EPC-DO, etorres@lanl.gov, (E-File)
William H. Schwettmann, IPM, bills@lanl.gov, (E-File)
Raelynn Romero, PM6, raelynn@lanl.gov, (E-File)
Randal S. Johnson, DESHF-TA55, randyj@lanl.gov, (E-File)
Denise C. Gelston, TA-55-RLW, dgelston@lanl.gov, (E-File)
Alvin M. Aragon, TA-55-RLW, alaragon@lanl.gov, (E-File)
John C. Del Signore, TA-55-RLW, jcds@lanl.gov, (E-File)
Michael T. Saladen, EPC-CP, saladen@lanl.gov, (E-File)
Robert S. Beers, EPC-CP, bbeers@lanl.gov, (E-File)
locatesteam@lanl.gov, (E-File)
epc-correspondence@lanl.gov, (E-File)


ATTACHMENT 1

Updated schematic of all major structures at the RLWTF

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 31 2019



Revised: See P41444
 RLWTF-SD-PFD-001 PCL3 12-18-2017
 Project: See P41444
 Date: October 15, 2018

NO	DATE	CLASS	REV	ADC	DESCRIPTION	DWN	CHD	CSE	APP
1	12/18/17	U			2018 CWP UPDATE				
RADIOACTIVE LIQUID WASTE TREATMENT FACILITY ES-55									
RLWTF SUPPORT DRAWING						DRAWN: V. Burns			
RLWTF PROCESS SCHEMATIC						CSE: V. Burns			
						CHECKED: J. DEL SIGNORE			
						DATE: 12/18/2017			
BLDG 1						TA-50			
SUBMITTED						APPROVED FOR RELEASE			
V. Burns						C. Danvers			
Los Alamos NATIONAL LABORATORY						SHEET			
PG Box 1663, Los Alamos, New Mexico 87545						3 OF 4			
CLASSIFICATION: U						REVISOR: JOHN C DEL SIGNORE			
DRAWING NO: RLWTF-SD-PFD-001						DATE: 12/18/2017			
						REV: 1			

ATTACHMENT 2




**Schematic showing treatment units to be
stabilized at the RLWTF**

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 31 2019

RLWTF PROCESS: TREATMENT UNITS TO BE STABILIZED
SCALE: 1/8" = 1'-10"



- GENERAL NOTES**
1. IF SHEET IS NOT AN 11X17, THEN IT IS A REDUCED OR ENLARGED SIZE PLOT. USE INDICATED SCALE APPROPRIATELY.
 2. SCALE APPLIES TO BUILDING STRUCTURES AND RELATIVE BUILDING LOCATIONS WITHIN THE SITE. DEPICTED SIZE OF TREATMENT UNITS AND STORAGE TANKS ARE FOR REFERENCE ONLY.

NO	DATE	CLASS REV	ADC	DESCRIPTION	DWN	CHKD	CSE	APP
RADIOACTIVE LIQUID WASTE								
RLWTF TREATMENT FACILITY								
								ES-55
RLWTF SUPPORT DRAWING								
RLWTF PROCESS: TREATMENT UNITS TO BE STABILIZED								
BLDG 1					TA-50			
SUBMITTED					APPROVED FOR RELEASE			
V. Barve					C. Danvers			
DRAWN					DATE			
M. Torres					07/11/2018			
CSE					SHEET			
V. Barve					004			
CHECKED					4 of 4			
A. Singh					DATE 7-25-18			
REVIEWER					REV			
M. Martinez					0			
Los Alamos NATIONAL LABORATORY								
PO Box 1663, Los Alamos, New Mexico 87545								
CLASSIFICATION U								
DRAWING NO RLWTF-SD-PFD-001								


ATTACHMENT 3

Flow chart showing an overview of current treatment processes at the RLWTF

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 3 1 2019



GENERAL NOTES

1. NONE

KEYED NOTES

① NONE

RLWTF PROCESS: FACILITY OVERVIEW

NO	DATE	CLASS	ADC	DESCRIPTION	DRN	CHKD	CSE	APP
1	7/25/18	U	M.M.	ADMINISTRATIVE CHANGE- NO CHANGE TO DRAWING				
RADIOACTIVE LIQUID WASTE TREATMENT FACILITY ES-55								
RLWTF SUPPORT DRAWING					DRN	M. Trujillo		
RLWTF PROCESS: FACILITY OVERVIEW					CSE	V. Barot		
					CHECKED	R. Springfield		
					DATE	07/11/2018		
BLDG 1					TA-50			
SUBMITTED					APPROVED FOR RELEASE			
V. Barot					CLARK ODIENOVIS			
					SHEET		001	
					1		OF 4	
CLASSIFICATION U					REVIEWER M. Mar'quez		DATE	
DRAWING NO					RLWTF-SD-PFD-001			
							REV 1	

Prepared by: FHHH
 RLWTF PROCESS SCHEDULING
 Pwd: 06/24/2018


ATTACHMENT 4

Flow chart showing a detailed view of the current
treatment process at the RLWTF

EPC-DO: 19-018

LA-UR-19-20526

Date: **JAN 3 1 2019**



1	12/18/17	U	CCO	2018 OMF UPDATE				
NO	DATE	CLASS	BY	DESCRIPTION	APP'D	CHK'D	CHK'D	APP'D
RADIOACTIVE LIQUID WASTE								
RLWTF TREATMENT FACILITY ES-55								
RLWTF SUPPORT DRAWING								
RLWTF PROCESS SCHEMATIC								
DRAWN: V. Stone								
CHKD: V. Stone								
CHECKED: M. SHAW								
DATE: 12/18/2017								
NATIONAL LABORATORY 70 Sun 1943 Los Alamos, New Mexico 87545								
2 of 4								
CLASSIFICATION: U DRAWING NO: RLWTF-SD-PFD-001 DESIGNER: JOHN C. DE. BRONCKE DATE: 12/18/2017								
REV 1								

ATTACHMENT 5

Updated narrative describing systems and
treatment units at the RLWTF

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 3 1 2019

RLWTF Processes and Units

OVERVIEW

The Radioactive Liquid Waste Treatment Facility (RLWTF) includes (a) two underground collection systems that convey water to TA50 from generators at LANL, (b) structures at TA50, and (c) solar evaporation tanks at Technical Area 52. At Technical Area 50, Building 50-01 is the primary structure; it houses treatment equipment, process tanks, analytical laboratories, and offices. Adjacent TA50 structures provide for storage of influent and waste water, but not treatment: 50-66 (transuranic influent), 50-248 (secondary waters), and 50-250 (low-level influent).

The RLWTF receives and treats radioactive liquid waste (RLW) from generators at Los Alamos National Laboratory^A. Treatment units have been grouped into a main treatment process for low-level RLW, a process for treating transuranic RLW, and a secondary treatment process for waste streams from both the low-level and transuranic processes. The units within each of these process lines are summarized in Table 1 and described in the paragraphs that follow. Table 2 provides additional information for each unit, including location, vessels, construction materials, capacity, and secondary containment.

TABLE 1: SUMMARY OF RLWTF TREATMENT UNITS

Unit Operation	Tanks	Location
Main Treatment:		
M1 Collection system	—	TA-03, 35, 48, 50, 55, 59
M2 Influent storage	W5, W6	50-250
M3 Emergency influent storage	WMRM tanks (4)	50-250
M4 Reaction tanks	TK71, TK72	50-01
M5 Microfilter	—	50-01
M6 Pressure filters	—	50-01
M7 Perchlorate ion exchange	TK09	50-01
M8 Primary reverse osmosis	—	50-01
M9 Reserved	—	—
M10 Effluent storage	N.Frac, S.Frac	50-01
M11 Mechanical evaporator	—	50-257
M11 Solar evaporation	—	TA52
M11 NPDES Outfall #051	—	Mortandad Canyon
Transuranic:		
T1 TRU Collection system	—	TA50, 55
T2 TRU Influent storage	Acid tank, Caustic tank	50-66
T3 TRU Treatment	TK1, TK2	50-01
T4 TRU Solids	TK-7A	50-01
T5 TRU Effluent	TK3	50-01
Secondary Treatment:		
S1 Secondary reverse osmosis	TK73, TK25	50-01
S2 Vacuum filter	TK8	50-01
S3 Bottoms storage	17K, TK-NE, SE, SW, NW	50-248

^A RLW includes small volumes, less than one percent of total influent, that are also characteristically hazardous for corrosivity, which are treated using elementary neutralization. Transuranic RLW may also include small volumes with characteristic metals, which are treated in the transuranic process line.

MAIN TREATMENT PROCESS

The main treatment process consists of the collection, storage, and treatment of low-level RLW, and the discharge of treated water to the environment. Process steps include treatment with chemicals in a reaction tank, filtration, ion exchange, and reverse osmosis. Discharge to the environment is via NPDES outfall, solar evaporation, or evaporation using natural gas. Two secondary streams are generated by primary treatment, low-level solids and reverse osmosis concentrate; they are sent to the secondary treatment process.

M1. RADIOACTIVE LIQUID WASTE COLLECTION SYSTEM

The majority of RLW is transferred by direct pipeline between generator facilities and the RLWTF^B. The pipeline system, installed in 1982, connects the TA50 RLWTF to buildings in six Technical Areas using approximately four miles of underground, double-walled (pipeline within a pipeline) piping. Primary piping is six- or eight-inch-diameter polyethylene encased within 10- or 12-inch polyethylene secondary piping. The primary piping transitions to stainless steel in each of 63 underground valve stations (also referred to as vaults), then transitions back to polyethylene upon exit. Vaults are equipped with leak detection sensors that are linked electronically to the RLWTF operations center.

M2. INFLUENT STORAGE

Influent flows by gravity from the collection system into storage tanks in Building 50-250. Two influent tanks in the basement of the building are dedicated to daily influent activities. Both are fiberglass, and each has a capacity of 50,000 gallons. After a tank is sampled, influent is fed to the low-level main treatment process in Building 50-01 via another underground, double-walled pipe.

M3. EMERGENCY INFLUENT STORAGE

Building 50-250, the Waste Management and Risk Mitigation (WMRM) facility, is located about 50 meters southeast of Building 50-01. WMRM houses six influent storage tanks with a capacity of 50,000 gallons each; four of these are held in reserve for emergencies. WMRM is a steel frame structure designed to withstand seismic, wind, and snow load criteria. The concrete basement houses the two influent and four emergency storage tanks, and acts as secondary containment. Tanks receive influent by gravity flow from the collection system.

M4. REACTION TANKS

Influent is mixed with treatment chemicals in reaction tanks TK71 and TK72 to remove insoluble constituents, including more than 90% of the radioactivity. The two reaction tanks are aboveground, carbon-steel vessels, ~10,000 gallons each. Influent and chemicals enter from above; the tank mixer brings the streams into contact. Chemicals such as sodium hydroxide and ferric sulfate are added to adjust pH, precipitate metals, and promote particle growth. Contaminants precipitate as solids, which are kept in suspension by the tank mixer. The solids-water mixture is fed to the next treatment step, the microfilter.

M5. MICROFILTER

From the reaction tanks, treated influent is pumped to a microfilter to remove solids from water. The microfilter employs polyvinylidene fluoride, or PVDF, membranes to separate the solids. The membranes can withstand pH ranges from 0-14, are non-plugging, and are chlorine resistant; they remove

^B The remaining RLW, typically less than 2,000 gallons per month, is transferred from small generators via truck.

particles as small as 0.1 micron, and can handle feed streams with up to 5% solids. A periodic backpulse of air sends a reverse flow of filtrate across the membrane, dislodging contaminants and moving solids to the concentrate tank. A clean-in-place system enables periodic cleaning of membranes using chemicals such as acids, bases, or bleach.

Filtrate (water) from the microfilter is fed to TK9, and from TK9 to either perchlorate ion exchange or the primary reverse osmosis unit. Solids from the microfilter are periodically removed to TK8 for subsequent treatment in the vacuum filter.

M6. PRESSURE FILTERS

Three pressure media filters, which operate in parallel or singly, can also be used to remove suspended solids from water in the reaction tanks. Water is pumped from either TK71 or TK72, through the media in an enclosed steel vessel at a pressure of about 30 psig. Pressure filters are 30 inches in diameter and ~five feet high, and are constructed of carbon steel lined with plasite (an epoxy). The media in the pressure filter consists of coarse and fine particles of sand, garnet, coal, and gravel, and can remove particles as small as 10 microns. Backwashing is periodically necessary, to remove solids and to reconstitute the bed. Each filter can process up to 50 gallons per minute.

M7. PERCHLORATE ION EXCHANGE

Ion-exchange columns located in Room 16 are used to remove perchlorates. Three of the eight fiberglass reinforced plastic (FRP) ion exchange vessels are typically in service. Vessels range in size to nine cubic feet of ion exchange resin, and can treat up to 60 gallons of water per minute. The columns are installed downstream of TK9, and prior to treatment by the RO. TK9 is a 9000-gallon, carbon-steel, aboveground vessel located in Room 61. Resins are not re-generated. Instead, columns are drained of water, then disposed as solid radioactive waste.

M8. PRIMARY REVERSE OSMOSIS

Either of two reverse osmosis units can be used, the Room 72 single-pass unit, or the Room 36 double-pass unit (referred to as the M8 unit). The double-pass unit began operation in late 2018 in order to assure that treated water meets DP-1132 effluent limits.

RO units remove soluble contaminants, and produce a high quality effluent that approaches and sometimes meets EPA drinking water standards. The RO units use commercially available high-rejection membranes, typically rated at nominal NaCl rejection of 90-99%. The Room 72 unit has three 8-inch-diameter pressure vessels, and operates at pressures of about 400 psig. The M8 unit has three 8-inch-diameter pressure vessels (first pass) and six 4-inch-diameter pressure vessels (second pass). Permeate from either unit is sent to storage tanks in Room 34B; concentrate from either unit is processed through the secondary treatment process. The Room 72 RO unit has a capacity up to 60 gpm; the M8 unit has a capacity of 30 gpm.

M9. RESERVED

The copper-zinc ion exchange treatment unit, described in the application for DP-1132, was removed from service in 2014.

M10. EFFLUENT STORAGE

Two tanks are available for the storage of treated water, referred as the north frac tank and the south frac tank. Frac tanks are horizontal carbon steel tanks located in Room 34B; each has a capacity of ~20,000 gallons. The two tanks are operated in tandem. When the north tank is filled, the flow of reverse osmosis permeate is directed to the south tank. While the south tank is filling, water in the north tank is sampled, adjusted if necessary (e.g., pH adjustment), and then discharged to the environment. This practice helps to assure that treated water will meet effluent limits imposed by regulatory agencies.

M11. DISCHARGE OF TREATED WATER TO THE ENVIRONMENT**11A. DISCHARGE VIA MECHANICAL EVAPORATION**

Treated water may be discharged to the environment via an effluent evaporator located outside Room 34 of Building 50-01. Water is heated using natural gas in a 4.5 million BTU/hr low NOx gas burner that can evaporate up to 400 gallons of water per hour. The unit is constructed of stainless steel, and has received a No Permit Required Determination from the NMED Air Quality Bureau.

11B. DISCHARGE VIA SOLAR EVAPORATION

A solar evaporation tank (SET) is located at Technical Area 52 of LANL. The site is approximately one acre in size, and about two-thirds of a mile from the TA50 RLWTF. The SET has two cells. Each cell has concrete walls approximately four feet high, and a double liner with leak detection. Each cell is approximately 70' x 250' in size, with a usable capacity of about 380,000 gallons. The SET pump house has the capability of returning the contents of either cell to the TA50 RLWTF for storage and retreatment, if necessary. Approximately 3500 feet of high-density polyethylene (HDPE) transfer piping connect the SET and the TA50 RLWTF.

11C. DISCHARGE VIA NPDES OUTFALL 051

Treated water that meets NPDES, NMED, and DOE discharge standards can be discharged to the environment via permitted outfall #051 in Mortandad Canyon. Water is pumped to the outfall through approximately 1400 feet of three-inch-diameter, carbon steel pipe. NPDES samples are collected at TA50 while water is discharging to the canyon.

TRANSURANIC TREATMENT PROCESS

The RLWTF receives and treats two separate influent streams, low-level radioactive liquid wastes (RLW), and transuranic RLW. Each influent stream has its own underground collection system, its own influent storage tanks, and its own treatment equipment. The two streams differ in several important ways, however:

- volumes: Approximately 99% of influent volume is low-level RLW.
- radioactivity: Typically, 90% comes from transuranic RLW.
- effluent: Treated transuranic RLW cannot be, and is not, discharged to the environment.

Two secondary streams are generated by the treatment of transuranic RLW, transuranic solids and low-level liquids. Solids are solidified as part of the transuranic treatment process. The liquid stream receives additional treatment in either the main treatment process or the secondary treatment process.

T1. TRANSURANIC COLLECTION SYSTEM

The transuranic collection system runs from Building 55-04 through below-grade, double-walled transfer lines, through a valve pit at 50-201, and into influent storage tanks at Building 50-66. One transfer line is dedicated for acid waste, and a second for caustic waste. Both are two-inch-diameter pipes. The acid waste lines are constructed of polyvinylidene fluoride (PVDF); the caustic lines are constructed of polypropylene (PP).

TA55 and RLWTF personnel coordinate batch transfers of transuranic RLW. Once a transfer is coordinated, a batch of known volume, typically less than 100 gallons, is discharged through the collection system, flowing by gravity to the TRU influent storage tanks in Building 50-66. Transuranic influent is not trucked.

T2. TRANSURANIC INFLUENT STORAGE

Two influent storage tanks are located in Building 50-66, one for acid waste (~3900 gallons) and the other for caustic waste (~3000 gallons). Each tank has enough capacity to hold more than one year of transuranic influent. Both tanks are cylindrical, cone-bottomed tanks, and each has a mixer and a HEPA-filtered vent. The sump in Building 50-66 has a leak detection probe that communicates to the RLWTF operations center.

T3. TRANSURANIC TREATMENT

Acid or caustic waste is pumped from Building 50-66 into TK 1 in Room 60. Acid waste is neutralized by mixing with liquid sodium hydroxide (nominal 25%); other chemicals (ferric sulfate or polymer) may be added to promote particle growth. Caustic waste requires less sodium hydroxide, and is also treated with chemicals that will promote particle growth. Solids that form in the reaction tank TK 1 are allowed to settle, and are then pumped to the solids storage tank, TK-7A. Clear liquid is pumped through a pressure filter into the effluent storage tank, TK3.

T4. TRANSURANIC SOLIDS

Solids collect in TK-7A, a 900-gallon carbon steel tank in Room 60. In order to facilitate particle growth, TK-7A may first be seeded with solids from a previous treatment campaign. Chemicals (lime, ferric sulfate, or polymer) may also be added to TK-7A for this purpose. Excess water is then decanted from TK-7A, and transferred to the effluent storage tank, TK3. Solids remaining in TK-7A are added to drums containing cement and sodium silicate, then tumbled and allowed to cure. After curing, drums of cemented solids are transported to a storage facility at TA46 to await shipment to and disposal at WIPP as a solid transuranic waste.

T5. TRANSURANIC EFFLUENT

Effluent from the transuranic treatment process is collected in TK3 in Room 60, a 1000-gallon, horizontal fiberglass tank. Having been treated, effluent is no longer transuranic waste. Effluent is not clean enough, however, to be discharged to the environment. Instead, the effluent either receives additional treatment or is sent to storage tanks in Building 50-248 for disposition as bottoms.

SECONDARY TREATMENT PROCESSES

The secondary process treats wastes from the primary and transuranic treatment lines. It consists of a vacuum filter to treat solids from the main process, a secondary reverse osmosis unit to treat RO concentrate from the main process and/or effluent from the transuranic process, and a bottoms disposal step. Wastes from secondary treatment process are disposed as low-level radioactive solid waste.

S1. SECONDARY REVERSE OSMOSIS

The secondary reverse osmosis unit reduces the volume of secondary radioactive liquid waste that must be shipped offsite to a subcontractor for further treatment. Feed to the unit consists of either concentrate from primary reverse osmosis or treated transuranic RLW. Treatment at the S1 unit splits the feed stream into two streams. Permeate is sent to the main treatment process for additional treatment; concentrate is sent to storage tanks in Building 50-248 to await shipment as bottoms.

The S1 unit is capable of producing 10 gpm permeate with 70% recovery; it has a maximum operating pressure of 1000 psi. The unit contains nine commercially available high-rejection membranes (8" X 40"), within three fiberglass pressure vessels.

S2. VACUUM FILTER

Solids from the microfilter (or pressure filters) are separated from water and then disposed as low-level radioactive solid waste. This solids filtration operation includes the TK8 storage tank (capacity of 8,000 gallons) in Room 61 and a rotary vacuum filter in Room 116. The solids contain more than 90% of the radioactivity present in low-level influent. Solids do not contain hazardous chemical constituents above RCRA limits, and are disposed as low-level radioactive waste.

S3. BOTTOMS STORAGE

RLWTF bottoms are stored in tanks in Building 50-248 until shipped to a commercial waste treatment facility using a commercial tanker truck. Shipments typically range from 4-5,000 gallons each. The commercial waste treatment facility processes bottoms to a solid form, and disposes of the solids as low-level radioactive waste at a DOE or commercial disposal site.

TABLE 2: VESSEL INFORMATION FOR RLWTF TREATMENT UNITS

Treatment Unit	Vessel(s)	Location	Vessel			Secondary Containment			
			Capacity	Category	Material	Structure	Material	Leak Detection	
Main Treatment:									
M1	Collection system	Piping (~ 4 miles) Vaults (63)	Six TAs Six TAs	---	Inground	Polyethylene Concrete	Pipe Floor	Polyethylene Concrete	63 alarms 63 alarms
M2	Influent storage	WMRM tanks (2) Xfer piping Xfer pump room	50-250-003 50-250-004 50-250-001	50,000 ea. ---	Aboveground Inground	Fiberglass Polyethylene	Floor Pipe	Concrete Polyethylene	250_SMP3 250_Inf, 250_Eff
M3	Emergency influent storage	WMRM tanks (4)	50-250-003	50,000 ea.	Aboveground	Fiberglass	Floor	Concrete	PLC250_SMP1 250_SMP3
M4	Reaction Tanks	TK71, TK72	50-01-70	10,000 ea.	Aboveground	Steel	Floor	Concrete	RUF_71A_A1
M5	Microfilter	Filter Concentrate tank Cleaning tanks (2)	50-01-70 50-01-70 50-01-70	40 500 400	Aboveground Onground Onground	Steel Polyethylene Polyethylene	Floor Floor Floor	Concrete Concrete Concrete	RUF_71A_A1 RUF_71A_A1 RUF_71A_A1
M6	Pressure filters	Filters (3)	50-01-63	300	Aboveground	Lined Steel	Floor	Concrete	SMP_16_A2
M7	Perchlorate ion exchange	IX vessels (8) TK09	50-01-16 50-01-62	400 10,000	Aboveground Aboveground	Fiberglass Steel	Floor Floor	Concrete Concrete	SMP_16_A2 ID
M8	Primary reverse osmosis	R72 RO unit R72 CIP tank M8 RO unit M8 CIP tank	50-01-72 50-01-72 50-01-36 50-01-36	40 500 60 300	Aboveground Aboveground Aboveground Aboveground	Steel Polyethylene Fiberglass Polyethylene	Floor Floor Floor Floor	Concrete Concrete Concrete Concrete	RUF_71A_A1 RUF_71A_A1 ID ID
M9	Reserved								
M10	Effluent storage	N.Frac, S.Frac	50-01-34B	20,000	Aboveground	Steel	Floor	Concrete	SMP_34B_A1
M11	Effluent evaporator	---	50-257	1,200	Aboveground	S.Steel	Floor	Hypalon,	--
M11	Solar evaporation	E.Tank, W.Tank	TA52	380,000	Inground	HDPE	Liner	HDPE,	ID
M11	NPDES Outfall #051	---	Canyon	---	Inground	---	---	---	--
Transuranic:									
T1	TRU Collection system	Piping (~1 mile) Vaults (1)	TA50, TA55 50-201	---	Inground Inground	PVDF, PP Concrete	Pipe Floor	PVDF, PP Concrete	CTL_WM57_A1 CTL_WM57_A1
T2	TRU Influent storage	Acid tank Caustic tank	50-66 50-66	3,900 3,000	Aboveground Aboveground	Steel Steel	Floor Floor	Concrete Concrete	CTL_WM66_A4 CTL_WM66_A4
T3	TRU Treatment	TK1 TK2	50-01-60 50-01-60	900 800	Aboveground Aboveground	Steel Fiberglass	Floor Floor	Concrete Concrete	ID ID
T4	TRU Solids	TK-7A	50-01-60A	900	Aboveground	Steel	Floor	Concrete	ID
T5	TRU Effluent	TK3	50-01-60	1,000	Aboveground	Fiberglass	Floor	Concrete	ID

TABLE 2: VESSEL INFORMATION FOR RLWTF TREATMENT UNITS (CONCLUDED)

Treatment Unit	Vessel(s)	Location	Vessel			Secondary Containment		
			Capacity	Category	Material	Structure	Material	Leak Detection
Secondary Treatment:								
S1 Secondary reverse osmosis	RO vessel	50-01-24	10	Aboveground	Fiberglass	Floor	Concrete	ID
	TK25	50-01-24	300	Aboveground	Polyethylene	Floor	Concrete	ID
	TK73	50-01-70	3,700	Aboveground	Steel	Floor	Concrete	RUF_71A_A1
S2 Vacuum filter	Vacuum filter	50-01-116	150	Aboveground	S.Steel	Floor	Concrete	SMP_16_A2
	TK14, TK15	50-01-116	800	Aboveground	Steel	Floor	Concrete	SMP_16_A2
	TK08	50-01-61	8,000	Aboveground	Steel	Floor	Concrete	ID
S3 Bottoms storage	TK-NE, SE, SW, NW	50-248	20,000 ea.	Aboveground	Steel	Floor	Concrete	SMP_TKF_A2
	3K tank	50-248	3,000	Aboveground	Steel	Floor	Concrete	SMP_TKF_A2
	17K tank	50-02	17,000	Aboveground	Steel	Floor	Concrete	SMP_WM2_A2

Notes:

1. Location: Technical Area-Bldg-Room
2. Vessel category per definition CC of DP-1132: Aboveground, On-ground, In-ground.
3. Collection systems: Each access vault is equipped with a sump and leak detection probe-alarm
4. Leak detection: ID means in design, as committed in LANL correspondence EPC-DO-18-402, 11-19-2018.

ATTACHMENT 6

Ground water flow direction report

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 3 1 2019

DP-1132 Condition No. 32: Ground Water Flow Direction Report

Overview

Los Alamos National Laboratory (LANL) sits atop a thick zone of mainly unsaturated rock and sediments. Groundwater beneath the Pajarito Plateau occurs in three modes: (1) water in the near-surface sediments in the bottoms of some canyons (alluvial groundwater), (2) water in porous rock layers underlain by a more solid rock layer and therefore perched above the regional aquifer (intermediate perched groundwater), and (3) the regional aquifer in the saturated Santa Fe Group sediments.

- Perched alluvial groundwater is a limited area of saturated rocks and sediments directly below canyon bottoms. Surface water percolates through the alluvium until downward flow is disrupted by less permeable layers of rock, resulting in shallow perched bodies of groundwater. Most of the canyons on the Pajarito Plateau have infrequent surface water flow and, therefore, little or no alluvial groundwater.
- Perched-intermediate groundwater occurs within the lower part of the Bandelier Tuff and the underlying Puye Formation and Cerros del Rio basalt underneath some canyons. These intermediate-depth groundwater bodies are formed in part by water moving downward from alluvial groundwater until the water reaches a layer of relatively impermeable rock. Depths of the perched-intermediate groundwater zones vary. The depth to perched-intermediate groundwater is approximately 500 to 750 feet beneath Mortandad Canyon.
- The regional aquifer is a widespread area of mainly saturated sands and gravels that provide the water supply for Los Alamos County and LANL. The uppermost level of water in the regional aquifer (known as the water table) occurs at a depth of approximately 1,200 feet below ground surface along the western edge of the plateau and 600 feet below ground surface along the eastern edge. Groundwater in the regional aquifer generally flows east or southeast. The speed of groundwater flow varies but is typically around 30 feet per year. The regional aquifer is separated from alluvial and perched-intermediate groundwater by layers of unsaturated tuff, basalt, and sediment with generally low moisture content.

A ground water elevation contour map has been prepared only for the regional aquifer due to the discontinuous nature of alluvial and perched-intermediate groundwater beneath the Pajarito Plateau.

Regional Aquifer

The regional aquifer beneath LANL is a complex hydrogeological system. The top of the aquifer is predominantly under phreatic (water-table) conditions. Groundwater flow directions and fluxes that control groundwater flow and transport in the aquifer are largely dictated by the shape of the regional water table. The general shape of the regional water table beneath Pajarito Plateau is predominantly controlled by the areas of regional recharge to the west (the flanks of Sierra de los Valles and the Pajarito fault zone) and discharge to the east (the Rio Grande and the White Rock Canyon Springs).

Regional Aquifer (con't)

At more local scales, the structure of the regional phreatic flow is also expected to be influenced by (1) local infiltration zones (e.g., beneath canyons); (2) heterogeneity and anisotropy in the aquifer properties; and (3) discharge zones (municipal water-supply wells, springs; injection and extraction wells within the chromium contamination area will also impact the structure of groundwater flow). A long-term water decline of about 0.5-1 ft/yr is observed in the regional water levels throughout the aquifer beneath the Pajarito Plateau. The decline might be caused by long-term changes in the aquifer recharge and discharge conditions (including water-supply impacts). Groundwater in the regional aquifer generally flows east or southeast. The speed of groundwater flow varies but is typically around 30 feet per year.


Because of the long-term declines and pumping transients described above, the water-level data and the respective water-table maps are time dependent and representative of specific periods of time. The attached water-table map used the monthly-averaged water-level data for February 2018. The averaged water levels are computed for the well screens near the water table.

Water-Table Contouring Process

The process of water-table contouring is theoretically constrained by conformity rules: (1) the contour lines should be perpendicular to the flowpaths; (2) the length and the width of the flownet cells formed by the contour lines between two adjacent flowpaths should have the same ratios. These rules are theoretically valid only for the case of two-dimensional (lateral) groundwater flow in a uniform, isotropic aquifer with no recharge/discharge sources within flownet cells. Deviations from the conformity rules are caused by three-dimensional flow effects, aquifer heterogeneity and anisotropy as well as groundwater recharge/discharge wells/zones. This water table map in is contoured by attempting to satisfy the following goals simultaneously: (1) to match the water-level data at the monitoring wells, (2) to generally preserve flownet conformity, (3) to account for pumping effects and (4) to account for conceptual models of groundwater flow in the regional aquifer. The contouring is performed using a combination of manual and automated techniques; the automated contouring is done using the Minimum Curvature Surface method (Smith and Wesse, 1990).

References

Smith, W H F, and P. Wessel. "Gridding with Continuous Curvature Splines in Tension." *Geophysics* 55, no. 3 (1990): 293. <https://doi.org/10.1190/1.1442837>.



ATTACHMENT 7

Summary of maintenance and repair activities
conducted at the RL WTF

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 3 1 2019

**DP-1132 Report: RLWTF Maintenance During Calendar Year 2018
(August 29 through December 31)**

Structures	Description	Built	Task Type				Total
			PM	CO	Mod	SR	
Building 1	Original treatment bldg.	1963	51	10	3	1	65
Building 2	Original influent storage bldg.	1963	1	1	0	0	2
Building 66	TRU influent storage	1982	1	0	0	0	1
Building 248	Low-level bottoms storage	1996	3	0	0	0	3
Building 250	Low-level influent storage	2009	20	2	0	0	22
Building 257	Mechanical evaporator	2010	2	0	0	0	2
TA52	Solar evaporation	2011	14	0	0	0	14
Totals			92	13	3	1	109

Task Types:

- PM - preventive maintenance
- CO-corrective maintenance
- Mod - modification
- SR-service request

**DP-1132 Report: RLWTF Maintenance During the 4th Quarter 2018
(Oct 1 through Dec 31)**

Structures	Description	Built	Task Type				Total
			PM	CO	Mod	SR	
Building 1	Original treatment bldg.	1963	37	6	3	0	46
Building 2	Original influent storage bldg.	1963	0	1	0	0	1
Building 66	TRU influent storage	1982	0	0	0	0	0
Building 248	Low-level bottoms storage	1996	1	0	0	0	1
Building 250	Low-level influent storage	2009	15	2	0	0	17
Building 257	Mechanical evaporator	2010	2	0	0	0	2
TAS2	Solar evaporation	2011	11	0	0	0	11
Totals			66	9	3	0	78

Task Types:

- PM - preventive maintenance
- CO-corrective maintenance
- Mod - modification
- SR-service request

TA-50-0001 Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
5000001	586048	01	CO	500001 REPLACE PRE & HEPA FILTERS ON EB-17 & EB-25
5000001	590699	03	MD	TA-50-POTHOLING SUPPORT EXECUTION
5000001	590699	02	MD	TA-50-POTHOLING SUPPORT PROCUREMENT
5000001	590699	01	MD	TA-50-POTHOLING SUPPORT SOW
5000001	591058	01	CO	500001 EVALUATE & INSTALL FOAM EDGE PROTECTORS AS NEEDED.
5000001	603761	01	PM	50001 & 248 LPT 1YR PM VISUAL
5000001	603936	01	PM	500001 EH (1YR) PM, ELEVATOR 3RD PARTY INSP
5000001	612612	01	PM	500001 BHW 1YR PM, INSPECTION & MAINTENANCE
5000001	615632	01	CO	500001 REPAIR THE SOUTH FRAC TANK LEVEL INSTRUMENTATION
5000001	616366	01	CO	500001 TROUBLE SHOOT AND REPAIR PV-02
5000001	616650	01	PM	500001 FE'S 1YR PM, (MECHANICAL) (11 EA)
5000001	617856	01	PM	500001 TCA 6MO PM, AUTO DUMP
5000001	617857	01	PM	500001 BHW 1YR PM, (START UP) AFTER LAY-UP
5000001	617867	01	PM	500001 MICROFILTER 3 MONTH PUMP MAINTENANCE
5000001	617870	01	PM	500001 ASE 3MO PM, EXHAUST STACK PUMP (3 EA)
5000001	617871	01	PM	500001 LTE 1MO PM
5000001	617873	01	PM	500001 LTET 1MO PM
5000001	617912	01	PM	500001 FEXT 1MO PM
5000001	617943	01	PM	500001 PERFORM WEEKLY EYEWASH/ SAFETY SHOWER TESTING
5000001	620074	01	PM	50-1 TK 3YR PM, 60/60A ULTRASONIC TANK INSPECT(VISUAL/EXTRNL)
5000001	620075	01	PM	500001 PV-008 1YR PM, (ELECTRICAL)
5000001	620076	01	PM	500001 DT 1YR PM, DRUM TUMBLER
5000001	620084	01	PM	500001 (A) SAFETY SHOWER PM (32 EA)
5000001	620089	01	PM	500001 DAD 6MO PM
5000001	620090	01	PM	500001 EH 6MO PM, ELEVATOR MECH/ELECT
5000001	620095	01	PM	500001 (6M) DEIONIZED WATER BOTTLE CHANGE OUT
5000001	620103	01	PM	50-1 PH ANALYZER 2MO CALIBRATION 2 EA
5000001	620108	01	PM	500001 PERFORM WEEKLY EYEWASH/ SAFETY SHOWER TESTING
5000001	620110	01	PM	500001 BHW 1MO PM (2 EA)
5000001	620137	01	PM	500001 FEXT 1MO PM
5000001	620160	01	PM	500001 LTE 1MO PM
5000001	620162	01	PM	500001 LTET 1MO PM
5000001	620800	01	CO	500001 RLW MICROFILTER EMERGENCY STOP REPLACEMENT
5000001	621923	01	PM	500001 CA'S 6MO PM, (MECHANICAL)
5000001	622767	01	PM	500001 LUBE 6MO PM, OPS EQUIPMENT LUBRICATION

TA-50-0001 Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
5000001	622768	01	PM	500001 SPW 3 MO FIRE SUPPRESSION SYSTEMS PM
5000001	622772	01	PM	500001 PV-008 3MO PM, (MECHANICAL)
5000001	622773	01	PM	500001 GFCI (6M) SERVICE INSPECTIONS
5000001	622794	01	PM	500001 LTET 1MO PM
5000001	622826	01	PM	500001 LTE 1MO PM
5000001	622839	01	PM	500001 BHW 1MO PM (2 EA)
5000001	622844	01	PM	500001 PERFORM WEEKLY EYEWASH/ SAFETY SHOWER TESTING
5000001	623456	01	PM	500001 PV-007 3 MO PM, (MECHANICAL)
5000001	623574	01	PM	500001 CONNECT/PURGE ARGON DEWAR
5000001	623838	01	CO	500001 FLUSH 14-VAC-07. TROUBLE SHOOT AND REPAIR.
5000001	629594	01	PM	500001 BHW 1MO PM (2 EA)

TA-50-0250 Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
500250	495946	01	CO	500250 WMRM REPLACE TANK OUTLET VALVES
500250	608848	01	CO	500250 REPLACE EMERGENCY LIGHT LTE-75 IN ROOM 003
500250	612617	01	PM	50-250 3MO DIESEL GENERATOR PM
500250	617864	01	PM	500250 SHS 3MO PM, SAFETY SHOWER
500250	617877	01	PM	500250 LTET 1MO PM
500250	617881	01	PM	500250 LTE 1MO PM
500250	617910	01	PM	500250 LTNT 1MO PM
500250	617937	01	PM	500250 FEXT 1MO PM
500250	620088	01	PM	500250 (A) BACKFLOW PREVENTER MAINTENANCE PM 2EA
500250	620102	01	PM	50-250 3MO DIESEL GENERATOR PM
500250	620135	01	PM	500250 LTNT 1MO PM
500250	620157	01	PM	500250 FEXT 1MO PM
500250	620164	01	PM	500250 LTET 1MO PM
500250	620167	01	PM	500250 LTE 1MO PM
500250	622771	01	PM	50-250 3MO SPW SYSTEM PM
500250	622825	01	PM	500250 FEXT 1MO PM

TA-50-0002 Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
500002	613406	01	CO	500002 PRV TIGHTENING

TA-50-0066 Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
				*** NO DATA TO REPORT FOR LISTED PERIOD.

TA-50-0248 Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
500248	622780	01	PM	500248 PUMPS 3MO PM (2 EA.)

TA-50-0257 Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
500257	621187	01	PM	50-257 (A) EVAPORATOR FAN ELECTRICAL
500257	621316	01	PM	50-257 1YR MECHANICAL EVAPORATOR FAN PM

TA-52-SET Work Completion Report (10/01/2018-12/31/2018)

Unit	Work Order	Task	Task Type	Task Title
520182	617944	01	PM	TA52-182 FEXT 1MO PM
520182	617945	01	PM	TA52-182 MONTHLY NON TRITIUM LIGHTS PM
520182	617947	01	PM	TA52-182 MONTHLY EMERGENCY LIGHTS PM
520182	620106	01	PM	TA52-182 MONTHLY EMERGENCY LIGHTS PM
520182	620177	01	PM	TA52-182 FEXT 1MO PM
520182	620178	01	PM	TA52-182 MONTHLY NON TRITIUM LIGHTS PM
520182	622840	01	PM	TA52-182 MONTHLY EMERGENCY LIGHTS PM
520182	622842	01	PM	TA52-182 MONTHLY NON TRITIUM LIGHTS PM
520182	622843	01	PM	TA52-182 FEXT 1MO PM
520182	626070	01	PM	52-0182 (3M) FENCE LINE VERIFICATION
520182	626071	01	PM	52-0182 (3M) SIGNAGE VERIFICATION FOR FENCE LINE

Key to Acronyms

ASE	air sampler, exhaust	LPT	lightning protection
BHW	boiler, hot water	LTE	lights, emergency
CA	compressed air	LTET	lights, emergency, tritium
DAD	dessicant air dryer	LTNT	lights, non-tritium
EB	exhaust bank	PRV	pressure reducing valve
EH	exhaust heater	PV	pump, vacuum
FAR	filter, air replaceable	RCA	radiological control area
FE	fan, exhaust	SHS	shower, safety
FEXT	fire extinguisher	SPH	sprinkler pipe, dry
HEPA	high-efficiency particulate air	SPW	sprinkler pipe, wet
HUE	heater unit, electric	TCA	tank, compressed air

ATTACHMENT 8

Daily volume of RLW influent wastewater
received by the RLWTF

EPC-DO: 19-018

LA-UR-19-20526

Date: **JAN 3 1 2019**

**DP-1132 Report: Fourth Quarter 2018
RLWTF Daily Influent and Effluent**

Date	Low-level Influent	Effluent MES	Effluent Outfall	Effluent SET	Transuranic Influent
Totals, 2018-Q4	810,397	895,069	0	0	78
Sub-total, Oct	263,116	360,867	0	0	0
Sub-total, Nov	305,949	261,888	0	0	0
Sub-total, Dec	241,332	272,314	0	0	78

All flows are in Liters.

1-Oct	14,342	14,478	0	0	0
2-Oct	8,458	14,765	0	0	0
3-Oct	9,840	11,478	0	0	0
4-Oct	7,490	6,396	0	0	0
5-Oct	7,069	15,447	0	0	0
6-Oct	6,739	15,073	0	0	0
7-Oct	7,097	14,407	0	0	0
8-Oct	7,425	7,969	0	0	0
9-Oct	7,356	0	0	0	0
10-Oct	7,215	5,859	0	0	0
11-Oct	7,785	10,674	0	0	0
12-Oct	7,312	13,876	0	0	0
13-Oct	6,474	14,217	0	0	0
14-Oct	5,177	14,217	0	0	0
15-Oct	5,349	5,430	0	0	0
16-Oct	7,048	7,354	0	0	0
17-Oct	8,695	14,789	0	0	0
18-Oct	8,937	14,842	0	0	0
19-Oct	9,296	9,422	0	0	0
20-Oct	7,305	14,828	0	0	0
21-Oct	5,043	13,984	0	0	0
22-Oct	5,314	14,227	0	0	0
23-Oct	6,011	14,355	0	0	0
24-Oct	7,773	13,961	0	0	0
25-Oct	9,398	7,638	0	0	0
26-Oct	13,732	14,045	0	0	0
27-Oct	5,307	14,501	0	0	0
28-Oct	6,734	14,501	0	0	0
29-Oct	15,556	8,885	0	0	0
30-Oct	11,749	5,266	0	0	0
31-Oct	20,091	13,983	0	0	0

**DP-1132 Report: Fourth Quarter 2018
RLWTF Daily Influent and Effluent**

Date	Low-level Influent	Effluent MES	Effluent Outfall	Effluent SET	Transuranic Influent
1-Nov	8,993	13,917	0	0	0
2-Nov	9,958	11,402	0	0	0
3-Nov	8,967	20,375	0	0	0
4-Nov	7,354	15,163	0	0	0
5-Nov	9,307	15,103	0	0	0
6-Nov	13,490	5,263	0	0	0
7-Nov	10,579	4,488	0	0	0
8-Nov	9,372	11,616	0	0	0
9-Nov	10,992	12,919	0	0	0
10-Nov	6,537	9,070	0	0	0
11-Nov	6,177	0	0	0	0
12-Nov	7,040	2,834	0	0	0
13-Nov	5,583	18,912	0	0	0
14-Nov	28,206	14,399	0	0	0
15-Nov	12,487	14,532	0	0	0
16-Nov	13,210	5,789	0	0	0
17-Nov	11,014	4,884	0	0	0
18-Nov	10,409	14,354	0	0	0
19-Nov	12,112	3,858	0	0	0
20-Nov	13,891	0	0	0	0
21-Nov	10,598	0	0	0	0
22-Nov	9,122	0	0	0	0
23-Nov	8,630	0	0	0	0
24-Nov	8,365	0	0	0	0
25-Nov	8,403	0	0	0	0
26-Nov	9,273	4,184	0	0	0
27-Nov	8,289	14,725	0	0	0
28-Nov	10,522	14,671	0	0	0
29-Nov	9,273	14,682	0	0	0
30-Nov	7,797	14,745	0	0	0

**DP-1132 Report: Fourth Quarter 2018
RLWTF Daily Influent and Effluent**

Date	Low-level Influent	Effluent MES	Effluent Outfall	Effluent SET	Transuranic Influent
1-Dec	7,494	14,900	0	0	0
2-Dec	6,359	14,900	0	0	0
3-Dec	7,646	6,916	0	0	0
4-Dec	8,062	1,469	0	0	0
5-Dec	8,857	4,383	0	0	0
6-Dec	8,365	541	0	0	0
7-Dec	13,134	5,972	0	0	0
8-Dec	6,737	15,382	0	0	0
9-Dec	6,586	14,520	0	0	0
10-Dec	7,078	14,813	0	0	0
11-Dec	8,251	15,017	0	0	0
12-Dec	8,213	13,776	0	0	0
13-Dec	9,311	15,100	0	0	0
14-Dec	7,532	15,083	0	0	0
15-Dec	6,775	7,808	0	0	0
16-Dec	5,791	14,917	0	0	0
17-Dec	6,548	15,356	0	0	0
18-Dec	11,998	11,772	0	0	0
19-Dec	9,046	15,188	0	0	0
20-Dec	9,084	13,854	0	0	78
21-Dec	11,696	4,469	0	0	0
22-Dec	6,775	0	0	0	0
23-Dec	5,905	0	0	0	0
24-Dec	5,640	0	0	0	0
25-Dec	5,791	0	0	0	0
26-Dec	5,375	0	0	0	0
27-Dec	5,450	0	0	0	0
28-Dec	5,526	0	0	0	0
29-Dec	5,905	6,968	0	0	0
30-Dec	14,686	14,605	0	0	0
31-Dec	5,715	14,605	0	0	0

ATTACHMENT 9

Monthly and quarterly treated effluent monitoring results

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 31 2019

Table 1. Analytical Results from Monthly Sampling RLWTF Treated Effluent Discharged to the MES, September 24, 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Lab Method
NP051-18-158779	RLWTF_MES 01	09-24-2018	Chloride	33.3	mg/L		Y	N	EPA:300.0
NP051-18-158778	RLWTF_MES 01	09-24-2018	Fluoride	0.198	mg/L		Y	Y	EPA:300.0
NP051-18-158779	RLWTF_MES 01	09-24-2018	Nitrate-Nitrite as Nitrogen	5.10	mg/L		Y	N	EPA:353.2
NP051-18-158779	RLWTF_MES 01	09-24-2018	Perchlorate	1.08	ug/L		Y	N	SW-846:6850
NP051-18-158779	RLWTF_MES 01	09-24-2018	Total Dissolved Solids	160	mg/L		Y	N	EPA:160.1
NP051-18-158779	RLWTF_MES 01	09-24-2018	Total Kjeldahl Nitrogen	0.988	mg/L		Y	N	EPA:351.2

Table 2. Analytical Results from Monthly Sampling RLWTF Treated Effluent Discharged to the MES, October 3, 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Lab Method
NP051-18-163141	RLWTF_MES 01	10-03-2018	Chloride	13.5	mg/L		Y	N	EPA:300.0
NP051-18-163140	RLWTF_MES 01	10-03-2018	Fluoride	0.100	mg/L		Y	Y	EPA:300.0
NP051-18-163141	RLWTF_MES 01	10-03-2018	Nitrate-Nitrite as Nitrogen	4.24	mg/L		Y	N	EPA:353.2
NP051-18-163141	RLWTF_MES 01	10-03-2018	Perchlorate	0.13	ug/L	J	Y	N	SW-846:6850
NP051-18-163141	RLWTF_MES 01	10-03-2018	Total Dissolved Solids	87.1	mg/L		Y	N	EPA:160.1
NP051-18-163141	RLWTF_MES 01	10-03-2018	Total Kjeldahl Nitrogen	0.033	mg/L	U	N	N	EPA:351.2

Table 3. Analytical Results from Monthly Sampling RLWTF Treated Effluent Discharged to the MES, November 7, 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Lab Method
RLWTF-19-164497	RLWTF_MES 01	11-07-2018	Chloride	13.1	mg/L		Y	N	EPA:300.0
RLWTF-19-164497	RLWTF_MES 01	11-07-2018	Fluoride	0.109	mg/L		Y	N	EPA:300.0
RLWTF-19-164497	RLWTF_MES 01	11-07-2018	Nitrate-Nitrite as Nitrogen	4.68	mg/L		Y	N	EPA:353.2
RLWTF-19-164497	RLWTF_MES 01	11-07-2018	Perchlorate	0.050	ug/L	U	N	N	SW-846:6850
RLWTF-19-164497	RLWTF_MES 01	11-07-2018	Total Dissolved Solids	124	mg/L		Y	N	EPA:160.1
RLWTF-19-164497	RLWTF_MES 01	11-07-2018	Total Kjeldahl Nitrogen	0.172	mg/L		Y	N	EPA:351.2

Table 4. Analytical Results from the Monthly Sampling RLWTF Treated Effluent Discharged to the MES, December 5, 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Lab Method
RLWTF-19-164498	RLWTF_MES 01	12-05-2018	Chloride	10.8	mg/L		Y	N	EPA:300.0
RLWTF-19-164498	RLWTF_MES 01	12-05-2018	Fluoride	0.128	mg/L		Y	N	EPA:300.0
RLWTF-19-164498	RLWTF_MES 01	12-05-2018	Nitrate-Nitrite as Nitrogen	7.08	mg/L		Y	N	EPA:353.2
RLWTF-19-164498	RLWTF_MES 01	12-05-2018	Perchlorate	0.050	ug/L	U	N	N	SW-846:6850
RLWTF-19-164498	RLWTF_MES 01	12-05-2018	Total Dissolved Solids	103	mg/L		Y	N	EPA:160.1
RLWTF-19-164498	RLWTF_MES 01	12-05-2018	Total Kjeldahl Nitrogen	0.100	mg/L		Y	N	EPA:351.2

Table 5. Analytical Results from Quarterly Sampling RLWTF Treated Effluent Discharged to the MES, 4th Quarter 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Sample Purpose	Lab Method	Method Category
NP051-18-163140	RLWTF_MES 01	10-03-2018	Sulfate	31.7	mg/L		Y	Y	REG	EPA:300.0	GEN CHEM
NP051-18-163140	RLWTF_MES 01	10-03-2018	Aluminum	19.3	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Arsenic	2.00	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Barium	0.798	ug/L	J	Y	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Boron	37.2	ug/L	J	Y	Y	REG	EPA:200.7	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Cadmium	0.300	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Chromium	3.00	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Cobalt	0.300	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Copper	5.64	ug/L		Y	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Cyanide (Total)	0.00167	mg/L	U	N	Y	REG	EPA:335.4	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Iron	60.4	ug/L	J	Y	Y	REG	EPA:200.7	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Lead	0.500	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Manganese	14	ug/L		Y	Y	REG	EPA:200.7	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Mercury	0.067	ug/L	U	N	Y	REG	EPA:245.2	INORGANIC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Mercury	0.067	ug/L	U	N	N	REG	EPA:245.2	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Molybdenum	1.6	ug/L		Y	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Nickel	7.18	ug/L		Y	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Selenium	2.00	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Silver	0.300	ug/L	U	N	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Uranium	0.521	ug/L		Y	Y	REG	EPA:200.8	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Zinc	3.45	ug/L	J	Y	Y	REG	EPA:200.7	INORGANIC
NP051-18-163140	RLWTF_MES 01	10-03-2018	Radium-226	0.993	pCi/L		Y	Y	REG	EPA:903.1	RAD
NP051-18-163140	RLWTF_MES 01	10-03-2018	Radium-228	0.363	pCi/L	U	N	Y	REG	EPA:904	RAD
Field Measurement	RLWTF_MES 01	10-03-2018	pH	6.100	su			N		Field	
NP051-18-163141	RLWTF_MES 01	10-03-2018	HMX	0.0909	ug/L	U	N	N	REG	SW-846:8330B	LCMS/MS HE
NP051-18-163141	RLWTF_MES 01	10-03-2018	RDX	0.0909	ug/L	U	N	N	REG	SW-846:8330B	LCMS/MS HE
NP051-18-163141	RLWTF_MES 01	10-03-2018	Trinitrotoluene[2,4,6-]	0.0909	ug/L	U	N	N	REG	SW-846:8330B	LCMS/MS HE
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aldrin	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aroclor-1016	0.0374	ug/L	U	N	N	REG	SW-846:8082	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aroclor-1221	0.0374	ug/L	U	N	N	REG	SW-846:8082	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aroclor-1232	0.0374	ug/L	U	N	N	REG	SW-846:8082	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aroclor-1242	0.0374	ug/L	U	N	N	REG	SW-846:8082	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aroclor-1248	0.0374	ug/L	U	N	N	REG	SW-846:8082	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aroclor-1254	0.0374	ug/L	U	N	N	REG	SW-846:8082	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Aroclor-1260	0.0374	ug/L	U	N	N	REG	SW-846:8082	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	BHC[alpha-]	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	BHC[beta-]	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	BHC[gamma-]	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Chlordane(alpha/gamma)	0.0911	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Chlordane[alpha-]	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Chlordane[gamma-]	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	DDT[4,4'-]	0.0119	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB

Table 5. Analytical Results from Quarterly Sampling RLWTF Treated Effluent Discharged to the MES, 4th Quarter 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Sample Purpose	Lab Method	Method Category
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dieldrin	0.0119	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Endosulfan I	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Endosulfan II	0.0119	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Endrin	0.0119	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Heptachlor	0.00792	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Toxaphene (Technical Grade)	0.179	ug/L	U	N	N	REG	SW-846:8081B	PESTPCB
NP051-18-163141	RLWTF_MES 01	10-03-2018	Anthracene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Azobenzene	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Benzidine	3.90	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Benzo(a)pyrene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Benzo(b)fluoranthene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Benzo(k)fluoranthene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Bis(2-chloroethyl)ether	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Bis(2-ethylhexyl)phthalate	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichlorobenzidine[3,3'-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichlorophenol[2,4-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Diethylphthalate	0.38	ug/L	BJ	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dimethyl Phthalate	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Di-n-butylphthalate	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dinitro-2-methylphenol[4,6-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dinitrophenol[2,4-]	5.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dinitrotoluene[2,4-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dinitrotoluene[2,6-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Diphenylamine	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Fluoranthene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Fluorene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Hexachlorobenzene	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Hexachlorobutadiene	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Hexachlorocyclopentadiene	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Hexachloroethane	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Isophorone	3.50	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Methylnaphthalene[1-]	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Methylnaphthalene[2-]	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Naphthalene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Nitrobenzene	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Nitrosodiethylamine[N-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Nitrosodimethylamine[N-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Nitroso-di-n-butylamine[N-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Nitrosopyrrolidine[N-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Oxybis(1-chloropropane)[2,2'-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Pentachlorobenzene	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Pentachlorophenol	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC

Table 5. Analytical Results from Quarterly Sampling RLWTF Treated Effluent Discharged to the MES, 4th Quarter 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Sample Purpose	Lab Method	Method Category
NP051-18-163141	RLWTF_MES 01	10-03-2018	Phenanthrene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Phenol	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Pyrene	0.300	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Tetrachlorobenzene[1,2,4,5]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Total PAHs	0.0	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Trichloropheno[2,4,5-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Trichloropheno[2,4,6-]	3.00	ug/L	U	N	N	REG	SW-846:8270D	SVOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Benzene	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Bromodichloromethane	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Bromoform	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Bromomethane	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Carbon Tetrachloride	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Chlorobenzene	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Chloroform	1.29	ug/L		Y	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Chloromethane	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dibromoethane[1,2-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichlorobenzene[1,4-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichlorodifluoromethane	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichloroethane[1,1-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichloroethane[1,2-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichloroethene[1,1-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichloroethene[cis-1,2-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichloroethene[trans-1,2-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Dichloropropene[cis/trans-1,3-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Ethylbenzene	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Methyl tert-Butyl Ether	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Methylene Chloride	1.00	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Tetrachloroethane[1,1,2,2-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Tetrachloroethene	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Toluene	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Trichloroethane[1,1,1-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Trichloroethane[1,1,2-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Trichloroethene	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Trichlorofluoromethane	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Vinyl Chloride	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Xylene (Total)	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Xylene[1,2-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163141	RLWTF_MES 01	10-03-2018	Xylene[1,3-]+Xylene[1,4-]	0.300	ug/L	U	N	N	REG	SW-846:8260B	VOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Anthracene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Azobenzene	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Benzidine	4.59	ug/L	U	N	N	FD	SW-846:8270D	SVOC

Table 5. Analytical Results from Quarterly Sampling RLWTF Treated Effluent Discharged to the MES, 4th Quarter 2018, Permit Condition No. 29.

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Lab Qualifier	Detected	Filtered	Sample Purpose	Lab Method	Method Category
NP051-18-163142	RLWTF_MES 01	10-03-2018	Benzo(a)pyrene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Benzo(b)fluoranthene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Benzo(k)fluoranthene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Bis(2-chloroethyl)ether	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Bis(2-ethylhexyl)phthalate	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Dichlorobenzidine[3,3'-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Dichlorophenol[2,4-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Diethylphthalate	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Dimethyl Phthalate	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Di-n-butylphthalate	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Dinitro-2-methylphenol[4,6-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Dinitrophenol[2,4-]	5.88	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Dinitrotoluene[2,4-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Dinitrotoluene[2,6-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Diphenylamine	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Fluoranthene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Fluorene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Hexachlorobenzene	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Hexachlorobutadiene	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Hexachlorocyclopentadiene	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Hexachloroethane	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Isophorone	4.12	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Methylnaphthalene[1-]	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Methylnaphthalene[2-]	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Naphthalene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Nitrobenzene	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Nitrosodiethylamine[N-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Nitrosodimethylamine[N-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Nitroso-di-n-butylamine[N-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Nitrosopyrrolidine[N-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Oxybis(1-chloropropane)[2,2'-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Pentachlorobenzene	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Pentachlorophenol	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Phenanthrene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Phenol	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Pyrene	0.353	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Tetrachlorobenzene[1,2,4,5]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Total PAHs	0.0	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Trichlorophenol[2,4,5-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC
NP051-18-163142	RLWTF_MES 01	10-03-2018	Trichlorophenol[2,4,6-]	3.53	ug/L	U	N	N	FD	SW-846:8270D	SVOC

Sample Purpose Notes:

REG means regular field sample

FD means field duplicate sample

ATTACHMENT 10

MCOI-6 quarterly and annual
ground water monitoring report

EPC-DO: 19-018

LA-UR-19-20526

Date: **JAN 3 1 2019**

Table 1. Analytical Results from Quarterly Groundwater Sampling at Perched/Intermediate Ground Water Well MCOI-6, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method
CAMO-19-163970	MCOI-6	11-08-2018	Chloride	54.4	mg/L	Y		UF	REG	EPA:300.0
CAMO-19-163970	MCOI-6	11-08-2018	Fluoride	0.438	mg/L	Y		UF	REG	EPA:300.0
CAMO-19-163970	MCOI-6	11-08-2018	Nitrate-Nitrite as Nitrogen	11.2	mg/L	Y		UF	REG	EPA:353.2
CAMO-19-163970	MCOI-6	11-08-2018	Total Dissolved Solids	350	mg/L	Y		UF	REG	EPA:160.1
CAMO-19-163971	MCOI-6	11-08-2018	Total Kjeldahl Nitrogen	0.146	mg/L	Y		F	REG	EPA:351.2
CAMO-19-163970	MCOI-6	11-08-2018	Perchlorate	124	ug/L	Y		Y	REG	SW-846:6850

Table 2. Analytical Results from Annual Groundwater Sampling at Perched/Intermediate Ground Water Well MCOI-6, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-163970	MCOI-6	11-08-2018	Aluminum	68.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Arsenic	2.36	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Barium	38.2	ug/L	Y		F	REG	SW-846:6010C	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Boron	53.8	ug/L	Y		F	REG	SW-846:6010C	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Cadmium	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Chromium	68.2	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Cobalt	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Copper	3.88	ug/L	Y	J	F	REG	SW-846:6010C	METALS
CAMO-19-163971	MCOI-6	11-08-2018	Cyanide (Total)	0.00235	mg/L	Y	J	UF	REG	EPA:335.4	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Iron	30.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Lead	0.500	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Manganese	2.07	ug/L	Y	J	F	REG	SW-846:6010C	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Mercury	0.067	ug/L	N	U	F	REG	EPA:245.2	METALS
CAMO-19-163971	MCOI-6	11-08-2018	Mercury	0.067	ug/L	N	U	UF	REG	EPA:245.2	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Molybdenum	2.13	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Nickel	21.1	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Selenium	2.00	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Silver	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Uranium	0.802	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Zinc	27	ug/L	Y		F	REG	SW-846:6010C	METALS
CAMO-19-163970	MCOI-6	11-08-2018	Sulfate	53.6	mg/L	Y		UF	REG	EPA:300.0	GEN_CHEM
Field Measurement	MCOI-6	11-08-2018	pH	7.19	su			UF	REG	Field	
CAMO-19-163970	MCOI-6	11-08-2018	Perchlorate	124	ug/L	Y		Y	REG	SW-846:6850	LCMS/MS
CAMO-19-164107	MCOI-6	11-08-2018	Radium-226	4.73	pCi/L	Y		F	REG	EPA:903.1	RAD
CAMO-19-164107	MCOI-6	11-08-2018	Radium-228	0.545	pCi/L	N	U	F	REG	EPA:904	RAD
CAMO-19-164108	MCOI-6	11-08-2018	Aldrin	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Aroclor-1016	0.0351	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Aroclor-1221	0.0351	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Aroclor-1232	0.0351	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Aroclor-1242	0.0351	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Aroclor-1248	0.0351	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Aroclor-1254	0.0351	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Aroclor-1260	0.0351	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	BHC[alpha-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	BHC[beta-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	BHC[gamma-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Chlordane(alpha/gamma)	0.0805	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Chlordane[alpha-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB

Table 2. Analytical Results from Annual Groundwater Sampling at Perched/Intermediate Ground Water Well MCOI-6, November 8, 2018, Condition No. 35

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164108	MCOI-6	11-08-2018	Chlordane[gamma-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	DDT[4,4'-]	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Dieldrin	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Endosulfan I	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Endosulfan II	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Endrin	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Heptachlor	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164108	MCOI-6	11-08-2018	Toxaphene (Technical Grade)	0.158	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-163971	MCOI-6	11-08-2018	Acenaphthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Acenaphthylene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Aniline	4.38	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Anthracene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Atrazine	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Azobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzidine	4.06	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzo(a)anthracene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzo(a)pyrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzo(b)fluoranthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzo(g,h,i)perylene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzo(k)fluoranthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzoic Acid	6.25	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzyl Alcohol	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Bis(2-chloroethoxy)methane	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Bis(2-chloroethyl)ether	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Bis(2-ethylhexyl)phthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Bromophenyl-phenylether[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Butylbenzylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloro-3-methylphenol[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloroaniline[4-]	3.44	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloronaphthalene[2-]	0.427	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Chlorophenol[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Chlorophenyl-phenyl[4-] Ether	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Chrysene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dibenz(a,h)anthracene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dibenzofuran	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorobenzene[1,2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorobenzene[1,3-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorobenzene[1,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorobenzidine[3,3'-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorophenol[2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 2. Analytical Results from Annual Groundwater Sampling at Perched/Intermediate Ground Water Well MCOI-6, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-163971	MCOI-6	11-08-2018	Diethylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dimethyl Phthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dimethylphenol[2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Di-n-butylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dinitro-2-methylphenol[4,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dinitrophenol[2,4-]	5.21	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dinitrotoluene[2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dinitrotoluene[2,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Di-n-octylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dinoseb	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Dioxane[1,4-]	12.9	ug/L	Y		UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Diphenylamine	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Fluoranthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Fluorene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Hexachlorobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Hexachlorobutadiene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Hexachlorocyclopentadiene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Hexachloroethane	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Indeno[1,2,3-cd]pyrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Isophorone	3.65	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Methylnaphthalene[1-]	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Methylnaphthalene[2-]	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Methylphenol[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Methylphenol[3-,4-]	3.85	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Naphthalene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitroaniline[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitroaniline[3-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitroaniline[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitrobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitrophenol[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitrophenol[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitrosodiethylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitrosodimethylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitroso-di-n-butylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitroso-di-n-propylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Nitrosopyrrolidine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Oxybis(1-chloropropane)[2,2'-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Pentachlorobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Pentachlorophenol	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Phenanthrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Phenol	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 2. Analytical Results from Annual Groundwater Sampling at Perched/Intermediate Ground Water Well MCOI-6, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-163971	MCOI-6	11-08-2018	Pyrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Pyridine	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Tetrachlorobenzene[1,2,4,5]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Tetrachlorophenol[2,3,4,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichlorobenzene[1,2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichlorophenol[2,4,5-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichlorophenol[2,4,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-163971	MCOI-6	11-08-2018	Acetone	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Acetonitrile	8.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Acrolein	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Acrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Benzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Bromobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Bromochloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Bromodichloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Bromoform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Bromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Butanol[1-]	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Butanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Butylbenzene[n-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Butylbenzene[sec-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Butylbenzene[tert-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Carbon Disulfide	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Carbon Tetrachloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloro-1,3-butadiene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloro-1-propene[3-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chlorobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chlorodibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloroethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloroform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chlorotoluene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Chlorotoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dibromo-3-Chloropropane[1,2-]	0.500	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dibromoethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorobenzene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorobenzene[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorobenzene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichlorodifluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 2. Analytical Results from Annual Groundwater Sampling at Perched/Intermediate Ground Water Well MCOI-6, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-163971	MCOI-6	11-08-2018	Dichloroethane[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloroethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloroethene[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloroethene[cis-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloroethene[trans-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloropropane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloropropane[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloropropane[2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloropropene[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloropropene[cis-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Dichloropropene[trans-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Diethyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Ethyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Ethylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Hexachlorobutadiene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Hexanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Iodomethane	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Isobutyl alcohol	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Isopropylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Isopropyltoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Methacrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Methyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Methyl tert-Butyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Methyl-2-pentanone[4-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Methylene Chloride	1.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Naphthalene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Propionitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Propylbenzene[1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Styrene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Tetrachloroethane[1,1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Tetrachloroethane[1,1,2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Tetrachloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Toluene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichloro-1,2,2-trifluoroethane[1,1,2-]	2.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichlorobenzene[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichlorobenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichloroethane[1,1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichloroethane[1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichlorofluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trichloropropane[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 2. Analytical Results from Annual Groundwater Sampling at Perched/Intermediate Ground Water Well MCOI-6, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-163971	MCOI-6	11-08-2018	Trimethylbenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Trimethylbenzene[1,3,5-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Vinyl acetate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Vinyl Chloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Xylene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-163971	MCOI-6	11-08-2018	Xylene[1,3-]+Xylene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164108	MCOI-6	11-08-2018	HMX	0.0833	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164108	MCOI-6	11-08-2018	RDX	0.0833	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164108	MCOI-6	11-08-2018	Trinitrotoluene[2,4,6-]	0.0833	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE

SAMPLE PURPOSE KEY

REG means regular field sample

FD means field duplicate sample

DP-1132, Condition No. 36, Groundwater Monitoring Report, MCOI-6, November 8, 2018.

a	Sample Date	11/8/2018
b	Sample Time	1252
c	Individuals collecting sample.	Stocker & Jaramillo (TPMC)
d	Monitoring well identification.	MCOI-6
e	Physical description of monitoring well location.	See Location Map, Attachment 15
f	Ground-water surface elevation. (ft below mean sea level (msl))	6145.5
g	Total depth of the well (ft below ground surface (bgs))	712.6
h	Total volume of water in the monitoring well prior to sample collection. (gal)	29.9
i	Total volume of water purged prior to sample collection (gal).	117
j	Physical parameters including temperature, conductivity, pH, oxidation/reduction potential.	DO (mg/L):7.48 Oxidation/Reduction Potential (MV): 327.5 Temp (deg C): 15.5 pH (SU): 7.19 Turbidity (NTU): 0.58 Specific Conductance (μ S/cm): 556
k	Description of sample methods	See Attached Chain-of-Custody
l	Chain-of custody.	Attached
m	Location Map	Attachment 15

LANL SMO Los Alamos NM	<h1 style="margin: 0;">Chain of Custody/Analysis Request</h1>	COC/Lab Request #: 2019-424 <small>Page 1 of 1</small>
MCOI-6		

Client Contact:	Lab Agreement #:	Site Name: N3B LANL												
Project Number:		<table border="1" style="width:100%; border-collapse: collapse; font-size: 0.8em;"> <tr><td>MSGP-Hg</td><td>WSP-8260B-VOA</td><td>WSP-8270C-SVOA</td><td>WSP-All Metals</td><td>WSP-CN(T)</td><td>WSP-GENINORG+PerChlorate</td><td>WSP-GrossA/B</td><td>WSP-H-3</td><td>WSP-N15/O18-NO3</td><td>WSP-NH3+NO3/NO2+PO4</td><td>WSP-RAD</td><td>WSP-TKN+TOC</td></tr> </table>	MSGP-Hg	WSP-8260B-VOA	WSP-8270C-SVOA	WSP-All Metals	WSP-CN(T)	WSP-GENINORG+PerChlorate	WSP-GrossA/B	WSP-H-3	WSP-N15/O18-NO3	WSP-NH3+NO3/NO2+PO4	WSP-RAD	WSP-TKN+TOC
MSGP-Hg	WSP-8260B-VOA		WSP-8270C-SVOA	WSP-All Metals	WSP-CN(T)	WSP-GENINORG+PerChlorate	WSP-GrossA/B	WSP-H-3	WSP-N15/O18-NO3	WSP-NH3+NO3/NO2+PO4	WSP-RAD	WSP-TKN+TOC		
Analysis Turnaround Time:														
24 Hour - <input type="checkbox"/> Other - <input checked="" type="checkbox"/>														
7 Days - <input type="checkbox"/>														
14 Days - <input type="checkbox"/>														
21 Days - <input type="checkbox"/>														
28 Days - <input type="checkbox"/>														
Rad Screening Info:														
Lab Reporting Limit Type: Method Detection Limit														

Field Sample ID	Sample Date	Sample Time	Sample Matrix	MSGP-Hg	WSP-8260B-VOA	WSP-8270C-SVOA	WSP-All Metals	WSP-CN(T)	WSP-GENINORG+PerChlorate	WSP-GrossA/B	WSP-H-3	WSP-N15/O18-NO3	WSP-NH3+NO3/NO2+PO4	WSP-RAD	WSP-TKN+TOC
CAMO-19-163970	Nov 8 2018	12:52	W				1		1			2	1		
CAMO-19-163971	Nov 8 2018	12:52	W	1	2	2		1		1	1			1	1
CAMO-19-163972	Nov 8 2018	12:52	W		2	2									
CAMO-19-163973	Nov 8 2018	12:52	W	1											

Special Instructions:

Relinquished by:	Print Name: Allisyn Stanfield	Date/Time: 11/8/18 1630	Received by: Lane Oriskany	Print Name: Lane Oriskany	Date/Time: 11/8/18 1630
Relinquished by:	Print Name:	Date/Time:	Received by:	Print Name:	Date/Time:
Relinquished by:	Print Name:	Date/Time: 9	Received by:	Print Name:	Date/Time:

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164108

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/18/2018	OK	FIELD MATRIX:	WG	CR
TIME COLLECTED (HH:MM):	1252		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	RSP GSP	
LOCATION ID:	MCOI-6		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:			EXCAVATED:	YES / NO / NA	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-8082	1 LITER GLASS	3	ICE	Y	NA
↓	DP-TP-8081	1 LITER GLASS	3	ICE		
↓	DP-TP-8330	1 LITER AMBER GLASS	3	ICE		

SAMPLE COMMENTS: NA

LOCATION COMMENTS: NA

FIELD PARAMETERS:

Sample Time	1252	HH:MM	Casing Volume	NA	UNITLESS	Discharge Rate	130	gal/min
Dissolved Oxygen	748	mg/L	Flow (in gpm)	130	GPM	Groundwater Elevation	NC	ft
Oxidation-Reduction Potential	3275	mV	Period Purge Volume	NA	gal	pH	7.12	SU
Purge Volume	117	gal	Specific Conductance	556	uS/cm	Temperature	18.5	deg C
Total Volume Pumped	185.1	gal	Turbidity	058	NTU			

COLLECTED BY (PRINT): A. Stocker & D. Jaramillo

RELINQUISHED BY <i>Tomer Benham</i> (Printed Name) (Signature)	Date/Time 11/18/2018 1600	RECEIVED BY <i>S. Sheppard</i> (Printed Name) (Signature)	Date/Time 11/18/18 1600
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164107

WORK ORDER:

	<u>AS PLANNED</u>	<u>AS COLLECTED</u>		<u>AS PLANNED</u>	<u>AS COLLECTED</u>
Date Collected (MM/DD/YYYY):	11/8/2018	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1252		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	11/8/18 TB RSP GSP	
LOCATION ID:	MCOI-6		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:	↓	↓	SAMPLE USAGE:	INV	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:	YES / NO / NA	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
	DP-Ra226+228	1 LITER POLY	4	HNO3		

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	___	HH:MM	Casing Volume	___	UNITLESS	Discharge Rate	___	gal/min
Dissolved Oxygen	___	mg/L	Flow (in gpm)	___	GPM	Groundwater Elevation	___	ft
Oxidation-Reduction Potential	___	MV	Period Purge Volume	___	gal	pH	___	SU
Purge Volume	___	gal	Specific Conductance	___	uS/cm	Temperature	___	deg C
Total Volume Pumped	___	gal	Turbidity	___	NTU			

11-8-2018 113

COLLECTED BY (PRINT): A. Stacker & D. Jaramillo

RELINQUISHED BY (Printed Name) <i>Tanger Bonham</i> (Signature) <i>[Signature]</i>	Date/Time 11/8/2018 1600	RECEIVED BY (Printed Name) <i>J. Sherwood</i> (Signature) <i>[Signature]</i>	Date/Time 11/8/18 1600
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164494

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/8/2018	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1252		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	11/3/19 TS RSP DC	
LOCATION ID:	MCOI-6		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	FB	
TOP DEPTH:	↓		SAMPLE USAGE:	QC	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:	YES / (NO) / NA	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-8082	1 LITER GLASS	3	ICE	Y	NA
↓	DP-TP-8081	1 LITER GLASS	3	ICE	↓	↓

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	—	HH:MM	Casing Volume	—	UNITLESS	Discharge Rate	—	gal/min
Dissolved Oxygen	—	mg/L	Flow (in gpm)	—	GPM	Groundwater Elevation	—	ft
Oxidation-Reduction Potential	—	MV	Period Purge Volume	—	gal	pH	—	SU
Purge Volume	—	gal	Specific Conductance	—	uS/cm	Temperature	—	deg C
Total Volume Pumped	—	gal	Turbidity	—	NTU			

COLLECTED BY (PRINT): A. Stacker

RELINQUISHED BY (Printed Name) <i>Tanner Bonham</i> (Signature) <i>[Signature]</i>	Date/Time 11/8/2018 1600	RECEIVED BY (Printed Name) <i>S. Sherwood</i> (Signature) <i>[Signature]</i>	Date/Time 11/8/18 1600
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

ATTACHMENT 11

R-1 annual ground water monitoring report

EPC-DO: 19-018

LA-UR-19-20526

Date: **JAN 3 1 2019**

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-1, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-163974	R-1	11-08-2018	Ammonia as Nitrogen	0.0361	mg/L	Y	J	F	REG	EPA:350.1	GEN_CHEM
CAMO-19-163974	R-1	11-08-2018	Chloride	1.88	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-163975	R-1	11-08-2018	Cyanide (Total)	0.00167	mg/L	N	U	UF	REG	EPA:335.4	GEN_CHEM
CAMO-19-163974	R-1	11-08-2018	Fluoride	0.129	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-163974	R-1	11-08-2018	Nitrate-Nitrite as Nitrogen	0.359	mg/L	Y		F	REG	EPA:353.2	GEN_CHEM
CAMO-19-163974	R-1	11-08-2018	Sulfate	2.31	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-163974	R-1	11-08-2018	Total Dissolved Solids	123	mg/L	Y		F	REG	EPA:160.1	GEN_CHEM
CAMO-19-163975	R-1	11-08-2018	Total Kjeldahl Nitrogen	0.0455	mg/L	Y	J	UF	REG	EPA:351.2	GEN_CHEM
CAMO-19-163974	R-1	11-08-2018	Aluminum	68.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163974	R-1	11-08-2018	Arsenic	2.28	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Barium	13.9	ug/L	Y		F	REG	SW-846:6010C	METALS
CAMO-19-163974	R-1	11-08-2018	Beryllium	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163974	R-1	11-08-2018	Boron	15.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163974	R-1	11-08-2018	Cadmium	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Chromium	5.75	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Cobalt	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163974	R-1	11-08-2018	Copper	3.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163974	R-1	11-08-2018	Iron	30.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163974	R-1	11-08-2018	Lead	0.500	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Manganese	2.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-163975	R-1	11-08-2018	Mercury	0.067	ug/L	N	U	UF	REG	EPA:245.2	METALS
CAMO-19-163974	R-1	11-08-2018	Mercury	0.067	ug/L	N	U	F	REG	EPA:245.2	METALS
CAMO-19-163974	R-1	11-08-2018	Molybdenum	1.11	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Nickel	2.77	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Selenium	2.00	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Silver	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Uranium	0.764	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-163974	R-1	11-08-2018	Zinc	4.17	ug/L	Y	J	F	REG	SW-846:6010C	METALS
Field Measurement	R-1	11-08-2018	pH	7.78	su			UF	REG	Field	
CAMO-19-163974	R-1	11-08-2018	Perchlorate	0.391	ug/L	Y		F	REG	SW-846:6850	LCMS/MS
CAMO-19-164109	R-1	11/08/2018	Radium-226	0.619	pCi/L	Y		F	REG	EPA:903.1	RAD
CAMO-19-164109	R-1	11/08/2018	Radium-228	0.753	pCi/L	N	U	F	REG	EPA:904	RAD
CAMO-19-164110	R-1	11/08/2018	Aldrin	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	BHC[alpha-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	BHC[beta-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	BHC[gamma-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Chlordane(alpha/gamma)	0.0805	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-1, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164110	R-1	11/08/2018	Chlordane[alpha-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Chlordane[gamma-]	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	DDT[4,4'-]	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Dieldrin	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Endosulfan I	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Endosulfan II	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Endrin	0.0105	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Heptachlor	0.007	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Toxaphene (Technical Grade)	0.158	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Aroclor-1016	0.0358	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Aroclor-1221	0.0358	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Aroclor-1232	0.0358	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Aroclor-1242	0.0358	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Aroclor-1248	0.0358	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Aroclor-1254	0.0358	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Aroclor-1260	0.0358	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164110	R-1	11/08/2018	Benzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Bromodichloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Bromoform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Bromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Carbon Tetrachloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Chlorobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Chloroform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Chloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dibromoethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichlorobenzene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichlorodifluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichloroethane[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichloroethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichloroethane[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichloroethene[cis-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichloroethene[trans-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Dichloropropene[cis/trans-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Ethylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Methyl tert-Butyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Methylene Chloride	1.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Tetrachloroethane[1,1,2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Tetrachloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Toluene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-1, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164110	R-1	11/08/2018	Trichloroethane[1,1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Trichloroethane[1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Trichloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Trichlorofluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Vinyl Chloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Xylene (Total)	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Xylene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Xylene[1,3-]+Xylene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164110	R-1	11/08/2018	Anthracene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Azobenzene	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Benidine	4.15	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Benzo(a)pyrene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Benzo(b)fluoranthene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Benzo(k)fluoranthene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Bis(2-chloroethyl)ether	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Bis(2-ethylhexyl)phthalate	0.394	ug/L	Y	J	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Dichlorobenzidine[3,3'-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Dichlorophenol[2,4-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Diethylphthalate	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Dimethyl Phthalate	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Di-n-butylphthalate	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Dinitro-2-methylphenol[4,6-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Dinitrophenol[2,4-]	5.32	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Dinitrotoluene[2,4-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Dinitrotoluene[2,6-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Diphenylamine	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Fluoranthene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Fluorene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Hexachlorobenzene	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Hexachlorobutadiene	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Hexachlorocyclopentadiene	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Hexachloroethane	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Isophorone	3.72	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Methylnaphthalene[1-]	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Methylnaphthalene[2-]	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Naphthalene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Nitrobenzene	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Nitrosodiethylamine[N-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Nitrosodimethylamine[N-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Nitroso-di-n-butylamine[N-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-1, November 8, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164110	R-1	11/08/2018	Nitrosopyrrolidine[N-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Oxybis(1-chloropropane)[2,2'-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Pentachlorobenzene	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Pentachlorophenol	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Phenanthrene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Phenol	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Pyrene	0.319	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Tetrachlorobenzene[1,2,4,5]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Total PAHs	0.0	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Trichlorophenol[2,4,5-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	Trichlorophenol[2,4,6-]	3.19	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164110	R-1	11/08/2018	HMX	0.087	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164110	R-1	11/08/2018	RDX	0.087	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164110	R-1	11/08/2018	Trinitrotoluene[2,4,6-]	0.087	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE

SAMPLE PURPOSE KEY

REG means regular field sample

FD means field duplicate sample

DP-1132, Condition No. 36, Groundwater Monitoring Report, R-1, November 8, 2018.

a	Sample Date	11/8/2018
b	Sample Time	1454
c	Individuals collecting sample.	Stocker & Jaramillo (TPMC)
d	Monitoring well identification.	R-1
e	Physical description of monitoring well location.	See Location Map, Attachment 15
f	Ground-water surface elevation. (ft below mean sea level (msl))	5872.41
g	Total depth of the well (ft below ground surface (bgs))	1080.1
h	Total volume of water in the monitoring well prior to sample collection. (gal)	60.85
i	Total volume of water purged prior to sample collection (gal).	198
j	Physical parameters including temperature, conductivity, pH, oxidation/reduction potential.	DO (mg/L): 5.90 Oxidation/Reduction Potential (MV): 300.2 Temp (deg C): 20.8 pH (SU): 7.75 Turbidity (NTU): 0.53 Specific Conductance ($\mu\text{S}/\text{cm}$): 139.3
k	Description of sample methods	See Attached Chain-of-Custody
l	Chain-of custody.	Attached
m	Location Map	Attachment 15

LANL SMO Los Alamos NM	Chain of Custody/Analysis Request												COC/Lab Request #: 2019-423 Page 1 of 1	
---------------------------	-----------------------------------	--	--	--	--	--	--	--	--	--	--	--	---	--

R-1

Client Contact:				Lab Agreement #:				Site Name: N3B LANL												Rad Screening Info: Lab Reporting Limit Type: Method Detection Limit			
Project Number:				MSGP-Hg	WSP-All Metals	WSP-CN(T)	WSP-GENINORG+PerChlorate	WSP-LL-H-3	WSP-N15/O18-NO3	WSP-NH3+NO3/NO2+PO4	WSP-TKN+TOC												
Analysis Turnaround Time:																							
24 Hour - <input type="checkbox"/> Other - <input checked="" type="checkbox"/>																							
7 Days - <input type="checkbox"/>																							
14 Days - <input type="checkbox"/>																							
21 Days - <input type="checkbox"/>																							
28 Days - <input type="checkbox"/>																							
Field Sample ID	Sample Date	Sample Time	Sample Matrix	MSGP-Hg	WSP-All Metals	WSP-CN(T)	WSP-GENINORG+PerChlorate	WSP-LL-H-3	WSP-N15/O18-NO3	WSP-NH3+NO3/NO2+PO4	WSP-TKN+TOC												
CAMO-19-163974	Nov 8 2018	14:54	W	1	1	1	2	1															
CAMO-19-163975	Nov 8 2018	14:54	W	1	1	1				1													

Special Instructions:

Relinquished by:	Print Name: Allisyn Stanfield	Date/Time: 11/8/18 1630	Received by:	Print Name: Lance Ostet	Date/Time: 11/8/18 1630
Relinquished by:	Print Name:	Date/Time:	Received by:	Print Name:	Date/Time:
Relinquished by:	Print Name:	Date/Time:	Received by:	Print Name:	Date/Time:

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164110

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	<u>11/8/2019</u>	<u>OK</u>	FIELD MATRIX:	WG	<u>OK</u>
TIME COLLECTED (HH:MM):	<u>1454</u>		MEDIA:	<u>OK</u>	
PRS ID:	<u>OK</u>		SAMPLE TECH CODE:	GSP	
LOCATION ID:	<u>R-1</u>		FIELD PREP:	UF	
LOCATION TYPE:	<u>OK</u>		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:	<u>✓</u>		EXCAVATED:	YES / <input checked="" type="radio"/> NO / NA	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
<u>NA</u>	DP-8082	1 LITER GLASS	3	ICE	<u>Y</u>	<u>NA</u>
	DP-TP-8081	1 LITER GLASS	3	ICE		
	DP-TP-8260	40 ML SEPTUM GLASS	2	ICE		
	DP-TP-8270	1 LITER AMBER GLASS	2	ICE		
<u>✓</u>	DP-TP-8330	1 LITER AMBER GLASS	3	ICE	<u>✓</u>	

SAMPLE COMMENTS: NA

LOCATION COMMENTS: NA

FIELD PARAMETERS:

Sample Time	<u>1454</u>	HH:MM	Casing Volume	<u>NA</u>	UNITLESS	Discharge Rate	<u>3.30</u>	gal/min
Dissolved Oxygen	<u>5.90</u>	mg/L	Flow (in gpm)	<u>3.30</u>	GPM	Groundwater Elevation	<u>5872.41</u>	ft
Oxidation-Reduction Potential	<u>300.2</u>	MV	Peroid Purge Volume	<u>NA</u>	gal	pH	<u>7.75</u>	SU
Purge Volume	<u>198</u>	gal	Specific Conductance	<u>139.3</u>	uS/cm	Temperature	<u>20.8</u>	deg C
Total Volume Pumped	<u>277.2</u>	gal	Turbidity	<u>0.53</u>	NTU			

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164110

WORK ORDER:

COLLECTED BY (PRINT): A. Stocker & D. Scamilo

RELINQUISHED BY (Printed Name) <i>Terrence Bonham</i> (Signature) <i>[Signature]</i>	Date/Time <i>11/8/18</i> <i>1600</i>	RECEIVED BY (Printed Name) <i>S. Sherwood</i> (Signature) <i>[Signature]</i>	Date/Time <i>11/8/18</i> <i>1600</i>
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164109

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/08/2018	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	150		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	GSP	
LOCATION ID:	R-1		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:			EXCAVATED:		YES / NO / NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-Ra226+228	1 LITER POLY	4	HNO3	Y	NA

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	___	HH:MM	Casing Volume	___	UNITLESS	Discharge Rate	___	gal/min
Dissolved Oxygen	___	mg/L	Flow (in gpm)	___	GPM	Groundwater Elevation	___	ft
Oxidation-Reduction Potential	___	MV	Period Purge Volume	___	gal	pH	___	SU
Purge Volume	___	gal	Specific Conductance	___	uS/cm	Temperature	___	deg C
Total Volume Pumped	___	gal	Turbidity	___	NTU			

COLLECTED BY (PRINT): A. Stotter & D. Scramillo

RELINQUISHED BY (Printed Name) Tanner Bertram	Date/Time 11/8/2018 1600	RECEIVED BY (Printed Name) S. Sherwood	Date/Time 11/8/18 1600
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164164

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/8/2018	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1454		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	DC	
LOCATION ID:	R-1		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	FTB	
TOP DEPTH:			SAMPLE USAGE:	QC	
BOTTOM DEPTH:			EXCAVATED:		YES / NO / NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-TP-8260	40 ML SEPTUM AMBER GLASS	2	HCL	Y	NA

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	___	HH:MM	Casing Volume	___	UNITLESS	Discharge Rate	___	gal/min
Dissolved Oxygen	___	mg/L	Flow (in gpm)	___	GPM	Groundwater Elevation	___	ft
Oxidation-Reduction Potential	___	MV	Period Purge Volume	___	gal	pH	___	SU
Purge Volume	___	gal	Specific Conductance	___	uS/cm	Temperature	___	deg C
Total Volume Pumped	___	gal	Turbidity	___	NTU			

COLLECTED BY (PRINT): A. Stodter & D. Jerom.11C

RELINQUISHED BY (Printed Name) (Signature)	Date/Time 11/8/2018 1600	RECEIVED BY (Printed Name) (Signature)	Date/Time 11/8/18 1600
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

ATTACHMENT 12

R-14 S1 annual ground water monitoring report

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 31 2019

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-14 S1 (screen 1), November 9, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164050	R-14 S1	11-09-2018	Ammonia as Nitrogen	0.017	mg/L	N	U	F	REG	EPA:350.1	GEN_CHEM
CAMO-19-164050	R-14 S1	11-09-2018	Chloride	1.67	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164050	R-14 S1	11-09-2018	Fluoride	0.127	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164050	R-14 S1	11-09-2018	Nitrate-Nitrite as Nitrogen	0.351	mg/L	Y		F	REG	EPA:353.2	GEN_CHEM
CAMO-19-164050	R-14 S1	11-09-2018	Sulfate	1.92	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164050	R-14 S1	11-09-2018	Total Dissolved Solids	137	mg/L	Y		F	REG	EPA:160.1	GEN_CHEM
CAMO-19-164051	R-14 S1	11-09-2018	Total Kjeldahl Nitrogen	0.033	mg/L	N	U	UF	REG	EPA:351.2	GEN_CHEM
CAMO-19-164050	R-14 S1	11-09-2018	Aluminum	68.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Arsenic	3.77	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Barium	24.5	ug/L	Y		F	REG	SW-846:6010C	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Beryllium	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Boron	15.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Cadmium	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Chromium	15.0	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Cobalt	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Copper	3.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164051	R-14 S1	11-09-2018	Cyanide (Total)	0.00167	mg/L	N	U	UF	REG	EPA:335.4	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Iron	30.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Lead	0.500	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Manganese	2.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Mercury	0.067	ug/L	N	U	F	REG	EPA:245.2	METALS
CAMO-19-164051	R-14 S1	11-09-2018	Mercury	0.067	ug/L	N	U	UF	REG	EPA:245.2	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Molybdenum	1.15	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Nickel	3.00	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Selenium	2.00	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Silver	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Uranium	0.644	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-164050	R-14 S1	11-09-2018	Zinc	3.30	ug/L	N	U	F	REG	SW-846:6010C	METALS
Field Measurement	R-14 S1	11-09-2018	pH	8.19	su			UF	REG	Field	
CAMO-19-164050	R-14 S1	11-09-2018	Perchlorate	0.348	ug/L	Y		F	REG	SW-846:6850	GEN_CHEM
CAMO-19-164168	R-14 S1	11-09-2018	Radium-226	0.366	pCi/L	N	U	F	REG	EPA:903.1	RAD
CAMO-19-164168	R-14 S1	11-09-2018	Radium-228	0.493	pCi/L	N	U	F	REG	EPA:904	RAD
CAMO-19-164159	R-14 S1	11-09-2018	Aldrin	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1016	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1221	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1232	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1242	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-14 S1 (screen 1), November 9, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1248	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1254	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1260	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Aroclor-1262	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	BHC[alpha-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	BHC[beta-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	BHC[gamma-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Chlordane(alpha/gamma)	0.0781	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Chlordane[alpha-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Chlordane[gamma-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	DDT[4,4'-]	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Dieldrin	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Endosulfan I	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Endosulfan II	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Endrin	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Heptachlor	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164159	R-14 S1	11-09-2018	Toxaphene (Technical Grade)	0.153	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164051	R-14 S1	11-09-2018	Acenaphthene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Acenaphthylene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Aniline	4.57	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Anthracene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Atrazine	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Azobenzene	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzidine	4.24	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzo(a)anthracene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzo(a)pyrene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzo(b)fluoranthene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzo(g,h,i)perylene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzo(k)fluoranthene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzoic Acid	6.52	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzyl Alcohol	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Bis(2-chloroethoxy)methane	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Bis(2-chloroethyl)ether	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Bis(2-ethylhexyl)phthalate	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Bromophenyl-phenylether[4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Butylbenzylphthalate	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloro-3-methylphenol[4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloroaniline[4-]	3.59	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloronaphthalene[2-]	0.446	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Chlorophenol[2-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-14 S1 (screen 1), November 9, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164051	R-14 S1	11-09-2018	Chlorophenyl-phenyl[4-] Ether	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Chrysene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dibenz(a,h)anthracene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dibenzofuran	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorobenzene[1,2-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorobenzene[1,3-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorobenzene[1,4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorobenzidine[3,3'-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorophenol[2,4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Diethylphthalate	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dimethyl Phthalate	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dimethylphenol[2,4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Di-n-butylphthalate	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dinitro-2-methylphenol[4,6-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dinitrophenol[2,4-]	5.43	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dinitrotoluene[2,4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dinitrotoluene[2,6-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Di-n-octylphthalate	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dinoseb	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Dioxane[1,4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Diphenylamine	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Fluoranthene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Fluorene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Hexachlorobenzene	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Hexachlorobutadiene	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Hexachlorocyclopentadiene	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Hexachloroethane	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Indeno(1,2,3-cd)pyrene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Isophorone	3.80	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Methylnaphthalene[1-]	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Methylnaphthalene[2-]	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Methylphenol[2-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Methylphenol[3-,4-]	4.02	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Naphthalene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitroaniline[2-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitroaniline[3-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitroaniline[4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitrobenzene	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitrophenol[2-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitrophenol[4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitrosodiethylamine[N-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-14 S1 (screen 1), November 9, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164051	R-14 S1	11-09-2018	Nitrosodimethylamine[N-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitroso-di-n-butylamine[N-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitroso-di-n-propylamine[N-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Nitrosopyrrolidine[N-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Oxybis(1-chloropropane)[2,2'-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Pentachlorobenzene	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Pentachlorophenol	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Phenanthrene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Phenol	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Pyrene	0.326	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Pyridine	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Tetrachlorobenzene[1,2,4,5]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Tetrachlorophenol[2,3,4,6-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichlorobenzene[1,2,4-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichlorophenol[2,4,5-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichlorophenol[2,4,6-]	3.26	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164051	R-14 S1	11-09-2018	Acetone	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Acetonitrile	8.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Acrolein	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Acrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Benzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Bromobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Bromochloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Bromodichloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Bromoform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Bromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Butanol[1-]	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Butanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Butylbenzene[n-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Butylbenzene[sec-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Butylbenzene[tert-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Carbon Disulfide	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Carbon Tetrachloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloro-1,3-butadiene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloro-1-propene[3-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chlorobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chlorodibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloroethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloroform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-14 S1 (screen 1), November 9, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164051	R-14 S1	11-09-2018	Chlorotoluene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Chlorotoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dibromo-3-Chloropropane[1,2-]	0.500	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dibromoethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorobenzene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorobenzene[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorobenzene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichlorodifluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloroethane[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloroethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloroethene[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloroethene[cis-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloroethene[trans-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloropropane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloropropane[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloropropane[2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloropropene[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloropropene[cis-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Dichloropropene[trans-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Diethyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Ethyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Ethylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Hexachlorobutadiene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Hexanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Iodomethane	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Isobutyl alcohol	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Isopropylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Isopropyltoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Methacrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Methyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Methyl tert-Butyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Methyl-2-pentanone[4-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Methylene Chloride	1.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Naphthalene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Propionitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Propylbenzene[1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Styrene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Tetrachloroethane[1,1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Tetrachloroethane[1,1,2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Tetrachloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-14 S1 (screen 1), November 9, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164051	R-14 S1	11-09-2018	Toluene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichloro-1,2,2-trifluoroethane[1,1,2-]	2.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichlorobenzene[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichlorobenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichloroethane[1,1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichloroethane[1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichlorofluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trichloropropane[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trimethylbenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Trimethylbenzene[1,3,5-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Vinyl acetate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Vinyl Chloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Xylene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164051	R-14 S1	11-09-2018	Xylene[1,3-]+Xylene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164159	R-14 S1	11-09-2018	HMX	0.0851	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164159	R-14 S1	11-09-2018	RDX	0.0851	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164159	R-14 S1	11-09-2018	Trinitrotoluene[2,4,6-]	0.0851	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE

SAMPLE PURPOSE KEY

REG means regular field sample

FD means field duplicate sample

DP-1132, Condition No. 36, Groundwater Monitoring Report, R-14 S1, November 9, 2018.

a	Sample Date	11/9/2018
b	Sample Time	1015
c	Individuals collecting sample.	Tow & Jaramillo (TPMC)
d	Monitoring well identification.	R-14 Screen 1
e	Physical description of monitoring well location.	See Location Map, Attachment 15
f	Ground-water surface elevation. (ft below mean sea level (msl))	5870.47
g	Total depth of the well (ft below ground surface (bgs))	1244.7
h	Total volume of water in the monitoring well prior to sample collection. (gal)	51.03
i	Total volume of water purged prior to sample collection (gal).	149.94
j	Physical parameters including temperature, conductivity, pH, oxidation/reduction potential.	DO (mg/L): 5.80 Oxidation/Reduction Potential (MV): 167.6 Temp (deg C): 22.8 pH (SU): 8.18 Turbidity (NTU): 0.67 Specific Conductance (μ S/cm): 127.4
k	Description of sample methods	See Attached Chain-of-Custody
l	Chain-of custody.	Attached
m	Location Map	Attachment 15

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164159

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/7/2018	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1015		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	GSP	
LOCATION ID:	R-14 S1		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:	↓	↓	EXCAVATED:	YES / <input checked="" type="radio"/> NO / NA	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-TP-8081	1 LITER GLASS	3	ICE	Y	NA
↓	DP-TP-8330	1 LITER AMBER GLASS	3	ICE	↓	↓

SAMPLE COMMENTS: NA

LOCATION COMMENTS: NA

FIELD PARAMETERS:

Sample Time	1015	HH:MM	Casing Volume	NA	UNITLESS	Discharge Rate	2.14	gal/min
Dissolved Oxygen	5.80	mg/L	Flow (in gpm)	2.14	GPM	Groundwater Elevation	5822.47	ft
Oxidation-Reduction Potential	167.6	MV	Period Purge Volume	NA	gal	pH	8.18	SU
Purge Volume	147.74	gal	Specific Conductance	127.4	uS/cm	Temperature	22.8	deg C
Total Volume Pumped	26278.46	gal	Turbidity	0.67	NTU			

COLLECTED BY (PRINT): K. Tow & D. Jaram:110

RELINQUISHED BY <i>Tanner Burham</i> (Printed Name) (Signature)	Date/Time 11/9/2018 1330	RECEIVED BY <i>David M Sarracino</i> (Printed Name) (Signature)	Date/Time 11/9/2018 1330 h
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164168

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/9/2018	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1015		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	GSP	
LOCATION ID:	R-14 S1		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:			EXCAVATED:		YES / NO / NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-Ra226+228	1 LITER POLY	4	HNO3	Y	NA

SAMPLE COMMENTS: NA

LOCATION COMMENTS: NA

FIELD PARAMETERS:

Sample Time	___	HH:MM	Casing Volume	___	UNITLESS	Discharge Rate	___	gal/min
Dissolved Oxygen	___	mg/L	Flow (in gpm)	___	GPM	Groundwater Elevation	___	ft
Oxidation-Reduction Potential	___	MV	Period Purge Volume	___	gal	pH	___	SU
Purge Volume	___	gal	Specific Conductance	___	uS/cm	Temperature	___	deg C
Total Volume Pumped	___	gal	Turbidity	___	NTU			

11/9/2018 TB

COLLECTED BY (PRINT): K. Taw & D. Jaramila

RELINQUISHED BY <i>Tanner Bonham</i> (Printed Name) (Signature)	Date/Time 11/9/2018 1531330	RECEIVED BY <i>David M Sarracino</i> (Printed Name) (Signature)	Date/Time 11/9/2018 1330 hr
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164165

WORK ORDER:

	<u>AS PLANNED</u>	<u>AS COLLECTED</u>		<u>AS PLANNED</u>	<u>AS COLLECTED</u>
Date Collected (MM/DD/YYYY):	11/9/2018	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	08:07		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	DC	
LOCATION ID:	R-14 S1		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	PEB	
TOP DEPTH:	↓	↓	SAMPLE USAGE:	QC	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:		YES / <input checked="" type="radio"/> NO / NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-8082	1 LITER GLASS	3	ICE	Y	NA
	DP-C104	0.25 LITER POLY	1	ICE		
	DP-F+SO4	0.5 LITER POLY	1	ICE		
	DP-NO3NO2+TKN	1 LITER POLY	1	H2SO4 ICE		
	DP-Ra226+228	1 LITER POLY	4	HNO3		
	DP-TDS+Cl	1 LITER POLY	1	ICE		
	DP-TP-8081	1 LITER GLASS	3	ICE		
	DP-TP-8260	40 ML SEPTUM GLASS	2	ICE		
	DP-TP-8270	1 LITER AMBER GLASS	2	ICE		
↓	DP-TP-8330	1 LITER AMBER GLASS	3	ICE	↓	↓

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164165

WORK ORDER:

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	_____	HH:MM	Casing Volume	_____	UNITLESS	Discharge Rate	_____	gal/min
Dissolved Oxygen	_____	mg/L	Flow (in gpm)	_____	GPM	Groundwater Elevation	_____	ft
Oxidation-Reduction Potential	_____	MV	Period Purge Volume	_____	gal	pH	_____	SU
Purge Volume	_____	gal	Specific Conductance	_____	uS/cm	Temperature	_____	deg C
Total Volume Pumped	_____	gal	Turbidity	_____	NTU			

11-9-2018

COLLECTED BY (PRINT): D. Jaramillo & K. TOW

RELINQUISHED BY <i>Tanner Bonham</i> (Printed Name) (Signature)	Date/Time 11/9/18 1425	RECEIVED BY <i>David M Sarracino</i> (Printed Name) (Signature)	Date/Time 11/9/18 1425 hr
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

ATTACHMENT 13

R-46 annual ground water monitoring report

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 31 2019

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-46, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164053	R-46	11-13-2018	Ammonia as Nitrogen	0.017	mg/L	N	U	F	REG	EPA:350.1	GEN_CHEM
CAMO-19-164053	R-46	11-13-2018	Chloride	1.73	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164053	R-46	11-13-2018	Fluoride	0.140	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164053	R-46	11-13-2018	Nitrate-Nitrite as Nitrogen	0.374	mg/L	Y		F	REG	EPA:353.2	GEN_CHEM
CAMO-19-164053	R-46	11-13-2018	Sulfate	1.89	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164053	R-46	11-13-2018	Total Dissolved Solids	244	mg/L	Y		F	REG	EPA:160.1	GEN_CHEM
CAMO-19-164054	R-46	11-13-2018	Total Kjeldahl Nitrogen	0.0821	mg/L	Y	J	UF	REG	EPA:351.2	GEN_CHEM
CAMO-19-164055	R-46	11-13-2018	Ammonia as Nitrogen	0.0299	mg/L	N	J	F	FD	EPA:350.1	GEN_CHEM
CAMO-19-164055	R-46	11-13-2018	Chloride	1.73	mg/L	Y		F	FD	EPA:300.0	GEN_CHEM
CAMO-19-164055	R-46	11-13-2018	Fluoride	0.120	mg/L	Y		F	FD	EPA:300.0	GEN_CHEM
CAMO-19-164055	R-46	11-13-2018	Nitrate-Nitrite as Nitrogen	0.375	mg/L	Y		F	FD	EPA:353.2	GEN_CHEM
CAMO-19-164055	R-46	11-13-2018	Sulfate	1.89	mg/L	Y		F	FD	EPA:300.0	GEN_CHEM
CAMO-19-164055	R-46	11-13-2018	Total Dissolved Solids	170	mg/L	Y		F	FD	EPA:160.1	GEN_CHEM
CAMO-19-164056	R-46	11-13-2018	Total Kjeldahl Nitrogen	0.0715	mg/L	Y	J	UF	FD	EPA:351.2	GEN_CHEM
CAMO-19-164053	R-46	11-13-2018	Aluminum	68.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Arsenic	2.22	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Barium	21.6	ug/L	Y		F	REG	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Beryllium	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Boron	15.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Cadmium	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Chromium	5.23	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Cobalt	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Copper	3.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164054	R-46	11-13-2018	Cyanide (Total)	0.00167	mg/L	N	U	UF	REG	EPA:335.4	METALS
CAMO-19-164053	R-46	11-13-2018	Iron	30.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Lead	0.500	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Manganese	2.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Mercury	0.067	ug/L	N	U	F	REG	EPA:245.2	METALS
CAMO-19-164054	R-46	11-13-2018	Mercury	0.067	ug/L	N	U	UF	REG	EPA:245.2	METALS
CAMO-19-164053	R-46	11-13-2018	Molybdenum	1.01	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Nickel	0.600	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Selenium	2.00	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Silver	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Uranium	0.448	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-164053	R-46	11-13-2018	Zinc	5.21	ug/L	Y	J	F	REG	SW-846:6010C	METALS
Field Measurement	R-46	11-13-2018	pH	8.10	su			UF	REG	Field	
CAMO-19-164055	R-46	11-13-2018	Aluminum	68.0	ug/L	N	U	F	FD	SW-846:6010C	METALS
CAMO-19-164055	R-46	11-13-2018	Arsenic	2.00	ug/L	N	U	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Barium	22.3	ug/L	Y		F	FD	SW-846:6010C	METALS

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-46, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164055	R-46	11-13-2018	Beryllium	1.00	ug/L	N	U	F	FD	SW-846:6010C	METALS
CAMO-19-164055	R-46	11-13-2018	Boron	15.0	ug/L	N	U	F	FD	SW-846:6010C	METALS
CAMO-19-164055	R-46	11-13-2018	Cadmium	0.300	ug/L	N	U	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Chromium	5.6	ug/L	Y	J	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Cobalt	1.00	ug/L	N	U	F	FD	SW-846:6010C	METALS
CAMO-19-164055	R-46	11-13-2018	Copper	3.00	ug/L	N	U	F	FD	SW-846:6010C	METALS
CAMO-19-164056	R-46	11-13-2018	Cyanide (Total)	0.00167	mg/L	N	U	UF	FD	EPA:335.4	METALS
CAMO-19-164055	R-46	11-13-2018	Iron	30.0	ug/L	N	U	F	FD	SW-846:6010C	METALS
CAMO-19-164055	R-46	11-13-2018	Lead	0.500	ug/L	N	U	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Manganese	2.00	ug/L	N	U	F	FD	SW-846:6010C	METALS
CAMO-19-164055	R-46	11-13-2018	Mercury	0.067	ug/L	N	U	F	FD	EPA:245.2	METALS
CAMO-19-164056	R-46	11-13-2018	Mercury	0.067	ug/L	N	U	UF	FD	EPA:245.2	METALS
CAMO-19-164055	R-46	11-13-2018	Molybdenum	1.05	ug/L	Y		F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Nickel	0.600	ug/L	N	U	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Selenium	2.00	ug/L	N	U	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Silver	0.300	ug/L	N	U	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Thallium	0.600	ug/L	N	U	F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Uranium	0.454	ug/L	Y		F	FD	SW-846:6020	METALS
CAMO-19-164055	R-46	11-13-2018	Zinc	4.97	ug/L	Y	J	F	FD	SW-846:6010C	METALS
CAMO-19-164053	R-46	11-13-2018	Perchlorate	0.288	ug/L	Y		F	REG	SW-846:6850	LCMS/MS ClO4
CAMO-19-164055	R-46	11-13-2018	Perchlorate	0.352	ug/L	Y		F	FD	SW-846:6850	LCMS/MS ClO4
CAMO-19-164169	R-46	11-13-2018	Radium-226	0.904	pCi/L	Y		F	REG	EPA:903.1	RAD
CAMO-19-164169	R-46	11-13-2018	Radium-228	0.642	pCi/L	N	U	F	REG	EPA:904	RAD
CAMO-19-164170	R-46	11-13-2018	Radium-226	0.419	pCi/L	Y		F	FD	EPA:903.1	RAD
CAMO-19-164170	R-46	11-13-2018	Radium-228	-0.0249	pCi/L	N	U	F	FD	EPA:904	RAD
CAMO-19-164160	R-46	11-13-2018	Aldrin	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1016	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1221	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1232	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1242	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1248	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1254	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1260	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Aroclor-1262	0.0347	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164160	R-46	11-13-2018	BHC[alpha-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	BHC[beta-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	BHC[gamma-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Chlordane(alpha/gamma)	0.0781	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Chlordane[alpha-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-46, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164160	R-46	11-13-2018	Chlordane[gamma-]	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	DDT[4,4'-]	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Dieldrin	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Endosulfan I	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Endosulfan II	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Endrin	0.0102	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Heptachlor	0.00679	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164160	R-46	11-13-2018	Toxaphene (Technical Grade)	0.153	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164054	R-46	11-13-2018	Acenaphthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Acenaphthylene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Aniline	4.38	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Anthracene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Atrazine	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Azobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzidine	4.06	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzo(a)anthracene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzo(a)pyrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzo(b)fluoranthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzo(g,h,i)perylene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzo(k)fluoranthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzoic Acid	14.4	ug/L	Y	J	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Benzyl Alcohol	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Bis(2-chloroethoxy)methane	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Bis(2-chloroethyl)ether	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Bis(2-ethylhexyl)phthalate	0.354	ug/L	Y	J	UF	REG	SW-846:8270D	SVOC
CAMO-19-164056	R-46	11-13-2018	Bis(2-ethylhexyl)phthalate	0.326	ug/L	Y	J	UF	FD	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Bromophenyl-phenylether[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Butylbenzylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Chloro-3-methylphenol[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Chloroaniline[4-]	3.44	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Chloronaphthalene[2-]	0.427	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Chlorophenol[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Chlorophenyl-phenyl[4-] Ether	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Chrysene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dibenz(a,h)anthracene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dibenzofuran	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dichlorobenzene[1,2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dichlorobenzene[1,3-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dichlorobenzene[1,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dichlorobenzidine[3,3'-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dichlorophenol[2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-46, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164054	R-46	11-13-2018	Diethylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dimethyl Phthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dimethylphenol[2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Di-n-butylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dinitro-2-methylphenol[4,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dinitrophenol[2,4-]	5.21	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dinitrotoluene[2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dinitrotoluene[2,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Di-n-octylphthalate	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dinoseb	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Dioxane[1,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Diphenylamine	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Fluoranthene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Fluorene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Hexachlorobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Hexachlorobutadiene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Hexachlorocyclopentadiene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Hexachloroethane	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Indeno(1,2,3-cd)pyrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Isophorone	3.65	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Methylnaphthalene[1-]	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Methylnaphthalene[2-]	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Methylphenol[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Methylphenol[3-,4-]	3.85	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Naphthalene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitroaniline[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitroaniline[3-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitroaniline[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitrobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitrophenol[2-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitrophenol[4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitrosodiethylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitrosodimethylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitroso-di-n-butylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitroso-di-n-propylamine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Nitrosopyrrolidine[N-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Oxybis(1-chloropropane)[2,2'-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Pentachlorobenzene	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Pentachlorophenol	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Phenanthrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Phenol	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Pyrene	0.313	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-46, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164054	R-46	11-13-2018	Pyridine	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Tetrachlorobenzene[1,2,4,5]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Tetrachlorophenol[2,3,4,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Trichlorobenzene[1,2,4-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Trichlorophenol[2,4,5-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Trichlorophenol[2,4,6-]	3.13	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164054	R-46	11-13-2018	Acetone	2.5	ug/L	Y	J	UF	REG	SW-846:8260B	VOC
CAMO-19-164056	R-46	11-13-2018	Acetone	2.67	ug/L	Y	J	UF	FD	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Acetonitrile	8.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Acrolein	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Acrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Benzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Bromobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Bromochloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Bromodichloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Bromoform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Bromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Butanol[1-]	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Butanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Butylbenzene[n-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Butylbenzene[sec-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Butylbenzene[tert-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Carbon Disulfide	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Carbon Tetrachloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chloro-1,3-butadiene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chloro-1-propene[3-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chlorobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chlorodibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chloroethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chloroform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chlorotoluene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Chlorotoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dibromo-3-Chloropropane[1,2-]	0.500	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dibromoethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichlorobenzene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichlorobenzene[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichlorobenzene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichlorodifluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloroethane[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-46, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164054	R-46	11-13-2018	Dichloroethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloroethane[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloroethane[cis-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloroethane[trans-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloropropane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloropropane[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloropropane[2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloropropene[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloropropene[cis-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Dichloropropene[trans-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Diethyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Ethyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Ethylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Hexachlorobutadiene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Hexanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Iodomethane	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Isobutyl alcohol	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Isopropylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Isopropyltoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Methacrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Methyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Methyl tert-Butyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Methyl-2-pentanone[4-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Methylene Chloride	1.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Naphthalene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Propionitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Propylbenzene[1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Styrene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Tetrachloroethane[1,1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Tetrachloroethane[1,1,2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Tetrachloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Toluene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichloro-1,2,2-trifluoroethane[1,1,2-]	2.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichlorobenzene[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichlorobenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichloroethane[1,1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichloroethane[1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichlorofluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trichloropropane[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trimethylbenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Trimethylbenzene[1,3,5-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-46, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164054	R-46	11-13-2018	Vinyl acetate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Vinyl Chloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Xylene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164054	R-46	11-13-2018	Xylene[1,3-]+Xylene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164160	R-46	11-13-2018	HMX	0.086	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164160	R-46	11-13-2018	RDX	0.086	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164160	R-46	11-13-2018	Trinitrotoluene[2,4,6-]	0.086	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164166	R-46	11-13-2018	HMX	0.0842	ug/L	N	U	UF	FD	SW-846:8330B	LCMS/MS HE
CAMO-19-164166	R-46	11-13-2018	RDX	0.0842	ug/L	N	U	UF	FD	SW-846:8330B	LCMS/MS HE
CAMO-19-164166	R-46	11-13-2018	Trinitrotoluene[2,4,6-]	0.0842	ug/L	N	U	UF	FD	SW-846:8330B	LCMS/MS HE

SAMPLE PURPOSE KEY

REG means regular field sample

FD means field duplicate sample

DP-1132, Condition No. 36, Groundwater Monitoring Report, R-46, November 13, 2018.

a	Sample Date	11/13/2018
b	Sample Time	1251
c	Individuals collecting sample.	Vigil & Tow (TPMC)
d	Monitoring well identification.	R-46
e	Physical description of monitoring well location.	See Location Map, Attachment 15
f	Ground-water surface elevation. (ft below mean sea level (msl))	5879.66
g	Total depth of the well (ft below ground surface (bgs))	1382.2
h	Total volume of water in the monitoring well prior to sample collection. (gal)	50.89
i	Total volume of water purged prior to sample collection (gal).	175
j	Physical parameters including temperature, conductivity, pH, oxidation/reduction potential.	DO (mg/L): 6.67 Oxidation/Reduction Potential (MV): 269.8 Temp (deg C): 21.1 pH (SU): 7.96 Turbidity (NTU): 0.36 Specific Conductance ($\mu\text{S}/\text{cm}$): 121.4
k	Description of sample methods	See Attached Chain-of-Custody
l	Chain-of custody.	Attached
m	Location Map	Attachment 15

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164160

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/13/18	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1251		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	GSP	
LOCATION ID:	R-46		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:	↓	↓	SAMPLE USAGE:	INV	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:	YES / NO / <u>NA</u>	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-TP-8081	1 LITER GLASS	3	ICE	Y	NA
↓	DP-TP-8330	1 LITER AMBER GLASS	3	ICE	↓	↓

SAMPLE COMMENTS: *Sampled about 40 ft. from running diesel generator*

LOCATION COMMENTS: *None*

FIELD PARAMETERS:

Sample Time	1251	HH:MM	Casing Volume	3	UNITLESS	Discharge Rate	5.00	gal/min
Dissolved Oxygen	6.67	mg/L	Flow (in gpm)	5.00	GPM	Groundwater Elevation	5872.66	ft
Oxidation-Reduction Potential	269.8	MV	Period Purge Volume	NA	gal	pH	7.96	SU
Purge Volume	175.0	gal	Specific Conductance	121.4	uS/cm	Temperature	26.1	deg C
Total Volume Pumped	299.0	gal	Turbidity	0.36	NTU			

COLLECTED BY (PRINT): *A. Vigil, K. Tow*

RELINQUISHED BY (Printed Name) <i>Allison Stanfield</i> (Signature) <i>[Signature]</i>	Date/Time 11/13/18 1345	RECEIVED BY (Printed Name) <i>[Signature]</i> (Signature) <i>[Signature]</i>	Date/Time 11/13/18 1345
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164169

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/13/18	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1251		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	GSP	
LOCATION ID:	R-46		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:	↓	↓	SAMPLE USAGE:	INV	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:	YES / NO / <u>NA</u>	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-Ra226+228	1 LITER POLY	4	HNO3	Y	NA

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	—	HH:MM	Casing Volume	—	UNITLESS	Discharge Rate	—	gal/min
Dissolved Oxygen	—	mg/L	Flow (in gpm)	11/13/18	GPM	Groundwater Elevation	—	ft
Oxidation-Reduction Potential	—	MV	Period Purge Volume	—	gal	pH	—	SU
Purge Volume	—	gal	Specific Conductance	—	uS/cm	Temperature	—	deg C
Total Volume Pumped	—	gal	Turbidity	—	NTU			

COLLECTED BY (PRINT): A. Vigils K. Tow

RELINQUISHED BY (Printed Name) Allison Stanfield (Signature)	Date/Time 11/13/18 1345	RECEIVED BY (Printed Name) (Signature)	Date/Time 11/13/18 13:41
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164166

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/13/18	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1251	↓	MEDIA:	OK	↓
PRS ID:	OK	↓	SAMPLE TECH CODE:	GSP	↓
LOCATION ID:	R-46	↓	FIELD PREP:	UF	↓
LOCATION TYPE:	OK	↓	FIELD QC TYPE:	FD	↓
TOP DEPTH:	↓	↓	SAMPLE USAGE:	QC	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:		YES / NO (NA)

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-TP-8081	1 LITER GLASS	3	ICE	Y	NA
↓	DP-TP-8330	1 LITER AMBER GLASS	3	ICE	↓	↓

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	—	HH:MM	Casing Volume	—	UNITLESS	Discharge Rate	—	gal/min
Dissolved Oxygen	—	mg/L	Flow (in gpm)	—	GPM	Groundwater Elevation	—	ft
Oxidation-Reduction Potential	—	MV	Period/Purge Volume	—	gal	pH	—	SU
Purge Volume	—	gal	Specific Conductance	—	uS/cm	Temperature	—	deg C
Total Volume Pumped	—	gal	Turbidity	—	NTU			

COLLECTED BY (PRINT): A. Vigil, K. Tow

RELINQUISHED BY (Printed Name) Allisyn Stanfield (Signature) <i>[Signature]</i>	Date/Time 11/13/18 1345	RECEIVED BY (Printed Name) <i>[Signature]</i> (Signature) <i>[Signature]</i>	Date/Time 11/13/18 1345
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164170

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/13/18	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1251		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	GSP	
LOCATION ID:	R-46		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	FD	
TOP DEPTH:	↓	↓	SAMPLE USAGE:	QC	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:		YES / NO / <u>NA</u>

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-Ra226+228	1 LITER POLY	4	HNO3	Y	NA

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	_____	HH:MM	Casing Volume	_____	UNITLESS	Discharge Rate	_____	gal/min
Dissolved Oxygen	_____	mg/L	Flow (in gpm)	_____	GPM	Groundwater Elevation	_____	ft
Oxidation-Reduction Potential	_____	MV	Period Purge Volume	_____	gal	pH	_____	SU
Purge Volume	_____	gal	Specific Conductance	_____	uS/cm	Temperature	_____	deg C
Total Volume Pumped	_____	gal	Turbidity	_____	NTU			

COLLECTED BY (PRINT): A. Vigil, K. Tow

RELINQUISHED BY (Printed Name) <u>Allison Stanfield</u> (Signature) <u>[Signature]</u>	Date/Time 11/13/18 1345	RECEIVED BY (Printed Name) <u>[Signature]</u> (Signature) <u>[Signature]</u>	Date/Time 11/13/18 1345
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

ATTACHMENT 14

R-60 annual ground water monitoring report

EPC-DO: 19-018

LA-UR-19-20526

Date: JAN 3 1 2019

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-60, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164058	R-60	11-13-2018	Ammonia as Nitrogen	0.0338	mg/L	N	J	F	REG	EPA:350.1	GEN_CHEM
CAMO-19-164058	R-60	11-13-2018	Chloride	1.84	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164058	R-60	11-13-2018	Fluoride	0.124	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164058	R-60	11-13-2018	Nitrate-Nitrite as Nitrogen	0.409	mg/L	Y		F	REG	EPA:353.2	GEN_CHEM
CAMO-19-164058	R-60	11-13-2018	Sulfate	2.02	mg/L	Y		F	REG	EPA:300.0	GEN_CHEM
CAMO-19-164058	R-60	11-13-2018	Total Dissolved Solids	159	mg/L	Y		F	REG	EPA:160.1	GEN_CHEM
CAMO-19-164059	R-60	11-13-2018	Total Kjeldahl Nitrogen	0.033	mg/L	N	U	UF	REG	EPA:351.2	GEN_CHEM
CAMO-19-164058	R-60	11-13-2018	Aluminum	68.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164058	R-60	11-13-2018	Arsenic	2.18	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Barium	24.6	ug/L	Y		F	REG	SW-846:6010C	METALS
CAMO-19-164058	R-60	11-13-2018	Beryllium	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164058	R-60	11-13-2018	Boron	15.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164058	R-60	11-13-2018	Cadmium	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Chromium	4.98	ug/L	Y	J	F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Cobalt	1.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164058	R-60	11-13-2018	Copper	3.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164059	R-60	11-13-2018	Cyanide (Total)	0.00167	mg/L	N	U	UF	REG	EPA:335.4	METALS
CAMO-19-164058	R-60	11-13-2018	Iron	30.0	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164058	R-60	11-13-2018	Lead	0.500	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Manganese	2.00	ug/L	N	U	F	REG	SW-846:6010C	METALS
CAMO-19-164058	R-60	11-13-2018	Mercury	0.067	ug/L	N	U	F	REG	EPA:245.2	METALS
CAMO-19-164059	R-60	11-13-2018	Mercury	0.067	ug/L	N	U	UF	REG	EPA:245.2	METALS
CAMO-19-164058	R-60	11-13-2018	Molybdenum	0.949	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Nickel	0.600	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Selenium	2.00	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Silver	0.300	ug/L	N	U	F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Uranium	0.519	ug/L	Y		F	REG	SW-846:6020	METALS
CAMO-19-164058	R-60	11-13-2018	Zinc	3.30	ug/L	N	U	F	REG	SW-846:6010C	METALS
Field Measurement	R-60	11-13-2018	pH	8.23	su			UF	REG	Field	
CAMO-19-164058	R-60	11-13-2018	Perchlorate	0.348	ug/L	Y		F	REG	SW-846:6850	LCMS/MS
CAMO-19-164171	R-60	11-13-2018	Radium-226	0.147	pCi/L	N	U	F	REG	EPA:903.1	RAD
CAMO-19-164171	R-60	11-13-2018	Radium-228	0.475	pCi/L	N	U	F	REG	EPA:904	RAD
CAMO-19-164161	R-60	11-13-2018	Aldrin	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Aroclor-1016	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Aroclor-1221	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Aroclor-1232	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Aroclor-1242	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-60, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164059	R-60	11-13-2018	Aroclor-1248	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Aroclor-1254	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Aroclor-1260	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Aroclor-1262	0.0354	ug/L	N	U	UF	REG	SW-846:8082	PESTPCB
CAMO-19-164161	R-60	11-13-2018	BHC[alpha-]	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	BHC[beta-]	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	BHC[gamma-]	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Chlordane(alpha/gamma)	0.0814	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Chlordane[alpha-]	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Chlordane[gamma-]	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	DDT[4,4'-]	0.0106	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Dieldrin	0.0106	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Endosulfan I	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Endosulfan II	0.0106	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Endrin	0.0106	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Heptachlor	0.00707	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164161	R-60	11-13-2018	Toxaphene (Technical Grade)	0.160	ug/L	N	U	UF	REG	SW-846:8081B	PESTPCB
CAMO-19-164059	R-60	11-13-2018	Acenaphthene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Acenaphthylene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Aniline	4.20	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Anthracene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Atrazine	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Azobenzene	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzidine	3.90	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzo(a)anthracene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzo(a)pyrene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzo(b)fluoranthene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzo(g,h,i)perylene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzo(k)fluoranthene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzoic Acid	6.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Benzyl Alcohol	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Bis(2-chloroethoxy)methane	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Bis(2-chloroethyl)ether	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Bis(2-ethylhexyl)phthalate	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Bromophenyl-phenylether[4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Butylbenzylphthalate	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Chloro-3-methylphenol[4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Chloroaniline[4-]	3.30	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Chloronaphthalene[2-]	0.410	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Chlorophenol[2-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-60, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164059	R-60	11-13-2018	Chlorophenyl-phenyl[4-] Ether	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Chrysene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dibenz(a,h)anthracene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dibenzofuran	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dichlorobenzene[1,2-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dichlorobenzene[1,3-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dichlorobenzene[1,4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dichlorobenzidine[3,3'-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dichlorophenol[2,4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Diethylphthalate	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dimethyl Phthalate	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dimethylphenol[2,4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Di-n-butylphthalate	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dinitro-2-methylphenol[4,6-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dinitrophenol[2,4-]	5.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dinitrotoluene[2,4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dinitrotoluene[2,6-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Di-n-octylphthalate	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dinoseb	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Dioxane[1,4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Diphenylamine	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Fluoranthene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Fluorene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Hexachlorobenzene	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Hexachlorobutadiene	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Hexachlorocyclopentadiene	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Hexachloroethane	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Indeno[1,2,3-cd]pyrene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Isophorone	3.50	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Methylnaphthalene[1-]	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Methylnaphthalene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Methylphenol[2-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Methylphenol[3-,4-]	3.70	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Naphthalene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitroaniline[2-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitroaniline[3-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitroaniline[4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitrobenzene	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitrophenol[2-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitrophenol[4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitrosodiethylamine[N-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-60, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164059	R-60	11-13-2018	Nitrosodimethylamine[N-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitroso-di-n-butylamine[N-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitroso-di-n-propylamine[N-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Nitrosopyrrolidine[N-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Oxybis(1-chloropropane)[2,2'-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Pentachlorobenzene	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Pentachlorophenol	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Phenanthrene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Phenol	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Pyrene	0.300	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Pyridine	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Tetrachlorobenzene[1,2,4,5]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Tetrachlorophenol[2,3,4,6-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Trichlorobenzene[1,2,4-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Trichlorophenol[2,4,5-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Trichlorophenol[2,4,6-]	3.00	ug/L	N	U	UF	REG	SW-846:8270D	SVOC
CAMO-19-164059	R-60	11-13-2018	Acetone	2.21	ug/L	Y	J	UF	REG	SW-846:8260B	VOC
CAMO-19-164060	R-60	11-13-2018	Acetone	2.74	ug/L	Y	J	UF	FB	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Acetonitrile	8.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Acrolein	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Acrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Benzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Bromobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Bromochloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Bromodichloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Bromoform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Bromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Butanol[1-]	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Butanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Butylbenzene[n-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Butylbenzene[sec-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Butylbenzene[tert-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Carbon Disulfide	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Carbon Tetrachloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chloro-1,3-butadiene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chloro-1-propene[3-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chlorobenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chlorodibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chloroethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chloroform	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-60, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164059	R-60	11-13-2018	Chloromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chlorotoluene[2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Chlorotoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dibromo-3-Chloropropane[1,2-]	0.500	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dibromoethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dibromomethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichlorobenzene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichlorobenzene[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichlorobenzene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichlorodifluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloroethane[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloroethane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloroethene[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloroethene[cis-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloroethene[trans-1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloropropane[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloropropane[1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloropropane[2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloropropene[1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloropropene[cis-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Dichloropropene[trans-1,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Diethyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Ethyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Ethylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Hexachlorobutadiene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Hexanone[2-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Iodomethane	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Isobutyl alcohol	15.0	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Isopropylbenzene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Isopropyltoluene[4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Methacrylonitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Methyl Methacrylate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Methyl tert-Butyl Ether	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Methyl-2-pentanone[4-]	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Methylene Chloride	1.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Naphthalene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Propionitrile	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Propylbenzene[1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Styrene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Tetrachloroethane[1,1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Tetrachloroethane[1,1,2,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC

Table 1. Analytical Results from Annual Groundwater Sampling at Regional Aquifer Well R-60, November 13, 2018, Condition No. 36

Field Sample ID	Location ID	Sample Date	Parameter Name	Report Result	Units	Detected	Lab Qualifier	Field Prep Code	Sample Purpose	Lab Method	Method Category
CAMO-19-164059	R-60	11-13-2018	Tetrachloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Toluene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichloro-1,2,2-trifluoroethane[1,1,2-]	2.00	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichlorobenzene[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichlorobenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichloroethane[1,1,1-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichloroethane[1,1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichloroethene	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichlorofluoromethane	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trichloropropane[1,2,3-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trimethylbenzene[1,2,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Trimethylbenzene[1,3,5-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Vinyl acetate	1.50	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Vinyl Chloride	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Xylene[1,2-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164059	R-60	11-13-2018	Xylene[1,3-]+Xylene[1,4-]	0.300	ug/L	N	U	UF	REG	SW-846:8260B	VOC
CAMO-19-164161	R-60	11-13-2018	HMX	0.086	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164161	R-60	11-13-2018	RDX	0.086	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE
CAMO-19-164161	R-60	11-13-2018	Trinitrotoluene[2,4,6-]	0.086	ug/L	N	U	UF	REG	SW-846:8330B	LCMS/MS HE

SAMPLE PURPOSE KEY

REG means regular field sample

FD means field duplicate sample

DP-1132, Condition No. 36, Groundwater Monitoring Report, R-60, November 13, 2018.

a	Sample Date	11/13/2018
b	Sample Time	1108
c	Individuals collecting sample.	Vigil & Tow (TPMC)
d	Monitoring well identification.	R-60
e	Physical description of monitoring well location.	See Location Map, Attachment 15
f	Ground-water surface elevation. (ft below mean sea level (msl))	5905.58
g	Total depth of the well (ft below ground surface (bgs))	1360.9
h	Total volume of water in the monitoring well prior to sample collection. (gal)	57.76
i	Total volume of water purged prior to sample collection (gal).	220.13
j	Physical parameters including temperature, conductivity, pH, oxidation/reduction potential.	DO (mg/L): 5.94 Oxidation/Reduction Potential (MV): 237.0 Temp (deg C): 22.6 pH (SU): 8.23 Turbidity (NTU): 2.09 Specific Conductance (μ S/cm): 126.4
k	Description of sample methods	See Attached Chain-of-Custody
l	Chain-of custody.	Attached
m	Location Map	Attachment 15

LANL SMO Los Alamos NM	R-60 <h2 style="margin: 0;">Chain of Custody/Analysis Request</h2>	COC/Lab Request #: 2019-457 Page 1 of 1
-------------------------------	--	--

Client Contact:		Lab Agreement #:		Site Name: N3B LANL																Rad Screening Info:	
Project Number:				MSGP-Hg	WSP-8082-PCB	WSP-8260B-VOA	WSP-8270C-SVOA	WSP-All Metals	WSP-CN(T)	WSP-GENINORG+PerChlorate	WSP-GrossA/B	WSP-LL-H-3	WSP-NH3+NO3/NO2+PO4	WSP-RAD	WSP-TKN+TOC	Lab Reporting Limit Type: Method Detection Limit					
Analysis Turnaround Time:																					
24 Hour - <input type="checkbox"/> Other - <input checked="" type="checkbox"/>																					
7 Days - <input type="checkbox"/>																					
14 Days - <input type="checkbox"/>																					
21 Days - <input type="checkbox"/>																					
28 Days - <input type="checkbox"/>																					
Field Sample ID	Sample Date	Sample Time	Sample Matrix																		
CAMO-19-164058	Nov 13 2018	11:08	W					1		1					1						
CAMO-19-164059	Nov 13 2018	11:08	W	1	3	2	2		1		1	1			1	1					
CAMO-19-164060	Nov 13 2018	11:08	W		3	2	2														
CAMO-19-164061	Nov 13 2018	11:08	W			1															

Special Instructions:

Relinquished by:	Print Name: Allison Stanfield	Date/Time: 11/13/18 14:30	Received by:	Print Name: Kate Eilers	Date/Time: 11.13.18 14:30
Relinquished by:	Print Name:	Date/Time:	Received by:	Print Name:	Date/Time:
Relinquished by:	Print Name:	Date/Time: 1	Received by:	Print Name:	Date/Time:

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164161

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/13/18	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1108	↓	MEDIA:	OK	↓
PRS ID:	OK	↓	SAMPLE TECH CODE:	GSP	↓
LOCATION ID:	R-60	↓	FIELD PREP:	UF	↓
LOCATION TYPE:	OK	↓	FIELD QC TYPE:	REG	↓
TOP DEPTH:	↓	↓	SAMPLE USAGE:	INV	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:		YES / NO / (NA)

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-TP-8081	1 LITER GLASS	3	ICE	Y	NA
↓	DP-TP-8330	1 LITER AMBER GLASS	3	ICE	↓	

SAMPLE COMMENTS: Sampled ≈ 40 ft. from running diesel generator

LOCATION COMMENTS: None

FIELD PARAMETERS:

Sample Time	1108	HH:MM	Casing Volume	3	UNITLESS	Discharge Rate	3.61	gal/min
Dissolved Oxygen	5.94	mg/L	Flow (in gpm)	3.61	GPM	Groundwater Elevation	5894.44	ft
Oxidation-Reduction Potential	237.0	MV	Period Purge Volume	NA	gal	pH	8.23	SU
Purge Volume	126.35	gal	Specific Conductance	126.4	uS/cm	Temperature	22.6	deg C
Total Volume Pumped	220.13	gal	Turbidity	2.09	NTU			

COLLECTED BY (PRINT): A. Vigil, K. Tow

RELINQUISHED BY (Printed Name) Allison Stambfield (Signature)	Date/Time 11/13/18 13:45	RECEIVED BY (Printed Name) S. Sherwood (Signature) S. Sherwood	Date/Time 11/13/18 13:45
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 12119

EVENT NAME: Discharge Permit MY19 Q1

SAMPLE ID: CAMO-19-164171

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	11/13/18	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1108		MEDIA:	OK	
PRS ID:	OK		SAMPLE TECH CODE:	GSP	
LOCATION ID:	R-60		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:	↓	↓	SAMPLE USAGE:	INV	↓
BOTTOM DEPTH:	↓	↓	EXCAVATED:	YES / NO / (NA)	

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	DP-Ra226+228	1 LITER POLY	4	HNO3	Y	NA

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time	—	HH:MM	Casing Volume	—	UNLESS	Discharge Rate	—	gal/min
Dissolved Oxygen	—	mg/L	Flow (in gpm)	—	GPM	Groundwater Elevation	—	ft
Oxidation-Reduction Potential	—	MV	Period Purge Volume	—	gal	pH	—	SU
Purge Volume	—	gal	Specific Conductance	—	uS/cm	Temperature	—	deg C
Total Volume Pumped	—	gal	Turbidity	—	NTU			

COLLECTED BY (PRINT): A. Vigil, K. Tow

RELINQUISHED BY (Printed Name) Allisyn Stanfield (Signature) <i>[Signature]</i>	Date/Time 11/13/18 13:45	RECEIVED BY (Printed Name) Sherwood (Signature) <i>[Signature]</i>	Date/Time 11/13/18 13:45
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time