

LA-UR-08-7152
November 2008
EP2008-0579

Periodic Monitoring Report for Mortandad Watershed, May 12–May 29, 2008

Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

Periodic Monitoring Report for Mortandad Watershed May 12–May 29, 2008

November 2008


Responsible project leader:

Ardyth Simmons		Program Manager	Environmental Programs	11/24/08
Printed Name	Signature	Title	Organization	Date

Responsible LANS representative:

Michael J. Graham		Associate Director	Environmental Programs	11/25/08
Printed Name	Signature	Title	Organization	Date

Responsible DOE representative:

David R. Gregory		Project Director	DOE-LASO	11/25/08
Printed Name	Signature	Title	Organization	Date

EXECUTIVE SUMMARY

This report provides the results of the periodic monitoring event (PME) conducted by Los Alamos National Laboratory in the Mortandad Watershed. This PME was conducted pursuant to the "2007 Interim Facility-Wide Groundwater Monitoring Plan," prepared in accordance with the Compliance Order on Consent.

The PME documented in this report occurred from May 12 to May 29, 2008. This event included the sampling of springs, groundwater wells, or well ports. Unreported results from a previous PME are also included. These results were not available for inclusion in the previous PME because they had not yet been validated.

Water samples obtained from various locations during these PMEs were analyzed for target analyte list metals, volatile organic compounds, cyanide, semivolatile organic compounds, pesticides, polychlorinated biphenyls, high explosives, radionuclides, low-level tritium, inorganics, perchlorate, stable isotopes, and field parameters (alkalinity, dissolved oxygen, pH, specific conductance, temperature, and turbidity).

One previously unreported groundwater nitrate result from Pine Rock Spring was equal to the New Mexico Water Quality Control Commission groundwater standard screening level of 10 µg/L.

Overall, 19 results from groundwater samples collected during this PME from Mortandad Canyon exceeded regulatory standards or screening levels.

In regional groundwater samples, perchlorate and filtered chromium values exceeded screening levels, and their concentrations are within the range of previous data.

CONTENTS

1.0 INTRODUCTION 1
 1.2 Conceptual Model 2

2.0 SCOPE OF ACTIVITIES 2

3.0 MONITORING RESULTS 2
 3.1 Methods and Procedures 2
 3.2 Field Parameter Results 2
 3.3 Water-Level Observations 2
 3.4 Deviations from Planned Scope 2

4.0 ANALYTICAL DATA RESULTS..... 2
 4.1 Methods and Procedures 2
 4.2 Analytical Data 3
 4.2.1 Surface Water (Base Flow) 5
 4.2.2 Groundwater 5
 4.3 Sampling Program Modifications 6

5.0 INVESTIGATION-DERIVED WASTE 6

6.0 SUMMARY AND INTERPRETATIONS 6
 6.1 Monitoring Results 6
 6.2 Analytical Results 6
 6.2.1 Surface Water (Base Flow) 6
 6.2.2 Groundwater 6
 6.3 Data Gaps 7

7.0 REFERENCES 7

Figures

Figure 2.0-1 Watershed monitoring locations 9
 Figure 3.3-1 Alluvial and intermediate groundwater elevations 10
 Figure 3.3.2 Intermediate and regional groundwater elevations 11
 Figure 4.2-1 Analytical results 12

Tables

Table 2.0-1 Monitoring Locations and General Information 13
 Table 3.4-1 Observations and Deviations 15
 Table 4.2-1 Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory 15
 Table 4.2-2 Results above Screening Levels for Groundwater 16

Appendixes

Appendix A	Conceptual Model
Appendix B	Field Parameter Results
Appendix C	Groundwater-Level Measurements
Appendix D	Analytical Results
Appendix E	Screening Results
Appendix F	Investigation-Derived Waste Management
Appendix G	Analytical Reports (on CD included with this document)

Acronyms and Abbreviations

AK	acceptable knowledge
BCG	Biota Concentration Guide (DOE)
bgs	below ground surface
C	cancer
Consent Order	Compliance Order on Consent
DCG	Derived Concentration Guidelines (DOE)
DOE	Department of Energy (U.S.)
DOT	Department of Transportation (U.S.)
ENV-RCRA	Environmental Protection Division Resource Conservation and Recovery Act
EPA	Environmental Protection Agency (U.S.)
EP-WES	Environmental Programs Directorate Waste and Environmental Support
F	filtered
IDW	investigation-derived waste
IFGMP	“Interim Facility-Wide Groundwater Monitoring Plan”
LANL	Los Alamos National Laboratory
MCL	maximum contaminant level (EPA)
MDL	method detection limit
msl	mean sea level
N	noncancer
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
NOI	notice of intent
NTU	nephelometric turbidity unit
PCB	polychlorinated biphenyl
PME	periodic monitoring event
PMR	periodic monitoring report
PPE	personal protective equipment

QC	quality control
RCRA	Resource Conservation and Recovery Act
RPF	Records Processing Facility
SOP	standard operating procedure
SVOC	semivolatile organic compound
TA	technical area
TSD	treatment, storage, and disposal
UF	unfiltered
VOC	volatile organic compound
WAC	waste acceptance criteria
WCSF	waste characterization strategy form
WPF	waste profile form

1.0 INTRODUCTION

This report provides documentation of quarterly groundwater monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Mortandad Watershed pursuant to the “2007 Interim Facility-Wide Groundwater Monitoring Plan” (IFGMP) (LANL 096665), prepared in accordance with the Compliance Order on Consent (Consent Order). This report includes data collected from May 12 to May 29, 2008. Data that were not reported in the previous periodic monitoring report (PMR) because they had not yet been validated are included in Appendix D. These sample events included sampling at base-flow stations, springs, groundwater wells, or well ports.

The Consent Order identifies New Mexico Water Quality Control Commission (NMWQCC) groundwater standards, including alternative abatement standards and U.S. Environmental Protection Agency (EPA) drinking water maximum contaminant levels (MCLs), as cleanup levels for groundwater when corrective action is implemented. NMWQCC groundwater standards, MCLs, and EPA tap water screening levels are used as screening levels for monitoring data and are provided in this report.

This report presents the following information:

- general background information on the watershed
- the watershed conceptual model
- field measurement monitoring results
- water-quality monitoring results
- results of the screening analysis (comparing these periodic monitoring event [PME] results with regulatory standards and results from previous reports)
- a summary based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy.

1.1 Background

Mortandad Watershed is an east-to-southeast trending drainage that heads on the Pajarito Plateau near the main Laboratory complex at Technical Area 03 (TA-03) at an elevation of 7380 ft (2249 m). The drainage extends about 9.6 mi (15.5 km) from its headwaters to its confluence with the Rio Grande at an elevation of 5440 ft (1658 m). The watershed crosses San Ildefonso Pueblo land for several miles before joining the Rio Grande.

Mortandad Watershed is located in the central portion of the Laboratory and covers approximately 10 mi² (25.9 km²). San Ildefonso Pueblo is directly adjacent to a portion of the Laboratory’s eastern boundary and includes the eastern end of Mortandad Watershed. Mortandad Watershed contains several tributary canyons that have received contaminants released during historic Laboratory operations. The most prominent tributary canyons include Ten Site Canyon, Pratt Canyon, Effluent Canyon, and Cañada del Buey. Current and former TAs located in Mortandad Watershed include TA-03, TA-04, TA-05, TA-18, TA-35, TA-42, TA-46, TA-48, TA-50, TA-51, TA-52, TA-54, TA-55, and TA-59. The primary sources of contamination in this watershed are attributed to past releases of contaminants from outfalls and spills at TA-35 and TA-50, including the Radioactive Liquid Waste Treatment Facility at TA-50. Metals and volatile organic compounds (VOCs) have historically been released into the canyon. Nitrate, perchlorate, fluoride, molybdenum, and radionuclides are some of the contaminants that have been detected in Mortandad

Canyon alluvial groundwater. Contamination from perchlorate and nitrate is present in the vadose zone beneath the portion of Mortandad below the confluence of Ten Site Canyon. Nitrate, perchlorate, chromium, and tritium are detected in both intermediate and regional groundwater.

1.2 Conceptual Model

The conceptual model for the Mortandad Watershed is presented in Appendix A of this document.

2.0 SCOPE OF ACTIVITIES

The PME for the Mortandad Watershed was conducted pursuant to the 2007 IFGMP (LANL, 096665). Table 2.0-1 provides the location name, sample collection date, port name, port depth, screened interval, top and bottom screen depths, water level, and the water-level method for each of the monitored locations. These locations are shown in Figure 2.0-1.

3.0 MONITORING RESULTS

3.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the PME are documented in the 2007 IFGMP (LANL, 096665).

3.2 Field Parameter Results

Appendix B contains the field parameter results for the PME and the three PMEs immediately before the May 2008 sampling event.

3.3 Water-Level Observations

The periodic monitoring water-level data for this event and the previous three monitoring events are located in Appendix C. For wells equipped with transducers, the reported water level is the water-level measurement taken earliest on the day of sampling. All manual measurements are reported immediately before sampling. The groundwater-level measurements taken during this PME are shown graphically in Figures 3.3-1 and 3.3-2.

3.4 Deviations from Planned Scope

Table 3.4-1 describes the deviations from the planned scope of the PME.

4.0 ANALYTICAL DATA RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the analytical activities of the PME are documented in the 2007 IFGMP (LANL, 096665).

4.2 Analytical Data

Appendix D presents the analytical data from the PME and from the three sampling events immediately before May 2008. The screening levels with which the results are compared are shown in Table 4.2-1. The analytical laboratory reports (including chains of custody, data validation, etc.) are provided in Appendix G.

Appendix D contains all data obtained during the PME (i.e., all data that have been independently reviewed for conformance with Laboratory requirements), with the following constraints.

- All data
 - ◆ Data that are R-qualified (rejected because of noncompliance regarding quality control [QC] acceptance criteria) during independent validation are considered “not detected” but are still reported. Analytical laboratory QC results, including matrix spike and matrix spike duplicates, are not included in the data set.
- Radionuclides
 - ◆ All low-detection-limit tritium data are reported. Results greater than 3 times the 1 standard deviation total propagated analytical uncertainty (or 3σ) are considered to be detections.
 - ◆ Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.
 - ◆ Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
 - ◆ Otherwise, all detections are reported at all locations, that is, results without a laboratory qualifier of U or X (abbreviations that indicate that the analyte was not detected).
- Nonradionuclides
 - ◆ All results, excluding nondetects, are reported. Field duplicates, reanalyses, field blanks, trip blanks, equipment blanks, and different analytical methods are also reported.

The screening levels applied to all media are listed in Table 4.2-1. Table 4.2-1 indicates the type of screening level and its source.

Data for PMRs are evaluated using the following screening process.


- Surface-water and groundwater perchlorate data were compared with the screening level of 4 $\mu\text{g/L}$ established in Section VIII.A.1.a of the Consent Order. Surface-water sample results were compared with all surface-water standards without consideration of the designated use for the particular reach. The NMWQCC groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous phase liquids apply to the total unfiltered concentrations of the contaminants.
- As required by the Consent Order, EPA Region 6 tap water screening levels are used for constituents having no other regulatory standard and for which toxicological information is published. For these screening levels, the tables indicate a risk type of C (cancer) or N (noncancer). For the cancer risk type, the risk levels are for 10^{-6} excess cancer risk. The Consent Order specifies screening with these values at a risk level of 10^{-5} (rather than 10^{-6}) excess cancer

risk. Therefore, data must exceed the 10^{-6} screening values by a factor of 10 or more to be above a risk level of 10^{-5} excess cancer risk.

- The analytical results for radioactivity are compared with the DOE Biota Concentration Guide (BCG) for surface water and Derived Concentration Guidelines (DCG) for groundwater.

Tables E-1 through E-5 in Appendix E show all analytical results for perchlorate, radioactivity, and organic compounds and show all data points greater than half the lowest applicable screening-level values for metals and general inorganic compounds.

Analytical results are presented graphically in Figure 4.2-1. Figure 4.2-1 contains diagrams displaying a series of select analytes. An example of a diagram displaying groundwater perchlorate concentrations is shown below.



Perchlorate concentrations

The analytes displayed in Figure 4.2-1 were selected from data acquired during the PMEs. The analytes shown in the figure were chosen because of their historical presence in surface water and groundwater in this watershed.

Radionuclides are not shown in the diagrams. The solid red lines, when shown, depict applicable screening levels. Note that some screening levels may exceed the highest concentration displayed and may not appear in the diagram. Screening-level values are provided in Tables E-1 through E-5 in Appendix E.

Tables E-1 through E-5 (Appendix E) summarize the results from comparing the groundwater analytical data with screening levels. Table 4.2-2 shows results for groundwater (by hydrogeologic zone for a specific analytical suite) that are above a screening level. Multiple detections of a particular constituent at a location are counted as one result. For example, if aluminum is detected above a screening level in both a primary sample and a field duplicate, only one result is shown. Graphical representations of select surface-water analytical results are shown in Figure 4.2-1.

4.2.1 Surface Water (Base Flow)

No surface-water locations were sampled during this PME.

4.2.2 Groundwater

A previously unreported result, the uranium concentration of 28.8 µg/L measured at Pine Rock Spring on San Ildefonso Pueblo lands was just below the NMWQCC groundwater standard of 30 µg/L.

Concentrations measured since July 2006 over seven sampling events ranged from 22 to 33 µg/L. A previously unreported nitrate (plus nitrite as nitrogen) concentration in the sample was 10 mg/L, at the same level as the NMWQCC groundwater standard. Concentrations of nitrate measured over the past 2 yr at this location have ranged from 3.6 to 14.4 mg/L.

The chloride concentration of 263 mg/L at MCO-2 was above the 250 mg/L NMWQCC groundwater standard screening level. Results measured since 2005 range from 4.6 to 2180 mg/L. The recent measurement is the second highest to date.

The perchlorate concentrations at three alluvial wells ranged from 10 to 12 µg/L and were above the Consent Order screening level for perchlorate of 4 µg/L. The perchlorate concentrations have declined significantly during the past 5 yr.

The filtered manganese and iron results at alluvial wells MCO-0.6 and MCO-2 were above the NMWQCC groundwater standards (applicable to domestic water supply) of 200 µg/L and 1000 µg/L, respectively. The iron results in prior samples at these locations have fluctuated widely (from 1580 to 26,500 µg/L at MCO-0.6 and from 2780 to 15,300 µg/L at MCO-2). The recent measurement at MCO-0.6 is within the observed range, while the new field duplicate result of 2780 µg/L at MCO-2 is the lowest measurement.

The manganese results in prior samples at these locations have also fluctuated (from 1690 to 5870 µg/L at MCO-0.6 and from 180 to 2530 µg/L at MCO-2). The recent measurement of 1690 µg/L at MCO-0.6 is the lowest measurement, while the result at MCO-2 is within the observed range.

The total concentrations in MCO-2 for arsenic, chromium, and lead were above the respective EPA MCLs in one unfiltered sample. The concentrations for these analytes in a field duplicate unfiltered sample were 20% to 33% of these high values and were below the MCLs. The new chromium and arsenic concentrations are the highest measured but are similar to previous sample values.

At alluvial well MCA-1, the iron result of 11,000 µg/L and aluminum value of 19,900 µg/L were above the NMWQCC groundwater standards of 1000 µg/L and 5000 µg/L, respectively. The iron result is the highest concentration measured at the well; earlier values ranged from 449 to 3720 µg/L. The aluminum result is also much above the earlier range from 808 to 6870 µg/L. The turbidity for the recent sample was 173 nephelometric turbidity units (NTUs), compared with a range for earlier samples from 5 to 76 NTUs.

The nitrate (as nitrogen) concentration of 12.6 mg/L in intermediate well MCOI-4 was above the 10 mg/L NMWQCC groundwater standard. The concentrations at MCOI-4 have fluctuated between 12 and 18 mg/L since 2005.

Perchlorate concentrations at intermediate groundwater wells MCOI-4 and MCOI-5 were 92 µg/L and 88 µg/L, respectively, above the Consent Order perchlorate screening level of 4 µg/L. Results in MCOI-4 have decreased during 2007 and 2008 from earlier values ranging from 134 to 166 µg/L measured since 2005. MCOI-5 perchlorate concentrations have shown some variability since first sampled in 2005. The new values are consistent with the most recent measurements.

A result in MCOI-4 for dioxane[1,4-] of 73 µg/L was above the EPA tap water screening level of 61.1 µg/L. This result, measured with the volatile organic method, has an MDL of 20 µg/L. This is the largest concentration measured by this method at MCOI-4. The result measured for the same sample event by the more precise semivolatile organic method, which has an MDL of 1.2 µg/L, was below the screening level at 27.8 µg/L. Six results measured by this method range from <11 to 38 µg/L.

The perchlorate concentration in regional well R-15 was 5.6 µg/L, above the Consent Order screening level of 4 µg/L. Values measured by the liquid chromatography/mass spectrometry method since 2003 ranged from 4.7 to 6.8 µg/L.

In regional well R-28, the filtered chromium concentration was 438 µg/L, compared with the NMWQCC groundwater standard of 50 µg/L. Over the last 2.5 yr, the values have ranged from 310 to 446 µg/L and show no particular trend with time.

4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the Mortandad Watershed are proposed at this time.

5.0 INVESTIGATION-DERIVED WASTE

Appendix F discusses the management of wastes produced during the PME. A copy of the waste management records for waste streams was included in Appendix F of the September 2008 PMR (LANL 103737).

6.0 SUMMARY AND INTERPRETATIONS

6.1 Monitoring Results

The annual update to the IFGMP will provide an evaluation of the field parameter monitoring results presented in Appendix B and subsequent monitoring events.

6.2 Analytical Results

6.2.1 Surface Water (Base Flow)

No surface-water locations were sampled during this PME.

6.2.2 Groundwater

One previously unreported nitrate groundwater result from Pine Rock Spring was equal to the screening level (Table 4.2-2).

Overall, 19 results from groundwater samples collected during this PME from Mortandad Canyon exceeded screening levels (Table 4.2-2).

6.3 Data Gaps

A summary of the field parameter gaps encountered during the PME is in Table 3.4.1. The table provides a detailed account of sampling event deviations.

7.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; the DOE-Los Alamos Site Office; EPA, Region 6; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), May 2007. "2007 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-07-3271, Los Alamos, New Mexico. (LANL 2007, 096665)

LANL (Los Alamos National Laboratory), September 2008. "Periodic Monitoring Report for White Rock Watershed, April 23–April 30, 2008," Los Alamos National Laboratory document LA-UR-08-0506, Los Alamos, New Mexico. (LANL 2008, 103737)




Figure 2.0-1 Watershed monitoring locations




Figure 3.3-1 Alluvial and intermediate groundwater elevations




Figure 3.3.2 Intermediate and regional groundwater elevations




Figure 4.2-1 Analytical results

**Table 2.0-1
Monitoring Locations and General Information**

Location	Sample Collection Date	Port Name	Port ID	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Base Flow (ft ³ /s)	Water Level (ft above msl) ^a	Water-Level Method
Base Flow										
E-1FW	28-May-08	n/a ^b	n/a	n/a	n/a	n/a	n/a	Dry ^c	n/a	n/a
M-1E	28-May-08	n/a	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
TS-1W	28-May-08	n/a	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
TS-2E	28-May-08	n/a	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
M-2E	28-May-08	n/a	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
Springs										
Pine Rock Spring	28-May-08	n/a	n/a	n/a	n/a	n/a	n/a	0.002	n/a	n/a
Alluvial										
CDBO-1	22-May-08	Single	6751	5.1	8	5.1	13.1	n/a	Dry	n/a
CDBO-2	22-May-08	Single	6761	5.9	12	5.9	17.9	n/a	Dry	n/a
CDBO-3	22-May-08	Single	6771	4.4	8	4.4	12.4	n/a	Dry	n/a
CDBO-4	22-May-08	Single	6781	4.1	8	4.1	12.1	n/a	Dry	n/a
CDBO-5	22-May-08	Single	6791	7	10	7	17	n/a	Dry	n/a
CDBO-6	22-May-08	Single	5281	34	10	34	44	n/a	6786.49	Manual
CDBO-7	22-May-08	Single	5291	29	10	29	39	n/a	Dry	n/a
CDBO-8	22-May-08	Single	5671	3	10	3	13	n/a	Dry	n/a
CDBO-9	22-May-08	Single	5691	19	10	19	29	n/a	Dry	n/a
MCA-1	20-May-08	Single	5601	2.4	3	2.4	5.4	n/a	7065.56	Manual
MCA-5	21-May-08	Single	5631	1.75	4	1.75	5.75	n/a	Dry	n/a
MCO-0.6	29-May-08	Single	5641	1.05	2	1.05	3.05	n/a	7188.03	Manual
MCO-2	28-May-08	Single	4551	2	7	2	9	n/a	7132.96	Manual
MCO-3	20-May-08	Single	4561	2	10	2	12	n/a	7047.94	Manual
MCO-4B	21-May-08	Single	4581	8.9	20	8.9	28.9	n/a	6865	Manual

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port ID	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Base Flow (ft ³ /s)	Water Level (ft above msl) ^a	Water-Level Method
MCO-6	21-May-08	Single	4601	27	20	27	47	n/a	6813.71	Transducer
MCO-7	21-May-08	Single	4631	39	30	39	69	n/a	6790.73	Manual
MCO-7.5	28-May-08	Single	4661	35	25	35	60	n/a	6767.57	Manual
TSCA-6	21-May-08	Single	6091	16.2	4.7	16.2	20.9	n/a	Dry	Manual
Intermediate										
MCOBT-4.4	29-May-08	Single	5401	485.4	38.6	485.4	524	n/a	Dry	n/a
MCOI-4	29-May-08	Single	5981	499	23.1	498.9	522	n/a	6317.08	Manual
MCOI-5	20-May-08	Single	5721	689	9.96	689.04	699	n/a	6138.04	Manual
MCOI-6	20-May-08	Single	5731	686	22.3	686	708.3	n/a	6155.43	Manual
MCOI-8	29-May-08	Single	5991	665	9.96	665	674.96	n/a	Dry	n/a
Regional										
R-1	20-May-08	Single	1701	1031.1	26.3	1031.12	1057.42	n/a	5878.03	Manual
R-13	14-May-08	Single	1741	958.3	60.39	958.33	1018.72	n/a	5835.61	Manual
R-15	20-May-08	Single	1751	958.6	61.7	958.6	1020.3	n/a	5849.9	Manual
R-16	13-May-08	MP2A	541	866.1	7.5	863.4	870.9	n/a	5641.73	Transducer
R-16	13-May-08	MP3A	591	1018.4	7.6	1014.8	1022.4	n/a	5557.1	Transducer
R-16	12-May-08	MP4A	641	1238	7.6	1237	1244.6	n/a	5546.77	Transducer
R-16r	19-May-08	Single	6341	600	17.6	600	617.6	n/a	5692.56	Manual
R-21	23-May-08	Single	1761	888.8	18	888.8	906.8	n/a	5854.6	Manual
R-28	14-May-08	Single	1781	934.3	23.8	934.3	958.1	n/a	5837.90	Manual
R-34	28-May-08	Single	1791	895.15	22.9	883.7	906.6	n/a	5833.99	Manual
Test Well 8	17-May-08	Single	4731	953	112	953	1065	n/a	5874.59	Manual

^a msl = Mean sea level.^b n/a = Not applicable.^c See Table 3.4-1 for explanation.

**Table 3.4-1
Observations and Deviations**

Location	Deviation	Cause	Comments
Sampling Problems			
CDBO-1, CDBO-2, CDBO-3, CDBO-4, CDBO-5, CDBO-7, CDBO-8, CDBO-9	No data are included in this report for these locations.	These locations were not sampled on 5/22/2008 because they were dry.	Locations will be sampled when sufficient water is present during a future sampling round.
E-1FW, M-1E, M-2E, TS-1W, TS-2E	No data are included in this report for these locations.	These locations were not sampled on 5/28/2008 because they were dry.	Locations will be sampled when sufficient water is present during a future sampling round.
MCA-5	No data are included in this report for this location.	The location was not sampled on 5/21/2008 because it was dry.	Location will be sampled when sufficient water is present during a future sampling round.
MCOBT-4.4, MCOI-8	No data are included in this report for these locations.	These locations were not sampled on 5/29/2008 because they were dry.	Locations will be sampled when sufficient water is present during a future sampling round.
Well Rehabilitation			
R-14 Screens 1 and 2 R-33 Screens 1 and 2	No data are included in this report for these locations.	These locations were not sampled because they are being rehabilitated.	Locations will be sampled when they have been rehabilitated.

**Table 4.2-1
Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory**

Standard Type	Groundwater	Surface Water
DOE BCG	n/a ^a	x ^b
DOE 100-mrem Public Dose DCG (all exposure pathways dose limit)	x	n/a
DOE 4-mrem Drinking Water DCG (drinking water pathway dose limit)	x	n/a
EPA MCL	x	n/a
EPA Region 6 Tap Water Screening Level	x	n/a
New Mexico Environmental Improvement Board Radiation Protection Standards	x	x
NMWQCC Fisheries Standards Chronic	n/a	x
NMWQCC Fisheries Standards Chronic, Hardness = 100 mg/L	n/a	x
NMWQCC Groundwater Standard	x	n/a
NMWQCC Livestock Watering Standard	n/a	x
NMWQCC Wildlife Habitat Standard	n/a	x
NMWQCC Human Health Standard Ephemeral	n/a	x
NMWQCC Human Health Standard Perennial	n/a	x

^a n/a = Not applicable.

^b x = Standard applied to data screen for this report.

**Table 4.2-2
Results above Screening Levels for Groundwater**

Location	Date	Analyte	Result	Unit	Screening Level	Screening-Level Origin
Springs						
Pine Rock Spring*	02/20/08	NO ₃ +NO ₂ -N	10	mg/L	10	NMWQCC GW STD
Alluvial Groundwater						
MCO-2	05/28/08	Cl ⁻¹	263	mg/L	250	NMWQCC GW STD
MCO-4B	05/21/08	ClO ₄	12.9	µg/L	4	Consent Order
MCO-6	05/21/08	ClO ₄	10.2	µg/L	4	Consent Order
MCO-7	05/21/08	ClO ₄	10.6	µg/L	4	Consent Order
MCO-0.6	05/29/08	Fe	7380	µg/L	1000	NMWQCC GW STD
MCO-0.6	05/29/08	Mn	1690	µg/L	200	NMWQCC GW STD
MCO-2	05/28/08	As	21.4	µg/L	10	EPA MCL
MCO-2	05/28/08	Cr	275	µg/L	100	EPA MCL
MCO-2	05/28/08	Fe	7080	µg/L	1000	NMWQCC GW STD
MCO-2	05/28/08	Mn	750	µg/L	200	NMWQCC GW STD
MCO-2	05/28/08	Pb	38.6	µg/L	15	EPA MCL
MCA-1	05/20/08	Al	19900	µg/L	5000	NMWQCC GW STD
MCA-1	05/20/08	Fe	11000	µg/L	1000	NMWQCC GW STD
Intermediate Groundwater						
MCOI-4	05/29/08	NO ₃ +NO ₂ -N	12.6	mg/L	10	NMWQCC GW STD
MCOI-4	05/29/08	ClO ₄	91.8	µg/L	4	Consent Order
MCOI-5	05/20/08	ClO ₄	88.3	µg/L	4	Consent Order
MCOI-4	05/29/08	Dioxane[1,4-]	73.3	µg/L	61.1	EPA Tap Screening Level
Regional Groundwater						
R-15	05/20/08	ClO ₄	5.59	µg/L	4	Consent Order
R-28	05/14/08	Cr	438	µg/L	50	NMWQCC GW STD

* Previously unreported.

Appendix A

Conceptual Model

Canyon	Contaminant Sources	Alluvial Groundwater Contaminants	Intermediate Groundwater Contaminants	Regional Groundwater Contaminants
Mortandad and Ten Site Canyons	Multiple past and current effluent discharges	Chloride and fluoride are above New Mexico Water Quality Control Commission (NMWQCC) groundwater standards. Strontium-90 and perchlorate are present.	Uranium, hexavalent chromium, nitrate, and fluoride are above NMWQCC groundwater standards. Tritium, perchlorate, bis(2-thylhexyl)phthalate, and dioxane[1,4-] are present.	Hexavalent chromium is above NMWQCC groundwater standards. Nitrate is at one-half NMWQCC groundwater standards, traces of perchlorate.
Cañada del Buey	Major dry, minor liquid sources	None, limited alluvial groundwater	No intermediate groundwater	None

Appendix B

Field Parameter Results

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
CDBO-6	5281	34	05/22/08	Dissolved Oxygen	7	mg/L	CAMO-08-12721
CDBO-6	5281	34	02/11/08	Dissolved Oxygen	6.95	mg/L	CAMO-08-10634
CDBO-6	5281	34	11/14/06	Dissolved Oxygen	7	mg/L	FU061000G6DC01
CDBO-6	5281	34	08/27/07	Dissolved Oxygen	5.07	mg/L	FU070800G6DC01
CDBO-6	5281	34	05/22/08	Oxidation-Reduction Potential	400	mV	CAMO-08-12721
CDBO-6	5281	34	02/11/08	Oxidation-Reduction Potential	294	mV	CAMO-08-10634
CDBO-6	5281	34	11/14/06	Oxidation-Reduction Potential	364.7	mV	FU061000G6DC01
CDBO-6	5281	34	08/27/07	Oxidation-Reduction Potential	386	mV	FU070800G6DC01
CDBO-6	5281	34	05/22/08	Specific Conductance	216	µS/cm	CAMO-08-12721
CDBO-6	5281	34	02/11/08	Specific Conductance	191.1	µS/cm	CAMO-08-10634
CDBO-6	5281	34	12/17/07	Specific Conductance	205	µS/cm	FU071100G6DC01
CDBO-6	5281	34	08/27/07	Specific Conductance	208	µS/cm	FU070800G6DC01
CDBO-6	5281	34	05/22/08	Temperature	12.7	deg C	CAMO-08-12721
CDBO-6	5281	34	02/11/08	Temperature	17.5	deg C	CAMO-08-10634
CDBO-6	5281	34	12/17/07	Temperature	10.8	deg C	FU071100G6DC01
CDBO-6	5281	34	11/14/06	Temperature	16.5	deg C	FU061000G6DC01
CDBO-6	5281	34	08/27/07	Temperature	16.5	deg C	FU070800G6DC01
CDBO-6	5281	34	05/22/08	Turbidity	64.6	NTU	CAMO-08-12721
CDBO-6	5281	34	02/11/08	Turbidity	66	NTU	CAMO-08-10634
CDBO-6	5281	34	12/17/07	Turbidity	53.3	NTU	FU071100G6DC01
CDBO-6	5281	34	11/14/06	Turbidity	9.49	NTU	FU061000G6DC01
CDBO-6	5281	34	08/27/07	Turbidity	288	NTU	FU070800G6DC01
CDBO-6	5281	34	05/22/08	pH	6.58	SU	CAMO-08-12721
CDBO-6	5281	34	02/11/08	pH	6.8	SU	CAMO-08-10634
CDBO-6	5281	34	12/17/07	pH	6.55	SU	FU071100G6DC01
CDBO-6	5281	34	08/27/07	pH	6.64	SU	FU070800G6DC01
MCA-1	5601	2.4	05/20/08	Dissolved Oxygen	4.5	mg/L	CAMO-08-12713
MCA-1	5601	2.4	02/06/08	Dissolved Oxygen	4.41	mg/L	CAMO-08-10489

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCA-1	5601	2.4	03/06/07	Dissolved Oxygen	7.1	mg/L	FU070200GMA101
MCA-1	5601	2.4	11/01/06	Dissolved Oxygen	2.46	mg/L	FU060900GMA101
MCA-1	5601	2.4	06/20/07	Dissolved Oxygen	1.89	mg/L	FU070500GMA101
MCA-1	5601	2.4	05/20/08	Oxidation-Reduction Potential	89	mV	CAMO-08-12713
MCA-1	5601	2.4	02/06/08	Oxidation-Reduction Potential	285	mV	CAMO-08-10489
MCA-1	5601	2.4	03/06/07	Oxidation-Reduction Potential	70.9	mV	FU070200GMA101
MCA-1	5601	2.4	11/01/06	Oxidation-Reduction Potential	460.1	mV	FU060900GMA101
MCA-1	5601	2.4	06/20/07	Oxidation-Reduction Potential	465	mV	FU070500GMA101
MCA-1	5601	2.4	05/20/08	Specific Conductance	204	µS/cm	CAMO-08-12713
MCA-1	5601	2.4	02/06/08	Specific Conductance	6.91	µS/cm	CAMO-08-10489
MCA-1	5601	2.4	03/06/07	Specific Conductance	167	µS/cm	FU070200GMA101
MCA-1	5601	2.4	06/20/07	Specific Conductance	234	µS/cm	FU070500GMA101
MCA-1	5601	2.4	05/20/08	Temperature	13.5	deg C	CAMO-08-12713
MCA-1	5601	2.4	02/06/08	Temperature	4.2	deg C	CAMO-08-10489
MCA-1	5601	2.4	03/06/07	Temperature	5.4	deg C	FU070200GMA101
MCA-1	5601	2.4	11/01/06	Temperature	10.9	deg C	FU060900GMA101
MCA-1	5601	2.4	06/20/07	Temperature	15	deg C	FU070500GMA101
MCA-1	5601	2.4	05/20/08	Turbidity	173	NTU	CAMO-08-12713
MCA-1	5601	2.4	02/06/08	Turbidity	36.9	NTU	CAMO-08-10489
MCA-1	5601	2.4	03/06/07	Turbidity	75.9	NTU	FU070200GMA101
MCA-1	5601	2.4	11/01/06	Turbidity	44.6	NTU	FU060900GMA101
MCA-1	5601	2.4	06/20/07	Turbidity	24.1	NTU	FU070500GMA101
MCA-1	5601	2.4	05/20/08	pH	6.66	SU	CAMO-08-12713
MCA-1	5601	2.4	02/06/08	pH	6.1	SU	CAMO-08-10489
MCA-1	5601	2.4	03/06/07	pH	6.53	SU	FU070200GMA101
MCA-1	5601	2.4	06/20/07	pH	6.07	SU	FU070500GMA101
MCO-0.6	5641	1.05	05/29/08	Dissolved Oxygen	3.7	mg/L	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	Dissolved Oxygen	4.73	mg/L	CAMO-08-10646

November 2008

B-2

EP2008-0579

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-0.6	5641	1.05	03/07/07	Dissolved Oxygen	1.98	mg/L	FU070200GM0601
MCO-0.6	5641	1.05	10/27/06	Dissolved Oxygen	2.7	mg/L	FU060900GM0601
MCO-0.6	5641	1.05	06/19/07	Dissolved Oxygen	2.73	mg/L	FU070500GM0601
MCO-0.6	5641	1.05	05/29/08	Oxidation-Reduction Potential	24	mV	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	Oxidation-Reduction Potential	187	mV	CAMO-08-10646
MCO-0.6	5641	1.05	03/07/07	Oxidation-Reduction Potential	-1.6	mV	FU070200GM0601
MCO-0.6	5641	1.05	10/27/06	Oxidation-Reduction Potential	121.1	mV	FU060900GM0601
MCO-0.6	5641	1.05	06/19/07	Oxidation-Reduction Potential	428	mV	FU070500GM0601
MCO-0.6	5641	1.05	05/29/08	Specific Conductance	886	µS/cm	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	Specific Conductance	1190	µS/cm	CAMO-08-10646
MCO-0.6	5641	1.05	03/07/07	Specific Conductance	1532	µS/cm	FU070200GM0601
MCO-0.6	5641	1.05	10/27/06	Specific Conductance	2.1	µS/cm	FU060900GM0601
MCO-0.6	5641	1.05	06/19/07	Specific Conductance	428	µS/cm	FU070500GM0601
MCO-0.6	5641	1.05	05/29/08	Temperature	14.4	deg C	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	Temperature	3.3	deg C	CAMO-08-10646
MCO-0.6	5641	1.05	03/07/07	Temperature	5	deg C	FU070200GM0601
MCO-0.6	5641	1.05	10/27/06	Temperature	8.3	deg C	FU060900GM0601
MCO-0.6	5641	1.05	06/19/07	Temperature	15.6	deg C	FU070500GM0601
MCO-0.6	5641	1.05	05/29/08	Turbidity	71.3	NTU	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	Turbidity	42.7	NTU	CAMO-08-10646
MCO-0.6	5641	1.05	03/07/07	Turbidity	37.3	NTU	FU070200GM0601
MCO-0.6	5641	1.05	10/27/06	Turbidity	13.2	NTU	FU060900GM0601
MCO-0.6	5641	1.05	06/19/07	Turbidity	168	NTU	FU070500GM0601
MCO-0.6	5641	1.05	05/29/08	pH	6.52	SU	CAMO-08-12722
MCO-0.6	5641	1.05	02/13/08	pH	6.63	SU	CAMO-08-10646
MCO-0.6	5641	1.05	03/07/07	pH	6.67	SU	FU070200GM0601
MCO-0.6	5641	1.05	10/27/06	pH	6.48	SU	FU060900GM0601
MCO-0.6	5641	1.05	06/19/07	pH	6.74	SU	FU070500GM0601

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-2	4551	2	05/28/08	Dissolved Oxygen	3.5	mg/L	CAMO-08-12715
MCO-2	4551	2	02/06/08	Dissolved Oxygen	1.57	mg/L	CAMO-08-10494
MCO-2	4551	2	07/10/06	Dissolved Oxygen	6.4	mg/L	FU060500G2CM01
MCO-2	4551	2	06/14/07	Dissolved Oxygen	0.47	mg/L	FU070500G2CM01
MCO-2	4551	2	05/28/08	Oxidation-Reduction Potential	101	mV	CAMO-08-12715
MCO-2	4551	2	02/06/08	Oxidation-Reduction Potential	230	mV	CAMO-08-10494
MCO-2	4551	2	07/10/06	Oxidation-Reduction Potential	378.1	mV	FU060500G2CM01
MCO-2	4551	2	06/14/07	Oxidation-Reduction Potential	91	mV	FU070500G2CM01
MCO-2	4551	2	05/28/08	Specific Conductance	1138	µS/cm	CAMO-08-12715
MCO-2	4551	2	02/06/08	Specific Conductance	6.91	µS/cm	CAMO-08-10494
MCO-2	4551	2	07/10/06	Specific Conductance	392	µS/cm	FU060500G2CM01
MCO-2	4551	2	11/09/04	Specific Conductance	0	µS/cm	FU04120G2CM01
MCO-2	4551	2	06/14/07	Specific Conductance	551	µS/cm	FU070500G2CM01
MCO-2	4551	2	05/28/08	Temperature	11.1	deg C	CAMO-08-12715
MCO-2	4551	2	02/06/08	Temperature	5.6	deg C	CAMO-08-10494
MCO-2	4551	2	07/10/06	Temperature	11.5	deg C	FU060500G2CM01
MCO-2	4551	2	06/14/07	Temperature	12.8	deg C	FU070500G2CM01
MCO-2	4551	2	05/28/08	Turbidity	277	NTU	CAMO-08-12715
MCO-2	4551	2	02/06/08	Turbidity	6.42	NTU	CAMO-08-10494
MCO-2	4551	2	07/10/06	Turbidity	101.6	NTU	FU060500G2CM01
MCO-2	4551	2	06/14/07	Turbidity	278	NTU	FU070500G2CM01
MCO-2	4551	2	05/28/08	pH	6.1	SU	CAMO-08-12715
MCO-2	4551	2	02/06/08	pH	5.43	SU	CAMO-08-10494
MCO-2	4551	2	07/10/06	pH	7.33	SU	FU060500G2CM01
MCO-2	4551	2	06/14/07	pH	6.51	SU	FU070500G2CM01
MCO-3	4561	2	05/20/08	Dissolved Oxygen	6.7	mg/L	CAMO-08-12976
MCO-3	4561	2	03/05/08	Dissolved Oxygen	6.95	mg/L	CAMO-08-11144
MCO-3	4561	2	06/14/05	Dissolved Oxygen	2	mg/L	FU05060G3CM01

November 2008

B-4

EP2008-0579

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-3	4561	2	05/20/08	Oxidation-Reduction Potential	216	mV	CAMO-08-12976
MCO-3	4561	2	03/05/08	Oxidation-Reduction Potential	351	mV	CAMO-08-11144
MCO-3	4561	2	05/20/08	Specific Conductance	542	µS/cm	CAMO-08-12976
MCO-3	4561	2	03/05/08	Specific Conductance	390	µS/cm	CAMO-08-11144
MCO-3	4561	2	03/08/07	Specific Conductance	1208	µS/cm	FU070100G3CM01
MCO-3	4561	2	12/10/07	Specific Conductance	257	µS/cm	FU071100G3CM01
MCO-3	4561	2	06/20/07	Specific Conductance	417	µS/cm	FU070600G3CM01
MCO-3	4561	2	05/20/08	Temperature	9.1	deg C	CAMO-08-12976
MCO-3	4561	2	03/05/08	Temperature	1.7	deg C	CAMO-08-11144
MCO-3	4561	2	12/10/07	Temperature	5.6	deg C	FU071100G3CM01
MCO-3	4561	2	09/04/07	Temperature	16.8	deg C	FU070800G3CM01
MCO-3	4561	2	06/20/07	Temperature	12.9	deg C	FU070600G3CM01
MCO-3	4561	2	05/20/08	Turbidity	25.5	NTU	CAMO-08-12976
MCO-3	4561	2	03/05/08	Turbidity	21.3	NTU	CAMO-08-11144
MCO-3	4561	2	12/10/07	Turbidity	66.1	NTU	FU071100G3CM01
MCO-3	4561	2	09/04/07	Turbidity	49.6	NTU	FU070800G3CM01
MCO-3	4561	2	06/20/07	Turbidity	2.38	NTU	FU070600G3CM01
MCO-3	4561	2	05/20/08	pH	7.31	SU	CAMO-08-12976
MCO-3	4561	2	03/05/08	pH	7.4	SU	CAMO-08-11144
MCO-3	4561	2	12/10/07	pH	6.5	SU	FU071100G3CM01
MCO-3	4561	2	09/04/07	pH	7.22	SU	FU070800G3CM01
MCO-3	4561	2	06/20/07	pH	7.24	SU	FU070600G3CM01
MCO-4B	4581	8.9	05/21/08	Dissolved Oxygen	5.1	mg/L	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	Dissolved Oxygen	102	mg/L	CAMO-08-10476
MCO-4B	4581	8.9	02/27/07	Dissolved Oxygen	6.2	mg/L	FU070200G4BM01
MCO-4B	4581	8.9	10/19/06	Dissolved Oxygen	6.96	mg/L	FU060900G4BM01
MCO-4B	4581	8.9	10/19/06	Dissolved Oxygen	6.96	mg/L	FU061000G4BM01
MCO-4B	4581	8.9	06/04/07	Dissolved Oxygen	5.65	mg/L	FU070500G4BM01

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-4B	4581	8.9	05/21/08	Oxidation-Reduction Potential	136	mV	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	Oxidation-Reduction Potential	214	mV	CAMO-08-10476
MCO-4B	4581	8.9	02/27/07	Oxidation-Reduction Potential	120	mV	FU070200G4BM01
MCO-4B	4581	8.9	10/19/06	Oxidation-Reduction Potential	334.9	mV	FU060900G4BM01
MCO-4B	4581	8.9	10/19/06	Oxidation-Reduction Potential	334.9	mV	FU061000G4BM01
MCO-4B	4581	8.9	06/04/07	Oxidation-Reduction Potential	191	mV	FU070500G4BM01
MCO-4B	4581	8.9	05/21/08	Specific Conductance	487	µS/cm	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	Specific Conductance	3.54	µS/cm	CAMO-08-10476
MCO-4B	4581	8.9	12/14/07	Specific Conductance	386	µS/cm	FU071100G4BM01
MCO-4B	4581	8.9	08/13/07	Specific Conductance	614	µS/cm	FU070800G4BM01
MCO-4B	4581	8.9	06/04/07	Specific Conductance	518	µS/cm	FU070500G4BM01
MCO-4B	4581	8.9	05/21/08	Temperature	8	deg C	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	Temperature	10.3	deg C	CAMO-08-10476
MCO-4B	4581	8.9	12/14/07	Temperature	9.2	deg C	FU071100G4BM01
MCO-4B	4581	8.9	08/13/07	Temperature	12.8	deg C	FU070800G4BM01
MCO-4B	4581	8.9	06/04/07	Temperature	10	deg C	FU070500G4BM01
MCO-4B	4581	8.9	05/21/08	Turbidity	49.1	NTU	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	Turbidity	6.67	NTU	CAMO-08-10476
MCO-4B	4581	8.9	12/14/07	Turbidity	8.59	NTU	FU071100G4BM01
MCO-4B	4581	8.9	08/13/07	Turbidity	12.6	NTU	FU070800G4BM01
MCO-4B	4581	8.9	06/04/07	Turbidity	2.92	NTU	FU070500G4BM01
MCO-4B	4581	8.9	05/21/08	pH	6.73	SU	CAMO-08-12719
MCO-4B	4581	8.9	02/07/08	pH	6.86	SU	CAMO-08-10476
MCO-4B	4581	8.9	12/14/07	pH	6.9	SU	FU071100G4BM01
MCO-4B	4581	8.9	08/13/07	pH	6.86	SU	FU070800G4BM01
MCO-4B	4581	8.9	06/04/07	pH	6.75	SU	FU070500G4BM01
MCO-6	4601	27	05/21/08	Dissolved Oxygen	6.3	mg/L	CAMO-08-12978
MCO-6	4601	27	02/21/08	Dissolved Oxygen	7.68	mg/L	CAMO-08-10882

November 2008

B-6

EP2008-0579

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-6	4601	27	02/28/07	Dissolved Oxygen	6.83	mg/L	FU070200G6CM01
MCO-6	4601	27	08/14/07	Dissolved Oxygen	4.37	mg/L	FU070800G6CM01
MCO-6	4601	27	06/04/07	Dissolved Oxygen	6.54	mg/L	FU070500G6CM01
MCO-6	4601	27	05/21/08	Oxidation-Reduction Potential	184	mV	CAMO-08-12978
MCO-6	4601	27	02/21/08	Oxidation-Reduction Potential	344	mV	CAMO-08-10882
MCO-6	4601	27	02/28/07	Oxidation-Reduction Potential	210.3	mV	FU070200G6CM01
MCO-6	4601	27	08/14/07	Oxidation-Reduction Potential	322	mV	FU070800G6CM01
MCO-6	4601	27	06/04/07	Oxidation-Reduction Potential	296	mV	FU070500G6CM01
MCO-6	4601	27	05/21/08	Specific Conductance	441	µS/cm	CAMO-08-12978
MCO-6	4601	27	02/21/08	Specific Conductance	426	µS/cm	CAMO-08-10882
MCO-6	4601	27	12/14/07	Specific Conductance	490	µS/cm	FU071100G6CM01
MCO-6	4601	27	08/14/07	Specific Conductance	508	µS/cm	FU070800G6CM01
MCO-6	4601	27	05/21/08	Temperature	11.5	deg C	CAMO-08-12978
MCO-6	4601	27	02/21/08	Temperature	10.5	deg C	CAMO-08-10882
MCO-6	4601	27	12/14/07	Temperature	8.8	deg C	FU071100G6CM01
MCO-6	4601	27	08/14/07	Temperature	12.1	deg C	FU070800G6CM01
MCO-6	4601	27	06/04/07	Temperature	11.4	deg C	FU070500G6CM01
MCO-6	4601	27	05/21/08	Turbidity	4.76	NTU	CAMO-08-12978
MCO-6	4601	27	02/21/08	Turbidity	1.47	NTU	CAMO-08-10882
MCO-6	4601	27	12/14/07	Turbidity	0.75	NTU	FU071100G6CM01
MCO-6	4601	27	08/14/07	Turbidity	0.61	NTU	FU070800G6CM01
MCO-6	4601	27	06/04/07	Turbidity	1.6	NTU	FU070500G6CM01
MCO-6	4601	27	05/21/08	pH	6.9	SU	CAMO-08-12978
MCO-6	4601	27	02/21/08	pH	6.71	SU	CAMO-08-10882
MCO-6	4601	27	12/14/07	pH	6.83	SU	FU071100G6CM01
MCO-6	4601	27	08/14/07	pH	6.86	SU	FU070800G6CM01
MCO-7	4631	39	05/21/08	Dissolved Oxygen	8.8	mg/L	CAMO-08-12981
MCO-7	4631	39	02/25/08	Dissolved Oxygen	7.16	mg/L	CAMO-08-10481

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-7	4631	39	03/01/07	Dissolved Oxygen	7.88	mg/L	FU070200G7CM01
MCO-7	4631	39	08/28/07	Dissolved Oxygen	5.5	mg/L	FU070800G7CM01
MCO-7	4631	39	06/06/07	Dissolved Oxygen	5.12	mg/L	FU070500G7CM01
MCO-7	4631	39	05/21/08	Oxidation-Reduction Potential	309	mV	CAMO-08-12981
MCO-7	4631	39	03/01/07	Oxidation-Reduction Potential	237.2	mV	FU070200G7CM01
MCO-7	4631	39	10/25/06	Oxidation-Reduction Potential	436.4	mV	FU061000G7CM01
MCO-7	4631	39	10/25/06	Oxidation-Reduction Potential	436.4	mV	FU060900G7CM01
MCO-7	4631	39	08/28/07	Oxidation-Reduction Potential	368	mV	FU070800G7CM01
MCO-7	4631	39	06/06/07	Oxidation-Reduction Potential	426	mV	FU070500G7CM01
MCO-7	4631	39	05/21/08	Specific Conductance	334	µS/cm	CAMO-08-12981
MCO-7	4631	39	02/25/08	Specific Conductance	482	µS/cm	CAMO-08-10481
MCO-7	4631	39	12/14/07	Specific Conductance	485	µS/cm	FU071100G7CM01
MCO-7	4631	39	08/28/07	Specific Conductance	452	µS/cm	FU070800G7CM01
MCO-7	4631	39	06/06/07	Specific Conductance	429	µS/cm	FU070500G7CM01
MCO-7	4631	39	05/21/08	Temperature	11.8	deg C	CAMO-08-12981
MCO-7	4631	39	02/25/08	Temperature	11.4	deg C	CAMO-08-10481
MCO-7	4631	39	12/14/07	Temperature	9.1	deg C	FU071100G7CM01
MCO-7	4631	39	08/28/07	Temperature	142	deg C	FU070800G7CM01
MCO-7	4631	39	06/06/07	Temperature	11.3	deg C	FU070500G7CM01
MCO-7	4631	39	05/21/08	Turbidity	17.4	NTU	CAMO-08-12981
MCO-7	4631	39	02/25/08	Turbidity	4.71	NTU	CAMO-08-10481
MCO-7	4631	39	12/14/07	Turbidity	3.97	NTU	FU071100G7CM01
MCO-7	4631	39	08/28/07	Turbidity	2.2	NTU	FU070800G7CM01
MCO-7	4631	39	06/06/07	Turbidity	4.7	NTU	FU070500G7CM01
MCO-7	4631	39	05/21/08	pH	6.98	SU	CAMO-08-12981
MCO-7	4631	39	02/25/08	pH	6.8	SU	CAMO-08-10481
MCO-7	4631	39	12/14/07	pH	6.94	SU	FU071100G7CM01
MCO-7	4631	39	08/28/07	pH	7	SU	FU070800G7CM01

November 2008

B-8

EP2008-0579

EP2008-0579

B-9

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-7	4631	39	06/06/07	pH	6.93	SU	FU070500G7CM01
MCO-7.5	4661	35	05/28/08	Dissolved Oxygen	10.5	mg/L	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	Dissolved Oxygen	6.21	mg/L	CAMO-08-10483
MCO-7.5	4661	35	03/02/07	Dissolved Oxygen	6.95	mg/L	FU070200G57M01
MCO-7.5	4661	35	08/29/07	Dissolved Oxygen	5.65	mg/L	FU070800G57M01
MCO-7.5	4661	35	06/07/07	Dissolved Oxygen	4.78	mg/L	FU070500G57M01
MCO-7.5	4661	35	05/28/08	Oxidation-Reduction Potential	189	mV	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	Oxidation-Reduction Potential	388	mV	CAMO-08-10483
MCO-7.5	4661	35	03/02/07	Oxidation-Reduction Potential	2.47	mV	FU070200G57M01
MCO-7.5	4661	35	08/29/07	Oxidation-Reduction Potential	307	mV	FU070800G57M01
MCO-7.5	4661	35	06/07/07	Oxidation-Reduction Potential	265	mV	FU070500G57M01
MCO-7.5	4661	35	05/28/08	Specific Conductance	450	µS/cm	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	Specific Conductance	4.49	µS/cm	CAMO-08-10483
MCO-7.5	4661	35	03/02/07	Specific Conductance	434	µS/cm	FU070200G57M01
MCO-7.5	4661	35	08/29/07	Specific Conductance	432	µS/cm	FU070800G57M01
MCO-7.5	4661	35	06/07/07	Specific Conductance	432	µS/cm	FU070500G57M01
MCO-7.5	4661	35	05/28/08	Temperature	12.2	deg C	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	Temperature	11.8	deg C	CAMO-08-10483
MCO-7.5	4661	35	03/02/07	Temperature	9.9	deg C	FU070200G57M01
MCO-7.5	4661	35	08/29/07	Temperature	14.2	deg C	FU070800G57M01
MCO-7.5	4661	35	06/07/07	Temperature	11.5	deg C	FU070500G57M01
MCO-7.5	4661	35	05/28/08	Turbidity	2.79	NTU	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	Turbidity	1.72	NTU	CAMO-08-10483
MCO-7.5	4661	35	03/02/07	Turbidity	1.36	NTU	FU070200G57M01
MCO-7.5	4661	35	10/25/06	Turbidity	2.11	NTU	FU060900G57M01
MCO-7.5	4661	35	06/07/07	Turbidity	1.09	NTU	FU070500G57M01
MCO-7.5	4661	35	05/28/08	pH	6.89	SU	CAMO-08-12726
MCO-7.5	4661	35	02/06/08	pH	6.86	SU	CAMO-08-10483

Periodic Monitoring Report for Morandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCO-7.5	4661	35	03/02/07	pH	7	SU	FU070200G57M01
MCO-7.5	4661	35	08/29/07	pH	6.94	SU	FU070800G57M01
MCO-7.5	4661	35	06/07/07	pH	6.91	SU	FU070500G57M01
MCOI-4	5981	499	05/29/08	Dissolved Oxygen	6.41	mg/L	CAMO-08-12734
MCOI-4	5981	499	11/12/07	Dissolved Oxygen	7.05	mg/L	CAMO-08-8616
MCOI-4	5981	499	03/02/07	Dissolved Oxygen	7.16	mg/L	FU070200GMC401
MCOI-4	5981	499	08/24/07	Dissolved Oxygen	4.9	mg/L	FU070800GMC401
MCOI-4	5981	499	06/06/07	Dissolved Oxygen	6.5	mg/L	FU070500GMC401
MCOI-4	5981	499	05/29/08	Oxidation-Reduction Potential	258	mV	CAMO-08-12734
MCOI-4	5981	499	11/12/07	Oxidation-Reduction Potential	367	mV	CAMO-08-8616
MCOI-4	5981	499	03/02/07	Oxidation-Reduction Potential	263	mV	FU070200GMC401
MCOI-4	5981	499	08/24/07	Oxidation-Reduction Potential	307	mV	FU070800GMC401
MCOI-4	5981	499	06/06/07	Oxidation-Reduction Potential	431	mV	FU070500GMC401
MCOI-4	5981	499	05/29/08	Purge Volume	7.5	gal.	CAMO-08-12734
MCOI-4	5981	499	11/12/07	Purge Volume	6	gal.	CAMO-08-8616
MCOI-4	5981	499	06/06/07	Purge Volume	5.25	gal.	FU070500GMC401
MCOI-4	5981	499	05/29/08	Specific Conductance	298	µS/cm	CAMO-08-12734
MCOI-4	5981	499	11/12/07	Specific Conductance	302	µS/cm	CAMO-08-8616
MCOI-4	5981	499	03/02/07	Specific Conductance	314	µS/cm	FU070200GMC401
MCOI-4	5981	499	08/24/07	Specific Conductance	322	µS/cm	FU070800GMC401
MCOI-4	5981	499	06/06/07	Specific Conductance	292	µS/cm	FU070500GMC401
MCOI-4	5981	499	05/29/08	Temperature	17.3	deg C	CAMO-08-12734
MCOI-4	5981	499	11/12/07	Temperature	10.1	deg C	CAMO-08-8616
MCOI-4	5981	499	03/02/07	Temperature	9.6	deg C	FU070200GMC401
MCOI-4	5981	499	08/24/07	Temperature	15	deg C	FU070800GMC401
MCOI-4	5981	499	06/06/07	Temperature	14.8	deg C	FU070500GMC401
MCOI-4	5981	499	05/29/08	Turbidity	2.05	NTU	CAMO-08-12734
MCOI-4	5981	499	11/12/07	Turbidity	1.51	NTU	CAMO-08-8616

November 2008

B-10

EP2008-0579

EP2008-0579

B-11

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCOI-4	5981	499	03/02/07	Turbidity	0.2	NTU	FU070200GMC401
MCOI-4	5981	499	08/24/07	Turbidity	0.96	NTU	FU070800GMC401
MCOI-4	5981	499	06/06/07	Turbidity	3.45	NTU	FU070500GMC401
MCOI-4	5981	499	05/29/08	pH	7	SU	CAMO-08-12734
MCOI-4	5981	499	11/12/07	pH	7.42	SU	CAMO-08-8616
MCOI-4	5981	499	03/02/07	pH	6.99	SU	FU070200GMC401
MCOI-4	5981	499	08/24/07	pH	6.99	SU	FU070800GMC401
MCOI-4	5981	499	06/06/07	pH	6.9	SU	FU070500GMC401
MCOI-5	5721	689	05/20/08	Dissolved Oxygen	6.2	mg/L	CAMO-08-12737
MCOI-5	5721	689	02/13/08	Dissolved Oxygen	5.9	mg/L	CAMO-08-10424
MCOI-5	5721	689	11/12/07	Dissolved Oxygen	5.47	mg/L	CAMO-08-8624
MCOI-5	5721	689	08/23/07	Dissolved Oxygen	5.2	mg/L	FU070800GMC501
MCOI-5	5721	689	06/04/07	Dissolved Oxygen	5.99	mg/L	FU070500GMC501
MCOI-5	5721	689	05/20/08	Oxidation-Reduction Potential	252	mV	CAMO-08-12737
MCOI-5	5721	689	02/13/08	Oxidation-Reduction Potential	251	mV	CAMO-08-10424
MCOI-5	5721	689	11/12/07	Oxidation-Reduction Potential	358	mV	CAMO-08-8624
MCOI-5	5721	689	08/23/07	Oxidation-Reduction Potential	199	mV	FU070800GMC501
MCOI-5	5721	689	06/04/07	Oxidation-Reduction Potential	464	mV	FU070500GMC501
MCOI-5	5721	689	05/20/08	Purge Volume	63	gal.	CAMO-08-12737
MCOI-5	5721	689	02/13/08	Purge Volume	20	gal.	CAMO-08-10424
MCOI-5	5721	689	11/12/07	Purge Volume	18.5	gal.	CAMO-08-8624
MCOI-5	5721	689	08/23/07	Purge Volume	25	gal.	FU070800GMC501
MCOI-5	5721	689	06/04/07	Purge Volume	17.5	gal.	FU070500GMC501
MCOI-5	5721	689	05/20/08	Specific Conductance	169.9	µS/cm	CAMO-08-12737
MCOI-5	5721	689	02/13/08	Specific Conductance	158.6	µS/cm	CAMO-08-10424
MCOI-5	5721	689	11/12/07	Specific Conductance	167.1	µS/cm	CAMO-08-8624
MCOI-5	5721	689	08/23/07	Specific Conductance	177.7	µS/cm	FU070800GMC501
MCOI-5	5721	689	06/04/07	Specific Conductance	173.6	µS/cm	FU070500GMC501

Periodic Monitoring Report for Morandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCOI-5	5721	689	05/20/08	Temperature	14.5	deg C	CAMO-08-12737
MCOI-5	5721	689	02/13/08	Temperature	13.9	deg C	CAMO-08-10424
MCOI-5	5721	689	11/12/07	Temperature	13.2	deg C	CAMO-08-8624
MCOI-5	5721	689	08/23/07	Temperature	15	deg C	FU070800GMC501
MCOI-5	5721	689	06/04/07	Temperature	15.1	deg C	FU070500GMC501
MCOI-5	5721	689	05/20/08	Turbidity	0.45	NTU	CAMO-08-12737
MCOI-5	5721	689	02/13/08	Turbidity	1.29	NTU	CAMO-08-10424
MCOI-5	5721	689	11/12/07	Turbidity	1.05	NTU	CAMO-08-8624
MCOI-5	5721	689	08/23/07	Turbidity	0.99	NTU	FU070800GMC501
MCOI-5	5721	689	06/04/07	Turbidity	0.4	NTU	FU070500GMC501
MCOI-5	5721	689	05/20/08	pH	8.44	SU	CAMO-08-12737
MCOI-5	5721	689	02/13/08	pH	8.36	SU	CAMO-08-10424
MCOI-5	5721	689	11/12/07	pH	8.52	SU	CAMO-08-8624
MCOI-5	5721	689	08/23/07	pH	8.35	SU	FU070800GMC501
MCOI-5	5721	689	06/04/07	pH	8.32	SU	FU070500GMC501
MCOI-6	5731	686	05/20/08	Dissolved Oxygen	6.95	mg/L	CAMO-08-12739
MCOI-6	5731	686	02/22/08	Dissolved Oxygen	7.2	mg/L	CAMO-08-10427
MCOI-6	5731	686	11/09/07	Dissolved Oxygen	6.2	mg/L	CASA-08-7610
MCOI-6	5731	686	08/13/07	Dissolved Oxygen	7.9	mg/L	FU070800GMC601
MCOI-6	5731	686	06/05/07	Dissolved Oxygen	6.14	mg/L	FU070500GMC601
MCOI-6	5731	686	05/20/08	Oxidation-Reduction Potential	168	mV	CAMO-08-12739
MCOI-6	5731	686	02/22/08	Oxidation-Reduction Potential	405	mV	CAMO-08-10427
MCOI-6	5731	686	11/09/07	Oxidation-Reduction Potential	103	mV	CASA-08-7610
MCOI-6	5731	686	08/13/07	Oxidation-Reduction Potential	281	mV	FU070800GMC601
MCOI-6	5731	686	06/05/07	Oxidation-Reduction Potential	310	mV	FU070500GMC601
MCOI-6	5731	686	05/20/08	Specific Conductance	504	µS/cm	CAMO-08-12739
MCOI-6	5731	686	02/22/08	Specific Conductance	498	µS/cm	CAMO-08-10427
MCOI-6	5731	686	11/09/07	Specific Conductance	469	µS/cm	CASA-08-7610

November 2008

B-12

EP2008-0579

EP2008-0579

B-13

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
MCOI-6	5731	686	08/13/07	Specific Conductance	476	µS/cm	FU070800GMC601
MCOI-6	5731	686	06/05/07	Specific Conductance	375	µS/cm	FU070500GMC601
MCOI-6	5731	686	05/20/08	Temperature	16.5	deg C	CAMO-08-12739
MCOI-6	5731	686	02/22/08	Temperature	15.4	deg C	CAMO-08-10427
MCOI-6	5731	686	11/09/07	Temperature	16.9	deg C	CASA-08-7610
MCOI-6	5731	686	08/13/07	Temperature	17.4	deg C	FU070800GMC601
MCOI-6	5731	686	06/05/07	Temperature	16	deg C	FU070500GMC601
MCOI-6	5731	686	05/20/08	Turbidity	0.53	NTU	CAMO-08-12739
MCOI-6	5731	686	02/22/08	Turbidity	0.76	NTU	CAMO-08-10427
MCOI-6	5731	686	11/09/07	Turbidity	128	NTU	CASA-08-7610
MCOI-6	5731	686	08/13/07	Turbidity	1.86	NTU	FU070800GMC601
MCOI-6	5731	686	06/05/07	Turbidity	3.75	NTU	FU070500GMC601
MCOI-6	5731	686	05/20/08	pH	7.08	SU	CAMO-08-12739
MCOI-6	5731	686	02/22/08	pH	7.17	SU	CAMO-08-10427
MCOI-6	5731	686	11/09/07	pH	7.16	SU	CASA-08-7610
MCOI-6	5731	686	08/13/07	pH	7.21	SU	FU070800GMC601
MCOI-6	5731	686	06/05/07	pH	7.09	SU	FU070500GMC601
Pine Rock Spring	-	-	05/28/08	Dissolved Oxygen	4.94	mg/L	CAMO-08-12983
Pine Rock Spring	-	-	02/20/08	Dissolved Oxygen	7.6	mg/L	CAMO-08-10845
Pine Rock Spring	-	-	03/12/07	Dissolved Oxygen	6.28	mg/L	FU070200GPRS01
Pine Rock Spring	-	-	08/16/07	Dissolved Oxygen	3.7	mg/L	FU070800GPRS01
Pine Rock Spring	-	-	06/21/07	Dissolved Oxygen	4.89	mg/L	FU070600GPRS01
Pine Rock Spring	-	-	05/28/08	Specific Conductance	804	µS/cm	CAMO-08-12983
Pine Rock Spring	-	-	02/20/08	Specific Conductance	796	µS/cm	CAMO-08-10845
Pine Rock Spring	-	-	03/12/07	Specific Conductance	713	µS/cm	FU070200GPRS01
Pine Rock Spring	-	-	08/16/07	Specific Conductance	866	µS/cm	FU070800GPRS01
Pine Rock Spring	-	-	06/21/07	Specific Conductance	805	µS/cm	FU070600GPRS01
Pine Rock Spring	-	-	05/28/08	Temperature	10.9	deg C	CAMO-08-12983

Periodic Monitoring Report for Morlandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
Pine Rock Spring	-	-	02/20/08	Temperature	8.2	deg C	CAMO-08-10845
Pine Rock Spring	-	-	03/12/07	Temperature	8.6	deg C	FU070200GPRS01
Pine Rock Spring	-	-	08/16/07	Temperature	14.9	deg C	FU070800GPRS01
Pine Rock Spring	-	-	06/21/07	Temperature	15	deg C	FU070600GPRS01
Pine Rock Spring	-	-	05/28/08	Turbidity	959	NTU	CAMO-08-12983
Pine Rock Spring	-	-	02/20/08	Turbidity	184	NTU	CAMO-08-10845
Pine Rock Spring	-	-	03/12/07	Turbidity	2.99	NTU	FU070200GPRS01
Pine Rock Spring	-	-	08/16/07	Turbidity	16.9	NTU	FU070800GPRS01
Pine Rock Spring	-	-	06/21/07	Turbidity	1.71	NTU	FU070600GPRS01
Pine Rock Spring	-	-	05/28/08	pH	7.2	SU	CAMO-08-12983
Pine Rock Spring	-	-	02/20/08	pH	7.54	SU	CAMO-08-10845
Pine Rock Spring	-	-	03/12/07	pH	7.49	SU	FU070200GPRS01
Pine Rock Spring	-	-	08/16/07	pH	7.41	SU	FU070800GPRS01
Pine Rock Spring	-	-	06/21/07	pH	7.5	SU	FU070600GPRS01
R-1	1701	1031.1	05/20/08	Dissolved Oxygen	4.2	mg/L	CAMO-08-12744
R-1	1701	1031.1	02/22/08	Dissolved Oxygen	5.4	mg/L	CAMO-08-10452
R-1	1701	1031.1	11/09/07	Dissolved Oxygen	4.51	mg/L	CASA-08-8065
R-1	1701	1031.1	08/13/07	Dissolved Oxygen	6.5	mg/L	FU070800G01R01
R-1	1701	1031.1	06/11/07	Dissolved Oxygen	5.2	mg/L	FU070600G01R01
R-1	1701	1031.1	05/20/08	Oxidation-Reduction Potential	119	mV	CAMO-08-12744
R-1	1701	1031.1	02/22/08	Oxidation-Reduction Potential	260	mV	CAMO-08-10452
R-1	1701	1031.1	11/09/07	Oxidation-Reduction Potential	79	mV	CASA-08-8065
R-1	1701	1031.1	08/13/07	Oxidation-Reduction Potential	77	mV	FU070800G01R01
R-1	1701	1031.1	06/11/07	Oxidation-Reduction Potential	35.3	mV	FU070600G01R01
R-1	1701	1031.1	05/20/08	Specific Conductance	131.7	µS/cm	CAMO-08-12744
R-1	1701	1031.1	02/22/08	Specific Conductance	136	µS/cm	CAMO-08-10452
R-1	1701	1031.1	11/09/07	Specific Conductance	134.7	µS/cm	CASA-08-8065
R-1	1701	1031.1	08/13/07	Specific Conductance	143.5	µS/cm	FU070800G01R01

November 2008

B-14

EP2008-0579

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-1	1701	1031.1	06/11/07	Specific Conductance	139.2	µS/cm	FU070600G01R01
R-1	1701	1031.1	05/20/08	Temperature	22.9	deg C	CAMO-08-12744
R-1	1701	1031.1	02/22/08	Temperature	21.4	deg C	CAMO-08-10452
R-1	1701	1031.1	11/09/07	Temperature	22.2	deg C	CASA-08-8065
R-1	1701	1031.1	08/13/07	Temperature	23.3	deg C	FU070800G01R01
R-1	1701	1031.1	06/11/07	Temperature	22.3	deg C	FU070600G01R01
R-1	1701	1031.1	05/20/08	Turbidity	0.37	NTU	CAMO-08-12744
R-1	1701	1031.1	02/22/08	Turbidity	0.23	NTU	CAMO-08-10452
R-1	1701	1031.1	11/09/07	Turbidity	0.55	NTU	CASA-08-8065
R-1	1701	1031.1	08/13/07	Turbidity	0.4	NTU	FU070800G01R01
R-1	1701	1031.1	06/11/07	Turbidity	0.24	NTU	FU070600G01R01
R-1	1701	1031.1	05/20/08	pH	7.78	SU	CAMO-08-12744
R-1	1701	1031.1	02/22/08	pH	7.76	SU	CAMO-08-10452
R-1	1701	1031.1	11/09/07	pH	7.7	SU	CASA-08-8065
R-1	1701	1031.1	08/13/07	pH	7.76	SU	FU070800G01R01
R-1	1701	1031.1	06/11/07	pH	7.78	SU	FU070600G01R01
R-13	1741	958.3	08/16/07	Alkalinity-CO3+HCO3	53	mg/L	FU070800G13R01
R-13	1741	958.3	05/14/08	Dissolved Oxygen	6	mg/L	CAMO-08-12771
R-13	1741	958.3	02/14/08	Dissolved Oxygen	6.2	mg/L	CAMO-08-10443
R-13	1741	958.3	11/09/07	Dissolved Oxygen	5.45	mg/L	CASA-08-8110
R-13	1741	958.3	08/16/07	Dissolved Oxygen	5.2	mg/L	FU070800G13R01
R-13	1741	958.3	06/12/07	Dissolved Oxygen	5.86	mg/L	FU070600G13R01
R-13	1741	958.3	05/14/08	Oxidation-Reduction Potential	274	mV	CAMO-08-12771
R-13	1741	958.3	02/14/08	Oxidation-Reduction Potential	275	mV	CAMO-08-10443
R-13	1741	958.3	11/09/07	Oxidation-Reduction Potential	231	mV	CASA-08-8110
R-13	1741	958.3	08/16/07	Oxidation-Reduction Potential	253	mV	FU070800G13R01
R-13	1741	958.3	06/12/07	Oxidation-Reduction Potential	92.3	mV	FU070600G13R01
R-13	1741	958.3	05/14/08	Purge Volume	310	gal.	CAMO-08-12771

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-13	1741	958.3	02/14/08	Purge Volume	525	gal.	CAMO-08-10443
R-13	1741	958.3	08/16/07	Purge Volume	400	gal.	FU070800G13R01
R-13	1741	958.3	06/12/07	Purge Volume	209	gal.	FU070600G13R01
R-13	1741	958.3	05/14/08	Specific Conductance	356	µS/cm	CAMO-08-12771
R-13	1741	958.3	02/14/08	Specific Conductance	129.9	µS/cm	CAMO-08-10443
R-13	1741	958.3	11/09/07	Specific Conductance	133.7	µS/cm	CASA-08-8110
R-13	1741	958.3	08/16/07	Specific Conductance	140.4	µS/cm	FU070800G13R01
R-13	1741	958.3	05/14/08	Temperature	21.4	deg C	CAMO-08-12771
R-13	1741	958.3	02/14/08	Temperature	21.1	deg C	CAMO-08-10443
R-13	1741	958.3	11/09/07	Temperature	22.1	deg C	CASA-08-8110
R-13	1741	958.3	08/16/07	Temperature	22.1	deg C	FU070800G13R01
R-13	1741	958.3	06/12/07	Temperature	21	deg C	FU070600G13R01
R-13	1741	958.3	05/14/08	Turbidity	0.32	NTU	CAMO-08-12771
R-13	1741	958.3	02/14/08	Turbidity	0.23	NTU	CAMO-08-10443
R-13	1741	958.3	11/09/07	Turbidity	0.68	NTU	CASA-08-8110
R-13	1741	958.3	08/16/07	Turbidity	0.2	NTU	FU070800G13R01
R-13	1741	958.3	06/12/07	Turbidity	0.12	NTU	FU070600G13R01
R-13	1741	958.3	05/14/08	pH	7.86	SU	CAMO-08-12771
R-13	1741	958.3	02/14/08	pH	8.15	SU	CAMO-08-10443
R-13	1741	958.3	11/09/07	pH	8.1	SU	CASA-08-8110
R-13	1741	958.3	08/16/07	pH	8.21	SU	FU070800G13R01
R-14	411	1204.5	05/14/08	Dissolved Oxygen	2.7	mg/L	GW14-08-12941
R-14	411	1204.5	03/01/08	Dissolved Oxygen	4.25	mg/L	GW14-08-10743
R-14	411	1204.5	03/01/08	Dissolved Oxygen	4.12	mg/L	GW14-08-10742
R-14	411	1204.5	03/01/08	Dissolved Oxygen	3.97	mg/L	GW14-08-10741
R-14	411	1204.5	03/01/08	Dissolved Oxygen	4	mg/L	GW14-08-10740
R-14	411	1204.5	05/14/08	Oxidation-Reduction Potential	109	mV	GW14-08-12941
R-14	411	1204.5	03/01/08	Oxidation-Reduction Potential	-19	mV	GW14-08-10743

November 2008

B-16

EP2008-0579

EP2008-0579

B-17

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-14	411	1204.5	03/01/08	Oxidation-Reduction Potential	-25	mV	GW14-08-10742
R-14	411	1204.5	03/01/08	Oxidation-Reduction Potential	-27	mV	GW14-08-10741
R-14	411	1204.5	03/01/08	Oxidation-Reduction Potential	-11	mV	GW14-08-10740
R-14	411	1204.5	05/14/08	Specific Conductance	120	µS/cm	GW14-08-12941
R-14	411	1204.5	03/01/08	Specific Conductance	127.8	µS/cm	GW14-08-10743
R-14	411	1204.5	03/01/08	Specific Conductance	128.5	µS/cm	GW14-08-10742
R-14	411	1204.5	03/01/08	Specific Conductance	128.5	µS/cm	GW14-08-10741
R-14	411	1204.5	03/01/08	Specific Conductance	128.6	µS/cm	GW14-08-10740
R-14	411	1204.5	05/14/08	Temperature	24.1	deg C	GW14-08-12941
R-14	411	1204.5	03/01/08	Temperature	23.7	deg C	GW14-08-10743
R-14	411	1204.5	03/01/08	Temperature	23.7	deg C	GW14-08-10742
R-14	411	1204.5	03/01/08	Temperature	23.7	deg C	GW14-08-10741
R-14	411	1204.5	03/01/08	Temperature	24.1	deg C	GW14-08-10740
R-14	411	1204.5	05/14/08	Turbidity	1.62	NTU	GW14-08-12941
R-14	411	1204.5	03/01/08	Turbidity	0.9	NTU	GW14-08-10743
R-14	411	1204.5	03/01/08	Turbidity	0.82	NTU	GW14-08-10742
R-14	411	1204.5	03/01/08	Turbidity	0.79	NTU	GW14-08-10741
R-14	411	1204.5	03/01/08	Turbidity	0.8	NTU	GW14-08-10740
R-14	411	1204.5	05/14/08	pH	7.75	SU	GW14-08-12941
R-14	411	1204.5	03/01/08	pH	7.69	SU	GW14-08-10743
R-14	411	1204.5	03/01/08	pH	7.69	SU	GW14-08-10742
R-14	411	1204.5	03/01/08	pH	7.7	SU	GW14-08-10741
R-14	411	1204.5	03/01/08	pH	7.7	SU	GW14-08-10740
R-15	1751	958.6	08/16/07	Alkalinity-CO3+HCO3	40	mg/L	FU070800G15R01
R-15	1751	958.6	05/20/08	Dissolved Oxygen	6.3	mg/L	CAMO-08-12753
R-15	1751	958.6	02/25/08	Dissolved Oxygen	5.47	mg/L	CAMO-08-10434
R-15	1751	958.6	11/12/07	Dissolved Oxygen	4.82	mg/L	CAMO-08-8601
R-15	1751	958.6	08/16/07	Dissolved Oxygen	5.1	mg/L	FU070800G15R01

Periodic Monitoring Report for Morandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-15	1751	958.6	06/12/07	Dissolved Oxygen	6.61	mg/L	FU070600G15R01
R-15	1751	958.6	05/20/08	Oxidation-Reduction Potential	273	mV	CAMO-08-12753
R-15	1751	958.6	02/25/08	Oxidation-Reduction Potential	322	mV	CAMO-08-10434
R-15	1751	958.6	11/12/07	Oxidation-Reduction Potential	482	mV	CAMO-08-8601
R-15	1751	958.6	08/16/07	Oxidation-Reduction Potential	210	mV	FU070800G15R01
R-15	1751	958.6	06/12/07	Oxidation-Reduction Potential	83.5	mV	FU070600G15R01
R-15	1751	958.6	05/20/08	Specific Conductance	145.2	µS/cm	CAMO-08-12753
R-15	1751	958.6	02/25/08	Specific Conductance	143.2	µS/cm	CAMO-08-10434
R-15	1751	958.6	11/12/07	Specific Conductance	149.2	µS/cm	CAMO-08-8601
R-15	1751	958.6	08/16/07	Specific Conductance	154.3	µS/cm	FU070800G15R01
R-15	1751	958.6	06/12/07	Specific Conductance	142.3	µS/cm	FU070600G15R01
R-15	1751	958.6	05/20/08	Temperature	19.6	deg C	CAMO-08-12753
R-15	1751	958.6	02/25/08	Temperature	23.9	deg C	CAMO-08-10434
R-15	1751	958.6	11/12/07	Temperature	20.8	deg C	CAMO-08-8601
R-15	1751	958.6	08/16/07	Temperature	21.5	deg C	FU070800G15R01
R-15	1751	958.6	06/12/07	Temperature	20.1	deg C	FU070600G15R01
R-15	1751	958.6	05/20/08	Turbidity	0.7	NTU	CAMO-08-12753
R-15	1751	958.6	02/25/08	Turbidity	1.01	NTU	CAMO-08-10434
R-15	1751	958.6	11/12/07	Turbidity	2.4	NTU	CAMO-08-8601
R-15	1751	958.6	08/16/07	Turbidity	2.33	NTU	FU070800G15R01
R-15	1751	958.6	06/12/07	Turbidity	1.01	NTU	FU070600G15R01
R-15	1751	958.6	05/20/08	pH	8.22	SU	CAMO-08-12753
R-15	1751	958.6	02/25/08	pH	8.12	SU	CAMO-08-10434
R-15	1751	958.6	11/12/07	pH	7.99	SU	CAMO-08-8601
R-15	1751	958.6	08/16/07	pH	8.16	SU	FU070800G15R01
R-15	1751	958.6	06/12/07	pH	8.09	SU	FU070600G15R01
R-16	541	866.1	05/13/08	Dissolved Oxygen	3.84	mg/L	CAMO-08-12783
R-16	541	866.1	02/13/08	Dissolved Oxygen	4.7	mg/L	CAMO-08-10469

November 2008

B-18

EP2008-0579

EP2008-0579

B-19

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-16	541	866.1	11/09/07	Dissolved Oxygen	7.25	mg/L	CASA-08-8142
R-16	541	866.1	08/28/07	Dissolved Oxygen	3.5	mg/L	FU07080G16R201
R-16	541	866.1	05/13/08	Specific Conductance	97.9	µS/cm	CAMO-08-12783
R-16	541	866.1	02/13/08	Specific Conductance	154.8	µS/cm	CAMO-08-10469
R-16	541	866.1	11/09/07	Specific Conductance	169.9	µS/cm	CASA-08-8142
R-16	541	866.1	08/28/07	Specific Conductance	155.3	µS/cm	FU07080G16R201
R-16	541	866.1	06/06/07	Specific Conductance	166.7	µS/cm	FU07060G16R201
R-16	541	866.1	05/13/08	Temperature	25	deg C	CAMO-08-12783
R-16	541	866.1	02/13/08	Temperature	21.3	deg C	CAMO-08-10469
R-16	541	866.1	11/09/07	Temperature	23.5	deg C	CASA-08-8142
R-16	541	866.1	08/28/07	Temperature	24.7	deg C	FU07080G16R201
R-16	541	866.1	06/06/07	Temperature	24	deg C	FU07060G16R201
R-16	541	866.1	05/13/08	Turbidity	0.3	NTU	CAMO-08-12783
R-16	541	866.1	02/13/08	Turbidity	0.34	NTU	CAMO-08-10469
R-16	541	866.1	11/09/07	Turbidity	0.96	NTU	CASA-08-8142
R-16	541	866.1	08/28/07	Turbidity	0.41	NTU	FU07080G16R201
R-16	541	866.1	06/06/07	Turbidity	0.73	NTU	FU07060G16R201
R-16	541	866.1	05/13/08	pH	8.73	SU	CAMO-08-12783
R-16	541	866.1	02/13/08	pH	8.88	SU	CAMO-08-10469
R-16	541	866.1	11/09/07	pH	8.03	SU	CASA-08-8142
R-16	541	866.1	08/28/07	pH	8.46	SU	FU07080G16R201
R-16	541	866.1	06/06/07	pH	8.53	SU	FU07060G16R201
R-16	591	1018.4	02/12/08	Specific Conductance	190.7	µS/cm	CAMO-08-10438
R-16	591	1018.4	08/28/07	Specific Conductance	182.4	µS/cm	FU07080G16R301
R-16	591	1018.4	06/07/07	Specific Conductance	192.8	µS/cm	FU07060G16R301
R-16	591	1018.4	02/12/08	pH	8.9	SU	CAMO-08-10438
R-16	591	1018.4	08/28/07	pH	8.11	SU	FU07080G16R301
R-16	591	1018.4	06/07/07	pH	8.68	SU	FU07060G16R301

Periodic Monitoring Report for Morlandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-16	641	1238	05/12/08	Dissolved Oxygen	98.2	mg/L	CAMO-08-12809
R-16	641	1238	02/12/08	Dissolved Oxygen	5.4	mg/L	CAMO-08-10470
R-16	641	1238	11/09/07	Dissolved Oxygen	4.79	mg/L	CASA-08-8145
R-16	641	1238	08/29/07	Dissolved Oxygen	4.4	mg/L	FU07080G16R401
R-16	641	1238	05/12/08	Specific Conductance	250	µS/cm	CAMO-08-12809
R-16	641	1238	02/12/08	Specific Conductance	220	µS/cm	CAMO-08-10470
R-16	641	1238	11/09/07	Specific Conductance	226	µS/cm	CASA-08-8145
R-16	641	1238	05/12/08	Temperature	25.7	deg C	CAMO-08-12809
R-16	641	1238	02/12/08	Temperature	21	deg C	CAMO-08-10470
R-16	641	1238	11/09/07	Temperature	25	deg C	CASA-08-8145
R-16	641	1238	08/29/07	Temperature	26	deg C	FU07080G16R401
R-16	641	1238	06/06/07	Temperature	25.6	deg C	FU07060G16R401
R-16	641	1238	05/12/08	Turbidity	0.55	NTU	CAMO-08-12809
R-16	641	1238	02/12/08	Turbidity	0.53	NTU	CAMO-08-10470
R-16	641	1238	11/09/07	Turbidity	0.65	NTU	CASA-08-8145
R-16	641	1238	08/29/07	Turbidity	0.96	NTU	FU07080G16R401
R-16	641	1238	06/06/07	Turbidity	0.46	NTU	FU07060G16R401
R-16	641	1238	05/12/08	pH	9.02	SU	CAMO-08-12809
R-16	641	1238	02/12/08	pH	9.11	SU	CAMO-08-10470
R-16	641	1238	11/09/07	pH	8.95	SU	CASA-08-8145
R-16r	6341	600	05/19/08	Dissolved Oxygen	5.03	mg/L	CAMO-08-12759
R-16r	6341	600	02/06/08	Dissolved Oxygen	7.09	mg/L	CAMO-08-10465
R-16r	6341	600	11/13/07	Dissolved Oxygen	5.3	mg/L	CAMO-08-8602
R-16r	6341	600	08/20/07	Dissolved Oxygen	4.6	mg/L	FU07080GR16A01
R-16r	6341	600	06/13/07	Dissolved Oxygen	5.2	mg/L	FU07060GR16A01
R-16r	6341	600	05/19/08	Oxidation-Reduction Potential	153	mV	CAMO-08-12759
R-16r	6341	600	02/06/08	Oxidation-Reduction Potential	278	mV	CAMO-08-10465
R-16r	6341	600	11/13/07	Oxidation-Reduction Potential	374	mV	CAMO-08-8602

November 2008

B-20

EP2008-0579

EP2008-0579

B-21

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-16r	6341	600	08/20/07	Oxidation-Reduction Potential	211	mV	FU07080GR16A01
R-16r	6341	600	06/13/07	Oxidation-Reduction Potential	34	mV	FU07060GR16A01
R-16r	6341	600	05/19/08	Purge Volume	103	gal.	CAMO-08-12759
R-16r	6341	600	02/06/08	Purge Volume	212	gal.	CAMO-08-10465
R-16r	6341	600	11/13/07	Purge Volume	140	gal.	CAMO-08-8602
R-16r	6341	600	08/20/07	Purge Volume	180	gal.	FU07080GR16A01
R-16r	6341	600	06/13/07	Purge Volume	108.75	gal.	FU07060GR16A01
R-16r	6341	600	05/19/08	Specific Conductance	167.8	µS/cm	CAMO-08-12759
R-16r	6341	600	02/06/08	Specific Conductance	181	µS/cm	CAMO-08-10465
R-16r	6341	600	11/13/07	Specific Conductance	171.5	µS/cm	CAMO-08-8602
R-16r	6341	600	08/20/07	Specific Conductance	108.4	µS/cm	FU07080GR16A01
R-16r	6341	600	06/13/07	Specific Conductance	156	µS/cm	FU07060GR16A01
R-16r	6341	600	05/19/08	Temperature	21.1	deg C	CAMO-08-12759
R-16r	6341	600	02/06/08	Temperature	20.6	deg C	CAMO-08-10465
R-16r	6341	600	11/13/07	Temperature	20.4	deg C	CAMO-08-8602
R-16r	6341	600	08/20/07	Temperature	22.4	deg C	FU07080GR16A01
R-16r	6341	600	06/13/07	Temperature	20.7	deg C	FU07060GR16A01
R-16r	6341	600	05/19/08	Turbidity	0.71	NTU	CAMO-08-12759
R-16r	6341	600	02/06/08	Turbidity	0.47	NTU	CAMO-08-10465
R-16r	6341	600	11/13/07	Turbidity	1.18	NTU	CAMO-08-8602
R-16r	6341	600	08/20/07	Turbidity	1.81	NTU	FU07080GR16A01
R-16r	6341	600	06/13/07	Turbidity	0.99	NTU	FU07060GR16A01
R-16r	6341	600	05/19/08	pH	7.5	SU	CAMO-08-12759
R-16r	6341	600	02/06/08	pH	8.23	SU	CAMO-08-10465
R-16r	6341	600	11/13/07	pH	8.35	SU	CAMO-08-8602
R-16r	6341	600	08/20/07	pH	8.28	SU	FU07080GR16A01
R-16r	6341	600	06/13/07	pH	8.22	SU	FU07060GR16A01
R-21	1761	888.8	05/23/08	Dissolved Oxygen	5.06	mg/L	CAMO-08-12778

Periodic Monitoring Report for Morandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-21	1761	888.8	02/11/08	Dissolved Oxygen	5.8	mg/L	CAMO-08-10446
R-21	1761	888.8	11/13/07	Dissolved Oxygen	5.2	mg/L	CAMO-08-8609
R-21	1761	888.8	08/20/07	Dissolved Oxygen	5	mg/L	FU070800G21R01
R-21	1761	888.8	06/13/07	Dissolved Oxygen	5.1	mg/L	FU070600G21R01
R-21	1761	888.8	05/23/08	Oxidation-Reduction Potential	150	mV	CAMO-08-12778
R-21	1761	888.8	02/11/08	Oxidation-Reduction Potential	247	mV	CAMO-08-10446
R-21	1761	888.8	11/13/07	Oxidation-Reduction Potential	262	mV	CAMO-08-8609
R-21	1761	888.8	08/20/07	Oxidation-Reduction Potential	85	mV	FU070800G21R01
R-21	1761	888.8	06/13/07	Oxidation-Reduction Potential	20.7	mV	FU070600G21R01
R-21	1761	888.8	05/23/08	Specific Conductance	117.6	µS/cm	CAMO-08-12778
R-21	1761	888.8	02/11/08	Specific Conductance	20.5	µS/cm	CAMO-08-10446
R-21	1761	888.8	11/13/07	Specific Conductance	119.9	µS/cm	CAMO-08-8609
R-21	1761	888.8	08/20/07	Specific Conductance	76.7	µS/cm	FU070800G21R01
R-21	1761	888.8	06/13/07	Specific Conductance	113.6	µS/cm	FU070600G21R01
R-21	1761	888.8	05/23/08	Temperature	20.7	deg C	CAMO-08-12778
R-21	1761	888.8	02/11/08	Temperature	21.7	deg C	CAMO-08-10446
R-21	1761	888.8	11/13/07	Temperature	21	deg C	CAMO-08-8609
R-21	1761	888.8	08/20/07	Temperature	22.1	deg C	FU070800G21R01
R-21	1761	888.8	06/13/07	Temperature	21.3	deg C	FU070600G21R01
R-21	1761	888.8	05/23/08	Turbidity	0.33	NTU	CAMO-08-12778
R-21	1761	888.8	02/11/08	Turbidity	0.2	NTU	CAMO-08-10446
R-21	1761	888.8	11/13/07	Turbidity	0.55	NTU	CAMO-08-8609
R-21	1761	888.8	08/20/07	Turbidity	0.36	NTU	FU070800G21R01
R-21	1761	888.8	06/13/07	Turbidity	0.19	NTU	FU070600G21R01
R-21	1761	888.8	05/23/08	pH	7.84	SU	CAMO-08-12778
R-21	1761	888.8	02/11/08	pH	8.05	SU	CAMO-08-10446
R-21	1761	888.8	11/13/07	pH	8.19	SU	CAMO-08-8609
R-21	1761	888.8	08/20/07	pH	7.94	SU	FU070800G21R01

November 2008

B-22

EP2008-0579

EP2008-0579

B-23

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-21	1761	888.8	06/13/07	pH	8	SU	FU070600G21R01
R-28	1781	934.3	11/30/07	Dissolved Oxygen	6.05	mg/L	GW28-08-9198
R-28	1781	934.3	05/14/08	Dissolved Oxygen	6	mg/L	CAMO-08-12768
R-28	1781	934.3	02/15/08	Dissolved Oxygen	6.4	mg/L	CAMO-08-10442
R-28	1781	934.3	11/30/07	Dissolved Oxygen	6.38	mg/L	GW28-08-9154
R-28	1781	934.3	11/30/07	Dissolved Oxygen	5.75	mg/L	GW28-08-9161
R-28	1781	934.3	11/30/07	Oxidation-Reduction Potential	308	mV	GW28-08-9198
R-28	1781	934.3	05/14/08	Oxidation-Reduction Potential	274	mV	CAMO-08-12768
R-28	1781	934.3	02/15/08	Oxidation-Reduction Potential	248	mV	CAMO-08-10442
R-28	1781	934.3	11/30/07	Oxidation-Reduction Potential	308	mV	GW28-08-9154
R-28	1781	934.3	11/30/07	Oxidation-Reduction Potential	304	mV	GW28-08-9161
R-28	1781	934.3	05/14/08	Purge Volume	280	gal.	CAMO-08-12768
R-28	1781	934.3	02/15/08	Purge Volume	248	gal.	CAMO-08-10442
R-28	1781	934.3	11/30/07	Purge Volume	3.75	gal.	GW28-08-9153
R-28	1781	934.3	11/30/07	Purge Volume	3.75	gal.	GW28-08-9152
R-28	1781	934.3	11/30/07	Purge Volume	3.75	gal.	GW28-08-9151
R-28	1781	934.3	11/30/07	Specific Conductance	355	µS/cm	GW28-08-9198
R-28	1781	934.3	05/14/08	Specific Conductance	356	µS/cm	CAMO-08-12768
R-28	1781	934.3	02/15/08	Specific Conductance	352	µS/cm	CAMO-08-10442
R-28	1781	934.3	11/30/07	Specific Conductance	354	µS/cm	GW28-08-9154
R-28	1781	934.3	11/30/07	Specific Conductance	355	µS/cm	GW28-08-9161
R-28	1781	934.3	11/30/07	Temperature	19.5	deg C	GW28-08-9198
R-28	1781	934.3	05/14/08	Temperature	21.4	deg C	CAMO-08-12768
R-28	1781	934.3	02/15/08	Temperature	21.2	deg C	CAMO-08-10442
R-28	1781	934.3	11/30/07	Temperature	20.1	deg C	GW28-08-9154
R-28	1781	934.3	11/30/07	Temperature	19	deg C	GW28-08-9161
R-28	1781	934.3	11/30/07	Turbidity	0.13	NTU	GW28-08-9198
R-28	1781	934.3	05/14/08	Turbidity	0.32	NTU	CAMO-08-12768

Periodic Monitoring Report for Morandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-28	1781	934.3	02/15/08	Turbidity	0.55	NTU	CAMO-08-10442
R-28	1781	934.3	11/30/07	Turbidity	0.16	NTU	GW28-08-9154
R-28	1781	934.3	11/30/07	Turbidity	0.13	NTU	GW28-08-9161
R-28	1781	934.3	11/30/07	pH	7.9	SU	GW28-08-9198
R-28	1781	934.3	05/14/08	pH	7.86	SU	CAMO-08-12768
R-28	1781	934.3	02/15/08	pH	7.83	SU	CAMO-08-10442
R-28	1781	934.3	11/30/07	pH	7.89	SU	GW28-08-9154
R-28	1781	934.3	11/30/07	pH	7.9	SU	GW28-08-9161
R-34	1791	895.15	05/28/08	Dissolved Oxygen	4.5	mg/L	CAMO-08-12779
R-34	1791	895.15	02/19/08	Dissolved Oxygen	5.33	mg/L	CAMO-08-10451
R-34	1791	895.15	11/14/07	Dissolved Oxygen	4.6	mg/L	CAMO-08-8647
R-34	1791	895.15	08/14/07	Dissolved Oxygen	4.6	mg/L	FU070800G34R01
R-34	1791	895.15	06/20/07	Dissolved Oxygen	5.3	mg/L	FU070600G34R01
R-34	1791	895.15	05/28/08	Oxidation-Reduction Potential	144	mV	CAMO-08-12779
R-34	1791	895.15	02/19/08	Oxidation-Reduction Potential	263	mV	CAMO-08-10451
R-34	1791	895.15	11/14/07	Oxidation-Reduction Potential	286	mV	CAMO-08-8647
R-34	1791	895.15	08/14/07	Oxidation-Reduction Potential	240	mV	FU070800G34R01
R-34	1791	895.15	06/20/07	Oxidation-Reduction Potential	240	mV	FU070600G34R01
R-34	1791	895.15	05/28/08	Specific Conductance	154.3	µS/cm	CAMO-08-12779
R-34	1791	895.15	02/19/08	Specific Conductance	141.8	µS/cm	CAMO-08-10451
R-34	1791	895.15	11/14/07	Specific Conductance	142.7	µS/cm	CAMO-08-8647
R-34	1791	895.15	08/14/07	Specific Conductance	148.8	µS/cm	FU070800G34R01
R-34	1791	895.15	06/20/07	Specific Conductance	142.7	µS/cm	FU070600G34R01
R-34	1791	895.15	05/28/08	Temperature	22.5	deg C	CAMO-08-12779
R-34	1791	895.15	02/19/08	Temperature	21.8	deg C	CAMO-08-10451
R-34	1791	895.15	11/14/07	Temperature	22.4	deg C	CAMO-08-8647
R-34	1791	895.15	08/14/07	Temperature	23.3	deg C	FU070800G34R01
R-34	1791	895.15	06/20/07	Temperature	23.4	deg C	FU070600G34R01

November 2008

B-24

EP2008-0579

EP2008-0579

B-25

November 2008

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
R-34	1791	895.15	05/28/08	Turbidity	2.43	NTU	CAMO-08-12779
R-34	1791	895.15	02/19/08	Turbidity	2.18	NTU	CAMO-08-10451
R-34	1791	895.15	11/14/07	Turbidity	2.48	NTU	CAMO-08-8647
R-34	1791	895.15	08/14/07	Turbidity	2.92	NTU	FU070800G34R01
R-34	1791	895.15	06/20/07	Turbidity	4.72	NTU	FU070600G34R01
R-34	1791	895.15	05/28/08	pH	8.44	SU	CAMO-08-12779
R-34	1791	895.15	02/19/08	pH	8.41	SU	CAMO-08-10451
R-34	1791	895.15	11/14/07	pH	8.39	SU	CAMO-08-8647
R-34	1791	895.15	08/14/07	pH	8.31	SU	FU070800G34R01
R-34	1791	895.15	06/20/07	pH	8.12	SU	FU070600G34R01
Test Well 8	4731	953	05/19/08	Dissolved Oxygen	4.4	mg/L	CAMO-08-12747
Test Well 8	4731	953	02/12/08	Dissolved Oxygen	4.1	mg/L	CAMO-08-10529
Test Well 8	4731	953	11/12/07	Dissolved Oxygen	2.65	mg/L	CASA-08-8052
Test Well 8	4731	953	08/22/07	Dissolved Oxygen	1.96	mg/L	FU070800G8WT01
Test Well 8	4731	953	06/06/07	Dissolved Oxygen	1.85	mg/L	FU070500G8WT01
Test Well 8	4731	953	05/19/08	Oxidation-Reduction Potential	154	mV	CAMO-08-12747
Test Well 8	4731	953	02/12/08	Oxidation-Reduction Potential	180	mV	CAMO-08-10529
Test Well 8	4731	953	11/12/07	Oxidation-Reduction Potential	414	mV	CASA-08-8052
Test Well 8	4731	953	08/22/07	Oxidation-Reduction Potential	217	mV	FU070800G8WT01
Test Well 8	4731	953	06/06/07	Oxidation-Reduction Potential	336	mV	FU070500G8WT01
Test Well 8	4731	953	05/19/08	Specific Conductance	134.2	µS/cm	CAMO-08-12747
Test Well 8	4731	953	02/12/08	Specific Conductance	133.3	µS/cm	CAMO-08-10529
Test Well 8	4731	953	11/12/07	Specific Conductance	131.8	µS/cm	CASA-08-8052
Test Well 8	4731	953	05/19/08	Temperature	20	deg C	CAMO-08-12747
Test Well 8	4731	953	02/12/08	Temperature	19.2	deg C	CAMO-08-10529
Test Well 8	4731	953	11/12/07	Temperature	21.2	deg C	CASA-08-8052
Test Well 8	4731	953	08/22/07	Temperature	19.9	deg C	FU070800G8WT01
Test Well 8	4731	953	06/06/07	Temperature	21.2	deg C	FU070500G8WT01

Periodic Monitoring Report for Morandad Watershed

Location	Port	Depth (ft)	Date	Analyte	Result	Units	Sample
Test Well 8	4731	953	05/19/08	Turbidity	1.86	NTU	CAMO-08-12747
Test Well 8	4731	953	02/12/08	Turbidity	0.54	NTU	CAMO-08-10529
Test Well 8	4731	953	11/12/07	Turbidity	1.1	NTU	CASA-08-8052
Test Well 8	4731	953	08/22/07	Turbidity	4.31	NTU	FU070800G8WT01
Test Well 8	4731	953	06/06/07	Turbidity	2.83	NTU	FU070500G8WT01
Test Well 8	4731	953	05/19/08	pH	8.28	SU	CAMO-08-12747
Test Well 8	4731	953	02/12/08	pH	8.17	SU	CAMO-08-10529
Test Well 8	4731	953	11/12/07	pH	8.27	SU	CASA-08-8052

November 2008

B-26

EP2008-0579

Appendix C

Groundwater-Level Measurements

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/1/2008	6786.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/31/2008	6786.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/30/2008	6786.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/29/2008	6786.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/28/2008	6786.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/27/2008	6786.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/26/2008	6786.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/25/2008	6786.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/24/2008	6786.13	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/23/2008	6785.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/22/2008	6786.49	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/22/2008	6786.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/21/2008	6786.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/20/2008	6785.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/19/2008	6785.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/18/2008	6785.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/17/2008	6785.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/16/2008	6785.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/15/2008	6785.41	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/14/2008	6785.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/13/2008	6785.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/12/2008	6785.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/11/2008	6784.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/10/2008	6784.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/9/2008	6784.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/8/2008	6784.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/7/2008	6784.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/6/2008	6784.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/5/2008	6784.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/4/2008	6784.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/3/2008	6784.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/2/2008	6784.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/1/2008	6784.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/30/2008	6784.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/29/2008	6783.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/28/2008	6783.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/27/2008	6783.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/26/2008	6783.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/25/2008	6783.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/24/2008	6783.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/23/2008	6782.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/22/2008	6782.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/21/2008	6782.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/20/2008	6782.61	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/19/2008	6782.32	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/18/2008	6782.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/17/2008	6782.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/16/2008	6781.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/15/2008	6781.63	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/14/2008	6781.27	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/13/2008	6781.11	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/12/2008	6781.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/11/2008	6781.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/10/2008	6781.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/9/2008	6781.1	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/8/2008	6780.88	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/7/2008	6780.77	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/6/2008	6780.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/5/2008	6780.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/4/2008	6780.38	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/3/2008	6780.38	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/2/2008	6780.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	4/1/2008	6780.12	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/31/2008	6780.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/30/2008	6780.11	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/29/2008	6779.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/28/2008	6779.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/27/2008	6779.94	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/27/2008	6779.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/26/2008	6779.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/25/2008	6779.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/24/2008	6779.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/23/2008	6779.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/22/2008	6779.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/21/2008	6779.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/20/2008	6779.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/19/2008	6779.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/18/2008	6779.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/17/2008	6779.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/16/2008	6779.37	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/15/2008	6779.28	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/14/2008	6779.24	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/13/2008	6779.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/12/2008	6778.85	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/11/2008	6778.69	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/10/2008	6778.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/9/2008	6778.92	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/8/2008	6778.7	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/7/2008	6778.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/6/2008	6778.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/5/2008	6778.87	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/4/2008	6778.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/3/2008	6778.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/2/2008	6778.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	3/1/2008	6778.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/29/2008	6778.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/28/2008	6778.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/27/2008	6777.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/26/2008	6778.05	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/25/2008	6778.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/24/2008	6777.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/23/2008	6778.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/22/2008	6778.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/21/2008	6778.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/20/2008	6777.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/19/2008	6777.93	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/18/2008	6778.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/17/2008	6778.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/16/2008	6777.87	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/15/2008	6777.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/14/2008	6778.03	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/13/2008	6777.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/12/2008	6776.5	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/11/2008	6777.4	Manual

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/11/2008	6777.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/10/2008	6777.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/9/2008	6777.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/8/2008	6777.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/7/2008	6777.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/6/2008	6777.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/5/2008	6778.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/4/2008	6778.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/3/2008	6777.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/2/2008	6777.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	2/1/2008	6777.69	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/31/2008	6778.11	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/30/2008	6778.01	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/29/2008	6778.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/28/2008	6777.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/27/2008	6777.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/26/2008	6777.49	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/25/2008	6777.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/24/2008	6777.75	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/23/2008	6777.75	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/22/2008	6777.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/21/2008	6777.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/20/2008	6777.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/19/2008	6777.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/18/2008	6778.07	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/17/2008	6778.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/16/2008	6778.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/15/2008	6777.74	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/14/2008	6777.83	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/13/2008	6778.03	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/12/2008	6778.24	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/11/2008	6778.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/10/2008	6778.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/9/2008	6778.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/8/2008	6778.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/7/2008	6778.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/6/2008	6778.58	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/5/2008	6778.37	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/4/2008	6778.28	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/3/2008	6778.12	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/2/2008	6778.04	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	1/1/2008	6778.34	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/31/2007	6778.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/30/2007	6778.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/29/2007	6778.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/28/2007	6779.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/27/2007	6779.19	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/26/2007	6778.97	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/25/2007	6778.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/24/2007	6778.79	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/23/2007	6778.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/22/2007	6779.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/21/2007	6779.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/20/2007	6778.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/19/2007	6778.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/18/2007	6778.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/17/2007	6779.11	Manual

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/17/2007	6778.95	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/16/2007	6778.97	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/15/2007	6779.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/14/2007	6779.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/13/2007	6779.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/12/2007	6779.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/11/2007	6779.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/10/2007	6779.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/9/2007	6779.47	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/8/2007	6779.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/7/2007	6779.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/6/2007	6779.55	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/5/2007	6779.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/4/2007	6779.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/3/2007	6779.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/2/2007	6779.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	12/1/2007	6779.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/30/2007	6779.58	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/29/2007	6779.49	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/28/2007	6779.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/27/2007	6779.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/26/2007	6779.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/25/2007	6779.85	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/24/2007	6779.98	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/23/2007	6779.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/22/2007	6779.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/21/2007	6780.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/20/2007	6779.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/19/2007	6779.87	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/18/2007	6779.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/17/2007	6780.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/16/2007	6779.95	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/15/2007	6779.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/14/2007	6780.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/13/2007	6780	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/12/2007	6780.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/11/2007	6780.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/10/2007	6780.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/9/2007	6780.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/8/2007	6780.18	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/7/2007	6780.16	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/6/2007	6780.17	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/5/2007	6780.28	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/4/2007	6780.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/3/2007	6780.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/2/2007	6780.44	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	11/1/2007	6780.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/31/2007	6780.45	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/31/2007	6780.49	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/30/2007	6780.37	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/29/2007	6780.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/28/2007	6780.27	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/27/2007	6780.51	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/26/2007	6780.67	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/25/2007	6780.47	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/24/2007	6780.37	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/23/2007	6780.5	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/22/2007	6780.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/21/2007	6781.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/20/2007	6780.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/19/2007	6780.97	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/18/2007	6781.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/17/2007	6781.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/16/2007	6781.21	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/15/2007	6781.24	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/14/2007	6781.39	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/13/2007	6781.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/12/2007	6781.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/11/2007	6781.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/10/2007	6781.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/9/2007	6781.13	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/8/2007	6781.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/7/2007	6781.5	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/6/2007	6781.56	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/5/2007	6781.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/4/2007	6781.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/3/2007	6781.42	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/2/2007	6781.45	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	10/1/2007	6781.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/30/2007	6781.63	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/29/2007	6781.67	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/28/2007	6781.51	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/27/2007	6781.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/26/2007	6781.54	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/25/2007	6781.59	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/24/2007	6781.74	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/23/2007	6781.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/22/2007	6781.61	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/21/2007	6781.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/20/2007	6781.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/19/2007	6781.67	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/18/2007	6781.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/17/2007	6781.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/16/2007	6781.61	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/15/2007	6781.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/14/2007	6781.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/13/2007	6781.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/12/2007	6781.62	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/11/2007	6781.53	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/10/2007	6781.64	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/9/2007	6781.67	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/8/2007	6781.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/7/2007	6781.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/6/2007	6781.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/5/2007	6781.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/4/2007	6781.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/3/2007	6781.48	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/2/2007	6781.45	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	9/1/2007	6781.44	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/31/2007	6781.33	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/30/2007	6781.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/29/2007	6781.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/28/2007	6780.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/27/2007	6781.33	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/26/2007	6781.34	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/25/2007	6781.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/24/2007	6781.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/23/2007	6781.47	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/22/2007	6781.43	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/21/2007	6781.37	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/20/2007	6781.36	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/19/2007	6781.34	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/18/2007	6781.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/17/2007	6781.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/16/2007	6781.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/15/2007	6781.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/14/2007	6781.07	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/13/2007	6780.95	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/12/2007	6780.95	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/11/2007	6780.94	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/10/2007	6780.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/9/2007	6780.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/8/2007	6780.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/7/2007	6780.66	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/6/2007	6780.55	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/5/2007	6780.39	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/4/2007	6780.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/3/2007	6780.09	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/2/2007	6780.06	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	8/1/2007	6779.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/31/2007	6779.82	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/30/2007	6779.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/29/2007	6779.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/28/2007	6779.47	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/27/2007	6779.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/26/2007	6779.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/25/2007	6779.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/24/2007	6779.01	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/23/2007	6778.81	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/22/2007	6778.74	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/21/2007	6778.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/20/2007	6778.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/19/2007	6778.55	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/18/2007	6778.42	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/17/2007	6778.3	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/16/2007	6778.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/15/2007	6777.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/14/2007	6777.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/13/2007	6777.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/12/2007	6777.55	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/11/2007	6777.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/10/2007	6777.57	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/9/2007	6777.53	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/9/2007	6777.5	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/8/2007	6777.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/7/2007	6777	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/6/2007	6776.84	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/5/2007	6776.79	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/4/2007	6776.89	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/3/2007	6776.76	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/2/2007	6776.67	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-6	34	Single	5281	10	34	44	2	2.5	7/1/2007	6776.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/30/2007	6776.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/29/2007	6776.35	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/28/2007	6776.26	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/27/2007	6776.31	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/26/2007	6776.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/25/2007	6776.45	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/24/2007	6776.4	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/23/2007	6776.2	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/22/2007	6776.02	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/21/2007	6775.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/20/2007	6775.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/19/2007	6776.14	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/18/2007	6776.27	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/17/2007	6775.91	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/16/2007	6775.96	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/15/2007	6776.08	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/14/2007	6775.82	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/13/2007	6775.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/12/2007	6775.6	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/11/2007	6775.8	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/10/2007	6775.65	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/9/2007	6775.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/8/2007	6775.76	Manual
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/8/2007	6775.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/7/2007	6776.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/6/2007	6776.11	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/5/2007	6775.78	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/4/2007	6775.83	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/3/2007	6775.99	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/2/2007	6776.15	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	6/1/2007	6776.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/31/2007	6776.04	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/30/2007	6776.23	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/29/2007	6776.34	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/28/2007	6776.22	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/27/2007	6776.24	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/26/2007	6776.25	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/25/2007	6776.29	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/24/2007	6776.52	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/23/2007	6776.77	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/22/2007	6776.86	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/21/2007	6776.67	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/20/2007	6776.5	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/19/2007	6776.49	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/18/2007	6776.45	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/17/2007	6776.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/16/2007	6776.46	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/15/2007	6776.71	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/14/2007	6776.72	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/13/2007	6776.68	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/12/2007	6776.73	Transducer
CDBO-6	34	Single	5281	10	34	44	2	2.5	5/11/2007	6776.86	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/17/2007	6733.68	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/16/2007	6733.71	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/15/2007	6734.53	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/14/2007	6734.64	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/13/2007	6734.7	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/12/2007	6734.75	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/11/2007	6735.04	Manual
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/11/2007	6734.86	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/10/2007	6734.93	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/9/2007	6735	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/8/2007	6735.01	Manual
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/8/2007	6735.07	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/7/2007	6735.16	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/6/2007	6735.21	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/5/2007	6735.26	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/4/2007	6735.33	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/3/2007	6735.42	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/2/2007	6735.49	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	6/1/2007	6735.57	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/31/2007	6735.63	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/30/2007	6735.7	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/29/2007	6735.76	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/28/2007	6735.81	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/27/2007	6735.86	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/26/2007	6735.91	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/25/2007	6735.97	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/24/2007	6736.04	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/23/2007	6736.09	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/22/2007	6736.13	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/21/2007	6736.16	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/20/2007	6736.19	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/19/2007	6736.23	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/18/2007	6736.26	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/17/2007	6736.3	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/16/2007	6736.34	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/15/2007	6736.38	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/14/2007	6736.41	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/13/2007	6736.44	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/12/2007	6736.47	Transducer
CDBO-7	29	Single	5291	10	29	39	2	2.5	5/11/2007	6736.51	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/1/2008	7065.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/31/2008	7065.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/30/2008	7065.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/29/2008	7065.45	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/28/2008	7065.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/27/2008	7065.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/26/2008	7065.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/25/2008	7065.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/24/2008	7065.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/23/2008	7065.52	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/22/2008	7065.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/21/2008	7065.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/20/2008	7065.56	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/20/2008	7065.62	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/19/2008	7065.63	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/18/2008	7065.67	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/17/2008	7065.69	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/16/2008	7065.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/15/2008	7065.75	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/14/2008	7065.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/13/2008	7065.84	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/12/2008	7065.9	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/11/2008	7065.92	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/10/2008	7066	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/9/2008	7066.06	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/8/2008	7066.12	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/7/2008	7066.16	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/6/2008	7066.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/5/2008	7066.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/4/2008	7066.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/3/2008	7066.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/2/2008	7066.53	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/1/2008	7066.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/30/2008	7066.67	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/29/2008	7066.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/28/2008	7066.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/27/2008	7066.84	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/26/2008	7066.86	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/25/2008	7066.95	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/24/2008	7067.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/23/2008	7067.04	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/22/2008	7067.11	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/21/2008	7067.13	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/20/2008	7067.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/19/2008	7067.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/18/2008	7067.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/17/2008	7067.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/16/2008	7067.45	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/15/2008	7067.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/14/2008	7067.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/13/2008	7067.65	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/12/2008	7067.66	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/11/2008	7067.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/10/2008	7067.81	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/9/2008	7067.82	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/8/2008	7067.86	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/7/2008	7067.93	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/6/2008	7067.98	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/5/2008	7068.04	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/4/2008	7068.09	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/3/2008	7068.14	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/2/2008	7068.18	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	4/1/2008	7068.19	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/31/2008	7068.22	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/30/2008	7068.2	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/29/2008	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/28/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/27/2008	7068.3	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/27/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/26/2008	7068.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/25/2008	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/24/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/23/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/22/2008	7068.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/21/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/20/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/19/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/18/2008	7068.28	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/17/2008	7068.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/16/2008	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/15/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/14/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/13/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/12/2008	7068.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/11/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/10/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/9/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/8/2008	7068.3	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/7/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/6/2008	7068.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/5/2008	7068.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/4/2008	7068.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/3/2008	7068.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/2/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	3/1/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/29/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/28/2008	7068.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/27/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/26/2008	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/25/2008	7068.56	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/24/2008	7068.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/23/2008	7068.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/22/2008	7068.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/21/2008	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/20/2008	7068.31	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/19/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/18/2008	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/17/2008	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/16/2008	7068.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/15/2008	7068.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/14/2008	7068.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/13/2008	7068.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/12/2008	7068.63	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/11/2008	7067.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/10/2008	7067.59	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/9/2008	7067.67	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/8/2008	7067.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/7/2008	7067.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/6/2008	7067.83	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/6/2008	7067.88	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/5/2008	7068.02	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/4/2008	7068.13	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/3/2008	7068.2	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/2/2008	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	2/1/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/31/2008	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/30/2008	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/29/2008	7068.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/28/2008	7066.37	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/27/2008	7066.37	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/26/2008	7066.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/25/2008	7066.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/24/2008	7066.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/23/2008	7066.47	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/22/2008	7066.49	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/21/2008	7066.5	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/20/2008	7066.53	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/19/2008	7066.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/18/2008	7066.62	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/17/2008	7066.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/16/2008	7066.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/15/2008	7066.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/14/2008	7066.81	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/13/2008	7066.9	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/12/2008	7066.95	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/11/2008	7066.98	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/10/2008	7067.02	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/9/2008	7067.1	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/8/2008	7067.15	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/7/2008	7067.22	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/6/2008	7067.21	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/5/2008	7067.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/4/2008	7067.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/3/2008	7067.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/2/2008	7067.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	1/1/2008	7067.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/31/2007	7067.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/30/2007	7067.53	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/29/2007	7067.62	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/28/2007	7067.68	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/27/2007	7067.75	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/26/2007	7067.8	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/25/2007	7067.86	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/24/2007	7067.93	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/23/2007	7068.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/22/2007	7068.1	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/21/2007	7068.17	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/20/2007	7068.2	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/19/2007	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/18/2007	7068.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/17/2007	7068.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/16/2007	7068.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/15/2007	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/14/2007	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/13/2007	7068.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/12/2007	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/11/2007	7068.38	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/10/2007	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/9/2007	7068.5	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/8/2007	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/7/2007	7068.3	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/6/2007	7068.31	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/5/2007	7068.29	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/4/2007	7068.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/3/2007	7068.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/2/2007	7068.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	12/1/2007	7067.5	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/22/2007	7065.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/21/2007	7065.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/20/2007	7065.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/19/2007	7065.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/18/2007	7065.42	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/17/2007	7065.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/16/2007	7065.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/15/2007	7065.51	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/14/2007	7065.57	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/13/2007	7065.62	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/12/2007	7065.65	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/11/2007	7065.71	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/10/2007	7065.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/9/2007	7065.83	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/8/2007	7065.89	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/7/2007	7065.93	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/6/2007	7066.02	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/5/2007	7066.1	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/4/2007	7066.17	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/3/2007	7066.24	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/2/2007	7066.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/1/2007	7066.38	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	11/1/2007	7066.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/31/2007	7066.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/30/2007	7066.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/29/2007	7066.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/28/2007	7066.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/27/2007	7066.88	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/26/2007	7066.96	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/25/2007	7067.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/24/2007	7067.09	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/23/2007	7067.17	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/22/2007	7067.24	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/21/2007	7067.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/20/2007	7067.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/19/2007	7067.51	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/18/2007	7067.58	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/17/2007	7067.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/16/2007	7067.78	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/15/2007	7067.87	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/14/2007	7067.94	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/13/2007	7068.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/12/2007	7068.08	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/11/2007	7068.14	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/10/2007	7068.19	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/9/2007	7068.25	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/8/2007	7068.3	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/7/2007	7068.33	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/6/2007	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/5/2007	7068.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/4/2007	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/3/2007	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/2/2007	7068.37	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	10/1/2007	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/30/2007	7068.5	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/29/2007	7068.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/28/2007	7068.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/27/2007	7068.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/26/2007	7068.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/25/2007	7068.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/24/2007	7068.65	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/23/2007	7068.43	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/22/2007	7068.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/21/2007	7067.76	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/20/2007	7067.68	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/19/2007	7067.76	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/18/2007	7067.82	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/17/2007	7067.89	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/16/2007	7067.96	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/15/2007	7068.05	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/14/2007	7068.17	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/13/2007	7068.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/12/2007	7068.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/11/2007	7068.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/10/2007	7068.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/9/2007	7068.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/8/2007	7068.46	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/7/2007	7068.54	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/6/2007	7068.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/5/2007	7068.41	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/4/2007	7068.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/3/2007	7068.54	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/2/2007	7068.47	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	9/1/2007	7068.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/31/2007	7068.45	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/30/2007	7068.67	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/29/2007	7066.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/28/2007	7066.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/27/2007	7066.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	8/26/2007	7065.5	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/23/2007	7065.32	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/22/2007	7065.37	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/21/2007	7065.39	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/20/2007	7065.4	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/19/2007	7065.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/18/2007	7065.53	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/17/2007	7065.56	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/16/2007	7065.66	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/15/2007	7065.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/14/2007	7065.75	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/13/2007	7065.85	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/12/2007	7065.9	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/11/2007	7065.99	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/10/2007	7066.04	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/9/2007	7066.1	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/9/2007	7066.12	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/8/2007	7066.17	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/7/2007	7066.2	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/6/2007	7066.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/5/2007	7066.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/4/2007	7066.27	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/3/2007	7066.28	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/2/2007	7066.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	7/1/2007	7066.22	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/30/2007	7066.16	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/29/2007	7066.07	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/28/2007	7066.01	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/27/2007	7065.92	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/26/2007	7065.81	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/25/2007	7065.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/24/2007	7065.64	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/23/2007	7065.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/22/2007	7065.59	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/21/2007	7065.66	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/20/2007	7065.75	Manual
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/20/2007	7065.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/19/2007	7065.77	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/18/2007	7065.83	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/17/2007	7065.87	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/16/2007	7065.92	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/15/2007	7065.98	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/14/2007	7066.04	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/13/2007	7066.1	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/12/2007	7066.17	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/11/2007	7066.19	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/10/2007	7066.26	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/9/2007	7066.35	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/8/2007	7066.43	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/7/2007	7066.54	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/6/2007	7066.7	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/5/2007	7066.72	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/4/2007	7066.79	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/3/2007	7066.86	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/2/2007	7066.94	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	6/1/2007	7067.08	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/31/2007	7067.08	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/30/2007	7067.16	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/29/2007	7067.23	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/28/2007	7067.3	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/27/2007	7067.36	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/26/2007	7067.42	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/25/2007	7067.44	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/24/2007	7067.49	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/23/2007	7067.5	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/22/2007	7067.59	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/21/2007	7067.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/20/2007	7067.61	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/19/2007	7067.65	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/18/2007	7067.61	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/17/2007	7067.6	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/16/2007	7067.5	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/15/2007	7067.34	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/14/2007	7067.13	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/13/2007	7066.96	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/12/2007	7066.88	Transducer
MCA-1	2.4	Single	5601	3	2.4	5.4	1	1.7	5/11/2007	7066.87	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/28/2007	6791.55	Manual
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/28/2007	6790.37	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/27/2007	6787.66	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/26/2007	6787.08	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/25/2007	6787.09	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/24/2007	6787.16	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/23/2007	6787.04	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/22/2007	6786.9	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/21/2007	6787.1	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/20/2007	6786.98	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/19/2007	6786.85	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/18/2007	6786.91	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/17/2007	6786.99	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/16/2007	6786.84	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/15/2007	6786.65	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/14/2007	6786.85	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/13/2007	6786.69	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/12/2007	6786.86	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/11/2007	6786.91	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/10/2007	6786.87	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/9/2007	6786.8	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/8/2007	6786.79	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/7/2007	6786.73	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/6/2007	6786.7	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/5/2007	6786.79	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/4/2007	6786.69	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/3/2007	6786.68	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/2/2007	6786.84	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	11/1/2007	6786.69	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/31/2007	6786.89	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/30/2007	6786.8	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/29/2007	6786.67	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/28/2007	6786.61	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/27/2007	6786.79	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/26/2007	6786.98	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/25/2007	6786.81	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/24/2007	6786.67	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/23/2007	6786.74	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/22/2007	6786.85	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/21/2007	6787.26	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/20/2007	6787.09	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/19/2007	6787.08	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/18/2007	6787.35	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/17/2007	6787.46	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/16/2007	6787.37	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/15/2007	6787.4	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/14/2007	6787.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/13/2007	6787.67	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/12/2007	6787.63	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/11/2007	6787.63	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/10/2007	6787.58	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/9/2007	6787.6	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/8/2007	6787.78	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/7/2007	6788.05	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/6/2007	6788.23	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/5/2007	6788.37	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/4/2007	6788.6	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/3/2007	6788.82	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/2/2007	6789.52	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	10/1/2007	6790.87	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/30/2007	6793.72	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/29/2007	6793.89	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/28/2007	6794.01	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/27/2007	6794.12	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/26/2007	6794.22	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/25/2007	6794.33	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/24/2007	6794.45	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/23/2007	6794.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/22/2007	6794.66	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/21/2007	6794.77	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/20/2007	6794.88	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/19/2007	6794.98	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/18/2007	6795.07	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/17/2007	6795.19	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/16/2007	6795.28	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/15/2007	6795.37	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/14/2007	6795.46	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/13/2007	6795.55	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/12/2007	6795.62	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/11/2007	6795.68	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/10/2007	6795.76	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/9/2007	6795.83	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/8/2007	6795.89	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/7/2007	6795.95	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/6/2007	6796.01	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/5/2007	6796.05	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/4/2007	6796.09	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/3/2007	6796.12	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/2/2007	6796.16	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	9/1/2007	6796.21	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/31/2007	6796.24	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/30/2007	6796.28	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/29/2007	6796.32	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/28/2007	6796.36	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/27/2007	6796.39	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/26/2007	6796.41	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/25/2007	6796.44	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/24/2007	6796.48	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/23/2007	6796.49	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/22/2007	6796.51	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/21/2007	6796.52	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/20/2007	6796.54	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/19/2007	6796.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/18/2007	6796.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/17/2007	6796.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/16/2007	6796.58	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/15/2007	6796.59	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/14/2007	6796.58	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/13/2007	6796.58	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/12/2007	6796.59	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/11/2007	6796.61	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/10/2007	6796.6	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/9/2007	6796.61	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/8/2007	6796.62	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/7/2007	6796.62	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/6/2007	6796.61	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/5/2007	6796.6	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/4/2007	6796.59	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/3/2007	6796.58	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/2/2007	6796.58	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	8/1/2007	6796.57	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/31/2007	6796.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/30/2007	6796.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/29/2007	6796.55	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/28/2007	6796.53	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/27/2007	6796.52	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/26/2007	6796.51	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/25/2007	6796.49	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/24/2007	6796.47	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/23/2007	6796.44	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/22/2007	6796.43	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/21/2007	6796.41	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/20/2007	6796.4	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/19/2007	6796.37	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/18/2007	6796.35	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/17/2007	6796.33	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/16/2007	6796.3	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/15/2007	6796.26	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/14/2007	6796.24	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/13/2007	6796.21	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/12/2007	6796.17	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/11/2007	6796.14	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/10/2007	6796.13	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/9/2007	6796.1	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/8/2007	6796.06	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/7/2007	6796.01	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/6/2007	6795.97	Manual
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/6/2007	6795.9	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/5/2007	6795.87	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/4/2007	6795.83	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/3/2007	6795.78	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/2/2007	6795.75	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	7/1/2007	6795.71	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/30/2007	6795.66	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/29/2007	6795.6	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/28/2007	6795.55	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/27/2007	6795.5	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/26/2007	6795.46	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/25/2007	6795.41	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/24/2007	6795.35	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/23/2007	6795.28	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/22/2007	6795.21	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/21/2007	6795.14	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/20/2007	6795.07	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/19/2007	6795.01	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/18/2007	6794.95	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/17/2007	6794.86	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/16/2007	6794.78	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/15/2007	6794.7	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/14/2007	6794.61	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/13/2007	6794.53	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/12/2007	6794.46	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/11/2007	6794.37	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/10/2007	6794.28	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/9/2007	6794.18	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/8/2007	6794.08	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/7/2007	6794	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/6/2007	6793.85	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/5/2007	6793.69	Manual
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/5/2007	6793.59	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/4/2007	6792.3	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/3/2007	6789.41	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/2/2007	6787.22	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	6/1/2007	6787.11	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/31/2007	6786.94	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/30/2007	6786.96	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/29/2007	6786.97	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/28/2007	6786.85	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/27/2007	6786.79	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/26/2007	6786.72	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/25/2007	6786.63	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/24/2007	6786.65	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/23/2007	6786.75	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/22/2007	6786.84	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/21/2007	6786.72	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/20/2007	6786.56	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/19/2007	6786.5	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/18/2007	6786.43	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/17/2007	6786.37	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/16/2007	6786.25	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/15/2007	6786.33	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/14/2007	6786.3	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/13/2007	6786.19	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/12/2007	6786.14	Transducer
MCA-2	45	Single	5611	15	45	60	2.1	2.8	5/11/2007	6786.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/26/2008	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/25/2008	7048.76	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/24/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/14/2008	7048.21	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/13/2008	7048.47	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/12/2008	7048.5	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/11/2008	7048.12	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/8/2008	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/7/2008	7048.29	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/6/2008	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/5/2008	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/4/2008	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/3/2008	7048.19	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/2/2008	7048.19	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	2/1/2008	7048.36	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	1/31/2008	7048.17	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	1/30/2008	7048.35	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	1/29/2008	7048.4	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	1/28/2008	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	12/9/2007	7048.27	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	12/8/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	12/2/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	12/1/2007	7048.39	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	11/30/2007	7048.17	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/15/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/14/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/13/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/12/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/11/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/10/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/9/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/8/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/7/2007	7048.07	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/6/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/5/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/4/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/3/2007	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/2/2007	7048.15	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	10/1/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/30/2007	7048.19	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/29/2007	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/28/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/27/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/26/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/25/2007	7048.11	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/24/2007	7048.36	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/23/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/22/2007	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/21/2007	7048.15	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/20/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/19/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/18/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/17/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/16/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/15/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/14/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/13/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/12/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/11/2007	7048.06	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/10/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/9/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/8/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/7/2007	7048.21	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/6/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/5/2007	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/4/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/3/2007	7048.24	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/2/2007	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	9/1/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/31/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/30/2007	7048.46	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	8/29/2007	7048.17	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	6/20/2007	7048.07	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	6/19/2007	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	6/14/2007	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	6/13/2007	7048.14	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	6/12/2007	7048.11	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	6/1/2007	7048.09	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/31/2007	7048.17	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/30/2007	7048.18	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/29/2007	7048.13	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/25/2007	7048.1	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/24/2007	7048.16	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/23/2007	7048.18	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/22/2007	7048.18	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/21/2007	7048.08	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/18/2007	7048.12	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/17/2007	7048.15	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/16/2007	7048.16	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/15/2007	7048.16	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/14/2007	7048.19	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/13/2007	7048.2	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/12/2007	7048.21	Transducer
MCA-5	1.75	Single	5631	4	1.75	5.75	1	1.7	5/11/2007	7048.21	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/1/2008	7187.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/31/2008	7187.39	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/30/2008	7187.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/29/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/28/2008	7187.13	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/27/2008	7187.19	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/26/2008	7187.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/25/2008	7187.31	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/24/2008	7187.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/23/2008	7187.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/22/2008	7187.36	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/21/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/20/2008	7187.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/19/2008	7187.52	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/18/2008	7187.57	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/17/2008	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/16/2008	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/15/2008	7187.25	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/14/2008	7187.24	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/13/2008	7187.25	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/12/2008	7187.3	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/11/2008	7187.33	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/10/2008	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/9/2008	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/8/2008	7187.45	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/7/2008	7187.49	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/6/2008	7187.5	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/5/2008	7187.52	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/4/2008	7187.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/3/2008	7187.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/2/2008	7187.59	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/1/2008	7187.62	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/30/2008	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/29/2008	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/28/2008	7187.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/27/2008	7187.72	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/26/2008	7187.75	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/25/2008	7187.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/24/2008	7187.8	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/23/2008	7187.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/22/2008	7187.85	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/21/2008	7187.88	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/20/2008	7187.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/19/2008	7187.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/18/2008	7187.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/17/2008	7187.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/16/2008	7187.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/15/2008	7187.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/14/2008	7187.98	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/13/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/12/2008	7187.98	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/11/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/10/2008	7188.02	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/9/2008	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/8/2008	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/7/2008	7188.01	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/6/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/5/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/4/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/3/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/2/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	4/1/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/31/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/30/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/29/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/28/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/27/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/26/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/25/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/24/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/23/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/22/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/21/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/20/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/19/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/18/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/17/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/16/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/15/2008	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/14/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/13/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/12/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/11/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/10/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/9/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/8/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/7/2008	7187.99	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/7/2008	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/6/2008	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/5/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/4/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/3/2008	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/2/2008	7188.13	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	3/1/2008	7188.1	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/29/2008	7188.12	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/28/2008	7188.12	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/27/2008	7188.15	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/26/2008	7188.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/25/2008	7188.62	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/24/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/23/2008	7188.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/22/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/21/2008	7188.05	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/20/2008	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/19/2008	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/18/2008	7188.1	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/17/2008	7188.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/16/2008	7188.35	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/15/2008	7188.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/14/2008	7188.25	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/13/2008	7188.05	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/13/2008	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/12/2008	7188.14	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/11/2008	7188.15	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/10/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/9/2008	7187.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/8/2008	7187.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/7/2008	7187.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/6/2008	7187.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/5/2008	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/4/2008	7187.88	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/3/2008	7187.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/2/2008	7187.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	2/1/2008	7187.89	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/31/2008	7187.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/30/2008	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/29/2008	7188.17	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/28/2008	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/27/2008	7187.81	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/26/2008	7187.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/25/2008	7187.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/24/2008	7187.75	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/23/2008	7187.71	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/22/2008	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/21/2008	7187.69	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/20/2008	7187.68	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/19/2008	7187.68	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/18/2008	7187.73	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/17/2008	7187.76	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/16/2008	7187.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/15/2008	7187.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/14/2008	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/13/2008	7187.8	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/12/2008	7187.81	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/11/2008	7187.81	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/10/2008	7187.82	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/9/2008	7187.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/8/2008	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/7/2008	7187.98	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/6/2008	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/5/2008	7187.75	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/4/2008	7187.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/3/2008	7187.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/2/2008	7187.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	1/1/2008	7187.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/31/2007	7187.75	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/30/2007	7187.76	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/29/2007	7187.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/28/2007	7187.81	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/27/2007	7187.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/26/2007	7187.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/25/2007	7187.85	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/24/2007	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/23/2007	7187.87	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/22/2007	7187.88	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/21/2007	7187.89	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/20/2007	7187.9	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/19/2007	7187.91	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/18/2007	7187.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/17/2007	7187.94	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/16/2007	7187.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/15/2007	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/14/2007	7188.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/13/2007	7188.16	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/12/2007	7188.37	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/11/2007	7188.49	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/10/2007	7188.19	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/9/2007	7188.57	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/8/2007	7187.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/7/2007	7187.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/6/2007	7187.97	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/5/2007	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/4/2007	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/3/2007	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/2/2007	7188.18	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	12/1/2007	7188.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/30/2007	7186.53	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/29/2007	7186.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/28/2007	7186.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/27/2007	7186.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/26/2007	7186.58	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/25/2007	7186.59	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/24/2007	7186.58	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/23/2007	7186.61	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/22/2007	7186.64	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/21/2007	7186.68	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/20/2007	7186.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/19/2007	7186.72	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/18/2007	7186.76	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/17/2007	7186.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/16/2007	7186.82	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/15/2007	7186.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/14/2007	7186.88	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/13/2007	7186.9	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/12/2007	7186.93	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/11/2007	7186.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/10/2007	7186.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/9/2007	7187.01	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/8/2007	7187.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/7/2007	7187.07	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/6/2007	7187.09	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/5/2007	7187.13	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/4/2007	7187.16	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/3/2007	7187.18	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/2/2007	7187.22	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/1/2007	7187.25	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	11/1/2007	7187.24	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/31/2007	7187.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/30/2007	7187.3	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/29/2007	7187.32	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/28/2007	7187.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/27/2007	7187.37	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/26/2007	7187.41	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/25/2007	7187.43	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/24/2007	7187.44	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/23/2007	7187.47	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/22/2007	7187.48	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/21/2007	7187.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/20/2007	7187.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/19/2007	7187.58	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/18/2007	7187.63	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/17/2007	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/16/2007	7187.68	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/15/2007	7187.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/14/2007	7187.73	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/13/2007	7187.76	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/12/2007	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/11/2007	7187.81	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/10/2007	7187.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/9/2007	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/8/2007	7187.89	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/7/2007	7187.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/6/2007	7187.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/5/2007	7187.98	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/4/2007	7188.01	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/3/2007	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/2/2007	7188.4	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	10/1/2007	7188.08	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/30/2007	7188.3	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/29/2007	7188.21	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/28/2007	7187.97	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/27/2007	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/26/2007	7188.06	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/25/2007	7188.16	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/24/2007	7188.53	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/23/2007	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/22/2007	7188.1	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/21/2007	7188.4	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/20/2007	7187.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/19/2007	7187.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/18/2007	7187.74	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/17/2007	7187.75	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/16/2007	7187.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/15/2007	7187.87	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/14/2007	7187.92	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/13/2007	7187.96	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/12/2007	7187.99	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/11/2007	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/10/2007	7188.03	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/9/2007	7188.09	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/8/2007	7188.16	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/7/2007	7188.37	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/6/2007	7188.19	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/5/2007	7188.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/4/2007	7188.12	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/3/2007	7188.33	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/2/2007	7188.13	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	9/1/2007	7187.97	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/31/2007	7188.02	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/30/2007	7188.51	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/29/2007	7187.39	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/28/2007	7187.59	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/27/2007	7188.13	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/26/2007	7185.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/25/2007	7185.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/24/2007	7185.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/23/2007	7185.29	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/22/2007	7185.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/21/2007	7185.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/20/2007	7185.94	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/19/2007	7186.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/18/2007	7187.24	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/7/2007	7185.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/6/2007	7185.56	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/5/2007	7185.97	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	8/4/2007	7186.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/16/2007	7185.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/15/2007	7185.69	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/14/2007	7185.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/10/2007	7185.26	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/9/2007	7185.32	Manual
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/9/2007	7185.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/8/2007	7185.47	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/7/2007	7185.58	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/6/2007	7185.69	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/5/2007	7185.83	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/4/2007	7185.94	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/3/2007	7186.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/2/2007	7186.18	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	7/1/2007	7186.3	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/30/2007	7186.44	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/29/2007	7186.55	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/28/2007	7186.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/27/2007	7186.79	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/26/2007	7186.95	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/25/2007	7187.11	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/24/2007	7187.22	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/23/2007	7187.31	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/22/2007	7187.36	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/21/2007	7187.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/20/2007	7187.49	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/19/2007	7187.73	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/18/2007	7187.84	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/17/2007	7188	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/16/2007	7186.48	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/15/2007	7186.66	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/14/2007	7186.85	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/13/2007	7187.09	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/12/2007	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/11/2007	7186.28	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/10/2007	7186.37	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/9/2007	7186.46	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/8/2007	7186.54	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/7/2007	7186.64	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/6/2007	7186.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/5/2007	7186.85	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/4/2007	7186.91	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/3/2007	7186.96	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/2/2007	7187.04	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	6/1/2007	7187.14	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/31/2007	7187.2	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/30/2007	7187.27	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/29/2007	7187.34	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/28/2007	7187.38	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/27/2007	7187.4	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/26/2007	7187.43	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/25/2007	7187.44	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/24/2007	7187.47	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/23/2007	7187.51	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/22/2007	7187.58	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/21/2007	7187.62	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/20/2007	7187.61	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/19/2007	7187.64	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/18/2007	7187.67	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/17/2007	7187.7	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/16/2007	7187.73	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/15/2007	7187.77	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/14/2007	7187.78	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/13/2007	7187.82	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/12/2007	7187.86	Transducer
MCO-0.6	1.05	Single	5641	2	1.05	3.05	2	2.25	5/11/2007	7187.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/1/2008	7133.61	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/31/2008	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/30/2008	7133.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/29/2008	7134.09	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/28/2008	7132.96	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	5/28/2008	7133.1	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/27/2008	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/26/2008	7133.26	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/25/2008	7133.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/24/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/23/2008	7133.33	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/22/2008	7133.39	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/21/2008	7133.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/20/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/19/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/18/2008	7133.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/17/2008	7133.97	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/16/2008	7134.06	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/15/2008	7133.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/14/2008	7133.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/13/2008	7133.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/12/2008	7133.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/11/2008	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/10/2008	7132.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/9/2008	7132.64	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/8/2008	7132.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/7/2008	7132.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/6/2008	7132.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/5/2008	7132.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/4/2008	7132.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/3/2008	7132.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/2/2008	7132.97	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/1/2008	7133.01	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/30/2008	7133.05	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	4/29/2008	7133.09	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/28/2008	7133.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/27/2008	7133.17	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/26/2008	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/25/2008	7133.25	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/24/2008	7133.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/23/2008	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/22/2008	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/21/2008	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/20/2008	7133.61	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/19/2008	7133.57	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/18/2008	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/17/2008	7133.46	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/16/2008	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/15/2008	7133.59	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/14/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/13/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/12/2008	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/11/2008	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/10/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/9/2008	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/8/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/7/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/6/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/5/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/4/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/3/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/2/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	4/1/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/31/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/30/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/29/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/28/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/27/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/26/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/25/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/24/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/23/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/22/2008	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/21/2008	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/20/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/19/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/18/2008	7133.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/17/2008	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/16/2008	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/15/2008	7133.86	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/14/2008	7133.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/13/2008	7133.86	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/12/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/11/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/10/2008	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/9/2008	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/8/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/7/2008	7133.76	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	3/7/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/6/2008	7133.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/5/2008	7133.69	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	3/4/2008	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/3/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/2/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	3/1/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/29/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/28/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/27/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/26/2008	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/25/2008	7133.95	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/24/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/23/2008	7133.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/22/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/21/2008	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/20/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/19/2008	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/18/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/17/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/16/2008	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/15/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/14/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/13/2008	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/12/2008	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/11/2008	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/10/2008	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/9/2008	7133.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/8/2008	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/7/2008	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/6/2008	7133.6	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	2/6/2008	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/5/2008	7133.48	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/4/2008	7133.22	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/3/2008	7133.27	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/2/2008	7133.35	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	2/1/2008	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/31/2008	7133.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/30/2008	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/29/2008	7133.9	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/28/2008	7133.1	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/27/2008	7132.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/26/2008	7132.9	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/25/2008	7132.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/24/2008	7132.92	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/23/2008	7132.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/22/2008	7132.97	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/21/2008	7133	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/20/2008	7133.03	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/19/2008	7133.05	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/18/2008	7133.08	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/17/2008	7133.12	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/16/2008	7133.16	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/15/2008	7133.18	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/14/2008	7133.22	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/13/2008	7133.26	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/12/2008	7133.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/11/2008	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/10/2008	7133.49	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/9/2008	7133.75	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	1/8/2008	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/7/2008	7133.61	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/6/2008	7133.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/5/2008	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/4/2008	7133.15	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/3/2008	7133.18	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/2/2008	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	1/1/2008	7133.24	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/31/2007	7133.28	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/30/2007	7133.32	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/29/2007	7133.37	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/28/2007	7133.43	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/27/2007	7133.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/26/2007	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/25/2007	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/24/2007	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/23/2007	7133.56	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/22/2007	7133.56	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/21/2007	7133.57	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/20/2007	7133.57	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/19/2007	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/18/2007	7133.57	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/17/2007	7133.59	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/16/2007	7133.64	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/15/2007	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/14/2007	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/13/2007	7133.79	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/12/2007	7133.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/11/2007	7133.9	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/10/2007	7133.86	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/9/2007	7134.07	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/8/2007	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/7/2007	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/6/2007	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/5/2007	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/4/2007	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/3/2007	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/2/2007	7133.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	12/1/2007	7134.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/30/2007	7133.28	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/29/2007	7133.3	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	11/29/2007	7133.25	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/28/2007	7133.28	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/27/2007	7133.34	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/26/2007	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/25/2007	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/24/2007	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/23/2007	7133.16	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/22/2007	7133.16	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/21/2007	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/20/2007	7133.24	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/19/2007	7133.27	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/18/2007	7133.32	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/17/2007	7133.37	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/16/2007	7133.4	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/15/2007	7133.41	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/14/2007	7133.46	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	11/13/2007	7133.49	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/12/2007	7133.51	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/11/2007	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/10/2007	7133.51	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/9/2007	7133.49	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/8/2007	7133.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/7/2007	7133.48	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/6/2007	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/5/2007	7133.45	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/4/2007	7133.45	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/3/2007	7133.45	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/2/2007	7133.47	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	11/1/2007	7133.45	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/31/2007	7133.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/30/2007	7133.37	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/29/2007	7133.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/28/2007	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/27/2007	7133.08	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/26/2007	7133.04	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/25/2007	7133.06	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/24/2007	7133.08	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/23/2007	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/22/2007	7133.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/21/2007	7133.17	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/20/2007	7133.22	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/19/2007	7133.22	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/18/2007	7133.23	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/17/2007	7133.33	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/16/2007	7133.49	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/15/2007	7133.54	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/14/2007	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/13/2007	7133.65	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/12/2007	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/11/2007	7133.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/10/2007	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/9/2007	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/8/2007	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/7/2007	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/6/2007	7133.73	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/5/2007	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/4/2007	7133.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/3/2007	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/2/2007	7133.88	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	10/1/2007	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/30/2007	7133.85	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/29/2007	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/28/2007	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/27/2007	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/26/2007	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/25/2007	7133.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/24/2007	7133.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/23/2007	7133.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/22/2007	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/21/2007	7133.83	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/20/2007	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/19/2007	7133.46	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/18/2007	7133.71	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	9/17/2007	7133.28	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/16/2007	7133.35	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/15/2007	7133.45	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/14/2007	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/13/2007	7133.63	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/12/2007	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/11/2007	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/10/2007	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/9/2007	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/8/2007	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/7/2007	7133.82	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/6/2007	7133.75	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/5/2007	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/4/2007	7133.61	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/3/2007	7133.85	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/2/2007	7133.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	9/1/2007	7133.57	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/31/2007	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/30/2007	7133.9	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/29/2007	7133.33	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/28/2007	7133.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/27/2007	7133.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/26/2007	7132.26	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/25/2007	7132.49	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/24/2007	7131.64	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/23/2007	7131.81	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/22/2007	7131.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/21/2007	7132.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/20/2007	7132.36	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/19/2007	7132.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/18/2007	7130.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/17/2007	7130.8	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/16/2007	7130.91	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/15/2007	7131.06	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/14/2007	7131.4	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/13/2007	7131.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/12/2007	7131.74	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/11/2007	7131.93	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/10/2007	7132	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/9/2007	7132.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/8/2007	7132.76	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/7/2007	7133.25	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/6/2007	7132.3	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/5/2007	7132.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/4/2007	7131.87	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/3/2007	7132.08	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/2/2007	7132.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	8/1/2007	7131.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/31/2007	7131.71	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/30/2007	7131.78	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/29/2007	7131.96	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/28/2007	7132.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/27/2007	7132.37	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/26/2007	7132.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/25/2007	7133.02	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/24/2007	7132.94	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/23/2007	7133.25	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	7/22/2007	7133.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/21/2007	7133.59	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/20/2007	7133.19	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/19/2007	7132.84	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/18/2007	7132.69	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/17/2007	7133.07	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/16/2007	7133.49	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/15/2007	7133.63	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/14/2007	7133.58	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/13/2007	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/12/2007	7133.4	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/11/2007	7133.12	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/10/2007	7133.29	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/9/2007	7133.08	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	7/9/2007	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/8/2007	7132.89	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/7/2007	7132.53	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/6/2007	7132.6	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/5/2007	7132.39	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/4/2007	7132.5	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/3/2007	7132.72	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/2/2007	7133.07	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	7/1/2007	7132.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/30/2007	7132.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/29/2007	7132.54	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/28/2007	7132.54	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/27/2007	7132.64	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/26/2007	7132.85	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/25/2007	7133.07	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/24/2007	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/23/2007	7133.37	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/22/2007	7133.05	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/21/2007	7133.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/20/2007	7133.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/19/2007	7133.32	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/18/2007	7133.62	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/17/2007	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/16/2007	7133.42	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/15/2007	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/14/2007	7133.74	Manual
MCO-2	2	Single	4551	7	2	9	2	2.5	6/14/2007	7133.68	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/13/2007	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/12/2007	7133.77	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/11/2007	7133.48	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/10/2007	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/9/2007	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/8/2007	7133.17	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/7/2007	7133.16	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/6/2007	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/5/2007	7133.21	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/4/2007	7133.49	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/3/2007	7133.17	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/2/2007	7133.16	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	6/1/2007	7133.15	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/31/2007	7133.13	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/30/2007	7133.11	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/29/2007	7133.22	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-2	2	Single	4551	7	2	9	2	2.5	5/28/2007	7133.52	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/27/2007	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/26/2007	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/25/2007	7133.4	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/24/2007	7133.25	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/23/2007	7133.2	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/22/2007	7133.31	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/21/2007	7133.63	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/20/2007	7133.36	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/19/2007	7133.43	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/18/2007	7133.7	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/17/2007	7133.38	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/16/2007	7133.44	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/15/2007	7133.63	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/14/2007	7133.63	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/13/2007	7133.55	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/12/2007	7133.66	Transducer
MCO-2	2	Single	4551	7	2	9	2	2.5	5/11/2007	7133.74	Transducer
MCO-3	2	Single	4561	10	2	12	3	3.5	5/20/2008	7047.94	Manual
MCO-3	2	Single	4561	10	2	12	3	3.5	3/5/2008	7047.99	Manual
MCO-3	2	Single	4561	10	2	12	3	3.5	6/20/2007	7051.45	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/1/2008	6863.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/31/2008	6863.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/30/2008	6863.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/29/2008	6863.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/28/2008	6863.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/27/2008	6864.1	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/26/2008	6864.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/25/2008	6864.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/24/2008	6864.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/23/2008	6864.75	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/22/2008	6864.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/21/2008	6865	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/21/2008	6865.06	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/20/2008	6865.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/19/2008	6865.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/18/2008	6865.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/17/2008	6865.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/16/2008	6865.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/15/2008	6865.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/14/2008	6866.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/13/2008	6866.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/12/2008	6866.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/11/2008	6866.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/10/2008	6866.49	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/9/2008	6866.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/8/2008	6866.69	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/7/2008	6866.79	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/6/2008	6866.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/5/2008	6866.96	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/4/2008	6867.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/3/2008	6867.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/2/2008	6867.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/1/2008	6867.3	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/30/2008	6867.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/29/2008	6867.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/28/2008	6867.49	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/27/2008	6867.55	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/26/2008	6867.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/25/2008	6867.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/24/2008	6867.75	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/23/2008	6867.79	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/22/2008	6867.84	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/21/2008	6867.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/20/2008	6867.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/19/2008	6867.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/18/2008	6868.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/17/2008	6868.08	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/16/2008	6868.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/15/2008	6868.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/14/2008	6868.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/13/2008	6868.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/12/2008	6868.22	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/11/2008	6868.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/10/2008	6868.33	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/9/2008	6868.34	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/8/2008	6868.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/7/2008	6868.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/6/2008	6868.4	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/5/2008	6868.41	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/4/2008	6868.4	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/3/2008	6868.41	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/2/2008	6868.4	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	4/1/2008	6868.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/31/2008	6868.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/30/2008	6868.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/29/2008	6868.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/28/2008	6868.32	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/27/2008	6868.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/26/2008	6868.24	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/25/2008	6868.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/24/2008	6868.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/23/2008	6868.11	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/22/2008	6868.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/21/2008	6868.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/20/2008	6868.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/19/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/18/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/17/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/16/2008	6867.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/15/2008	6867.96	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/14/2008	6867.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/13/2008	6867.91	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/12/2008	6867.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/11/2008	6867.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/10/2008	6867.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/9/2008	6867.92	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/8/2008	6867.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/7/2008	6867.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/6/2008	6867.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/5/2008	6868.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/4/2008	6868.09	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/3/2008	6868.15	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/2/2008	6868.14	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	3/1/2008	6868.24	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/29/2008	6868.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/28/2008	6868.54	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/28/2008	6868.72	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/27/2008	6868.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/26/2008	6869.18	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/25/2008	6867.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/24/2008	6866.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/23/2008	6867.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/22/2008	6867.25	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/21/2008	6867.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/20/2008	6867.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/19/2008	6867.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/18/2008	6867.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/17/2008	6867.92	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/16/2008	6868.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/15/2008	6868.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/14/2008	6868.36	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/13/2008	6868.48	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/12/2008	6868.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/11/2008	6868.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/10/2008	6868.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/9/2008	6869.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/8/2008	6869.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/7/2008	6869.24	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/7/2008	6869.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/6/2008	6869.35	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/5/2008	6869.47	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/4/2008	6869.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/3/2008	6869.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/2/2008	6869.73	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	2/1/2008	6869.8	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/31/2008	6869.88	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/30/2008	6869.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/29/2008	6869.92	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/28/2008	6869.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/27/2008	6870.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/26/2008	6870.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/25/2008	6870.25	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/24/2008	6870.34	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/23/2008	6870.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/22/2008	6870.54	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/21/2008	6870.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/20/2008	6870.73	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/19/2008	6870.82	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/18/2008	6870.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/17/2008	6871.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/16/2008	6871.13	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/15/2008	6871.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/14/2008	6871.28	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/13/2008	6871.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/12/2008	6871.48	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/11/2008	6871.56	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/10/2008	6871.66	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/9/2008	6871.74	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/8/2008	6871.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/7/2008	6871.94	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/6/2008	6872.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/5/2008	6872.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/4/2008	6872.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/3/2008	6872.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/2/2008	6872.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	1/1/2008	6872.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/31/2007	6872.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/30/2007	6872.46	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/29/2007	6872.51	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/28/2007	6872.56	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/27/2007	6872.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/26/2007	6872.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/25/2007	6872.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/24/2007	6872.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/23/2007	6872.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/22/2007	6872.61	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/21/2007	6872.58	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/20/2007	6872.49	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/19/2007	6872.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/18/2007	6872.32	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/17/2007	6872.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/16/2007	6872.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/15/2007	6871.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/14/2007	6871.75	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/14/2007	6871.73	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/13/2007	6871.51	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/12/2007	6871.32	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/11/2007	6871.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/10/2007	6871.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/9/2007	6870.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/8/2007	6870.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/7/2007	6870.8	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/6/2007	6870.67	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/5/2007	6870.47	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/4/2007	6870.17	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/3/2007	6869.76	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/2/2007	6869.22	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	12/1/2007	6867.63	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/30/2007	6867.81	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/29/2007	6868	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/28/2007	6868.21	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/27/2007	6868.36	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/26/2007	6868.54	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/25/2007	6868.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/24/2007	6868.84	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/23/2007	6868.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/22/2007	6869.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/21/2007	6869.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/20/2007	6869.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/19/2007	6869.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/18/2007	6869.46	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/17/2007	6869.54	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/16/2007	6869.6	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/15/2007	6869.65	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/14/2007	6869.74	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/13/2007	6869.78	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/12/2007	6869.85	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/11/2007	6869.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/10/2007	6869.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/9/2007	6869.98	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/8/2007	6870.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/7/2007	6870.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/6/2007	6870.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/5/2007	6870.11	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/4/2007	6870.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/3/2007	6870.13	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/2/2007	6870.18	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	11/1/2007	6870.17	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/31/2007	6870.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/30/2007	6870.15	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/30/2007	6870.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/29/2007	6870.17	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/28/2007	6870.15	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/27/2007	6870.15	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/26/2007	6870.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/25/2007	6870.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/24/2007	6870.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/23/2007	6870.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/22/2007	6869.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/21/2007	6870.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/20/2007	6869.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/19/2007	6869.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/18/2007	6869.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/17/2007	6869.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/16/2007	6869.67	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/15/2007	6869.59	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/14/2007	6869.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/13/2007	6869.41	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/12/2007	6869.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/11/2007	6869.17	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/10/2007	6869.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/9/2007	6868.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/8/2007	6868.73	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/7/2007	6868.58	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/6/2007	6868.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/5/2007	6868.26	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/4/2007	6868.08	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/3/2007	6867.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/2/2007	6867.74	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	10/1/2007	6867.56	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/30/2007	6867.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/29/2007	6867.28	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/28/2007	6867.11	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/27/2007	6866.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/26/2007	6866.83	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/25/2007	6866.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/24/2007	6866.58	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/23/2007	6866.43	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/22/2007	6866.26	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/21/2007	6866.08	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/20/2007	6865.88	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/19/2007	6865.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/18/2007	6865.46	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/17/2007	6865.24	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/16/2007	6864.96	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/15/2007	6864.66	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/14/2007	6864.32	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/13/2007	6863.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/12/2007	6863.5	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/11/2007	6863.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/10/2007	6862.52	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/9/2007	6861.98	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/8/2007	6861.41	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/7/2007	6860.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/6/2007	6860.13	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/5/2007	6859.63	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/4/2007	6859.24	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/3/2007	6858.78	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/2/2007	6858.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	9/1/2007	6858.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/31/2007	6858.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/30/2007	6858.18	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/29/2007	6858.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/28/2007	6858.22	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/27/2007	6858.25	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/26/2007	6858.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/25/2007	6858.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/24/2007	6858.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/23/2007	6858.34	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/22/2007	6858.36	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/21/2007	6858.39	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/20/2007	6858.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/19/2007	6858.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/18/2007	6858.48	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/17/2007	6858.51	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/16/2007	6858.55	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/15/2007	6858.6	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/14/2007	6858.66	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/13/2007	6858.68	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/12/2007	6858.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/11/2007	6858.88	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/10/2007	6859.01	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/9/2007	6859.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/8/2007	6859.32	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/7/2007	6859.51	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/6/2007	6859.72	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/5/2007	6859.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/4/2007	6860.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/3/2007	6860.46	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/2/2007	6860.7	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	8/1/2007	6860.93	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/31/2007	6861.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/30/2007	6861.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/29/2007	6861.58	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/28/2007	6861.79	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/27/2007	6861.99	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/26/2007	6862.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/25/2007	6862.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/24/2007	6862.56	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/23/2007	6862.75	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/22/2007	6862.93	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/21/2007	6863.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/20/2007	6863.3	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/19/2007	6863.48	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/18/2007	6863.67	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/17/2007	6863.85	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/16/2007	6864.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/15/2007	6864.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/14/2007	6864.37	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/13/2007	6864.55	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/12/2007	6864.72	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/11/2007	6864.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/10/2007	6865.07	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/9/2007	6865.26	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/8/2007	6865.44	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/7/2007	6865.62	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/6/2007	6865.8	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/5/2007	6865.93	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/5/2007	6866	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/4/2007	6866.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/3/2007	6866.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/2/2007	6866.56	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	7/1/2007	6866.74	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/30/2007	6866.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/29/2007	6867.05	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/28/2007	6867.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/27/2007	6867.33	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/26/2007	6867.46	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/25/2007	6867.58	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/24/2007	6867.69	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/23/2007	6867.78	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/22/2007	6867.87	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/21/2007	6867.95	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/20/2007	6868.03	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/19/2007	6868.12	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/18/2007	6868.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/17/2007	6868.26	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/16/2007	6868.32	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/15/2007	6868.38	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/14/2007	6868.42	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/13/2007	6868.47	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/12/2007	6868.53	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/11/2007	6868.57	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/10/2007	6868.6	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/9/2007	6868.64	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/8/2007	6868.67	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/7/2007	6868.74	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/6/2007	6868.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/5/2007	6868.77	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/4/2007	6868.75	Manual
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/4/2007	6868.79	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/3/2007	6868.82	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/2/2007	6868.86	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	6/1/2007	6868.89	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/31/2007	6868.9	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/30/2007	6868.94	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/29/2007	6868.97	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/28/2007	6868.98	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/27/2007	6869	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/26/2007	6869.02	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/25/2007	6869.04	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/24/2007	6869.06	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/23/2007	6869.1	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/22/2007	6869.14	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/21/2007	6869.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/20/2007	6869.16	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/19/2007	6869.19	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/18/2007	6869.2	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/17/2007	6869.22	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/16/2007	6869.23	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/15/2007	6869.27	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/14/2007	6869.29	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/13/2007	6869.3	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/12/2007	6869.31	Transducer
MCO-4B	8.9	Single	4581	20	8.9	28.9	2	2.5	5/11/2007	6869.33	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/1/2008	6853.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/31/2008	6853.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/30/2008	6853.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/29/2008	6853.68	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/28/2008	6853.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/27/2008	6853.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/26/2008	6853.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/25/2008	6854.06	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/24/2008	6854.15	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/23/2008	6854.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/22/2008	6854.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/21/2008	6854.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/20/2008	6854.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/19/2008	6854.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/18/2008	6854.62	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/17/2008	6854.68	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/16/2008	6854.75	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/15/2008	6854.82	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/14/2008	6854.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/13/2008	6854.95	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/12/2008	6855	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/11/2008	6855.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/10/2008	6855.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/9/2008	6855.15	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/8/2008	6855.2	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/7/2008	6855.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/6/2008	6855.29	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/5/2008	6855.33	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/4/2008	6855.37	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/3/2008	6855.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/2/2008	6855.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/1/2008	6855.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/30/2008	6855.52	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/29/2008	6855.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/28/2008	6855.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/27/2008	6855.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/26/2008	6855.63	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/25/2008	6855.66	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/24/2008	6855.69	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/23/2008	6855.71	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	4/22/2008	6855.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/21/2008	6855.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/20/2008	6855.79	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/19/2008	6855.8	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/18/2008	6855.81	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/17/2008	6855.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/16/2008	6855.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/15/2008	6855.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/14/2008	6855.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/13/2008	6855.87	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/12/2008	6855.89	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/11/2008	6855.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/10/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/9/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/8/2008	6855.95	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/7/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/6/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/5/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/4/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/3/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/2/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	4/1/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/31/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/30/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/29/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/28/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/27/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/26/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/25/2008	6855.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/24/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/23/2008	6855.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/22/2008	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/21/2008	6855.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/20/2008	6856.01	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/19/2008	6856.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/18/2008	6856.05	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/17/2008	6856.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/16/2008	6856.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/15/2008	6856.12	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/14/2008	6856.16	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/13/2008	6856.19	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/12/2008	6856.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/11/2008	6856.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/10/2008	6856.3	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/9/2008	6856.37	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/8/2008	6856.43	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/7/2008	6856.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/6/2008	6856.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/5/2008	6856.67	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/4/2008	6856.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/3/2008	6856.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/2/2008	6856.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	3/1/2008	6857.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/29/2008	6857.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/28/2008	6857.24	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	2/28/2008	6857.19	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/27/2008	6857.17	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	2/26/2008	6856.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/25/2008	6856.18	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/24/2008	6856.18	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/23/2008	6856.3	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/22/2008	6856.38	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/21/2008	6856.48	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/20/2008	6856.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/19/2008	6856.65	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/18/2008	6856.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/17/2008	6856.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/16/2008	6856.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/15/2008	6856.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/14/2008	6857.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/13/2008	6857.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/12/2008	6857.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/11/2008	6857.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/10/2008	6857.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/9/2008	6857.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/8/2008	6857.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/7/2008	6857.69	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	2/7/2008	6857.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/6/2008	6857.81	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/5/2008	6857.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/4/2008	6857.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/3/2008	6858.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/2/2008	6858.08	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	2/1/2008	6858.13	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/31/2008	6858.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/30/2008	6858.28	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/29/2008	6858.35	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/28/2008	6858.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/27/2008	6858.44	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/26/2008	6858.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/25/2008	6858.61	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/24/2008	6858.68	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/23/2008	6858.75	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/22/2008	6858.82	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/21/2008	6858.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/20/2008	6858.95	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/19/2008	6859	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/18/2008	6859.08	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/17/2008	6859.14	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/16/2008	6859.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/15/2008	6859.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/14/2008	6859.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/13/2008	6859.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/12/2008	6859.37	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/11/2008	6859.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/10/2008	6859.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/9/2008	6859.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/8/2008	6859.5	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/7/2008	6859.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/6/2008	6859.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/5/2008	6859.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/4/2008	6859.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/3/2008	6859.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	1/2/2008	6859.52	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	1/1/2008	6859.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/31/2007	6859.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/30/2007	6859.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/29/2007	6859.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/28/2007	6859.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/27/2007	6859.48	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/26/2007	6859.38	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/25/2007	6859.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/24/2007	6859.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/23/2007	6859.16	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/22/2007	6859.12	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/21/2007	6859.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/20/2007	6858.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/19/2007	6858.83	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/18/2007	6858.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/17/2007	6858.65	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/16/2007	6858.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/15/2007	6858.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/14/2007	6858.43	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/13/2007	6858.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/12/2007	6858.27	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/11/2007	6858.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/10/2007	6858.18	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/9/2007	6858.13	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/8/2007	6858.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/7/2007	6858.04	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/6/2007	6857.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/5/2007	6857.94	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/4/2007	6857.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/3/2007	6857.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/2/2007	6857.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	12/1/2007	6856.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/30/2007	6856.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/29/2007	6856.82	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/28/2007	6856.9	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/27/2007	6856.91	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/26/2007	6856.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/25/2007	6857.01	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/24/2007	6857.05	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/23/2007	6857.07	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/22/2007	6857.06	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/21/2007	6857.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/20/2007	6857.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/19/2007	6857.1	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/18/2007	6857.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/17/2007	6857.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/16/2007	6857.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/15/2007	6857.05	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/14/2007	6857.07	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/13/2007	6857.03	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/12/2007	6857.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/11/2007	6857	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/10/2007	6856.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/9/2007	6856.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/8/2007	6856.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/7/2007	6856.82	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/6/2007	6856.77	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	11/5/2007	6856.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/4/2007	6856.66	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/3/2007	6856.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/2/2007	6856.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	11/1/2007	6856.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/31/2007	6856.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/30/2007	6856.39	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	10/30/2007	6856.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/29/2007	6856.23	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/28/2007	6856.13	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/27/2007	6856.06	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/26/2007	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/25/2007	6855.87	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/24/2007	6855.75	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/23/2007	6855.66	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/22/2007	6855.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/21/2007	6855.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/20/2007	6855.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/19/2007	6855.21	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/18/2007	6855.1	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/17/2007	6854.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/16/2007	6854.84	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/15/2007	6854.71	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/14/2007	6854.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/13/2007	6854.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/12/2007	6854.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/11/2007	6854.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/10/2007	6854.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/9/2007	6853.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/8/2007	6853.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/7/2007	6853.63	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/6/2007	6853.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/5/2007	6853.39	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/4/2007	6853.27	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/3/2007	6853.13	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/2/2007	6853	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	10/1/2007	6852.85	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/30/2007	6852.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/29/2007	6852.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/28/2007	6852.43	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/27/2007	6852.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/26/2007	6852.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/25/2007	6851.9	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/24/2007	6851.71	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/23/2007	6851.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/22/2007	6851.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/21/2007	6850.96	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/20/2007	6850.64	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/19/2007	6850.27	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/18/2007	6849.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/17/2007	6849.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/16/2007	6849.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/15/2007	6848.76	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/14/2007	6848.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/13/2007	6848.2	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/12/2007	6848	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/11/2007	6847.84	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	9/10/2007	6847.71	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/9/2007	6847.58	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/8/2007	6847.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/7/2007	6847.31	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/6/2007	6847.29	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/5/2007	6847.29	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/4/2007	6847.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/3/2007	6847.2	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/2/2007	6847.12	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	9/1/2007	6847.16	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/31/2007	6847.19	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/30/2007	6847.21	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/29/2007	6847.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/28/2007	6847.33	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/27/2007	6847.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/26/2007	6847.52	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/25/2007	6847.66	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/24/2007	6847.83	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/23/2007	6848.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/22/2007	6848.24	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/21/2007	6848.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/20/2007	6848.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/19/2007	6848.97	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/18/2007	6849.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/17/2007	6849.46	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/16/2007	6849.7	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/15/2007	6849.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/14/2007	6850.14	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/13/2007	6850.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/12/2007	6850.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/11/2007	6850.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/10/2007	6850.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/9/2007	6851.18	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/8/2007	6851.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/7/2007	6851.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/6/2007	6851.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/5/2007	6851.92	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/4/2007	6852.09	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/3/2007	6852.25	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/2/2007	6852.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	8/1/2007	6852.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/31/2007	6852.73	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/30/2007	6852.89	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/29/2007	6853.05	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/28/2007	6853.2	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/27/2007	6853.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/26/2007	6853.48	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/25/2007	6853.62	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/24/2007	6853.75	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/23/2007	6853.87	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/22/2007	6853.99	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/21/2007	6854.11	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/20/2007	6854.23	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/19/2007	6854.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/18/2007	6854.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/17/2007	6854.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/16/2007	6854.68	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	7/15/2007	6854.78	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/14/2007	6854.88	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/13/2007	6854.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/12/2007	6855.08	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/11/2007	6855.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/10/2007	6855.27	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/9/2007	6855.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/8/2007	6855.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/7/2007	6855.52	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/6/2007	6855.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/5/2007	6855.65	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	7/5/2007	6855.67	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/4/2007	6855.74	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/3/2007	6855.8	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/2/2007	6855.86	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	7/1/2007	6855.93	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/30/2007	6855.98	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/29/2007	6856.03	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/28/2007	6856.07	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/27/2007	6856.12	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/26/2007	6856.17	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/25/2007	6856.22	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/24/2007	6856.26	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/23/2007	6856.29	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/22/2007	6856.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/21/2007	6856.34	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/20/2007	6856.37	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/19/2007	6856.41	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/18/2007	6856.45	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/17/2007	6856.47	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/16/2007	6856.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/15/2007	6856.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/14/2007	6856.52	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/13/2007	6856.53	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/12/2007	6856.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/11/2007	6856.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/10/2007	6856.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/9/2007	6856.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/8/2007	6856.56	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/7/2007	6856.61	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/6/2007	6856.63	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/5/2007	6856.59	Manual
MCO-5	21	Single	4591	25	21	46	3	3.5	6/5/2007	6856.61	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/4/2007	6856.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/3/2007	6856.61	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/2/2007	6856.6	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	6/1/2007	6856.62	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/31/2007	6856.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/30/2007	6856.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/29/2007	6856.59	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/28/2007	6856.57	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/27/2007	6856.55	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/26/2007	6856.54	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/25/2007	6856.51	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/24/2007	6856.49	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/23/2007	6856.48	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/22/2007	6856.47	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-5	21	Single	4591	25	21	46	3	3.5	5/21/2007	6856.44	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/20/2007	6856.4	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/19/2007	6856.36	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/18/2007	6856.32	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/17/2007	6856.28	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/16/2007	6856.23	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/15/2007	6856.19	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/14/2007	6856.15	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/13/2007	6856.08	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/12/2007	6856.02	Transducer
MCO-5	21	Single	4591	25	21	46	3	3.5	5/11/2007	6855.95	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/1/2008	6813.28	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/31/2008	6813.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/30/2008	6813.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/29/2008	6813.4	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/28/2008	6813.44	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/27/2008	6813.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/26/2008	6813.53	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/25/2008	6813.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/24/2008	6813.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/23/2008	6813.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/22/2008	6813.71	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/21/2008	6813.76	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	5/21/2008	6813.74	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/20/2008	6813.78	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/19/2008	6813.82	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/18/2008	6813.86	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/17/2008	6813.9	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/16/2008	6813.95	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/15/2008	6814	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/14/2008	6814.05	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/13/2008	6814.1	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/12/2008	6814.14	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/11/2008	6814.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/10/2008	6814.23	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/9/2008	6814.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/8/2008	6814.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/7/2008	6814.37	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/6/2008	6814.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/5/2008	6814.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/4/2008	6814.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/3/2008	6814.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/2/2008	6814.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/1/2008	6814.63	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/30/2008	6814.66	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/29/2008	6814.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/28/2008	6814.72	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/27/2008	6814.77	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/26/2008	6814.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/25/2008	6814.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/24/2008	6814.89	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/23/2008	6814.92	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/22/2008	6814.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/21/2008	6815	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/20/2008	6815.03	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/19/2008	6815.06	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/18/2008	6815.09	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	4/17/2008	6815.13	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/16/2008	6815.16	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/15/2008	6815.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/14/2008	6815.2	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/13/2008	6815.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/12/2008	6815.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/11/2008	6815.32	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/10/2008	6815.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/9/2008	6815.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/8/2008	6815.41	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/7/2008	6815.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/6/2008	6815.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/5/2008	6815.51	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/4/2008	6815.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/3/2008	6815.58	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/2/2008	6815.61	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	4/1/2008	6815.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/31/2008	6815.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/30/2008	6815.72	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/29/2008	6815.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/28/2008	6815.78	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/27/2008	6815.82	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/26/2008	6815.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/25/2008	6815.88	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/24/2008	6815.91	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/23/2008	6815.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/22/2008	6815.98	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/21/2008	6816.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/20/2008	6816.05	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/19/2008	6816.09	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/18/2008	6816.14	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/17/2008	6816.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/16/2008	6816.21	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/15/2008	6816.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/14/2008	6816.26	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/13/2008	6816.28	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/12/2008	6816.3	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/11/2008	6816.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/10/2008	6816.33	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/9/2008	6816.38	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/8/2008	6816.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/7/2008	6816.4	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/6/2008	6816.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/5/2008	6816.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/4/2008	6816.44	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/3/2008	6816.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/2/2008	6816.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	3/1/2008	6816.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/29/2008	6816.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/28/2008	6816.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	2/28/2008	6816.5	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	2/21/2008	6816.56	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	12/14/2007	6816.23	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	10/30/2007	6812.12	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	10/30/2007	6812.01	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/29/2007	6811.92	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/28/2007	6811.83	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	10/27/2007	6811.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/26/2007	6811.66	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/25/2007	6811.55	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/24/2007	6811.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/23/2007	6811.34	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/22/2007	6811.23	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/21/2007	6811.14	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/20/2007	6811.03	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/19/2007	6810.92	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/18/2007	6810.82	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/17/2007	6810.73	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/16/2007	6810.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/15/2007	6810.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/14/2007	6810.44	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/13/2007	6810.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/12/2007	6810.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/11/2007	6810.18	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/10/2007	6810.1	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/9/2007	6810.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/8/2007	6809.94	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/7/2007	6809.87	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/6/2007	6809.81	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/5/2007	6809.76	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/4/2007	6809.71	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/3/2007	6809.66	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/2/2007	6809.63	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	10/1/2007	6809.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/30/2007	6809.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/29/2007	6809.54	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/28/2007	6809.52	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/27/2007	6809.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/26/2007	6809.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/25/2007	6809.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/24/2007	6809.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/23/2007	6809.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/22/2007	6809.52	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/21/2007	6809.55	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/20/2007	6809.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/19/2007	6809.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/18/2007	6809.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/17/2007	6809.77	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/16/2007	6809.87	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/15/2007	6809.99	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/14/2007	6810.12	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/13/2007	6810.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/12/2007	6810.42	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/11/2007	6810.58	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/10/2007	6810.73	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/9/2007	6810.88	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/8/2007	6811.02	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/7/2007	6811.15	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/6/2007	6811.28	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/5/2007	6811.39	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/4/2007	6811.51	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/3/2007	6811.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/2/2007	6811.71	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	9/1/2007	6811.8	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	8/31/2007	6811.89	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/30/2007	6811.98	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/29/2007	6812.07	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/28/2007	6812.15	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/27/2007	6812.22	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/26/2007	6812.3	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/25/2007	6812.38	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/24/2007	6812.46	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/23/2007	6812.53	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/22/2007	6812.61	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/21/2007	6812.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/20/2007	6812.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/19/2007	6812.82	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/18/2007	6812.9	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/17/2007	6812.96	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/16/2007	6813.03	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/15/2007	6813.1	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/14/2007	6813.17	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/13/2007	6813.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/12/2007	6813.3	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/11/2007	6813.37	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/10/2007	6813.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/9/2007	6813.49	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/8/2007	6813.56	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/7/2007	6813.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/6/2007	6813.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/5/2007	6813.72	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/4/2007	6813.78	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/3/2007	6813.83	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/2/2007	6813.88	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	8/1/2007	6813.93	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/31/2007	6813.98	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/30/2007	6814.03	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/29/2007	6814.07	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/28/2007	6814.12	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/27/2007	6814.16	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/26/2007	6814.2	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/25/2007	6814.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/24/2007	6814.27	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/23/2007	6814.31	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/22/2007	6814.35	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/21/2007	6814.38	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/20/2007	6814.42	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/19/2007	6814.45	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/18/2007	6814.48	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/17/2007	6814.51	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/16/2007	6814.53	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/15/2007	6814.55	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/14/2007	6814.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/13/2007	6814.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/12/2007	6814.6	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/11/2007	6814.62	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/10/2007	6814.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/9/2007	6814.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/8/2007	6814.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/7/2007	6814.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/6/2007	6814.67	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	7/5/2007	6814.73	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	7/5/2007	6814.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/4/2007	6814.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/3/2007	6814.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/2/2007	6814.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	7/1/2007	6814.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/30/2007	6814.67	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/29/2007	6814.66	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/28/2007	6814.64	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/27/2007	6814.63	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/26/2007	6814.63	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/25/2007	6814.61	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/24/2007	6814.59	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/23/2007	6814.56	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/22/2007	6814.53	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/21/2007	6814.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/20/2007	6814.47	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/19/2007	6814.44	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/18/2007	6814.42	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/17/2007	6814.37	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/16/2007	6814.33	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/15/2007	6814.29	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/14/2007	6814.24	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/13/2007	6814.2	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/12/2007	6814.15	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/11/2007	6814.1	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/10/2007	6814.04	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/9/2007	6813.99	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/8/2007	6813.93	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/7/2007	6813.9	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/6/2007	6813.83	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/5/2007	6813.75	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/4/2007	6813.72	Manual
MCO-6	27	Single	4601	20	27	47	4	4.5	6/4/2007	6813.69	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/3/2007	6813.63	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/2/2007	6813.57	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	6/1/2007	6813.5	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/31/2007	6813.43	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/30/2007	6813.36	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/29/2007	6813.29	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/28/2007	6813.22	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/27/2007	6813.14	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/26/2007	6813.07	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/25/2007	6812.99	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/24/2007	6812.92	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/23/2007	6812.85	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/22/2007	6812.77	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/21/2007	6812.68	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/20/2007	6812.6	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/19/2007	6812.51	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/18/2007	6812.42	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/17/2007	6812.33	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/16/2007	6812.22	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/15/2007	6812.12	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/14/2007	6812.01	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/13/2007	6811.89	Transducer
MCO-6	27	Single	4601	20	27	47	4	4.5	5/12/2007	6811.76	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-6	27	Single	4601	20	27	47	4	4.5	5/11/2007	6811.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/1/2008	6790.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/31/2008	6790.41	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/30/2008	6790.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/29/2008	6790.46	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/28/2008	6790.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/27/2008	6790.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/26/2008	6790.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/25/2008	6790.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/24/2008	6790.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/23/2008	6790.67	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/22/2008	6790.69	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/21/2008	6790.73	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	5/21/2008	6790.7	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/20/2008	6790.72	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/19/2008	6790.75	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/18/2008	6790.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/17/2008	6790.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/16/2008	6790.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/15/2008	6790.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/14/2008	6790.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/13/2008	6790.92	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/12/2008	6790.94	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/11/2008	6790.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/10/2008	6791	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/9/2008	6791.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/8/2008	6791.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/7/2008	6791.09	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/6/2008	6791.1	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/5/2008	6791.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/4/2008	6791.14	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/3/2008	6791.17	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/2/2008	6791.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/1/2008	6791.25	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/30/2008	6791.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/29/2008	6791.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/28/2008	6791.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/27/2008	6791.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/26/2008	6791.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/25/2008	6791.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/24/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/23/2008	6791.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/22/2008	6791.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/21/2008	6791.45	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/20/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/19/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/18/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/17/2008	6791.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/16/2008	6791.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/15/2008	6791.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/14/2008	6791.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/13/2008	6791.51	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/12/2008	6791.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/11/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/10/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/9/2008	6791.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/8/2008	6791.6	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	4/7/2008	6791.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/6/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/5/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/4/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/3/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/2/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	4/1/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/31/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/30/2008	6791.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/29/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/28/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/27/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/26/2008	6791.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/25/2008	6791.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/24/2008	6791.59	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/23/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/22/2008	6791.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/21/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/20/2008	6791.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/19/2008	6791.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/18/2008	6791.53	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	3/18/2008	6791.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/17/2008	6791.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/16/2008	6791.56	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/15/2008	6791.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/14/2008	6791.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/13/2008	6791.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/12/2008	6791.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/11/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/10/2008	6791.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/9/2008	6791.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/8/2008	6791.45	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/7/2008	6791.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/6/2008	6791.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/5/2008	6791.43	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/4/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/3/2008	6791.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/2/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	3/1/2008	6791.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/29/2008	6791.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/28/2008	6791.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/27/2008	6791.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/26/2008	6791.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/25/2008	6791.4	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	2/25/2008	6791.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/24/2008	6791.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/23/2008	6791.27	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/22/2008	6791.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/21/2008	6791.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/20/2008	6791.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/19/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/18/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/17/2008	6791.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/16/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/15/2008	6791.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/14/2008	6791.23	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/13/2008	6791.19	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	2/12/2008	6791.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/11/2008	6791.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/10/2008	6791.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/9/2008	6791.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/8/2008	6791.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/7/2008	6791.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/6/2008	6791.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/5/2008	6791.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/4/2008	6791.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/3/2008	6791.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/2/2008	6791.96	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	2/1/2008	6792.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/31/2008	6792.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/30/2008	6792.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/29/2008	6790.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/28/2008	6790.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/27/2008	6790.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/26/2008	6790.13	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/25/2008	6790.14	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/24/2008	6790.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/23/2008	6790.1	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/22/2008	6790.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/21/2008	6790.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/20/2008	6790.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/19/2008	6790.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/18/2008	6790.03	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/17/2008	6790.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/16/2008	6790.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/15/2008	6789.98	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/14/2008	6789.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/13/2008	6789.96	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/12/2008	6789.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/11/2008	6789.94	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/10/2008	6789.93	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/9/2008	6789.91	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/8/2008	6789.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/7/2008	6789.9	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/6/2008	6789.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/5/2008	6789.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/4/2008	6789.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/3/2008	6789.81	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/2/2008	6789.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	1/1/2008	6789.74	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/31/2007	6789.8	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/30/2007	6789.78	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/29/2007	6789.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/28/2007	6789.73	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/27/2007	6789.75	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/26/2007	6789.69	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/25/2007	6789.69	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/24/2007	6789.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/23/2007	6789.61	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/22/2007	6789.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/21/2007	6789.6	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/20/2007	6789.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/19/2007	6789.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/18/2007	6789.48	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	12/17/2007	6789.45	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/16/2007	6789.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/15/2007	6789.37	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/14/2007	6789.37	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	12/14/2007	6789.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/13/2007	6789.27	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/12/2007	6789.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/11/2007	6789.23	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/10/2007	6789.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/9/2007	6789.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/8/2007	6789.22	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/7/2007	6789.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/6/2007	6789.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/5/2007	6789.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/4/2007	6790.32	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/3/2007	6790.85	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/2/2007	6789.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	12/1/2007	6786.6	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/30/2007	6786.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/29/2007	6786.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/28/2007	6786.46	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/27/2007	6786.43	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	11/27/2007	6786.39	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/26/2007	6786.37	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/25/2007	6786.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/24/2007	6786.3	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/23/2007	6786.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/22/2007	6786.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/21/2007	6786.18	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/20/2007	6786.13	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/19/2007	6786.08	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/18/2007	6786.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/17/2007	6786.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/16/2007	6785.98	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/15/2007	6785.93	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/14/2007	6785.93	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/13/2007	6785.89	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/12/2007	6785.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/11/2007	6785.87	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/10/2007	6785.85	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/9/2007	6785.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/8/2007	6785.81	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/7/2007	6785.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/6/2007	6785.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/5/2007	6785.78	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/4/2007	6785.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/3/2007	6785.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/2/2007	6785.8	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	11/1/2007	6785.8	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/31/2007	6785.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/30/2007	6785.85	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/29/2007	6785.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/28/2007	6785.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/27/2007	6785.92	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/26/2007	6785.98	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/25/2007	6786.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/24/2007	6786.05	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	10/23/2007	6786.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/22/2007	6786.17	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/21/2007	6786.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/20/2007	6786.29	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/19/2007	6786.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/18/2007	6786.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/17/2007	6786.41	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/16/2007	6786.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/15/2007	6786.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/14/2007	6786.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/13/2007	6786.69	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/12/2007	6786.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/11/2007	6786.83	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/10/2007	6786.9	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/9/2007	6786.97	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/8/2007	6787.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/7/2007	6787.12	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/6/2007	6787.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/5/2007	6787.27	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/4/2007	6787.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/3/2007	6787.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/2/2007	6787.48	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	10/1/2007	6787.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/30/2007	6787.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/29/2007	6787.7	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/28/2007	6787.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/27/2007	6787.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/26/2007	6787.91	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/25/2007	6787.98	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/24/2007	6788.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/23/2007	6788.13	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/22/2007	6788.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/21/2007	6788.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/20/2007	6788.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/19/2007	6788.39	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/18/2007	6788.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/17/2007	6788.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/16/2007	6788.54	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/15/2007	6788.6	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/14/2007	6788.65	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/13/2007	6788.71	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/12/2007	6788.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/11/2007	6788.8	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/10/2007	6788.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/9/2007	6788.92	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/8/2007	6788.99	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/7/2007	6789.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/6/2007	6789.15	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/5/2007	6789.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/4/2007	6789.17	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/3/2007	6788.73	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/2/2007	6788.73	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	9/1/2007	6788.75	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/31/2007	6788.75	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/30/2007	6788.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/29/2007	6788.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/28/2007	6788.81	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	8/27/2007	6788.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/26/2007	6788.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/25/2007	6788.83	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/24/2007	6788.85	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/23/2007	6788.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/22/2007	6788.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/21/2007	6788.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/20/2007	6788.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/19/2007	6788.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/18/2007	6788.85	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/17/2007	6788.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/16/2007	6788.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/15/2007	6788.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/14/2007	6788.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/13/2007	6788.81	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/12/2007	6788.81	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/11/2007	6788.81	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/10/2007	6788.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/9/2007	6788.79	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/8/2007	6788.78	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/7/2007	6788.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/6/2007	6788.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/5/2007	6788.74	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/4/2007	6788.72	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/3/2007	6788.7	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/2/2007	6788.69	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	8/1/2007	6788.67	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/31/2007	6788.66	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/30/2007	6788.64	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/29/2007	6788.62	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/28/2007	6788.59	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/27/2007	6788.57	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/26/2007	6788.55	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/25/2007	6788.52	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/24/2007	6788.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/23/2007	6788.46	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/22/2007	6788.43	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/21/2007	6788.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/20/2007	6788.38	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/19/2007	6788.34	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/18/2007	6788.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/17/2007	6788.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/16/2007	6788.24	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/15/2007	6788.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/14/2007	6788.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/13/2007	6788.13	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/12/2007	6788.09	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/11/2007	6788.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/10/2007	6788.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/9/2007	6787.98	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/8/2007	6787.94	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/7/2007	6787.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/6/2007	6787.88	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	7/6/2007	6787.84	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/5/2007	6787.8	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/4/2007	6787.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/3/2007	6787.71	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7	39	Single	4631	30	39	69	3	3.5	7/2/2007	6787.67	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	7/1/2007	6787.63	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/30/2007	6787.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/29/2007	6787.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/28/2007	6787.49	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/27/2007	6787.44	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/26/2007	6787.4	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/25/2007	6787.36	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/24/2007	6787.31	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/23/2007	6787.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/22/2007	6787.21	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/21/2007	6787.16	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/20/2007	6787.11	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/19/2007	6787.06	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/18/2007	6787.02	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/17/2007	6786.96	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/16/2007	6786.91	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/15/2007	6786.87	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/14/2007	6786.81	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/13/2007	6786.76	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/12/2007	6786.71	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/11/2007	6786.65	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/10/2007	6786.59	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/9/2007	6786.53	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/8/2007	6786.47	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/7/2007	6786.43	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/6/2007	6786.39	Manual
MCO-7	39	Single	4631	30	39	69	3	3.5	6/6/2007	6786.39	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/5/2007	6786.33	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/4/2007	6786.26	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/3/2007	6786.19	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/2/2007	6786.11	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	6/1/2007	6786.05	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/31/2007	6785.95	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/30/2007	6785.88	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/29/2007	6785.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/28/2007	6785.74	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/27/2007	6785.66	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/26/2007	6785.58	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/25/2007	6785.5	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/24/2007	6785.42	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/23/2007	6785.35	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/22/2007	6785.28	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/21/2007	6785.2	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/20/2007	6785.11	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/19/2007	6785.04	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/18/2007	6784.97	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/17/2007	6784.91	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/16/2007	6784.86	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/15/2007	6784.82	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/14/2007	6784.77	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/13/2007	6784.73	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/12/2007	6784.7	Transducer
MCO-7	39	Single	4631	30	39	69	3	3.5	5/11/2007	6784.67	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/1/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/31/2008	6767.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/30/2008	6767.53	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/29/2008	6767.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/28/2008	6767.57	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/28/2008	6767.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/27/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/26/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/25/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/24/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/23/2008	6767.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/22/2008	6767.66	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/21/2008	6767.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/20/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/19/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/18/2008	6767.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/17/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/16/2008	6767.58	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/15/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/14/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/13/2008	6767.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/12/2008	6767.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/11/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/10/2008	6767.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/9/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/8/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/7/2008	6767.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/6/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/5/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/4/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/3/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/2/2008	6767.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/1/2008	6767.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/30/2008	6767.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/29/2008	6767.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/28/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/27/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/26/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/25/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/24/2008	6767.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/23/2008	6767.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/22/2008	6767.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/21/2008	6767.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/20/2008	6767.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/19/2008	6767.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/18/2008	6767.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/17/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/16/2008	6767.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/15/2008	6767.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/14/2008	6767.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/13/2008	6767.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/12/2008	6767.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/11/2008	6767.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/10/2008	6767.47	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/9/2008	6767.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/8/2008	6767.42	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/7/2008	6767.42	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/6/2008	6767.4	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/5/2008	6767.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/4/2008	6767.36	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/3/2008	6767.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/2/2008	6767.34	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	4/1/2008	6767.32	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/31/2008	6767.32	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/30/2008	6767.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/29/2008	6767.29	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/28/2008	6767.28	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/27/2008	6767.28	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/27/2008	6767.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/26/2008	6767.24	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/25/2008	6767.23	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/24/2008	6767.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/23/2008	6767.18	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/22/2008	6767.18	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/21/2008	6767.16	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/20/2008	6767.15	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/19/2008	6767.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/18/2008	6767.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/17/2008	6767.11	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/16/2008	6767.11	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/15/2008	6767.08	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/14/2008	6767.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/13/2008	6767.05	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/12/2008	6767.02	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/11/2008	6766.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/10/2008	6766.96	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/9/2008	6766.97	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/8/2008	6766.95	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/7/2008	6766.92	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/6/2008	6766.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/5/2008	6766.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/4/2008	6766.87	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/3/2008	6766.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/2/2008	6766.84	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	3/1/2008	6766.79	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/29/2008	6766.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/28/2008	6766.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/27/2008	6766.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/26/2008	6766.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/25/2008	6766.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/24/2008	6766.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/23/2008	6766.67	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/22/2008	6766.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/21/2008	6766.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/20/2008	6766.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/19/2008	6766.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/18/2008	6766.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/17/2008	6766.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/16/2008	6766.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/15/2008	6766.42	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/14/2008	6766.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/13/2008	6766.35	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/12/2008	6766.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/11/2008	6766.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/10/2008	6766.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/9/2008	6766.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/8/2008	6766.17	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/7/2008	6766.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/6/2008	6766.11	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/6/2008	6766.09	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/5/2008	6766.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/4/2008	6766.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/3/2008	6766.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/2/2008	6765.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	2/1/2008	6765.96	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/31/2008	6765.95	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/30/2008	6765.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/29/2008	6765.93	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/28/2008	6765.9	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/27/2008	6765.85	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/26/2008	6765.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/25/2008	6765.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/24/2008	6765.8	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/23/2008	6765.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/22/2008	6765.76	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/21/2008	6765.75	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/20/2008	6765.72	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/19/2008	6765.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/18/2008	6765.68	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/17/2008	6765.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/16/2008	6765.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/15/2008	6765.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/14/2008	6765.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/13/2008	6765.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/12/2008	6765.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/11/2008	6765.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/10/2008	6765.48	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/9/2008	6765.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/8/2008	6765.43	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/7/2008	6765.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/6/2008	6765.38	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/5/2008	6765.34	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/4/2008	6765.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/3/2008	6765.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/2/2008	6765.23	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	1/1/2008	6765.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/31/2007	6765.2	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/30/2007	6765.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/29/2007	6765.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/28/2007	6765.1	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/27/2007	6765.08	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/26/2007	6765.02	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/25/2007	6764.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/24/2007	6764.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/23/2007	6764.9	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/22/2007	6764.87	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/21/2007	6764.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/20/2007	6764.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/19/2007	6764.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/18/2007	6764.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/17/2007	6764.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/16/2007	6764.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/15/2007	6764.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/14/2007	6764.54	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/13/2007	6764.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/12/2007	6764.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/11/2007	6764.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/10/2007	6764.4	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/9/2007	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/8/2007	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/7/2007	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/6/2007	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/5/2007	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/4/2007	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/3/2007	6764.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/2/2007	6764.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	12/1/2007	6764.47	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/30/2007	6764.47	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/29/2007	6764.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/28/2007	6764.5	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/28/2007	6764.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/27/2007	6764.58	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/26/2007	6764.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/25/2007	6764.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/24/2007	6764.66	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/23/2007	6764.67	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/22/2007	6764.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/21/2007	6764.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/20/2007	6764.75	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/19/2007	6764.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/18/2007	6764.8	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/17/2007	6764.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/16/2007	6764.85	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/15/2007	6764.87	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/14/2007	6764.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/13/2007	6764.93	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/12/2007	6764.97	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/11/2007	6764.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/10/2007	6765.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/9/2007	6765.03	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/8/2007	6765.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/7/2007	6765.08	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/6/2007	6765.1	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/5/2007	6765.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/4/2007	6765.15	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/3/2007	6765.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/2/2007	6765.2	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	11/1/2007	6765.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/31/2007	6765.24	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/30/2007	6765.26	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/29/2007	6765.27	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/28/2007	6765.29	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/27/2007	6765.32	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/26/2007	6765.34	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/25/2007	6765.35	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/24/2007	6765.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/23/2007	6765.38	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/22/2007	6765.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/21/2007	6765.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/20/2007	6765.45	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/19/2007	6765.46	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/18/2007	6765.51	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/17/2007	6765.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/16/2007	6765.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/15/2007	6765.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/14/2007	6765.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/13/2007	6765.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/12/2007	6765.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/11/2007	6765.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/10/2007	6765.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/9/2007	6765.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/8/2007	6765.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/7/2007	6765.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/6/2007	6765.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/5/2007	6765.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/4/2007	6765.59	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/3/2007	6765.58	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/2/2007	6765.58	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	10/1/2007	6765.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/30/2007	6765.58	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/29/2007	6765.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/28/2007	6765.56	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/27/2007	6765.55	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/26/2007	6765.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/25/2007	6765.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/24/2007	6765.53	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/23/2007	6765.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/22/2007	6765.5	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/21/2007	6765.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/20/2007	6765.47	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/19/2007	6765.46	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/18/2007	6765.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/17/2007	6765.43	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/16/2007	6765.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/15/2007	6765.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/14/2007	6765.37	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/13/2007	6765.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/12/2007	6765.34	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/11/2007	6765.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/10/2007	6765.31	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/9/2007	6765.3	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/8/2007	6765.28	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/7/2007	6765.26	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/6/2007	6765.26	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/5/2007	6765.24	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/4/2007	6765.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/3/2007	6765.2	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/2/2007	6765.18	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	9/1/2007	6765.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/31/2007	6765.14	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/30/2007	6765.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/29/2007	6765.08	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/28/2007	6765.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/27/2007	6765.04	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/26/2007	6765.02	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/25/2007	6765.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/24/2007	6764.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/23/2007	6764.97	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/22/2007	6764.95	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/21/2007	6764.92	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/20/2007	6764.9	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/19/2007	6764.88	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/18/2007	6764.85	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/17/2007	6764.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/16/2007	6764.81	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/15/2007	6764.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/14/2007	6764.76	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/13/2007	6764.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/12/2007	6764.71	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/11/2007	6764.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/10/2007	6764.66	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/9/2007	6764.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/8/2007	6764.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/7/2007	6764.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/6/2007	6764.57	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/5/2007	6764.54	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/4/2007	6764.52	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/3/2007	6764.49	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/2/2007	6764.47	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	8/1/2007	6764.44	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/31/2007	6764.41	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/30/2007	6764.39	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/29/2007	6764.36	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/28/2007	6764.33	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/27/2007	6764.3	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/26/2007	6764.28	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/25/2007	6764.24	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/24/2007	6764.22	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/23/2007	6764.19	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/22/2007	6764.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/21/2007	6764.14	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/20/2007	6764.12	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/19/2007	6764.09	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/18/2007	6764.07	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/17/2007	6764.06	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/16/2007	6764.04	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/15/2007	6764.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/14/2007	6763.99	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/13/2007	6763.98	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/12/2007	6763.96	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/11/2007	6763.94	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/10/2007	6763.93	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/9/2007	6763.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/8/2007	6763.89	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/7/2007	6763.86	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/6/2007	6763.84	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/6/2007	6763.84	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/5/2007	6763.83	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/4/2007	6763.81	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/3/2007	6763.79	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/2/2007	6763.78	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	7/1/2007	6763.76	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/30/2007	6763.75	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/29/2007	6763.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/28/2007	6763.71	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/27/2007	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/26/2007	6763.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/25/2007	6763.69	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/24/2007	6763.68	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/23/2007	6763.66	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/22/2007	6763.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/21/2007	6763.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/20/2007	6763.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/19/2007	6763.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/18/2007	6763.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/17/2007	6763.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/16/2007	6763.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/15/2007	6763.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/14/2007	6763.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/13/2007	6763.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/12/2007	6763.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/11/2007	6763.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/10/2007	6763.6	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/9/2007	6763.61	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/8/2007	6763.62	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/7/2007	6763.57	Manual
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/7/2007	6763.63	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/6/2007	6763.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/5/2007	6763.64	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/4/2007	6763.65	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/3/2007	6763.66	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/2/2007	6763.68	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	6/1/2007	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/31/2007	6763.7	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/30/2007	6763.73	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/29/2007	6763.75	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/28/2007	6763.77	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/27/2007	6763.79	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/26/2007	6763.82	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/25/2007	6763.84	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/24/2007	6763.88	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/23/2007	6763.91	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/22/2007	6763.95	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/21/2007	6763.98	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/20/2007	6764.01	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/19/2007	6764.05	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/18/2007	6764.08	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/17/2007	6764.13	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/16/2007	6764.17	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/15/2007	6764.21	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/14/2007	6764.26	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/13/2007	6764.29	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/12/2007	6764.34	Transducer
MCO-7.5	35	Single	4661	25	35	60	4	4.5	5/11/2007	6764.38	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	5/22/2008	6313.46	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	5/21/2008	6313.43	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	11/23/2007	6313.43	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	11/11/2007	6313.43	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	6/7/2007	6313.42	Transducer
MCOBT-4.4	485.4	Single	5401	38.6	485.4	524	4.5	5.56	6/6/2007	6313.42	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/1/2008	6317.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/31/2008	6317.33	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/30/2008	6316	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/29/2008	6317.01	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/28/2008	6316.37	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/27/2008	6316.48	Manual
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/27/2008	6316.69	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/26/2008	6316.8	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/25/2008	6316.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/24/2008	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/23/2008	6317.53	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/22/2008	6318.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/21/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/20/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/19/2008	6316.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/18/2008	6316.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/17/2008	6316.27	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/16/2008	6316.16	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/15/2008	6316.54	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/14/2008	6316.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/13/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/12/2008	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/11/2008	6316.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/10/2008	6316.82	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/9/2008	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/8/2008	6316.95	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/7/2008	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/6/2008	6316.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/5/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/4/2008	6316.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/3/2008	6316.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/2/2008	6317.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/1/2008	6317.69	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/30/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/29/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/28/2008	6316.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/27/2008	6316.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/26/2008	6316.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/25/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/24/2008	6317.06	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/23/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/22/2008	6316.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/21/2008	6317.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/20/2008	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/19/2008	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/18/2008	6316.7	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/17/2008	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/16/2008	6317.44	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/15/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/14/2008	6316.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/13/2008	6316.32	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/12/2008	6316.22	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/11/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/10/2008	6317.42	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/9/2008	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/8/2008	6317.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/7/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/6/2008	6317.39	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/5/2008	6316.87	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/4/2008	6316.9	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/3/2008	6317.15	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/2/2008	6316.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	4/1/2008	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/31/2008	6317.31	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/30/2008	6317.23	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/29/2008	6317.05	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/28/2008	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/27/2008	6317.27	Manual
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/27/2008	6317.27	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/26/2008	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/25/2008	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/24/2008	6316.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/23/2008	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/22/2008	6316.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/21/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/20/2008	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/19/2008	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/18/2008	6317.21	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/17/2008	6317.86	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/16/2008	6317.68	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/15/2008	6317.75	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/14/2008	6317.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/13/2008	6317.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/12/2008	6317.21	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/11/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/10/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/9/2008	6317.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/8/2008	6317.2	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/7/2008	6317.29	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/6/2008	6317.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/5/2008	6318.08	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/4/2008	6317.3	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/3/2008	6318.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/2/2008	6318.01	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	3/1/2008	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/29/2008	6317.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/28/2008	6317.57	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/27/2008	6317.02	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/26/2008	6317.42	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/25/2008	6317.48	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/24/2008	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/23/2008	6317.91	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/22/2008	6317.96	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/21/2008	6317.96	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/20/2008	6317.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/19/2008	6317.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/18/2008	6317.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/17/2008	6318.31	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/16/2008	6317.61	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/15/2008	6318.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/14/2008	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/13/2008	6316.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/12/2008	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/11/2008	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/10/2008	6316.38	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/9/2008	6316.65	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/8/2008	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/7/2008	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/6/2008	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/5/2008	6317.56	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/4/2008	6317.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/3/2008	6317.14	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/2/2008	6317.16	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	2/1/2008	6316.6	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/31/2008	6317.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/30/2008	6317.22	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/29/2008	6318.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/28/2008	6317.31	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/27/2008	6316.61	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/26/2008	6316.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/25/2008	6317.15	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/24/2008	6317	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/23/2008	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/22/2008	6317.14	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/21/2008	6317.4	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/20/2008	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/19/2008	6316.92	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/18/2008	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/17/2008	6317.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/16/2008	6317.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/15/2008	6316.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/14/2008	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/13/2008	6316.95	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/12/2008	6317.31	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/11/2008	6317.14	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/10/2008	6317.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/9/2008	6316.91	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/8/2008	6317.67	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/7/2008	6317.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/6/2008	6317.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/5/2008	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/4/2008	6317.29	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/3/2008	6316.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/2/2008	6316.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	1/1/2008	6316.37	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/31/2007	6317.16	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/30/2007	6317.13	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/29/2007	6317.14	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/28/2007	6317.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/27/2007	6317.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/26/2007	6317.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/25/2007	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/24/2007	6316.93	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/23/2007	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/22/2007	6318	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/21/2007	6317.61	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/20/2007	6317.31	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/19/2007	6317.13	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/18/2007	6317.4	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/17/2007	6317.21	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/16/2007	6317.09	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/15/2007	6317.8	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/14/2007	6317.58	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/13/2007	6317.2	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/12/2007	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/11/2007	6318.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/10/2007	6317.37	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/9/2007	6317.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/8/2007	6318.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/7/2007	6318.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/6/2007	6318.03	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/5/2007	6317.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/4/2007	6316.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/3/2007	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/2/2007	6318.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	12/1/2007	6318.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/30/2007	6317.75	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/29/2007	6317.47	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/28/2007	6317.86	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/27/2007	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/26/2007	6318	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/25/2007	6317.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/24/2007	6318.44	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/23/2007	6317.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/22/2007	6317.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/21/2007	6318.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/20/2007	6317.96	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/19/2007	6317.75	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/18/2007	6318	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/17/2007	6318.29	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/16/2007	6317.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/15/2007	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/14/2007	6317.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/13/2007	6316.08	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/12/2007	6317.24	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/11/2007	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/10/2007	6317.17	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/9/2007	6317.07	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/8/2007	6316.98	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/7/2007	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/6/2007	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/5/2007	6317.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/4/2007	6316.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/3/2007	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/2/2007	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	11/1/2007	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/31/2007	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/30/2007	6317	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/29/2007	6316.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/28/2007	6316.49	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/27/2007	6317.08	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/26/2007	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/25/2007	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/24/2007	6316.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/23/2007	6316.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/22/2007	6316.44	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/21/2007	6317.53	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/20/2007	6316.85	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/19/2007	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/18/2007	6317.53	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/17/2007	6317.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/16/2007	6317.17	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/15/2007	6317.19	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/14/2007	6317.57	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/13/2007	6317.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/12/2007	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/11/2007	6317.19	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/10/2007	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/9/2007	6316.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/8/2007	6316.98	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/7/2007	6317.47	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/6/2007	6317.47	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/5/2007	6317.45	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/4/2007	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/3/2007	6317.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/2/2007	6317.14	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	10/1/2007	6316.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/30/2007	6317.54	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/29/2007	6317.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/28/2007	6317.22	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/27/2007	6317.23	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/26/2007	6317.2	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/25/2007	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/24/2007	6317.7	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/23/2007	6317.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/22/2007	6317.39	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/21/2007	6317.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/20/2007	6317.55	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/19/2007	6317.5	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/18/2007	6317.82	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/17/2007	6317.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/16/2007	6317.51	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/15/2007	6317.48	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/14/2007	6317.68	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/13/2007	6317.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/12/2007	6317.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/11/2007	6317.47	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/10/2007	6317.61	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/9/2007	6317.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/8/2007	6317.66	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/7/2007	6317.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/6/2007	6318.09	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/5/2007	6318.15	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/4/2007	6317.84	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/3/2007	6317.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/2/2007	6317.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	9/1/2007	6317.74	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/31/2007	6317.59	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/30/2007	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/29/2007	6317.82	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/28/2007	6317.82	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/27/2007	6317.7	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/26/2007	6317.7	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/25/2007	6317.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/24/2007	6316.95	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/23/2007	6317.08	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/22/2007	6317.01	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/21/2007	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/20/2007	6316.95	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/19/2007	6317.02	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/18/2007	6316.91	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/17/2007	6316.82	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/16/2007	6317.01	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/15/2007	6316.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/14/2007	6316.8	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/13/2007	6316.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/12/2007	6316.69	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/11/2007	6316.86	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/10/2007	6316.73	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/9/2007	6316.89	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/8/2007	6316.98	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/7/2007	6317.05	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/6/2007	6317.09	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/5/2007	6317	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/4/2007	6316.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/3/2007	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/2/2007	6317	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	8/1/2007	6317.02	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/31/2007	6317	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/30/2007	6317.05	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/29/2007	6317.1	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/28/2007	6317.08	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/27/2007	6316.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/26/2007	6317.25	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/25/2007	6317.2	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/24/2007	6317.16	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/23/2007	6316.99	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/22/2007	6316.97	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/21/2007	6317.11	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/20/2007	6317.22	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/19/2007	6317.28	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/18/2007	6317.32	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/17/2007	6317.33	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/16/2007	6317.36	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/15/2007	6317.28	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/14/2007	6317.13	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/13/2007	6317.34	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/12/2007	6317.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/11/2007	6317.23	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/10/2007	6317.35	Manual
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/10/2007	6317.4	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/9/2007	6317.58	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/8/2007	6317.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/7/2007	6317.26	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/6/2007	6317.17	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/5/2007	6317.12	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/4/2007	6317.43	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/3/2007	6317.39	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/2/2007	6317.41	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	7/1/2007	6317.54	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/30/2007	6317.52	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/29/2007	6317.4	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/28/2007	6317.35	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/27/2007	6317.43	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/26/2007	6317.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/25/2007	6317.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/24/2007	6317.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/23/2007	6317.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/22/2007	6317.61	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/21/2007	6317.46	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/20/2007	6317.49	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/19/2007	6317.77	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/18/2007	6318.14	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/17/2007	6317.65	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/16/2007	6317.78	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/15/2007	6318.04	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/14/2007	6317.71	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/13/2007	6317.79	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/12/2007	6317.88	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/11/2007	6318.01	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/10/2007	6317.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/9/2007	6317.6	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/8/2007	6317.57	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/7/2007	6318.06	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/6/2007	6317.18	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/5/2007	6316.83	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	6/5/2007	6316.84	Manual
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/21/2007	6317.22	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/20/2007	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/19/2007	6316.94	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/18/2007	6316.81	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/17/2007	6316.76	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/16/2007	6316.55	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/15/2007	6316.87	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/14/2007	6316.9	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/13/2007	6316.72	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/12/2007	6316.62	Transducer
MCOI-4	499	Single	5981	23.1	498.9	522	4.5	5.56	5/11/2007	6316.68	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/1/2008	6138.35	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/31/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/30/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/29/2008	6138.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/28/2008	6138.7	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/27/2008	6138.82	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/26/2008	6138.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/25/2008	6138.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/24/2008	6138.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/23/2008	6138.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/22/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/21/2008	6137.81	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/20/2008	6138.09	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/19/2008	6138.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/18/2008	6138.17	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/17/2008	6138.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/16/2008	6138.29	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/15/2008	6138.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/14/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/13/2008	6138.75	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/12/2008	6138.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/11/2008	6138.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/10/2008	6138.69	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/9/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/8/2008	6138.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/7/2008	6138.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/6/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/5/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/4/2008	6138.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/3/2008	6138.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/2/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/1/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/30/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/29/2008	6138.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/28/2008	6138.1	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/27/2008	6138.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/26/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/25/2008	6138.47	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/24/2008	6138.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/23/2008	6138.45	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/22/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/21/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/20/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/19/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/18/2008	6138.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/17/2008	6138.62	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/16/2008	6138.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/15/2008	6138.56	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/14/2008	6138.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/13/2008	6138.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/12/2008	6138.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/11/2008	6138.88	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/10/2008	6139.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/9/2008	6138.82	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/8/2008	6138.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/7/2008	6138.6	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/6/2008	6138.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/5/2008	6138.5	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/4/2008	6138.42	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/3/2008	6138.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/2/2008	6138.34	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	4/1/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/31/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/30/2008	6138.3	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/29/2008	6138.18	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/28/2008	6138.19	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/27/2008	6138.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/26/2008	6138.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/25/2008	6138.25	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/24/2008	6138.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/23/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/22/2008	6138.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/21/2008	6138.67	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/20/2008	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/19/2008	6138.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/18/2008	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/17/2008	6138.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/16/2008	6138.5	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/15/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/14/2008	6138.28	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/13/2008	6138.18	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/12/2008	6138.05	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/11/2008	6137.99	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/10/2008	6137.99	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/9/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/8/2008	6138.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/7/2008	6138.08	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/6/2008	6138.13	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/5/2008	6138.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/4/2008	6137.91	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/3/2008	6137.94	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/2/2008	6138.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	3/1/2008	6137.74	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/29/2008	6137.98	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/28/2008	6138.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/27/2008	6138.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/26/2008	6138.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/25/2008	6138.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/24/2008	6138.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/23/2008	6138.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/22/2008	6138.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/21/2008	6138.48	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/20/2008	6138.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/19/2008	6138.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/18/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/17/2008	6138.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/16/2008	6138.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/15/2008	6138.19	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/14/2008	6138.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/13/2008	6138.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	2/13/2008	6138.34	Manual
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	11/1/2007	6136.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/31/2007	6136.77	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/30/2007	6136.74	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/29/2007	6136.72	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/28/2007	6136.81	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/27/2007	6137.11	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/26/2007	6137.41	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/25/2007	6137.37	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/24/2007	6137.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/23/2007	6137.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/22/2007	6137.78	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/21/2007	6138.29	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/20/2007	6138.02	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/19/2007	6137.89	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/18/2007	6138.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/17/2007	6137.95	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/16/2007	6137.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/15/2007	6137.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/14/2007	6137.48	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/13/2007	6137.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/12/2007	6137.25	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/11/2007	6137.19	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/10/2007	6137.08	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/9/2007	6137.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/8/2007	6137.1	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/7/2007	6137.15	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/6/2007	6137.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/5/2007	6137.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/4/2007	6136.98	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/3/2007	6136.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/2/2007	6136.92	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	10/1/2007	6136.75	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/30/2007	6137.02	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/29/2007	6137.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/28/2007	6136.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/27/2007	6136.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/26/2007	6136.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/25/2007	6136.86	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/24/2007	6136.94	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/23/2007	6136.84	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/22/2007	6136.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/21/2007	6136.77	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/20/2007	6136.7	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/19/2007	6136.62	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/18/2007	6136.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/17/2007	6136.63	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/16/2007	6136.47	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/15/2007	6136.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/14/2007	6136.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/13/2007	6136.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/12/2007	6136.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/11/2007	6136.42	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/10/2007	6136.52	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/9/2007	6136.51	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/8/2007	6136.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/7/2007	6136.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/6/2007	6136.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/5/2007	6136.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/4/2007	6136.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/3/2007	6136.18	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/2/2007	6136.23	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	9/1/2007	6136.34	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/31/2007	6136.34	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/30/2007	6136.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/29/2007	6136.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/28/2007	6136.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/27/2007	6136.54	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/26/2007	6136.49	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/25/2007	6136.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/24/2007	6136.28	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/23/2007	6136.4	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/22/2007	6136.3	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/21/2007	6136.2	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/20/2007	6136.17	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/19/2007	6136.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/18/2007	6136.05	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/17/2007	6136.01	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/16/2007	6136.06	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/15/2007	6136.07	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/14/2007	6136.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/13/2007	6136.05	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/12/2007	6136.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/11/2007	6136.25	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/10/2007	6136.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/9/2007	6136.28	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/8/2007	6136.27	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/7/2007	6136.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/6/2007	6136.22	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/5/2007	6136.16	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/4/2007	6136.11	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/3/2007	6136.07	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/2/2007	6136.11	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	8/1/2007	6136.09	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/31/2007	6136.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/30/2007	6136	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/29/2007	6135.97	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/28/2007	6135.92	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/27/2007	6135.81	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/26/2007	6135.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/25/2007	6135.78	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/24/2007	6135.74	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/23/2007	6135.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/22/2007	6135.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/21/2007	6135.65	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/20/2007	6135.61	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/19/2007	6135.55	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/18/2007	6135.5	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/17/2007	6135.46	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/16/2007	6135.42	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/15/2007	6135.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/14/2007	6135.33	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/13/2007	6135.35	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/12/2007	6135.25	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/11/2007	6135.24	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/10/2007	6135.22	Manual
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/10/2007	6135.28	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/9/2007	6135.27	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/8/2007	6135.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/7/2007	6135.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/6/2007	6135.09	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/5/2007	6135.13	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/4/2007	6135.24	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/3/2007	6135.22	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/2/2007	6135.22	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	7/1/2007	6135.27	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/30/2007	6135.27	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/29/2007	6135.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/28/2007	6135.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/27/2007	6135.31	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/26/2007	6135.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/25/2007	6135.42	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/24/2007	6135.44	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/23/2007	6135.41	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/22/2007	6135.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/21/2007	6135.43	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/20/2007	6135.47	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/19/2007	6135.59	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/18/2007	6135.72	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/17/2007	6135.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/16/2007	6135.62	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/15/2007	6135.77	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/14/2007	6135.7	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/13/2007	6135.76	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/12/2007	6135.83	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/11/2007	6135.88	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/10/2007	6135.8	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/9/2007	6135.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/8/2007	6135.71	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/7/2007	6135.85	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/6/2007	6135.69	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/5/2007	6135.39	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/4/2007	6135.48	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/3/2007	6135.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/2/2007	6135.5	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	6/1/2007	6135.53	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/31/2007	6135.34	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/30/2007	6135.36	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/29/2007	6135.38	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/28/2007	6135.26	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/27/2007	6135.21	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/26/2007	6135.14	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/25/2007	6135.04	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/24/2007	6134.98	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/23/2007	6134.96	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/22/2007	6134.92	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/21/2007	6134.73	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/20/2007	6134.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/19/2007	6134.57	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/18/2007	6134.58	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/17/2007	6134.64	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/16/2007	6134.66	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/15/2007	6134.87	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/14/2007	6134.96	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/13/2007	6135	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/12/2007	6135.12	Transducer
MCOI-5	689	Single	5721	9.96	689.04	699	4.5	5.56	5/11/2007	6135.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/1/2008	6155.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/31/2008	6155.61	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/30/2008	6155.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/29/2008	6155.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/28/2008	6156.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/27/2008	6156.59	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/26/2008	6156.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/25/2008	6156.88	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/24/2008	6157.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/23/2008	6156.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/22/2008	6156.4	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/21/2008	6155.57	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/20/2008	6155.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/19/2008	6155.35	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/18/2008	6155.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/17/2008	6155.47	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/16/2008	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/15/2008	6156.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/14/2008	6156.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/13/2008	6156.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/12/2008	6156.14	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/11/2008	6156.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/10/2008	6156.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/9/2008	6156.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/8/2008	6156.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/7/2008	6156.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/6/2008	6156.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/5/2008	6156.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/4/2008	6156.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/3/2008	6156.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/2/2008	6156.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/1/2008	6156.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/30/2008	6155.67	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/29/2008	6155.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/28/2008	6155.46	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/27/2008	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/26/2008	6155.97	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/25/2008	6156.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/24/2008	6156.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/23/2008	6156.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/22/2008	6156.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/21/2008	6156.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/20/2008	6156.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/19/2008	6156.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/18/2008	6156.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/17/2008	6156.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/16/2008	6155.93	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/15/2008	6155.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/14/2008	6155.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/13/2008	6156.08	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/12/2008	6156.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/11/2008	6156.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/10/2008	6157	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/9/2008	6156.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/8/2008	6156.54	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/7/2008	6156.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/6/2008	6156.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/5/2008	6156.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/4/2008	6156.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/3/2008	6156.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/2/2008	6156.28	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	4/1/2008	6156.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/31/2008	6156.53	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/30/2008	6156.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/29/2008	6156.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/28/2008	6156	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/27/2008	6155.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/26/2008	6155.56	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/25/2008	6155.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/24/2008	6155.5	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/23/2008	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/22/2008	6156.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/21/2008	6156.31	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/20/2008	6156.52	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/19/2008	6156.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/18/2008	6157.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/17/2008	6157.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/16/2008	6156.83	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/15/2008	6156.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/14/2008	6156.19	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/13/2008	6155.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/12/2008	6155.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/11/2008	6155.73	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/10/2008	6155.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/9/2008	6156.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/8/2008	6156.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/7/2008	6156.23	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/6/2008	6156.36	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/5/2008	6156.29	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/4/2008	6155.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/3/2008	6155.9	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/2/2008	6155.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	3/1/2008	6155.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/29/2008	6155.54	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/28/2008	6155.57	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/27/2008	6155.54	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/26/2008	6155.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/25/2008	6156.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/24/2008	6155.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/23/2008	6156.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/22/2008	6156.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/21/2008	6155.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/20/2008	6155.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/19/2008	6155.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	2/19/2008	6155.9	Manual
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/28/2007	6156.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/27/2007	6156.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/26/2007	6155.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/25/2007	6155.66	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/24/2007	6155.53	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/23/2007	6155.68	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/22/2007	6155.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/21/2007	6155.61	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/20/2007	6155.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/19/2007	6155.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/18/2007	6155.47	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/17/2007	6155.5	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/16/2007	6155.64	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/15/2007	6155.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/14/2007	6155.85	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/13/2007	6155.82	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/12/2007	6156.05	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/11/2007	6156.27	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/10/2007	6156.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/9/2007	6156.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/8/2007	6155.99	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/7/2007	6155.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/6/2007	6155.44	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/5/2007	6155.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/4/2007	6155.14	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/3/2007	6155.4	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/2/2007	6155.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	12/1/2007	6155.65	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/30/2007	6155.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/29/2007	6155.31	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/28/2007	6155.58	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/27/2007	6155.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/26/2007	6155.79	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/25/2007	6155.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/24/2007	6155.76	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/23/2007	6155.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/22/2007	6155.47	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/21/2007	6155.59	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/20/2007	6155.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/19/2007	6155.24	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/18/2007	6155.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/17/2007	6155.3	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/16/2007	6155.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/15/2007	6155.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/14/2007	6155.34	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/13/2007	6155.21	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/12/2007	6155.31	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/11/2007	6155.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/10/2007	6154.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/9/2007	6154.37	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/8/2007	6154.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/7/2007	6154.16	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/6/2007	6154.16	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/5/2007	6154.2	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/4/2007	6154.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/3/2007	6154.1	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/2/2007	6154.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	11/1/2007	6153.85	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/31/2007	6153.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/30/2007	6153.68	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/29/2007	6153.64	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/28/2007	6153.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/27/2007	6154.01	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/26/2007	6154.08	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/25/2007	6154.02	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/24/2007	6154.25	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/23/2007	6154.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/22/2007	6155.26	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/21/2007	6155.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/20/2007	6155.61	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/19/2007	6155.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/18/2007	6156.07	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/17/2007	6155.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/16/2007	6155.56	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/15/2007	6155.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/14/2007	6155.4	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/13/2007	6155.08	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/12/2007	6154.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/11/2007	6154.66	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/10/2007	6154.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/9/2007	6154.76	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/8/2007	6155.04	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/7/2007	6155.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/6/2007	6154.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/5/2007	6154.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/4/2007	6154.5	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/3/2007	6154.36	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/2/2007	6154.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	10/1/2007	6154.42	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/30/2007	6154.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/29/2007	6154.62	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/28/2007	6154.46	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/27/2007	6154.53	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/26/2007	6154.61	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/25/2007	6154.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/24/2007	6154.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/23/2007	6154.58	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/22/2007	6154.51	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/21/2007	6154.56	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/20/2007	6154.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/19/2007	6154.44	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/18/2007	6154.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/17/2007	6154.22	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/16/2007	6154.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/15/2007	6154.1	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/14/2007	6154.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/13/2007	6154.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/12/2007	6154.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/11/2007	6154.16	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/10/2007	6154.35	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/9/2007	6154.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/8/2007	6154.33	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/7/2007	6154.3	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/6/2007	6154.17	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/5/2007	6153.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/4/2007	6153.66	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/3/2007	6153.58	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/2/2007	6153.61	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	9/1/2007	6153.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/31/2007	6153.76	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/30/2007	6153.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/29/2007	6154.21	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/28/2007	6154.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/27/2007	6154.35	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/26/2007	6154.41	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/25/2007	6154.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/24/2007	6154.46	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/23/2007	6154.32	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/22/2007	6154.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/21/2007	6154.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/20/2007	6153.96	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/19/2007	6153.86	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/18/2007	6153.69	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/17/2007	6153.63	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/16/2007	6153.59	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/15/2007	6153.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/14/2007	6153.4	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/13/2007	6153.43	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/12/2007	6153.62	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/11/2007	6153.76	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/10/2007	6153.79	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/9/2007	6153.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/8/2007	6153.94	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/7/2007	6153.91	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/6/2007	6153.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/5/2007	6153.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/4/2007	6153.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/3/2007	6153.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/2/2007	6153.84	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	8/1/2007	6153.83	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/31/2007	6153.8	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/30/2007	6153.78	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/29/2007	6153.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/28/2007	6153.68	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/27/2007	6153.62	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/26/2007	6153.65	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/25/2007	6153.52	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/24/2007	6153.43	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/23/2007	6153.38	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/22/2007	6153.47	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/21/2007	6153.52	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/20/2007	6153.49	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/19/2007	6153.39	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/18/2007	6153.28	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/17/2007	6153.19	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/16/2007	6153.1	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/15/2007	6153.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/14/2007	6153.06	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/13/2007	6153.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/12/2007	6153.03	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/11/2007	6153.07	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/10/2007	6153.16	Manual
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/10/2007	6153.09	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/9/2007	6152.95	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/8/2007	6152.76	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/7/2007	6152.59	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/6/2007	6152.6	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/5/2007	6152.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/4/2007	6152.81	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/3/2007	6152.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/2/2007	6152.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	7/1/2007	6152.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/30/2007	6152.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/29/2007	6152.7	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/28/2007	6152.75	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/27/2007	6152.86	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/26/2007	6152.93	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/25/2007	6152.91	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/24/2007	6152.81	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/23/2007	6152.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/22/2007	6152.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/21/2007	6152.77	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/20/2007	6152.92	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/19/2007	6153.1	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/18/2007	6153.12	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/17/2007	6152.96	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/16/2007	6153.05	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/15/2007	6153.16	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/14/2007	6153.15	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/13/2007	6153.28	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/12/2007	6153.41	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/11/2007	6153.46	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/10/2007	6153.48	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/9/2007	6153.58	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/8/2007	6153.74	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/7/2007	6153.71	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/6/2007	6153.28	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/5/2007	6152.96	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/4/2007	6153.04	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/3/2007	6153.16	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/2/2007	6153.18	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	6/1/2007	6153.11	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/31/2007	6152.95	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/30/2007	6153.02	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/29/2007	6152.99	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/28/2007	6152.87	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/27/2007	6152.88	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/26/2007	6152.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/25/2007	6152.91	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/24/2007	6152.97	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/23/2007	6152.86	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/22/2007	6152.55	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/21/2007	6152.13	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/20/2007	6151.85	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/19/2007	6151.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/18/2007	6151.65	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/17/2007	6151.68	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/16/2007	6151.72	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/15/2007	6151.89	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/14/2007	6151.91	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/13/2007	6151.98	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/12/2007	6152.19	Transducer
MCOI-6	686	Single	5731	22.3	686	708.3	4.5	5.56	5/11/2007	6152.44	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/28/2007	6732.8	Manual
MT-2	44	Single	5251	20	44	64	2	2.25	11/28/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/27/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/26/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/25/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/24/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/23/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/22/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/21/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/20/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/19/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/18/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/17/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/16/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/15/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/14/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/13/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/12/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/11/2007	6732.96	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/10/2007	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/9/2007	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/8/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/7/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/6/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/5/2007	6732.91	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-2	44	Single	5251	20	44	64	2	2.25	11/4/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/3/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/2/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	11/1/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/31/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/30/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/29/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/28/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/27/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/26/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/25/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/24/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/23/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/22/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/21/2007	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/20/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/19/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/18/2007	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/17/2007	6732.95	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/16/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/15/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/14/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/13/2007	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/12/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/11/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/10/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/9/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/8/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/7/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/6/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/5/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/4/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/3/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/2/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	10/1/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/30/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/29/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/28/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/27/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/26/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/25/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/24/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/23/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/22/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/21/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/20/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/19/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/18/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/17/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/16/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/15/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/14/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/13/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/12/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/11/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/10/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/9/2007	6732.87	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-2	44	Single	5251	20	44	64	2	2.25	9/8/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/7/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/6/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/5/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/4/2007	6732.94	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/3/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/2/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	9/1/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/31/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/30/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/29/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/28/2007	6732.93	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/27/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/26/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/25/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/24/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/23/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/22/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/21/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/20/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/19/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/18/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/17/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/16/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/15/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/14/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/13/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/12/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/11/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/10/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/9/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/8/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/7/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/6/2007	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/5/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/4/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/3/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/2/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	8/1/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/31/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/30/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/29/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/28/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/27/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/26/2007	6732.92	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/25/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/24/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/23/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/22/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/21/2007	6732.91	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/20/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/19/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/18/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/17/2007	6732.9	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/16/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/15/2007	6732.89	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/14/2007	6732.87	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-2	44	Single	5251	20	44	64	2	2.25	7/13/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/12/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/11/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/10/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/9/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/8/2007	6732.88	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/7/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/6/2007	6732.76	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/5/2007	6732.75	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/4/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/3/2007	6732.88	Manual
MT-2	44	Single	5251	20	44	64	2	2.25	7/3/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/2/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	7/1/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/30/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/29/2007	6732.87	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/28/2007	6732.86	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/27/2007	6732.85	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/26/2007	6732.83	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/25/2007	6732.82	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/24/2007	6732.7	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/23/2007	6732.64	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/22/2007	6732.72	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/21/2007	6732.63	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/20/2007	6732.6	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/19/2007	6732.58	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/18/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/17/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/16/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/15/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/14/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/13/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/12/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/11/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/10/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/9/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/8/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/7/2007	6732.75	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/6/2007	6732.75	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/5/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/4/2007	6732.72	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/3/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/2/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	6/1/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/31/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/29/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/28/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/27/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/26/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/25/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/24/2007	6732.72	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/23/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/22/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/21/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/20/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/19/2007	6732.75	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-2	44	Single	5251	20	44	64	2	2.25	5/18/2007	6732.75	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/17/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/16/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/15/2007	6732.73	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/14/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/13/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/12/2007	6732.74	Transducer
MT-2	44	Single	5251	20	44	64	2	2.25	5/11/2007	6732.73	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/1/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/31/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/30/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/29/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/28/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/27/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/26/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/25/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/24/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/23/2008	6752.18	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/22/2008	6752.19	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/21/2008	6752.17	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/20/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/19/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/18/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/17/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/16/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/15/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/14/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/13/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/12/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/11/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/10/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/9/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/8/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/7/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/6/2008	6752.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/5/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/4/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/3/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/2/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/1/2008	6752.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/30/2008	6752.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/29/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/28/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/27/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/26/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/25/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/24/2008	6752.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/23/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/22/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/21/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/20/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/19/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/18/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/17/2008	6752.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/16/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/15/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/14/2008	6752.07	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	4/13/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/12/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/11/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/10/2008	6752.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/9/2008	6752.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/8/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/7/2008	6752.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/6/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/5/2008	6752.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/4/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/3/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/2/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	4/1/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/31/2008	6752.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/30/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/29/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/28/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/27/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/26/2008	6752.04	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	3/26/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/25/2008	6752.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/24/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/23/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/22/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/21/2008	6752.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/20/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/19/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/18/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/17/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/16/2008	6752.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/15/2008	6752.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/14/2008	6752.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/13/2008	6752.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/12/2008	6751.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/11/2008	6751.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/10/2008	6751.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/9/2008	6751.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/8/2008	6751.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/7/2008	6751.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/6/2008	6751.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/5/2008	6751.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/4/2008	6751.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/3/2008	6751.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/2/2008	6751.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	3/1/2008	6751.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/29/2008	6751.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/28/2008	6751.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/27/2008	6751.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/26/2008	6751.85	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/25/2008	6751.85	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/24/2008	6751.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/23/2008	6751.83	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/22/2008	6751.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/21/2008	6751.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/20/2008	6751.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/19/2008	6751.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/18/2008	6751.76	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	2/17/2008	6751.75	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/16/2008	6751.73	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/15/2008	6751.72	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/14/2008	6751.72	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/13/2008	6751.69	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/12/2008	6751.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/11/2008	6751.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/10/2008	6751.65	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/9/2008	6751.65	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/8/2008	6751.65	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/7/2008	6751.63	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/6/2008	6751.61	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	2/6/2008	6751.58	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/5/2008	6751.58	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/4/2008	6751.57	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/3/2008	6751.55	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/2/2008	6751.54	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	2/1/2008	6751.53	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/31/2008	6751.53	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/30/2008	6751.51	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/29/2008	6751.51	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/28/2008	6751.49	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/27/2008	6751.46	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/26/2008	6751.45	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/25/2008	6751.45	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/24/2008	6751.44	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/23/2008	6751.43	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/22/2008	6751.42	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/21/2008	6751.41	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/20/2008	6751.39	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/19/2008	6751.37	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/18/2008	6751.37	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/17/2008	6751.36	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/16/2008	6751.35	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/15/2008	6751.32	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/14/2008	6751.31	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/13/2008	6751.3	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/12/2008	6751.29	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/11/2008	6751.28	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/10/2008	6751.26	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/9/2008	6751.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/8/2008	6751.24	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/7/2008	6751.22	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/6/2008	6751.2	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/5/2008	6751.17	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/4/2008	6751.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/3/2008	6751.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/2/2008	6751.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	1/1/2008	6751.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/31/2007	6751.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/30/2007	6751.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/29/2007	6751.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/28/2007	6751.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/27/2007	6751.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/26/2007	6751.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/25/2007	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/24/2007	6750.99	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	12/23/2007	6750.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/22/2007	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/21/2007	6751	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/20/2007	6750.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/19/2007	6750.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/18/2007	6750.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/17/2007	6750.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/16/2007	6750.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/15/2007	6750.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/14/2007	6751	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/13/2007	6750.99	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/12/2007	6751	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/11/2007	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/10/2007	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/9/2007	6751.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/8/2007	6751.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/7/2007	6751.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/6/2007	6751.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/5/2007	6751.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/4/2007	6751.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/3/2007	6751.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/2/2007	6751.09	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	12/1/2007	6751.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/30/2007	6751.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/29/2007	6751.11	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/28/2007	6751.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/27/2007	6751.13	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	11/27/2007	6751.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/26/2007	6751.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/25/2007	6751.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/24/2007	6751.18	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/23/2007	6751.18	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/22/2007	6751.19	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/21/2007	6751.21	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/20/2007	6751.21	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/19/2007	6751.22	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/18/2007	6751.23	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/17/2007	6751.24	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/16/2007	6751.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/15/2007	6751.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/14/2007	6751.27	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/13/2007	6751.28	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/12/2007	6751.3	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/11/2007	6751.31	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/10/2007	6751.31	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/9/2007	6751.32	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/8/2007	6751.32	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/7/2007	6751.33	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/6/2007	6751.34	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/5/2007	6751.35	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/4/2007	6751.35	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/3/2007	6751.36	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/2/2007	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	11/1/2007	6751.37	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/31/2007	6751.39	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/30/2007	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/29/2007	6751.37	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	10/28/2007	6751.37	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/27/2007	6751.39	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/26/2007	6751.4	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/25/2007	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/24/2007	6751.37	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/23/2007	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/22/2007	6751.4	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/21/2007	6751.44	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/20/2007	6751.42	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/19/2007	6751.42	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/18/2007	6751.44	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/17/2007	6751.44	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/16/2007	6751.43	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/15/2007	6751.42	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/14/2007	6751.42	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/13/2007	6751.42	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/12/2007	6751.41	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/11/2007	6751.4	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/10/2007	6751.39	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/9/2007	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/8/2007	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/7/2007	6751.39	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/6/2007	6751.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/5/2007	6751.37	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/4/2007	6751.36	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/3/2007	6751.35	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/2/2007	6751.34	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	10/1/2007	6751.33	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/30/2007	6751.34	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/29/2007	6751.33	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/28/2007	6751.31	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/27/2007	6751.3	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/26/2007	6751.3	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/25/2007	6751.29	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/24/2007	6751.28	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/23/2007	6751.27	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/22/2007	6751.26	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/21/2007	6751.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/20/2007	6751.24	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/19/2007	6751.24	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/18/2007	6751.23	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/17/2007	6751.22	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/16/2007	6751.21	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/15/2007	6751.2	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/14/2007	6751.19	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/13/2007	6751.18	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/12/2007	6751.17	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/11/2007	6751.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/10/2007	6751.16	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/9/2007	6751.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/8/2007	6751.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/7/2007	6751.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/6/2007	6751.13	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/5/2007	6751.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/4/2007	6751.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/3/2007	6751.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	9/2/2007	6751.08	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	9/1/2007	6751.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/31/2007	6751.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/30/2007	6751.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/29/2007	6751.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/28/2007	6751.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/27/2007	6751.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/26/2007	6751.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/25/2007	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/24/2007	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/23/2007	6751.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/22/2007	6751	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/21/2007	6750.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/20/2007	6750.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/19/2007	6750.97	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/18/2007	6750.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/17/2007	6750.94	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/16/2007	6750.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/15/2007	6750.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/14/2007	6750.89	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/13/2007	6750.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/12/2007	6750.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/11/2007	6750.87	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/10/2007	6750.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/9/2007	6750.85	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/8/2007	6750.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/7/2007	6750.83	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/6/2007	6750.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/5/2007	6750.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/4/2007	6750.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/3/2007	6750.75	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/2/2007	6750.74	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	8/1/2007	6750.71	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/31/2007	6750.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/30/2007	6750.64	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/29/2007	6750.58	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/28/2007	6750.48	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/27/2007	6750.33	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/26/2007	6750.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/25/2007	6750.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/24/2007	6749.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/23/2007	6749.55	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/22/2007	6749.49	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/21/2007	6749.42	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/20/2007	6749.35	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/19/2007	6749.25	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/18/2007	6749.14	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/17/2007	6749.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/16/2007	6748.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/15/2007	6748.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/14/2007	6748.77	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/13/2007	6748.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/12/2007	6748.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/11/2007	6748.72	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/10/2007	6748.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/9/2007	6748.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/8/2007	6748.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/7/2007	6748.63	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	7/6/2007	6748.58	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/5/2007	6748.66	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/4/2007	6748.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/3/2007	6748.85	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	7/3/2007	6748.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/2/2007	6748.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	7/1/2007	6748.91	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/30/2007	6748.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/29/2007	6748.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/28/2007	6749.04	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/27/2007	6749.2	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/26/2007	6749.39	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/25/2007	6749.53	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/24/2007	6749.61	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/23/2007	6749.64	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/22/2007	6749.78	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/21/2007	6749.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/20/2007	6750.07	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/19/2007	6750.38	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/18/2007	6750.54	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/17/2007	6750.54	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/16/2007	6750.6	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/15/2007	6750.64	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/14/2007	6750.64	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/13/2007	6750.65	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/12/2007	6750.67	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/11/2007	6750.68	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/10/2007	6750.69	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/9/2007	6750.69	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/8/2007	6750.7	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/7/2007	6750.78	Manual
MT-3	44	Single	5261	20	44	64	2	2.25	6/7/2007	6750.79	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/6/2007	6750.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/5/2007	6750.8	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/4/2007	6750.81	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/3/2007	6750.82	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/2/2007	6750.84	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	6/1/2007	6750.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/31/2007	6750.86	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/30/2007	6750.88	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/29/2007	6750.9	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/28/2007	6750.9	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/27/2007	6750.92	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/26/2007	6750.93	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/25/2007	6750.95	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/24/2007	6750.96	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/23/2007	6750.98	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/22/2007	6751	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/21/2007	6751.01	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/20/2007	6751.02	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/19/2007	6751.03	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/18/2007	6751.05	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/17/2007	6751.06	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/16/2007	6751.08	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/15/2007	6751.1	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/14/2007	6751.12	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/13/2007	6751.13	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-3	44	Single	5261	20	44	64	2	2.25	5/12/2007	6751.15	Transducer
MT-3	44	Single	5261	20	44	64	2	2.25	5/11/2007	6751.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/1/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/31/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/30/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/29/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/28/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/27/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/26/2008	6727.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/25/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/24/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/23/2008	6727.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/22/2008	6727.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/21/2008	6727.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/20/2008	6727.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/19/2008	6727.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/18/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/17/2008	6727.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/16/2008	6727.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/15/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/14/2008	6727.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/13/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/12/2008	6727.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/11/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/10/2008	6727.67	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/9/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/8/2008	6727.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/7/2008	6727.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/6/2008	6727.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/5/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/4/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/3/2008	6727.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/2/2008	6727.62	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/1/2008	6727.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/30/2008	6727.62	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/29/2008	6727.59	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/28/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/27/2008	6727.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/26/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/25/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/24/2008	6727.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/23/2008	6727.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/22/2008	6727.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/21/2008	6727.54	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/20/2008	6727.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/19/2008	6727.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/18/2008	6727.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/17/2008	6727.52	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/16/2008	6727.51	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/15/2008	6727.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/14/2008	6727.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/13/2008	6727.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/12/2008	6727.43	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/11/2008	6727.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/10/2008	6727.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/9/2008	6727.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/8/2008	6727.42	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	4/7/2008	6727.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/6/2008	6727.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/5/2008	6727.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/4/2008	6727.37	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/3/2008	6727.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/2/2008	6727.34	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	4/1/2008	6727.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/30/2008	6727.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/30/2008	6727.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/29/2008	6727.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/28/2008	6727.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/27/2008	6727.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/26/2008	6727.28	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	3/26/2008	6727.24	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/25/2008	6727.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/24/2008	6727.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/23/2008	6727.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/22/2008	6727.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/21/2008	6727.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/20/2008	6727.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/19/2008	6727.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/18/2008	6727.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/17/2008	6727.11	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/16/2008	6727.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/15/2008	6727.07	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/14/2008	6727.06	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/13/2008	6727.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/12/2008	6727	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/11/2008	6726.97	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/10/2008	6726.95	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/9/2008	6726.95	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/8/2008	6726.93	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/7/2008	6726.9	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/6/2008	6726.89	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/5/2008	6726.89	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/4/2008	6726.85	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/3/2008	6726.82	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/2/2008	6726.82	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	3/1/2008	6726.78	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/29/2008	6726.77	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/28/2008	6726.76	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/27/2008	6726.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/26/2008	6726.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/25/2008	6726.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/24/2008	6726.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/23/2008	6726.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/22/2008	6726.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/21/2008	6726.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/20/2008	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/19/2008	6726.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/18/2008	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/17/2008	6726.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/16/2008	6726.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/15/2008	6726.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/14/2008	6726.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/13/2008	6726.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/12/2008	6726.47	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	2/11/2008	6726.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/10/2008	6726.43	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/9/2008	6726.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/8/2008	6726.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/7/2008	6726.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/6/2008	6726.38	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/5/2008	6726.38	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/4/2008	6726.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/3/2008	6726.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/2/2008	6726.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	2/1/2008	6726.29	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/31/2008	6726.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/30/2008	6726.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/29/2008	6726.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/28/2008	6726.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/27/2008	6726.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/26/2008	6726.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/25/2008	6726.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/24/2008	6726.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/23/2008	6726.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/22/2008	6726.14	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/21/2008	6726.13	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/20/2008	6726.11	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/19/2008	6726.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/18/2008	6726.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/17/2008	6726.08	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/16/2008	6726.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/15/2008	6726.04	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/14/2008	6726.02	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/13/2008	6726.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/12/2008	6726.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/11/2008	6726.02	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/10/2008	6726.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/9/2008	6726.01	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/8/2008	6726.02	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/7/2008	6726.04	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/6/2008	6726.04	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/5/2008	6726.02	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/4/2008	6726.02	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/3/2008	6726.02	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/2/2008	6726.01	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	1/1/2008	6726.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/31/2007	6726.06	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/30/2007	6726.07	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/29/2007	6726.08	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/28/2007	6726.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/27/2007	6726.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/26/2007	6726.12	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/25/2007	6726.13	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/24/2007	6726.13	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/23/2007	6726.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/22/2007	6726.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/21/2007	6726.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/20/2007	6726.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/19/2007	6726.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/18/2007	6726.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/17/2007	6726.25	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	12/16/2007	6726.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/15/2007	6726.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/14/2007	6726.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/13/2007	6726.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/12/2007	6726.32	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/11/2007	6726.35	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/10/2007	6726.35	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/9/2007	6726.37	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/8/2007	6726.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/7/2007	6726.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/6/2007	6726.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/5/2007	6726.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/4/2007	6726.4	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/3/2007	6726.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/2/2007	6726.46	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	12/1/2007	6726.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/30/2007	6726.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/29/2007	6726.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/28/2007	6726.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/27/2007	6726.49	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	11/27/2007	6726.51	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/26/2007	6726.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/25/2007	6726.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/24/2007	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/23/2007	6726.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/22/2007	6726.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/21/2007	6726.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/20/2007	6726.59	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/19/2007	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/18/2007	6726.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/17/2007	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/16/2007	6726.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/15/2007	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/14/2007	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/13/2007	6726.59	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/12/2007	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/11/2007	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/10/2007	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/9/2007	6726.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/8/2007	6726.59	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/7/2007	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/6/2007	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/5/2007	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/4/2007	6726.57	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/3/2007	6726.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/2/2007	6726.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	11/1/2007	6726.54	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/31/2007	6726.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/30/2007	6726.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/29/2007	6726.51	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/28/2007	6726.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/27/2007	6726.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/26/2007	6726.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/25/2007	6726.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/24/2007	6726.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/23/2007	6726.44	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/22/2007	6726.42	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	10/21/2007	6726.44	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/20/2007	6726.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/19/2007	6726.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/18/2007	6726.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/17/2007	6726.37	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/16/2007	6726.34	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/15/2007	6726.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/14/2007	6726.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/13/2007	6726.29	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/12/2007	6726.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/11/2007	6726.24	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/10/2007	6726.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/9/2007	6726.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/8/2007	6726.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/7/2007	6726.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/6/2007	6726.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/5/2007	6726.13	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/4/2007	6726.11	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/3/2007	6726.08	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/2/2007	6726.06	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	10/1/2007	6726.04	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/30/2007	6726.03	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/29/2007	6726.01	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/28/2007	6725.99	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/27/2007	6725.97	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/26/2007	6725.95	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/25/2007	6725.93	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/24/2007	6725.92	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/23/2007	6725.89	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/22/2007	6725.87	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/21/2007	6725.85	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/20/2007	6725.83	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/19/2007	6725.81	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/18/2007	6725.78	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/17/2007	6725.77	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/16/2007	6725.74	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/15/2007	6725.72	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/14/2007	6725.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/13/2007	6725.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/12/2007	6725.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/11/2007	6725.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/10/2007	6725.62	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/9/2007	6725.6	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/8/2007	6725.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/7/2007	6725.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/6/2007	6725.54	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/5/2007	6725.52	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/4/2007	6725.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/3/2007	6725.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/2/2007	6725.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	9/1/2007	6725.44	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/31/2007	6725.42	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/30/2007	6725.4	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/29/2007	6725.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/28/2007	6725.38	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/27/2007	6725.36	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/26/2007	6725.35	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	8/25/2007	6725.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/24/2007	6725.33	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/23/2007	6725.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/22/2007	6725.3	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/21/2007	6725.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/20/2007	6725.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/19/2007	6725.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/18/2007	6725.24	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/17/2007	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/16/2007	6725.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/15/2007	6725.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/14/2007	6725.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/13/2007	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/12/2007	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/11/2007	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/10/2007	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/9/2007	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/8/2007	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/7/2007	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/6/2007	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/5/2007	6725.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/4/2007	6725.15	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/3/2007	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/2/2007	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	8/1/2007	6725.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/31/2007	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/30/2007	6725.17	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/29/2007	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/28/2007	6725.18	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/27/2007	6725.19	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/26/2007	6725.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/25/2007	6725.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/24/2007	6725.21	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/23/2007	6725.23	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/22/2007	6725.24	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/21/2007	6725.25	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/20/2007	6725.27	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/19/2007	6725.28	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/18/2007	6725.29	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/17/2007	6725.31	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/16/2007	6725.32	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/15/2007	6725.34	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/14/2007	6725.35	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/13/2007	6725.37	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/12/2007	6725.39	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/11/2007	6725.41	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/10/2007	6725.43	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/9/2007	6725.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/8/2007	6725.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/7/2007	6725.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/6/2007	6725.5	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/5/2007	6725.53	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/4/2007	6725.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/3/2007	6725.54	Manual
MT-4	54	Single	5271	10	54	64	2	2.25	7/3/2007	6725.56	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/2/2007	6725.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	7/1/2007	6725.61	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
MT-4	54	Single	5271	10	54	64	2	2.25	6/30/2007	6725.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/29/2007	6725.65	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/28/2007	6725.68	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/27/2007	6725.7	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/26/2007	6725.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/25/2007	6725.75	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/24/2007	6725.78	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/23/2007	6725.8	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/22/2007	6725.82	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/21/2007	6725.84	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/20/2007	6725.87	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/19/2007	6725.9	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/18/2007	6725.93	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/17/2007	6725.95	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/16/2007	6725.97	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/15/2007	6725.99	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/14/2007	6726.01	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/13/2007	6726.04	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/12/2007	6726.07	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/11/2007	6726.09	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/10/2007	6726.11	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/9/2007	6726.13	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/8/2007	6726.16	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/7/2007	6726.2	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/6/2007	6726.22	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/5/2007	6726.24	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/4/2007	6726.26	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/3/2007	6726.29	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/2/2007	6726.32	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	6/1/2007	6726.35	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/31/2007	6726.37	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/30/2007	6726.4	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/29/2007	6726.43	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/28/2007	6726.45	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/27/2007	6726.47	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/26/2007	6726.49	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/25/2007	6726.52	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/24/2007	6726.55	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/23/2007	6726.58	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/22/2007	6726.61	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/21/2007	6726.63	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/20/2007	6726.64	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/19/2007	6726.66	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/18/2007	6726.69	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/17/2007	6726.71	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/16/2007	6726.73	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/15/2007	6726.76	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/14/2007	6726.78	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/13/2007	6726.8	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/12/2007	6726.82	Transducer
MT-4	54	Single	5271	10	54	64	2	2.25	5/11/2007	6726.84	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/1/2008	5877.99	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/31/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/30/2008	5878.03	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/29/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/28/2008	5877.97	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/27/2008	5878.09	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/26/2008	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/25/2008	5878.11	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/24/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/23/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/22/2008	5878.6	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/21/2008	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/20/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/19/2008	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/18/2008	5877.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/17/2008	5877.92	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/16/2008	5877.88	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/15/2008	5878.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/14/2008	5878.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/13/2008	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/12/2008	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/11/2008	5878.08	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/10/2008	5878.32	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/9/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/8/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/7/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/6/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/5/2008	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/4/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/3/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/2/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/1/2008	5878.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/30/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/29/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/28/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/27/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/26/2008	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/25/2008	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/24/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/23/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/22/2008	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/21/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/20/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/19/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/18/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/17/2008	5878.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/16/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/15/2008	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/14/2008	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/13/2008	5877.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/12/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/11/2008	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/10/2008	5878.65	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/9/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/8/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/7/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/6/2008	5878.44	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/5/2008	5878.32	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/4/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/3/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/2/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	4/1/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/31/2008	5878.39	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/30/2008	5878.35	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/29/2008	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/28/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/27/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/26/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/25/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/24/2008	5878.03	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/23/2008	5878	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/22/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/21/2008	5878.17	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/20/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/19/2008	5878.12	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/18/2008	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/17/2008	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/16/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/15/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/14/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/13/2008	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/12/2008	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/11/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/10/2008	5878	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/9/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/8/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/7/2008	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/6/2008	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/5/2008	5878.45	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/4/2008	5878.43	Manual
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/4/2008	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/3/2008	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/2/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	3/1/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/29/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/28/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/27/2008	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/26/2008	5878.12	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/25/2008	5878.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/24/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/23/2008	5878.44	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/22/2008	5878.36	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/21/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/20/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/19/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/18/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/17/2008	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/16/2008	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/15/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/14/2008	5878.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/13/2008	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/12/2008	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/11/2008	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/10/2008	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/9/2008	5878.19	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/8/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/7/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/6/2008	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/5/2008	5878.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/4/2008	5878.65	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/3/2008	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/2/2008	5878.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	2/1/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/31/2008	5878.51	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/30/2008	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/29/2008	5878.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/28/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/27/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/26/2008	5878.08	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/25/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/24/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/23/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/22/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/21/2008	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/20/2008	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/19/2008	5878.19	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/18/2008	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/17/2008	5878.38	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/16/2008	5878.55	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/15/2008	5878.12	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/14/2008	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/13/2008	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/12/2008	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/11/2008	5878.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/10/2008	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/9/2008	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/8/2008	5878.38	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/7/2008	5878.5	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/6/2008	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/5/2008	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/4/2008	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/3/2008	5878.03	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/2/2008	5877.85	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	1/1/2008	5877.92	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/31/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/30/2007	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/29/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/28/2007	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/27/2007	5878.68	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/26/2007	5878.36	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/25/2007	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/24/2007	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/23/2007	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/22/2007	5878.54	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/21/2007	5878.49	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/20/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/19/2007	5878.24	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/18/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/17/2007	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/16/2007	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/15/2007	5878.38	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/14/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/13/2007	5878.19	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/12/2007	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/11/2007	5878.53	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/10/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/9/2007	5878.36	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/8/2007	5878.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/7/2007	5878.45	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/6/2007	5878.41	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/5/2007	5878.24	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/4/2007	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/3/2007	5877.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/2/2007	5878.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	12/1/2007	5878.57	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/30/2007	5878.24	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/29/2007	5878.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/28/2007	5878.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/27/2007	5878.06	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/26/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/25/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/24/2007	5878.42	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/23/2007	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/22/2007	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/21/2007	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/20/2007	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/19/2007	5878.13	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/18/2007	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/17/2007	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/16/2007	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/15/2007	5877.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/14/2007	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/13/2007	5878.07	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/12/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/11/2007	5878.32	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/10/2007	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/9/2007	5878.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/8/2007	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/7/2007	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/6/2007	5878.06	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/5/2007	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/4/2007	5878.02	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/3/2007	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/2/2007	5878.24	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	11/1/2007	5878.06	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/31/2007	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/30/2007	5878.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/29/2007	5877.92	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/28/2007	5877.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/27/2007	5878.06	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/26/2007	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/25/2007	5878.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/24/2007	5877.86	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/23/2007	5877.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/22/2007	5877.99	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/21/2007	5878.51	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/20/2007	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/19/2007	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/18/2007	5878.52	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/17/2007	5878.57	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/16/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/15/2007	5878.35	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/14/2007	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/13/2007	5878.48	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/12/2007	5878.35	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/11/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/10/2007	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/9/2007	5878.05	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/8/2007	5878.19	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/7/2007	5878.35	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/6/2007	5878.42	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/5/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/4/2007	5878.36	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/3/2007	5878.23	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/2/2007	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	10/1/2007	5878.08	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/30/2007	5878.32	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/29/2007	5878.42	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/28/2007	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/27/2007	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/26/2007	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/25/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/24/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/23/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/22/2007	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/21/2007	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/20/2007	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/19/2007	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/18/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/17/2007	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/16/2007	5878.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/15/2007	5878.15	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/14/2007	5878.24	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/13/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/12/2007	5878.22	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/11/2007	5878.14	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/10/2007	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/9/2007	5878.25	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/8/2007	5878.19	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/7/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/6/2007	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/5/2007	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/4/2007	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/3/2007	5878.09	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/2/2007	5878.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	9/1/2007	5878.11	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/31/2007	5878.03	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/30/2007	5878.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/29/2007	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/28/2007	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/27/2007	5878.17	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/26/2007	5878.17	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/25/2007	5878.2	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/24/2007	5878.28	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/23/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/22/2007	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/21/2007	5878.29	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/20/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/19/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/18/2007	5878.24	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/17/2007	5878.19	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/16/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/15/2007	5878.26	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/14/2007	5878.21	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/13/2007	5878.17	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/12/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/11/2007	5878.32	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/10/2007	5878.27	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/9/2007	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/8/2007	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/7/2007	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/6/2007	5878.49	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/5/2007	5878.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/4/2007	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/3/2007	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/2/2007	5878.42	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	8/1/2007	5878.43	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/31/2007	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/30/2007	5878.44	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/29/2007	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/28/2007	5878.45	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/27/2007	5878.38	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/26/2007	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/25/2007	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/24/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/23/2007	5878.31	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/22/2007	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/21/2007	5878.36	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/20/2007	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/19/2007	5878.37	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/18/2007	5878.33	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/17/2007	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/16/2007	5878.43	Manual
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/16/2007	5878.57	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/15/2007	5878.53	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/14/2007	5878.51	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/13/2007	5878.55	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/12/2007	5878.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/11/2007	5878.48	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/10/2007	5878.58	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/9/2007	5878.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/8/2007	5878.59	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/7/2007	5878.39	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/6/2007	5878.3	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/5/2007	5878.34	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/4/2007	5878.44	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/3/2007	5878.4	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/2/2007	5878.41	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	7/1/2007	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/30/2007	5878.47	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/29/2007	5878.42	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/28/2007	5878.41	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/27/2007	5878.46	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/26/2007	5878.55	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/25/2007	5878.63	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/24/2007	5878.68	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/23/2007	5878.61	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/22/2007	5878.58	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/21/2007	5878.54	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/20/2007	5878.55	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/19/2007	5878.71	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/18/2007	5878.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/17/2007	5878.72	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/16/2007	5878.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/15/2007	5878.86	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/14/2007	5878.75	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/13/2007	5878.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/12/2007	5878.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/11/2007	5878.85	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/10/2007	5878.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/9/2007	5878.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/8/2007	5878.86	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/7/2007	5879.16	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/6/2007	5879.11	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/5/2007	5878.86	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/4/2007	5878.81	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/3/2007	5878.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/2/2007	5878.96	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	6/1/2007	5879.01	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/31/2007	5878.88	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/30/2007	5878.98	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/29/2007	5879.1	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/28/2007	5879	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/27/2007	5878.94	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/26/2007	5878.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/25/2007	5878.88	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/24/2007	5878.93	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/23/2007	5879.04	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/22/2007	5879.18	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/21/2007	5879.07	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/20/2007	5878.89	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/19/2007	5878.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/18/2007	5878.83	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/17/2007	5878.82	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/16/2007	5878.79	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/15/2007	5878.9	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/14/2007	5878.87	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/13/2007	5878.73	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/12/2007	5878.77	Transducer
R-1	1031.1	Single	1701	26.3	1031.12	1057.42	4.5	5.27	5/11/2007	5878.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/1/2008	5835.61	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/31/2008	5835.6	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/30/2008	5835.63	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/29/2008	5835.57	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/28/2008	5835.57	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/27/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/26/2008	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/25/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/24/2008	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/23/2008	5836.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/22/2008	5836.2	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/21/2008	5835.84	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/20/2008	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/19/2008	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/18/2008	5835.54	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/17/2008	5835.46	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/16/2008	5835.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/15/2008	5835.62	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/14/2008	5835.58	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/13/2008	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/12/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/11/2008	5835.52	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/10/2008	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/9/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/8/2008	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/7/2008	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/6/2008	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/5/2008	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/4/2008	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/3/2008	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/2/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/1/2008	5836.26	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/30/2008	5836.12	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/29/2008	5835.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/28/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/27/2008	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/26/2008	5835.86	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/25/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/24/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/23/2008	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/22/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/21/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/20/2008	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/19/2008	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/18/2008	5835.92	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/17/2008	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/16/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/15/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/14/2008	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/13/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/12/2008	5835.75	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/11/2008	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/10/2008	5836.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/9/2008	5836.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/8/2008	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/7/2008	5836.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/6/2008	5836.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/5/2008	5836.06	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/4/2008	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/3/2008	5836.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/2/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	4/1/2008	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/31/2008	5836.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/30/2008	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/29/2008	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/28/2008	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/27/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/26/2008	5836.04	Manual
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/26/2008	5836.03	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/25/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/24/2008	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/23/2008	5835.81	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/22/2008	5835.87	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/21/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/20/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/19/2008	5835.91	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/18/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/17/2008	5836.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/16/2008	5836.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/15/2008	5836.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/14/2008	5836.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/13/2008	5836.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/12/2008	5835.99	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/11/2008	5835.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/10/2008	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/9/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/8/2008	5836	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/7/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/6/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/5/2008	5836.26	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/4/2008	5836	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/3/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/2/2008	5836.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	3/1/2008	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/29/2008	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/28/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/27/2008	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/26/2008	5835.88	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/25/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/24/2008	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/23/2008	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/22/2008	5836.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/21/2008	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/20/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/19/2008	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/18/2008	5836.04	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/17/2008	5836.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/16/2008	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/15/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/14/2008	5836.37	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/13/2008	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/12/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/11/2008	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/10/2008	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/9/2008	5835.92	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/8/2008	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/7/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/6/2008	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/5/2008	5836.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/4/2008	5836.41	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/3/2008	5836.12	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/2/2008	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	2/1/2008	5835.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/31/2008	5836.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/30/2008	5836.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/29/2008	5836.46	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/28/2008	5836.18	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/27/2008	5835.84	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/26/2008	5835.82	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/25/2008	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/24/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/23/2008	5835.99	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/22/2008	5836.03	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/21/2008	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/20/2008	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/19/2008	5835.93	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/18/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/17/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/16/2008	5836.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/15/2008	5835.87	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/14/2008	5835.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/13/2008	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/12/2008	5836.09	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/11/2008	5836.06	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/10/2008	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/9/2008	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/8/2008	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/7/2008	5836.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/6/2008	5836.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/5/2008	5836.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/4/2008	5835.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/3/2008	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/2/2008	5835.6	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	1/1/2008	5835.69	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/31/2007	5836.15	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/30/2007	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/29/2007	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/28/2007	5836.24	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/27/2007	5836.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/26/2007	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/25/2007	5836.14	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/24/2007	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/23/2007	5835.91	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/22/2007	5836.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/21/2007	5836.26	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/20/2007	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/19/2007	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/18/2007	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/17/2007	5836	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/16/2007	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/15/2007	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/14/2007	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/13/2007	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/12/2007	5835.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/11/2007	5836.27	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/10/2007	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/9/2007	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/8/2007	5836.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/7/2007	5836.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/6/2007	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/5/2007	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/4/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/3/2007	5835.66	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/2/2007	5836.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	12/1/2007	5836.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/30/2007	5835.97	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/29/2007	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/28/2007	5836.03	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/27/2007	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/26/2007	5836	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/25/2007	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/24/2007	5836.13	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/23/2007	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/22/2007	5835.88	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/21/2007	5836.12	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/20/2007	5835.98	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/19/2007	5835.87	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/18/2007	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/17/2007	5836.02	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/16/2007	5835.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/15/2007	5835.7	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/14/2007	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/13/2007	5835.78	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/12/2007	5835.99	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/11/2007	5836.04	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/10/2007	5835.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/9/2007	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/8/2007	5835.86	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/7/2007	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/6/2007	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/5/2007	5835.84	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/4/2007	5835.72	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/3/2007	5835.72	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/2/2007	5835.89	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	11/1/2007	5835.7	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/31/2007	5835.88	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/30/2007	5835.72	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/29/2007	5835.56	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/28/2007	5835.51	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/27/2007	5835.7	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/26/2007	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/25/2007	5835.59	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/24/2007	5835.41	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/23/2007	5835.48	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/22/2007	5835.53	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/21/2007	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/20/2007	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/19/2007	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/18/2007	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/17/2007	5836	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/16/2007	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/15/2007	5835.82	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/14/2007	5835.96	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/13/2007	5835.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/12/2007	5835.85	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/11/2007	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/10/2007	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/9/2007	5835.61	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/8/2007	5835.75	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/7/2007	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/6/2007	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/5/2007	5835.91	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/4/2007	5835.86	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/3/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/2/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	10/1/2007	5835.53	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/30/2007	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/29/2007	5835.84	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/28/2007	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/27/2007	5835.66	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/26/2007	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/25/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/24/2007	5835.86	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/23/2007	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/22/2007	5835.72	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/21/2007	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/20/2007	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/19/2007	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/18/2007	5835.81	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/17/2007	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/16/2007	5835.64	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/15/2007	5835.63	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/14/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/13/2007	5835.75	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/12/2007	5835.66	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/11/2007	5835.55	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/10/2007	5835.66	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/9/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/8/2007	5835.7	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/7/2007	5835.78	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/6/2007	5835.86	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/5/2007	5835.87	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/4/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/3/2007	5835.6	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/2/2007	5835.58	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	9/1/2007	5835.6	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/31/2007	5835.52	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/30/2007	5835.47	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/29/2007	5835.63	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/28/2007	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/27/2007	5835.65	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/26/2007	5835.65	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/25/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/24/2007	5835.79	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/23/2007	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/22/2007	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/21/2007	5835.73	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/20/2007	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/19/2007	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/18/2007	5835.7	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/17/2007	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/16/2007	5835.7	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/15/2007	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/14/2007	5835.58	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/13/2007	5835.52	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/12/2007	5835.58	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/11/2007	5835.65	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/10/2007	5835.6	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/9/2007	5835.68	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/8/2007	5835.72	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/7/2007	5835.73	Manual
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/7/2007	5835.78	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/6/2007	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/5/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/4/2007	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/3/2007	5835.64	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/2/2007	5835.72	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	8/1/2007	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/31/2007	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/30/2007	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/29/2007	5835.78	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/28/2007	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/27/2007	5835.72	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/26/2007	5835.84	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/25/2007	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/24/2007	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/23/2007	5835.67	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/22/2007	5835.71	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/21/2007	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/20/2007	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/19/2007	5835.82	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/18/2007	5835.82	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/17/2007	5835.83	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/16/2007	5835.8	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/15/2007	5835.75	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/14/2007	5835.72	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/13/2007	5835.76	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/12/2007	5835.7	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/11/2007	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/10/2007	5835.88	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/9/2007	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/8/2007	5835.94	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/7/2007	5835.78	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/6/2007	5835.74	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/5/2007	5835.77	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/4/2007	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/3/2007	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/2/2007	5835.91	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	7/1/2007	5835.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/30/2007	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/29/2007	5835.9	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/28/2007	5835.87	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/27/2007	5835.92	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/26/2007	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/25/2007	5836.08	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/24/2007	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/23/2007	5836.05	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/22/2007	5836.01	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/21/2007	5835.95	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/20/2007	5835.97	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/19/2007	5836.11	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/18/2007	5836.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/17/2007	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/16/2007	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/15/2007	5836.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/14/2007	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/13/2007	5836.13	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/12/2007	5836.16	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/11/2007	5836.19	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/10/2007	5836.1	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/9/2007	5836.07	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/8/2007	5836.21	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/7/2007	5836.52	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/6/2007	5836.42	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/5/2007	5836.17	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/4/2007	5836.16	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/3/2007	5836.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/2/2007	5836.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	6/1/2007	5836.4	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/31/2007	5836.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/30/2007	5836.34	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/29/2007	5836.4	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/28/2007	5836.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/27/2007	5836.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/26/2007	5836.25	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/25/2007	5836.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/24/2007	5836.31	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/23/2007	5836.49	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/22/2007	5836.59	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/21/2007	5836.47	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/20/2007	5836.32	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/19/2007	5836.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/18/2007	5836.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/17/2007	5836.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/16/2007	5836.16	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/15/2007	5836.3	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/14/2007	5836.28	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/13/2007	5836.22	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/12/2007	5836.23	Transducer
R-13	958.3	Single	1741	60.39	958.33	1018.72	4.5	5.56	5/11/2007	5836.26	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	2/7/2008	5883.54	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	2/5/2008	5883.52	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	2/4/2008	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	2/3/2008	5883.47	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	2/2/2008	5883.48	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	2/1/2008	5883.56	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/31/2008	5883.57	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/30/2008	5883.53	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/29/2008	5883.53	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/28/2008	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/27/2008	5883.49	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/26/2008	5883.54	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/25/2008	5883.52	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/24/2008	5883.5	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/23/2008	5883.5	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/22/2008	5883.48	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/21/2008	5883.44	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/20/2008	5883.47	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/19/2008	5883.53	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/18/2008	5883.51	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/17/2008	5883.5	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/16/2008	5883.48	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/15/2008	5883.48	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/14/2008	5883.46	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/13/2008	5883.43	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/12/2008	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/11/2008	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/10/2008	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/9/2008	5883.43	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/8/2008	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/7/2008	5883.4	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/6/2008	5883.41	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/5/2008	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/4/2008	5883.45	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/3/2008	5883.45	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/2/2008	5883.45	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	1/1/2008	5883.45	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/31/2007	5883.38	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/30/2007	5883.39	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/29/2007	5883.43	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/28/2007	5883.42	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/27/2007	5883.39	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/26/2007	5883.41	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/25/2007	5883.37	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/24/2007	5883.38	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/23/2007	5883.37	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/22/2007	5883.42	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/21/2007	5883.39	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/20/2007	5883.4	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/19/2007	5883.39	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/18/2007	5883.38	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/17/2007	5883.33	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/16/2007	5883.35	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/15/2007	5883.38	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/14/2007	5883.35	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/13/2007	5883.35	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/12/2007	5883.35	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/11/2007	5883.33	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/10/2007	5883.3	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/9/2007	5883.33	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/8/2007	5883.35	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/7/2007	5883.34	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/6/2007	5883.31	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/5/2007	5883.32	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/4/2007	5883.32	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/3/2007	5883.29	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/2/2007	5883.29	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	12/1/2007	5883.28	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/30/2007	5883.29	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/29/2007	5883.28	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/28/2007	5883.26	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/27/2007	5883.26	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/26/2007	5883.22	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/25/2007	5883.22	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/24/2007	5883.26	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/23/2007	5883.24	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/22/2007	5883.26	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/21/2007	5883.23	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/20/2007	5883.21	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/19/2007	5883.18	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/18/2007	5883.18	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/17/2007	5883.2	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/16/2007	5883.2	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/15/2007	5883.19	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/8/2007	5883.15	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/7/2007	5883.15	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/6/2007	5883.13	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/5/2007	5883.07	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/4/2007	5883.07	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/3/2007	5883.06	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/2/2007	5883.13	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	11/1/2007	5883.09	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/31/2007	5883.07	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/30/2007	5883.04	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/29/2007	5882.98	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/28/2007	5882.98	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/27/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/26/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/25/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/24/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/23/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/22/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/21/2007	5882.92	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/20/2007	5882.9	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/19/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/18/2007	5882.98	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/17/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/16/2007	5882.98	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/15/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/14/2007	5882.97	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/13/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/12/2007	5883.01	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/11/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/10/2007	5883.04	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/9/2007	5883.03	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/8/2007	5882.98	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/7/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/6/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/5/2007	5883.01	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/4/2007	5883.01	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/3/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/2/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	10/1/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/30/2007	5882.95	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/29/2007	5883.01	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/28/2007	5882.95	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/27/2007	5882.99	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/26/2007	5883.06	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/25/2007	5883.07	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/24/2007	5883.03	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/23/2007	5882.95	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/22/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/21/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/20/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/19/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/18/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/17/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/16/2007	5882.92	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/15/2007	5882.92	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/14/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/13/2007	5882.99	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/12/2007	5882.95	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/11/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/10/2007	5882.99	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/9/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/8/2007	5882.9	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/7/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/6/2007	5882.86	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/5/2007	5882.88	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/4/2007	5882.89	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/3/2007	5882.85	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/2/2007	5882.88	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	9/1/2007	5882.8	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/31/2007	5882.8	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/30/2007	5882.83	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/29/2007	5882.87	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/28/2007	5882.77	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/27/2007	5882.74	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/26/2007	5882.76	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/25/2007	5882.75	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/24/2007	5882.75	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/23/2007	5882.79	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/22/2007	5882.82	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/21/2007	5882.88	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/20/2007	5882.82	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/19/2007	5882.82	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/18/2007	5882.82	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/17/2007	5882.79	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/16/2007	5882.83	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/15/2007	5882.85	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/14/2007	5882.79	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/13/2007	5882.87	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/10/2007	5882.88	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/9/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/8/2007	5882.97	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/7/2007	5882.93	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/6/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/5/2007	5883.01	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/4/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/3/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/2/2007	5882.99	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	8/1/2007	5882.98	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/31/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/30/2007	5883.01	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/29/2007	5883.01	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/28/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/27/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/26/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/25/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/24/2007	5883.03	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/23/2007	5883.05	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/22/2007	5883.03	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/21/2007	5883.03	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/20/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/19/2007	5883	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/18/2007	5882.93	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/17/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/16/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/15/2007	5883.05	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/14/2007	5883.07	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/13/2007	5883.08	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/12/2007	5883.09	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/11/2007	5883.09	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/10/2007	5883.08	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/9/2007	5883.07	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/8/2007	5883.04	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/7/2007	5883.03	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/6/2007	5882.96	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/5/2007	5882.99	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/4/2007	5882.98	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/3/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/2/2007	5882.94	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	7/1/2007	5882.95	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/30/2007	5882.99	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/29/2007	5883	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/28/2007	5883.02	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/27/2007	5883.04	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/26/2007	5883.05	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/25/2007	5883.05	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/24/2007	5883.09	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/23/2007	5883.09	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/22/2007	5883.08	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/21/2007	5883.11	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/20/2007	5883.15	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/19/2007	5883.18	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/18/2007	5883.22	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/17/2007	5883.22	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/16/2007	5883.23	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/15/2007	5883.24	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/14/2007	5883.28	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/13/2007	5883.37	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/12/2007	5883.34	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/11/2007	5883.28	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/10/2007	5883.29	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/9/2007	5883.36	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/8/2007	5883.35	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/7/2007	5883.35	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/6/2007	5883.33	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/5/2007	5883.21	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/4/2007	5883.39	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/3/2007	5883.33	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/2/2007	5883.38	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	6/1/2007	5883.33	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/31/2007	5883.36	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/30/2007	5883.42	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/29/2007	5883.52	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/28/2007	5883.52	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/27/2007	5883.5	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/26/2007	5883.47	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/25/2007	5883.54	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/24/2007	5883.51	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/23/2007	5883.48	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/22/2007	5883.54	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/21/2007	5883.52	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/20/2007	5883.5	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/19/2007	5883.48	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/18/2007	5883.53	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/17/2007	5883.5	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/16/2007	5883.59	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/15/2007	5883.57	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/14/2007	5883.52	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/13/2007	5883.46	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/12/2007	5883.5	Transducer
R-14	1204.5	MP1A	411	32.6	1200.6	1233.2	4.5	5.56	5/11/2007	5883.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	2/7/2008	5882.94	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	2/5/2008	5882.95	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	2/4/2008	5882.84	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	2/3/2008	5882.84	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	2/2/2008	5882.85	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	2/1/2008	5883	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/31/2008	5883.03	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/30/2008	5882.98	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/29/2008	5882.97	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/28/2008	5882.85	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/27/2008	5882.89	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/26/2008	5882.99	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/25/2008	5882.96	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/24/2008	5882.95	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/23/2008	5882.94	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/22/2008	5882.92	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/21/2008	5882.85	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/20/2008	5882.88	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/19/2008	5882.99	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/18/2008	5882.98	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/17/2008	5882.96	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/16/2008	5882.94	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/15/2008	5882.94	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/14/2008	5882.89	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/13/2008	5882.83	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/12/2008	5882.91	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/11/2008	5882.89	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/10/2008	5882.9	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/9/2008	5882.87	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/8/2008	5882.9	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/7/2008	5882.8	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/6/2008	5882.8	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/5/2008	5882.91	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/4/2008	5882.9	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/3/2008	5882.9	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/2/2008	5882.9	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	1/1/2008	5882.91	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/31/2007	5882.79	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/30/2007	5882.8	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/29/2007	5882.89	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/28/2007	5882.89	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/27/2007	5882.84	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/26/2007	5882.86	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/25/2007	5882.82	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/24/2007	5882.82	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/23/2007	5882.79	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/22/2007	5882.88	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/21/2007	5882.84	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/20/2007	5882.87	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/19/2007	5882.85	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/18/2007	5882.84	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/17/2007	5882.75	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/16/2007	5882.78	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/15/2007	5882.85	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/14/2007	5882.8	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/13/2007	5882.81	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/12/2007	5882.82	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/11/2007	5882.78	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/10/2007	5882.73	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/9/2007	5882.76	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/8/2007	5882.81	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/7/2007	5882.8	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/6/2007	5882.77	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/5/2007	5882.78	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/4/2007	5882.78	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/3/2007	5882.73	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/2/2007	5882.72	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	12/1/2007	5882.74	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/30/2007	5882.76	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/29/2007	5882.74	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/28/2007	5882.72	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/27/2007	5882.72	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/26/2007	5882.63	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/25/2007	5882.66	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/24/2007	5882.73	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/23/2007	5882.71	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/22/2007	5882.74	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/21/2007	5882.71	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/20/2007	5882.69	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/19/2007	5882.62	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/18/2007	5882.63	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/17/2007	5882.69	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/16/2007	5882.69	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/15/2007	5882.67	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/8/2007	5882.62	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/7/2007	5882.62	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/6/2007	5882.6	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/5/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/4/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/3/2007	5882.47	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/2/2007	5882.61	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	11/1/2007	5882.58	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/31/2007	5882.55	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/30/2007	5882.5	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/29/2007	5882.41	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/28/2007	5882.41	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/27/2007	5882.36	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/26/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/25/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/24/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/23/2007	5882.47	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/22/2007	5882.39	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/21/2007	5882.32	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/20/2007	5882.29	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/19/2007	5882.47	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/18/2007	5882.43	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/17/2007	5882.4	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/16/2007	5882.42	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/15/2007	5882.36	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/14/2007	5882.38	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/13/2007	5882.45	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/12/2007	5882.46	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/11/2007	5882.48	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/10/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/9/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/8/2007	5882.42	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/7/2007	5882.44	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/6/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/5/2007	5882.5	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/4/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/3/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/2/2007	5882.47	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	10/1/2007	5882.52	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/30/2007	5882.4	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/29/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/28/2007	5882.41	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/27/2007	5882.47	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/26/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/25/2007	5882.6	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/24/2007	5882.54	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/23/2007	5882.42	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/22/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/21/2007	5882.42	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/20/2007	5882.44	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/19/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/18/2007	5882.42	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/17/2007	5882.46	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/16/2007	5882.39	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/15/2007	5882.38	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/14/2007	5882.41	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/13/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/12/2007	5882.45	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/11/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/10/2007	5882.53	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/9/2007	5882.49	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/8/2007	5882.39	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/7/2007	5882.45	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/6/2007	5882.33	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/5/2007	5882.36	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/4/2007	5882.38	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/3/2007	5882.32	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/2/2007	5882.39	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	9/1/2007	5882.26	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/31/2007	5882.25	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/30/2007	5882.31	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/29/2007	5882.37	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/28/2007	5882.21	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/27/2007	5882.15	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/26/2007	5882.18	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/25/2007	5882.15	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/24/2007	5882.16	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/23/2007	5882.2	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/22/2007	5882.27	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/21/2007	5882.38	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/20/2007	5882.27	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/19/2007	5882.27	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/18/2007	5882.25	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/17/2007	5882.2	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/16/2007	5882.24	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/15/2007	5882.28	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/14/2007	5882.39	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/10/2007	5882.35	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/9/2007	5882.45	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/8/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/7/2007	5882.42	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/6/2007	5882.53	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/5/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/4/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/3/2007	5882.55	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/2/2007	5882.53	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	8/1/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/31/2007	5882.43	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/30/2007	5882.55	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/29/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/28/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/27/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/26/2007	5882.53	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/25/2007	5882.46	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/24/2007	5882.58	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/23/2007	5882.6	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/22/2007	5882.59	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/21/2007	5882.58	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/20/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/19/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/18/2007	5882.4	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/17/2007	5882.39	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/16/2007	5882.52	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/15/2007	5882.57	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/14/2007	5882.6	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/13/2007	5882.64	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/12/2007	5882.65	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/11/2007	5882.66	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/10/2007	5882.63	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/9/2007	5882.62	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/8/2007	5882.6	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/7/2007	5882.57	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/6/2007	5882.47	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/5/2007	5882.47	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/4/2007	5882.48	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/3/2007	5882.41	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/2/2007	5882.39	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	7/1/2007	5882.4	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/30/2007	5882.45	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/29/2007	5882.44	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/28/2007	5882.48	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/27/2007	5882.49	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/26/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/25/2007	5882.5	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/24/2007	5882.56	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/23/2007	5882.54	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/22/2007	5882.51	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/21/2007	5882.54	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/20/2007	5882.59	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/19/2007	5882.63	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/18/2007	5882.69	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/17/2007	5882.71	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/16/2007	5882.73	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/15/2007	5882.73	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/14/2007	5882.75	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/13/2007	5882.92	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/12/2007	5882.87	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/11/2007	5882.73	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/10/2007	5882.73	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/9/2007	5882.85	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/8/2007	5882.84	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/7/2007	5882.83	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/6/2007	5882.74	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/4/2007	5882.95	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/3/2007	5882.83	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/2/2007	5882.92	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	6/1/2007	5882.81	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/31/2007	5882.84	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/30/2007	5882.93	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/29/2007	5883.12	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/28/2007	5883.1	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/27/2007	5883.06	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/26/2007	5883	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/25/2007	5883.13	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/24/2007	5883.08	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/23/2007	5883	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/22/2007	5883.1	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/21/2007	5883.07	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/20/2007	5883.04	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/19/2007	5882.99	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/18/2007	5883.06	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/17/2007	5883.03	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/16/2007	5883.17	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/15/2007	5883.12	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/14/2007	5883.05	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/13/2007	5882.93	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/12/2007	5882.98	Transducer
R-14	1288.5	MP2A	471	6.6	1286.5	1293.1	4.5	5.56	5/11/2007	5883.05	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/1/2008	5850	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/31/2008	5850	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/30/2008	5850.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/29/2008	5849.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/28/2008	5849.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/27/2008	5850.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/26/2008	5850.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/25/2008	5850.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/24/2008	5850.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/23/2008	5850.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/22/2008	5850.53	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/21/2008	5850.13	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/20/2008	5849.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/19/2008	5849.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/18/2008	5849.77	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/17/2008	5849.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/16/2008	5849.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/15/2008	5849.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/14/2008	5849.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/13/2008	5849.98	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/12/2008	5849.92	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/11/2008	5849.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/10/2008	5850.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/9/2008	5850.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/8/2008	5850.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/7/2008	5850.31	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/6/2008	5850.21	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/5/2008	5850.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/4/2008	5850.27	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/3/2008	5850.33	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/2/2008	5850.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/1/2008	5851.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/30/2008	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/29/2008	5850.63	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/28/2008	5850.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/27/2008	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/26/2008	5850.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/25/2008	5850.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/24/2008	5850.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/23/2008	5850.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/22/2008	5850.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/21/2008	5850.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/20/2008	5850.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/19/2008	5850.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/18/2008	5850.66	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/17/2008	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/16/2008	5850.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/15/2008	5850.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/14/2008	5850.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/13/2008	5850.4	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/12/2008	5850.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/11/2008	5850.83	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/10/2008	5851.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/9/2008	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/8/2008	5850.79	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/7/2008	5850.78	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/6/2008	5850.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/5/2008	5850.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/4/2008	5850.66	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/3/2008	5850.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/2/2008	5850.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	4/1/2008	5850.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/31/2008	5850.8	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/30/2008	5850.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/29/2008	5850.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/28/2008	5850.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/27/2008	5850.78	Manual
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/27/2008	5850.75	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/26/2008	5850.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/25/2008	5850.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/24/2008	5850.4	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/23/2008	5850.39	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/22/2008	5850.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/21/2008	5850.56	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/20/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/19/2008	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/18/2008	5850.71	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/17/2008	5850.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/16/2008	5850.85	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/15/2008	5850.81	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/14/2008	5850.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/13/2008	5850.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/12/2008	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/11/2008	5850.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/10/2008	5850.34	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/9/2008	5850.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/8/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/7/2008	5850.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/6/2008	5850.64	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/5/2008	5850.8	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/4/2008	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/3/2008	5850.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/2/2008	5850.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	3/1/2008	5850.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/29/2008	5850.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/28/2008	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/27/2008	5850.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/26/2008	5850.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/25/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/24/2008	5850.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/23/2008	5850.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/22/2008	5850.57	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/21/2008	5850.57	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/20/2008	5850.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/19/2008	5850.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/18/2008	5850.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/17/2008	5850.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/16/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/15/2008	5850.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/14/2008	5850.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/13/2008	5850.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/12/2008	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/11/2008	5850.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/10/2008	5850.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/9/2008	5850.43	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/8/2008	5850.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/7/2008	5850.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/6/2008	5850.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/5/2008	5850.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/4/2008	5850.91	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/3/2008	5850.58	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/2/2008	5850.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	2/1/2008	5850.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/31/2008	5850.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/30/2008	5850.69	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/29/2008	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/28/2008	5850.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/27/2008	5850.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/26/2008	5850.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/25/2008	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/24/2008	5850.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/23/2008	5850.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/22/2008	5850.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/21/2008	5850.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/20/2008	5850.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/19/2008	5850.33	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/18/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/17/2008	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/16/2008	5850.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/15/2008	5850.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/14/2008	5850.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/13/2008	5850.33	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/12/2008	5850.45	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/11/2008	5850.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/10/2008	5850.49	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/9/2008	5850.34	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/8/2008	5850.46	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/7/2008	5850.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/6/2008	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/5/2008	5850.34	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/4/2008	5850.23	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/3/2008	5850.04	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/2/2008	5849.85	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	1/1/2008	5849.94	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/31/2007	5850.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/30/2007	5850.37	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/29/2007	5850.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/28/2007	5850.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/27/2007	5850.69	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/26/2007	5850.36	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/25/2007	5850.37	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/24/2007	5850.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/23/2007	5850.09	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/22/2007	5850.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/21/2007	5850.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/20/2007	5850.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/19/2007	5850.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/18/2007	5850.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/17/2007	5850.12	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/16/2007	5850.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/15/2007	5850.28	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/14/2007	5850.27	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/13/2007	5850.05	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/12/2007	5850.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/11/2007	5850.4	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/10/2007	5850.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/9/2007	5850.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/8/2007	5850.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/7/2007	5850.26	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/6/2007	5850.21	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/5/2007	5849.99	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/4/2007	5849.69	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/3/2007	5849.63	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/2/2007	5850.23	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	12/1/2007	5850.31	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/30/2007	5849.94	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/29/2007	5849.79	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/28/2007	5850	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/27/2007	5849.73	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/26/2007	5849.94	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/25/2007	5849.96	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/24/2007	5850.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/23/2007	5849.89	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/22/2007	5849.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/21/2007	5850	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/20/2007	5849.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/19/2007	5849.67	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/18/2007	5849.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/17/2007	5849.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/16/2007	5849.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/15/2007	5849.45	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/14/2007	5849.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/13/2007	5849.56	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/12/2007	5849.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/11/2007	5849.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/10/2007	5849.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/9/2007	5849.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/8/2007	5849.64	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/7/2007	5849.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/6/2007	5849.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/5/2007	5849.56	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/4/2007	5849.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/3/2007	5849.4	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/2/2007	5849.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	11/1/2007	5849.39	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/31/2007	5849.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/30/2007	5849.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/29/2007	5849.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/28/2007	5849.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/27/2007	5849.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/26/2007	5849.46	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/25/2007	5849.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/24/2007	5848.99	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/23/2007	5849.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/22/2007	5849.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/21/2007	5849.6	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/20/2007	5849.27	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/19/2007	5849.21	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/18/2007	5849.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/17/2007	5849.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/16/2007	5849.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/15/2007	5849.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/14/2007	5849.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/13/2007	5849.57	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/12/2007	5849.49	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/11/2007	5849.49	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/10/2007	5849.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/9/2007	5849.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/8/2007	5849.61	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/7/2007	5849.77	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/6/2007	5849.82	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/5/2007	5849.75	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/4/2007	5849.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/3/2007	5849.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/2/2007	5849.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	10/1/2007	5849.34	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/30/2007	5849.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/29/2007	5849.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/28/2007	5849.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/27/2007	5849.48	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/26/2007	5849.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/25/2007	5849.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/24/2007	5849.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/23/2007	5849.58	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/22/2007	5849.49	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/21/2007	5849.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/20/2007	5849.53	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/19/2007	5849.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/18/2007	5849.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/17/2007	5849.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/16/2007	5849.35	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/15/2007	5849.32	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/14/2007	5849.41	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/13/2007	5849.46	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/12/2007	5849.34	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/11/2007	5849.23	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/10/2007	5849.34	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/9/2007	5849.36	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/8/2007	5849.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/7/2007	5849.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/6/2007	5849.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/5/2007	5849.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/4/2007	5849.25	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/3/2007	5849.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/2/2007	5849.09	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	9/1/2007	5849.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/31/2007	5849.01	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/30/2007	5848.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/29/2007	5849.14	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/28/2007	5849.13	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/27/2007	5849.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/26/2007	5849.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/25/2007	5849.13	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/24/2007	5849.21	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/23/2007	5849.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/22/2007	5849.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/21/2007	5849.17	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/20/2007	5849.14	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/19/2007	5849.14	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/18/2007	5849.05	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/17/2007	5848.99	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/16/2007	5849.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/15/2007	5849.04	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/14/2007	5848.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/13/2007	5848.89	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/12/2007	5848.95	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/11/2007	5848.96	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/10/2007	5848.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/9/2007	5848.91	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/8/2007	5848.94	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/7/2007	5848.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/6/2007	5848.96	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/5/2007	5848.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/4/2007	5848.9	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/3/2007	5848.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/2/2007	5848.98	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	8/1/2007	5849.01	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/31/2007	5849.01	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/30/2007	5849.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/29/2007	5849.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/28/2007	5849.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/27/2007	5849.08	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/26/2007	5849.23	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/25/2007	5849.19	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/24/2007	5849.2	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/23/2007	5849.15	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/22/2007	5849.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/21/2007	5849.3	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/20/2007	5849.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/19/2007	5849.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/18/2007	5849.44	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/17/2007	5849.47	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/16/2007	5849.51	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/15/2007	5849.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/14/2007	5849.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/13/2007	5849.62	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/12/2007	5849.59	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/11/2007	5849.68	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/10/2007	5849.8	Manual
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/10/2007	5849.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/9/2007	5849.98	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/8/2007	5850.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/7/2007	5849.89	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/6/2007	5849.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/5/2007	5849.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/4/2007	5850.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/3/2007	5850.25	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/2/2007	5850.35	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	7/1/2007	5850.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/30/2007	5850.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/29/2007	5850.37	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/28/2007	5850.36	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/27/2007	5850.42	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/26/2007	5850.52	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/25/2007	5850.61	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/24/2007	5850.65	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/23/2007	5850.58	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/22/2007	5850.55	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/21/2007	5850.5	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/20/2007	5850.54	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/19/2007	5850.7	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/18/2007	5850.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/17/2007	5850.7	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/16/2007	5850.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/15/2007	5850.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/14/2007	5850.76	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/13/2007	5850.83	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/12/2007	5850.87	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/11/2007	5850.86	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/10/2007	5850.77	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/9/2007	5850.74	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/8/2007	5850.88	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/7/2007	5851.29	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/6/2007	5851.22	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/5/2007	5850.95	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/4/2007	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/3/2007	5851	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/2/2007	5851.09	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	6/1/2007	5851.16	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/31/2007	5851.01	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/30/2007	5851.12	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/29/2007	5851.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/28/2007	5851.12	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/27/2007	5851.07	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/26/2007	5851.02	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/25/2007	5851.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/24/2007	5851.1	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/23/2007	5851.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/22/2007	5851.38	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/21/2007	5851.24	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/20/2007	5851.06	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/19/2007	5850.99	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/18/2007	5850.93	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/17/2007	5850.97	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/16/2007	5851.01	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/15/2007	5851.13	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/14/2007	5851.11	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/13/2007	5851	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/12/2007	5851.03	Transducer
R-15	958.6	Single	1751	61.7	958.6	1020.3	4.5	5.5	5/11/2007	5851.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/1/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/31/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/30/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/29/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/28/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/27/2008	5641.41	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/26/2008	5641.35	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/25/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/24/2008	5641.39	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/23/2008	5641.21	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/22/2008	5641.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/21/2008	5641.42	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/20/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/19/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/18/2008	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/17/2008	5641.67	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/16/2008	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/15/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/14/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/13/2008	5641.73	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/9/2008	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/8/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/7/2008	5641.61	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/6/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/5/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/4/2008	5641.65	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/3/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/2/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/1/2008	5641.33	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/30/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/29/2008	5641.59	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/28/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/27/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/26/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/25/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/24/2008	5641.47	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/23/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/22/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/21/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/20/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/19/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/18/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/17/2008	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/16/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/15/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/14/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/13/2008	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/12/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/11/2008	5641.48	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/10/2008	5641.31	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/9/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/8/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/7/2008	5641.48	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/6/2008	5641.4	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/5/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/4/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/3/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/2/2008	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	4/1/2008	5641.55	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/31/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/30/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/29/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/28/2008	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/27/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/26/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/25/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/24/2008	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/23/2008	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/22/2008	5641.73	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/21/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/20/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/19/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/18/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/17/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/16/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/15/2008	5641.56	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/14/2008	5641.58	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/13/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/12/2008	5641.8	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/11/2008	5641.85	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/10/2008	5641.87	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/9/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/8/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/7/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/6/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/5/2008	5641.44	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/4/2008	5641.65	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/3/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/2/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	3/1/2008	5641.82	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/29/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/28/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/27/2008	5641.82	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/26/2008	5641.75	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/25/2008	5641.63	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/24/2008	5641.8	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/23/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/22/2008	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/21/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/20/2008	5641.63	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/19/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/18/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/17/2008	5641.49	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/16/2008	5641.66	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/15/2008	5641.65	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/14/2008	5641.46	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/13/2008	5641.5	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/12/2008	5641.69	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/6/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/5/2008	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/4/2008	5641.47	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/3/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/2/2008	5641.73	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	2/1/2008	5641.85	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/31/2008	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/30/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/29/2008	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/28/2008	5641.73	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/27/2008	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/26/2008	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/25/2008	5641.76	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/24/2008	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/23/2008	5641.82	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/22/2008	5641.76	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/21/2008	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/20/2008	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/19/2008	5641.89	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/18/2008	5641.75	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/17/2008	5641.8	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/16/2008	5641.64	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/15/2008	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/14/2008	5641.97	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/13/2008	5641.87	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/12/2008	5641.79	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/11/2008	5641.81	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/10/2008	5641.73	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/9/2008	5641.85	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/8/2008	5641.75	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/7/2008	5641.68	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/6/2008	5641.75	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/5/2008	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/4/2008	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/3/2008	5642.14	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/2/2008	5642.29	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	1/1/2008	5642.22	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/31/2007	5641.89	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/30/2007	5641.94	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/29/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/28/2007	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/27/2007	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/26/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/25/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/24/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/23/2007	5642.15	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/22/2007	5641.87	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/21/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/20/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/19/2007	5642.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/18/2007	5642.15	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/17/2007	5642.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/16/2007	5642.22	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/15/2007	5642.08	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/14/2007	5641.94	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/11/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/10/2007	5642.13	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/9/2007	5642.08	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/8/2007	5641.94	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/7/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/6/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/5/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/4/2007	5642.31	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/3/2007	5642.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/2/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	12/1/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/30/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/29/2007	5642.15	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/28/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/27/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/26/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/25/2007	5641.94	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/24/2007	5641.85	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/23/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/22/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/21/2007	5641.85	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/20/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/19/2007	5642.07	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/18/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/17/2007	5641.94	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/16/2007	5642.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/15/2007	5642.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/9/2007	5642.01	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/8/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/7/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/6/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/5/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/4/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/3/2007	5642.13	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/2/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	11/1/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/31/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/30/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/29/2007	5642.17	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/28/2007	5642.18	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/27/2007	5642.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/26/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/25/2007	5642.17	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/24/2007	5642.29	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/23/2007	5642.22	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/22/2007	5642.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/21/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/20/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/19/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/18/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/17/2007	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/16/2007	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/15/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/14/2007	5641.85	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/13/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/12/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/11/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/10/2007	5642.17	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/9/2007	5642.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/8/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/7/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/6/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/5/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/4/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/3/2007	5642.13	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/2/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	10/1/2007	5642.2	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/30/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/29/2007	5641.89	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/28/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/27/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/26/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/25/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/24/2007	5641.94	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/23/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/22/2007	5642.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/21/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/20/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/19/2007	5642.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/18/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/17/2007	5641.94	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/16/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/15/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/14/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/13/2007	5641.99	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/12/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/11/2007	5642.11	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/10/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/9/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/8/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/7/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/6/2007	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/5/2007	5641.89	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/4/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/3/2007	5642.06	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/2/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	9/1/2007	5642.01	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/31/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/30/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/29/2007	5642.22	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/28/2007	5642.15	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/23/2007	5641.83	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/22/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/21/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/20/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/19/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/18/2007	5641.89	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/17/2007	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/16/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/15/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/14/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/13/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/12/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/11/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/10/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/9/2007	5641.87	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/8/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/7/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/6/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/5/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/4/2007	5641.89	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/3/2007	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/2/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	8/1/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/31/2007	5641.87	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/30/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/29/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/28/2007	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/27/2007	5641.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/26/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/25/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/24/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/23/2007	5642	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/22/2007	5641.99	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/21/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/20/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/19/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/18/2007	5641.9	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/17/2007	5641.9	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/16/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/15/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/14/2007	5642.02	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/13/2007	5642.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/12/2007	5642.09	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/11/2007	5642.02	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/10/2007	5641.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/9/2007	5641.92	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/8/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/7/2007	5642.04	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/6/2007	5642.05	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/5/2007	5642.03	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/4/2007	5641.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/3/2007	5641.96	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/2/2007	5641.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	7/1/2007	5641.89	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/30/2007	5641.93	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/29/2007	5641.95	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/28/2007	5641.98	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/27/2007	5641.91	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/26/2007	5641.84	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/25/2007	5641.81	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/24/2007	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/23/2007	5641.83	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/22/2007	5641.86	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/21/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/20/2007	5641.88	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/19/2007	5641.78	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/18/2007	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/17/2007	5641.8	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/16/2007	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/15/2007	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/14/2007	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/13/2007	5641.79	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/12/2007	5641.72	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/11/2007	5641.69	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/10/2007	5641.76	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/9/2007	5641.75	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/8/2007	5641.69	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/6/2007	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/5/2007	5641.7	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/4/2007	5641.69	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/3/2007	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/2/2007	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	6/1/2007	5641.53	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/31/2007	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/30/2007	5641.57	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/29/2007	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/28/2007	5641.6	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/27/2007	5641.6	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/26/2007	5641.63	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/25/2007	5641.63	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/24/2007	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/23/2007	5641.48	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/22/2007	5641.37	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/21/2007	5641.47	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/20/2007	5641.57	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/19/2007	5641.6	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/18/2007	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/17/2007	5641.62	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/16/2007	5641.62	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/15/2007	5641.54	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/14/2007	5641.51	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/13/2007	5641.57	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/12/2007	5641.58	Transducer
R-16	866.1	MP2A	541	7.5	863.4	870.9	4.5	5.56	5/11/2007	5641.55	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/1/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/31/2008	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/30/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/29/2008	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/28/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/27/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/26/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/25/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/24/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/23/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/22/2008	5556.79	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/21/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/20/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/19/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/18/2008	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/17/2008	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/16/2008	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/15/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/14/2008	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/13/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/9/2008	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/8/2008	5557.16	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/7/2008	5557.09	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/6/2008	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/5/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/4/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/3/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/2/2008	5556.93	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/1/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/30/2008	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/29/2008	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/28/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/27/2008	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/26/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/25/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/24/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/23/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/22/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/21/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/20/2008	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/19/2008	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/18/2008	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/17/2008	5556.8	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/16/2008	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/15/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/14/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/13/2008	5557.18	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/12/2008	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/11/2008	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/10/2008	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/9/2008	5556.81	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/8/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/7/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/6/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/5/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/4/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/3/2008	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/2/2008	5557.03	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	4/1/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/31/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/30/2008	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/29/2008	5556.93	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/28/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/27/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/26/2008	5557.04	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/25/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/24/2008	5557.18	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/23/2008	5557.16	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/22/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/21/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/20/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/19/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/18/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/17/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/16/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/15/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/14/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/13/2008	5557.03	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/12/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/11/2008	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/10/2008	5557.2	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/9/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/8/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/7/2008	5557.02	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/6/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/5/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/4/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/3/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/2/2008	5556.82	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	3/1/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/29/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/28/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/27/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/26/2008	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/25/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/24/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/23/2008	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/22/2008	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/21/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/20/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/19/2008	5556.97	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/18/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/17/2008	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/16/2008	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/15/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/14/2008	5556.68	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/13/2008	5556.76	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/12/2008	5557.27	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/6/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/5/2008	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/4/2008	5556.84	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/3/2008	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/2/2008	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	2/1/2008	5557.2	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/31/2008	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/30/2008	5557.03	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/29/2008	5556.86	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/28/2008	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/27/2008	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/26/2008	5557.31	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/25/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/24/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/23/2008	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/22/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/21/2008	5557.01	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/20/2008	5557.16	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/19/2008	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/18/2008	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/17/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/16/2008	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/15/2008	5557.32	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/14/2008	5557.35	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/13/2008	5557.25	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/12/2008	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/11/2008	5557.2	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/10/2008	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/9/2008	5557.25	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/8/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/7/2008	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/6/2008	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/5/2008	5557.32	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/4/2008	5557.41	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/3/2008	5557.55	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/2/2008	5557.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	1/1/2008	5557.6	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/31/2007	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/30/2007	5557.32	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/29/2007	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/28/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/27/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/26/2007	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/25/2007	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/24/2007	5557.44	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/23/2007	5557.42	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/22/2007	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/21/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/20/2007	5557.36	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/19/2007	5557.41	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/18/2007	5557.36	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/17/2007	5557.39	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/16/2007	5557.41	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/15/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/14/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/11/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/10/2007	5557.3	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/9/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/8/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/7/2007	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/6/2007	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/5/2007	5557.25	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/4/2007	5557.46	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/3/2007	5557.49	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/2/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	12/1/2007	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/30/2007	5557.18	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/29/2007	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/28/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/27/2007	5557.25	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/26/2007	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/25/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/24/2007	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/23/2007	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/22/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/21/2007	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/20/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/19/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/18/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/17/2007	5557.03	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/16/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/15/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/9/2007	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/8/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/7/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/6/2007	5557.25	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/5/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/4/2007	5557.25	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/3/2007	5557.26	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/2/2007	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	11/1/2007	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/31/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/30/2007	5557.16	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/29/2007	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/28/2007	5557.33	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/27/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/26/2007	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/25/2007	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/24/2007	5557.41	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/23/2007	5557.36	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/22/2007	5557.32	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/21/2007	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/20/2007	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/19/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/18/2007	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/17/2007	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/16/2007	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/15/2007	5557.06	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/14/2007	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/13/2007	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/12/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/11/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/10/2007	5557.3	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/9/2007	5557.34	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/8/2007	5557.26	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/7/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/6/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/5/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/4/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/3/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/2/2007	5557.21	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	10/1/2007	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/30/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/29/2007	5557	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/28/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/27/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/26/2007	5557.13	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/25/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/24/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/23/2007	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/22/2007	5557.21	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/21/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/20/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/19/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/18/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/17/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/16/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/15/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/14/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/13/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/12/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/11/2007	5557.26	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/10/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/9/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/8/2007	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/7/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/6/2007	5557	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/4/2007	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/3/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/2/2007	5557.11	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	9/1/2007	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/31/2007	5557.05	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/30/2007	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/29/2007	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/28/2007	5557.24	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/27/2007	5557.27	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/23/2007	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/22/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/21/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/20/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/19/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/18/2007	5557.21	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/17/2007	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/16/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/15/2007	5557.21	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/14/2007	5557.28	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/13/2007	5557.33	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/12/2007	5557.29	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/11/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/10/2007	5557.28	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/9/2007	5557.24	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/8/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/7/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/6/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/5/2007	5557.21	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/4/2007	5557.23	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/3/2007	5557.24	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/2/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	8/1/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/31/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/30/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/29/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/28/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/27/2007	5557.24	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/26/2007	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/25/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/24/2007	5557.19	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/23/2007	5557.24	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/22/2007	5557.22	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/21/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/20/2007	5557.14	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/19/2007	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/18/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/17/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/16/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/15/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/14/2007	5557.15	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/13/2007	5557.12	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/12/2007	5557.17	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/11/2007	5557.08	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/10/2007	5557	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/9/2007	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/8/2007	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/7/2007	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/6/2007	5557.1	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/5/2007	5557.07	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/4/2007	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/3/2007	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/2/2007	5556.98	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	7/1/2007	5556.93	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/30/2007	5556.95	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/29/2007	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/28/2007	5556.99	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/27/2007	5556.96	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/26/2007	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/25/2007	5556.81	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/24/2007	5556.81	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/23/2007	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/22/2007	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/21/2007	5556.94	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/20/2007	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/19/2007	5556.79	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/18/2007	5556.71	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/17/2007	5556.82	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/16/2007	5556.79	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/15/2007	5556.73	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/14/2007	5556.8	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/13/2007	5556.76	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/12/2007	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/11/2007	5556.68	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/10/2007	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/9/2007	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/8/2007	5556.64	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/7/2007	5556.57	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/6/2007	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/5/2007	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/4/2007	5556.86	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/3/2007	5556.8	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/2/2007	5556.77	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	6/1/2007	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/31/2007	5556.81	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/30/2007	5556.74	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/29/2007	5556.7	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/28/2007	5556.78	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/27/2007	5556.81	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/26/2007	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/25/2007	5556.86	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/24/2007	5556.81	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/23/2007	5556.69	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/22/2007	5556.63	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/21/2007	5556.72	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/20/2007	5556.85	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/19/2007	5556.87	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/18/2007	5556.9	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/17/2007	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/16/2007	5556.89	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/15/2007	5556.81	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/14/2007	5556.83	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/13/2007	5556.88	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/12/2007	5556.92	Transducer
R-16	1018.4	MP3A	591	7.6	1014.8	1022.4	4.5	5.56	5/11/2007	5556.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/1/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/31/2008	5546.42	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/30/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/29/2008	5546.42	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/28/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/27/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/26/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/25/2008	5546.35	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/24/2008	5546.28	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/23/2008	5546.13	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/22/2008	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/21/2008	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/20/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/19/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/18/2008	5546.49	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/17/2008	5546.55	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/16/2008	5546.55	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/15/2008	5546.41	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/14/2008	5546.39	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/12/2008	5546.77	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/9/2008	5546.54	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/8/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/7/2008	5546.36	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/6/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/5/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/4/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/3/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/2/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/1/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/30/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/29/2008	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/28/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/27/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/26/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/25/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/24/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/23/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/22/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/21/2008	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/20/2008	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/19/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/18/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/17/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/16/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/15/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/14/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/13/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/12/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/11/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/10/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/9/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/8/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/7/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/6/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/5/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/4/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/3/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/2/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	4/1/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/31/2008	5546.13	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/30/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/29/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/28/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/27/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/26/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/25/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/24/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/23/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/22/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/21/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/20/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/19/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/18/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/17/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/16/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/15/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/14/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/13/2008	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/12/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/11/2008	5546.49	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/10/2008	5546.5	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/9/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/8/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/7/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/6/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/5/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/4/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/3/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/2/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	3/1/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/29/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/28/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/27/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/26/2008	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/25/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/24/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/23/2008	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/22/2008	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/21/2008	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/20/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/19/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/18/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/17/2008	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/16/2008	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/15/2008	5546.22	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/14/2008	5546.05	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/13/2008	5546.17	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/12/2008	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/6/2008	5546.37	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/5/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/4/2008	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/3/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/2/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	2/1/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/31/2008	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/30/2008	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/29/2008	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/28/2008	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/27/2008	5546.54	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/26/2008	5546.54	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/25/2008	5546.37	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/24/2008	5546.37	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/23/2008	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/22/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/21/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/20/2008	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/19/2008	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/18/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/17/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/16/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/15/2008	5546.57	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/14/2008	5546.57	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/13/2008	5546.5	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/12/2008	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/11/2008	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/10/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/9/2008	5546.43	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/8/2008	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/7/2008	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/6/2008	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/5/2008	5546.54	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/4/2008	5546.6	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/3/2008	5546.74	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/2/2008	5546.88	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	1/1/2008	5546.78	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/31/2007	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/30/2007	5546.5	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/29/2007	5546.5	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/28/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/27/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/26/2007	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/25/2007	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/24/2007	5546.61	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/23/2007	5546.64	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/22/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/21/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/20/2007	5546.57	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/19/2007	5546.64	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/18/2007	5546.61	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/17/2007	5546.6	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/16/2007	5546.6	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/15/2007	5546.5	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/14/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/11/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/10/2007	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/9/2007	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/8/2007	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/7/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/6/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/5/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/4/2007	5546.61	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/3/2007	5546.6	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/2/2007	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	12/1/2007	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/30/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/29/2007	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/28/2007	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/27/2007	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/26/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/25/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/24/2007	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/23/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/22/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/21/2007	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/20/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/19/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/18/2007	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/17/2007	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/16/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/15/2007	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/9/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/8/2007	5546.26	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/7/2007	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/6/2007	5546.4	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/5/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/4/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/3/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/2/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	11/1/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/31/2007	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/30/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/29/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/28/2007	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/27/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/26/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/25/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/24/2007	5546.54	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/23/2007	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/22/2007	5546.44	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/21/2007	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/20/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/19/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/18/2007	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/17/2007	5546.02	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/16/2007	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/15/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/14/2007	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/13/2007	5546.12	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/12/2007	5546.19	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/11/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/10/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/9/2007	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/8/2007	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/7/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/6/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/5/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/4/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/3/2007	5546.37	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/2/2007	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	10/1/2007	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/30/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/29/2007	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/28/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/27/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/26/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/25/2007	5546.29	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/24/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/23/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/22/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/21/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/20/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/19/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/18/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/17/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/16/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/15/2007	5546.37	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/14/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/13/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/12/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/11/2007	5546.43	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/10/2007	5546.33	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/9/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/8/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/7/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/6/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/5/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/4/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/3/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/2/2007	5546.36	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	9/1/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/31/2007	5546.33	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/30/2007	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/29/2007	5546.47	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/28/2007	5546.38	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/23/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/22/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/21/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/20/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/19/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/18/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/17/2007	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/16/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/15/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/14/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/13/2007	5546.4	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/12/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/11/2007	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/10/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/9/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/8/2007	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/7/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/6/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/5/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/4/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/3/2007	5546.34	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/2/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	8/1/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/31/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/30/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/29/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/28/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/27/2007	5546.3	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/26/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/25/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/24/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/23/2007	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/22/2007	5546.31	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/21/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/20/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/19/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/18/2007	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/17/2007	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/16/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/15/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/14/2007	5546.23	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/13/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/12/2007	5546.27	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/11/2007	5546.2	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/10/2007	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/9/2007	5546.07	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/8/2007	5546.06	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/7/2007	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/6/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/5/2007	5546.2	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/4/2007	5546.06	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/3/2007	5546.13	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/2/2007	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	7/1/2007	5546.07	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/30/2007	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/29/2007	5546.14	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/28/2007	5546.16	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/27/2007	5546.09	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/26/2007	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/25/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/24/2007	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/23/2007	5546	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/22/2007	5546.03	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/21/2007	5546.06	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/20/2007	5546.06	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/19/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/18/2007	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/17/2007	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/16/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/15/2007	5545.9	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/14/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/13/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/12/2007	5545.93	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/11/2007	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/10/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/9/2007	5545.93	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/8/2007	5546.04	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/6/2007	5545.79	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/5/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/4/2007	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/3/2007	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/2/2007	5545.82	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	6/1/2007	5545.82	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/31/2007	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/30/2007	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/29/2007	5545.82	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/28/2007	5545.89	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/27/2007	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/26/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/25/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/24/2007	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/23/2007	5545.82	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/22/2007	5545.75	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/21/2007	5545.85	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/20/2007	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/19/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/18/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/17/2007	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/16/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/15/2007	5545.92	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/14/2007	5545.93	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/13/2007	5545.99	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/12/2007	5545.96	Transducer
R-16	1238	MP4A	641	7.6	1237	1244.6	4.5	5.56	5/11/2007	5545.96	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/1/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/31/2008	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/30/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/29/2008	5692.32	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/28/2008	5692.29	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/27/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/26/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/25/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/24/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/23/2008	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/22/2008	5692.88	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/21/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/20/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/19/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/18/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/17/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/16/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/15/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/14/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/13/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/12/2008	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/11/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/10/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/9/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/8/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/7/2008	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/6/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/5/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/4/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/3/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/2/2008	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/1/2008	5692.87	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/30/2008	5692.78	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/29/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/28/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/27/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/26/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/25/2008	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/24/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/23/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/22/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/21/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/20/2008	5692.7	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/19/2008	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/18/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/17/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/16/2008	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/15/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/14/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/13/2008	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/12/2008	5692.27	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/11/2008	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/10/2008	5692.81	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/9/2008	5692.71	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/8/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/7/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/6/2008	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/5/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/4/2008	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/3/2008	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/2/2008	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	4/1/2008	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/31/2008	5692.69	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/30/2008	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/29/2008	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/28/2008	5692.68	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/27/2008	5692.7	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/26/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/25/2008	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/24/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/23/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/22/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/21/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/20/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/19/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/18/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/17/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/16/2008	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/15/2008	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/14/2008	5692.81	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/13/2008	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/12/2008	5692.61	Manual
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/12/2008	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/11/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/10/2008	5692.29	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/9/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/8/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/7/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/6/2008	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/5/2008	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/4/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/3/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/2/2008	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	3/1/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/29/2008	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/28/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/27/2008	5692.31	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/26/2008	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/25/2008	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/24/2008	5692.26	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/23/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/22/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/21/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/20/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/19/2008	5692.39	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/18/2008	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/17/2008	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/16/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/15/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/14/2008	5692.87	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/13/2008	5692.48	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/12/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/11/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/10/2008	5692.3	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/9/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/8/2008	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/7/2008	5692.43	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/6/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/5/2008	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/4/2008	5692.83	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/3/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/2/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	2/1/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/31/2008	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/30/2008	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/29/2008	5692.92	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/28/2008	5692.72	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/27/2008	5692.38	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/26/2008	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/25/2008	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/24/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/23/2008	5692.47	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/22/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/21/2008	5692.68	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/20/2008	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/19/2008	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/18/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/17/2008	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/16/2008	5692.83	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/15/2008	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/14/2008	5692.36	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/13/2008	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/12/2008	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/11/2008	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/10/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/9/2008	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/8/2008	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/7/2008	5692.75	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/6/2008	5692.78	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/5/2008	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/4/2008	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/3/2008	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/2/2008	5692.16	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	1/1/2008	5692.18	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/31/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/30/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/29/2007	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/28/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/27/2007	5692.84	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/26/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/25/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/24/2007	5692.4	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/23/2007	5692.34	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/22/2007	5692.75	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/21/2007	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/20/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/19/2007	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/18/2007	5692.58	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/17/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/16/2007	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/15/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/14/2007	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/13/2007	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/12/2007	5692.42	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/11/2007	5692.75	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/10/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/9/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/8/2007	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/7/2007	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/6/2007	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/5/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/4/2007	5692.33	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/3/2007	5692.19	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/2/2007	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	12/1/2007	5692.89	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/30/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/29/2007	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/28/2007	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/27/2007	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/26/2007	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/25/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/24/2007	5692.7	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/23/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/22/2007	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/21/2007	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/20/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/19/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/18/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/17/2007	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/16/2007	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/15/2007	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/14/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/13/2007	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/12/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/11/2007	5692.69	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/10/2007	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/9/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/8/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/7/2007	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/6/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/5/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/4/2007	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/3/2007	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/2/2007	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	11/1/2007	5692.46	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/31/2007	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/30/2007	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/29/2007	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/28/2007	5692.29	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/27/2007	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/26/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/25/2007	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/24/2007	5692.26	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/23/2007	5692.26	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/22/2007	5692.26	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/21/2007	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/20/2007	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/19/2007	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/18/2007	5692.7	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/17/2007	5692.77	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/16/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/15/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/14/2007	5692.72	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/13/2007	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/12/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/11/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/10/2007	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/9/2007	5692.37	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/8/2007	5692.45	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/7/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/6/2007	5692.68	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/5/2007	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/4/2007	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/3/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/2/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	10/1/2007	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/30/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/29/2007	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/28/2007	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/27/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/26/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/25/2007	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/24/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/23/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/22/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/21/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/20/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/19/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/18/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/17/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/16/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/15/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/14/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/13/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/12/2007	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/11/2007	5692.41	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/10/2007	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/9/2007	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/8/2007	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/7/2007	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/6/2007	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/5/2007	5692.71	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/4/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/3/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/2/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	9/1/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/31/2007	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/30/2007	5692.35	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/29/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/28/2007	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/27/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/26/2007	5692.52	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/25/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/24/2007	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/23/2007	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/22/2007	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/21/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/20/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/19/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/18/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/17/2007	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/16/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/15/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/14/2007	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/13/2007	5692.44	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/12/2007	5692.48	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/11/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/10/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/9/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/8/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/7/2007	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/6/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/5/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/4/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/3/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/2/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	8/1/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/31/2007	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/30/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/29/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/28/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/27/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/26/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/25/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/24/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/23/2007	5692.58	Manual
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/23/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/22/2007	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/21/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/20/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/19/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/18/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/17/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/16/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/15/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/14/2007	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/13/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/12/2007	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/11/2007	5692.53	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/10/2007	5692.65	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/9/2007	5692.72	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/8/2007	5692.73	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/7/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/6/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/5/2007	5692.5	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/4/2007	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/3/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/2/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	7/1/2007	5692.63	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/30/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/29/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/28/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/27/2007	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/26/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/25/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/24/2007	5692.69	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/23/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/22/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/21/2007	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/20/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/19/2007	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/18/2007	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/17/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/16/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/15/2007	5692.7	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/14/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/13/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/12/2007	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/11/2007	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/10/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/9/2007	5692.52	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/8/2007	5692.56	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/7/2007	5692.89	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/6/2007	5692.82	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/5/2007	5692.59	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/4/2007	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/3/2007	5692.63	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/2/2007	5692.68	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	6/1/2007	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/31/2007	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/30/2007	5692.68	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/29/2007	5692.76	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/28/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/27/2007	5692.64	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/26/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/25/2007	5692.55	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/24/2007	5692.58	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/23/2007	5692.74	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/22/2007	5692.88	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/21/2007	5692.79	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/20/2007	5692.67	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/19/2007	5692.66	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/18/2007	5692.6	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/17/2007	5692.57	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/16/2007	5692.49	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/15/2007	5692.61	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/14/2007	5692.62	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/13/2007	5692.54	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/12/2007	5692.51	Transducer
R-16r	600	Single	6341	17.6	600	617.6	4.46	5.27	5/11/2007	5692.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/1/2008	5854.22	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/31/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/30/2008	5854.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/29/2008	5854.2	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/28/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/27/2008	5854.33	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/26/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/25/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/24/2008	5854.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/23/2008	5854.65	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/22/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/21/2008	5854.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/20/2008	5854.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/19/2008	5854.15	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/18/2008	5853.99	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/17/2008	5853.91	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/16/2008	5853.88	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/15/2008	5854.08	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/14/2008	5854.07	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/13/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/12/2008	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/11/2008	5854.04	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/10/2008	5854.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/9/2008	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/8/2008	5854.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/7/2008	5854.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/6/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/5/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/4/2008	5854.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/3/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/2/2008	5854.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/1/2008	5854.91	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/30/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/29/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/28/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/27/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/26/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/25/2008	5854.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/24/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/23/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/22/2008	5854.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/21/2008	5854.67	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/20/2008	5854.7	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/19/2008	5854.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/18/2008	5854.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/17/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/16/2008	5854.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/15/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/14/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/13/2008	5854.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/12/2008	5854.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/11/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/10/2008	5854.96	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/9/2008	5854.8	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/8/2008	5854.69	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/7/2008	5854.68	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/6/2008	5854.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/5/2008	5854.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/4/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/3/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/2/2008	5854.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	4/1/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/31/2008	5854.74	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/30/2008	5854.69	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/29/2008	5854.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/28/2008	5854.56	Manual
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/28/2008	5854.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/27/2008	5854.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/26/2008	5854.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/25/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/24/2008	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/23/2008	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/22/2008	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/21/2008	5854.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/20/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/19/2008	5854.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/18/2008	5854.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/17/2008	5854.81	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/16/2008	5854.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/15/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/14/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/13/2008	5854.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/12/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/11/2008	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/10/2008	5854.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/9/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/8/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/7/2008	5854.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/6/2008	5854.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/5/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/4/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/3/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/2/2008	5854.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	3/1/2008	5854.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/29/2008	5854.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/28/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/27/2008	5854.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/26/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/25/2008	5854.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/24/2008	5854.22	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/23/2008	5854.56	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/22/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/21/2008	5854.5	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/20/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/19/2008	5854.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/18/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/17/2008	5854.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/16/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/15/2008	5854.53	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/14/2008	5854.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/13/2008	5854.37	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/12/2008	5854.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/11/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/10/2008	5854.16	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/9/2008	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/8/2008	5854.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/7/2008	5854.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/6/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/5/2008	5854.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/4/2008	5854.77	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/3/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/2/2008	5854.46	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	2/1/2008	5854.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/31/2008	5854.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/30/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/29/2008	5854.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/28/2008	5854.46	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/27/2008	5854.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/26/2008	5854.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/25/2008	5854.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/24/2008	5854.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/23/2008	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/22/2008	5854.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/21/2008	5854.45	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/20/2008	5854.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/19/2008	5854.22	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/18/2008	5854.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/17/2008	5854.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/16/2008	5854.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/15/2008	5854.09	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/14/2008	5854.09	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/13/2008	5854.2	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/12/2008	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/11/2008	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/10/2008	5854.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/9/2008	5854.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/8/2008	5854.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/7/2008	5854.48	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/6/2008	5854.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/5/2008	5854.23	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/4/2008	5854.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/3/2008	5853.94	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/2/2008	5853.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	1/1/2008	5853.9	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/31/2007	5854.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/30/2007	5854.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/29/2007	5854.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/28/2007	5854.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/27/2007	5854.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/26/2007	5854.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/25/2007	5854.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/24/2007	5854.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/23/2007	5854.04	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/22/2007	5854.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/21/2007	5854.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/20/2007	5854.17	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/19/2007	5854.13	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/18/2007	5854.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/17/2007	5854.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/16/2007	5854.06	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/15/2007	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/14/2007	5854.22	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/13/2007	5854.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/12/2007	5854.06	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/11/2007	5854.37	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/10/2007	5854.1	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/9/2007	5854.23	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/8/2007	5854.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/7/2007	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/6/2007	5854.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/5/2007	5854.02	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/4/2007	5853.75	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/3/2007	5853.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/2/2007	5854.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	12/1/2007	5854.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/30/2007	5853.99	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/29/2007	5853.84	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/28/2007	5854.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/27/2007	5853.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/26/2007	5854.02	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/25/2007	5854.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/24/2007	5854.14	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/23/2007	5853.97	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/22/2007	5853.88	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/21/2007	5854.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/20/2007	5853.96	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/19/2007	5853.84	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/18/2007	5853.92	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/17/2007	5853.97	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/16/2007	5853.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/15/2007	5853.65	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/14/2007	5853.88	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/13/2007	5853.67	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/12/2007	5853.87	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/11/2007	5853.89	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/10/2007	5853.82	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/9/2007	5853.79	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/8/2007	5853.73	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/7/2007	5853.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/6/2007	5853.64	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/5/2007	5853.72	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/4/2007	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/3/2007	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/2/2007	5853.75	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	11/1/2007	5853.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/31/2007	5853.71	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/30/2007	5853.53	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/29/2007	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/28/2007	5853.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/27/2007	5853.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/26/2007	5853.63	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/25/2007	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/24/2007	5853.23	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/23/2007	5853.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/22/2007	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/21/2007	5853.84	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/20/2007	5853.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/19/2007	5853.46	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/18/2007	5853.73	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/17/2007	5853.78	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/16/2007	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/15/2007	5853.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/14/2007	5853.76	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/13/2007	5853.77	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/12/2007	5853.65	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/11/2007	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/10/2007	5853.5	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/9/2007	5853.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/8/2007	5853.58	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/7/2007	5853.73	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/6/2007	5853.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/5/2007	5853.66	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/4/2007	5853.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/3/2007	5853.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/2/2007	5853.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	10/1/2007	5853.23	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/30/2007	5853.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/29/2007	5853.52	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/28/2007	5853.35	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/27/2007	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/26/2007	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/25/2007	5853.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/24/2007	5853.59	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/23/2007	5853.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/22/2007	5853.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/21/2007	5853.53	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/20/2007	5853.54	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/19/2007	5853.5	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/18/2007	5853.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/17/2007	5853.49	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/16/2007	5853.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/15/2007	5853.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/14/2007	5853.39	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/13/2007	5853.42	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/12/2007	5853.34	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/11/2007	5853.22	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/10/2007	5853.31	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/9/2007	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/8/2007	5853.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/7/2007	5853.43	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/6/2007	5853.51	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/5/2007	5853.51	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/4/2007	5853.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/3/2007	5853.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/2/2007	5853.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	9/1/2007	5853.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/31/2007	5853.11	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/30/2007	5853.06	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/29/2007	5853.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/28/2007	5853.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/27/2007	5853.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/26/2007	5853.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/25/2007	5853.3	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/24/2007	5853.37	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/23/2007	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/22/2007	5853.32	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/21/2007	5853.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/20/2007	5853.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/19/2007	5853.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/18/2007	5853.16	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/17/2007	5853.11	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/16/2007	5853.17	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/15/2007	5853.13	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/14/2007	5853.02	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/13/2007	5852.96	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/12/2007	5853.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/11/2007	5853.09	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/10/2007	5853.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/9/2007	5853.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/8/2007	5853.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/7/2007	5853.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/6/2007	5853.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/5/2007	5853.1	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/4/2007	5853.05	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/3/2007	5853.02	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/2/2007	5853.11	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	8/1/2007	5853.14	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/31/2007	5853.16	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/30/2007	5853.21	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/26/2007	5853.21	Manual
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/15/2007	5853.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/14/2007	5853.38	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/13/2007	5853.44	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/12/2007	5853.4	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/11/2007	5853.47	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/10/2007	5853.61	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/9/2007	5853.67	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/8/2007	5853.69	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/7/2007	5853.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/6/2007	5853.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/5/2007	5853.6	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/4/2007	5853.74	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/3/2007	5853.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/2/2007	5853.78	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	7/1/2007	5853.83	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/30/2007	5853.82	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/29/2007	5853.78	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/28/2007	5853.77	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/27/2007	5853.82	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/26/2007	5853.92	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/25/2007	5853.98	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/24/2007	5854	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/23/2007	5853.94	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/22/2007	5853.89	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/21/2007	5853.84	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/20/2007	5853.88	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/19/2007	5854.02	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/18/2007	5854.15	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/17/2007	5853.97	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/16/2007	5854.01	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/15/2007	5854.13	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/14/2007	5854.03	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/13/2007	5854.01	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/12/2007	5854.07	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/11/2007	5854.11	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/10/2007	5854.02	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/9/2007	5854.02	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/8/2007	5854.19	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/7/2007	5854.51	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/6/2007	5854.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/5/2007	5854.11	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/4/2007	5854.12	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/3/2007	5854.2	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/2/2007	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	6/1/2007	5854.33	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/31/2007	5854.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/30/2007	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/29/2007	5854.36	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/28/2007	5854.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/27/2007	5854.23	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/26/2007	5854.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/25/2007	5854.18	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/24/2007	5854.29	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/23/2007	5854.46	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/22/2007	5854.55	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/21/2007	5854.41	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/20/2007	5854.26	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/19/2007	5854.24	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/18/2007	5854.16	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/17/2007	5854.19	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/16/2007	5854.13	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/15/2007	5854.28	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/14/2007	5854.27	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/13/2007	5854.23	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/12/2007	5854.25	Transducer
R-21	888.8	Single	1761	18	888.8	906.8	6	6.88	5/11/2007	5854.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/1/2008	5837.86	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/31/2008	5837.85	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/30/2008	5837.87	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/29/2008	5837.82	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/28/2008	5837.81	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/27/2008	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/26/2008	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/25/2008	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/24/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/23/2008	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/22/2008	5838.51	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/21/2008	5838.11	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/20/2008	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/19/2008	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/18/2008	5837.78	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/17/2008	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/16/2008	5837.67	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/15/2008	5837.91	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/14/2008	5837.89	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/13/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/12/2008	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/11/2008	5837.81	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/10/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/9/2008	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/8/2008	5838.11	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/7/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/6/2008	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/5/2008	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/4/2008	5838.05	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/3/2008	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/2/2008	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/1/2008	5838.54	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/30/2008	5838.37	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/29/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/28/2008	5837.93	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/27/2008	5837.96	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/26/2008	5838.08	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/25/2008	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/24/2008	5838.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/23/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/22/2008	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/21/2008	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/20/2008	5838.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/19/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/18/2008	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/17/2008	5838.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/16/2008	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/15/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/14/2008	5837.92	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/13/2008	5837.89	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/12/2008	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/11/2008	5838.3	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/10/2008	5838.6	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/9/2008	5838.44	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/8/2008	5838.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/7/2008	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/6/2008	5838.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/5/2008	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/4/2008	5838.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/3/2008	5838.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/2/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	4/1/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/31/2008	5838.39	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/30/2008	5838.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/29/2008	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/28/2008	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/27/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/26/2008	5838.31	Manual
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/26/2008	5838.27	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/25/2008	5838.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/24/2008	5838.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/23/2008	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/22/2008	5838.1	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/21/2008	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/20/2008	5838.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/19/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/18/2008	5838.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/17/2008	5838.57	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/16/2008	5838.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/15/2008	5838.52	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/14/2008	5838.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/13/2008	5838.43	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/12/2008	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/11/2008	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/10/2008	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/9/2008	5838.38	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/8/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/7/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/6/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/5/2008	5838.5	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/4/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/3/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/2/2008	5838.49	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	3/1/2008	5838.01	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/29/2008	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/28/2008	5838.24	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/27/2008	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/26/2008	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/25/2008	5838.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/24/2008	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/23/2008	5838.41	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/22/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/21/2008	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/20/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/19/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/18/2008	5838.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/17/2008	5838.47	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/16/2008	5838.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/15/2008	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/14/2008	5838.61	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/13/2008	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/12/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/11/2008	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/10/2008	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/9/2008	5838.12	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/8/2008	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/7/2008	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/6/2008	5838.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/5/2008	5838.59	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/4/2008	5838.66	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/3/2008	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/2/2008	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	2/1/2008	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/31/2008	5838.48	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/30/2008	5838.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/29/2008	5838.72	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/28/2008	5838.41	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/27/2008	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/26/2008	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/25/2008	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/24/2008	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/23/2008	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/22/2008	5838.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/21/2008	5838.4	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/20/2008	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/19/2008	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/18/2008	5838.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/17/2008	5838.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/16/2008	5838.52	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/15/2008	5838.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/14/2008	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/13/2008	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/12/2008	5838.31	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/11/2008	5838.27	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/10/2008	5838.36	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/9/2008	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/8/2008	5838.39	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/7/2008	5838.53	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/6/2008	5838.49	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/5/2008	5838.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/4/2008	5838.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/3/2008	5837.96	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/2/2008	5837.75	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	1/1/2008	5837.85	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/31/2007	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/30/2007	5838.29	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/29/2007	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/28/2007	5838.44	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/27/2007	5838.64	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/26/2007	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/25/2007	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/24/2007	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/23/2007	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/22/2007	5838.52	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/21/2007	5838.46	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/20/2007	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/19/2007	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/18/2007	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/17/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/16/2007	5838.12	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/15/2007	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/14/2007	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/13/2007	5838.11	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/12/2007	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/11/2007	5838.48	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/10/2007	5838.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/9/2007	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/8/2007	5838.43	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/7/2007	5838.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/6/2007	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/5/2007	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/4/2007	5837.87	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/3/2007	5837.82	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/2/2007	5838.42	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	12/1/2007	5838.51	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/30/2007	5837.96	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/29/2007	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/28/2007	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/27/2007	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/26/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/25/2007	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/24/2007	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/23/2007	5838.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/22/2007	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/21/2007	5838.31	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/20/2007	5838.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/19/2007	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/18/2007	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/17/2007	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/16/2007	5838.04	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/15/2007	5837.87	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/14/2007	5838.11	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/13/2007	5837.95	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/12/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/11/2007	5838.24	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/10/2007	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/9/2007	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/8/2007	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/7/2007	5837.97	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/6/2007	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/5/2007	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/4/2007	5837.91	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/3/2007	5837.91	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/2/2007	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	11/1/2007	5837.9	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/31/2007	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/30/2007	5837.93	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/29/2007	5837.75	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/28/2007	5837.7	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/27/2007	5837.9	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/26/2007	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/25/2007	5837.78	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/24/2007	5837.59	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/23/2007	5837.67	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/22/2007	5837.74	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/21/2007	5838.27	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/20/2007	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/19/2007	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/18/2007	5838.27	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/17/2007	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/16/2007	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/15/2007	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/14/2007	5838.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/13/2007	5838.28	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/12/2007	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/11/2007	5838.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/10/2007	5837.92	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/9/2007	5837.83	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/8/2007	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/7/2007	5838.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/6/2007	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/5/2007	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/4/2007	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/3/2007	5837.98	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/2/2007	5837.98	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	10/1/2007	5837.8	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/30/2007	5838.12	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/29/2007	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/28/2007	5837.97	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/27/2007	5837.96	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/26/2007	5837.97	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/25/2007	5838.01	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/24/2007	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/23/2007	5838.1	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/22/2007	5838.01	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/21/2007	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/20/2007	5838.07	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/19/2007	5838.04	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/18/2007	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/17/2007	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/16/2007	5837.96	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/15/2007	5837.94	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/14/2007	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/13/2007	5838.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/12/2007	5837.97	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/11/2007	5837.86	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/10/2007	5837.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/9/2007	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/8/2007	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/7/2007	5838.1	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/6/2007	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/5/2007	5838.2	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/4/2007	5838.03	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/3/2007	5837.92	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/2/2007	5837.9	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	9/1/2007	5837.93	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/31/2007	5837.85	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/30/2007	5837.8	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/29/2007	5837.98	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/28/2007	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/27/2007	5838.01	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/26/2007	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/25/2007	5838.08	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/24/2007	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/23/2007	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/22/2007	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/21/2007	5838.09	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/20/2007	5838.12	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/19/2007	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/18/2007	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/17/2007	5838	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/16/2007	5838.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/15/2007	5838.02	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/14/2007	5837.92	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/13/2007	5837.86	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/12/2007	5837.93	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/11/2007	5838.01	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/10/2007	5837.96	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/9/2007	5838.06	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/8/2007	5838.1	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/7/2007	5838.15	Manual
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/7/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/6/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/5/2007	5838.12	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/4/2007	5838.07	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/3/2007	5838.05	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/2/2007	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	8/1/2007	5838.16	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/31/2007	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/30/2007	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/29/2007	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/28/2007	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/27/2007	5838.14	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/26/2007	5838.26	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/25/2007	5838.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/24/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/23/2007	5838.08	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/22/2007	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/21/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/20/2007	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/19/2007	5838.24	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/18/2007	5838.25	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/17/2007	5838.26	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/16/2007	5838.23	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/15/2007	5838.18	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/14/2007	5838.15	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/13/2007	5838.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/12/2007	5838.13	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/11/2007	5838.19	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/10/2007	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/9/2007	5838.4	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/8/2007	5838.4	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/7/2007	5838.22	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/6/2007	5838.17	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/5/2007	5838.21	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/4/2007	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/3/2007	5838.33	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/2/2007	5838.34	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	7/1/2007	5838.4	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/30/2007	5838.38	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/29/2007	5838.32	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/28/2007	5838.3	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/27/2007	5838.35	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/26/2007	5838.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/25/2007	5838.53	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/24/2007	5838.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/23/2007	5838.49	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/22/2007	5838.45	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/21/2007	5838.39	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/20/2007	5838.4	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/19/2007	5838.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/18/2007	5838.71	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/17/2007	5838.52	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/16/2007	5838.55	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/15/2007	5838.67	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/14/2007	5838.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/13/2007	5838.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/12/2007	5838.62	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/11/2007	5838.65	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/10/2007	5838.56	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/9/2007	5838.54	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/8/2007	5838.67	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/7/2007	5839.01	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/6/2007	5838.9	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/5/2007	5838.64	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/4/2007	5838.64	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/3/2007	5838.74	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/2/2007	5838.8	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	6/1/2007	5838.89	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/31/2007	5838.74	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/30/2007	5838.83	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/29/2007	5838.9	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/28/2007	5838.8	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/27/2007	5838.77	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/26/2007	5838.74	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/25/2007	5838.71	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/24/2007	5838.81	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/23/2007	5838.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/22/2007	5839.1	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/21/2007	5838.99	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/20/2007	5838.83	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/19/2007	5838.8	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/18/2007	5838.75	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/17/2007	5838.73	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/16/2007	5838.67	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/15/2007	5838.81	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/14/2007	5838.8	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/13/2007	5838.72	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/12/2007	5838.71	Transducer
R-28	934.3	Single	1781	23.8	934.3	958.1	4.47	5.27	5/11/2007	5838.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/8/2007	5840.02	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/7/2007	5839.93	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/6/2007	5839.81	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/5/2007	5838.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/4/2007	5838.17	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/3/2007	5837.8	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/2/2007	5839.3	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	11/1/2007	5839	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/31/2007	5839.23	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/30/2007	5839.12	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/29/2007	5837.08	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/28/2007	5838.26	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/27/2007	5837.77	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/26/2007	5838.95	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/25/2007	5838.91	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/24/2007	5838.88	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/23/2007	5838.58	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/22/2007	5837.17	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/21/2007	5837.54	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/20/2007	5836.62	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/19/2007	5837.2	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/18/2007	5835.09	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/17/2007	5833.13	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/16/2007	5833.29	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/15/2007	5832.06	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/14/2007	5833.24	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/13/2007	5834.63	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/12/2007	5834.03	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/11/2007	5834.91	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/10/2007	5837.06	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/9/2007	5838.84	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/8/2007	5837.31	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/7/2007	5838.24	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/6/2007	5839.76	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/5/2007	5838.65	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/4/2007	5838.63	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/3/2007	5838.47	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/2/2007	5838.47	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	10/1/2007	5838.56	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/30/2007	5834.28	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/29/2007	5838.33	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/28/2007	5838.51	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/27/2007	5833.29	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/26/2007	5833.24	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/25/2007	5839.83	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/24/2007	5839.79	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/23/2007	5838.82	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/22/2007	5834.28	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/21/2007	5835.81	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/20/2007	5834.21	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/19/2007	5834.72	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/18/2007	5836.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/17/2007	5833.43	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/16/2007	5838.7	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/15/2007	5833.36	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/14/2007	5833.43	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/13/2007	5833.36	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/12/2007	5839.12	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/11/2007	5834.47	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/10/2007	5839.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/9/2007	5839.81	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/8/2007	5838.84	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/7/2007	5833.93	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/6/2007	5838.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/5/2007	5833.66	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/4/2007	5832.69	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/3/2007	5838.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/2/2007	5833.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	9/1/2007	5838.31	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/31/2007	5831.88	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/30/2007	5832.8	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/29/2007	5835.58	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/28/2007	5838.31	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/27/2007	5831.19	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/26/2007	5831.34	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/25/2007	5830.36	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/24/2007	5830.54	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/23/2007	5830.1	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/22/2007	5831.43	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/21/2007	5832.76	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/20/2007	5838	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/19/2007	5832.57	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/18/2007	5831.95	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/17/2007	5830.17	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/16/2007	5830.81	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/15/2007	5830.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/14/2007	5831.62	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/13/2007	5832.92	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/12/2007	5839.1	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/11/2007	5837.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/10/2007	5830.32	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/9/2007	5828.49	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/8/2007	5835.2	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/7/2007	5834.09	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/6/2007	5828.75	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/5/2007	5834.83	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/4/2007	5834.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/3/2007	5834.67	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/2/2007	5834.67	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	8/1/2007	5834.61	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/31/2007	5833.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/30/2007	5828.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/29/2007	5834.74	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/28/2007	5834.59	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/27/2007	5834.62	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/26/2007	5834.61	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/25/2007	5833.89	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/24/2007	5828.57	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/23/2007	5834.78	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/22/2007	5834.61	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/21/2007	5834.65	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/20/2007	5834.71	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/19/2007	5834.71	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/18/2007	5833.78	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/17/2007	5826.5	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/16/2007	5827.16	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/15/2007	5831.78	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/14/2007	5833.71	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/13/2007	5834.59	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/12/2007	5834.63	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/11/2007	5834.7	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/10/2007	5834.63	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/9/2007	5834.63	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/8/2007	5834.65	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/7/2007	5834.77	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/6/2007	5834	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/5/2007	5827.22	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/4/2007	5835.02	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/3/2007	5830.04	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/2/2007	5830.76	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	7/1/2007	5830.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/30/2007	5832.33	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/29/2007	5831	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/28/2007	5833.49	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/27/2007	5831.67	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/26/2007	5831.86	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/25/2007	5831.26	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/24/2007	5833.43	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/23/2007	5831.59	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/22/2007	5830.75	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/21/2007	5830.81	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/20/2007	5831	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/19/2007	5831.39	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/18/2007	5831.57	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/17/2007	5838.9	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/16/2007	5834.3	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/15/2007	5834.42	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/14/2007	5832.2	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/13/2007	5835.54	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/12/2007	5840.05	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/11/2007	5838.42	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/10/2007	5831.23	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/9/2007	5830.78	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/8/2007	5837.57	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/7/2007	5832.64	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/6/2007	5834.01	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/5/2007	5840.46	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/4/2007	5836.87	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/3/2007	5836.34	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/2/2007	5835.4	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	6/1/2007	5831.67	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/31/2007	5831.67	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/30/2007	5832.23	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/29/2007	5835.44	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/28/2007	5840.99	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/27/2007	5840.16	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/26/2007	5839.91	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/25/2007	5836.21	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/24/2007	5840.64	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/23/2007	5836.29	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/22/2007	5834.22	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/21/2007	5840.55	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/20/2007	5835.94	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/19/2007	5838.82	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/18/2007	5831.05	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/17/2007	5838.59	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/16/2007	5836.43	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/15/2007	5840.73	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/14/2007	5840.13	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/13/2007	5834.05	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/12/2007	5832.01	Transducer
R-33	1112.4	P2A	5501	9.9	1112.4	1122.3	4.46	5.27	5/11/2007	5832.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/1/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/31/2008	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/30/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/29/2008	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/28/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/27/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/26/2008	5834.31	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/25/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/24/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/23/2008	5834.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/22/2008	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/21/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/20/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/19/2008	5834.2	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/18/2008	5834.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/17/2008	5834.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/16/2008	5834	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/15/2008	5834.2	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/14/2008	5834.24	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/13/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/12/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/11/2008	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/10/2008	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/9/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/8/2008	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/7/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/6/2008	5834.32	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/5/2008	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/4/2008	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/3/2008	5834.25	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/2/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/1/2008	5834.68	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/30/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/29/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/28/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/27/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/26/2008	5834.25	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/25/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/24/2008	5834.44	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/23/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/22/2008	5834.34	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/21/2008	5834.48	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/20/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/19/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/18/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/17/2008	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/16/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/15/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/14/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/13/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/12/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/11/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/10/2008	5834.78	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/9/2008	5834.61	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/8/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/7/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/6/2008	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/5/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/4/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/3/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/2/2008	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	4/1/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/31/2008	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/30/2008	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/29/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/28/2008	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/27/2008	5834.53	Manual
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/27/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/26/2008	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/25/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/24/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/23/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/22/2008	5834.24	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/21/2008	5834.34	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/20/2008	5834.31	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/19/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/18/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/17/2008	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/16/2008	5834.71	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/15/2008	5834.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/14/2008	5834.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/13/2008	5834.59	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/12/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/11/2008	5834.23	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/10/2008	5834.23	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/9/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/8/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/7/2008	5834.35	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/6/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/5/2008	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/4/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/3/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/2/2008	5834.61	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	3/1/2008	5834.19	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/29/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/28/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/27/2008	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/26/2008	5834.29	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/25/2008	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/24/2008	5834.24	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/23/2008	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/22/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/21/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/20/2008	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/19/2008	5834.31	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/18/2008	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/17/2008	5834.6	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/16/2008	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/15/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/14/2008	5834.75	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/13/2008	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/12/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/11/2008	5834.29	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/10/2008	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/9/2008	5834.3	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/8/2008	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/7/2008	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/6/2008	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/5/2008	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/4/2008	5834.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/3/2008	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/2/2008	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	2/1/2008	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/31/2008	5834.66	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/30/2008	5834.62	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/29/2008	5834.86	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/28/2008	5834.54	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/27/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/26/2008	5834.21	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/25/2008	5834.45	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/24/2008	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/23/2008	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/22/2008	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/21/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/20/2008	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/19/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/18/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/17/2008	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/16/2008	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/15/2008	5834.22	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/14/2008	5834.23	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/13/2008	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/12/2008	5834.48	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/11/2008	5834.44	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/10/2008	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/9/2008	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/8/2008	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/7/2008	5834.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/6/2008	5834.64	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/5/2008	5834.44	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/4/2008	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/3/2008	5834.13	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/2/2008	5833.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	1/1/2008	5834.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/31/2007	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/30/2007	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/29/2007	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/28/2007	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/27/2007	5834.8	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/26/2007	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/25/2007	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/24/2007	5834.3	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/23/2007	5834.3	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/22/2007	5834.73	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/21/2007	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/20/2007	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/19/2007	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/18/2007	5834.47	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/17/2007	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/16/2007	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/15/2007	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/14/2007	5834.55	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/13/2007	5834.36	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/12/2007	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/11/2007	5834.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/10/2007	5834.45	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/9/2007	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/8/2007	5834.68	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/7/2007	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/6/2007	5834.61	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/5/2007	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/4/2007	5834.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/3/2007	5834.13	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/2/2007	5834.73	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	12/1/2007	5834.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/30/2007	5834.44	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/29/2007	5834.31	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/28/2007	5834.49	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/27/2007	5834.27	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/26/2007	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/25/2007	5834.54	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/24/2007	5834.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/23/2007	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/22/2007	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/21/2007	5834.64	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/20/2007	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/19/2007	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/18/2007	5834.51	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/17/2007	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/16/2007	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/15/2007	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/14/2007	5834.49	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/13/2007	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/12/2007	5834.55	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/11/2007	5834.6	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/10/2007	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/9/2007	5834.45	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/8/2007	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/7/2007	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/6/2007	5834.33	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/5/2007	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/4/2007	5834.29	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/3/2007	5834.3	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/2/2007	5834.47	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	11/1/2007	5834.29	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/31/2007	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/30/2007	5834.28	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/29/2007	5834.11	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/28/2007	5834.08	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/27/2007	5834.28	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/26/2007	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/25/2007	5834.16	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/24/2007	5834.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/23/2007	5834.09	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/22/2007	5834.18	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/21/2007	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/20/2007	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/19/2007	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/18/2007	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/17/2007	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/16/2007	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/15/2007	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/14/2007	5834.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/13/2007	5834.66	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/12/2007	5834.54	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/11/2007	5834.45	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/10/2007	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/9/2007	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/8/2007	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/7/2007	5834.59	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/6/2007	5834.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/5/2007	5834.61	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/4/2007	5834.55	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/3/2007	5834.42	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/2/2007	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	10/1/2007	5834.26	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/30/2007	5834.55	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/29/2007	5834.56	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/28/2007	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/27/2007	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/26/2007	5834.39	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/25/2007	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/24/2007	5834.6	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/23/2007	5834.54	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/22/2007	5834.45	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/21/2007	5834.53	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/20/2007	5834.49	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/19/2007	5834.47	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/18/2007	5834.56	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/17/2007	5834.54	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/16/2007	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/15/2007	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/14/2007	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/13/2007	5834.49	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/12/2007	5834.4	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/11/2007	5834.32	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/10/2007	5834.43	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/9/2007	5834.49	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/8/2007	5834.48	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/7/2007	5834.57	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/6/2007	5834.64	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/5/2007	5834.64	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/4/2007	5834.48	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/3/2007	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/2/2007	5834.38	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	9/1/2007	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/31/2007	5834.3	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/30/2007	5834.27	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/29/2007	5834.44	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/28/2007	5834.47	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/27/2007	5834.46	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/26/2007	5834.48	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/25/2007	5834.54	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/24/2007	5834.61	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/23/2007	5834.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/22/2007	5834.6	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/21/2007	5834.55	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/20/2007	5834.58	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/19/2007	5834.59	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/18/2007	5834.51	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/17/2007	5834.49	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/16/2007	5834.55	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/15/2007	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/14/2007	5834.41	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/13/2007	5834.37	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/12/2007	5834.44	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/11/2007	5834.52	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/10/2007	5834.5	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/9/2007	5834.62	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/8/2007	5834.68	Manual
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/8/2007	5834.71	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/7/2007	5834.77	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/6/2007	5834.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/5/2007	5834.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/4/2007	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/3/2007	5834.62	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/2/2007	5834.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	8/1/2007	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/31/2007	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/30/2007	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/29/2007	5834.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/28/2007	5834.74	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/27/2007	5834.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/26/2007	5834.8	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/25/2007	5834.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/24/2007	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/23/2007	5834.64	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/22/2007	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/21/2007	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/20/2007	5834.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/19/2007	5834.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/18/2007	5834.76	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/17/2007	5834.77	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/16/2007	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/15/2007	5834.68	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/14/2007	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/13/2007	5834.7	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/12/2007	5834.63	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/11/2007	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/10/2007	5834.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/9/2007	5834.84	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/8/2007	5834.82	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/7/2007	5834.65	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/6/2007	5834.59	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/5/2007	5834.62	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/4/2007	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/3/2007	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/2/2007	5834.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	7/1/2007	5834.74	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/30/2007	5834.72	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/29/2007	5834.66	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/28/2007	5834.64	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/27/2007	5834.67	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/26/2007	5834.78	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/25/2007	5834.84	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/24/2007	5834.86	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/23/2007	5834.8	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/22/2007	5834.75	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/21/2007	5834.68	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/20/2007	5834.69	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/19/2007	5834.84	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/18/2007	5834.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/17/2007	5834.78	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/16/2007	5834.82	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/15/2007	5834.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/14/2007	5834.8	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/13/2007	5834.82	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/12/2007	5834.88	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/11/2007	5834.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/10/2007	5834.79	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/9/2007	5834.8	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/8/2007	5834.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/7/2007	5835.24	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/6/2007	5835.1	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/5/2007	5834.86	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/4/2007	5834.86	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/3/2007	5834.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/2/2007	5835.01	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	6/1/2007	5835.07	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/31/2007	5834.92	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/30/2007	5835	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/29/2007	5835.07	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/28/2007	5834.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/27/2007	5834.94	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/26/2007	5834.9	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/25/2007	5834.89	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/24/2007	5835	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/23/2007	5835.17	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/22/2007	5835.27	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/21/2007	5835.14	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/20/2007	5834.98	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/19/2007	5834.96	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/18/2007	5834.9	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/17/2007	5834.83	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/16/2007	5834.77	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/15/2007	5834.93	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/14/2007	5834.9	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/13/2007	5834.84	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/12/2007	5834.83	Transducer
R-34	895.15	Single	1791	22.9	883.7	906.6	4.5	5	5/11/2007	5834.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/1/2008	5874.52	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/31/2008	5874.53	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/30/2008	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/29/2008	5874.52	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/28/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/27/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/26/2008	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/25/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/24/2008	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/23/2008	5874.99	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/22/2008	5875.1	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/21/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/20/2008	5874.61	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/19/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/18/2008	5874.48	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/17/2008	5874.42	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/16/2008	5874.41	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/15/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/14/2008	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/13/2008	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/12/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/11/2008	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/10/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/9/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/8/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/7/2008	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/6/2008	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/5/2008	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/4/2008	5874.7	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/3/2008	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/2/2008	5874.9	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/1/2008	5875.06	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/30/2008	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/29/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/28/2008	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/27/2008	5874.55	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/26/2008	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/25/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/24/2008	5874.83	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/23/2008	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/22/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/21/2008	5874.83	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/20/2008	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/19/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/18/2008	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/17/2008	5874.94	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/16/2008	5874.89	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/15/2008	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/14/2008	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/13/2008	5874.48	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/12/2008	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/11/2008	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/10/2008	5875.09	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/9/2008	5874.93	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/8/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/7/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/6/2008	5874.92	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/5/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/4/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/3/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/2/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	4/1/2008	5874.69	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/31/2008	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/30/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/29/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/28/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/27/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/26/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/25/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/24/2008	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/23/2008	5874.48	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/22/2008	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/21/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/20/2008	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/19/2008	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/18/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/17/2008	5874.95	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/16/2008	5874.91	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/15/2008	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/14/2008	5874.92	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/13/2008	5874.81	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/12/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/11/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/10/2008	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/9/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/8/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/7/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/6/2008	5874.77	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/5/2008	5874.89	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/4/2008	5874.8	Manual
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/4/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/3/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/2/2008	5874.87	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	3/1/2008	5874.47	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/29/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/28/2008	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/27/2008	5874.47	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/26/2008	5874.57	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/25/2008	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/24/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/23/2008	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/22/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/21/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/20/2008	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/19/2008	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/18/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/17/2008	5874.9	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/16/2008	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/15/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/14/2008	5875.01	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/13/2008	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/12/2008	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/11/2008	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/10/2008	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/9/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/8/2008	5874.81	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/7/2008	5875.02	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/6/2008	5874.97	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/5/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/4/2008	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/3/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/2/2008	5874.81	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	2/1/2008	5875.23	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/31/2008	5874.95	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/30/2008	5874.85	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/29/2008	5875.1	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/28/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/27/2008	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/26/2008	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/25/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/24/2008	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/23/2008	5875.01	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/22/2008	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/21/2008	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/20/2008	5875.09	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/19/2008	5875.39	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/18/2008	5874.97	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/17/2008	5875.01	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/16/2008	5874.92	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/15/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/14/2008	5874.51	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/13/2008	5875.14	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/12/2008	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/11/2008	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/10/2008	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/9/2008	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/8/2008	5875.01	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/7/2008	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/6/2008	5874.84	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/5/2008	5874.56	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/4/2008	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/3/2008	5875.02	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/2/2008	5875.31	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	1/1/2008	5875.47	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/31/2007	5875.05	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/30/2007	5875.13	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/29/2007	5875.13	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/28/2007	5875.18	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/27/2007	5875.04	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/26/2007	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/25/2007	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/24/2007	5875.07	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/23/2007	5875.19	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/22/2007	5874.94	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/21/2007	5874.85	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/20/2007	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/19/2007	5874.9	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/18/2007	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/17/2007	5874.88	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/16/2007	5875.1	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/15/2007	5874.84	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/14/2007	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/13/2007	5874.57	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/12/2007	5874.61	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/11/2007	5874.89	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/10/2007	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/9/2007	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/8/2007	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/7/2007	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/6/2007	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/5/2007	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/4/2007	5874.31	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/3/2007	5874.27	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/2/2007	5874.83	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	12/1/2007	5874.89	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/30/2007	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/29/2007	5874.45	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/28/2007	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/27/2007	5874.42	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/26/2007	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/25/2007	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/24/2007	5874.77	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/23/2007	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/22/2007	5874.53	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/21/2007	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/20/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/19/2007	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/18/2007	5874.59	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/17/2007	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/16/2007	5874.52	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/15/2007	5874.36	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/14/2007	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/13/2007	5874.45	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/12/2007	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/11/2007	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/10/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/9/2007	5874.53	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/8/2007	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/7/2007	5874.44	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/6/2007	5874.42	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/5/2007	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/4/2007	5874.39	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/3/2007	5874.39	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/2/2007	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	11/1/2007	5874.42	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/31/2007	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/30/2007	5874.45	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/29/2007	5874.3	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/28/2007	5874.26	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/27/2007	5874.44	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/26/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/25/2007	5874.39	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/24/2007	5874.25	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/23/2007	5874.33	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/22/2007	5874.38	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/21/2007	5874.86	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/20/2007	5874.61	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/19/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/18/2007	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/17/2007	5874.91	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/16/2007	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/15/2007	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/14/2007	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/13/2007	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/12/2007	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/11/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/10/2007	5874.48	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/9/2007	5874.41	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/8/2007	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/7/2007	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/6/2007	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/5/2007	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/4/2007	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/3/2007	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/2/2007	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	10/1/2007	5874.42	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/30/2007	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/29/2007	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/28/2007	5874.54	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/27/2007	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/26/2007	5874.59	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/25/2007	5874.61	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/24/2007	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/23/2007	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/22/2007	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/21/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/20/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/19/2007	5874.59	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/18/2007	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/17/2007	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/16/2007	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/15/2007	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/14/2007	5874.59	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/13/2007	5874.64	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/12/2007	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/11/2007	5874.49	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/10/2007	5874.57	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/9/2007	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/8/2007	5874.54	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/7/2007	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/6/2007	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/5/2007	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/4/2007	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/3/2007	5874.44	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/2/2007	5874.46	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	9/1/2007	5874.46	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/31/2007	5874.39	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/30/2007	5874.38	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/29/2007	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/28/2007	5874.55	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/27/2007	5874.53	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/26/2007	5874.54	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/25/2007	5874.58	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/24/2007	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/23/2007	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/22/2007	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/21/2007	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/20/2007	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/19/2007	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/18/2007	5874.59	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/17/2007	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/16/2007	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/15/2007	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/14/2007	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/13/2007	5874.53	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/12/2007	5874.6	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/11/2007	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/10/2007	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/9/2007	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/8/2007	5874.79	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/7/2007	5874.8	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/6/2007	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/5/2007	5874.77	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/4/2007	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/3/2007	5874.69	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/2/2007	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	8/1/2007	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/31/2007	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/30/2007	5874.77	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/29/2007	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/28/2007	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/27/2007	5874.7	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/26/2007	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/25/2007	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/24/2007	5874.71	Manual
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/24/2007	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/23/2007	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/22/2007	5874.7	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/21/2007	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/20/2007	5874.74	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/19/2007	5874.73	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/18/2007	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/17/2007	5874.73	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/16/2007	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/15/2007	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/14/2007	5874.69	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/13/2007	5874.72	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/12/2007	5874.65	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/11/2007	5874.66	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/10/2007	5874.75	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/9/2007	5874.84	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/8/2007	5874.78	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/7/2007	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/6/2007	5874.5	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/5/2007	5874.56	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/4/2007	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/3/2007	5874.67	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/2/2007	5874.62	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	7/1/2007	5874.71	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/30/2007	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/29/2007	5874.64	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/28/2007	5874.63	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/27/2007	5874.68	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/26/2007	5874.77	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/25/2007	5874.84	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/24/2007	5874.87	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/23/2007	5874.82	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/22/2007	5874.79	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/21/2007	5874.76	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/20/2007	5874.79	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/19/2007	5874.92	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/18/2007	5875.06	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/17/2007	5874.9	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/16/2007	5874.93	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/15/2007	5875.03	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/14/2007	5874.95	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/13/2007	5875	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/12/2007	5875.02	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/11/2007	5875.03	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/10/2007	5874.96	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/9/2007	5874.96	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/8/2007	5875.06	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/7/2007	5875.34	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/6/2007	5875.25	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/5/2007	5875.01	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/4/2007	5874.99	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/3/2007	5875.06	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/2/2007	5875.13	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	6/1/2007	5875.18	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/31/2007	5875.06	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/30/2007	5875.16	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/29/2007	5875.23	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/28/2007	5875.13	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/27/2007	5875.09	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/26/2007	5875.04	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/25/2007	5875.04	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/24/2007	5875.11	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/23/2007	5875.23	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/22/2007	5875.34	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/21/2007	5875.2	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/20/2007	5875.06	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/19/2007	5875.03	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/18/2007	5875	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/17/2007	5874.98	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/16/2007	5874.95	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/15/2007	5875.05	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/14/2007	5875.02	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/13/2007	5874.93	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/12/2007	5874.95	Transducer
Test Well 8	953	Single	4731	112	953	1065	8	8.5	5/11/2007	5875.01	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/28/2008	6842.3	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/27/2008	6842.3	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/26/2008	6842.31	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/25/2008	6842.32	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/24/2008	6842.33	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/23/2008	6842.33	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/22/2008	6842.34	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/21/2008	6842.35	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/20/2008	6842.36	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/19/2008	6842.36	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/18/2008	6842.37	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/17/2008	6842.39	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/16/2008	6842.4	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/15/2008	6842.4	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/14/2008	6842.4	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/13/2008	6842.41	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/12/2008	6842.42	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/11/2008	6842.44	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/10/2008	6842.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/9/2008	6842.49	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/8/2008	6842.48	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/7/2008	6842.5	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/6/2008	6842.52	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/5/2008	6842.54	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/4/2008	6842.57	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/3/2008	6842.59	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/2/2008	6842.61	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	4/1/2008	6842.65	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/31/2008	6842.69	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/30/2008	6842.73	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/29/2008	6842.78	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/28/2008	6842.83	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/27/2008	6842.9	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/26/2008	6842.93	Manual
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/26/2008	6842.99	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/25/2008	6843.07	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/24/2008	6843.16	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/23/2008	6843.26	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/22/2008	6843.37	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/21/2008	6843.45	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/20/2008	6843.48	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/19/2008	6843.57	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/18/2008	6843.67	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/17/2008	6843.86	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/16/2008	6843.85	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/15/2008	6844.04	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/14/2008	6843.92	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/13/2008	6843.81	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/12/2008	6843.7	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/11/2008	6843.71	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/10/2008	6843.73	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/9/2008	6843.8	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/8/2008	6843.84	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/7/2008	6843.89	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/6/2008	6843.95	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/5/2008	6844.01	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/4/2008	6844.05	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/3/2008	6844.16	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/2/2008	6844.29	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	3/1/2008	6844.23	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/29/2008	6844.34	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/28/2008	6844.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/27/2008	6844.47	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/26/2008	6844.27	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/25/2008	6843.35	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/24/2008	6843.08	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/23/2008	6843.18	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/22/2008	6843.29	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/21/2008	6843.42	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/20/2008	6843.56	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/19/2008	6843.64	Manual
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/19/2008	6843.69	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/18/2008	6843.8	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/17/2008	6843.76	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/16/2008	6843.64	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/15/2008	6843.55	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/14/2008	6843.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/13/2008	6843.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/12/2008	6843.59	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/11/2008	6843.75	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/10/2008	6843.9	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/9/2008	6844.07	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/8/2008	6844.24	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/7/2008	6844.38	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/6/2008	6844.54	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/5/2008	6844.71	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/4/2008	6844.84	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/3/2008	6844.91	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/2/2008	6845	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	2/1/2008	6845.06	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/31/2008	6845.15	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/30/2008	6845.23	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/29/2008	6845.33	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/28/2008	6844.59	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/27/2008	6844.65	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/26/2008	6844.73	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/25/2008	6844.82	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/24/2008	6844.86	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/23/2008	6844.89	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/22/2008	6844.89	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/21/2008	6844.91	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/20/2008	6844.87	Transducer

Periodic Monitoring Report for Mortandad Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/19/2008	6844.82	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/18/2008	6844.79	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/17/2008	6844.73	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/16/2008	6844.67	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/15/2008	6844.55	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/14/2008	6844.42	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/13/2008	6844.3	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/12/2008	6844.16	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/11/2008	6844.01	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/10/2008	6843.82	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/9/2008	6843.62	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/8/2008	6843.4	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/7/2008	6843.01	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/6/2008	6842.41	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/5/2008	6842.31	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/4/2008	6842.31	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/3/2008	6842.31	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/2/2008	6842.31	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	1/1/2008	6842.32	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/31/2007	6842.34	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/30/2007	6842.34	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/29/2007	6842.35	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/28/2007	6842.36	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/27/2007	6842.37	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/26/2007	6842.37	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/25/2007	6842.38	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/24/2007	6842.38	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/23/2007	6842.39	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/22/2007	6842.42	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/21/2007	6842.42	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/20/2007	6842.43	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/19/2007	6842.44	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/18/2007	6842.45	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/17/2007	6842.46	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/16/2007	6842.47	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/15/2007	6842.49	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/14/2007	6842.5	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/13/2007	6842.51	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/12/2007	6842.52	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/11/2007	6842.54	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/10/2007	6842.55	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/9/2007	6842.57	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/8/2007	6842.6	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/7/2007	6842.62	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/6/2007	6842.65	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/5/2007	6842.68	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/4/2007	6842.72	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/3/2007	6842.78	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/2/2007	6843.18	Transducer
TSCA-6	16.2	Single	6091	4.7	16.2	20.9	2.1	2.8	12/1/2007	6842.43	Transducer

Appendix D

Analytical Results

The following symbols, abbreviations, and acronyms are used throughout Appendix D.

—	none
*	(Inorganic) The result for this analyte in the Los Alamos National Laboratory (Laboratory) replicate analysis was outside acceptance criteria.
B	(Organic) This analyte was detected in the associated Laboratory method blank and the sample. (B) (Inorganic) The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
CS	client sample
CST	control sample triplicate
DUP	duplicate sample
E	(Organic) The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma–atomic emission spectroscopy). The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption) The result for this analyte failed one or more Contract Laboratory Program acceptance criteria as explained in the case narrative.
EES6	The Laboratory’s Earth and Environmental Sciences Division (Hydrology, Geochemistry, and Geology Group)
EPA	U.S. Environmental Protection Agency
F	filtered
FD	field duplicate
FTB	field trip blank
GELC	General Engineering Laboratories
GEO	Geochron Analytical Laboratory
H	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
HUFFMAN	Huffman Analytical Laboratory
Inorg	inorganic
J	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
J-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.

LLEE	low-level electrolytic extraction
LT	(Rad) The result for this analyte is affected by spectral interference.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
MDA	material disposal area
MDL	method detection limit
Met	metals
mV	millivolt
n/a	not applicable
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PARA	Paragon Analytical Laboratory
R	rejected
Rad	radionuclides
STSL	Severn Trent St. Louis Analytical Laboratory
SV	semivolatile organics
TPU	total propagated uncertainty
U	not detected
UF	unfiltered
UMTL	University of Miami Tritium Laboratory
VOA	volatile organic analysis
WG	groundwater
WM	snowmelt
WP	persistent water
WS	surface water

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.9	—	—	7.30E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.2	—	—	7.30E-01	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.9	—	—	7.25E-01	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.5	—	—	7.25E-01	mg/L	—	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.4	—	—	1.45E+00	mg/L	—	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	DUP	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.4	—	—	1.45E+00	mg/L	—	—	61471	GF02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.087	—	—	6.70E-02	mg/L	J	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.60E-02	mg/L	U	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.7	—	—	3.00E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.2	—	—	3.00E-02	mg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.1	—	—	3.60E-02	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15	—	—	3.00E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.2	—	—	3.00E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.9	—	—	3.60E-02	mg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.9	—	—	3.30E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.9	—	—	6.60E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	12/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.7	—	—	1.32E-01	mg/L	—	—	199768	GF071100G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.3	—	—	1.32E-01	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	20	—	—	6.60E-02	mg/L	—	J+	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.191	—	—	3.30E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.215	—	—	3.30E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.194	—	—	3.30E-02	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.208	—	—	3.30E-02	mg/L	—	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.228	—	—	5.53E-02	mg/L	—	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47.3	—	—	3.50E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57.6	—	—	4.30E-01	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	59.3	—	—	4.25E-01	mg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	52.1	—	—	4.40E-01	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.4	—	—	3.50E-01	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	84.8	—	—	4.30E-01	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	55.6	—	—	4.40E-01	mg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.06	—	—	8.50E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.95	—	—	8.50E-02	mg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.53	—	—	8.50E-02	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.9	—	—	8.50E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.92	—	—	8.50E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.349	—	—	5.00E-02	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.333	—	—	5.00E-02	µg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.352	—	—	5.00E-02	µg/L	—	J	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.298	—	—	5.00E-02	µg/L	—	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Geninorg	EPA:314.0	Perchlorate	<	1.45	—	—	1.45E+00	µg/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Geninorg	EPA:314.0	Perchlorate	<	1.45	—	—	1.45E+00	µg/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.8	—	—	5.00E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.94	—	—	5.00E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.06	—	—	5.00E-02	mg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.88	—	—	5.00E-02	mg/L	—	—	181642	GF070200G6DC01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.91	—	—	5.00E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.14	—	—	5.00E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.13	—	—	5.00E-02	mg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	53	—	—	3.20E-02	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	59.2	—	—	3.20E-02	mg/L	—	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	58.7	—	—	2.12E-02	mg/L	—	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	DUP	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	59.6	—	—	2.12E-02	mg/L	—	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	79.4	—	—	2.12E-02	mg/L	—	J	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	22	—	—	4.50E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.6	—	—	4.50E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	19	—	—	4.50E-02	mg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.4	—	—	4.50E-02	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.1	—	—	4.50E-02	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.3	—	—	4.50E-02	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.5	—	—	4.50E-02	mg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	219	—	—	1.00E+00	µS/cm	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	190	—	—	1.00E+00	µS/cm	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	209	—	—	1.00E+00	µS/cm	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.5	—	—	1.00E-01	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.4	—	—	1.00E-01	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.4	—	—	1.00E-01	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.5	—	—	1.00E-01	mg/L	—	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.16	—	—	1.93E-01	mg/L	—	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	172	—	—	2.40E+00	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	167	—	—	2.40E+00	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	12/17/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	169	—	—	2.38E+00	mg/L	—	—	199768	GF071100G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	128	—	—	2.38E+00	mg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	173	—	—	2.38E+00	mg/L	—	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.76	—	—	3.30E-01	mg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.44	—	—	3.30E-01	mg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.31	—	—	3.30E-01	mg/L	—	U	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.197	—	—	2.40E-02	mg/L	—	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.143	—	—	2.40E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.195	—	—	1.00E-02	mg/L	—	U, J+	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	11/14/06	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.186	—	—	1.00E-02	mg/L	—	—	176268	GF061000G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.13	—	—	1.10E-02	mg/L	—	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.97	—	—	1.00E-02	SU	H	J-	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.13	—	—	1.00E-02	SU	H	J-	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.59	—	—	1.00E-02	SU	H	J	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	278	—	—	6.80E+01	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	133	—	—	6.80E+01	µg/L	J	J	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	437	—	—	6.80E+01	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	215	—	—	6.80E+01	µg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	5740	—	—	6.80E+01	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	9460	—	—	6.80E+01	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1140	—	—	6.80E+01	µg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.8	—	—	1.50E+00	µg/L	J	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.6	—	—	1.50E+00	µg/L	J	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.7	—	—	1.50E+00	µg/L	J	J	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	89.3	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12720	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	89.3	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	136	—	—	1.00E+00	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	78.1	—	—	1.00E+00	µg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	124	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	462	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	85.7	—	—	1.00E+00	µg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	32.6	—	—	1.00E+01	µg/L	J	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	36.6	—	—	1.00E+01	µg/L	J	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	34	—	—	1.00E+01	µg/L	J	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	35.7	—	—	1.00E+01	µg/L	J	U	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	34.7	—	—	1.00E+01	µg/L	J	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	36.7	—	—	1.00E+01	µg/L	J	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	37.5	—	—	1.00E+01	µg/L	J	U	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	1.4	—	—	1.10E-01	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.13	—	—	1.10E-01	µg/L	J	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	4	—	—	3.00E+00	µg/L	J	J-	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	3.7	—	—	3.00E+00	µg/L	J	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	17.7	—	—	3.00E+00	µg/L	—	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	137	—	—	2.50E+01	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	84.2	—	—	2.50E+01	µg/L	J	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	157	—	—	2.50E+01	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	123	—	—	1.80E+01	µg/L	—	U, J+	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	3090	—	—	2.50E+01	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	8330	—	—	2.50E+01	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	576	—	—	1.80E+01	µg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Lead	—	4.3	—	—	5.00E-01	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	3	—	—	5.00E-01	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	6.8	—	—	5.00E-01	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.61	—	—	5.00E-01	µg/L	J	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	88.3	—	—	2.00E+00	µg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	33.7	—	—	2.00E+00	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	30.7	—	—	2.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	567	—	—	2.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.7	—	—	2.00E+00	µg/L	J	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.7	—	—	1.00E-01	µg/L	—	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.79	—	—	1.00E-01	µg/L	—	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	1.5	—	—	5.00E-01	µg/L	J	U	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	192875	GF070800G6DC01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.88	—	—	5.00E-01	µg/L	J	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	2.50E+00	µg/L	J	J	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	6.9	—	—	5.00E-01	µg/L	—	U	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	53.2	—	—	3.20E-02	mg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56.6	—	—	3.20E-02	mg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	87.6	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	111	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	119	—	—	1.00E+00	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.00E+00	µg/L	—	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	97.1	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	173	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	108	—	—	1.00E+00	µg/L	—	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.057	—	—	5.00E-02	µg/L	J	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.062	—	—	5.00E-02	µg/L	J	J	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.079	—	—	5.00E-02	µg/L	J	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.53	—	—	5.00E-02	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.59	—	—	5.00E-02	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.5	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.8	—	—	1.00E+00	µg/L	J	J	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.6	—	—	1.00E+00	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.7	—	—	1.00E+00	µg/L	J	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11.6	—	—	1.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	26.7	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.3	—	—	1.00E+00	µg/L	J	—	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.1	—	—	2.00E+00	µg/L	J	J	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	µg/L	J	J	08-620	CAMO-08-10635	GELC
CDBO-6	5281	34	08/27/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	12.1	—	—	2.00E+00	µg/L	—	—	192875	GF070800G6DC01	GELC
CDBO-6	5281	34	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.9	—	—	2.00E+00	µg/L	J	—	181642	GF070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	15.2	—	—	2.00E+00	µg/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	53.2	—	—	2.00E+00	µg/L	—	—	08-620	CAMO-08-10634	GELC
CDBO-6	5281	34	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	8.2	—	—	2.00E+00	µg/L	J	U	181642	GU070200G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.0108	3.67E-03	3.90E-02	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0252	5.67E-03	4.30E-02	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	Alpha-Spec	Americium-241	<	0.011	1.85E-03	4.32E-02	—	pCi/L	—	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Americium-241	<	9.49	2.06E+00	2.01E+01	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Americium-241	<	5.97	2.80E+00	2.89E+01	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	Alpha-Spec	Americium-241	—	0.0291	2.72E-03	1.43E-02	—	pCi/L	—	—	61758	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Americium-241	<	-3.32	2.49E+00	1.88E+01	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	Alpha-Spec	Americium-241	<	0.00247	8.23E-04	6.70E-03	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.339	4.00E-01	3.80E+00	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.686	4.33E-01	4.20E+00	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.622	3.27E-01	3.20E+00	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Cesium-137	<	3.49	3.57E-01	4.30E+00	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.429	2.19E-01	2.17E+00	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.205	3.67E-01	3.30E+00	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.71	5.33E-01	5.30E+00	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.312	2.97E-01	3.41E+00	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Cobalt-60	<	1.43	3.09E-01	3.85E+00	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.255	2.15E-01	2.48E+00	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	—	3.7	3.67E-01	2.30E+00	—	pCi/L	—	—	08-1220	CAMO-08-12721	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	8.95	3.23E-01	1.60E+00	—	pCi/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	3.26	2.05E-01	2.14E+00	—	pCi/L	—	J	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	11/07/01	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	21.4	3.90E-01	2.80E+00	—	pCi/L	—	—	51777	GB01111G6DC	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	6.72	4.23E-01	3.60E+00	—	pCi/L	—	J	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	97	2.30E+01	2.50E+02	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	113	6.33E+01	2.80E+02	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	156	5.73E-01	3.77E+02	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Gross gamma	<	158	5.13E-01	3.04E+02	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	3.01	2.70E+00	2.80E+01	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-11.8	3.27E+00	3.00E+01	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	14.4	3.03E+00	2.70E+01	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Neptunium-237	<	2.2	2.80E+00	2.78E+01	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-3.98	1.88E+00	1.94E+01	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	2.33E-03	2.40E-02	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0107	1.90E-03	2.60E-02	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-238	—	-0.00544	1.57E-03	3.23E-02	—	pCi/L	—	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	Alpha-Spec	Plutonium-238	<	0.00195	6.53E-04	5.30E-03	—	pCi/L	U	—	61758	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-238	<	0.00553	2.07E-03	2.96E-02	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00202	1.50E-03	3.30E-02	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	2.47E-03	3.50E-02	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-239/240	—	-0.0136	3.01E-03	3.57E-02	—	pCi/L	—	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	Alpha-Spec	Plutonium-239/240	<	-0.00586	2.35E-03	3.10E-02	—	pCi/L	U	—	61758	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	Alpha-Spec	Plutonium-239/240	<	0.00636	1.50E-03	8.62E-03	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	11.8	6.33E+00	6.10E+01	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-20.3	6.00E+00	5.80E+01	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	21.8	3.73E+00	4.49E+01	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Potassium-40	<	26	3.63E+00	4.53E+01	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	18.1	4.90E+00	1.90E+01	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Rad	EPA:903.1	Radium-226	—	0.502	4.60E-02	2.46E-01	—	pCi/L	—	J	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.428	6.00E-02	5.20E-01	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	—	41.1	1.55E+00	5.81E+00	—	pCi/L	—	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Radium-226	—	32.7	1.43E+00	5.83E+00	—	pCi/L	—	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	11/07/01	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.491	4.37E-02	2.26E-01	—	pCi/L	—	—	51777	GB01111G6DC	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	—	12.3	9.47E-01	4.63E+00	—	pCi/L	—	J	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/31/02	WG	F	CS	—	Rad	EPA:904	Radium-228	<	0.675	9.30E-02	1.01E+00	—	pCi/L	U	U	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	F	DUP	—	Rad	EPA:904	Radium-228	<	0.716	7.93E-02	8.68E-01	—	pCi/L	U	—	61408	GF02050G6DC01	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.641	7.00E-02	5.80E-01	—	pCi/L	—	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	6.22	1.19E+00	1.41E+01	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Radium-228	<	1.58	1.09E+00	1.20E+01	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	11/07/01	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.13	1.02E-01	8.92E-01	—	pCi/L	—	—	51777	GB01111G6DC	GELC
CDBO-6	5281	34	11/07/01	WG	UF	DUP	—	Rad	EPA:904	Radium-228	<	0.746	8.13E-02	7.51E-01	—	pCi/L	U	—	51777	GB01111G6DC	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	7.16	1.31E+00	9.80E+00	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	2.69	3.67E-01	4.80E+00	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0885	4.67E-01	4.60E+00	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.197	2.87E-01	3.18E+00	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Sodium-22	<	-0.523	2.63E-01	2.88E+00	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.108	1.93E-01	2.12E+00	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0656	2.13E-02	2.10E-01	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0134	1.87E-02	1.90E-01	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	GFPC	Strontium-90	<	0.0156	1.69E-02	2.36E-01	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.154	4.33E-02	4.38E-01	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.00971	3.03E-03	8.70E-02	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.174	7.33E-03	7.50E-02	—	pCi/L	—	—	08-1220	CAMO-08-12721	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-234	—	0.101	8.90E-03	6.72E-02	—	pCi/L	—	J	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	Alpha-Spec	Uranium-234	—	0.105	8.00E-03	4.83E-02	—	pCi/L	—	—	61758	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-234	—	0.202	8.57E-03	2.70E-02	—	pCi/L	—	—	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.006	1.43E-03	4.50E-02	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.018	2.30E-03	3.90E-02	—	pCi/L	U	U	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-235/236	<	0.0111	4.80E-03	7.92E-02	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	Alpha-Spec	Uranium-235/236	—	0.0337	4.37E-03	3.31E-02	—	pCi/L	—	—	61758	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-235/236	<	0.0124	2.77E-03	2.71E-02	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/22/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.0267	3.17E-03	5.30E-02	—	pCi/L	U	U	08-1220	CAMO-08-12720	GELC
CDBO-6	5281	34	05/22/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.12	6.00E-03	4.50E-02	—	pCi/L	—	—	08-1220	CAMO-08-12721	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-238	<	0.0615	7.13E-03	6.72E-02	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	CS	—	Rad	EPA:901.1	Uranium-238	<	48.7	2.23E+01	1.44E+02	—	pCi/L	U	U	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	Alpha-Spec	Uranium-238	—	0.0381	4.63E-03	3.30E-02	—	pCi/L	—	—	61758	GU02050G6DC01	GELC
CDBO-6	5281	34	05/31/02	WG	UF	DUP	—	Rad	EPA:901.1	Uranium-238	<	113	2.17E+01	2.26E+02	—	pCi/L	U	—	61409	GU02050G6DC01	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	EPA:901.1	Uranium-238	<	99.4	3.29E+01	1.41E+02	—	pCi/L	U	U	41670	GU01051G6DC	GELC
CDBO-6	5281	34	05/01/01	WG	UF	CS	—	Rad	Alpha-Spec	Uranium-238	—	0.161	7.53E-03	2.90E-02	—	pCi/L	—	—	41670	GU01051G6DC	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	41.5	—	—	7.30E-01	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	65	—	—	7.30E-01	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	40.5	—	—	7.25E-01	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	24.3	—	—	7.25E-01	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	45.6	—	—	7.25E-01	mg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51	—	—	7.25E-01	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.7	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.9	—	—	3.00E-02	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.4	—	—	3.60E-02	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.60E-02	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.5	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	18	—	—	3.00E-02	mg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.7	—	—	3.60E-02	mg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.2	—	—	3.60E-02	mg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	24.4	—	—	3.30E-01	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	68	—	—	6.60E-01	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	34.4	—	—	3.30E-01	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	25.9	—	—	3.30E-01	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	20.7	—	—	1.32E-01	mg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	19.8	—	—	1.32E-01	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.166	—	—	3.30E-02	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.128	—	—	3.30E-02	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.17	—	—	3.30E-02	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.149	—	—	3.30E-02	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.206	—	—	3.30E-02	mg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.194	—	—	3.30E-02	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	62.5	—	—	4.30E-01	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	47.2	—	—	4.40E-01	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	42.2	—	—	4.40E-01	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	52.3	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	64	—	—	4.30E-01	mg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.1	—	—	4.40E-01	mg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	51.2	—	—	4.40E-01	mg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.43	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.34	—	—	8.50E-02	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.32	—	—	8.50E-02	mg/L	—	—	188434	GF070500GMA101	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.37	—	—	8.50E-02	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.76	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.62	—	—	8.50E-02	mg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.62	—	—	8.50E-02	mg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.41	—	—	8.50E-02	mg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.661	—	—	1.00E-02	mg/L	—	J	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.24	—	—	5.00E-02	mg/L	J	J	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.402	—	—	1.00E-02	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	2.3	—	—	1.00E-01	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.171	—	—	1.40E-02	mg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.22	—	—	1.40E-02	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.316	—	—	5.00E-02	µg/L	—	J+	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.565	—	—	5.00E-02	µg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.409	—	—	5.00E-02	µg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.48	—	—	5.00E-02	µg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.216	—	—	5.00E-02	µg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.41	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.64	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.69	—	—	5.00E-02	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.49	—	—	5.00E-02	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.63	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.63	—	—	5.00E-02	mg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.99	—	—	5.00E-02	mg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.52	—	—	5.00E-02	mg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	37.6	—	—	3.20E-02	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	54.1	—	—	3.20E-02	mg/L	—	J-	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	59.9	—	—	3.20E-02	mg/L	—	J-	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	79.1	—	—	3.20E-02	mg/L	—	J-	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	26.6	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	33.8	—	—	4.50E-02	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.6	—	—	4.50E-02	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.8	—	—	4.50E-02	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	26.7	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	32.9	—	—	4.50E-02	mg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	24.1	—	—	4.50E-02	mg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.3	—	—	4.50E-02	mg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	187	—	—	1.00E+00	µS/cm	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	278	—	—	1.00E+00	µS/cm	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	242	—	—	1.00E+00	µS/cm	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	192	—	—	1.00E+00	µS/cm	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.11	—	—	1.00E-01	mg/L	—	J-	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	6.1	—	—	1.00E-01	mg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.51	—	—	1.00E-01	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.94	—	—	1.00E-01	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.94	—	—	1.00E-01	mg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.95	—	—	1.00E-01	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	245	—	—	2.40E+00	mg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	216	—	—	2.40E+00	mg/L	—	J	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	190	—	—	2.38E+00	mg/L	H	J	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	184	—	—	2.38E+00	mg/L	—	—	182055	GF070200GMA101	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	218	—	—	2.38E+00	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	162	—	—	2.38E+00	mg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.145	—	—	2.90E-02	mg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.416	—	—	1.00E-02	mg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.254	—	—	1.00E-02	mg/L	—	—	175502	GF060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.682	—	—	2.90E-02	mg/L	—	J-	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.188	—	—	2.90E-02	mg/L	—	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.206	—	—	2.90E-02	mg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.44	—	—	1.00E-02	mg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.369	—	—	1.00E-02	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	7.2	—	—	6.60E-01	mg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.18	—	—	3.30E-01	mg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.25	—	—	3.30E-01	mg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.92	—	—	6.60E-01	mg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	11/01/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.89	—	—	3.30E-01	mg/L	—	—	175502	GU060900GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.77	—	—	1.00E-02	SU	H	J-	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.68	—	—	1.00E-02	SU	H	J-	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.35	—	—	1.00E-02	SU	H	J	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.91	—	—	1.00E-02	SU	H	J	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	19900	—	—	6.80E+01	µg/L	N	J+	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	808	—	—	6.80E+01	µg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1380	—	—	6.80E+01	µg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	6870	—	—	6.80E+01	µg/L	N	J+	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	30400	—	—	6.80E+01	µg/L	N	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	732	—	—	6.80E+01	µg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	4150	—	—	6.80E+01	µg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	13000	—	—	6.80E+01	µg/L	N	J+	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.2	—	—	1.50E+00	µg/L	J	J	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.6	—	—	1.50E+00	µg/L	J	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	82.1	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	66.8	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	55.8	—	—	1.00E+00	µg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	54.1	—	—	1.00E+00	µg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	115	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	66.3	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	64.4	—	—	1.00E+00	µg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	85.4	—	—	1.00E+00	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Beryllium	<	5	—	—	1.00E+00	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Beryllium	<	1	—	—	1.00E+00	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Beryllium	<	1	—	—	1.00E+00	µg/L	U	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	—	1.4	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	<	5	—	—	1.00E+00	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	<	1	—	—	1.00E+00	µg/L	U	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	<	1	—	—	1.00E+00	µg/L	U	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	24.5	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	18.2	—	—	1.00E+01	µg/L	J	J	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	21.9	—	—	1.00E+01	µg/L	J	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	19.9	—	—	1.00E+01	µg/L	J	—	182055	GF070200GMA101	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	25.1	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	25.8	—	—	1.00E+01	µg/L	J	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	22.2	—	—	1.00E+01	µg/L	J	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	22.6	—	—	1.00E+01	µg/L	J	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.17	—	—	1.10E-01	µg/L	J	J	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.19	—	—	1.10E-01	µg/L	J	J	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.13	—	—	1.00E-01	µg/L	J	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	11.6	—	—	2.50E+00	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	µg/L	U	UJ	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	6	—	—	1.00E+00	µg/L	—	U	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	17.1	—	—	2.50E+00	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.7	—	—	1.00E+00	µg/L	J	JN-	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	10.5	—	—	1.00E+00	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	6.5	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	1.2	—	—	1.00E+00	µg/L	J	J	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	1.2	—	—	1.00E+00	µg/L	J	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	1.2	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	4.6	—	—	3.00E+00	µg/L	J	J	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	3.3	—	—	3.00E+00	µg/L	J	J-	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	8.1	—	—	3.00E+00	µg/L	J	J	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	4.5	—	—	3.00E+00	µg/L	J	J-	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	11000	—	—	2.50E+01	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	449	—	—	2.50E+01	µg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	766	—	—	1.80E+01	µg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	3720	—	—	1.80E+01	µg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	17300	—	—	2.50E+01	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	454	—	—	2.50E+01	µg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	2310	—	—	1.80E+01	µg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	7400	—	—	1.80E+01	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	4.6	—	—	5.00E-01	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.5	—	—	5.00E-01	µg/L	J	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	7.6	—	—	5.00E-01	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.85	—	—	5.00E-01	µg/L	J	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	4.9	—	—	5.00E-01	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	55.6	—	—	2.00E+00	µg/L	—	—	08-1193	CAMO-08-12712	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.6	—	—	2.00E+00	µg/L	J	J	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	9.1	—	—	2.00E+00	µg/L	J*	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	20.9	—	—	2.00E+00	µg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	76.3	—	—	2.00E+00	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4	—	—	2.00E+00	µg/L	J	J	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	15.5	—	—	2.00E+00	µg/L	*	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	44.6	—	—	2.00E+00	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.8	—	—	5.00E-01	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.74	—	—	5.00E-01	µg/L	J	J	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.4	—	—	5.00E-01	µg/L	J	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.8	—	—	5.00E-01	µg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	7.5	—	—	5.00E-01	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	J	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5.1	—	—	5.00E-01	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	109	—	—	3.20E-02	mg/L	—	J-	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	30	—	—	3.20E-02	mg/L	N	J+	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	64	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	79.7	—	—	1.00E+00	µg/L	—	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	63.1	—	—	1.00E+00	µg/L	—	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	71.1	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	95.9	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	80.9	—	—	1.00E+00	µg/L	—	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	75.2	—	—	1.00E+00	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.56	—	—	3.00E-01	µg/L	J	J	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.32	—	—	3.00E-01	µg/L	J	J	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.46	—	—	5.00E-02	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	µg/L	U	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.074	—	—	5.00E-02	µg/L	J	U	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	—	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.68	—	—	5.00E-02	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.2	—	—	5.00E-02	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.15	—	—	5.00E-02	µg/L	J	U	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.38	—	—	5.00E-02	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	14.1	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1.8	—	—	1.00E+00	µg/L	J	U	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.4	—	—	1.00E+00	µg/L	J	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	6.6	—	—	1.00E+00	µg/L	—	U	182055	GF070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	22.5	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.6	—	—	1.00E+00	µg/L	J	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	13	—	—	1.00E+00	µg/L	—	—	182055	GU070200GMA101	GELC
MCA-1	5601	2.4	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	37	—	—	2.00E+00	µg/L	—	—	08-1193	CAMO-08-12712	GELC
MCA-1	5601	2.4	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4	—	—	2.00E+00	µg/L	J	J	08-603	CAMO-08-10490	GELC
MCA-1	5601	2.4	06/20/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.6	—	—	2.00E+00	µg/L	J	—	188434	GF070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	14.6	—	—	2.00E+00	µg/L	—	—	182055	GF070200GMA101	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCA-1	5601	2.4	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	59.4	—	—	2.00E+00	µg/L	—	—	08-1193	CAMO-08-12713	GELC
MCA-1	5601	2.4	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	5.3	—	—	2.00E+00	µg/L	J	U	08-599	CAMO-08-10489	GELC
MCA-1	5601	2.4	06/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	7	—	—	2.00E+00	µg/L	J	—	188434	GU070500GMA101	GELC
MCA-1	5601	2.4	03/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	28.1	—	—	2.00E+00	µg/L	—	—	182055	GU070200GMA101	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxin[1,2,3,4,6,7,8-]	—	0.0000444	—	—	4.44E-05	µg/L	—	—	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxin[1,2,3,4,6,7,8-]	—	0.0000382	—	—	3.82E-05	µg/L	—	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxin[1,2,3,4,6,7,8-]	—	0.0000273	—	—	2.73E-05	µg/L	J	J	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxin[1,2,3,4,6,7,8-]	—	9.39E-06	—	—	—	µg/L	—	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000768	—	—	7.68E-05	µg/L	—	—	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000566	—	—	5.66E-05	µg/L	—	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000447	—	—	4.47E-05	µg/L	—	J	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000162	—	—	—	µg/L	—	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	—	7.84E-06	—	—	7.84E-06	µg/L	J	J	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	—	5.18E-06	—	—	5.18E-06	µg/L	J	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	—	4.92E-06	—	—	4.92E-06	µg/L	J	J	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	<	2.28E-06	—	—	—	µg/L	—	R, U	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofurans (Total)	—	0.0000269	—	—	2.69E-05	µg/L	—	—	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofurans (Total)	—	0.0000169	—	—	1.69E-05	µg/L	—	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofurans (Total)	—	0.0000131	—	—	1.31E-05	µg/L	—	J	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzofurans (Total)	—	3.57E-06	—	—	—	µg/L	—	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzodioxins (Total)	—	9.65E-06	—	—	9.65E-06	µg/L	—	—	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzodioxins (Total)	—	0.0000215	—	—	2.15E-05	µg/L	—	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzodioxins (Total)	—	8.67E-06	—	—	8.67E-06	µg/L	—	J	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzodioxins (Total)	—	3.39E-06	—	—	—	µg/L	—	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzofurans (Total)	—	5.94E-06	—	—	5.94E-06	µg/L	—	—	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzofurans (Total)	—	2.58E-06	—	—	2.58E-06	µg/L	—	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzofurans (Total)	—	3.14E-06	—	—	3.14E-06	µg/L	—	J	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Hexachlorodibenzofurans (Total)	—	1.33E-06	—	—	—	µg/L	—	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	—	0.0000144	—	—	1.44E-05	µg/L	J	J	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	—	5.89E-06	—	—	5.89E-06	µg/L	J	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	—	5.96E-06	—	—	5.96E-06	µg/L	J	J	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	<	1.48E-06	—	—	—	µg/L	—	U, R	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofuran[1,2,3,7,8-]	—	1.11E-06	—	—	1.11E-06	µg/L	J	J	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofuran[1,2,3,7,8-]	<	1.19E-06	—	—	1.19E-06	µg/L	U	UJ	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofuran[1,2,3,7,8-]	<	1.32E-06	—	—	1.32E-06	µg/L	U	UJ	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofuran[1,2,3,7,8-]	<	2.72E-06	—	—	—	µg/L	U	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofurans (Totals)	—	7.44E-06	—	—	7.44E-06	µg/L	—	—	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofurans (Totals)	—	0.0000043	—	—	4.30E-06	µg/L	—	J	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofurans (Totals)	<	1.45E-06	—	—	1.45E-06	µg/L	U	UJ	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Pentachlorodibenzofurans (Totals)	—	1.17E-06	—	—	—	µg/L	—	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Tetrachlorodibenzofurans (Totals)	—	1.31E-06	—	—	1.31E-06	µg/L	—	—	08-1253	CAMO-08-12722	ALTC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Tetrachlorodibenzofurans (Totals)	<	1.12E-06	—	—	1.12E-06	µg/L	U	UJ	29121	AU070500GM0601	ALTC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Tetrachlorodibenzofurans (Totals)	<	0.0000105	—	—	1.05E-05	µg/L	U	UJ	28786	AU070200GM0601	ALTC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Tetrachlorodibenzofurans (Totals)	—	5.22E-07	—	—	—	µg/L	—	—	G341-270	GU060900GM0601	SGSW
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	184	—	—	7.30E-01	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	179	—	—	7.30E-01	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	300	—	—	7.25E-01	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	171	—	—	7.25E-01	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	269	—	—	7.25E-01	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	271	—	—	7.25E-01	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.209	—	—	3.00E-02	mg/L	—	J-	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.119	—	—	3.00E-02	mg/L	—	J-	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.661	—	—	3.00E-02	mg/L	—	—	188309	GF070500GM0601	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.457	—	—	1.00E-02	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.483	—	—	1.00E-02	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.474	—	—	1.00E-02	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.8	—	—	3.00E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	27.9	—	—	3.00E-02	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	53.4	—	—	3.60E-02	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	44.3	—	—	3.60E-02	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	—	0.0472	—	—	3.00E-02	mg/L	J	J	08-1254	CAMO-08-12724	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.1	—	—	3.00E-02	mg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	27.6	—	—	3.00E-02	mg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	54.6	—	—	3.60E-02	mg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	47.3	—	—	3.60E-02	mg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	155	—	—	3.30E+00	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	249	—	—	1.30E+00	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	354	—	—	3.30E+00	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	377	—	—	3.30E+00	mg/L	—	J	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	434	—	—	6.60E+00	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	449	—	—	6.60E+00	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00659	—	—	1.50E-03	mg/L	—	JN-	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00386	—	—	1.50E-03	mg/L	J	JN-	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.0029	—	—	1.50E-03	mg/L	J	J	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00318	—	—	1.50E-03	mg/L	J	JN-	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.0043	—	—	1.50E-03	mg/L	J	JN-	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00291	—	—	1.50E-03	mg/L	J	JN-	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.288	—	—	3.30E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.189	—	—	3.30E-02	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.367	—	—	3.30E-02	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.209	—	—	3.30E-02	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.238	—	—	3.30E-02	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.214	—	—	3.30E-02	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	65.6	—	—	3.50E-01	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	93.5	—	—	4.30E-01	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	179	—	—	4.40E-01	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	150	—	—	4.40E-01	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	70.5	—	—	3.50E-01	mg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	93.8	—	—	4.30E-01	mg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	183	—	—	4.40E-01	mg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	163	—	—	4.40E-01	mg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.91	—	—	8.50E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.8	—	—	8.50E-02	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.1	—	—	8.50E-02	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	9.53	—	—	8.50E-02	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.92	—	—	8.50E-02	mg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	6.08	—	—	8.50E-02	mg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.4	—	—	8.50E-02	mg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.8	—	—	8.50E-02	mg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.183	—	—	5.00E-02	mg/L	J	J	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.25	—	—	5.00E-02	mg/L	U	UJ	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.05	—	—	5.00E-02	mg/L	U	UJ	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.058	—	—	1.00E-02	mg/L	—	U, J	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.0417	—	—	1.40E-02	mg/L	J	U	175118	GF060900GM0601	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.0443	—	—	1.40E-02	mg/L	J	U	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	8.67	—	—	5.00E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.3	—	—	5.00E-02	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.1	—	—	5.00E-01	mg/L	—	J	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.8	—	—	5.00E-02	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	10.2	—	—	5.00E-02	mg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.78	—	—	5.00E-02	mg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	13	—	—	5.00E-01	mg/L	—	J	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.2	—	—	5.00E-02	mg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	30.1	—	—	3.20E-02	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	29.5	—	—	3.20E-02	mg/L	—	J-	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	28.9	—	—	3.20E-02	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	30.4	—	—	3.20E-02	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	164	—	—	4.50E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	227	—	—	4.50E-02	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	362	—	—	4.50E-01	mg/L	—	J	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	288	—	—	2.25E-01	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	—	0.149	—	—	4.50E-02	mg/L	J	J	08-1254	CAMO-08-12724	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	159	—	—	4.50E-02	mg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	222	—	—	4.50E-02	mg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	349	—	—	4.50E-01	mg/L	—	J	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	285	—	—	2.25E-01	mg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	925	—	—	1.00E+00	µS/cm	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1120	—	—	1.00E+00	µS/cm	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1840	—	—	1.00E+00	µS/cm	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1750	—	—	1.00E+00	µS/cm	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	2100	—	—	1.00E+00	µS/cm	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	2110	—	—	1.00E+00	µS/cm	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	6.17	—	—	1.00E-01	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.4	—	—	1.00E-01	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.14	—	—	1.00E-01	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.2	—	—	1.00E-01	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.4	—	—	1.00E-01	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.4	—	—	1.00E-01	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	590	—	—	2.40E+00	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	690	—	—	2.40E+00	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	1030	—	—	2.38E+00	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	950	—	—	2.38E+00	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	1170	—	—	2.38E+00	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	1150	—	—	2.38E+00	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	2.09	—	—	2.90E-02	mg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.52	—	—	1.00E-02	mg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.78	—	—	1.00E-02	mg/L	—	—	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.76	—	—	1.00E-02	mg/L	—	—	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.52	—	—	2.90E-02	mg/L	—	J-	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.99	—	—	2.90E-02	mg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.67	—	—	1.00E-02	mg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.78	—	—	1.00E-02	mg/L	—	—	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.18	—	—	1.00E-02	mg/L	—	—	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	49.3	—	—	1.70E+00	mg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	56	—	—	1.65E+00	mg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	34.5	—	—	6.60E-01	mg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	36.2	—	—	1.65E+00	mg/L	—	—	175118	GU060900GM0601	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	12.4	—	—	3.30E-01	mg/L	—	—	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.18	—	—	2.40E-02	mg/L	—	J	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.061	—	—	2.40E-02	mg/L	—	U	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.1	—	—	2.40E-02	mg/L	—	U	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.036	—	—	1.00E-02	mg/L	J	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.055	—	—	1.00E-02	mg/L	—	U	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.048	—	—	1.00E-02	mg/L	J	JN+	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.91	—	—	1.00E-02	SU	H	J-	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.13	—	—	1.00E-02	SU	H	J-	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.57	—	—	1.00E-02	SU	H	J	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.63	—	—	1.00E-02	SU	H	J	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.34	—	—	1.00E-02	SU	H	J	175118	GF060900GM0601	GELC
MCO-0.6	5641	1.05	10/27/06	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	6.38	—	—	1.00E-02	SU	H	J	175118	GU060900GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	1050	—	—	6.80E+01	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	720	—	—	6.80E+01	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	74.1	—	—	6.80E+01	µg/L	J	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	2110	—	—	6.80E+01	µg/L	N	J+	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	11700	—	—	6.80E+01	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	4340	—	—	6.80E+01	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	399	—	—	6.80E+01	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	8850	—	—	6.80E+01	µg/L	N	J+	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	6.3	—	—	1.50E+00	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	3.4	—	—	1.50E+00	µg/L	J	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	3.6	—	—	1.50E+00	µg/L	J	J	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.5	—	—	1.50E+00	µg/L	J	J	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	6.4	—	—	1.50E+00	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.8	—	—	1.50E+00	µg/L	J	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	154	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	175	—	—	1.00E+00	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	349	—	—	1.00E+00	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	307	—	—	1.00E+00	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	188	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	187	—	—	1.00E+00	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	356	—	—	1.00E+00	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	341	—	—	1.00E+00	ug/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.3	—	—	1.00E+01	µg/L	J	J	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	18	—	—	1.00E+01	µg/L	J	U	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14.3	—	—	1.00E+01	µg/L	J	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	µg/L	U	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	14.7	—	—	1.00E+01	µg/L	J	J	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	21.9	—	—	1.00E+01	µg/L	J	U	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	14.8	—	—	1.00E+01	µg/L	J	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	µg/L	U	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.15	—	—	1.10E-01	µg/L	J	J	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.29	—	—	1.10E-01	µg/L	J	J	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.8	—	—	2.50E+00	µg/L	J	J	08-1254	CAMO-08-12723	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	10.3	—	—	2.50E+00	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.3	—	—	1.00E+00	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	2.5	—	—	1.00E+00	µg/L	J	U	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	29.7	—	—	2.50E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	112	—	—	2.50E+00	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	20.1	—	—	1.00E+00	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	23.2	—	—	1.00E+00	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	8.9	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	13	—	—	1.00E+00	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	19.5	—	—	1.00E+00	µg/L	—	J+	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	15.5	—	—	1.00E+00	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	9.2	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	12	—	—	1.00E+00	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	19.7	—	—	1.00E+00	µg/L	—	J+	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	16.1	—	—	1.00E+00	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	3.4	—	—	3.00E+00	µg/L	J	J	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	3.7	—	—	3.00E+00	µg/L	J	J	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	R	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	14.6	—	—	3.00E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	8.2	—	—	3.00E+00	µg/L	J	J	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	3.2	—	—	3.00E+00	µg/L	J	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	4.5	—	—	3.00E+00	µg/L	J	J-	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	7380	—	—	2.50E+01	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	5830	—	—	2.50E+01	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	26500	—	—	1.80E+01	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	15100	—	—	1.80E+01	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	13200	—	—	2.50E+01	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	11600	—	—	2.50E+01	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	27200	—	—	1.80E+01	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	18900	—	—	1.80E+01	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.4	—	—	5.00E-01	µg/L	J	J	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6020	Lead	—	0.7	—	—	5.00E-01	µg/L	J	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	7.2	—	—	5.00E-01	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	2.4	—	—	5.00E-01	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	0.91	—	—	5.00E-01	µg/L	J	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	2.7	—	—	5.00E-01	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	1690	—	—	2.00E+00	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2280	—	—	2.00E+00	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4500	—	—	2.00E+00	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3690	—	—	2.00E+00	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	1700	—	—	2.00E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2180	—	—	2.00E+00	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4550	—	—	2.00E+00	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3900	—	—	2.00E+00	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	3.9	—	—	1.00E-01	µg/L	—	J	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	9.8	—	—	2.00E+00	µg/L	J	U	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.8	—	—	2.00E+00	µg/L	J	U	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	4.6	—	—	1.00E-01	µg/L	—	J	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.9	—	—	2.00E+00	µg/L	J	J	08-627	CAMO-08-10646	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	9.5	—	—	2.00E+00	µg/L	J	U	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	4.4	—	—	2.00E+00	µg/L	J	U	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	16.1	—	—	5.00E-01	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	36.3	—	—	5.00E-01	µg/L	—	J	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	22.7	—	—	5.00E-01	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	16.6	—	—	5.00E-01	µg/L	—	J+	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	21.4	—	—	5.00E-01	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	47	—	—	5.00E-01	µg/L	—	J	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	24.3	—	—	5.00E-01	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	21.6	—	—	5.00E-01	µg/L	—	J+	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	34	—	—	3.20E-02	mg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	28.8	—	—	3.20E-02	mg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	136	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	182	—	—	1.00E+00	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	364	—	—	1.00E+00	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	289	—	—	1.00E+00	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	141	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	180	—	—	1.00E+00	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	372	—	—	1.00E+00	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	308	—	—	1.00E+00	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.49	—	—	3.00E-01	µg/L	J	J	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	2.9	—	—	5.00E-02	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	8	—	—	5.00E-02	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	5	—	—	5.00E-02	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	3.5	—	—	5.00E-02	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	2	—	—	5.00E-02	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	8.9	—	—	5.00E-02	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	5.7	—	—	5.00E-02	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.2	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.4	—	—	1.00E+00	µg/L	J	J	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	13.1	—	—	1.00E+00	µg/L	—	U	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.5	—	—	1.00E+00	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	20	—	—	1.00E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.6	—	—	1.00E+00	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	13.9	—	—	1.00E+00	µg/L	—	U	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	12.9	—	—	1.00E+00	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	16.9	—	—	2.00E+00	µg/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	19.4	—	—	2.00E+00	µg/L	—	—	08-627	CAMO-08-10647	GELC
MCO-0.6	5641	1.05	06/19/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	13.5	—	—	2.00E+00	µg/L	—	—	188309	GF070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	21.6	—	—	2.00E+00	µg/L	—	—	182055	GF070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	FB	Metals	SW-846:6010B	Zinc	—	2.1	—	—	2.00E+00	µg/L	J	J	08-1254	CAMO-08-12724	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	34.9	—	—	2.00E+00	µg/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	28.1	—	—	2.00E+00	µg/L	—	—	08-627	CAMO-08-10646	GELC
MCO-0.6	5641	1.05	06/19/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	17.8	—	—	2.00E+00	µg/L	—	—	188309	GU070500GM0601	GELC
MCO-0.6	5641	1.05	03/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	33.4	—	—	2.00E+00	µg/L	—	—	182055	GU070200GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.000103	1.47E-03	3.90E-02	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00326	5.03E-03	2.35E-02	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00158	2.83E-03	3.98E-02	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0153	4.00E-03	3.00E-02	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00304	3.32E-03	2.47E-02	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0142	3.33E-03	3.30E-02	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	2.31	4.67E-01	4.90E+00	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.203	5.73E-01	6.02E+00	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.129	3.67E-01	3.93E+00	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.27	5.67E-01	3.20E+00	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.48	3.43E-01	4.38E+00	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.0851	3.70E-01	3.91E+00	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.615	4.00E-01	3.40E+00	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	3.28	5.77E-01	7.52E+00	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.19	3.12E-01	3.19E+00	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.913	3.67E-01	3.20E+00	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.366	4.20E-01	4.96E+00	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.01	3.80E-01	4.40E+00	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	73.5	1.67E+01	2.50E+02	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	96.1	3.87E+01	2.69E+02	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	79.7	2.68E+01	3.12E+02	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	55	2.43E+01	1.60E+02	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	43.6	1.69E+01	2.35E+02	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	110	3.04E+01	3.45E+02	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-0.137	3.67E+00	3.30E+01	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-14.2	3.21E+00	3.25E+01	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.56	3.22E+00	2.85E+01	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-1.12	3.07E+00	2.90E+01	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.431	2.99E+00	2.87E+01	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2	1.62E+00	1.59E+01	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00331	1.10E-03	2.00E-02	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00822	2.42E-03	2.63E-02	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.013	4.57E-03	4.50E-02	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00819	2.50E-03	2.00E-02	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00434	1.77E-03	2.09E-02	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0184	3.11E-03	3.47E-02	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.0281	2.30E-03	2.70E-02	—	pCi/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00821	1.59E-03	3.06E-02	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0238	4.40E-03	3.80E-02	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0115	2.27E-03	2.70E-02	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00651	1.26E-03	2.43E-02	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	2.49E-03	2.93E-02	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	18.8	6.67E+00	2.60E+01	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	37.8	5.97E+00	7.79E+01	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	—	41	4.77E+00	3.34E+01	—	pCi/L	—	J	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	18.2	5.67E+00	5.80E+01	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	18.4	7.73E+00	4.28E+01	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	51.4	1.10E+01	3.54E+01	—	pCi/L	UI	R	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.557	6.00E-02	4.10E-01	—	pCi/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.633	6.67E-02	5.10E-01	—	pCi/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.22	4.00E-01	4.30E+00	—	pCi/L	U	U	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0559	3.97E-01	4.82E+00	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0833	3.57E-01	4.01E+00	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.79	4.00E-01	4.30E+00	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0051	3.53E-01	4.18E+00	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.804	3.37E-01	3.95E+00	—	pCi/L	U	U	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.451	1.87E-02	1.10E-01	—	pCi/L	—	—	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	—	1.27	5.67E-02	4.12E-01	—	pCi/L	—	—	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.452	2.68E-02	2.49E-01	—	pCi/L	—	J	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	—	0.379	3.67E-02	3.00E-01	—	pCi/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	—	1.46	5.90E-02	3.94E-01	—	pCi/L	—	—	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	—	0.381	2.70E-02	2.59E-01	—	pCi/L	—	J	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.721	2.27E-02	1.20E-01	—	pCi/L	—	J-	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.312	9.87E-03	3.68E-02	—	pCi/L	—	—	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	1.2	2.63E-02	7.22E-02	—	pCi/L	—	—	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.856	2.63E-02	1.20E-01	—	pCi/L	—	—	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.336	1.22E-02	5.08E-02	—	pCi/L	—	—	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	1.43	3.00E-02	7.20E-02	—	pCi/L	—	—	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0423	6.00E-03	6.40E-02	—	pCi/L	U	UJ	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0305	2.96E-03	3.10E-02	—	pCi/L	U	U	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0526	4.43E-03	5.43E-02	—	pCi/L	U	U	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.0512	7.67E-03	6.40E-02	—	pCi/L	U	U	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00602	4.93E-03	4.29E-02	—	pCi/L	U	U	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0905	5.93E-03	5.42E-02	—	pCi/L	—	J	146057	GU05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.91	2.67E-02	7.50E-02	—	pCi/L	—	J-	08-1254	CAMO-08-12723	GELC
MCO-0.6	5641	1.05	07/10/06	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.278	9.23E-03	3.91E-02	—	pCi/L	—	—	166962	GF060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	1.38	2.93E-02	5.11E-02	—	pCi/L	—	—	146057	GF05090GM0601	GELC
MCO-0.6	5641	1.05	05/29/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.887	2.80E-02	7.60E-02	—	pCi/L	—	J	08-1254	CAMO-08-12722	GELC
MCO-0.6	5641	1.05	07/10/06	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.439	1.44E-02	5.41E-02	—	pCi/L	—	—	166962	GU060500GM0601	GELC
MCO-0.6	5641	1.05	09/19/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	1.53	3.17E-02	5.10E-02	—	pCi/L	—	—	146057	GU05090GM0601	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	106	—	—	7.30E-01	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	105	—	—	7.30E-01	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	31.5	—	—	7.30E-01	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	105	—	—	7.25E-01	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	107	—	—	7.25E-01	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	17.2	—	—	3.00E-02	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.7	—	—	3.00E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	219	—	—	3.00E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	4.5	—	—	3.60E-02	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	17.1	—	—	3.00E-02	mg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	3.00E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	218	—	—	3.00E-02	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.2	—	—	3.60E-02	mg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.9	—	—	3.60E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	263	—	—	3.30E+00	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	261	—	—	3.30E+00	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2180	—	—	1.30E+01	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	104	—	—	6.60E-01	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	40.7	—	—	3.30E-01	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00424	—	—	1.50E-03	mg/L	J	J	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00276	—	—	1.50E-03	mg/L	J	J	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.0016	—	—	1.50E-03	mg/L	J	J	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.0038	—	—	1.50E-03	mg/L	J	JN-	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.433	—	—	3.30E-02	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.396	—	—	3.30E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.136	—	—	3.30E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.574	—	—	3.30E-02	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.666	—	—	3.30E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	58.5	—	—	3.50E-01	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	45.2	—	—	3.50E-01	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	704	—	—	4.30E-01	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	18	—	—	4.40E-01	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	67.7	—	—	3.50E-01	mg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	80	—	—	3.50E-01	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	698	—	—	4.30E-01	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	65.3	—	—	4.40E-01	mg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	72.6	—	—	8.50E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.77	—	—	8.50E-02	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.65	—	—	8.50E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	38	—	—	8.50E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.65	—	—	8.50E-02	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	6.07	—	—	8.50E-02	mg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.83	—	—	8.50E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	37.2	—	—	8.50E-02	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	9.69	—	—	8.50E-02	mg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	7.97	—	—	8.50E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.093	—	—	5.00E-02	mg/L	J	J	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.111	—	—	5.00E-02	mg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.25	—	—	5.00E-02	mg/L	U	UJ	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.05	—	—	5.00E-02	mg/L	U	UJ	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.0319	—	—	1.40E-02	mg/L	J	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	27.9	—	—	5.00E-02	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	28.7	—	—	5.00E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	77.5	—	—	5.00E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	15.1	—	—	5.00E-02	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	31.2	—	—	5.00E-02	mg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	35.3	—	—	5.00E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	71.5	—	—	5.00E-02	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	23.1	—	—	5.00E-02	mg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	14.8	—	—	5.00E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	83.2	—	—	3.20E-02	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	188	—	—	1.60E-01	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	194	—	—	4.50E-02	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	202	—	—	4.50E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	945	—	—	2.30E-01	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	120	—	—	2.25E-01	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	195	—	—	4.50E-02	mg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	194	—	—	4.50E-02	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	923	—	—	2.30E-01	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	119	—	—	2.25E-01	mg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	69.5	—	—	4.50E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	1200	—	—	1.00E+00	µS/cm	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1170	—	—	1.00E+00	µS/cm	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	5690	—	—	1.00E+00	µS/cm	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	628	—	—	1.00E+00	µS/cm	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	385	—	—	1.00E+00	µS/cm	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	11.7	—	—	1.00E-01	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.5	—	—	1.00E-01	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	32.9	—	—	1.00E-01	mg/L	—	—	08-599	CAMO-08-10492	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.86	—	—	1.00E-01	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.9	—	—	1.00E-01	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	725	—	—	2.40E+00	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	721	—	—	2.40E+00	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	3800	—	—	2.40E+00	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	546	—	—	2.38E+00	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	841	—	—	2.38E+00	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.578	—	—	2.90E-02	mg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.329	—	—	2.90E-02	mg/L	—	J-	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.14	—	—	2.90E-02	mg/L	—	J-	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.33	—	—	2.90E-02	mg/L	—	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.8	—	—	2.90E-02	mg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.48	—	—	1.00E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	17.5	—	—	1.70E+00	mg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.25	—	—	3.30E-01	mg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.24	—	—	3.30E-01	mg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.61	—	—	3.30E-01	mg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	18.9	—	—	6.60E-01	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.175	—	—	2.40E-02	mg/L	—	J	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.11	—	—	2.40E-02	mg/L	—	U	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.318	—	—	1.00E-02	mg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	6.62	—	—	1.00E-02	SU	H	J-	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.64	—	—	1.00E-02	SU	H	J-	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.1	—	—	1.00E-02	SU	H	J-	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.04	—	—	1.00E-02	SU	H	J	188029	GF070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	6.6	—	—	1.00E-02	SU	H	J	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Aluminum	—	4440	—	—	6.80E+01	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	868	—	—	6.80E+01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	9410	—	—	6.80E+01	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	30300	—	—	6.80E+01	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	59700	—	—	6.80E+01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	2570	—	—	6.80E+01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	82300	—	—	6.80E+01	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	53500	—	—	6.80E+01	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6020	Arsenic	—	3.5	—	—	1.50E+00	µg/L	J	J	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.7	—	—	1.50E+00	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	5.5	—	—	1.50E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Arsenic	—	6	—	—	1.50E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	21.4	—	—	1.50E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	14.2	—	—	1.50E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Arsenic	—	13	—	—	6.00E+00	µg/L	J	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	170	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	144	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	1960	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.5	—	—	1.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	281	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	846	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	1930	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	277	—	—	1.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	295	—	—	1.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Beryllium	<	5	—	—	1.00E+00	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Beryllium	<	1	—	—	1.00E+00	µg/L	U	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	—	1.3	—	—	1.00E+00	µg/L	J	J	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	<	5	—	—	1.00E+00	µg/L	U	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	—	5.8	—	—	1.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Beryllium	—	3.7	—	—	1.00E+00	µg/L	J	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Boron	—	18	—	—	1.00E+01	µg/L	J	J	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	17.4	—	—	1.00E+01	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	31.4	—	—	1.00E+01	µg/L	J	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	35.7	—	—	1.00E+01	µg/L	J	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Boron	—	25.2	—	—	1.00E+01	µg/L	J	J	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	34.2	—	—	1.00E+01	µg/L	J	J	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	22.2	—	—	1.00E+01	µg/L	J	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	42.9	—	—	1.00E+01	µg/L	J	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	47.3	—	—	1.00E+01	µg/L	J	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.13	—	—	1.00E-01	µg/L	J	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Cadmium	—	0.54	—	—	1.10E-01	µg/L	J	J	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	1.3	—	—	1.10E-01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.67	—	—	1.00E-01	µg/L	J	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	1	—	—	1.00E-01	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6020	Chromium	—	18.2	—	—	2.50E+00	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	13.3	—	—	2.50E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.8	—	—	2.50E+00	µg/L	J	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	41.8	—	—	1.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Chromium	—	56.6	—	—	2.50E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	275	—	—	1.30E+01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	47.5	—	—	2.50E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	188	—	—	5.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	258	—	—	5.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Cobalt	—	1.9	—	—	1.00E+00	µg/L	J	J	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2.7	—	—	1.00E+00	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	12.3	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2	—	—	1.00E+00	µg/L	J	JN-	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Cobalt	—	3.8	—	—	1.00E+00	µg/L	J	J	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	10.9	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	12.7	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	8.4	—	—	1.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	7.8	—	—	1.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Copper	—	4.3	—	—	3.00E+00	µg/L	J	J	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	15.7	—	—	3.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Copper	—	19.1	—	—	3.00E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	55.1	—	—	3.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	4.2	—	—	3.00E+00	µg/L	J	J	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	64.3	—	—	3.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	93.6	—	—	3.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Iron	—	7080	—	—	2.50E+01	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	2780	—	—	2.50E+01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	8400	—	—	2.50E+01	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	5630	—	—	1.80E+01	µg/L	—	—	188029	GF070500G2CM01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Iron	—	20900	—	—	2.50E+01	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	45500	—	—	2.50E+01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	11500	—	—	2.50E+01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	60000	—	—	1.80E+01	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	29800	—	—	1.80E+01	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6020	Lead	—	1.9	—	—	5.00E-01	µg/L	J	J	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	0.63	—	—	5.00E-01	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Lead	—	5.4	—	—	5.00E-01	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Lead	—	13	—	—	5.00E-01	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	38.6	—	—	5.00E-01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	3.6	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	42	—	—	5.00E-01	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	30.5	—	—	5.00E-01	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Manganese	—	750	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	530	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2530	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	181	—	—	2.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese	—	745	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	929	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2550	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	582	—	—	2.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	644	—	—	2.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	112	—	—	1.00E-01	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	118	—	—	1.00E-01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	9	—	—	2.00E+00	µg/L	J	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	334	—	—	2.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	122	—	—	1.00E-01	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	187	—	—	1.00E-01	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	22.7	—	—	2.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	338	—	—	2.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	731	—	—	2.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6020	Nickel	—	4.3	—	—	5.00E-01	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.8	—	—	5.00E-01	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	14.1	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	7.6	—	—	5.00E-01	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Nickel	—	9	—	—	5.00E-01	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	29.4	—	—	2.50E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	18.3	—	—	5.00E-01	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	28.5	—	—	2.50E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	27.3	—	—	2.50E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	64.7	—	—	3.20E-02	mg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	48.6	—	—	3.20E-02	mg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.4	—	—	3.20E-02	mg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Silver	<	0.2	—	—	2.00E-01	µg/L	U	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Silver	—	0.26	—	—	2.00E-01	µg/L	J	J	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.57	—	—	2.00E-01	µg/L	J	J	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Silver	<	1	—	—	2.00E-01	µg/L	U	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.41	—	—	2.00E-01	µg/L	J	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6020	Silver	—	0.6	—	—	2.00E-01	µg/L	J	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	97.5	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	77.3	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	1210	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	26	—	—	1.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	102	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	116	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	1240	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	68.6	—	—	1.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	99.1	—	—	1.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.48	—	—	3.00E-01	µg/L	J	J	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.57	—	—	4.00E-01	µg/L	J	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.83	—	—	5.00E-02	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.76	—	—	5.00E-02	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	2.4	—	—	5.00E-02	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	2	—	—	5.00E-02	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	5.2	—	—	5.00E-02	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.68	—	—	5.00E-02	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	6.2	—	—	5.00E-02	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	4.3	—	—	5.00E-02	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	10.6	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.9	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5	—	—	1.00E+00	µg/L	U	U	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	14.1	—	—	1.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	31.7	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	78.5	—	—	1.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	µg/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	77.3	—	—	1.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	58.2	—	—	1.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	—	13.2	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12717	GELC
MCO-2	4551	2	05/28/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	7.6	—	—	2.00E+00	µg/L	J	J	08-1249	CAMO-08-12714	GELC
MCO-2	4551	2	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	23.6	—	—	2.00E+00	µg/L	—	J	08-599	CAMO-08-10492	GELC
MCO-2	4551	2	06/14/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	25.6	—	—	2.00E+00	µg/L	—	—	188029	GF070500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	—	69.2	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	145	—	—	2.00E+00	µg/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	30	—	—	2.00E+00	µg/L	—	J	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	06/14/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	208	—	—	2.00E+00	µg/L	—	—	188029	GU070500G2CM01	GELC
MCO-2	4551	2	07/10/06	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	146	—	—	2.00E+00	µg/L	—	—	166962	GU060500G2CM01	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Rad	EPA:903.1	Radium-226	—	1.06	7.33E-02	3.70E-01	—	pCi/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.957	7.67E-02	4.80E-01	—	pCi/L	—	—	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	2.53	1.13E-01	3.50E-01	—	pCi/L	—	—	08-599	CAMO-08-10494	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	FD	Rad	EPA:904	Radium-228	—	1.81	1.10E-01	4.50E-01	—	pCi/L	—	—	08-1249	CAMO-08-12716	GELC
MCO-2	4551	2	05/28/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	3.43	2.07E-01	8.70E-01	—	pCi/L	—	J	08-1249	CAMO-08-12715	GELC
MCO-2	4551	2	02/06/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	7.65	3.67E-01	5.20E-01	—	pCi/L	—	—	08-599	CAMO-08-10494	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	112	—	—	7.30E-01	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.2	—	—	7.30E-01	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	07/12/04	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	141	—	—	1.45E+00	mg/L	—	—	116828	GF04070G3CM01	GELC
MCO-3	4561	2	07/12/04	WG	F	DUP	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	141	—	—	1.45E+00	mg/L	—	—	116582	GF04070G3CM01	GELC
MCO-3	4561	2	07/08/03	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	138	—	—	1.45E+00	mg/L	—	—	83839	GF03060G3CM02	GELC
MCO-3	4561	2	07/08/03	WG	F	DUP	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	138	—	—	1.45E+00	mg/L	—	—	83839	GF03060G3CM02	GELC
MCO-3	4561	2	05/01/02	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	159	—	—	7.25E-01	mg/L	—	—	59743	GF02051G3CM	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.18	—	—	6.70E-02	mg/L	J	J	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.70E-02	mg/L	U	U	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	79.7	—	—	6.60E-01	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	79.5	—	—	6.60E-01	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	07/12/04	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.1	—	—	6.44E-02	mg/L	—	—	116828	GF04070G3CM01	GELC
MCO-3	4561	2	07/12/04	WG	F	DUP	—	Geninorg	EPA:300.0	Chloride	—	22.1	—	—	6.44E-02	mg/L	—	—	116828	GF04070G3CM01	GELC
MCO-3	4561	2	07/08/03	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	13	—	—	3.22E-02	mg/L	—	—	83839	GF03060G3CM02	GELC
MCO-3	4561	2	05/01/02	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.6	—	—	5.00E-02	mg/L	—	—	59743	GF02051G3CM	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.275	—	—	3.30E-02	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.285	—	—	3.30E-02	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	12/10/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.33	—	—	3.30E-02	mg/L	—	—	199145	GF071100G3CM01	GELC
MCO-3	4561	2	09/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.434	—	—	3.30E-02	mg/L	—	—	193055	GF070800G3CM01	GELC
MCO-3	4561	2	06/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.414	—	—	3.30E-02	mg/L	—	—	188424	GF070600G3CM01	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.39	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.289	—	—	5.00E-02	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	12/10/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.665	—	—	5.00E-02	mg/L	—	—	199145	GF071100G3CM01	GELC
MCO-3	4561	2	09/04/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.69	—	—	1.00E-01	mg/L	—	—	193055	GF070800G3CM01	GELC
MCO-3	4561	2	06/20/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.17	—	—	5.00E-02	mg/L	—	—	188424	GF070600G3CM01	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.25	—	—	2.00E-01	µg/L	—	J+	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.3	—	—	2.00E-01	µg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	12/10/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	3.95	—	—	2.50E-01	µg/L	—	—	199145	GF071100G3CM01	GELC
MCO-3	4561	2	09/04/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.59	—	—	2.50E-01	µg/L	—	J-	193055	GF070800G3CM01	GELC
MCO-3	4561	2	06/20/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	1.26	—	—	1.00E-01	µg/L	—	—	188424	GF070600G3CM01	GELC
MCO-3	4561	2	07/12/04	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	41.7	—	—	2.12E-02	mg/L	—	—	116828	GF04070G3CM01	GELC
MCO-3	4561	2	07/12/04	WG	F	DUP	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	41.6	—	—	2.12E-02	mg/L	—	—	116828	GF04070G3CM01	GELC
MCO-3	4561	2	07/08/03	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	49.3	—	—	2.12E-02	mg/L	—	—	83839	GF03060G3CM02	GELC
MCO-3	4561	2	05/01/02	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	47.9	—	—	2.84E-02	mg/L	—	—	59743	GF02051G3CM	GELC
MCO-3	4561	2	07/12/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	43	—	—	2.12E-02	mg/L	—	—	116828	GU04070G3CM01	GELC
MCO-3	4561	2	07/12/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	43.4	—	—	2.12E-02	mg/L	—	—	116828	GU04070G3CM01	GELC
MCO-3	4561	2	07/08/03	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	50.8	—	—	2.12E-02	mg/L	—	—	83839	GU03060G3CM02	GELC
MCO-3	4561	2	07/08/03	WG	UF	DUP	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	52.1	—	—	2.12E-02	mg/L	—	—	83839	GU03060G3CM02	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	540	—	—	1.00E+00	µS/cm	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	395	—	—	1.00E+00	µS/cm	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	13.9	—	—	1.00E-01	mg/L	—	J-	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.55	—	—	1.00E-01	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	07/12/04	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	20.2	—	—	1.93E-01	mg/L	—	—	116828	GF04070G3CM01	GELC
MCO-3	4561	2	07/12/04	WG	F	DUP	—	Geninorg	EPA:300.0	Sulfate	—	20.1	—	—	1.93E-01	mg/L	—	—	116828	GF04070G3CM01	GELC
MCO-3	4561	2	07/08/03	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	45.2	—	—	3.86E-01	mg/L	—	—	83839	GF03060G3CM02	GELC
MCO-3	4561	2	05/01/02	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	27.8	—	—	6.20E-02	mg/L	—	—	59743	GF02051G3CM	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	334	—	—	2.40E+00	mg/L	—	—	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	243	—	—	2.40E+00	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-3	4561	2	12/10/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	217	—	—	2.38E+00	mg/L	—	—	199145	GF071100G3CM01	GELC
MCO-3	4561	2	09/04/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	227	—	—	2.38E+00	mg/L	—	—	193055	GF070800G3CM01	GELC
MCO-3	4561	2	06/20/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	276	—	—	2.38E+00	mg/L	H	J	188424	GF070600G3CM01	GELC
MCO-3	4561	2	12/10/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.201	—	—	2.90E-02	mg/L	—	—	199145	GF071100G3CM01	GELC
MCO-3	4561	2	09/04/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.31	—	—	2.90E-02	mg/L	—	—	193055	GF070800G3CM01	GELC
MCO-3	4561	2	06/20/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.171	—	—	2.90E-02	mg/L	—	—	188424	GF070600G3CM01	GELC
MCO-3	4561	2	05/20/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.338	—	—	2.90E-02	mg/L	—	J-	08-1193	CAMO-08-12976	GELC
MCO-3	4561	2	03/05/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.252	—	—	2.90E-02	mg/L	—	J	08-752	CAMO-08-11144	GELC
MCO-3	4561	2	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.93	—	—	3.30E-01	mg/L	—	—	08-1193	CAMO-08-12976	GELC
MCO-3	4561	2	03/05/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.5	—	—	3.30E-01	mg/L	—	—	08-752	CAMO-08-11144	GELC
MCO-3	4561	2	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.33	—	—	1.00E-02	SU	H	J-	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.34	—	—	1.00E-02	SU	H	J-	08-752	CAMO-08-11143	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-3	4561	2	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	36.7	—	—	3.20E-02	mg/L	—	J-	08-1193	CAMO-08-12977	GELC
MCO-3	4561	2	03/05/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	38.4	—	—	3.20E-02	mg/L	—	—	08-752	CAMO-08-11143	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	85.1	—	—	7.30E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	100	—	—	7.30E-01	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	118	—	—	7.25E-01	mg/L	—	—	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	114	—	—	7.25E-01	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	155	—	—	7.25E-01	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.2	—	—	3.00E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24	—	—	3.00E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	38.1	—	—	3.60E-02	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	32	—	—	3.60E-02	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	29.5	—	—	3.60E-02	mg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.2	—	—	3.00E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	25	—	—	3.00E-02	mg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	37.7	—	—	3.60E-02	mg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	33	—	—	3.60E-02	mg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.4	—	—	3.60E-02	mg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	77.8	—	—	6.60E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	37.9	—	—	6.60E-01	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	92.2	—	—	6.60E-01	mg/L	—	J	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	64.3	—	—	6.60E-01	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.6	—	—	1.32E-01	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.757	—	—	3.30E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.93	—	—	3.30E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	12/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.876	—	—	3.30E-02	mg/L	—	—	199581	GF071100G4BM01	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.721	—	—	3.30E-02	mg/L	—	—	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.752	—	—	3.30E-02	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	94.9	—	—	3.50E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	68.5	—	—	4.30E-01	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	108	—	—	4.40E-01	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	89.9	—	—	4.40E-01	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	83.5	—	—	8.50E-02	mg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	94.8	—	—	3.50E-01	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	71.4	—	—	4.30E-01	mg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	107	—	—	4.40E-01	mg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	93.3	—	—	4.40E-01	mg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	80.6	—	—	8.50E-02	mg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.91	—	—	8.50E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.1	—	—	8.50E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.09	—	—	8.50E-02	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.44	—	—	8.50E-02	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.42	—	—	8.50E-02	mg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.87	—	—	8.50E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.18	—	—	8.50E-02	mg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.06	—	—	8.50E-02	mg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.65	—	—	8.50E-02	mg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.33	—	—	8.50E-02	mg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.84	—	—	5.00E-02	mg/L	—	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.18	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	12/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	5.57	—	—	1.00E-01	mg/L	—	—	199581	GF071100G4BM01	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	RE	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.78	—	—	5.00E-02	mg/L	H	J	195781	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.63	—	—	1.00E-01	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	12.9	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12718	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	16.9	—	—	1.30E+00	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	12/14/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	11.1	—	—	1.00E+00	µg/L	—	J	199581	GF071100G4BM01	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	13.3	—	—	1.00E+00	µg/L	—	J	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	32.8	—	—	4.00E+00	µg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	31.1	—	—	2.00E+00	µg/L	—	J	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.3	—	—	5.00E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.1	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	14.1	—	—	5.00E-02	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12	—	—	5.00E-02	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.2	—	—	5.00E-02	mg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.3	—	—	5.00E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.6	—	—	5.00E-02	mg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	14	—	—	5.00E-02	mg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	12.7	—	—	5.00E-02	mg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.9	—	—	5.00E-02	mg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	36.5	—	—	3.20E-02	mg/L	—	—	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	39.9	—	—	3.20E-02	mg/L	—	J	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	43	—	—	3.20E-02	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	50.4	—	—	4.50E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	42.8	—	—	4.50E-02	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	60.9	—	—	4.50E-02	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	47.4	—	—	4.50E-02	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	52	—	—	4.50E-02	mg/L	E	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	50.3	—	—	4.50E-02	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	44.6	—	—	4.50E-02	mg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	60.6	—	—	4.50E-02	mg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	48.7	—	—	4.50E-02	mg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.6	—	—	4.50E-02	mg/L	E	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	482	—	—	1.00E+00	µS/cm	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	333	—	—	1.00E+00	µS/cm	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	634	—	—	1.00E+00	µS/cm	—	—	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	529	—	—	1.00E+00	µS/cm	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.03	—	—	1.00E-01	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.92	—	—	1.00E-01	mg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	13.2	—	—	1.00E-01	mg/L	—	—	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.2	—	—	1.00E-01	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.9	—	—	1.00E-01	mg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	281	—	—	2.40E+00	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	249	—	—	2.40E+00	mg/L	—	J	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	12/14/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	248	—	—	2.38E+00	mg/L	—	—	199581	GF071100G4BM01	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	378	—	—	2.38E+00	mg/L	—	—	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	315	—	—	2.38E+00	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	12/14/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.529	—	—	2.90E-02	mg/L	—	—	199581	GF071100G4BM01	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	RE	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.283	—	—	2.90E-02	mg/L	H	J	195781	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.176	—	—	2.90E-02	mg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.32	—	—	2.90E-02	mg/L	—	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.916	—	—	2.90E-02	mg/L	—	J	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.257	—	—	2.90E-02	mg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.8	—	—	3.30E-01	mg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.04	—	—	3.30E-01	mg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.59	—	—	3.30E-01	mg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.75	—	—	3.30E-01	mg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.86	—	—	3.30E-01	mg/L	—	—	174666	GU060900G4BM01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.02	—	—	1.00E-02	SU	H	J-	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.38	—	—	1.00E-02	SU	H	J-	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	08/13/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.07	—	—	1.00E-02	SU	H	J	191539	GF070800G4BM01	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.76	—	—	1.00E-02	SU	H	J	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	74.8	—	—	6.80E+01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	532	—	—	6.80E+01	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	302	—	—	6.80E+01	µg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	—	476	—	—	6.80E+01	µg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	119	—	—	6.80E+01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	486	—	—	6.80E+01	µg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	85.5	—	—	6.80E+01	µg/L	J	U	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	2570	—	—	6.80E+01	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	561	—	—	6.80E+01	µg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	99.2	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	73.8	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	111	—	—	1.00E+00	µg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	79.9	—	—	1.00E+00	µg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	83.1	—	—	1.00E+00	µg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	102	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	77.1	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	110	—	—	1.00E+00	µg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	98.6	—	—	1.00E+00	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	81.1	—	—	1.00E+00	µg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	41.7	—	—	1.00E+01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	52.7	—	—	1.00E+01	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	55.5	—	—	1.00E+01	µg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	67.2	—	—	1.00E+01	µg/L	—	U	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	74.9	—	—	1.00E+01	µg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	41.3	—	—	1.00E+01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	55.2	—	—	1.00E+01	µg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	54.2	—	—	1.00E+01	µg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	67.7	—	—	1.00E+01	µg/L	—	U	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	71.8	—	—	1.00E+01	µg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	3.8	—	—	1.00E+00	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	1.1	—	—	1.00E+00	µg/L	J	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	5	—	—	1.00E+00	µg/L	U	U	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	1	—	—	1.00E+00	µg/L	J	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	43.9	—	—	2.50E+01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	233	—	—	2.50E+01	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	26.5	—	—	1.80E+01	µg/L	J	U	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	169	—	—	1.80E+01	µg/L	—	U, J+	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	210	—	—	1.80E+01	µg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	83.2	—	—	2.50E+01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	212	—	—	2.50E+01	µg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	52.7	—	—	1.80E+01	µg/L	J	U	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	1710	—	—	1.80E+01	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	255	—	—	1.80E+01	µg/L	—	—	174666	GU060900G4BM01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	8.3	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	7.4	—	—	2.00E+00	µg/L	J	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.7	—	—	2.00E+00	µg/L	J	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	9.3	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.9	—	—	2.00E+00	µg/L	J	J	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.8	—	—	2.00E+00	µg/L	J	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	67.9	—	—	2.00E+00	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.7	—	—	2.00E+00	µg/L	J	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	29	—	—	1.00E-01	µg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	38.7	—	—	2.00E+00	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	33.1	—	—	2.00E+00	µg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	35.4	—	—	2.00E+00	µg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	46.1	—	—	2.00E+00	µg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	28.2	—	—	1.00E-01	µg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	40.1	—	—	2.00E+00	µg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	33.2	—	—	2.00E+00	µg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	33.7	—	—	2.00E+00	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	45.1	—	—	2.00E+00	µg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	µg/L	J	J	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.9	—	—	5.00E-01	µg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.2	—	—	5.00E-01	µg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.6	—	—	5.00E-01	µg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.8	—	—	5.00E-01	µg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.4	—	—	5.00E-01	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.7	—	—	5.00E-01	µg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	34.5	—	—	3.20E-02	mg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.3	—	—	3.20E-02	mg/L	N	J+	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	118	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	88.7	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	137	—	—	1.00E+00	µg/L	—	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	109	—	—	1.00E+00	µg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	102	—	—	1.00E+00	µg/L	—	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	118	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	92.7	—	—	1.00E+00	µg/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	136	—	—	1.00E+00	µg/L	—	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	114	—	—	1.00E+00	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	98.7	—	—	1.00E+00	µg/L	—	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.091	—	—	5.00E-02	µg/L	J	J	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.26	—	—	5.00E-02	µg/L	—	U	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.58	—	—	5.00E-02	µg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.38	—	—	5.00E-02	µg/L	—	U	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.13	—	—	5.00E-02	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.096	—	—	5.00E-02	µg/L	J	J	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.27	—	—	5.00E-02	µg/L	—	U	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.94	—	—	5.00E-02	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.41	—	—	5.00E-02	µg/L	—	J+	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.5	—	—	1.00E+00	µg/L	J	J	08-1217	CAMO-08-12718	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1.7	—	—	1.00E+00	µg/L	J	U	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.3	—	—	1.00E+00	µg/L	J	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.1	—	—	1.00E+00	µg/L	J	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	1.9	—	—	1.00E+00	µg/L	J	U	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.6	—	—	1.00E+00	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1.8	—	—	1.00E+00	µg/L	J	U	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1	—	—	1.00E+00	µg/L	U	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3.2	—	—	1.00E+00	µg/L	J	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	2	—	—	1.00E+00	µg/L	J	U	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12718	GELC
MCO-4B	4581	8.9	02/07/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.9	—	—	2.00E+00	µg/L	J	J	08-603	CAMO-08-10477	GELC
MCO-4B	4581	8.9	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	187192	GF070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	10	—	—	2.00E+00	µg/L	—	—	181642	GF070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.8	—	—	2.00E+00	µg/L	J	—	174666	GF060900G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	µg/L	J	J	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.7	—	—	2.00E+00	µg/L	J	J	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	187192	GU070500G4BM01	GELC
MCO-4B	4581	8.9	02/27/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	15.7	—	—	2.00E+00	µg/L	—	—	181642	GU070200G4BM01	GELC
MCO-4B	4581	8.9	10/19/06	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.2	—	—	2.00E+00	µg/L	J	—	174666	GU060900G4BM01	GELC
MCO-4B	4581	8.9	04/21/05	WG	F	CS	—	Rad	EPA:903.1	Radium-226	—	0.753	8.90E-02	7.47E-01	—	pCi/L	—	J	135047	GF05040G4BM01	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.122	6.00E-02	6.50E-01	—	pCi/L	U	U	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.294	4.67E-02	4.30E-01	—	pCi/L	U	U	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	04/21/05	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	1.28	9.07E-02	6.16E-01	—	pCi/L	—	J	135047	GU05040G4BM01	GELC
MCO-4B	4581	8.9	07/08/04	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.64	6.30E-02	4.66E-01	—	pCi/L	—	J	116582	GU04070G4BM01	GELC
MCO-4B	4581	8.9	07/08/04	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	<	6.08	1.32E+00	8.36E+00	—	pCi/L	U	U	116582	GU04070G4BM01	GELC
MCO-4B	4581	8.9	06/30/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	<	5.07	7.67E-01	9.05E+00	—	pCi/L	U	U	83489	GU03060G4BM02	GELC
MCO-4B	4581	8.9	06/30/03	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.488	5.43E-02	3.77E-01	—	pCi/L	—	J	83489	GU03060G4BM02	GELC
MCO-4B	4581	8.9	05/21/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.462	6.33E-02	5.60E-01	—	pCi/L	U	U	08-1217	CAMO-08-12719	GELC
MCO-4B	4581	8.9	02/07/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	0.716	6.67E-02	5.00E-01	—	pCi/L	—	—	08-603	CAMO-08-10476	GELC
MCO-4B	4581	8.9	07/08/04	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	0.74	1.45E+00	1.59E+01	—	pCi/L	U	U	116582	GU04070G4BM01	GELC
MCO-4B	4581	8.9	06/30/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	15.5	1.64E+00	2.00E+01	—	pCi/L	U	U	83489	GU03060G4BM02	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94.4	—	—	7.30E-01	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	119	—	—	7.30E-01	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	124	—	—	7.25E-01	mg/L	—	—	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	154	—	—	7.25E-01	mg/L	—	—	187192	GF070500G6CM01	GELC
MCO-6	4601	27	02/28/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	155	—	—	7.25E-01	mg/L	—	—	181693	GF070200G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	59.9	—	—	6.60E-01	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	41.1	—	—	3.30E-01	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	63.9	—	—	6.60E-01	mg/L	—	J	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	32.6	—	—	3.30E-01	mg/L	—	—	187192	GF070500G6CM01	GELC
MCO-6	4601	27	02/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	21	—	—	1.32E-01	mg/L	—	J	181693	GF070200G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1	—	—	3.30E-02	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.05	—	—	3.30E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	12/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.976	—	—	3.30E-02	mg/L	—	—	199581	GF071100G6CM01	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.852	—	—	3.30E-02	mg/L	—	J+	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.983	—	—	3.30E-02	mg/L	—	—	187192	GF070500G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.885	—	—	5.00E-02	mg/L	—	J	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.38	—	—	5.00E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	12/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.89	—	—	5.00E-02	mg/L	—	—	199581	GF071100G6CM01	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.72	—	—	5.00E-02	mg/L	—	—	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.11	—	—	1.00E-01	mg/L	—	—	187192	GF070500G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.2	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	16.7	—	—	1.00E+00	µg/L	—	—	08-669	CAMO-08-10881	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-6	4601	27	12/14/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	19	—	—	1.25E+00	µg/L	—	J	199581	GF071100G6CM01	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	25	—	—	2.00E+00	µg/L	—	J	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	24.3	—	—	4.00E+00	µg/L	—	—	187192	GF070500G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	22.2	—	—	1.25E+00	µg/L	—	J	187192	GF070500G6CM01	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	42.5	—	—	3.20E-02	mg/L	—	—	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	40.5	—	—	3.20E-02	mg/L	—	J	187192	GF070500G6CM01	GELC
MCO-6	4601	27	02/28/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	43.1	—	—	3.20E-02	mg/L	—	—	181693	GF070200G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	440	—	—	1.00E+00	uS/cm	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	395	—	—	1.00E+00	uS/cm	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	560	—	—	1.00E+00	uS/cm	—	—	191665	GF070800G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.96	—	—	1.00E-01	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.8	—	—	1.00E-01	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.1	—	—	1.00E-01	mg/L	—	—	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.8	—	—	1.00E-01	mg/L	—	—	187192	GF070500G6CM01	GELC
MCO-6	4601	27	02/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.6	—	—	1.00E-01	mg/L	—	—	181693	GF070200G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	276	—	—	2.40E+00	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	265	—	—	2.40E+00	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	12/14/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	308	—	—	2.38E+00	mg/L	—	—	199581	GF071100G6CM01	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	325	—	—	2.38E+00	mg/L	—	—	191665	GF070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	286	—	—	2.38E+00	mg/L	—	—	187192	GF070500G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.72	—	—	3.30E-01	mg/L	—	—	08-1217	CAMO-08-12978	GELC
MCO-6	4601	27	02/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.16	—	—	3.30E-01	mg/L	—	—	08-669	CAMO-08-10882	GELC
MCO-6	4601	27	08/14/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.63	—	—	3.30E-01	mg/L	—	—	191665	GU070800G6CM01	GELC
MCO-6	4601	27	06/04/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.94	—	—	3.30E-01	mg/L	—	—	187192	GU070500G6CM01	GELC
MCO-6	4601	27	02/28/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.3	—	—	3.30E-01	mg/L	—	—	181693	GU070200G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.08	—	—	1.00E-02	SU	H	J-	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.17	—	—	1.00E-02	SU	H	J-	08-669	CAMO-08-10881	GELC
MCO-6	4601	27	08/14/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.12	—	—	1.00E-02	SU	H	J	191665	GF070800G6CM01	GELC
MCO-6	4601	27	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.4	—	—	3.20E-02	mg/L	—	—	08-1217	CAMO-08-12979	GELC
MCO-6	4601	27	02/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.9	—	—	3.20E-02	mg/L	—	—	08-669	CAMO-08-10881	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	101	—	—	7.30E-01	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	143	—	—	7.30E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	142	—	—	7.25E-01	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	151	—	—	7.25E-01	mg/L	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	03/01/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	145	—	—	7.25E-01	mg/L	—	—	181844	GF070200G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.4	—	—	6.60E-01	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	46.6	—	—	3.30E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	29.5	—	—	3.30E-01	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	22.9	—	—	1.32E-01	mg/L	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	03/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	24.7	—	—	1.32E-01	mg/L	—	—	181844	GF070200G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.48	—	—	3.30E-02	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.24	—	—	3.30E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	12/14/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.23	—	—	3.30E-02	mg/L	—	—	199581	GF071100G7CM01	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.25	—	—	3.30E-02	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.33	—	—	3.30E-02	mg/L	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.45	—	—	5.00E-02	mg/L	—	J	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.55	—	—	1.00E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	12/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	10	—	—	1.00E-01	mg/L	—	—	199581	GF071100G7CM01	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.14	—	—	5.00E-02	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.85	—	—	1.00E-01	mg/L	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	10.6	—	—	1.00E+00	µg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	30.5	—	—	2.50E+00	µg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	12/14/07	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	23.9	—	—	2.00E+00	µg/L	—	J	199581	GF071100G7CM01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	24.5	—	—	2.00E+00	µg/L	—	J	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	27	—	—	4.00E+00	µg/L	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	26.2	—	—	2.50E+00	µg/L	—	J	187406	GF070500G7CM01	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	41.1	—	—	3.20E-02	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	37.2	—	—	3.20E-02	mg/L	—	J-	187406	GF070500G7CM01	GELC
MCO-7	4631	39	03/01/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	39	—	—	3.20E-02	mg/L	—	—	181844	GF070200G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	334	—	—	1.00E+00	µS/cm	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	490	—	—	1.00E+00	µS/cm	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	479	—	—	1.00E+00	µS/cm	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	448	—	—	1.00E+00	µS/cm	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.3	—	—	1.00E-01	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.8	—	—	1.00E-01	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	13.7	—	—	1.00E-01	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	15.5	—	—	1.00E-01	mg/L	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	03/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	14.3	—	—	1.00E-01	mg/L	—	—	181844	GF070200G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	220	—	—	2.40E+00	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	305	—	—	2.40E+00	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	12/14/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	300	—	—	2.38E+00	mg/L	—	—	199581	GF071100G7CM01	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	275	—	—	2.38E+00	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	268	—	—	2.38E+00	mg/L	—	—	187406	GF070500G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.92	—	—	3.30E-01	mg/L	—	—	08-1217	CAMO-08-12981	GELC
MCO-7	4631	39	02/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.87	—	—	3.30E-01	mg/L	—	—	08-694	CAMO-08-10481	GELC
MCO-7	4631	39	08/28/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.18	—	—	3.30E-01	mg/L	—	—	192790	GU070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.39	—	—	3.30E-01	mg/L	—	—	187406	GU070500G7CM01	GELC
MCO-7	4631	39	03/01/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.31	—	—	3.30E-01	mg/L	—	—	181844	GU070200G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.39	—	—	2.40E-02	mg/L	—	J	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.319	—	—	2.40E-02	mg/L	—	J	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.299	—	—	2.40E-02	mg/L	—	—	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.305	—	—	2.40E-02	mg/L	—	J-	187406	GF070500G7CM01	GELC
MCO-7	4631	39	03/01/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.287	—	—	1.00E-02	mg/L	—	—	181844	GF070200G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.09	—	—	1.00E-02	SU	H	J-	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.18	—	—	1.00E-02	SU	H	J-	08-694	CAMO-08-10482	GELC
MCO-7	4631	39	08/28/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.97	—	—	1.00E-02	SU	H	J	192790	GF070800G7CM01	GELC
MCO-7	4631	39	06/06/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.99	—	—	1.00E-02	SU	H	J	187406	GF070500G7CM01	GELC
MCO-7	4631	39	05/21/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.6	—	—	3.20E-02	mg/L	—	—	08-1217	CAMO-08-12980	GELC
MCO-7	4631	39	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.2	—	—	3.20E-02	mg/L	—	—	08-694	CAMO-08-10482	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	421	—	—	1.00E+00	µS/cm	—	—	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	459	—	—	1.00E+00	µS/cm	—	—	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	06/07/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	443	—	—	1.00E+00	µS/cm	—	—	187530	GF070500G57M01	GELC
MCO-7.5	4661	35	03/02/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	431	—	—	1.00E+00	µS/cm	—	—	181788	GF070200G57M01	GELC
MCO-7.5	4661	35	02/06/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.28	—	—	1.00E-02	SU	H	J-	08-599	CAMO-08-10484	GELC
MCO-7.5	4661	35	08/29/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.23	—	—	1.00E-02	SU	H	J	192874	GF070800G57M01	GELC
MCO-7.5	4661	35	06/07/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.01	—	—	1.00E-02	SU	H	J	187530	GF070500G57M01	GELC
MCO-7.5	4661	35	03/02/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.75	—	—	1.00E-02	SU	H	J	181788	GF070200G57M01	GELC
MCO-7.5	4661	35	04/28/05	WG	F	CS	—	Rad	EPA:903.1	Radium-226	—	0.724	7.63E-02	6.00E-01	—	pCi/L	—	J	135556	GF05040G57M01	GELC
MCO-7.5	4661	35	05/28/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.966	8.00E-02	5.40E-01	—	pCi/L	—	—	08-1249	CAMO-08-12726	GELC
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.804	5.67E-02	2.90E-01	—	pCi/L	—	—	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	04/28/05	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	2.27	1.22E-01	7.06E-01	—	pCi/L	—	—	135556	GU05040G57M01	GELC
MCO-7.5	4661	35	07/07/03	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.347	4.00E-02	3.27E-01	—	pCi/L	—	JN+	83839	GU03060G57M01	GELC
MCO-7.5	4661	35	07/07/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	—	9.06	1.53E+00	8.80E+00	—	pCi/L	—	JN+	83839	GU03060G57M01	GELC
MCO-7.5	4661	35	08/07/01	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	<	4.36	6.70E-01	7.68E+00	—	pCi/L	U	U	47223	GU01091G57M	GELC
MCO-7.5	4661	35	08/07/01	WG	UF	DUP	—	Rad	EPA:901.1	Radium-226	<	3.93	8.77E-01	4.17E+00	—	pCi/L	U	—	47223	GU01091G57M	GELC
MCO-7.5	4661	35	05/28/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.347	6.33E-02	6.10E-01	—	pCi/L	U	U	08-1249	CAMO-08-12726	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCO-7.5	4661	35	02/06/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.589	7.67E-02	6.90E-01	—	pCi/L	U	U	08-599	CAMO-08-10483	GELC
MCO-7.5	4661	35	07/07/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	-0.776	1.47E+00	1.57E+01	—	pCi/L	U	U	83839	GU03060G57M01	GELC
MCO-7.5	4661	35	08/07/01	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	3.73	1.50E+00	1.49E+01	—	pCi/L	U	U	47223	GU01091G57M	GELC
MCO-7.5	4661	35	08/07/01	WG	UF	DUP	—	Rad	EPA:901.1	Radium-228	<	7.13	1.09E+00	8.89E+00	—	pCi/L	U	—	47223	GU01091G57M	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	38.4	—	—	7.30E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	36.6	—	—	7.30E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	34.5	—	—	7.25E-01	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	39.7	—	—	7.25E-01	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	37.6	—	—	7.25E-01	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.606	—	—	6.70E-02	mg/L	—	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.381	—	—	6.60E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.434	—	—	6.60E-02	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.41	—	—	6.60E-02	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.402	—	—	6.60E-02	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.2	—	—	3.00E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	31.7	—	—	3.00E-02	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	29	—	—	3.60E-02	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	32.7	—	—	3.60E-02	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	29	—	—	3.00E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	30	—	—	3.00E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	31.4	—	—	3.00E-02	mg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	29.5	—	—	3.60E-02	mg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	32.6	—	—	3.60E-02	mg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.4	—	—	1.30E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	20.1	—	—	6.60E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.4	—	—	1.32E-01	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.5	—	—	1.32E-01	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.8	—	—	1.32E-01	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00207	—	—	1.50E-03	mg/L	J	JN-	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00268	—	—	1.50E-03	mg/L	J	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00193	—	—	1.50E-03	mg/L	J	J	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00567	—	—	1.50E-03	mg/L	—	JN-	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.285	—	—	3.30E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.245	—	—	3.30E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.221	—	—	3.30E-02	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.272	—	—	3.30E-02	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.237	—	—	3.30E-02	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	88.6	—	—	3.50E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	44.2	—	—	4.30E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	99.7	—	—	4.25E-01	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	91.3	—	—	4.40E-01	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	103	—	—	4.40E-01	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	91	—	—	3.50E-01	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	94.2	—	—	4.30E-01	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	99	—	—	4.25E-01	mg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	92.9	—	—	4.40E-01	mg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	103	—	—	4.40E-01	mg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.42	—	—	8.50E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.03	—	—	8.50E-02	mg/L	—	—	192498	GF070800GMC401	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.56	—	—	8.50E-02	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.2	—	—	8.50E-02	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.54	—	—	8.50E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.7	—	—	8.50E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.99	—	—	8.50E-02	mg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.68	—	—	8.50E-02	mg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.18	—	—	8.50E-02	mg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	12.6	—	—	1.00E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	12.8	—	—	1.00E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	15.1	—	—	2.50E-01	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	14	—	—	2.00E-01	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	14.9	—	—	2.00E-01	mg/L	—	J	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	91.8	—	—	5.00E+00	µg/L	—	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	114	—	—	1.00E+01	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	113	—	—	1.00E+01	µg/L	—	J	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	128	—	—	2.00E+01	µg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	130	—	—	1.00E+01	µg/L	—	J	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	141	—	—	4.00E+01	µg/L	—	J	181789	GF070200GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	136	—	—	1.00E+01	µg/L	—	J	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.675	—	—	5.00E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.52	—	—	5.00E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.73	—	—	5.00E-02	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.688	—	—	5.00E-02	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.711	—	—	5.00E-02	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.689	—	—	5.00E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.769	—	—	5.00E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.72	—	—	5.00E-02	mg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.718	—	—	5.00E-02	mg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.71	—	—	5.00E-02	mg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	70.6	—	—	3.20E-02	mg/L	—	J+	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	63.1	—	—	3.20E-02	mg/L	—	J-	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	69.1	—	—	3.20E-02	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.9	—	—	4.50E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.71	—	—	4.50E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.9	—	—	4.50E-02	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.2	—	—	4.50E-02	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.9	—	—	4.50E-02	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.3	—	—	4.50E-02	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.2	—	—	4.50E-02	mg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	21	—	—	4.50E-02	mg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.4	—	—	4.50E-02	mg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19.6	—	—	4.50E-02	mg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	298	—	—	1.00E+00	µS/cm	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	301	—	—	1.00E+00	µS/cm	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	335	—	—	1.00E+00	µS/cm	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	330	—	—	1.00E+00	µS/cm	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	326	—	—	1.00E+00	µS/cm	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.1	—	—	1.00E-01	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	24.2	—	—	1.00E-01	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.3	—	—	1.00E-01	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.3	—	—	1.00E-01	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.5	—	—	1.00E-01	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	270	—	—	2.40E+00	mg/L	—	—	08-1259	CAMO-08-12733	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	270	—	—	2.40E+00	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	268	—	—	2.38E+00	mg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	283	—	—	2.38E+00	mg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	243	—	—	2.38E+00	mg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	17.4	—	—	1.70E+00	mg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.75	—	—	3.30E-01	mg/L	J	J	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.625	—	—	3.30E-01	mg/L	J	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.723	—	—	3.30E-01	mg/L	J	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.07	—	—	3.30E-01	mg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.32	—	—	1.00E-02	SU	H	J-	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.55	—	—	1.00E-02	SU	H	J-	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.4	—	—	1.00E-02	SU	H	J	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.15	—	—	1.00E-02	SU	H	J	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.75	—	—	1.00E-02	SU	H	J	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	12.5	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	6.3	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.7	—	—	1.00E+00	µg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13	—	—	1.00E+00	µg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14.8	—	—	1.00E+00	µg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.2	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.4	—	—	1.00E+00	µg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.4	—	—	1.00E+00	µg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.5	—	—	1.00E+00	µg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	15.4	—	—	1.00E+01	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.3	—	—	1.00E+01	µg/L	J	J	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	26.5	—	—	1.00E+01	µg/L	J	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	21.7	—	—	1.00E+01	µg/L	J	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	27.5	—	—	1.00E+01	µg/L	J	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	17.3	—	—	1.00E+01	µg/L	J	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	30.1	—	—	1.00E+01	µg/L	J	J	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	25.4	—	—	1.00E+01	µg/L	J	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	22.2	—	—	1.00E+01	µg/L	J	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	27.9	—	—	1.00E+01	µg/L	J	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.7	—	—	2.50E+00	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	10.1	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	12	—	—	1.00E+00	µg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	14	—	—	1.00E+00	µg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	15.4	—	—	1.00E+00	µg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.6	—	—	2.50E+00	µg/L	J	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	11.7	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	12	—	—	1.00E+00	µg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	16.8	—	—	1.00E+00	µg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	15.2	—	—	1.00E+00	µg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	7.6	—	—	3.00E+00	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	6.4	—	—	3.00E+00	µg/L	J	J-	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	5.2	—	—	3.00E+00	µg/L	J	J-	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	19.4	—	—	3.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	9	—	—	3.00E+00	µg/L	J	J	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	3.7	—	—	3.00E+00	µg/L	J	J-	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	9.3	—	—	3.00E+00	µg/L	J	—	187406	GU070500GMC401	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	6.6	—	—	3.00E+00	µg/L	J	J-	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	6	—	—	2.00E+00	µg/L	J	J	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.4	—	—	2.00E+00	µg/L	J	J	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.9	—	—	2.00E+00	µg/L	J	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	15.7	—	—	2.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.4	—	—	2.00E+00	µg/L	J	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.1	—	—	2.00E+00	µg/L	J	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	5.00E-01	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.2	—	—	5.00E-01	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3	—	—	5.00E-01	µg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	5.00E-01	µg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.8	—	—	5.00E-01	µg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	65.9	—	—	3.20E-02	mg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	59.5	—	—	3.20E-02	mg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	137	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50.9	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	153	—	—	1.00E+00	µg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	142	—	—	1.00E+00	µg/L	—	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	157	—	—	1.00E+00	µg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	140	—	—	1.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	146	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	153	—	—	1.00E+00	µg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	143	—	—	1.00E+00	µg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	154	—	—	1.00E+00	µg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	10	—	—	2.50E+00	µg/L	U	U	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	2.5	—	—	2.50E+00	µg/L	U	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	2.5	—	—	2.50E+00	µg/L	U	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6010B	Tin	<	2.5	—	—	2.50E+00	µg/L	U	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Tin	—	46.2	—	—	2.50E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Tin	<	50	—	—	1.30E+01	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Tin	<	2.5	—	—	2.50E+00	µg/L	U	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Tin	<	2.5	—	—	2.50E+00	µg/L	U	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6010B	Tin	<	2.5	—	—	2.50E+00	µg/L	U	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	21	—	—	2.00E+00	µg/L	—	—	08-1259	CAMO-08-12733	GELC
MCOI-4	5981	499	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	369	—	—	2.00E+00	µg/L	—	—	08-167	CAMO-08-8619	GELC
MCOI-4	5981	499	08/24/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	15.9	—	—	2.00E+00	µg/L	—	—	192498	GF070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.3	—	—	2.00E+00	µg/L	J	—	187406	GF070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	12.9	—	—	2.00E+00	µg/L	—	—	181789	GF070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	39.9	—	—	2.00E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	12.6	—	—	2.00E+00	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	8.1	—	—	2.00E+00	µg/L	J	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.2	—	—	2.00E+00	µg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	11.7	—	—	2.00E+00	µg/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	8460	2.97E+02	4.20E+02	—	pCi/L	—	—	08-1259	CAMO-08-12734	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	9660	3.20E+02	1.90E+02	—	pCi/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	10200	3.43E+02	1.73E+02	—	pCi/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	11400	3.83E+02	1.53E+02	—	pCi/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	11200	1.35E+02	3.78E+02	—	pCi/L	—	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	27.8	—	—	1.20E+00	µg/L	—	—	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	37.6	—	—	1.11E+00	µg/L	—	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	29.3	—	—	1.11E+00	µg/L	—	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	27.8	—	—	1.00E+00	µg/L	—	J	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	—	0.356	—	—	2.50E-01	µg/L	J	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	<	1	—	—	2.50E-01	µg/L	U	U	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	<	1	—	—	2.50E-01	µg/L	U	—	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	<	1	—	—	2.50E-01	µg/L	U	—	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	<	1	—	—	2.50E-01	µg/L	U	—	181789	GU070200GMC401	GELC
MCOI-4	5981	499	05/29/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	73.3	—	—	2.00E+01	µg/L	—	J	08-1259	CAMO-08-12734	GELC
MCOI-4	5981	499	11/12/07	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	60.4	—	—	2.00E+01	µg/L	—	—	08-167	CAMO-08-8616	GELC
MCOI-4	5981	499	08/24/07	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	61.3	—	—	2.00E+01	µg/L	—	J, J+	192498	GU070800GMC401	GELC
MCOI-4	5981	499	06/06/07	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	58.5	—	—	2.00E+01	µg/L	—	J	187406	GU070500GMC401	GELC
MCOI-4	5981	499	03/02/07	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	—	52.9	—	—	2.00E+01	µg/L	—	—	181789	GU070200GMC401	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	47.2	—	—	7.30E-01	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46.9	—	—	7.30E-01	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	45.4	—	—	7.30E-01	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	46.1	—	—	7.25E-01	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	48.9	—	—	7.25E-01	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.083	—	—	6.70E-02	mg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.104	—	—	6.60E-02	mg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.60E-02	mg/L	U	U	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.133	—	—	6.60E-02	mg/L	J	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.124	—	—	6.60E-02	mg/L	J	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	18.1	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.1	—	—	3.00E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.7	—	—	3.00E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.6	—	—	3.00E-02	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	3.60E-02	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.7	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.6	—	—	3.00E-02	mg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.3	—	—	3.00E-02	mg/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.4	—	—	3.00E-02	mg/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17.5	—	—	3.60E-02	mg/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.21	—	—	6.60E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.9	—	—	6.60E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.89	—	—	6.60E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.06	—	—	6.60E-02	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.07	—	—	6.60E-02	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.225	—	—	3.30E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.24	—	—	3.30E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.246	—	—	3.30E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.242	—	—	3.30E-02	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.248	—	—	3.30E-02	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	59.2	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	55.9	—	—	4.30E-01	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.4	—	—	4.30E-01	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57.6	—	—	4.25E-01	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57.5	—	—	4.40E-01	mg/L	—	—	187192	GF070500GMC501	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	58	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	57.6	—	—	4.30E-01	mg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.5	—	—	4.30E-01	mg/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	57.3	—	—	4.25E-01	mg/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	57.4	—	—	4.40E-01	mg/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.39	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.2	—	—	8.50E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.11	—	—	8.50E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.34	—	—	8.50E-02	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.33	—	—	8.50E-02	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.39	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.3	—	—	8.50E-02	mg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.08	—	—	8.50E-02	mg/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.33	—	—	8.50E-02	mg/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.34	—	—	8.50E-02	mg/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.17	—	—	1.00E-01	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.24	—	—	1.00E-01	mg/L	—	J-	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.19	—	—	5.00E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.55	—	—	1.00E-01	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	5.23	—	—	1.00E-01	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	88.3	—	—	1.00E+01	µg/L	—	J+	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	100	—	—	1.30E+01	µg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	103	—	—	1.00E+01	µg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	93.7	—	—	1.00E+01	µg/L	—	J	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	94.9	—	—	5.00E+00	µg/L	—	J	187192	GF070500GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	102	—	—	8.00E+00	µg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.558	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.13	—	—	5.00E-02	mg/L	*	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.458	—	—	5.00E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.446	—	—	5.00E-02	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.476	—	—	5.00E-02	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.571	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.9	—	—	5.00E-02	mg/L	*	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.448	—	—	5.00E-02	mg/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.443	—	—	5.00E-02	mg/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.48	—	—	5.00E-02	mg/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	68	—	—	3.20E-02	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	68.2	—	—	3.20E-02	mg/L	—	J	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.2	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.4	—	—	4.50E-02	mg/L	*	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.7	—	—	4.50E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.1	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.6	—	—	4.50E-02	mg/L	*	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.6	—	—	4.50E-02	mg/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13	—	—	4.50E-02	mg/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.8	—	—	4.50E-02	mg/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	177	—	—	1.00E+00	µS/cm	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	165	—	—	1.00E+00	µS/cm	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	168	—	—	1.00E+00	µS/cm	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	183	—	—	1.00E+00	µS/cm	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	177	—	—	1.00E+00	µS/cm	—	—	187192	GF070500GMC501	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.1	—	—	1.00E-01	mg/L	—	J-	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.3	—	—	1.00E-01	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.1	—	—	1.00E-01	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.9	—	—	1.00E-01	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.6	—	—	1.00E-01	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	168	—	—	2.40E+00	mg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	162	—	—	2.40E+00	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	163	—	—	2.40E+00	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	145	—	—	2.38E+00	mg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	164	—	—	2.38E+00	mg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.101	—	—	2.90E-02	mg/L	—	J-	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.047	—	—	2.90E-02	mg/L	J	U	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	U	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.694	—	—	3.30E-01	mg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.534	—	—	3.30E-01	mg/L	J	J	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.444	—	—	3.30E-01	mg/L	J	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.67	—	—	3.30E-01	mg/L	J	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.08	—	—	1.00E-02	SU	H	J-	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.24	—	—	1.00E-02	SU	H	J-	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.25	—	—	1.00E-02	SU	H	J-	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.98	—	—	1.00E-02	SU	H	J	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	15.9	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14.9	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	15.5	—	—	1.00E+00	µg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	16.1	—	—	1.00E+00	µg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.8	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.4	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.2	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.5	—	—	1.00E+00	µg/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	15.8	—	—	1.00E+00	µg/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	20.8	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	27.2	—	—	1.00E+01	µg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	20.5	—	—	1.00E+01	µg/L	J	J	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	21.4	—	—	1.00E+01	µg/L	J	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	23.6	—	—	1.00E+01	µg/L	J	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	20.2	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	30.8	—	—	1.00E+01	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	21.1	—	—	1.00E+01	µg/L	J	J	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	21.7	—	—	1.00E+01	µg/L	J	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	23	—	—	1.00E+01	µg/L	J	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.95	—	—	5.00E-01	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.91	—	—	5.00E-01	µg/L	J	U	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	1.3	—	—	5.00E-01	µg/L	J	U	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.74	—	—	5.00E-01	µg/L	J	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.91	—	—	5.00E-01	µg/L	J	J	08-1193	CAMO-08-12737	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2.4	—	—	5.00E-01	µg/L	—	U	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	1.3	—	—	5.00E-01	µg/L	J	U	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.86	—	—	5.00E-01	µg/L	J	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	64.3	—	—	3.20E-02	mg/L	—	J-	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.9	—	—	3.20E-02	mg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	63.1	—	—	3.20E-02	mg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	82.7	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	80.8	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	75.4	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	80.8	—	—	1.00E+00	µg/L	—	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	81.8	—	—	1.00E+00	µg/L	—	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	81.3	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	83.8	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	74.5	—	—	1.00E+00	µg/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	79.8	—	—	1.00E+00	µg/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	81.3	—	—	1.00E+00	µg/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.11	—	—	5.00E-02	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.11	—	—	5.00E-02	µg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.11	—	—	5.00E-02	µg/L	J	U	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	—	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.073	—	—	5.00E-02	µg/L	J	U	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.1	—	—	5.00E-02	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.11	—	—	5.00E-02	µg/L	J	U	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.12	—	—	5.00E-02	µg/L	J	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.072	—	—	5.00E-02	µg/L	J	U	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	3.1	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12738	GELC
MCOI-5	5721	689	02/13/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.6	—	—	1.00E+00	µg/L	J	J	08-639	CAMO-08-10422	GELC
MCOI-5	5721	689	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2	—	—	1.00E+00	µg/L	J	J	08-167	CAMO-08-8625	GELC
MCOI-5	5721	689	08/23/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	2.7	—	—	1.00E+00	µg/L	J	U	192433	GF070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2.3	—	—	1.00E+00	µg/L	J	—	187192	GF070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.3	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	3	—	—	1.00E+00	µg/L	J	J	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2	—	—	1.00E+00	µg/L	J	J	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	3	—	—	1.00E+00	µg/L	J	U	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	2.7	—	—	1.00E+00	µg/L	J	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3330	1.17E+02	2.20E+02	—	pCi/L	—	—	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3600	1.20E+02	1.50E+02	—	pCi/L	—	—	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3910	1.33E+02	2.00E+02	—	pCi/L	—	—	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3980	1.41E+02	1.83E+02	—	pCi/L	—	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3660	1.29E+02	1.45E+02	—	pCi/L	—	—	187192	GU070500GMC501	GELC
MCOI-5	5721	689	05/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.25	—	—	1.30E+00	µg/L	J	J	08-1193	CAMO-08-12737	GELC
MCOI-5	5721	689	02/13/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	UJ	08-639	CAMO-08-10424	GELC
MCOI-5	5721	689	11/12/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	U	08-167	CAMO-08-8624	GELC
MCOI-5	5721	689	08/23/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	µg/L	U	—	192433	GU070800GMC501	GELC
MCOI-5	5721	689	06/04/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.75	—	—	1.25E+00	µg/L	J	J+	187192	GU070500GMC501	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	56.4	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	54	—	—	3.00E-02	mg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	49.3	—	—	3.00E-02	mg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	49.7	—	—	3.60E-02	mg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	59.9	—	—	3.00E-02	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	55.5	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	55.5	—	—	3.00E-02	mg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	49	—	—	3.00E-02	mg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	45.1	—	—	3.60E-02	mg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00275	—	—	1.50E-03	mg/L	J	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00153	—	—	1.50E-03	mg/L	J	J	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.005	—	—	1.50E-03	mg/L	U	U	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00335	—	—	1.50E-03	mg/L	J	JN-	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	186	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	180	—	—	4.30E-01	mg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	165	—	—	4.25E-01	mg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	166	—	—	4.40E-01	mg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	196	—	—	3.50E-01	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	183	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	185	—	—	4.30E-01	mg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	164	—	—	4.25E-01	mg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	150	—	—	4.40E-01	mg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.9	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.9	—	—	8.50E-02	mg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.2	—	—	8.50E-02	mg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.1	—	—	8.50E-02	mg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.3	—	—	8.50E-02	mg/L	E	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.7	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	11.2	—	—	8.50E-02	mg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.1	—	—	8.50E-02	mg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	9.16	—	—	8.50E-02	mg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.791	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.802	—	—	5.00E-02	mg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.762	—	—	5.00E-02	mg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.79	—	—	5.00E-02	mg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.8	—	—	5.00E-02	mg/L	—	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.773	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.83	—	—	5.00E-02	mg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.748	—	—	5.00E-02	mg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	0.722	—	—	5.00E-02	mg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	24	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	22.5	—	—	4.50E-02	mg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.8	—	—	4.50E-02	mg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	22.4	—	—	4.50E-02	mg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	24.2	—	—	4.50E-02	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.5	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.6	—	—	4.50E-02	mg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.9	—	—	4.50E-02	mg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	20.4	—	—	4.50E-02	mg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	500	—	—	1.00E+00	µS/cm	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	472	—	—	1.00E+00	µS/cm	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	482	—	—	1.00E+00	µS/cm	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	454	—	—	1.00E+00	µS/cm	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.18	—	—	3.30E-01	mg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.36	—	—	3.30E-01	mg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.87	—	—	3.30E-01	mg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.89	—	—	3.30E-01	mg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.35	—	—	3.30E-01	mg/L	—	—	187316	GU070500GMC601	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.48	—	—	1.00E-02	SU	H	J-	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.94	—	—	1.00E-02	SU	H	J-	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.53	—	—	1.00E-02	SU	H	J	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.26	—	—	1.00E-02	SU	H	J	187316	GF070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	36.8	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	35.5	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	33.7	—	—	1.00E+00	µg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	34.3	—	—	1.00E+00	µg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	39.6	—	—	1.00E+00	µg/L	*	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	37	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	37.1	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	33.9	—	—	1.00E+00	µg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	31.8	—	—	1.00E+00	µg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	28.9	—	—	1.00E+01	µg/L	J	J	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	34.8	—	—	1.00E+01	µg/L	J	J	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	38.6	—	—	1.00E+01	µg/L	J	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	33	—	—	1.00E+01	µg/L	J	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	35.1	—	—	1.00E+01	µg/L	J	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	28.9	—	—	1.00E+01	µg/L	J	J	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	37.3	—	—	1.00E+01	µg/L	J	J	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	42	—	—	1.00E+01	µg/L	J	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	31.5	—	—	1.00E+01	µg/L	J	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	34.2	—	—	2.50E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	33.3	—	—	1.00E+00	µg/L	—	J	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	31.3	—	—	1.00E+00	µg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	29.8	—	—	1.00E+00	µg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	36.3	—	—	2.50E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	34.2	—	—	2.50E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	35.8	—	—	1.00E+00	µg/L	—	J	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	33.9	—	—	1.00E+00	µg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	33.5	—	—	1.00E+00	µg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	11	—	—	3.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	8.2	—	—	3.00E+00	µg/L	J	J	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	12.8	—	—	3.00E+00	µg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	17.3	—	—	3.00E+00	µg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	13	—	—	3.00E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	15.2	—	—	3.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	23.1	—	—	3.00E+00	µg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	20.7	—	—	3.00E+00	µg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	34.7	—	—	3.00E+00	µg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.5	—	—	2.00E+00	µg/L	J	J	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	8.4	—	—	2.00E+00	µg/L	J	J	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.2	—	—	2.00E+00	µg/L	J	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	8.1	—	—	2.00E+00	µg/L	J	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.2	—	—	2.00E+00	µg/L	J	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.4	—	—	2.00E+00	µg/L	J	J	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	7.6	—	—	2.00E+00	µg/L	J	J	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6	—	—	2.00E+00	µg/L	J	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	8.2	—	—	2.00E+00	µg/L	J	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	187316	GF070500GMC601	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.3	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.7	—	—	5.00E-01	µg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6	—	—	5.00E-01	µg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.1	—	—	5.00E-01	µg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6	—	—	5.00E-01	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5.6	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5.1	—	—	5.00E-01	µg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.7	—	—	5.00E-01	µg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.1	—	—	5.00E-01	µg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	269	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	248	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	222	—	—	1.00E+00	µg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	225	—	—	1.00E+00	µg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	266	—	—	1.00E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	264	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	252	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	224	—	—	1.00E+00	µg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	205	—	—	1.00E+00	µg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	µg/L	U	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.35	—	—	3.00E-01	µg/L	J	J	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.45	—	—	3.00E-01	µg/L	J	J	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	µg/L	U	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.62	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.58	—	—	5.00E-02	µg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.53	—	—	5.00E-02	µg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.4	—	—	5.00E-02	µg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.72	—	—	5.00E-02	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.59	—	—	5.00E-02	µg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.54	—	—	5.00E-02	µg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	44.5	—	—	2.00E+00	µg/L	—	—	08-685	CAMO-08-10425	GELC
MCOI-6	5731	686	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	55.1	—	—	2.00E+00	µg/L	—	—	08-145	CASA-08-7612	GELC
MCOI-6	5731	686	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	69.8	—	—	2.00E+00	µg/L	—	—	191539	GF070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	113	—	—	2.00E+00	µg/L	—	—	187316	GF070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	36.4	—	—	2.00E+00	µg/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	46.5	—	—	2.00E+00	µg/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	78	—	—	2.00E+00	µg/L	—	—	08-145	CASA-08-7610	GELC
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	70.5	—	—	2.00E+00	µg/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	118	—	—	2.00E+00	µg/L	—	—	187316	GU070500GMC601	GELC
MCOI-6	5731	686	05/20/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	11000	3.67E+02	2.20E+02	—	pCi/L	—	—	08-1196	CAMO-08-12739	GELC
MCOI-6	5731	686	02/22/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	12600	4.33E+02	1.70E+02	—	pCi/L	—	—	08-685	CAMO-08-10427	GELC
MCOI-6	5731	686	11/09/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	12700	4.33E+02	1.70E+02	—	pCi/L	—	—	08-145	CASA-08-7610	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
MCOI-6	5731	686	08/13/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	12300	4.13E+02	1.48E+02	—	pCi/L	—	—	191539	GU070800GMC601	GELC
MCOI-6	5731	686	06/05/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	12900	4.33E+02	1.56E+02	—	pCi/L	—	—	187316	GU070500GMC601	GELC
Pine Rock Spring	-	-	02/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	776	—	—	1.00E+00	µS/cm	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	-	-	08/16/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	939	—	—	1.00E+00	µS/cm	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	-	-	06/21/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	890	—	—	1.00E+00	µS/cm	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	-	-	03/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	848	—	—	1.00E+00	µS/cm	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	-	-	02/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.95	—	—	1.00E-02	SU	H	J-	08-666	CAMO-08-10844	GELC
Pine Rock Spring	-	-	08/16/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.94	—	—	1.00E-02	SU	H	J	191858	GF070800GPRS01	GELC
Pine Rock Spring	-	-	06/21/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.65	—	—	1.00E-02	SU	H	J	188434	GF070600GPRS01	GELC
Pine Rock Spring	-	-	03/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.01	—	—	1.00E-02	SU	H	J	182273	GF070200GPRS01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.8	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.1	—	—	3.00E-02	mg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.4	—	—	3.00E-02	mg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.2	—	—	3.00E-02	mg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11	—	—	3.00E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.2	—	—	3.00E-02	mg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	10.9	—	—	3.00E-02	mg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.6	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	43.6	—	—	4.30E-01	mg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.1	—	—	4.25E-01	mg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	44.4	—	—	3.50E-01	mg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.6	—	—	4.30E-01	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	43.8	—	—	4.30E-01	mg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	42.6	—	—	4.25E-01	mg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.59	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.83	—	—	8.50E-02	mg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.66	—	—	8.50E-02	mg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.98	—	—	8.50E-02	mg/L	E	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.7	—	—	8.50E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.82	—	—	8.50E-02	mg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.76	—	—	8.50E-02	mg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.71	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.8	—	—	5.00E-02	mg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.67	—	—	5.00E-02	mg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.72	—	—	5.00E-02	mg/L	—	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.79	—	—	5.00E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.8	—	—	5.00E-02	mg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.73	—	—	5.00E-02	mg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.1	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.8	—	—	4.50E-02	mg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.9	—	—	4.50E-02	mg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.4	—	—	4.50E-02	mg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.8	—	—	4.50E-02	mg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	136	—	—	1.00E+00	µS/cm	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	137	—	—	1.00E+00	µS/cm	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	144	—	—	1.00E+00	µS/cm	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	06/11/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	135	—	—	1.00E+00	µS/cm	—	—	187706	GF070600G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.821	—	—	3.30E-01	mg/L	J	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.455	—	—	3.30E-01	mg/L	J	J	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.618	—	—	3.30E-01	mg/L	J	—	191539	GU070800G01R01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-1	1701	1031.1	06/11/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	187706	GU070600G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J-	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.95	—	—	1.00E-02	SU	H	J-	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.45	—	—	1.00E-02	SU	H	J	191539	GF070800G01R01	GELC
R-1	1701	1031.1	06/11/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.78	—	—	1.00E-02	SU	H	J	187706	GF070600G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.8	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14.3	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	14.3	—	—	1.00E+00	µg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.5	—	—	1.00E+00	µg/L	*	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.1	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.6	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	14.7	—	—	1.00E+00	µg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.4	—	—	1.00E+01	µg/L	J	J	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	19.5	—	—	1.00E+01	µg/L	J	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.7	—	—	1.00E+01	µg/L	J	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	11.8	—	—	1.00E+01	µg/L	J	J	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	18.1	—	—	1.00E+01	µg/L	J	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	7.2	—	—	2.50E+00	µg/L	J	J	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8.7	—	—	1.00E+00	µg/L	—	J	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.1	—	—	1.00E+00	µg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.4	—	—	2.50E+00	µg/L	J	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7.4	—	—	2.50E+00	µg/L	J	J	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.9	—	—	1.00E+00	µg/L	—	J	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.6	—	—	1.00E+00	µg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.4	—	—	1.00E-01	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.3	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.7	—	—	5.00E-01	µg/L	J	J	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	52.2	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	52.5	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	48.2	—	—	1.00E+00	µg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.9	—	—	1.00E+00	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	53.4	—	—	1.00E+00	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	52.6	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	49.8	—	—	1.00E+00	µg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.82	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.87	—	—	5.00E-02	µg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.83	—	—	5.00E-02	µg/L	—	—	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.83	—	—	5.00E-02	µg/L	—	—	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.9	—	—	5.00E-02	µg/L	—	—	08-145	CASA-08-8065	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.94	—	—	5.00E-02	µg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	02/22/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.6	—	—	1.00E+00	µg/L	—	J	08-685	CAMO-08-10453	GELC
R-1	1701	1031.1	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.6	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8066	GELC
R-1	1701	1031.1	08/13/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.6	—	—	1.00E+00	µg/L	—	—	191539	GF070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10	—	—	1.00E+00	µg/L	—	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.3	—	—	1.00E+00	µg/L	—	J	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.4	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.8	—	—	1.00E+00	µg/L	—	—	191539	GU070800G01R01	GELC
R-1	1701	1031.1	05/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.34	—	—	1.30E+00	µg/L	J	J	08-1196	CAMO-08-12744	GELC
R-1	1701	1031.1	02/22/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	UJ	08-685	CAMO-08-10452	GELC
R-1	1701	1031.1	11/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	UJ	08-145	CASA-08-8065	GELC
R-1	1701	1031.1	08/13/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	1.33	—	—	1.25E+00	µg/L	J	U, J-	191539	GU070800G01R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.2	—	—	7.30E-01	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.2	—	—	7.30E-01	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.3	—	—	7.30E-01	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.6	—	—	7.30E-01	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.3	—	—	7.25E-01	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.4	—	—	7.25E-01	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	13.5	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.8	—	—	3.00E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.8	—	—	3.00E-02	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.2	—	—	3.00E-02	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	13.4	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.8	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.4	—	—	3.00E-02	mg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.2	—	—	3.00E-02	mg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	2.31	—	—	6.60E-02	mg/L	—	J	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.27	—	—	6.60E-02	mg/L	—	J	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.19	—	—	6.60E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.25	—	—	6.60E-02	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.24	—	—	6.60E-02	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.21	—	—	6.60E-02	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	RE	—	Geninorg	EPA:300.0	Chloride	—	2.22	—	—	6.60E-02	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.31	—	—	3.30E-02	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.312	—	—	3.30E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.314	—	—	3.30E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.323	—	—	3.30E-02	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.306	—	—	3.30E-02	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.32	—	—	3.30E-02	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	RE	—	Geninorg	EPA:300.0	Fluoride	—	0.337	—	—	3.30E-02	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	47.8	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	49.3	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.1	—	—	4.30E-01	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.2	—	—	4.30E-01	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	46.5	—	—	4.25E-01	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	47.7	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	48.2	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	48.5	—	—	4.30E-01	mg/L	—	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	46.6	—	—	4.30E-01	mg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	46.4	—	—	4.25E-01	mg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.41	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12770	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.53	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.33	—	—	8.50E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.32	—	—	8.50E-02	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.29	—	—	8.50E-02	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	3.45	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.35	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.37	—	—	8.50E-02	mg/L	—	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.21	—	—	8.50E-02	mg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.29	—	—	8.50E-02	mg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.73	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.73	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.875	—	—	5.00E-02	mg/L	—	J-	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.67	—	—	5.00E-02	mg/L	—	J-	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.69	—	—	5.00E-02	mg/L	—	J-	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.32	—	—	5.00E-02	mg/L	—	J-	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.369	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.374	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.398	—	—	5.00E-02	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.404	—	—	5.00E-02	µg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.383	—	—	5.00E-02	µg/L	—	J	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.383	—	—	5.00E-02	µg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.25	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.33	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.85	—	—	5.00E-02	mg/L	*	J	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.48	—	—	5.00E-02	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.28	—	—	5.00E-02	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	1.28	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.27	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.74	—	—	5.00E-02	mg/L	*	J	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.43	—	—	5.00E-02	mg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.28	—	—	5.00E-02	mg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	71.9	—	—	3.20E-02	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	70.9	—	—	3.20E-02	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	9.72	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.1	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	12.5	—	—	4.50E-02	mg/L	*	J	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10	—	—	4.50E-02	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10	—	—	4.50E-02	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	9.74	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.93	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.1	—	—	4.50E-02	mg/L	*	J	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.65	—	—	4.50E-02	mg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.99	—	—	4.50E-02	mg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	138	—	—	1.00E+00	uS/cm	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	138	—	—	1.00E+00	uS/cm	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	134	—	—	1.00E+00	uS/cm	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	134	—	—	1.00E+00	uS/cm	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	144	—	—	1.00E+00	uS/cm	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	3.1	—	—	1.00E-01	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.99	—	—	1.00E-01	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.92	—	—	1.00E-01	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.85	—	—	1.00E-01	mg/L	—	—	08-145	CASA-08-8115	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.85	—	—	1.00E-01	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.87	—	—	1.00E-01	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	RE	—	Geninorg	EPA:300.0	Sulfate	—	2.92	—	—	1.00E-01	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	136	—	—	2.40E+00	mg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	133	—	—	2.40E+00	mg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	139	—	—	2.40E+00	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	138	—	—	2.38E+00	mg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.38E+00	mg/L	—	—	187795	GF070600G13R01	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	—	—	1.45E-01	mg/L	U	UJ	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.721	—	—	2.90E-02	mg/L	—	J	08-1155	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	U	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.085	—	—	2.90E-02	mg/L	J	J	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	191858	GU070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	—	—	1.45E-01	mg/L	U	UJ	187795	GU070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.041	—	—	2.40E-02	mg/L	J	J	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.047	—	—	2.40E-02	mg/L	J	J	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.058	—	—	2.40E-02	mg/L	—	U	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.029	—	—	2.40E-02	mg/L	J	U	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	U	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	06/12/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.094	—	—	2.40E-02	mg/L	—	U	187795	GF070600G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	8.15	—	—	1.00E-02	SU	H	J-	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.14	—	—	1.00E-02	SU	H	J-	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.2	—	—	1.00E-02	SU	H	J-	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.21	—	—	1.00E-02	SU	H	J-	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.95	—	—	1.00E-02	SU	H	J	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	24.4	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25.4	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25.7	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	25.8	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	26.6	—	—	1.00E+00	µg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	24.2	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	24.5	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	26.3	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	24.8	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	27.1	—	—	1.00E+00	µg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Metals	SW-846:6020	Chromium	—	4	—	—	2.50E+00	µg/L	J	J	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.6	—	—	2.50E+00	µg/L	J	J	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.2	—	—	2.50E+00	µg/L	J	J	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	7.2	—	—	1.00E+00	µg/L	—	U	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.3	—	—	1.00E+00	µg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Metals	SW-846:6020	Chromium	—	3.7	—	—	2.50E+00	µg/L	J	J	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.7	—	—	2.50E+00	µg/L	J	J	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6	—	—	2.50E+00	µg/L	J	J	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	7.5	—	—	1.00E+00	µg/L	—	U	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5	—	—	1.00E+00	µg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.95	—	—	1.00E-01	µg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.97	—	—	1.00E-01	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	10.2	—	—	2.00E+00	µg/L	*	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.95	—	—	1.00E-01	µg/L	—	—	08-1156	CAMO-08-12773	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.95	—	—	1.00E-01	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	49.3	—	—	2.00E+00	µg/L	*	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	66.7	—	—	3.20E-02	mg/L	E	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.5	—	—	3.20E-02	mg/L	E	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.5	—	—	3.20E-02	mg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.9	—	—	3.20E-02	mg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	48	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	49.8	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	53.3	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	52.6	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	51	—	—	1.00E+00	µg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	48.3	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	49.1	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	53.6	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.8	—	—	1.00E+00	µg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	51	—	—	1.00E+00	µg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.48	—	—	5.00E-02	µg/L	—	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.45	—	—	5.00E-02	µg/L	—	—	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	6.1	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12770	GELC
R-13	1741	958.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.5	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12772	GELC
R-13	1741	958.3	02/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.6	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10444	GELC
R-13	1741	958.3	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	4.9	—	—	1.00E+00	µg/L	J	J	08-145	CASA-08-8115	GELC
R-13	1741	958.3	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	5.6	—	—	1.00E+00	µg/L	—	U	191858	GF070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	6.7	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12773	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.9	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12771	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.8	—	—	1.00E+00	µg/L	—	—	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.8	—	—	1.00E+00	µg/L	J	J	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	6	—	—	1.00E+00	µg/L	—	U	191858	GU070800G13R01	GELC
R-13	1741	958.3	05/14/08	WG	UF	CS	FD	Voa	SW-846:8260B	Acetone	—	1.46	—	—	1.30E+00	µg/L	J	J	08-1155	CAMO-08-12773	GELC
R-13	1741	958.3	02/14/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	UJ	08-639	CAMO-08-10443	GELC
R-13	1741	958.3	11/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	UJ	08-145	CASA-08-8110	GELC
R-13	1741	958.3	08/16/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	µg/L	U	—	191858	GU070800G13R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.9	—	—	7.30E-01	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	54.2	—	—	7.30E-01	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	51.8	—	—	7.30E-01	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	54.2	—	—	7.25E-01	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.5	—	—	7.25E-01	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.7	—	—	3.00E-02	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.9	—	—	3.00E-02	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.6	—	—	3.00E-02	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.7	—	—	3.60E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	14.4	—	—	3.00E-02	mg/L	—	—	08-1193	CAMO-08-12753	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.6	—	—	3.00E-02	mg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	14	—	—	3.00E-02	mg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.6	—	—	3.00E-02	mg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	13.8	—	—	3.60E-02	mg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.01	—	—	6.60E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.21	—	—	6.60E-02	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.06	—	—	6.60E-02	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	3.97	—	—	6.60E-02	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	3.96	—	—	6.60E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	RE	—	Geninorg	EPA:300.0	Chloride	—	4.01	—	—	6.60E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.189	—	—	3.30E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.206	—	—	3.30E-02	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.208	—	—	3.30E-02	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.224	—	—	3.30E-02	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.214	—	—	3.30E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	RE	—	Geninorg	EPA:300.0	Fluoride	—	0.209	—	—	3.30E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	50.7	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	49.3	—	—	4.30E-01	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	50.1	—	—	4.30E-01	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	49.2	—	—	4.25E-01	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	50	—	—	4.40E-01	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	52.5	—	—	3.50E-01	mg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.3	—	—	4.30E-01	mg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	50.6	—	—	4.30E-01	mg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	49.5	—	—	4.25E-01	mg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	50.4	—	—	4.40E-01	mg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.9	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.68	—	—	8.50E-02	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.73	—	—	8.50E-02	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.74	—	—	8.50E-02	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.85	—	—	8.50E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.04	—	—	8.50E-02	mg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.74	—	—	8.50E-02	mg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.77	—	—	8.50E-02	mg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.76	—	—	8.50E-02	mg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.88	—	—	8.50E-02	mg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.89	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.19	—	—	1.00E-01	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.23	—	—	5.00E-02	mg/L	—	J-	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.95	—	—	5.00E-02	mg/L	—	J-	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.31	—	—	1.00E-01	mg/L	—	J-	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	5.59	—	—	5.00E-01	µg/L	—	J+	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.79	—	—	5.00E-01	µg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.62	—	—	5.00E-01	µg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	5.9	—	—	5.00E-01	µg/L	—	J	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	7.4	—	—	4.00E+00	µg/L	J	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	5.86	—	—	5.00E-01	µg/L	—	J	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.95	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.74	—	—	5.00E-02	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.89	—	—	5.00E-02	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.71	—	—	5.00E-02	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.87	—	—	5.00E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.04	—	—	5.00E-02	mg/L	—	—	08-1193	CAMO-08-12753	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.74	—	—	5.00E-02	mg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.91	—	—	5.00E-02	mg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.75	—	—	5.00E-02	mg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.89	—	—	5.00E-02	mg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	73.3	—	—	3.20E-02	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	72.1	—	—	3.20E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.2	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.5	—	—	4.50E-02	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.8	—	—	4.50E-02	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.6	—	—	4.50E-02	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	—	0.107	—	—	4.50E-02	mg/L	J	J	08-1193	CAMO-08-12754	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.6	—	—	4.50E-02	mg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.5	—	—	4.50E-02	mg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.9	—	—	4.50E-02	mg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11	—	—	4.50E-02	mg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	11.3	—	—	4.50E-02	mg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	148	—	—	1.00E+00	µS/cm	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	150	—	—	1.00E+00	µS/cm	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	151	—	—	1.00E+00	µS/cm	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	157	—	—	1.00E+00	µS/cm	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	153	—	—	1.00E+00	µS/cm	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.69	—	—	1.00E-01	mg/L	—	J-	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	6.01	—	—	1.00E-01	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.76	—	—	1.00E-01	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.89	—	—	1.00E-01	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.91	—	—	1.00E-01	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	RE	—	Geninorg	EPA:300.0	Sulfate	—	5.95	—	—	1.00E-01	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	147	—	—	2.40E+00	mg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	130	—	—	2.40E+00	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	165	—	—	2.40E+00	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	168	—	—	2.38E+00	mg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	164	—	—	2.38E+00	mg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.057	—	—	2.90E-02	mg/L	J	J-	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.063	—	—	2.90E-02	mg/L	J	U	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	U	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.145	—	—	1.45E-01	mg/L	U	UJ	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.774	—	—	3.30E-01	mg/L	J	J	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.478	—	—	3.30E-01	mg/L	J	J	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.714	—	—	3.30E-01	mg/L	J	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.378	—	—	3.30E-01	mg/L	J	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.11	—	—	1.00E-02	SU	H	J-	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.13	—	—	1.00E-02	SU	H	J-	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.13	—	—	1.00E-02	SU	H	J-	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.76	—	—	1.00E-02	SU	H	J	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.11	—	—	1.00E-02	SU	H	J	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	28	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	27.7	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	29.1	—	—	1.00E+00	µg/L	—	—	08-159	CAMO-08-8599	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	30	—	—	1.00E+00	µg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	29	—	—	1.00E+00	µg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	29.5	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	27.8	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	29.9	—	—	1.00E+00	µg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	30.7	—	—	1.00E+00	µg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	29.7	—	—	1.00E+00	µg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.4	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	10.3	—	—	1.00E+01	µg/L	J	J	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	13.2	—	—	1.00E+01	µg/L	J	J	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	µg/L	U	UJ	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	µg/L	U	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	10.8	—	—	1.00E+01	µg/L	J	J	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.3	—	—	1.00E+01	µg/L	J	J	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	14.7	—	—	1.00E+01	µg/L	J	J	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	µg/L	U	UJ	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	10	—	—	1.00E+01	µg/L	U	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	7.9	—	—	2.50E+00	µg/L	J	J	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	7.3	—	—	2.50E+00	µg/L	J	J	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	10.5	—	—	1.00E+00	µg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8.1	—	—	1.00E+00	µg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8.2	—	—	1.00E+00	µg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.5	—	—	2.50E+00	µg/L	J	J	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7	—	—	2.50E+00	µg/L	J	J	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	11.3	—	—	1.00E+00	µg/L	—	J	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.9	—	—	1.00E+00	µg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9	—	—	1.00E+00	µg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	µg/L	U	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	µg/L	U	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	103	—	—	2.50E+01	µg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	43.6	—	—	2.50E+01	µg/L	J	J	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	40.3	—	—	2.50E+01	µg/L	J	J	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	57.9	—	—	2.50E+01	µg/L	J	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	113	—	—	1.80E+01	µg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.68	—	—	5.00E-01	µg/L	J	J	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.53	—	—	5.00E-01	µg/L	J	J	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.68	—	—	5.00E-01	µg/L	J	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.66	—	—	5.00E-01	µg/L	J	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.2	—	—	5.00E-01	µg/L	J	J	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.79	—	—	5.00E-01	µg/L	J	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.91	—	—	5.00E-01	µg/L	J	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	1.2	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	µg/L	U	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1.1	—	—	1.00E+00	µg/L	J	J	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-694	CAMO-08-10434	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1	—	—	1.00E+00	µg/L	J	J	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	µg/L	U	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70.7	—	—	3.20E-02	mg/L	—	J-	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	69.3	—	—	3.20E-02	mg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	72.7	—	—	3.20E-02	mg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	60.4	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.4	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	62.1	—	—	1.00E+00	µg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	60.6	—	—	1.00E+00	µg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	59.6	—	—	1.00E+00	µg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	62.6	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	59.1	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	62.9	—	—	1.00E+00	µg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	61.3	—	—	1.00E+00	µg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	60	—	—	1.00E+00	µg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	<	0.43	—	—	5.00E-02	µg/L	—	U	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.43	—	—	5.00E-02	µg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	<	0.46	—	—	5.00E-02	µg/L	—	U	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.42	—	—	5.00E-02	µg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.41	—	—	5.00E-02	µg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.47	—	—	5.00E-02	µg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.7	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12752	GELC
R-15	1751	958.6	02/25/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.4	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10436	GELC
R-15	1751	958.6	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.6	—	—	1.00E+00	µg/L	—	—	08-159	CAMO-08-8599	GELC
R-15	1751	958.6	08/16/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.1	—	—	1.00E+00	µg/L	—	—	191858	GF070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.9	—	—	1.00E+00	µg/L	—	—	187795	GF070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.6	—	—	1.00E+00	µg/L	—	—	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.5	—	—	1.00E+00	µg/L	—	—	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7	—	—	1.00E+00	µg/L	—	—	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.9	—	—	1.00E+00	µg/L	—	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.7	—	—	1.00E+00	µg/L	—	—	187795	GU070600G15R01	GELC
R-15	1751	958.6	05/20/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.27	—	—	1.30E+00	µg/L	J	J	08-1193	CAMO-08-12753	GELC
R-15	1751	958.6	02/25/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	6.32	—	—	1.30E+00	µg/L	H	J-	08-694	CAMO-08-10434	GELC
R-15	1751	958.6	11/12/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	U	08-159	CAMO-08-8601	GELC
R-15	1751	958.6	08/16/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	µg/L	U	—	191858	GU070800G15R01	GELC
R-15	1751	958.6	06/12/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.6	—	—	1.25E+00	µg/L	J	J+	187795	GU070600G15R01	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	16.6	—	—	7.30E-01	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	14.4	—	—	7.30E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	15.6	—	—	7.30E-01	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	6.25	—	—	7.25E-01	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	6.11	—	—	7.25E-01	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94.2	—	—	7.30E-01	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	95.4	—	—	7.30E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	90.8	—	—	7.30E-01	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94.3	—	—	7.25E-01	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	96.2	—	—	7.25E-01	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.8	—	—	3.00E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.9	—	—	3.00E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.4	—	—	3.00E-02	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.2	—	—	3.00E-02	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.9	—	—	3.60E-02	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.2	—	—	3.00E-02	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.4	—	—	3.00E-02	mg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	24.3	—	—	3.00E-02	mg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.3	—	—	3.00E-02	mg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	22.6	—	—	3.60E-02	mg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.33	—	—	6.60E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.34	—	—	6.60E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.34	—	—	6.60E-02	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.33	—	—	6.60E-02	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.38	—	—	6.60E-02	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.423	—	—	3.30E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.435	—	—	3.30E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.429	—	—	3.30E-02	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.417	—	—	3.30E-02	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.408	—	—	3.30E-02	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	67.1	—	—	4.30E-01	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	67.7	—	—	4.30E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	69.3	—	—	4.30E-01	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	69.1	—	—	4.25E-01	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	62.7	—	—	4.40E-01	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	65.8	—	—	4.30E-01	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	69.1	—	—	4.30E-01	mg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	66.4	—	—	4.30E-01	mg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	69	—	—	4.25E-01	mg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	62.1	—	—	4.40E-01	mg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.26	—	—	8.50E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.35	—	—	8.50E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.42	—	—	8.50E-02	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.47	—	—	8.50E-02	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.34	—	—	8.50E-02	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.32	—	—	8.50E-02	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.41	—	—	8.50E-02	mg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.37	—	—	8.50E-02	mg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.45	—	—	8.50E-02	mg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	1.38	—	—	8.50E-02	mg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.346	—	—	5.00E-02	mg/L	—	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.354	—	—	5.00E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.315	—	—	5.00E-02	mg/L	—	J-	08-148	CASA-08-8101	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.326	—	—	5.00E-02	µg/L	—	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.323	—	—	5.00E-02	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.302	—	—	5.00E-02	µg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	43.6	—	—	3.20E-02	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	40.1	—	—	3.20E-02	mg/L	N	J-	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.8	—	—	4.50E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.3	—	—	4.50E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.6	—	—	4.50E-02	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.5	—	—	4.50E-02	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.9	—	—	4.50E-02	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.5	—	—	4.50E-02	mg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.7	—	—	4.50E-02	mg/L	—	—	08-618	CAMO-08-10438	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.2	—	—	4.50E-02	mg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.1	—	—	4.50E-02	mg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	13.6	—	—	4.50E-02	mg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	200	—	—	1.00E+00	µS/cm	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	196	—	—	1.00E+00	µS/cm	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	196	—	—	1.00E+00	µS/cm	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	210	—	—	1.00E+00	µS/cm	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	201	—	—	1.00E+00	µS/cm	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.22	—	—	1.00E-01	mg/L	—	J-	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.34	—	—	1.00E-01	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.18	—	—	1.00E-01	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.18	—	—	1.00E-01	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.23	—	—	1.00E-01	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	149	—	—	2.40E+00	mg/L	—	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	143	—	—	2.40E+00	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	148	—	—	2.40E+00	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	143	—	—	2.38E+00	mg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	148	—	—	2.38E+00	mg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.113	—	—	2.40E-02	mg/L	—	U	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.095	—	—	2.40E-02	mg/L	—	U	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.096	—	—	2.40E-02	mg/L	—	U	192874	GF07080G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	EQB	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.063	—	—	2.40E-02	mg/L	—	J+	08-1148	CAMO-08-12765	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.98	—	—	1.00E-02	SU	H	J-	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.93	—	—	1.00E-02	SU	H	J-	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.87	—	—	1.00E-02	SU	H	J-	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.58	—	—	1.00E-02	SU	H	J	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.79	—	—	1.00E-02	SU	H	J	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.8	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	65	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	66.7	—	—	1.00E+00	µg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	72.4	—	—	1.00E+00	µg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	63.7	—	—	1.00E+00	µg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	62.7	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	62.8	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	58	—	—	1.00E+00	µg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	72.1	—	—	1.00E+00	µg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	58.1	—	—	1.00E+00	µg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.6	—	—	2.50E+00	µg/L	J	J	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	2.9	—	—	1.00E+00	µg/L	J	J	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	3.6	—	—	1.00E+00	µg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.9	—	—	1.00E+00	µg/L	J	JN-	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.3	—	—	2.50E+00	µg/L	J	J	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6	—	—	2.50E+00	µg/L	J	J	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.8	—	—	1.00E+00	µg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9.1	—	—	1.00E+00	µg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.9	—	—	1.00E+00	µg/L	—	JN-	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.2	—	—	1.00E-01	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	4.3	—	—	2.00E+00	µg/L	J	U	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.8	—	—	1.00E-01	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-618	CAMO-08-10438	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.9	—	—	2.00E+00	µg/L	J	U	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.7	—	—	2.00E+00	µg/L	J	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.67	—	—	5.00E-01	µg/L	J	J	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.67	—	—	5.00E-01	µg/L	J	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.79	—	—	5.00E-01	µg/L	J	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.84	—	—	5.00E-01	µg/L	J	J	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.8	—	—	5.00E-01	µg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.4	—	—	5.00E-01	µg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.6	—	—	5.00E-01	µg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	40.9	—	—	3.20E-02	mg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	39.4	—	—	3.20E-02	mg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.5	—	—	3.20E-02	mg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	265	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	276	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	278	—	—	1.00E+00	µg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	278	—	—	1.00E+00	µg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	250	—	—	1.00E+00	µg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	260	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	279	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	265	—	—	1.00E+00	µg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	278	—	—	1.00E+00	µg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	241	—	—	1.00E+00	µg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.6	—	—	5.00E-02	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.7	—	—	5.00E-02	µg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.7	—	—	5.00E-02	µg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.5	—	—	5.00E-02	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.6	—	—	5.00E-02	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.7	—	—	5.00E-02	µg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.7	—	—	5.00E-02	µg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11.8	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.7	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11	—	—	1.00E+00	µg/L	—	—	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.8	—	—	1.00E+00	µg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.3	—	—	1.00E+00	µg/L	—	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11.9	—	—	1.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.8	—	—	1.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.3	—	—	1.00E+00	µg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.6	—	—	1.00E+00	µg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.9	—	—	1.00E+00	µg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.6	—	—	2.00E+00	µg/L	J	J	08-1148	CAMO-08-12762	GELC
R-16	591	1018.4	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	12.1	—	—	2.00E+00	µg/L	—	—	08-618	CAMO-08-10437	GELC
R-16	591	1018.4	11/09/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	9.9	—	—	2.00E+00	µg/L	J	J	08-148	CASA-08-8101	GELC
R-16	591	1018.4	08/28/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	10.7	—	—	2.00E+00	µg/L	—	—	192874	GF07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	9.5	—	—	2.00E+00	µg/L	J	—	187531	GF07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.7	—	—	2.00E+00	µg/L	—	—	08-1148	CAMO-08-12763	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	11.6	—	—	2.00E+00	µg/L	—	—	08-618	CAMO-08-10438	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	31.8	—	—	2.00E+00	µg/L	—	—	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	20.9	—	—	2.00E+00	µg/L	—	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	14	—	—	2.00E+00	µg/L	—	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	EQB	Voa	SW-846:8260B	Acetone	—	3.14	—	—	1.30E+00	µg/L	J	J	08-1148	CAMO-08-12765	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	UJ	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	UJ	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	µg/L	U	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	µg/L	U	—	187531	GU07060G16R301	GELC
R-16	591	1018.4	05/13/08	WG	UF	CS	EQB	Voa	SW-846:8260B	Methylene Chloride	—	2.19	—	—	2.00E+00	µg/L	J	J	08-1148	CAMO-08-12765	GELC
R-16	591	1018.4	02/12/08	WG	UF	CS	—	Voa	SW-846:8260B	Methylene Chloride	<	5	—	—	2.00E+00	µg/L	U	U	08-618	CAMO-08-10438	GELC
R-16	591	1018.4	11/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Methylene Chloride	<	5	—	—	2.00E+00	µg/L	U	U	08-148	CASA-08-8100	GELC
R-16	591	1018.4	08/28/07	WG	UF	CS	—	Voa	SW-846:8260B	Methylene Chloride	<	5	—	—	2.00E+00	µg/L	U	—	192874	GU07080G16R301	GELC
R-16	591	1018.4	06/07/07	WG	UF	CS	—	Voa	SW-846:8260B	Methylene Chloride	<	5	—	—	2.00E+00	µg/L	U	—	187531	GU07060G16R301	GELC
R-16	641	1238	05/12/08	WG	UF	CS	EQB	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.031	—	—	2.40E-02	mg/L	J	J	08-1121	CAMO-08-12810	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.3	—	—	7.30E-01	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.9	—	—	7.30E-01	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	79.4	—	—	7.30E-01	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	75.2	—	—	7.30E-01	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.6	—	—	7.25E-01	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	76.5	—	—	7.25E-01	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	21	—	—	3.00E-02	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.8	—	—	3.00E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	20.4	—	—	3.00E-02	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.4	—	—	3.00E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.7	—	—	3.00E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	20.6	—	—	3.00E-02	mg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20	—	—	3.00E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20	—	—	3.00E-02	mg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	19.6	—	—	3.00E-02	mg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	20	—	—	3.00E-02	mg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	2.38	—	—	6.60E-02	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.36	—	—	6.60E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.36	—	—	6.60E-02	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.31	—	—	6.60E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.24	—	—	6.60E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.28	—	—	6.60E-02	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	RE	—	Geninorg	EPA:300.0	Chloride	—	2.34	—	—	6.60E-02	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.419	—	—	3.30E-02	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.426	—	—	3.30E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.416	—	—	3.30E-02	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.39	—	—	3.30E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.417	—	—	3.30E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.423	—	—	3.30E-02	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	RE	—	Geninorg	EPA:300.0	Fluoride	—	0.421	—	—	3.30E-02	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	56	—	—	3.50E-01	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	52.6	—	—	3.50E-01	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	54.3	—	—	4.30E-01	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	51.2	—	—	4.30E-01	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	52.5	—	—	4.25E-01	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	55	—	—	3.50E-01	mg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.3	—	—	3.50E-01	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.1	—	—	4.30E-01	mg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	52.1	—	—	4.30E-01	mg/L	—	—	08-221	CAMO-08-8602	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	6341	600	08/20/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	53.2	—	—	4.25E-01	mg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	0.848	—	—	8.50E-02	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.798	—	—	8.50E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.811	—	—	8.50E-02	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.704	—	—	8.50E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.779	—	—	8.50E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	0.841	—	—	8.50E-02	mg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.816	—	—	8.50E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.801	—	—	8.50E-02	mg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.739	—	—	8.50E-02	mg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	0.792	—	—	8.50E-02	mg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.6	—	—	5.00E-02	mg/L	—	J	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.58	—	—	5.00E-02	mg/L	—	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.42	—	—	5.00E-02	mg/L	—	J-	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.385	—	—	5.00E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.63	—	—	5.00E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.103	—	—	1.00E-02	mg/L	—	J-	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.513	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.398	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.402	—	—	5.00E-02	µg/L	—	UJ	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.38	—	—	5.00E-02	µg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.387	—	—	5.00E-02	µg/L	—	J	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.373	—	—	5.00E-02	µg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	2.38	—	—	5.00E-02	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.23	—	—	5.00E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.38	—	—	5.00E-02	mg/L	—	J	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.42	—	—	5.00E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.33	—	—	5.00E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	2.34	—	—	5.00E-02	mg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.23	—	—	5.00E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.29	—	—	5.00E-02	mg/L	—	J	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.42	—	—	5.00E-02	mg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.37	—	—	5.00E-02	mg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	41.2	—	—	3.20E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	17.7	—	—	4.50E-02	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.8	—	—	4.50E-02	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.5	—	—	4.50E-02	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.3	—	—	4.50E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.8	—	—	4.50E-02	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	17.4	—	—	4.50E-02	mg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.9	—	—	4.50E-02	mg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.2	—	—	4.50E-02	mg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.3	—	—	4.50E-02	mg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.6	—	—	4.50E-02	mg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	177	—	—	1.00E+00	uS/cm	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	174	—	—	1.00E+00	µS/cm	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	157	—	—	1.00E+00	µS/cm	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	194	—	—	1.00E+00	µS/cm	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	182	—	—	1.00E+00	µS/cm	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	188	—	—	1.00E+00	µS/cm	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	4.28	—	—	1.00E-01	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.42	—	—	1.00E-01	mg/L	—	—	08-1169	CAMO-08-12758	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.3	—	—	1.00E-01	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.06	—	—	1.00E-01	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.11	—	—	1.00E-01	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.23	—	—	1.00E-01	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	RE	—	Geninorg	EPA:300.0	Sulfate	—	4.27	—	—	1.00E-01	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	138	—	—	2.40E+00	mg/L	—	J	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	127	—	—	2.40E+00	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	130	—	—	2.40E+00	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	128	—	—	2.38E+00	mg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	149	—	—	2.38E+00	mg/L	—	—	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	0.507	—	—	3.30E-01	mg/L	J	J	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.443	—	—	3.30E-01	mg/L	J	J	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	187920	GU07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	16.7	—	—	2.40E-01	mg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	15.1	—	—	2.40E-01	mg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.046	—	—	2.40E-02	mg/L	J	U	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.043	—	—	2.40E-02	mg/L	J	U	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.046	—	—	2.40E-02	mg/L	J	U	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	8.3	—	—	1.00E-02	SU	H	J-	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.28	—	—	1.00E-02	SU	H	J-	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.15	—	—	1.00E-02	SU	H	J-	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.25	—	—	1.00E-02	SU	H	J-	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.17	—	—	1.00E-02	SU	H	J	192106	GF07080GR16A01	GELC
R-16r	6341	600	06/13/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.19	—	—	1.00E-02	SU	H	J	187920	GF07060GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Metals	SW-846:6010B	Barium	—	63.8	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.4	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	65.7	—	—	1.00E+00	µg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	64.6	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	67.3	—	—	1.00E+00	µg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Metals	SW-846:6010B	Barium	—	65.2	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	63.6	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	64.7	—	—	1.00E+00	µg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	67.1	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	68	—	—	1.00E+00	µg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.12	—	—	1.10E-01	µg/L	J	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.11	—	—	1.10E-01	µg/L	U	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	1	—	—	1.10E-01	µg/L	U	U	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.11	—	—	1.10E-01	µg/L	U	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Metals	SW-846:6020	Chromium	—	9.9	—	—	2.50E+00	µg/L	J	J	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	9.4	—	—	2.50E+00	µg/L	J	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8	—	—	2.50E+00	µg/L	J	J	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	6.8	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	7.5	—	—	1.00E+00	µg/L	—	U	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Metals	SW-846:6020	Chromium	—	9.8	—	—	2.50E+00	µg/L	J	J	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	10	—	—	2.50E+00	µg/L	J	J	08-1169	CAMO-08-12759	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.3	—	—	2.50E+00	µg/L	J	J	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7.5	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	8.5	—	—	1.00E+00	µg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	42	—	—	3.20E-02	mg/L	N	J-	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.3	—	—	3.20E-02	mg/L	N	J-	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	41.4	—	—	3.20E-02	mg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	40.6	—	—	3.20E-02	mg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	40.5	—	—	3.20E-02	mg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Metals	SW-846:6010B	Strontium	—	196	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	185	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	195	—	—	1.00E+00	µg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	190	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	189	—	—	1.00E+00	µg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	192	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	186	—	—	1.00E+00	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	192	—	—	1.00E+00	µg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	192	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	191	—	—	1.00E+00	µg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	15.2	—	—	1.00E+00	µg/L	—	J	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	14.9	—	—	1.00E+00	µg/L	—	J	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	12.8	—	—	1.00E+00	µg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	13.1	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11.9	—	—	1.00E+00	µg/L	—	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	15.1	—	—	1.00E+00	µg/L	—	J	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	14.8	—	—	1.00E+00	µg/L	—	J	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	13	—	—	1.00E+00	µg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	12.9	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	12.6	—	—	1.00E+00	µg/L	—	—	192106	GU07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	F	CS	FD	Metals	SW-846:6010B	Zinc	—	12	—	—	2.00E+00	µg/L	—	—	08-1169	CAMO-08-12760	GELC
R-16r	6341	600	05/19/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	11.5	—	—	2.00E+00	µg/L	—	—	08-1169	CAMO-08-12758	GELC
R-16r	6341	600	02/06/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	10.4	—	—	2.00E+00	µg/L	—	—	08-594	CAMO-08-10459	GELC
R-16r	6341	600	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	9.3	—	—	2.00E+00	µg/L	J	J	08-221	CAMO-08-8605	GELC
R-16r	6341	600	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	7.8	—	—	2.00E+00	µg/L	J	—	192106	GF07080GR16A01	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc	—	13.7	—	—	2.00E+00	µg/L	—	—	08-1169	CAMO-08-12761	GELC
R-16r	6341	600	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	12.4	—	—	2.00E+00	µg/L	—	—	08-1169	CAMO-08-12759	GELC
R-16r	6341	600	02/06/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.3	—	—	2.00E+00	µg/L	—	—	08-594	CAMO-08-10465	GELC
R-16r	6341	600	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	12.5	—	—	2.00E+00	µg/L	—	—	08-221	CAMO-08-8602	GELC
R-16r	6341	600	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	10.5	—	—	2.00E+00	µg/L	—	—	192106	GU07080GR16A01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.5	—	—	7.30E-01	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.2	—	—	7.30E-01	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53.7	—	—	7.30E-01	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.8	—	—	7.25E-01	mg/L	—	—	192106	GF07080G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55	—	—	7.25E-01	mg/L	—	—	187915	GF070600G21R01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.2	—	—	3.00E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.7	—	—	3.00E-02	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.4	—	—	3.00E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.8	—	—	3.00E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	—	0.0395	—	—	3.00E-02	mg/L	J	J	08-1221	CAMO-08-12777	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.8	—	—	3.00E-02	mg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.6	—	—	3.00E-02	mg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.91	—	—	6.60E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.84	—	—	6.60E-02	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.88	—	—	6.60E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.82	—	—	6.60E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.85	—	—	6.60E-02	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	RE	—	Geninorg	EPA:300.0	Chloride	—	1.84	—	—	6.60E-02	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.269	—	—	3.30E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.267	—	—	3.30E-02	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.282	—	—	3.30E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.26	—	—	3.30E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.299	—	—	3.30E-02	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	RE	—	Geninorg	EPA:300.0	Fluoride	—	0.297	—	—	3.30E-02	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	39.7	—	—	3.50E-01	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.6	—	—	4.30E-01	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	40.2	—	—	4.30E-01	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	41.9	—	—	4.25E-01	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.4	—	—	3.50E-01	mg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	41.8	—	—	4.30E-01	mg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	40.8	—	—	4.30E-01	mg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	41	—	—	4.25E-01	mg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.85	—	—	8.50E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.01	—	—	8.50E-02	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.84	—	—	8.50E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.01	—	—	8.50E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.95	—	—	8.50E-02	mg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.03	—	—	8.50E-02	mg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.86	—	—	8.50E-02	mg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	2.93	—	—	8.50E-02	mg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.332	—	—	1.00E-02	mg/L	—	J	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.493	—	—	1.00E-01	mg/L	J	J	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.305	—	—	5.00E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.385	—	—	5.00E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.081	—	—	1.00E-02	mg/L	—	J	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.285	—	—	5.00E-02	µg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.308	—	—	5.00E-02	µg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.291	—	—	5.00E-02	µg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.246	—	—	5.00E-02	µg/L	—	J	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.255	—	—	5.00E-02	µg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.56	—	—	5.00E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.64	—	—	5.00E-02	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.77	—	—	5.00E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.72	—	—	5.00E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.65	—	—	5.00E-02	mg/L	—	—	08-1221	CAMO-08-12778	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.65	—	—	5.00E-02	mg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.79	—	—	5.00E-02	mg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.69	—	—	5.00E-02	mg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	71.8	—	—	3.20E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	73.5	—	—	3.20E-02	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.4	—	—	4.50E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.98	—	—	4.50E-02	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10	—	—	4.50E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.7	—	—	4.50E-02	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	—	0.22	—	—	4.50E-02	mg/L	—	—	08-1221	CAMO-08-12777	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.67	—	—	4.50E-02	mg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10	—	—	4.50E-02	mg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.2	—	—	4.50E-02	mg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.6	—	—	4.50E-02	mg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	127	—	—	1.00E+00	µS/cm	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	114	—	—	1.00E+00	µS/cm	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	136	—	—	1.00E+00	µS/cm	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	130	—	—	1.00E+00	µS/cm	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	133	—	—	1.00E+00	µS/cm	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.05	—	—	1.00E-01	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.02	—	—	1.00E-01	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.16	—	—	1.00E-01	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.12	—	—	1.00E-01	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.03	—	—	1.00E-01	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	RE	—	Geninorg	EPA:300.0	Sulfate	—	2.05	—	—	1.00E-01	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	122	—	—	2.40E+00	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	138	—	—	2.40E+00	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	134	—	—	2.40E+00	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	123	—	—	2.38E+00	mg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	145	—	—	2.38E+00	mg/L	—	—	187915	GF070600G21R01	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.29	—	—	2.90E-01	mg/L	U	UJ	187915	GF070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.074	—	—	2.90E-02	mg/L	J	J-	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.033	—	—	2.90E-02	mg/L	J	U	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.29	—	—	2.90E-01	mg/L	U	UJ	187915	GU070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.693	—	—	3.30E-01	mg/L	J	J	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.657	—	—	3.30E-01	mg/L	J	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.707	—	—	3.30E-01	mg/L	J	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.792	—	—	3.30E-01	mg/L	J	—	187915	GU070600G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.91	—	—	1.00E-02	SU	H	J-	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.12	—	—	1.00E-02	SU	H	J-	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.1	—	—	1.00E-02	SU	H	J-	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.95	—	—	1.00E-02	SU	H	J	192106	GF070800G21R01	GELC
R-21	1761	888.8	06/13/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.07	—	—	1.00E-02	SU	H	J	187915	GF070600G21R01	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.5	—	—	1.50E+00	µg/L	J	J	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5.2	—	—	1.50E+00	µg/L	—	U	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.5	—	—	1.50E+00	µg/L	J	J	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-221	CAMO-08-8609	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	4.9	—	—	1.50E+00	µg/L	J	U	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	12.1	—	—	1.00E+00	µg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.4	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.2	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	13.3	—	—	1.00E+00	µg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.1	—	—	1.00E+00	µg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.5	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13.5	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	13	—	—	1.00E+00	µg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	22.8	—	—	1.00E+01	µg/L	J	J	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	18.7	—	—	1.00E+01	µg/L	J	U	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14.7	—	—	1.00E+01	µg/L	J	J	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	11.7	—	—	1.00E+01	µg/L	J	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.1	—	—	1.00E+01	µg/L	J	J	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	23.4	—	—	1.00E+01	µg/L	J	U	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	15.9	—	—	1.00E+01	µg/L	J	J	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.2	—	—	1.00E+01	µg/L	J	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	µg/L	U	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	29.3	—	—	2.50E+01	µg/L	J	J	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	30.2	—	—	2.50E+01	µg/L	J	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	7.3	—	—	2.00E+00	µg/L	J	J	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	6.3	—	—	2.00E+00	µg/L	J	J	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	9	—	—	2.00E+00	µg/L	J	J	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	10.1	—	—	2.00E+00	µg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	8	—	—	2.00E+00	µg/L	J	J	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.1	—	—	2.00E+00	µg/L	J	J	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	8.6	—	—	2.00E+00	µg/L	J	J	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	10.6	—	—	2.00E+00	µg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	J	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.2	—	—	2.00E+00	µg/L	J	J	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.6	—	—	1.00E-01	µg/L	—	J	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.2	—	—	2.00E+00	µg/L	J	J	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.52	—	—	5.00E-01	µg/L	J	U	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.77	—	—	5.00E-01	µg/L	J	J	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.61	—	—	5.00E-01	µg/L	J	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	FB	Metals	SW-846:6020	Nickel	—	0.93	—	—	5.00E-01	µg/L	J	J	08-1221	CAMO-08-12777	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	2	—	—	5.00E-01	µg/L	U	U	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.88	—	—	5.00E-01	µg/L	J	J	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.64	—	—	5.00E-01	µg/L	J	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	64.3	—	—	3.20E-02	mg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	68.9	—	—	3.20E-02	mg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71	—	—	3.20E-02	mg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	41.1	—	—	1.00E+00	µg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	45.5	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	45.4	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8612	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	45.4	—	—	1.00E+00	µg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	41.8	—	—	1.00E+00	µg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	45.9	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	46.3	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	44.7	—	—	1.00E+00	µg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.34	—	—	5.00E-02	µg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.32	—	—	5.00E-02	µg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.3	—	—	5.00E-02	µg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.32	—	—	5.00E-02	µg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.31	—	—	5.00E-02	µg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.39	—	—	5.00E-02	µg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.3	—	—	5.00E-02	µg/L	—	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.3	—	—	1.00E+00	µg/L	—	—	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5	—	—	1.00E+00	µg/L	J	J	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	µg/L	—	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6	—	—	1.00E+00	µg/L	—	—	08-1221	CAMO-08-12778	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.5	—	—	1.00E+00	µg/L	J	—	192106	GU070800G21R01	GELC
R-21	1761	888.8	05/23/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.4	—	—	2.00E+00	µg/L	J	J	08-1221	CAMO-08-12776	GELC
R-21	1761	888.8	02/11/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-620	CAMO-08-10447	GELC
R-21	1761	888.8	11/13/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-221	CAMO-08-8612	GELC
R-21	1761	888.8	08/20/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	192106	GF070800G21R01	GELC
R-21	1761	888.8	02/11/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.5	—	—	2.00E+00	µg/L	J	J	08-620	CAMO-08-10446	GELC
R-21	1761	888.8	11/13/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-221	CAMO-08-8609	GELC
R-21	1761	888.8	08/20/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	192106	GU070800G21R01	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69	—	—	7.30E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	70.7	—	—	7.30E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.5	—	—	7.30E-01	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.5	—	—	7.30E-01	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69	—	—	7.30E-01	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.5	—	—	7.30E-01	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69	—	—	7.30E-01	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69	—	—	7.30E-01	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.197	—	—	6.70E-02	mg/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.186	—	—	6.70E-02	mg/L	J	J+	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.224	—	—	6.60E-02	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.216	—	—	6.60E-02	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.188	—	—	6.60E-02	mg/L	J	J	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Bromide	—	0.22	—	—	6.60E-02	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Bromide	—	0.206	—	—	6.60E-02	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	EPA:300.0	Bromide	—	0.206	—	—	6.60E-02	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	40.6	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.5	—	—	3.00E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	40.4	—	—	3.00E-02	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	40.3	—	—	3.00E-02	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	41.6	—	—	3.00E-02	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	41.4	—	—	3.00E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	42.4	—	—	3.00E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	40	—	—	3.00E-02	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	40.2	—	—	3.00E-02	mg/L	—	—	08-292	GW28-08-9147	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	41.3	—	—	3.00E-02	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	27.8	—	—	3.30E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	30.1	—	—	1.30E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	29.9	—	—	1.30E-01	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	29.3	—	—	1.30E-01	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	29.5	—	—	1.30E-01	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	30.2	—	—	1.30E-01	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	29.3	—	—	1.30E-01	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	29.3	—	—	1.30E-01	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.321	—	—	3.30E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.327	—	—	3.30E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.323	—	—	3.30E-02	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.319	—	—	3.30E-02	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.323	—	—	3.30E-02	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.324	—	—	3.30E-02	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.322	—	—	3.30E-02	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.317	—	—	3.30E-02	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	144	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	150	—	—	4.30E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	143	—	—	4.30E-01	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	144	—	—	4.30E-01	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	147	—	—	4.30E-01	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	146	—	—	4.30E-01	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	149	—	—	4.30E-01	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	142	—	—	4.30E-01	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	142	—	—	4.30E-01	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	145	—	—	4.30E-01	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.4	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.6	—	—	8.50E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.3	—	—	8.50E-02	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.4	—	—	8.50E-02	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.4	—	—	8.50E-02	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.3	—	—	8.50E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.5	—	—	8.50E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.1	—	—	8.50E-02	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.2	—	—	8.50E-02	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10.2	—	—	8.50E-02	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.85	—	—	1.00E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4	—	—	1.00E-01	mg/L	—	J-	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/14/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.3	—	—	5.00E-02	mg/L	—	—	08-182	CAMO-08-8712	GELC
R-28	1781	934.3	08/17/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.78	—	—	5.00E-02	mg/L	—	J-	191952	GF070800G28R01	GELC
R-28	1781	934.3	06/13/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	5.39	—	—	1.00E-01	mg/L	—	J-	187915	GF070600G28R01	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.893	—	—	5.00E-02	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.982	—	—	1.00E-01	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.979	—	—	5.00E-02	µg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.948	—	—	5.00E-02	µg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.955	—	—	5.00E-02	µg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.936	—	—	5.00E-02	µg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.944	—	—	5.00E-02	µg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.936	—	—	5.00E-02	µg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.76	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.83	—	—	5.00E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.87	—	—	5.00E-02	mg/L	—	—	08-297	GW28-08-9198	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.72	—	—	5.00E-02	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.86	—	—	5.00E-02	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.75	—	—	5.00E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.83	—	—	5.00E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.85	—	—	5.00E-02	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.85	—	—	5.00E-02	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.84	—	—	5.00E-02	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.1	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.4	—	—	4.50E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15	—	—	4.50E-02	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.2	—	—	4.50E-02	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.1	—	—	4.50E-02	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.3	—	—	4.50E-02	mg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	16.4	—	—	4.50E-02	mg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.9	—	—	4.50E-02	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	14.9	—	—	4.50E-02	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	15.1	—	—	4.50E-02	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	370	—	—	1.00E+00	µS/cm	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	336	—	—	1.00E+00	µS/cm	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	407	—	—	1.00E+00	µS/cm	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	408	—	—	1.00E+00	µS/cm	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	42.9	—	—	5.00E-01	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	43.2	—	—	2.00E-01	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	43.3	—	—	2.00E-01	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	42.6	—	—	2.00E-01	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	42.4	—	—	2.00E-01	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	43.3	—	—	2.00E-01	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	42.7	—	—	2.00E-01	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	42.4	—	—	2.00E-01	mg/L	—	J-	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	270	—	—	2.40E+00	mg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	271	—	—	2.40E+00	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	298	—	—	2.40E+00	mg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	296	—	—	2.40E+00	mg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	277	—	—	2.40E+00	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	292	—	—	2.40E+00	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	287	—	—	2.40E+00	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	286	—	—	2.40E+00	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.52	—	—	3.30E-01	mg/L	J	J	08-1155	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.574	—	—	3.30E-01	mg/L	J	J	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/14/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.44	—	—	3.30E-01	mg/L	J	J	08-182	CAMO-08-8713	GELC
R-28	1781	934.3	08/17/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.734	—	—	3.30E-01	mg/L	J	—	191952	GU070800G28R01	GELC
R-28	1781	934.3	06/13/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.949	—	—	3.30E-01	mg/L	J	—	187915	GU070600G28R01	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.044	—	—	2.40E-02	mg/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/14/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-182	CAMO-08-8712	GELC
R-28	1781	934.3	08/17/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.04	—	—	2.40E-02	mg/L	J	U	191952	GF070800G28R01	GELC
R-28	1781	934.3	06/13/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.052	—	—	2.40E-02	mg/L	—	U	187915	GF070600G28R01	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.87	—	—	1.00E-02	SU	H	J-	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.9	—	—	1.00E-02	SU	H	J-	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.75	—	—	1.00E-02	SU	H	J-	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	7.79	—	—	1.00E-02	SU	H	J-	08-292	GW28-08-9162	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	61.3	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	63.5	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10441	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.5	—	—	1.00E+00	µg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62.1	—	—	1.00E+00	µg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	62	—	—	1.00E+00	µg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	60.6	—	—	1.00E+00	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	63.3	—	—	1.00E+00	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	61.5	—	—	1.00E+00	µg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	61.4	—	—	1.00E+00	µg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	61.8	—	—	1.00E+00	µg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	18.1	—	—	1.00E+01	µg/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	24.2	—	—	1.00E+01	µg/L	J	J	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	27.7	—	—	1.00E+01	µg/L	J	U	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	26.8	—	—	1.00E+01	µg/L	J	U	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	26.4	—	—	1.00E+01	µg/L	J	J	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	15.2	—	—	1.00E+01	µg/L	J	J	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	21.6	—	—	1.00E+01	µg/L	J	J	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	28.4	—	—	1.00E+01	µg/L	J	J	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	28.5	—	—	1.00E+01	µg/L	J	J	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	26.5	—	—	1.00E+01	µg/L	J	J	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	438	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	419	—	—	1.30E+01	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	381	—	—	1.00E+00	µg/L	E	J	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	369	—	—	1.00E+00	µg/L	E	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	370	—	—	1.00E+00	µg/L	E	J	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	381	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	381	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	05/14/08	WG	UF	RE	—	Metals	SW-846:6020	Chromium	—	393	—	—	1.30E+01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	391	—	—	1.30E+01	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	383	—	—	1.00E+00	µg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	379	—	—	1.00E+00	µg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	379	—	—	1.00E+00	µg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.8	—	—	1.00E-01	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.72	—	—	1.00E-01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	11.9	—	—	5.00E-01	µg/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	11.6	—	—	5.00E-01	µg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	10.5	—	—	5.00E-01	µg/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	10.2	—	—	5.00E-01	µg/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	10.6	—	—	5.00E-01	µg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	11	—	—	5.00E-01	µg/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	15.9	—	—	5.00E-01	µg/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	10.3	—	—	5.00E-01	µg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	10.5	—	—	5.00E-01	µg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	10.8	—	—	5.00E-01	µg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	69.6	—	—	3.20E-02	mg/L	E	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	77.6	—	—	3.20E-02	mg/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	<	75.2	—	—	3.20E-02	mg/L	—	U	08-297	GW28-08-9198	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	<	75.6	—	—	3.20E-02	mg/L	—	U	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	75.1	—	—	3.20E-02	mg/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	73.6	—	—	3.20E-02	mg/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	75.1	—	—	3.20E-02	mg/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	74.7	—	—	3.20E-02	mg/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	152	—	—	1.00E+00	ug/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	167	—	—	1.00E+00	ug/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	159	—	—	1.00E+00	ug/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	159	—	—	1.00E+00	ug/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	159	—	—	1.00E+00	ug/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	155	—	—	1.00E+00	ug/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	167	—	—	1.00E+00	ug/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	157	—	—	1.00E+00	ug/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	158	—	—	1.00E+00	ug/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	158	—	—	1.00E+00	ug/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.35	—	—	3.00E-01	ug/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.44	—	—	3.00E-01	ug/L	J	J	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-282	GW28-08-9169	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.43	—	—	3.00E-01	ug/L	J	J	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	ug/L	U	U	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.37	—	—	3.00E-01	ug/L	J	J	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	ug/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	ug/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	ug/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.2	—	—	1.00E+00	ug/L	—	—	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	ug/L	—	—	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.4	—	—	1.00E+00	ug/L	—	—	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	ug/L	—	—	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	ug/L	—	—	08-282	GW28-08-9169	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.9	—	—	1.00E+00	ug/L	—	—	08-1156	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	ug/L	—	—	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	ug/L	—	—	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	ug/L	—	—	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.5	—	—	1.00E+00	ug/L	—	—	08-279	GW28-08-9133	GELC
R-28	1781	934.3	05/14/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.9	—	—	2.00E+00	ug/L	J	J	08-1156	CAMO-08-12767	GELC
R-28	1781	934.3	02/15/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4	—	—	2.00E+00	ug/L	J	J	08-643	CAMO-08-10441	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	ug/L	U	U	08-297	GW28-08-9198	GELC
R-28	1781	934.3	11/30/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	ug/L	U	U	08-297	GW28-08-9183	GELC
R-28	1781	934.3	11/29/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.3	—	—	2.00E+00	ug/L	J	J	08-282	GW28-08-9169	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.8	—	—	2.00E+00	ug/L	J	J	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	ug/L	U	U	08-292	GW28-08-9162	GELC
R-28	1781	934.3	11/30/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	ug/L	J	J	08-292	GW28-08-9147	GELC
R-28	1781	934.3	11/29/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.5	—	—	2.00E+00	ug/L	J	J	08-279	GW28-08-9133	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-28	1781	934.3	05/14/08	WG	UF	CS	FTB	Voa	SW-846:8260B	Acetone	—	1.33	—	—	1.30E+00	µg/L	J	J	08-1155	CAMO-08-12766	GELC
R-28	1781	934.3	05/14/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	—	1.52	—	—	1.30E+00	µg/L	J	J	08-1155	CAMO-08-12768	GELC
R-28	1781	934.3	02/15/08	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	U	08-643	CAMO-08-10442	GELC
R-28	1781	934.3	11/14/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.30E+00	µg/L	U	U	08-182	CAMO-08-8713	GELC
R-28	1781	934.3	08/17/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	µg/L	U	—	191952	GU070800G28R01	GELC
R-28	1781	934.3	06/13/07	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1.25E+00	µg/L	U	—	187915	GU070600G28R01	GELC
R-34	1791	895.15	02/19/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	142	—	—	1.00E+00	µS/cm	—	—	08-649	CAMO-08-10450	GELC
R-34	1791	895.15	11/14/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	175	—	—	1.00E+00	µS/cm	—	—	08-182	CAMO-08-8644	GELC
R-34	1791	895.15	08/14/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	163	—	—	1.00E+00	µS/cm	—	—	191665	GF070800G34R01	GELC
R-34	1791	895.15	06/20/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	164	—	—	1.00E+00	µS/cm	—	—	188434	GF070600G34R01	GELC
R-34	1791	895.15	02/19/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.59	—	—	1.00E-02	SU	H	J-	08-649	CAMO-08-10450	GELC
R-34	1791	895.15	11/14/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.29	—	—	1.00E-02	SU	H	J-	08-182	CAMO-08-8644	GELC
R-34	1791	895.15	08/14/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.41	—	—	1.00E-02	SU	H	J	191665	GF070800G34R01	GELC
R-34	1791	895.15	06/20/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.05	—	—	1.00E-02	SU	H	J	188434	GF070600G34R01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	131	—	—	7.30E-01	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.4	—	—	7.30E-01	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.1	—	—	7.30E-01	mg/L	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.9	—	—	7.25E-01	mg/L	—	—	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.9	—	—	3.00E-02	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.3	—	—	3.00E-02	mg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	11.7	—	—	3.00E-02	mg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.93	—	—	6.60E-02	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.86	—	—	6.60E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.84	—	—	6.60E-02	mg/L	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.07	—	—	6.60E-02	mg/L	—	J	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.214	—	—	3.30E-02	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.174	—	—	3.30E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.167	—	—	3.30E-02	mg/L	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.175	—	—	3.30E-02	mg/L	—	—	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	46.5	—	—	3.50E-01	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	44.1	—	—	4.30E-01	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	44.9	—	—	3.50E-01	mg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	46.1	—	—	4.30E-01	mg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.09	—	—	8.50E-02	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	3.88	—	—	8.50E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.05	—	—	8.50E-02	mg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.09	—	—	8.50E-02	mg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.315	—	—	5.00E-02	mg/L	—	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.326	—	—	5.00E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.165	—	—	5.00E-02	mg/L	J	J-	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.027	—	—	1.00E-02	mg/L	J	JN-	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.321	—	—	5.00E-02	µg/L	—	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.31	—	—	5.00E-02	µg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.251	—	—	5.00E-02	µg/L	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.264	—	—	5.00E-02	µg/L	—	J	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.64	—	—	5.00E-02	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.57	—	—	5.00E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.59	—	—	5.00E-02	mg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	1.65	—	—	5.00E-02	mg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	65.6	—	—	3.20E-02	mg/L	—	J	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.8	—	—	4.50E-02	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	9.99	—	—	4.50E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.4	—	—	4.50E-02	mg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	10.4	—	—	4.50E-02	mg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	138	—	—	1.00E+00	µS/cm	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	129	—	—	1.00E+00	µS/cm	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	131	—	—	1.00E+00	µS/cm	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.18	—	—	1.00E-01	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.17	—	—	1.00E-01	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.08	—	—	1.00E-01	mg/L	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.12	—	—	1.00E-01	mg/L	—	—	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	129	—	—	2.40E+00	mg/L	—	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	124	—	—	2.40E+00	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	129	—	—	2.40E+00	mg/L	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	124	—	—	2.38E+00	mg/L	—	—	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.428	—	—	3.30E-01	mg/L	J	J	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.382	—	—	3.30E-01	mg/L	J	J	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	11/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-162	CASA-08-8052	GELC
Test Well 8	4731	953	08/22/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.55	—	—	3.30E-01	mg/L	J	—	192311	GU070800G8WT01	GELC
Test Well 8	4731	953	06/06/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.35	—	—	3.30E-01	mg/L	J	—	187406	GU070500G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	14.5	—	—	1.20E+00	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.027	—	—	2.40E-02	mg/L	J	U	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.028	—	—	2.40E-02	mg/L	J	U	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	08/22/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.047	—	—	2.40E-02	mg/L	J	U	192311	GF070800G8WT01	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.19	—	—	1.00E-02	SU	H	J-	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.15	—	—	1.00E-02	SU	H	J-	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.24	—	—	1.00E-02	SU	H	J-	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	6.5	—	—	1.00E+00	µg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	6.2	—	—	1.00E+00	µg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	6.5	—	—	1.00E+00	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	6.6	—	—	1.00E+00	µg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	14.5	—	—	1.00E+01	µg/L	J	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	13.8	—	—	1.00E+01	µg/L	J	J	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	<	50	—	—	1.00E+01	µg/L	U	U	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	7.4	—	—	2.50E+00	µg/L	J	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8.8	—	—	2.50E+00	µg/L	J	J	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	13.3	—	—	2.50E+00	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9.1	—	—	2.50E+00	µg/L	J	J	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	48.2	—	—	2.50E+01	µg/L	J	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	30.4	—	—	2.50E+01	µg/L	J	J	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	189	—	—	2.50E+01	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	69.4	—	—	2.50E+01	µg/L	J	J	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.9	—	—	5.00E-01	µg/L	J	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Lead	—	1.2	—	—	5.00E-01	µg/L	J	J	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	4.3	—	—	5.00E-01	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	2.6	—	—	5.00E-01	µg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	3.1	—	—	2.00E+00	µg/L	J	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.1	—	—	2.00E+00	µg/L	J	J	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1	—	—	1.00E-01	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-610	CAMO-08-10529	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.2	—	—	5.00E-01	µg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.2	—	—	5.00E-01	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	61.8	—	—	3.20E-02	mg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	62.9	—	—	3.20E-02	mg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	11/12/07	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	60.3	—	—	3.20E-02	mg/L	—	—	08-162	CASA-08-8049	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	52.8	—	—	1.00E+00	µg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	50.7	—	—	1.00E+00	µg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	50.9	—	—	1.00E+00	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	52.9	—	—	1.00E+00	µg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.31	—	—	3.00E-01	µg/L	J	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.59	—	—	5.00E-02	µg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.57	—	—	5.00E-02	µg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.59	—	—	5.00E-02	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.56	—	—	5.00E-02	µg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.3	—	—	1.00E+00	µg/L	—	J	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	5.3	—	—	1.00E+00	µg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.7	—	—	1.00E+00	µg/L	—	J	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	5.2	—	—	1.00E+00	µg/L	—	—	08-610	CAMO-08-10529	GELC
Test Well 8	4731	953	05/17/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	270	—	—	2.00E+00	µg/L	—	—	08-1176	CAMO-08-12745	GELC
Test Well 8	4731	953	02/12/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	263	—	—	2.00E+00	µg/L	—	—	08-610	CAMO-08-10526	GELC
Test Well 8	4731	953	05/19/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	303	—	—	2.00E+00	µg/L	—	—	08-1176	CAMO-08-12747	GELC
Test Well 8	4731	953	02/12/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	300	—	—	2.00E+00	µg/L	—	—	08-610	CAMO-08-10529	GELC
E-1FW	n/a	n/a	2/20/2008	WS	UF	CS	—	Rad	LLEE	Tritium	—	56.1968	1.92E+00	2.87E-01	—	pCi/L	—	—	08-699	CAMO-08-10862	UMTL
E-1FW	n/a	n/a	3/1/2007	WP	UF	CS	—	Rad	LLEE	Tritium	—	95.79	3.19E+00	2.87E-01	—	pCi/L	—	—	2317	UU07020PWF1E01	UMTL
E-1FW	n/a	n/a	9/13/2005	WS	UF	CS	—	Rad	EPA:906.0	Tritium	<	-42.1	6.98E+01	2.43E+02	—	pCi/L	U	U	145452	GU0509PWF1E01	GELC
E-1FW	n/a	n/a	4/20/2005	WS	UF	CS	—	Rad	LLEE	Tritium	—	117.1831	3.83E+00	—	2.87E-01	pCi/L	—	—	2052	UU0504PWF1E01	UMTL
E-1FW	n/a	n/a	4/20/2005	WS	UF	CS	—	Rad	EPA:906.0	Tritium	<	118	6.50E+01	2.13E+02	—	pCi/L	U	U	135037	GU0504PWF1E01	GELC
M-1E	n/a	n/a	2/21/2008	WS	UF	CS	—	Rad	LLEE	Tritium	—	33.8458	9.58E-01	2.87E-01	—	pCi/L	—	—	08-698	CAMO-08-10863	UMTL
M-1E	n/a	n/a	6/19/2007	WP	UF	CS	—	Rad	LLEE	Tritium	—	56.1968	1.92E+00	2.87E-01	—	pCi/L	—	—	2357	UU070600PE1M01	UMTL
M-1E	n/a	n/a	3/6/2007	WP	UF	CS	—	Rad	LLEE	Tritium	—	78.2285	2.55E+00	2.87E-01	—	pCi/L	—	—	2317	UU070200PE1M01	UMTL
M-1E	n/a	n/a	9/9/2005	WS	UF	CS	—	Rad	EPA:906.0	Tritium	<	160	6.75E+01	2.18E+02	—	pCi/L	U	U	145195	GU05090PE1M01	GELC
M-1E	n/a	n/a	4/29/2005	WS	UF	CS	—	Rad	EPA:906.0	Tritium	<	153	5.85E+01	1.87E+02	—	pCi/L	U	U	135660	GU05040PE1M01	GELC
M-1E	n/a	n/a	4/29/2005	WS	UF	CS	—	Rad	LLEE	Tritium	—	86.8496	2.87E+00	2.87E-01	—	pCi/L	—	—	2056	UU05040PE1M01	UMTL
MCOI-4	5981	499	11/12/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium-53/52	—	1.85	—	—	1.00E-01	%	—	—	08-361	CAMO-08-8619	UIL
MCOI-5	5721	689	2/13/2008	WG	F	CS	—	Metals	SW-846:6020	Chromium-53/52	—	2.84	—	—	1.00E-01	%	—	—	08-688	CAMO-08-10422	UIL
MCOI-5	5721	689	11/12/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium-53/52	—	2	—	—	1.00E-01	%	—	—	08-361	CAMO-08-8625	UIL
MCOI-6	5731	686	11/9/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium-53/52	—	1.55	—	—	1.00E-01	%	—	—	08-359	CASA-08-7612	UIL
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	239	—	—	7.25E-01	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	236	—	—	7.25E-01	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	211	—	—	7.30E-01	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	260	—	—	7.25E-01	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	112	—	—	7.25E-01	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	209	—	—	7.25E-01	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	250	—	—	7.25E-01	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	232	—	—	7.25E-01	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	10400	—	—	6.80E+01	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	UF	CS	FB	Metals	SW-846:6010B	Aluminum	—	75.8	—	—	6.80E+01	µg/L	J	—	191858	GU070800GPRS01-FB	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	343	—	—	6.80E+01	µg/L	—	—	182273	GU070200GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0332	2.60E-02	9.50E-02	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00785	1.17E-02	2.87E-02	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00464	4.10E-03	3.90E-02	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00743	1.95E-02	3.89E-02	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2	—	—	1.50E+00	µg/L	J	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	3.3	—	—	1.50E+00	µg/L	J	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	3.1	—	—	1.50E+00	µg/L	J	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.7	—	—	1.50E+00	µg/L	J	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.9	—	—	1.50E+00	µg/L	J	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	145	—	—	1.00E+00	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	102	—	—	1.00E+00	µg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	100	—	—	1.00E+00	µg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	116	—	—	1.00E+00	µg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	119	—	—	1.00E+00	µg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	95.6	—	—	1.00E+00	µg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	123	—	—	1.00E+00	µg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	100	—	—	1.00E+00	µg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	98.3	—	—	1.00E+00	µg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	119	—	—	1.00E+00	µg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	113	—	—	1.00E+00	µg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	80.5	—	—	1.00E+01	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	96.8	—	—	1.00E+01	µg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	99.2	—	—	1.00E+01	µg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	118	—	—	1.00E+01	µg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	121	—	—	1.00E+01	µg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	79.4	—	—	1.00E+01	µg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	102	—	—	1.00E+01	µg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	93.7	—	—	1.00E+01	µg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	97.9	—	—	1.00E+01	µg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	120	—	—	1.00E+01	µg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	115	—	—	1.00E+01	µg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Bromide	—	0.378	—	—	6.60E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Bromide	—	0.45	—	—	6.60E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.381	—	—	6.70E-02	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.364	—	—	6.60E-02	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.343	—	—	6.60E-02	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.409	—	—	6.60E-02	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.39	—	—	6.60E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.449	—	—	6.60E-02	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.23	—	—	1.10E-01	µg/L	J	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	107	—	—	3.00E-02	mg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	99.9	—	—	3.60E-02	mg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	110	—	—	3.60E-02	mg/L	—	—	182273	GU070200GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	123	—	—	3.60E-02	mg/L	N	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	124	—	—	3.60E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	107	—	—	3.00E-02	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	113	—	—	3.00E-02	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	98	—	—	3.60E-02	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	108	—	—	3.60E-02	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	124	—	—	3.60E-02	mg/L	N	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	117	—	—	3.60E-02	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.155	1.40E+00	4.10E+00	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.26	1.30E+00	3.82E+00	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.383	1.10E+00	3.50E+00	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.33	1.15E+00	4.44E+00	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	73.9	—	—	6.60E-01	mg/L	—	J	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	79.3	—	—	6.60E-01	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	68.2	—	—	6.60E-01	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	73.9	—	—	6.60E-01	mg/L	—	J	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	71.9	—	—	6.60E-01	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	67.6	—	—	6.60E-01	mg/L	—	J	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	74.8	—	—	6.60E-01	mg/L	—	J	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	79	—	—	6.60E-01	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6.1	—	—	2.50E+00	µg/L	J	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	µg/L	U	UJ	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	µg/L	U	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	1.5	—	—	1.00E+00	µg/L	J	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.1	—	—	1.00E+00	µg/L	J	J+	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.4	—	—	1.00E+00	µg/L	—	J-	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	µg/L	U	UJ	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	µg/L	U	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	1	—	—	1.00E+00	µg/L	U	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.2	—	—	1.00E+00	µg/L	J	J+	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	1.5	—	—	1.00E+00	µg/L	J	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	UJ	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	<	1	—	—	1.00E+00	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.808	1.00E+00	3.70E+00	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.0251	1.30E+00	4.40E+00	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.14	1.25E+00	4.35E+00	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	7.3	—	—	3.00E+00	µg/L	J	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	R	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00265	—	—	1.50E-03	mg/L	J	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	—	0.00873	—	—	1.50E-03	mg/L	—	—	175330	GF061000GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015	—	—	1.50E-03	mg/L	U	UJ	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.896	—	—	3.30E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.861	—	—	3.30E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.966	—	—	3.30E-02	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.13	—	—	3.30E-02	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.41	—	—	3.30E-02	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.892	—	—	3.30E-02	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.901	—	—	3.30E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.855	—	—	3.30E-02	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	109	9.40E+01	3.50E+02	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	114	8.62E+01	3.42E+02	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	105	5.00E+01	3.30E+02	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	254	3.07E+02	6.62E+02	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	346	—	—	4.30E-01	mg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	319	—	—	4.40E-01	mg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	350	—	—	4.40E-01	mg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	390	—	—	8.50E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	393	—	—	8.50E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	338	—	—	4.30E-01	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	361	—	—	4.25E-01	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	312	—	—	4.40E-01	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	346	—	—	4.40E-01	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	394	—	—	8.50E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	373	—	—	8.50E-02	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	7270	—	—	2.50E+01	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	65.4	—	—	1.80E+01	µg/L	J	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	198	—	—	1.80E+01	µg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	38.4	—	—	1.80E+01	µg/L	J	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Lead	—	3.9	—	—	5.00E-01	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6020	Lead	<	0.5	—	—	5.00E-01	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	19.2	—	—	8.50E-02	mg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	16.8	—	—	8.50E-02	mg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	18.6	—	—	8.50E-02	mg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	20.2	—	—	8.50E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	20.4	—	—	8.50E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	17.2	—	—	8.50E-02	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	19	—	—	8.50E-02	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	16.5	—	—	8.50E-02	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	18.2	—	—	8.50E-02	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	20.3	—	—	8.50E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	19.3	—	—	8.50E-02	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	87	—	—	2.00E+00	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U*	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	2.4	—	—	2.00E+00	µg/L	J	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3.1	—	—	2.00E+00	µg/L	J	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	5.5	—	—	2.00E+00	µg/L	J	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U*	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	182273	GF070200GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	2.3	—	—	2.00E+00	µg/L	J	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	2.5	—	—	1.00E-01	µg/L	—	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.7	—	—	2.00E+00	µg/L	J	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	4.3	—	—	2.00E+00	µg/L	J	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.5	—	—	2.00E+00	µg/L	J	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.6	—	—	1.00E-01	µg/L	—	J	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.4	—	—	2.00E+00	µg/L	J	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.6	—	—	2.00E+00	µg/L	J	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.4	—	—	2.00E+00	µg/L	J	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.7	—	—	2.00E+00	µg/L	J	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.08	1.00E+01	3.00E+01	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	21.3	9.29E+00	2.86E+01	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-4.82	9.00E+00	2.70E+01	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-9.94	8.55E+00	2.85E+01	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	8.7	—	—	5.00E-01	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	µg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.2	—	—	5.00E-01	µg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	5	—	—	5.00E-01	µg/L	—	J+	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.5	—	—	5.00E-01	µg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5.2	—	—	5.00E-01	µg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.2	—	—	5.00E-01	µg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.6	—	—	5.00E-01	µg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.4	—	—	5.00E-01	µg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	5	—	—	5.00E-01	µg/L	—	J+	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	4.2	—	—	5.00E-01	µg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	4.1	—	—	1.40E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	8.9	—	—	1.40E-01	mg/L	—	J	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	10	—	—	2.50E-01	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	7.58	—	—	2.00E-01	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	14.4	—	—	2.00E-01	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	3.64	—	—	1.40E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	8.97	—	—	1.40E-01	mg/L	—	J	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzodioxin[1,2,3,4,6,7,8,9-]	—	3.02E-06	—	—	3.02E-06	µg/L	J	J	08-663	CAMO-08-10845	ALTC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzodioxin[1,2,3,4,6,7,8,9-]	—	2.78E-06	—	—	2.78E-06	µg/L	J	J	29125	AU070600GPRS01	ALTC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzodioxin[1,2,3,4,6,7,8,9-]	<	8.92E-06	—	—	8.92E-06	µg/L	U	UJ	28793	AU070200GPRS01	ALTC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzodioxin[1,2,3,4,6,7,8,9-]	<	1.62E-06	—	—	1.62E-06	µg/L	U	UJ	28333	AU061000GPRS01	ALTC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzodioxin[1,2,3,4,6,7,8,9-]	<	0.0000154	—	—	—	µg/L	—	U	G341-249	GU060500GPRS01	SGSW
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.58	—	—	1.00E-01	µg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.68	—	—	2.00E-01	µg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.63	—	—	1.00E-01	µg/L	—	J	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	1.62	—	—	2.00E-01	µg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	1.52	—	—	1.00E-01	µg/L	—	J	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	7.87	—	—	1.00E-02	SU	H	J	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	7.9	—	—	1.00E-02	SU	H	J	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.95	—	—	1.00E-02	SU	H	J-	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.94	—	—	1.00E-02	SU	H	J	191858	GF070800GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.65	—	—	1.00E-02	SU	H	J	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.01	—	—	1.00E-02	SU	H	J	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.09	—	—	1.00E-02	SU	H	J	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.9	—	—	1.00E-02	SU	H	J	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00479	5.80E-03	2.90E-02	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00742	1.02E-02	2.38E-02	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0105	5.00E-03	3.20E-02	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	3.03E-10	5.08E-03	2.44E-02	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0016	2.80E-03	3.40E-02	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.0148	9.27E-03	2.77E-02	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	1.80E-03	3.80E-02	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00508	5.08E-03	2.84E-02	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.01	—	—	5.00E-02	mg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.49	—	—	5.00E-02	mg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.98	—	—	5.00E-02	mg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.77	—	—	5.00E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.83	—	—	5.00E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.84	—	—	5.00E-02	mg/L	—	J	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.96	—	—	5.00E-02	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.31	—	—	5.00E-02	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.68	—	—	5.00E-02	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.77	—	—	5.00E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	5.54	—	—	5.00E-02	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	21.2	1.77E+01	4.99E+01	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	1.72	1.60E+01	5.10E+01	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	25.7	1.45E+01	5.90E+01	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1.4	—	—	1.00E+00	µg/L	J	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	1.2	—	—	1.00E+00	µg/L	J	J	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	1	—	—	1.00E+00	µg/L	U	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	2.6	—	—	2.50E+00	µg/L	J	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	44.2	—	—	3.20E-02	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	39.6	—	—	4.50E-02	mg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	44	—	—	4.50E-02	mg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	39.9	—	—	4.50E-02	mg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	40.9	—	—	4.50E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	40.9	—	—	4.50E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	40.9	—	—	4.50E-02	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	45.9	—	—	4.50E-02	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	40.9	—	—	4.50E-02	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	38.9	—	—	4.50E-02	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	40.8	—	—	4.50E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	39.1	—	—	4.50E-02	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.13	1.00E+00	3.40E+00	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.75	9.42E-01	3.59E+00	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.12	1.20E+00	4.30E+00	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.38	1.37E+00	5.41E+00	—	pCi/L	U	U	166714	GF060500GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	925	—	—	1.00E+00	uS/cm	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	883	—	—	1.00E+00	uS/cm	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	776	—	—	1.00E+00	uS/cm	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	939	—	—	1.00E+00	uS/cm	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	890	—	—	1.00E+00	uS/cm	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	848	—	—	1.00E+00	uS/cm	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	938	—	—	1.00E+00	uS/cm	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	902	—	—	1.00E+00	uS/cm	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	619	—	—	1.00E+00	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	572	—	—	1.00E+00	µg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	592	—	—	1.00E+00	µg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	674	—	—	1.00E+00	µg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	694	—	—	1.00E+00	µg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	614	—	—	1.00E+00	µg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	664	—	—	1.00E+00	µg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	561	—	—	1.00E+00	µg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	587	—	—	1.00E+00	µg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	689	—	—	1.00E+00	µg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	661	—	—	1.00E+00	µg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.00147	9.80E-02	3.80E-01	—	pCi/L	U	U	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.229	7.38E-02	2.68E-01	—	pCi/L	U	U	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.107	8.40E-02	3.60E-01	—	pCi/L	U	U	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.343	1.17E-01	4.30E-01	—	pCi/L	U	U	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	72.3	—	—	1.00E+00	mg/L	—	J	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	75.3	—	—	1.00E+00	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	61.1	—	—	1.00E+00	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	64.3	—	—	1.00E+00	mg/L	—	J	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	66.4	—	—	1.00E+00	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	62.4	—	—	1.00E+00	mg/L	—	J	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	72	—	—	1.00E+00	mg/L	—	J	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	75.2	—	—	1.00E+00	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	295	—	—	2.30E+00	mg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	5.6	—	—	2.28E+00	mg/L	J	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	—	—	2.28E+00	mg/L	U	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	6	—	—	5.70E+00	mg/L	J	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	1.27	—	—	1.27E+00	mg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	543	—	—	2.40E+00	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	572	—	—	2.38E+00	mg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	531	—	—	2.38E+00	mg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	563	—	—	2.38E+00	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	545	—	—	2.38E+00	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	534	—	—	2.38E+00	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	573	—	—	2.38E+00	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	575	—	—	2.38E+00	mg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.397	—	—	2.90E-02	mg/L	—	J	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.184	—	—	2.90E-02	mg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.278	—	—	1.00E-02	mg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.341	—	—	1.00E-02	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.276	—	—	1.00E-02	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.083	—	—	2.90E-02	mg/L	J	JN-	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.192	—	—	1.00E-02	mg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.327	—	—	1.00E-02	mg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.266	—	—	1.00E-02	mg/L	—	—	166714	GF060500GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.71	—	—	3.30E-01	mg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.7	—	—	3.30E-01	mg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.53	—	—	3.30E-01	mg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.68	—	—	3.30E-01	mg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.8	—	—	3.30E-01	mg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.023	—	—	1.00E-02	mg/L	J	JN-	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.023	—	—	1.00E-02	mg/L	J	JN-	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.059	—	—	2.40E-02	mg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.06	—	—	2.40E-02	mg/L	—	U	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.01	—	—	1.00E-02	mg/L	U	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.026	—	—	1.00E-02	mg/L	J	JN-	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.033	—	—	1.00E-02	mg/L	J	JN-	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	28.6	—	—	5.00E-02	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	22.3	—	—	5.00E-02	µg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	26.9	—	—	5.00E-02	µg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	32.5	—	—	5.00E-02	µg/L	—	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	32.3	—	—	5.00E-02	µg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	28.8	—	—	5.00E-02	µg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	29.6	—	—	5.00E-02	µg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	22.3	—	—	5.00E-02	µg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	28.2	—	—	5.00E-02	µg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	32.6	—	—	5.00E-02	µg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	31.6	—	—	5.00E-02	µg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	14	9.40E-01	1.60E-01	—	pCi/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	14	8.76E-01	1.76E-01	—	pCi/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	12.2	7.80E-01	1.30E-01	—	pCi/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	14.7	1.01E+00	2.81E-01	—	pCi/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.429	5.80E-02	7.90E-02	—	pCi/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.657	9.10E-02	1.48E-01	—	pCi/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	—	0.431	5.20E-02	6.40E-02	—	pCi/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	—	0.6	1.17E-01	2.37E-01	—	pCi/L	—	J	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	9.19	6.30E-01	9.40E-02	—	pCi/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	9.07	5.91E-01	1.87E-01	—	pCi/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	8.05	5.30E-01	7.60E-02	—	pCi/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	9.98	7.16E-01	2.99E-01	—	pCi/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	25.8	—	—	1.00E+00	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	15	—	—	1.00E+00	µg/L	—	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	12.3	—	—	1.00E+00	µg/L	—	—	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.5	—	—	1.00E+00	µg/L	—	—	175330	GU061000GPRS01	GELC

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	12.5	—	—	1.00E+00	µg/L	—	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.4	—	—	1.00E+00	µg/L	—	—	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	15.4	—	—	1.00E+00	µg/L	—	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	14.8	—	—	1.00E+00	µg/L	—	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11.7	—	—	1.00E+00	µg/L	—	—	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.3	—	—	1.00E+00	µg/L	—	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	12.2	—	—	1.00E+00	µg/L	—	—	166714	GF060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	20.7	—	—	2.00E+00	µg/L	—	—	08-666	CAMO-08-10845	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	188434	GU070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	4.4	—	—	2.00E+00	µg/L	J	U	182273	GU070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	175330	GU061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	166714	GU060500GPRS01	GELC
Pine Rock Spring	n/a	n/a	2/20/2008	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.1	—	—	2.00E+00	µg/L	J	J	08-666	CAMO-08-10844	GELC
Pine Rock Spring	n/a	n/a	8/16/2007	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	191858	GF070800GPRS01	GELC
Pine Rock Spring	n/a	n/a	6/21/2007	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	188434	GF070600GPRS01	GELC
Pine Rock Spring	n/a	n/a	3/12/2007	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2.9	—	—	2.00E+00	µg/L	J	U	182273	GF070200GPRS01	GELC
Pine Rock Spring	n/a	n/a	10/31/2006	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	175330	GF061000GPRS01	GELC
Pine Rock Spring	n/a	n/a	7/7/2006	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	166714	GF060500GPRS01	GELC

Note: Data highlighted in yellow are unreported from the previous periodic monitoring event plus previous three detections.

Appendix E

Screening Results

The following pages provide (1) definitions for other codes, (2) laboratory qualifier codes, (3) secondary validation flag codes, and (4) secondary validation reason codes. Refer to each of these sets of codes while reviewing the tables in Appendix E.

Definitions for Other Codes

Field Prep Code	
Field Prep Code	Description
ASHED	Ashed
CRUSH	Crushed
F	Filtered
NA	Not Analyzed
SV	Sieved
UA	Unassigned
UF	Unfiltered
UNK	Unknown
Field QC Type Code	
Field QC Type Code	Description
CO	Collocated
EQB	Equipment Blank
FB	Field Blank
FD	Field Duplicate
FPR	Field Prepared Reagent
FPS	Field Prepared Spike
FR	Field Rinsate
FS	Field Split
FTB	Field Trip Blank
FTR	Field Triplicate
INB	Equipment blank taken during installation and not assoc with a sampling event
ITB	Trip blank taken during installation and not assoc with a sampling event
n/a	Not Applicable
PE	Performance Evaluation
PEB	Performance Evaluation Blank
PEK	Performance Evaluation Known
RES	Resample
SS	Special Sampling Event, Data Unique
UA	Unassigned

Definitions for Other Codes (continued)

Analyte Suite Code	
Suite Code	Description
DIOX/FUR	Dioxins and Furans
DRO	Diesel Range Organics
GENINORG	General Inorganics
HERB	Herbicides
HEXP	High Explosives
METALS	Metal
PEST/PCB	Pesticides and PCBs
RAD	Radionuclides
SVOA	Semivolatile Organics
VOA	Volatile Organics
Laboratory Sample Type Code	
Lab Sample Type Code	Description
BLIND	Blind QC
BS	Blank Spike
BSD	Blank Spike Duplicate
CS	Client Sample
DL	Dilution
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LCST	Laboratory Control Sample Triplicate
MB	Method Blank
MBD	Method Blank Duplicate
MBT	Method Blank Triplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
MSQD	Matrix Spike Quadruplicate
MSQT	Fifth Matrix Spike
MST	Matrix Spike Triplicate
QNT	Fifth Replicate
QUD	Quadruplicate
RE	Reanalysis
REDP	Reanalysis Duplicate
RETRP	Reanalysis Triplicate
RI	Reissue
RID	Reissue Duplicate
SXT	Sixth Replicate
TOTC	Calculated Total
TOTCD	Calculated Total for a Duplicate
TRP	Triplicate

Laboratory Qualifier Codes

Lab Qualifier Code	Laboratory Qualifier Description
*	*(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
**	** (Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
*E	*(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more Contract Laboratory Program (CLP) acceptance criteria as explained in the case narrative.
ABJ	(A) (Organic)—The tentatively Identified compound is an aldol condensate. (B) (Organic).—This analyte was detected in the associated laboratory method blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
AJ	A (Organic)—The tentatively Identified compound is an aldol condensate. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
B	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
B*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
B*E	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BEN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
BEN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
BJ	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
BJN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC).
BJP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
BN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BNE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
BW	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
D	(D) (Organic)—The result for this analyte was reported from a dilution.
DJ	(D) (Organic)—The result for this analyte was reported from a dilution. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
DP	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
DPX	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
E	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
E*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
EJ	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
EJ*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
EN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
H	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
I	(I) (DIOXIN)—The laboratory is reporting an interference for the associated congener. The reported concentration is an estimated maximum possible concentration (EMPC) due to the reported interference.
J	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
J*	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
JN	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
JN*	(J) (Organic/Inorganic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
JP	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
JPX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
JX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
L	(L) (Inorganic)—The result for this analyte in the serial dilution sample indicates physical and chemical interferences are present.
LT	(LT) (Rad)—The result for this analyte is affected by spectral interference.
N	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
N*	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
P	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
PJ	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
PX	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
Q	(Q)—The result for this analyte was reported at an elevated reporting limit.
SI	(SI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
SQ	(SQ) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
TI	(TI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
U	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit.
U*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UE	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
UEN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
UH	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UI	(UI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification.
UJ	(UJ) (Organic)—Legacy Chemical Sciences and Technology (CST) laboratory code should not be used.
UL	UL (all suites)—Not detected legacy—This laboratory qualifier code is applied by WQ personnel for CST data and other legacy data that was reported as not detected using the less than symbol without the laboratory assigning a U laboratory code.
UN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
UN*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UUI	(UUI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification, and the laboratory assigned these gamma spectroscopy results as not detected.
UW	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
UY2	(UY2) (Rad)—Result should be regarded as an uncertain identification due to spectral interference.
W	(W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
X	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
XB	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected. (B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit.

Secondary Validation Flag Codes

Valid Flag Code	Valid Flag Desc
A	The contractually required supporting documentation for this datum is absent.
GUP	Matrix and units are inconsistent.
IUP	Matrix and units are inconsistent.
J	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual.
J+	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
J-	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
JN+	Presumptive evidence of the presence of the material at an estimated quantity with a suspected positive bias
JN-	Presumptive evidence of the presence of the material at an estimated quantity with a suspected negative bias
JPM	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual. Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
LIMIT	The limit type is uncertain.
MS	Invalid validation flag. MS indicates a laboratory matrix-spike sample.
MSD	Invalid validation flag. MSD indicates a laboratory matrix-spike duplicate sample.
N	Presumptive evidence of the presence of the material
NJ	(Organic)—Analyte has been tentatively identified, and the associated numerical value is estimated based upon 1:1 response factor to the nearest eluting internal standard (IS).
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
NUP	Matrix and units are inconsistent B.
P	Use professional judgment based on data use. A decision must be made by the project manager or a delegate with regard to the need for further review of the data. This review should include some consideration of potential impact that could result from using the P-qualified data.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
R	The reported sample result is classified as rejected due to serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone

Secondary Validation Flag Codes (continued)

Valid Flag Code	Valid Flag Description
RPM	The reported sample result is classified as rejected because of serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
RUP	Matrix and units are inconsistent C.
U	The analyte is classified as not detected.
UA	Invalid validation flag of unknown meaning
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.
VUP	Matrix and units are inconsistent D.

Secondary Validation Reason Codes

Valid Reason Code	Valid Reason Description
C12d	VOC_C12d
DR12a	ORGANIC_ODRO12a
DR3b	ORGANIC_ODRO3b
DR9a	ORGANIC_ODRO9a
G165b	GAMMA_GR165b
G165c	GAMMA_GR165c
G16b	GAMMA_G16b
G16bc	GAMMA_GR16bc
G16c	GAMMA_G16c
G3TPU	The sample result is less than or equal to 3 times the 1-sigma total propagated uncertainty.
G9a	GAMMA_G9a
G9ra	GAMMA_G9ra
GADM1	GAMMA_GADMIN1
GADMI	GAMMA_GADMIN1
GCZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
GI16b	GAMMA_GI16b
GI16c	GAMMA_GI16c
GI16d	GAMMA_GI16d
GI4	GAMMA_GI4
GI5	GAMMA_GI5
GIQ	GIQ
GIR16	GAMMA_GIR16c
GJCST	CST validators assigned a J-qualifier to this sample result. The hard copy validation report should be reviewed to determine the reason for applying the J-qualifier.
GJLAB	GJLAB_GAMMA

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GLCS	The percent recovery from the laboratory control sample for this analyte was less than 10%.
GNONE	A reason code is not available in the database for the data qualifier(s) applied to this sample result.
GNPO	The reported result should be regarded as rejected because no peak was observed for this radionuclide in the gamma spectrum.
GNQ	The reported result should be regarded as rejected because the gamma spectrum peak was not quantitated.
GR1	The tracer yield information is missing. Data may not be acceptable for use.
GR10	GAMMA_GR10
GR10a	GAMMA_GR10a
GR11	GAMMA_GR11
GR15b	GAMMA_GR15b
GR15c	GAMMA_GR15c
GR16	GAMMA_GR16
GR165	GAMMA_GR165b
GR166	GAMMA_GR166
GR16a	GAMMA_GR16a
GR16b	GAMMA_GR16b
GR16c	GAMMA_GR16c
GR16d	GAMMA_GR16d
GR16g	GAMMA_GR16g
GR17c	GAMMA_GR17c
GR19	The validator identified quality deficiencies in the reported data that require qualification.
GR1a	The tracer %R value is less than 10%.
GR1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10%, and the result is a nondetect.
GR1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
GR3	The matrix-spike information is missing. Data may not be acceptable for use.
GR3a	ORGANIC_OGRO3a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR3b	ORGANIC_OGRO3b
GR3c	ORGANIC_OGRO3c
GR3d	ORGANIC_OGRO3d
GR3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
GR4	GAMMA_GR4
GR4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5 times the associated sample concentration.
GR5	GAMMA_GR5
GR54	GAMMA_GR54
GR5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
GR5b	GR5b
GR6	GAMMA_GR6
GR6a	GR6a
GR6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
GR6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
GR6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
GR6e	GR6e
GR7	GAMMA_GR7
GR7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
GR7b	GAMMA_GR7b
GR7c	The affected analytes are qualified as rejected because the relative error ratio (RER) was greater than 4.
GR8	GAMMA_GR8
GR9	GAMMA_GR9

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR9a	GAMMA_GR9a
GR9b	GAMMA_GR9b
GRA	GAMMA_GRA
GRLAB	R LAB Gamma
GRNA	GAMMA_GRNA
GRR16	GAMMA_GRR16c
GRR1b	GAMMA_GRR1b
GRR6c	GAMMA_GRR16c
GSI	The reported result for this radionuclide should be regarded as rejected (R) because of spectral interference in the gamma spectrum.
GTI	The reported result should be regarded as rejected because the radionuclide identification based on the gamma spectrum is tentative.
GUJC	This analyte should be regarded as not detected because the analytical laboratory assigned a U laboratory qualifier. CST validators assigned the J-qualifier. The hard copy validation report should be reviewed to determine the reason for applying the J-qualifier.
GULAB	This analyte should be regarded as not detected because the analytical laboratory assigned a U laboratory qualifier.
GUP_R	Gamma: Units and matrix are inconsistent.
GZR	The result for this radionuclide was reported as zero (0); therefore, this analyte should be regarded as not detected.
GZUNC	CST division reported this result with an uncertainty value of zero (0), indicating that this analyte should be regarded as not detected.
G_LIA	The sample was lost in analysis. Results are not available for this sample.
G_MDA	The limit type (e.g., MDA, MDC, or DLC) was not reported by the analytical laboratory; the reported limit value has been saved in the MDA field.
G_NQ	No data qualifier flag has been applied to this sample result.
G_TPU	Result less than or equal to $3 * 1\text{-sigma TPU}$, therefore not detected (U).
H10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
H11	The required retention time information is missing. Data may not be acceptable for use.
H11a	The affected analytes should be regarded as rejected because the associated retention times have shifted by more than 0.05 min from the initial calibration.
H12	Required LCS data are missing. The LCS analyte recoveries could not be evaluated. Data may not be acceptable for use.
H12a	H12a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H12b	HEXP_H12b
H12c	HEXP_H12c
H12d	HEXP_H12d
H14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
H14b	The matrix spike and/or the matrix-spike duplicate analyses were not performed on a sample associated with a LANL request number.
H14c	The matrix spike and/or the matrix-spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
H15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
H16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
H19	The validator identified quality deficiencies in the reported data that require qualification.
H3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results
H3a	The surrogate percent recovery is less than the LAL but greater than 10%R, which indicates the potential for a low bias in the detected results.
H3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
H3c	The reporting limit is approximated for nondetects because a surrogate percent recovery is lower than the LAL but greater than or equal to 10%R, which indicates an increased potential for false negative results.
H3d	The surrogate recovery is less than 10% and the result is a nondetect, which indicates significant potential for false negative results.
H3e	At least one surrogate percent recovery exceeds its upper UAL and at least one surrogate is less than its LAL, which indicates a greater than normal degree of uncertainty in the data.
H3f	At least one surrogate is less than 10%R and the sample result is a detect, which indicates the potential for a severely low bias in the results.
H3g	Required surrogate information is missing. Data may not be acceptable for use.
H4	The sample result is greater than the EQL and less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
H4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times.
H4b	Required method blank information is missing. Data may not be acceptable for use.
H5	The sample result is less than the EQL and less than 5 times the concentration of the analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
H6	The recovery of the LCS analyte is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
H6a	HEXP_H6a
H6b	The of the LCS analyte percent recovery is less than the LAL and greater than or equal to 10%R, which indicates the (1) reporting limit is approximate and probably biased low for nondetected results and (2) detected results likely are biased low.
H6c	H6c
H6d	The result is a nondetect and the %R value of surrogates or the analyte in the LCS is less than 10%R, which indicates a greatly increased potential for false negative results.
H7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.
H7a	HEXP_H7a
H7c	The affected analytes should be regarded as estimated and/or rejected because the associated analyte did not have a standard at the reporting limit.
H8	HEXP_H8
H8a	The required confirmation column analysis data are missing. Data may not be acceptable for use.
H9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the effects of exceeding the holding time. Factors to consider include how long the holding time was exceeded; sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
H9a	H9a
H9b	HEXP_H9b
HEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
HERB	ORGANIC_HERB 3A
HERB1	ORGANIC_HERB12A
HERB3	ORGANIC_HERB3
HERB4	ORGANIC_HERB4
HERB8	ORGANIC_HERB8
HERB9	ORGANIC_HERB9
HHOLD	The result should be regarded as rejected (R) because the holding time was exceeded by more than 2 times.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HJCST	CST assigned the J-qualifier; need hard copy to determine CST's reason.
HNONE	No reason for historic HEXP data
HNQ	HNQ
HQCBL	The J- or R-qualifier should not be accepted because the qualifier was assigned by CST based on a noncertified standard. The J- or R-qualifier should be ignored.
HR12a	ORGANIC_HERB12A
HR12b	ORGANIC_HERB12B
HR12c	ORGANIC_HERB12C
HR12d	ORGANIC_HERB12D
HR3a	ORGANIC_HERB 3A
HR3b	ORGANIC_HERB 3D
HR3d	ORGANIC_HERB3D
HR9	ORGANIC_HERB 9
HRLAB	R LAB HEXP
HSM	HEXP_SPECTRAL MATCH
HUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
HUJL	HUJL
HUJLA	HUJLA_HEXP
HULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
HWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
HWQ10	Calibration verification %D exceeded 60%.
HWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
HWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit (LAL), which indicates a potential low bias in the results.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
HWQ5	Nonspecified quality control failure; see validation report.
HWQ6	The sample was improperly preserved.
HWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
HWQ8	Calibration %RSD was greater than 60%.
HWQ9	Calibration verification %D exceeded acceptance criteria but was less than 60%.
Hba	HEXP_Hba
I	INORGANIC_I
I1	The sample result was reported as detected between the IDL and the EDL. Reported result may be less precise than results that are reported as being above the EDL.
I10	The duplicate sample RPD is greater than the advisory limit and the sample result is a detect. Manual review is suggested to determine the source of the difference between analyses.
I10a	The duplicate sample RPD is greater than the advisory limit and the sample result is a nondetect. Manual review is suggested to determine the source of the difference between analyses.
I10b	The affected analytes should be regarded as estimated because the duplicate results were not analyzed on a LANL sample.
I10c	The affected analytes should be regarded as estimated because the duplicate results exceeded the RPD requirements.
I10d	The affected analytes should be regarded as estimated because the duplicate results were greater than 2 times the RL and the RPD was greater than 20 for water and 35 for soils.
I110	INORGANIC_I110
I113a	INORGANIC_I113a
I114b	INORGANIC_I114b
I13	INORGANIC_I13
I134b	INORGANIC_I134b
I13a	Insufficient sample volume was received for a duplicate-sample analysis.
I13b	The duplicate-sample analysis was not performed on a sample associated with this request number.
I13d	INORGANIC_I13d

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I14	I14
I14a	Insufficient sample volume was received for a matrix-spike analysis.
I14b	The matrix-spike analysis was not performed on a sample associated with this request number.
I15	The sample was damaged, lost, or there was insufficient quantity and the analytical laboratory was unable to analyze it.
I15a	An ICV was not reported for this sample.
I15b	A CCV was not reported for this sample.
I16	Relative percent difference is greater than 10% in the serial dilution sample.
I16a	The affected analytes should be regarded as rejected because the ICV/CCV recovered high.
I16b	INORGANIC_I16b
I16c	The affected analytes should be regarded as estimated because the ICV/CCV recovered low.
I16d	The affected analytes should be regarded as rejected because the ICV/CCV recovered less than 10%.
I16e	The affected analytes should be regarded as rejected because the initial calibrations correlation coefficient was less than 0.995.
I16z	The affected analytes should be regarded as rejected because the ICV/CCV was not analyzed with the associated samples.
I17d	INORGANIC_I17d
I18	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed.
I18a	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed on a LANL sample.
I18b	The affected analytes should be regarded as estimated because the serial dilution sample RPD exceeded criteria.
I19	INORGANIC_I19
I1a	INORGANIC_I1a
I20	INORGANIC_I20
I24b	INORGANIC_I24b
I2h	INORGANIC_I2h
I3	The spike percent recovery value is greater than or equal to the upper acceptance limit (125%) but less than or equal to 150% and the result is a detect, which indicates a potential high bias in the sample results.
I3a	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a detect, which indicates a potential low bias in the results.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I3b	INORGANIC_I3b
I3c	INORGANIC_I3c
I3d	The spike percent recovery value is less than 30%, and the result is a nondetect, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
I3e	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a nondetect, which indicates a potential for false negatives being reported.
I3e I	INORGANIC_I3e I4
I3eI4	INORGANIC_I3e I4
I3f	The spike percent recovery value is less than 30% and the sample result is a detect, which indicates a potential low bias.
I3g	The sample result is undetected and the spike percent recovery value is greater than 150%, which indicates a potential bias in the sample result.
I3h	The sample result is detected and the spike percent recovery value is greater than 150%, which indicates a potential high bias in the sample result.
I3j	INORGANIC_I3j
I3l	INORGANIC_I3l
I4	INORGANIC_I4
I4a	In comparison with the preparation blank, the sample result is greater than the EDL but less than or equal to 5 times the concentration of the related analyte in the blank.
I4b	Preparation blank data were not reported by the analytical laboratory.
I5	The sample result is less than the estimated detection limit (EDL) and is considered to be not detected.
I6	The percent recovery value of the analyte in the LCS is greater than the upper acceptance limit, which indicates a potential for quantitation problems in the analyses and the potential for false positive results being reported.
I6a	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit, and the analyte is a detect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6b	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit, and the analyte is a nondetect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6c	The corresponding LCS or LCS analyte was not analyzed with the associated batch.
I7	The ICS percent recovery value is greater than 120% and the result is a detect, which indicates potential quantitation problems in the analyses and the potential for false positive results being reported.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I7a	The ICS percent recovery value is greater than or equal to 50% and less than 80% and the result is a detect, which indicates a potential for a low bias.
I7b	The ICS percent recovery value is less than 50%, which indicates a greatly increased potential for false negative sample results being reported.
I7c	The ICS percent recovery value is greater than or equal to 50% and less than 80%, and the result is a nondetect, which indicates a potential for false negative results being reported.
I7d	The ICS data were not provided by the analytical laboratory.
I9	The holding time is exceeded. Positive results may be biased low and nondetected analytes may be false negatives. An evaluation of the data with respect to the technical implications of exceeding the holding time is recommended. Factors to consider include sample preservation; sample storage practices; data use; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
I9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
IADM1	INORGANIC_IADMIN1
IADMI	INORGANIC_IADMIN1
ICSTZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
IDRPD	IDRPD
IEQL	INORGANIC_IEQL/MDL
IEQL/	INORGANIC_IEQL/MDL
IH6a	INORGANIC_IH6a
IHOLD	IHOLD
IICP	IICP
IJCST	CST assigned the J-qualifier; need hard copy to determine CST's reason.
IJLAB	IJLAB
ILCS	ILCS
ILIA	ILIA
ILOWS	VOC_LOWSTD
ILS	VOC_LOW STD
IMS10	IMS10

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IMS30	IMS30
INONE	No reason for historical inorganic data
INQ	INQ
IPM	INORGANIC_IPM
IQCBL	IQCBL
IR10b	INORGANIC_IR10b
IR14b	INORGANIC_IR14b
IR3	INORGANIC_IR3
IR3a	INORGANIC_IR3a
IR4	INORGANIC_IR4
IR5	INORGANIC_IR5
IR6a	INORGANIC_IR6a
IR7	INORGANIC_IR7
IR9a	INORGANIC_IR9a
IR9b	INORGANIC_IR9b
IRCST	CST assigned the R-qualifier; need hard copy to determine CST's reason.
IU1	INORGANIC_IU1
IU3e	INORGANIC_IU3e
IUA	INORGANIC_IUA
IUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
IUJLA	IUJLA
IULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
IUP_R	Inorganic: Units and matrix are inconsistent.
IUUJ	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IV3a	INORGANIC_IV3a
IWQ1	The sample temperature was elevated
IWQ2	Negative blank samples results were greater than the MDL
IWQ3	Failed serial dilution RPD
IWQ4	Sample should have been preserved by acidification but was not. Error was not corrected at the laboratory.
IWQ5	Sample should not have been acidified but was. Error could not be corrected at the laboratory.
IWQ6	Nonspecified quality control failure; see validation report.
IWQ7	Reporting limit verification recovery was greater than the acceptance criteria.
IZR	IZR
Id	INORGANIC_Id
Is	INORGANIC_Is
J+	VOC_J+
J-	VOC_J-
J_LAB	The analytical laboratory qualified the detected result as estimated (J) because the result was less than the PQL but greater than the MDL.
LB	Gross contamination exists from a source other than the standard.
LB1	Method-blank data are missing, or method blank was not analyzed at the required frequency.
LB2	ICB/CCB data are missing, or ICB/CCB was not run at the required frequency.
LB9	The sample result is less than 5 times the concentration of the related analyte in the blank.
LC1	The frequency of the CCV did not meet method criteria.
LC2	The CCV %D failed high.
LC3	The CCV %D failed low.
LCO	Suspected carryover. Compound detected in sample at value <5 times PQL. The previous sample had a value > high standard and required dilution.
LDL1	No CRI was analyzed to verify the reporting limit.
LDL2	The CRI recovery failed high.
LDL3	The CRI recovery failed low.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LDS1	An initial dilution was performed and the surrogate recovery was $\geq 10\%$ OR $< 10\%$ but some sample results are $>PQL$.
LDS2	An initial dilution was performed and the surrogate recovery was 0% and sample results are nondetect.
LDS3	The sample result in a diluted sample was nondetect.
LDS4	The instrument response for a diluted sample result was $<$ half the lowest calibration standard and the sample result is a detect.
LH1	The holding time is exceeded for sample analysis.
LH2	The holding time is exceeded for sample extraction.
LH3	The holding time is exceeded by greater than twice the specified holding time.
LI	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
LI2	A second source ICV (or second standard made from the same stock) was not used to verify the calibration
LI3	The initial calibration %RSD or correlation coefficient failed to meet acceptance criteria.
LI4	The initial calibration slope or RF criteria were not met.
LI5	The initial calibration y-intercept criteria were not met.
LI6	An insufficient number of calibration standards were used and/or all standards were not analyzed within a 24-h period. Data may not be acceptable for use.
LI7	Points were removed from the calibration curve and the reporting limits were not adjusted accordingly.
LIR1	Chlorine isotope ratio criteria were not met.
LIS	Required IS information is missing.
LIS1	The IS area count failed high.
LIS2	The IS area count failed low.
LIS4	The IS RT is >30 s from that of the associated standard.
LIV2	The ICV %D failed high.
LIV3	The ICV %D failed low.
LL1	The frequency of the LCS did not meet the specified criteria.
LL2	The LCS %R failed high.
LL3	The LCS %R failed low.
LL4	The LCS %Rs failed both high and low, or the LCS/LSCD RPD failed to meet criteria.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LMS1	An applicable MS/MSD analysis was not performed.
LMS2	The MS/MSD %R failed high.
LMS3	The MS/MSD %R failed low.
LMS4	Relative percent difference of the MS/MSD is greater than the acceptance criteria or the recoveries fail both high and low.
LOW S	VOC_LOW STD
LOWST	VOC_LOWSTD
LP1	The sample was improperly preserved.
LP3	Sample was not maintained at required temperature.
LR1	The sample result exceeded the calibration range.
LR2	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
LRP1	There is no measure of precision for the sample, i.e., no replicate, MSD or LCSD was performed.
LRP2	The replicate precision criteria are not met.
LS	Required surrogate information is missing. Data may not be acceptable for use.
LS1	Surrogate failed high.
LS2	Surrogate failed low.
LS4	The surrogate %R in the blank did not meet acceptance criteria.
LWQ1	Specified quality control failure; see report.
MDL	ORGANIC_OEQL/MDL
N3TPU	NONE_<3*TPU result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
NJCST	NONE_J_CST
NJLAB	NONE_J_LAB
NND	NONE_NONDETECT
NNQ	NONE_NQ
NQ	The analytical laboratory did not qualify the analyte as not detected and/or any other standard qualifier. The analyte is detected in the sample.
NS12a	SVOC_SVV12a
NS12c	SVOC_SVV12c

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
NS1a	SVOC_SVVS1a
NUA	NONE_NUA
NULAB	NONE_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
NUP_R	Units and matrix are inconsistent.
O12d	ORGANIC_OSV12d
O5XBL	ORGANIC_O5XBLANK
ODRO1	ORGANIC_ODRO12a
ODRO3	ORGANIC_ODRO3
ODRO4	ORGANIC_ODRO4
ODRO5	ODRO5_ORGANIC
ODRO7	ODRO7_ORGANIC
ODRO9	ORGANIC_ODRO9
OEQL/	ORGANIC_OEQL/MDL
OGR3b	OGR3b_ORGANIC
OGR3c	OGR3c_ORGANIC
OGRO3	ORGANIC_OGRO3
OGRO7	OGRO7_ORGANIC
OGRO9	ORGANIC_OGRO9
OH12b	ORGANIC_OH12b
OH9	ORGANIC_OH9
OI3	ORGANIC_OI3
OI4	ORGANIC_OI4
OI9	ORGANIC_OI9
ONONE	ORGANIC_ONONE
ONQ	ONQ
OP12a	ORGANIC_OP12a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OP12b	ORGANIC_OP12b
OP3	ORGANIC_OP3
OP3a	ORGANIC_OP3a
OP3b	ORGANIC_OP3b
OP3c	ORGANIC_OP3c
OP3d	ORGANIC_OP3d
OP4	ORGANIC_OP4
OP5	ORGANIC_OP5
OP6	ORGANIC_OP6
OP7	ORGANIC_OP7
OP7a	ORGANIC_OP7a
OP9	ORGANIC_OP9
OP9a	OP9a Organic
OPa	ORGANIC_OPa
OR1	INORGANIC_OR1
OSIN	ORGANIC_OSIN
OSV12	ORGANIC_OSV12d
OSV1a	ORGANIC_OSV1a
OSV3	ORGANIC_OSV3
OSV3a	ORGANIC_OSV3a
OSV4	ORGANIC_OSV4
OSV4a	ORGANIC_OSV4a
OSV7	ORGANIC_OSV7
OSV7a	ORGANIC_OSV7a
OSV9	ORGANIC_OSV9
OUJLA	O_UJ_LAB

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OULAB	O_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
OV3	OV3
OV36	ORGANIC_OV36
OV3a	ORGANIC_OV3a
OV3b	ORGANIC_OV3b
OV3c	ORGANIC_OV3c
OV4	INORGANIC_OV4
OV7	ORGANIC_OV7
OV7a	ORGANIC_OV7a
OV9	ORGANIC_OV9
P10	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a low bias in the reported results and potential the labile compounds Endrin and 4,4'-DDT.
P10a	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a high bias in the reported results and potential false positive results for the breakdown products Endrin ketone, Endrin aldehyde, DDD, and DDE.
P10b	The breakdown recovery data are missing. The analyte breakdown could not be evaluated.
P10c	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
P11	The surrogate retention time has shifted by more than 0.05 min, possibly affecting analyte identification and causing false positives or negatives to be reported.
P11a	The surrogate recovery data are missing. Surrogate recoveries could not be evaluated.
P11b	The affected analytes are considered estimated because the confirmed analytes was outside the retention time windows.
P12	The LCS data are missing. The LCS analyte recoveries could not be evaluated.
P12a	The LCS analyte is less than 10%R, which indicates the potential for a severely low bias in the results.
P12b	The LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for a low bias in the results.
P12c	The result is a nondetect and the LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for false negative results.
P12d	The LCS analyte %R value is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
P13	The Florisil cleanup not conducted; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P13a	The GPC cleanup was not conducted on this soil sample; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.
P13b	The appropriate cleanup was not conducted; interferences may have increased the analytical uncertainty and the potential for both false positives and false negatives. Examples of required cleanups are sulfur contamination (sulfur cleanup required), interferences in PCB samples (sulfuric acid cleanup required), and high molecular weight interferences in water samples (GPC cleanup required).
P14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
P14b	The matrix spike and/or the matrix-spike duplicate analysis were not performed on a sample associated with a LANL request number.
P14c	The matrix spike and/or the matrix-spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
P15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
P16	Required continuing calibration information is missing. Data may not be acceptable for use.
P19	The validator identified quality deficiencies in the reported data that require qualification.
P23B	P23B
P3	The surrogate %R value is greater than the UAL, which indicates the potential for a high bias in the results and a potential for false positive results.
P3a	The surrogate is greater than 10%R but less than the LAL, which indicates the potential for low bias in the results.
P3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
P3c	The result is less than the EQL and the surrogate %R value is greater than 10% but less than the LAL, which indicates a potential for false negative results being reported.
P3d	The result is less than the EQL and the surrogate less than 10%R, which indicates a significant potential for false negative results.
P3e	One surrogate recovery is greater than the UAL and one surrogate recovery is less than the LAL, which indicates increased uncertainty in reported results.
P3f	The surrogate information is missing. Data may not be acceptable for use.
P4	The sample result is a detect but less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
P46	PESTPCB_P46
P4a	The method blank or instrument blank documentation is missing.
P4b	The surrogate information is missing. Data may not be acceptable for use.
P5	PESTPCB_P5

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P6	PESTPCB_P6
P7	The percent relative standard deviation (%RSD) or percent difference (%D) exceeds the applicable acceptance criterion, which indicates potential quantitation problems in the analyses and the potential for false negative results.
P77	The affected analytes are considered estimated because the associated continuing calibration standard was not analyzed within 72 h of the initial analysis. This is for multicomponent analytes.
P7a	The multicomponent analyte standard was not analyzed within 72 h of a multicomponent analyte detection. Quantitation of the multicomponent detection in the sample may not be accurate.
P7b	PESTPCB_P7b
P7c	PESTPCB_P7c
P8	This analyte should be regarded as not detected because it was not confirmed on a second dissimilar column.
P8a	The required confirmation column analysis data are missing. Data may not be acceptable for use.
P9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the impact of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
P913	PESTPCB_P913
P9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
P9b	The results for the affected analytes are rejected because the analytical holding time was exceeded.
PC	PESTPCB_PC
PEQL	P_EQL/MDL The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
PHOLD	P_HOLD_TIME
PJCST	P_J_CST
PJLAB	PJLAB_PESTPCB
PLIA	P_LIA
PNONE	No reason for historic AROCLOR data
PNQ	P_NQ
PQCBL	P_QC_BLIND
PS10	P_Surr < 10%

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
PUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
PUJLA	P_U_LAB
PULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
PV3	PESTPCB_PV3
PV4	PESTPCB_PV4
PWQ1	No MS/MSD data were included in the data package.
PWQ10	Calibration verification %D exceeded acceptance criteria but was less than 60%.
PWQ11	Calibration verification %D exceeded 60%.
PWQ2	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
PWQ3	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
PWQ4	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
PWQ5	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
PWQ6	Nonspecified quality control failure; see validation report.
PWQ7	The sample was improperly preserved.
PWQ8	Calibration %RSD was greater than the acceptance criteria but less than 60%.
PWQ9	Calibration %RSD was greater than 60%.
R 6B	RAD_R 6B
R1	The tracer /carrier %R value is <10%.
R10	RAD_R10
R10a	RAD_R10a
R10b	RAD_R10b
R11	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration was less than 3 times the 1 sigma TPU.
R11a	RAD_R11a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R11b	RAD_R11b
R11c	RAD_R11c
R11d	RAD_R11d
R14	RAD_R14
R14a	Insufficient sample volume was received for a matrix-spike analysis.
R14b	The matrix-spike analysis was not performed on a sample associated with this request number (RN).
R16	RAD_R16
R16a	Result is greater than the MDC for the following fission and activation products with half-lives less than 365 d: Ce-144, Co-57, Mn-54, Pa-233, Se-75, and Zn-65.
R16b	Result is greater than the MDC for the following radionuclides not reliably measured by gamma spectroscopy: Ac-228, Ba-140, Bi-212, I-129, La-140, Np-237, Pa-231, Pa-234, Pb-210, Pb-211, Ra,-223, Ra-224, Ra-226, and Rn-219.
R16c	Result is greater than the MDC for the following naturally occurring radionuclides that are reliably measured by gamma spectroscopy and that can provide an indication of the quality of the gamma spectroscopy measurement: Bi-211, Bi-214, K-40, Pb-212, Pb-214, Th-227, Th-234, Tl-208, and annihilation radiation.
R16d	Result is greater than the MDC for the following six radionuclides typically used by the analytical laboratories in their LCSs for instrument calibration and checks on instrument performance: Cd-109, Ce-139, Hg-203, Sn-113, Sr-85, and Y-88.
R19	The validator identified quality deficiencies in the reported data that require qualification.
R1a	The tracer %R value is 10%–30% inclusive, and the sample result is greater than the MDA.
R1b	The tracer %R value is 10%–30% inclusive, and the sample result is less than the MDA.
R1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10% and the result is a nondetect.
R1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
R1e	The tracer/carrier %R value is not reported.
R1x	The tracer %R value is less than 10%.
R1z	The tracer %R value is less than 30% but greater than 10% and the sample result is a detect.
R3	The matrix-spike %R value is greater than the upper limit and the sample result is greater than the MDA.
R3TPU	P_UJ_LAB

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R3a	The matrix-spike %R value is less than the lower limit, and the sample result is greater than the MDA.
R3b	The matrix-spike %R value is less than 10%, and the result is not detected.
R3c	The matrix-spike %R value is less than the lower limit, and the sample result is less than the MDA.
R3d	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are detected.
R3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
R4	The sample result is greater than the MDA but less than 5 times the amount found in the blank.
R4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5 times the associated sample concentration.
R4b	Blank data are either missing from or not reported in the data record package.
R4z	The method blank information is missing. The data may be acceptable for use.
R5	Analyte is not detected because the amount reported is less than the MDC.
R5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
R5b	This analyte should be regarded as rejected because spectral interferences prevent positive identification of the analytes.
R6	Recovery of the analyte in the LCS is greater than the upper limit, and the analyte result is greater than the MDA.
R6a	Recovery of analyte in the LCS is less than the lower limit, and the analyte is greater than the MDA in the sample.
R6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
R6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
R6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
R6e	The LCS data are missing from the data record package.
R7	The duplicate information is missing. Data may not be acceptable for use.
R7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
R7b	The duplicate and sample results have a DER (duplicate error ratio) that is greater than 2.0.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R7c	The affected analytes are qualified as rejected because the RER was greater than 4.
R8	RAD_R8
R9	The results for the affected analytes should be regarded as estimated because the holding time was exceeded.
R96	RAD_R96
R9a	The results for the affected analytes should be regarded as rejected because the holding time was exceeded by 2 times the method published holding times.
R9b	RAD_R9b
RA	R_Accidentally_
RB7	RAD_RB7
RC0TP	R_CST_ZERO_TPU
RC0UN	R_CST_0_UNC
RI14a	RAD_RI14a
RI14b	RAD_RI14b
RI3	RAD_RI3
RI3a	RAD_RI3a
RI4	RAD_RI4
RI5	RAD_RI5
RI6	RAD_RI6
RIA	RAD_RIA
RIB	RAD_RIB
RJCST	R_J_CST
RJLAB	R_J_LAB
RLIA	R_LIA
RNONE	No reason for historical RAD data
RNQ	R_NQ
RPA	RAD_RPA

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
RQCBL	RQCBL_RAD
RQCMX	R_Samp_QC_Mixed
RRLAB	R LAB RAD
RSQLP	RAD_SQLPLUR9B
RT30	R_Tracer < 30%
RUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
RUJLA	RUJLA_RAD
RULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
RUP_R	RAD: Units and matrix are inconsistent.
RWQ1	Planchets were flamed
RWQ2	Result values are less than 3 times the MDC.
RWQ3	Less than the negative MDC
RWQ4	Planchets were not flamed.
RWQ5	The tracer %R value is greater than 105% but less than 125%.
RWQ6	The tracer %R value is greater than 125%.
RWQ7	Nonspecified quality control failure; see validation report.
RZUNC	R_ZERO_UNCERT
R_MDA	R_MDA
Rb	RAD_Rb
SEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
SHOLD	SHOLD
SJCST	SJCST
SJLAB	SJLAB
SNQ	SNQ
SPECT	HEXP_SPECTRAL MATCH

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SQCBL	SQCBL
SQLPL	RAD_SQLPLUR9B
SRO9	ORGANIC_SRO9
SSU10	SSU10
SUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
SUJLA	SUJLA
SULAB	SULAB
SV0	The IS retention time has shifted by more than 30 s, which could affect compound identification and result in false positives or negatives.
SV1	The IS area count for the quantitating IS is outside the $-50\% \pm 100\%$ window in relation to the previous continuing calibration, which could affect the quantitation accuracy of the associated analytes and the correct quantitation of surrogate %R values.
SV10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
SV11	TICs are not reported but were requested by ER Project. The validator contacted the laboratory that had not provided TICs.
SV12	The LCS documentation is missing. Data may not be acceptable for use.
SV12a	The LCS percent recovery was less than 10%.
SV12b	The LCS percent recovery was less than the LAL but greater than 10%, and the result is detected.
SV12c	The LCS percent recovery was less than the LAL but greater than 10% and the result is not detected.
SV12d	The affected analytes should be regarded as estimated and biased high because the LCS percent recovery was greater than the UAL.
SV13c	SVOC_SV13c
SV15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
SV16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
SV16a	The results for the affected analytes are rejected because the instrument performance sample (DFTPP) did not pass method acceptance criteria.
SV19	The affected analytes are qualified because the data validator identified quality deficiencies in the reported data.
SV1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
SV1b	The area count for the quantitating IS is greater than 200% of the area count for the previous continuing calibration.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV2	The quantitating IS area count is less than 10% of the expected value, which indicates increased potential for false negative results and other possible problems with sample quantitation.
SV2a	Required IS information is missing. Data may not be acceptable for use.
SV2c	SVOC_SV2c
SV3	The %R values for two or more surrogates in either SV fraction is greater than the UAL, which indicates the potential for high bias in the results and the potential for false positive results.
SV3a	Two or more surrogates in either SV fraction are greater than or equal to 10%R but less than the LAL, which indicates the potential for low bias in the results.
SV3b	A surrogate in the related fraction is less than 10%R, and the result is a detect, which indicates the potential for severely low bias in the results.
SV3c	The result is a nondetect and two or more surrogates are greater than or equal to 10%R but less than the LAL, which indicates increased potential for false negative results.
SV3d	The result is a nondetect and a surrogate in the related fraction is less than 10%R, which indicates a greatly increased potential for false negative results.
SV3e	The %R value of one surrogate in a fraction is greater than the UAL, and one is less than the LAL but greater than or equal to 10%R, which indicates a greater than normal uncertainty in the results.
SV3f	Required surrogate information is missing. Data may not be acceptable for use.
SV4	The sample result is greater than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the related analyte in the blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
SV4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times (10 times for common laboratory contaminants).
SV4b	Required method blank information is missing. Data may not be acceptable for use.
SV5	The sample result is less than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the analyte in the blank, which indicates the detected result was indistinguishable from contamination in the blank.
SV5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
SV5v7	SVOC_SV5v7a
SV6	SVOC_SV6
SV6b	SVOC_SV6b
SV7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV7a	The affected analytes were analyzed with an initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
SV7b	The affected analytes were analyzed with an RRF of less than 0.05.
SV8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
SV8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
SV9	The extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effect of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
SV9a	The affected analytes are regarded as rejected because the extraction holding time was exceeded by 2 times the method published holding time requirements.
SV9b	The affected analytes are regarded as rejected because the analytical holding time was exceeded.
SVA	SVOC_SVA
SVC	SVOC_SVC
SVD	SVOC_SVD
SVI	SVOC_SVI
SVIA	SVOC_SVIA
SVNON	No reason for historic SVOC data
SVPM	SVOC_SVPM
SVS	SVOC_SVS
SVV12	SVOC_SVV12a
SVV1a	SVOC_SVV1a
SVV3	SVOC_SVV3
SVV4	SVOC_SVV4
SVV5	SVOC_SVV5
SVV7a	SVOC_SVV7a
SVV9	SVOC_SVV9
SVVS1	SVOC_SVVS1a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
SWQ10	Calibration verification %D exceeded 60%.
SWQ11	The LCS recovery was greater than the acceptance criteria.
SWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
SWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
SWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
SWQ5	Nonspecified quality control failure; see validation report.
SWQ6	The sample was improperly preserved.
SWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
SWQ8	Calibration %RSD exceeded 60%.
SWQ9	Calibration verification %D was greater than the acceptance criteria but less than 60%.
UNK	Unknown
U_LAB	The analytical laboratory qualified the analyte as not detected.
V	VOC_V
V+	VOC_V+
V0	The IS retention time has shifted by more than 30 s, which could affect compound identification and cause false positives or negatives to be reported.
V1	The IS area count for the quantitating IS is outside the $-50\% \pm 100\%$ window in relation to the previous continuing calibration. This condition could affect the quantitation accuracy of the associated analytes.
V10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
V11	TICs are not reported by the analytical laboratory but were requested by the ER Project. The analytical laboratory was contacted and TICs were not provided.
V12	The LCS documentation is missing. The data may not be acceptable for use.
V126	VOC_V126
V12a	The LCS percent recovery was less than 10%.

November 2008

E-40

EP2008-0579

Periodic Monitoring Report for Morandad Watershed

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V12b	The LCS percent recovery was less than the LAL but greater than 10%. The result is biased low and is detected.
V12c	The LCS percent recovery was less than the LAL but greater than 10%. The result was not detected.
V12d	The LCS percent recovery was greater than the UAL. The result is detected and biased high.
V14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
V14b	The matrix spike and/or the matrix-spike duplicate analysis was not performed on a sample associated with a LANL request number.
V14c	The matrix spike and/or the matrix-spike duplicate was analyzed on a sample associated with a different LANL request number but no summary was included.
V15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
V16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
V16a	The results should be regarded as rejected because the BFB instrument performance sample did not pass method acceptance criteria.
V19	The validator identified quality deficiencies in the reported data that require qualification.
V1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
V1b	This analyte should be regarded as estimated because the IS failed high.
V1c	VOC_V1c
V1s	VOC_V1s
V2	The quantitating IS area is less than 10% of the expected value, which indicates an increased potential for false negative results and possibly other problems with sample quantitation.
V2a	Required IS information is missing. Data may not be acceptable for use.
V3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results.
V3a	The surrogate is less than the LAL but greater than or equal to 10%R, which indicates the potential for a low bias in the results.
V3b	The surrogate is less than 10%R and the result is a detect, which indicates the potential for a severely low bias in the results.
V3c	The surrogate is less than LAL and the result is a nondetect, which indicates the potential for a low bias in the results.
V3d	The surrogate is less than 10%R and the result is a nondetect, which indicates a greatly increased potential for false negative results.
V3e	At least one surrogate is greater than the UAL and one surrogate is less than the LAL, which indicates a greater than normal degree of uncertainty in the result.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V3f	Required surrogate information is missing. Data may not be acceptable for use.
V4	The sample result is less than or equal to 5 times (10 times for acetone, methylene chloride, and 2-butanone) the concentration of the related analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
V4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times (10 times for common laboratory contaminants).
V4b	Required method blank information is missing. Data may not be acceptable for use.
V5	VOC_V5
V5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
V5c	VOC_V5c
V6b	VOC_V6b
V7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.
V76	VOC_V76
V78	VOC_V78
V7a	The affected analytes were analyzed with an initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
V7b	The affected analytes were analyzed with an RRF of less than 0.05.
V8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
V8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
V9	The analytical and/or extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effects of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
V9a	The affected analytes are regarded as rejected because the analytical/extraction holding time was exceeded by 2 times the method published holding time requirements.
VC4	VOC_VC4
VEQL	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
VI1	VOC_VI1
VI4	VOC_VI4

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VI45	VOC_VI45
VIA	VOC_VIA
VIC	VOC_VIC
VJCST	VJCST
VJLAB	VJLAB
VLA	VOC_VLA
VNONE	No reason for historic VOC data
VNQ	VNQ
VO	VOC_VO
VP	VOC_VP
VQCBL	VQCBL
VR5	VOC_VR5
VR7b	VOC_VR7b
VS	VOC_SPECTRUM
VSV1	VOC_VSV1
VSV1a	VOC_VSV1a
VSV3b	VOC_VSV3b
VSV3c	VOC_VSV3c
VSV4	VOC_VSV4
VSV5	VOC_VSV5
VSV7	VOC_VSV7
VSV7a	VOC_VSV7a
VU7a	VOC_VU7a
VUCST	VUCST
VUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VUJLA	VUJLA
VULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
VUP_R	VOC: Units and matrix are inconsistent.
VWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
VWQ10	Calibration verification %D exceeded 60%.
VWQ11	The LCS recovery was greater than the acceptance criteria.
VWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit but and the result is a detect, which indicates a potential high bias in the sample results.
VWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
VWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
VWQ5	Nonspecified quality control failure; see validation report.
VWQ6	The sample was improperly preserved.
VWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
VWQ8	Calibration %RSD exceeded 60%.
VWQ9	Calibration verification %D was greater than the acceptance criteria but less than 60%.

**Table E-1
Groundwater Metals**

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Prep Code	Lab Sample Type Code	Field QC Type Code	Result	MDL	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag	Secondary Validation Reason Code	Analytical Method Code	EPA MCL	Ratio (Result/Screening Level)	NMWOCC GW STD	Ratio (Result/Screening Level)
Alluvial	MCO-0.6	SINGLE	1.05	05/29/08	Fe	F	CS	—	7380	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	7.38
Alluvial	MCO-0.6	SINGLE	1.05	05/29/08	Mn	F	CS	—	1690	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	8.45
Alluvial	MCO-2	SINGLE	2	05/28/08	Al	F	CS	FD	4440	68	µg/L	GELC	—	—	—	SW-846:6010B	—	—	5000	0.89
Alluvial	MCO-2	SINGLE	2	05/28/08	As	UF	CS	FD	6	1.5	µg/L	GELC	—	—	—	SW-846:6020	10	0.6	—	—
Alluvial	MCO-2	SINGLE	2	05/28/08	As	UF	CS	—	21.4	1.5	µg/L	GELC	—	—	—	SW-846:6020	10	2.14	—	—
Alluvial	MCO-2	SINGLE	2	05/28/08	Cr	UF	CS	FD	56.6	2.5	µg/L	GELC	—	—	—	SW-846:6020	100	0.57	—	—
Alluvial	MCO-2	SINGLE	2	05/28/08	Cr	UF	CS	—	275	13	µg/L	GELC	—	—	—	SW-846:6020	100	2.75	—	—
Alluvial	MCO-2	SINGLE	2	05/28/08	Fe	F	CS	FD	7080	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	7.08
Alluvial	MCO-2	SINGLE	2	05/28/08	Fe	F	CS	—	2780	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	2.78
Alluvial	MCO-2	SINGLE	2	05/28/08	Mn	F	CS	FD	750	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	3.75
Alluvial	MCO-2	SINGLE	2	05/28/08	Mn	F	CS	—	530	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	2.65
Alluvial	MCO-2	SINGLE	2	05/28/08	Pb	UF	CS	FD	13	0.5	µg/L	GELC	—	—	—	SW-846:6020	15	0.87	—	—
Alluvial	MCO-2	SINGLE	2	05/28/08	Pb	UF	CS	—	38.6	0.5	µg/L	GELC	—	—	—	SW-846:6020	15	2.57	—	—
Alluvial	MCA-1	SINGLE	2.4	05/20/08	Al	F	CS	—	19900	68	µg/L	GELC	N	J+	l6b	SW-846:6010B	—	—	5000	3.98
Alluvial	MCA-1	SINGLE	2.4	05/20/08	Fe	F	CS	—	11000	25	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	11
Alluvial	MCA-1	SINGLE	2.4	05/20/08	Pb	UF	CS	—	7.6	0.5	µg/L	GELC	—	—	—	SW-846:6020	15	0.51	—	—
Regional	R-28	SINGLE	934.3	05/14/08	Cr	F	CS	—	438	13	µg/L	GELC	—	—	—	SW-846:6020	100	4.38	50	8.76
Regional	R-28	SINGLE	934.3	05/14/08	Cr	UF	CS	—	381	13	µg/L	GELC	—	—	—	SW-846:6020	100	3.81	—	—
Regional	R-28	SINGLE	934.3	05/14/08	Cr	UF	CS	—	381	13	µg/L	GELC	—	—	—	SW-846:6020	100	3.81	—	—
Regional	R-28	SINGLE	934.3	05/14/08	Cr	UF	RE	—	393	13	µg/L	GELC	—	—	—	SW-846:6020	100	3.93	—	—

* — = None.

**Table E-2
Groundwater Inorganics**

Analyte	Zone	Location	Port Depth (ft)	Date	Field Prep Code	Field QC Type Code	Result	Uncertainty	MDL	Unit	Lab Qualifier Code	Secondary Validation Flag	Secondary Validation Reason Code	EPA MCL	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)
Cl(-1)	Alluvial	MCO-0.6	1.05	05/29/08	F	—	155	—	3.3	mg/L	—	—	—	—	—	250	0.62
Cl(-1)	Alluvial	MCO-2	2	05/28/08	F	FD	263	—	3.3	mg/L	—	—	—	—	—	250	1.05
Cl(-1)	Alluvial	MCO-2	2	05/28/08	F	—	261	—	3.3	mg/L	—	—	—	—	—	250	1.04
F(-1)	Alluvial	MCO-6	27	05/21/08	F	—	1	—	0.033	mg/L	—	—	—	—	—	1.6	0.63
F(-1)	Alluvial	MCO-7	39	05/21/08	F	—	1.48	—	0.033	mg/L	—	—	—	—	—	1.6	0.93
NO3+NO2-N	Intermediate	MCOI-4	499	05/29/08	F	—	12.6	—	0.1	mg/L	—	—	—	10	1.26	10	1.26
TDS	Alluvial	MCO-0.6	1.05	05/29/08	F	—	590	—	2.4	mg/L	—	—	—	—	—	1000	0.59
TDS	Alluvial	MCO-2	2	05/28/08	F	FD	725	—	2.4	mg/L	—	—	—	—	—	1000	0.73
TDS	Alluvial	MCO-2	2	05/28/08	F	—	721	—	2.4	mg/L	—	—	—	—	—	1000	0.72

* — = None.

**Table E-3
Groundwater Organics**

Zone	Location	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Suite	Analyte	Result	MDL	Unit	Lab Qualifier Code	Secondary Validation Flag	Secondary Validation Reason Code	Analytical Method	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA Tap Screening Level (C)	Ratio (Result/Screening Level)	EPA Tap Screening Level (N)	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Heptachlorodibenzodioxin[1,2,3,4,6,7,8-]	0.0000444	0.0000444	µg/L	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Heptachlorodibenzodioxins (Total)	0.0000768	0.0000768	µg/L	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	0.00000784	0.00000784	µg/L	J	J	J_LAB	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Heptachlorodibenzofurans (Total)	0.0000269	0.0000269	µg/L	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Hexachlorodibenzodioxins (Total)	0.00000965	0.00000965	µg/L	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Hexachlorodibenzofurans (Total)	0.00000594	0.00000594	µg/L	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	0.0000144	0.0000144	µg/L	J	J	J_LAB	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Pentachlorodibenzofuran[1,2,3,7,8-]	0.00000111	0.00000111	µg/L	J	J	J_LAB	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Pentachlorodibenzofurans (Totals)	0.00000744	0.00000744	µg/L	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	MCO-0.6	1.05	05/29/08	—	UF	DIOX/FUR	Tetrachlorodibenzofurans (Totals)	0.00000131	0.00000131	µg/L	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—

Table E-3 (continued)

Zone	Location	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Suite	Analyte	Result	MDL	Unit	Lab Qualifier Code	Secondary Validation Flag	Secondary Validation Reason Code	Analytical Method	Lab Code	EPA MCL	Ratio (Result/Screening Level)	EPA Tap Screening Level (C)	Ratio (Result/Screening Level)	EPA Tap Screening Level (N)	Ratio (Result/Screening Level)	NM/QCC GW STD	Ratio (Result/Screening Level)
Intermediate	MCOI-4	499	05/29/08	—	UF	SVOA	Dioxane[1,4-]	27.8	1.2	µg/L	—	—	—	SW-846:8270C	GELC	—	—	61.1	0.45	—	—	—	—
Intermediate	MCOI-4	499	05/29/08	—	UF	VOA	Chloroform	0.356	0.25	µg/L	J	J	J_LAB	SW-846:8260B	GELC	80	—	1.67	0.21	—	—	100	—
Intermediate	MCOI-4	499	05/29/08	—	UF	VOA	Dioxane[1,4-]	73.3	20	µg/L	—	J	V7b	SW-846:8260B	GELC	—	—	61.1	1.2	—	—	—	—
Intermediate	MCOI-5	689	05/20/08	—	UF	VOA	Acetone	1.25	1.3	µg/L	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-1	1031.1	05/20/08	—	UF	VOA	Acetone	1.34	1.3	µg/L	J	J	V7c	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-15	958.6	05/20/08	—	UF	VOA	Acetone	1.27	1.3	µg/L	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-28	934.3	05/14/08	FTB	UF	VOA	Acetone	1.33	1.3	µg/L	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-28	934.3	05/14/08	—	UF	VOA	Acetone	1.52	1.3	µg/L	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-13	958.3	05/14/08	FD	UF	VOA	Acetone	1.46	1.3	µg/L	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-16	1018.4	05/13/08	EQB	UF	VOA	Acetone	3.14	1.3	µg/L	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Regional	R-16	1018.4	05/13/08	EQB	UF	VOA	Methylene Chloride	2.19	2	µg/L	J	J	J_LAB	SW-846:8260B	GELC	5	0.44	89.4	0.02	—	—	100	0.02

* — = None.

**Table E-4
Groundwater Perchlorate**

Zone	Location	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Method Code	Symbol	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag	Secondary Validation Reason Code	Lab Code
Alluvial	MCO-0.6	1	05/29/08	—	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	MCO-2	2	05/28/08	—	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	MCO-2	2	05/28/08	FD	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Alluvial	MCA-1	2	05/20/08	—	F	SW-846:6850	—	0.316	0.05	µg/L	1	—	J+	PE12f	GELC
Alluvial	MCO-3	2	05/20/08	—	F	SW-846:6850	—	2.25	0.2	µg/L	4	—	J+	PE12f	GELC
Alluvial	MCO-4B	9	05/21/08	—	F	SW-846:6850	—	12.9	1	µg/L	20	—	—	—	GELC
Alluvial	MCO-6	27	05/21/08	—	F	SW-846:6850	—	10.2	1	µg/L	20	—	—	—	GELC
Alluvial	MCO-7	39	05/21/08	—	F	SW-846:6850	—	10.6	1	µg/L	20	—	—	—	GELC
Alluvial	CDBO-6	34	05/22/08	—	F	SW-846:6850	—	0.349	0.05	µg/L	1	—	—	—	GELC
Intermediate	MCOI-4	499	05/29/08	—	F	SW-846:6850	—	91.8	5	µg/L	100	—	J	PE16a	GELC
Intermediate	MCOI-5	689	05/20/08	—	F	SW-846:6850	—	88.3	10	µg/L	200	—	J+	PE12f	GELC
Regional	Test Well 8	953	05/17/08	—	F	SW-846:6850	—	0.321	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-15	959	05/20/08	—	F	SW-846:6850	—	5.59	0.5	µg/L	10	—	J+	PE12f	GELC
Regional	R-28	934	05/14/08	—	F	SW-846:6850	—	0.893	0.05	µg/L	1	—	—	—	GELC
Regional	R-13	958	05/14/08	FD	F	SW-846:6850	—	0.369	0.05	µg/L	1	—	—	—	GELC
Regional	R-13	958	05/14/08	—	F	SW-846:6850	—	0.374	0.05	µg/L	1	—	—	—	GELC
Regional	R-16r	600	05/19/08	—	F	SW-846:6850	—	0.398	0.05	µg/L	1	—	—	—	GELC
Regional	R-16r	600	05/19/08	FD	F	SW-846:6850	—	0.513	0.05	µg/L	1	—	—	—	GELC
Regional	R-16	1018	05/13/08	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	UJ	PE16a	GELC
Regional	R-16	1018	05/13/08	—	F	SW-846:6850	—	0.326	0.05	µg/L	1	—	J	PE16a	GELC
Regional	R-16	1238	05/12/08	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-21	889	05/23/08	—	F	SW-846:6850	—	0.285	0.05	µg/L	1	—	—	—	GELC

* — = None.

**Table E-5
Groundwater Radionuclides**

Zone	Location	Port Depth (ft)	Date	Analyte	Field Prep Code	Field QC Type Code	Symbol	Result	Uncertainty	MDA	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE DW DCG	Ratio (Result/Screening Level)	EPA MCL	Ratio (Result/Screening Level)	NMWQCC GW STD	Ratio (Result/Screening Level)	NMED Radiation Protection	Ratio (Result/Screening Level)
Alluvial	MCO-0.6	1.05	05/29/08	Pu-239/240	F	—	—	0.0281	0.0069	0.027	pCi/L	GELC	HASL-300:ISOPU	—	—	—	1.2	0.02	—	—	—	—	20	—
Alluvial	MCO-0.6	1.05	05/29/08	Ra-226	UF	—	—	0.557	0.18	0.41	pCi/L	GELC	EPA:903.1	—	—	—	4	0.14	5	0.11	30	0.02	60	0.01
Alluvial	MCO-0.6	1.05	05/29/08	Ra-228	UF	—	—	0.633	0.2	0.51	pCi/L	GELC	EPA:904	—	—	—	4	0.16	5	0.13	30	0.02	60	0.01
Alluvial	MCO-0.6	1.05	05/29/08	Sr-90	F	—	—	0.451	0.056	0.11	pCi/L	GELC	EPA:905.0	—	—	—	40	0.01	8	0.06	—	—	500	—
Alluvial	MCO-0.6	1.05	05/29/08	Sr-90	UF	—	—	0.379	0.11	0.3	pCi/L	GELC	EPA:905.0	—	—	—	40	0.01	8	0.05	—	—	500	—
Alluvial	MCO-2	2	05/28/08	Ra-226	UF	FD	—	1.06	0.22	0.37	pCi/L	GELC	EPA:903.1	—	—	—	4	0.27	5	0.21	30	0.04	60	0.02
Alluvial	MCO-2	2	05/28/08	Ra-226	UF	—	—	0.957	0.23	0.48	pCi/L	GELC	EPA:903.1	—	—	—	4	0.24	5	0.19	30	0.03	60	0.02
Alluvial	MCO-2	2	05/28/08	Ra-228	UF	FD	—	1.81	0.33	0.45	pCi/L	GELC	EPA:904	—	—	—	4	0.45	5	0.36	30	0.06	60	0.03
Alluvial	MCO-2	2	05/28/08	Ra-228	UF	—	—	3.43	0.62	0.87	pCi/L	GELC	EPA:904	—	J-	R3a	4	0.86	5	0.69	30	0.11	60	0.06
Alluvial	MCO-2	2	05/28/08	U	UF	—	—	5.2	—	—	µg/L	GELC	SW-846:6020	—	—	—	30	0.17	30	0.17	30	0.17	—	—
Alluvial	MCO-7.5	35	05/28/08	Ra-226	UF	—	—	0.966	0.24	0.54	pCi/L	GELC	EPA:903.1	—	—	—	4	0.24	5	0.19	30	0.03	60	0.02
Alluvial	CDBO-6	34	05/22/08	Ra-228	UF	—	<	0.641	0.21	0.58	pCi/L	GELC	EPA:904	—	U	R11	4	0.16	5	0.13	30	0.02	60	0.01
Intermediate	MCOI-4	499	05/29/08	H-3	UF	—	—	8460	890	420	pCi/L	GELC	EPA:906.0	—	—	—	80000	0.11	20000	0.42	—	—	1000000	0.01
Intermediate	MCOI-5	689	05/20/08	H-3	UF	—	—	3330	350	220	pCi/L	GELC	EPA:906.0	—	—	—	80000	0.04	20000	0.17	—	—	1000000	—
Intermediate	MCOI-6	686	05/20/08	H-3	UF	—	—	11000	1100	220	pCi/L	GELC	EPA:906.0	—	—	—	80000	0.14	20000	0.55	—	—	1000000	0.01

* — = None.

Appendix F

Investigation-Derived Waste Management

F-1.0 INTRODUCTION

This appendix describes the storage and disposal of investigation-derived waste (IDW) generated during this periodic groundwater monitoring event conducted in the Mortandad Watershed under the 2007 Los Alamos National Laboratory (LANL or the Laboratory) "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 096665). IDW is waste generated as a result of field investigation activities and may include, but is not limited to, purge water; contact waste, consisting of contaminated personal protective equipment (PPE), sampling supplies, plastic, and paper; fluids from the decontamination of PPE and sampling equipment; and all other wastes potentially contacting contaminants. IDW generated during implementation of the IFGMP is managed to protect human health and the environment, comply with applicable regulatory requirements, and adhere to Laboratory waste minimization goals. The wastes are managed in accordance with the Mortandad Watershed groundwater monitoring waste characterization strategy form (WCSF), submitted in the November 2006 periodic monitoring report (PMR) (LANL 094412). The WCSF provides information on IDW characterization, management, containerization, analytical methods and estimated waste volumes. The most recent version of the Laboratory's 2007 "Los Alamos National Laboratory Hazardous Waste Minimization Report" (LANL 2006, 096015) is being implemented during groundwater monitoring to minimize waste generation. The plan is updated annually as a requirement of Module VIII of the Laboratory's Hazardous Waste Facility Permit.

F-2.0 WASTE DETERMINATION

IDW characterization is completed through review of existing data and/or documentation and sampling of the media being investigated (i.e., groundwater). The groundwater analyses are augmented, as needed, by direct sampling of containerized purge waters to fulfill a treatment or disposal of facility's waste acceptance criteria (WAC). Under the 2007 IFGMP, the wastes from each sampling event were initially managed as hazardous wastes until the analytical data for that event were available. However, multiple analyses showed that the groundwater (and therefore the wastes) for a number of the wells were not hazardous. The 2007 IFGMP recognized this and allowed the number of sampling events used to make Resource Conservation and Recovery Act (RCRA) waste determinations to be based on acceptable knowledge (AK) of groundwater conditions within a watershed in the area of a well. AK includes reviews of existing analytical data and may also include source term/process identification performed to identify whether listed hazardous waste may be present (i.e., due diligence reviews). If low levels of listed hazardous waste are identified, a "contained-in" determination may be submitted for approval to the New Mexico Environment Department (NMED).

F-3.0 WASTE MANAGEMENT

All IDW generated during this periodic monitoring event is being managed in accordance with applicable Environmental Programs Directorate Waste and Environmental Support (EP-WES) and Environmental Protection Division Resource Conservation Recovery Act (ENV-RCRA) standard operating procedures (SOPs). These SOPs incorporate the requirements of all applicable U.S. Environmental Protection Agency (EPA) and NMED regulations, U.S. Department of Energy (DOE) orders, and Laboratory implementation requirements.

The SOP applicable to the characterization and management of IDW is

- EP-ERSS-SOP-5022, Characterization and Management of Environmental Restoration Project Waste (http://int.lanl.gov/environment/all/docs/qa/ep_qa/EP-ERSS-SOP-5022.pdf)

The IDW streams associated with groundwater monitoring are identified in Table F-3.1 and are briefly described below. Table F-3.1 summarizes the waste types, volumes, characterization methods, methods of on-site management, and disposition path for each of the waste streams. Only the wastes generated during this particular monitoring event are detailed in this section and in Table F-3.1. The number of samples used to make the waste determination varies by well, depending on the classifications described in section F-2.0, Waste Determination. If the waste has not yet been characterized, land-applied, or shipped to the destination where it will be treated and/or disposed of, "Pending" appears in the Disposition Status column of Table F-3.1. Water disposal documentation is not attached because no new disposal documents (e.g., water profile forms [WPFs] and manifests) were generated during this quarter or since the last reporting period.

Purge water: The purge water waste stream consists of groundwater purged from wells in the Mortandad Watershed before sampling to ensure that representative samples are collected. Purge water is being managed and characterized in accordance with the WCSF and ENV-RCRA-SOP-010.1, Land Application of Groundwater. ENV-RCRA-SOP-010.1 implements the NMED-approved notice of intent (NOI) decision tree for land application of groundwater.

During the monitoring activity, purge water was collected and containerized as it was removed from the wells. If purge water at a specific well has met the requirements for land application, it may have been directly land-applied, or it may have been containerized before land application. The type of container used depends on the volume of purge water expected and includes 5-gal. carboys, 55-gal. drums, and other containers. U.S. Department of Transportation- (DOT-) approved containers are used, as appropriate, for transport. The containers of purge water are managed in accordance with their classification as hazardous, mixed, nonhazardous, or radioactive waste, as follows.

- If purge water is hazardous or mixed waste, it is placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in or investigation of the sources of the contamination determines that the waste does not contain hazardous waste, the hazardous waste is treated or disposed of at a permitted off-site treatment, storage, and disposal (TSD) facility.
- Purge water that has been determined to be nonhazardous, including those for which NMED has granted a contained-in determination, are evaluated using ENV-RCRA-SOP-010.1 for land disposal. If land application criteria are met, the purge water is land-applied as specified in the NOI decision tree. If land application criteria cannot be met, the purge water is transported and disposed of at on-site facilities, if possible, or at an authorized off-site facility if the WACs of on-site facilities cannot be met.

Contact waste: The contact waste stream consists of wastes that "contacted" potentially contaminated environmental media (i.e., purge water) and cannot be decontaminated. It consists primarily of contaminated PPE (primarily gloves); disposable sampling supplies; and dry decontamination wastes, such as paper items. Contact waste is stored in containers (e.g., 55-gal. drums) at monitoring sites or at a consolidated accumulation area. DOT-approved containers are used, as appropriate, for transport. Characterization of this waste stream is being performed through AK of the waste materials, the methods of generation, the levels of contamination observed in the environmental media (e.g., the results of analysis of associated water samples), and, if necessary, direct sampling of the containerized waste. The contact waste is managed in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste, as follows.

- Contact waste that has been in contact with nonhazardous, nonradioactive groundwater is disposed of at a New Mexico solid waste landfill using Waste Profile Form 39268, a copy of which was included in Appendix F of the September 2008 PMR (LANL 2008, 103737).
- If the contact wastes are hazardous or mixed wastes, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in or if a due diligence investigation of the sources of the contamination determines that the waste does not contain hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated or disposed of at a permitted off-site TSD facility.
- If the contact wastes are nonhazardous but contain elevated radioactivity, the contact wastes may be designated as low-level radioactive waste and disposed of at Technical Area 54 (TA-54) Area G. Radioactive contact waste must be placed in registered radioactive accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. If the LANL Green Is Clean program verifies that the contact waste is nonradioactive, it is disposed of at a New Mexico solid waste landfill.

Decontamination fluids: Consistent with waste minimization practices, the Laboratory employs dry decontamination methods to the extent possible. However, if dry decontamination cannot be performed, liquid decontamination is used. The decontamination fluids waste stream consists of decontamination solutions and rinse waters, such as deionized water and Alconox. Liquid decontamination wastes are collected in containers at the point of generation. The decontamination fluids waste stream are characterized through AK of the waste materials, the levels of contamination observed in the environmental media (e.g., the results of the associated groundwater-monitoring samples), and, if necessary, direct sampling of the containerized waste. These wastes receive the same designation as the associated purge water. The containers of decontamination fluids are managed in accordance with their classification as nonhazardous, hazardous, mixed, or radioactive waste, as follows.

- Nonhazardous/nonradioactive decontamination fluids may be sent to the Sanitary Waste System or the Sanitary Effluent Reclamation Facility. The Radioactive Liquid Waste Treatment Facility or the TA-53 evaporation basins treat radioactive wastewaters. Radioactive wastewaters must be placed in registered radioactive accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. If the decontamination fluids do not meet the WAC for these facilities, they are sent off-site for treatment and/or disposal.
- If the wastes are hazardous or mixed waste, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in or if a due diligence investigation of the sources of the contamination determines that the waste does not contain hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated or disposed of at a permitted off-site TSD facility.

F-4.0 REFERENCE

The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; DOE-Los Alamos Site Office; EPA, Region 6; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), November 2006. "Periodic Monitoring Report for Mortandad Watershed Sampled June 26 through July 17, 2006," Los Alamos National Laboratory document LA-UR-06-7708, Los Alamos, New Mexico. (LANL 2006, 094412)

LANL (Los Alamos National Laboratory), November 2006. "Los Alamos National Laboratory Hazardous Waste Minimization Report," Los Alamos National Laboratory document LA-UR-06-8175, Los Alamos, New Mexico. (LANL 2006, 096015)

LANL (Los Alamos National Laboratory), May 2007. "2007 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-07-3271, Los Alamos, New Mexico. (LANL 2007, 096665)

LANL (Los Alamos National Laboratory), September 2008. "Periodic Monitoring Report for White Rock Watershed, April 23–April 30, 2008," Los Alamos National Laboratory document LA-UR-08-0506, Los Alamos, New Mexico. (LANL 2008, 103737)

**Table F-3.1
Summary of IDW Generation and Management**

Waste Stream	Waste Type	Volume	Characterization Method	On-Site Management	Disposition Status
Purge Water	Nonhazardous, Nonradioactive	985 gal.	Analytical results from groundwater-monitoring samples and AK	Originally managed conservatively and collected in containers, stored at satellite accumulation areas, or at less-than-90-d accumulation areas. These wastes have been determined to be nonhazardous based on date review or due diligence. The containers and accumulation areas have been downgraded to nonhazardous.	Land-applied in accordance with the NOI decision tree; discharge ID#s: 2008-010 (well R-13), 2008-011 (well R-1), and 2008-013 (well TW-8)
Purge Water	Nonhazardous, Nonradioactive	658 gal.	Same as above	Managed as described above	Pending land application review and approval
Purge Water	Nonhazardous, Nonradioactive	280 gal.	Same as above	Managed as described above	Pending WPF renewal and transport to an on-site LANL wastewater treatment facility ^a
Purge Water	Nonhazardous, Suspect radioactive	594 gal.	Same as above	Managed as described above	Pending land application review or WPF approval
Contact Waste	Nonhazardous, Nonradioactive	0.17 yd ³ (36 gal.)	AK of the waste materials	Managed as described above	Disposed of at New Mexico solid waste landfill ; WPF #39268 ^b
Contact Waste	Nonhazardous, Suspect Radioactive	0.18 yd ³ (37 gal.)	AK of the waste materials	Managed as described above	Pending Green Is Clean screening, segregation, or WPF approval ^a
Decontamination Fluids	Nonhazardous, Nonradioactive	3 gal.	Analytical results from groundwater-monitoring samples and AK	Managed as described above	Pending WPF approval and disposal ^a

^a Disposal documentation is pending completion of transport.

^b The existing WPF was submitted in Appendix F of the September 2008 PMR (LANL, 103737).

Appendix G

*Analytical Reports and Previously Unreported Data
(on CD included with this document)*

CD Table of Contents

Request	Suite	Sample	Date	Location
08-1121	GENINORG	CAMO-08-12810	5/12/2008	R-16
08-1121	VOA	CAMO-08-12810	5/12/2008	R-16
08-1148	GENINORG	CAMO-08-12762	5/13/2008	R-16
08-1148	GENINORG	CAMO-08-12763	5/13/2008	R-16
08-1148	GENINORG	CAMO-08-12765	5/13/2008	R-16
08-1148	METALS	CAMO-08-12762	5/13/2008	R-16
08-1148	METALS	CAMO-08-12763	5/13/2008	R-16
08-1148	VOA	CAMO-08-12763	5/13/2008	R-16
08-1148	VOA	CAMO-08-12764	5/13/2008	R-16
08-1148	VOA	CAMO-08-12765	5/13/2008	R-16
08-1155	GENINORG	CAMO-08-12768	5/14/2008	R-28
08-1155	GENINORG	CAMO-08-12771	5/14/2008	R-13
08-1155	GENINORG	CAMO-08-12773	5/14/2008	R-13
08-1155	VOA	CAMO-08-12766	5/14/2008	R-28
08-1155	VOA	CAMO-08-12768	5/14/2008	R-28
08-1155	VOA	CAMO-08-12769	5/14/2008	R-13
08-1155	VOA	CAMO-08-12771	5/14/2008	R-13
08-1155	VOA	CAMO-08-12773	5/14/2008	R-13
08-1156	GENINORG	CAMO-08-12767	5/14/2008	R-28
08-1156	GENINORG	CAMO-08-12768	5/14/2008	R-28
08-1156	GENINORG	CAMO-08-12770	5/14/2008	R-13
08-1156	GENINORG	CAMO-08-12771	5/14/2008	R-13
08-1156	GENINORG	CAMO-08-12772	5/14/2008	R-13
08-1156	GENINORG	CAMO-08-12773	5/14/2008	R-13
08-1156	METALS	CAMO-08-12767	5/14/2008	R-28
08-1156	METALS	CAMO-08-12768	5/14/2008	R-28
08-1156	METALS	CAMO-08-12770	5/14/2008	R-13
08-1156	METALS	CAMO-08-12771	5/14/2008	R-13
08-1156	METALS	CAMO-08-12772	5/14/2008	R-13
08-1156	METALS	CAMO-08-12773	5/14/2008	R-13
08-1169	GENINORG	CAMO-08-12758	5/19/2008	R-16r
08-1169	GENINORG	CAMO-08-12759	5/19/2008	R-16r
08-1169	GENINORG	CAMO-08-12760	5/19/2008	R-16r
08-1169	GENINORG	CAMO-08-12761	5/19/2008	R-16r
08-1169	METALS	CAMO-08-12758	5/19/2008	R-16r
08-1169	METALS	CAMO-08-12759	5/19/2008	R-16r
08-1169	METALS	CAMO-08-12760	5/19/2008	R-16r
08-1169	METALS	CAMO-08-12761	5/19/2008	R-16r
08-1169	VOA	CAMO-08-12757	5/19/2008	R-16r

Request	Suite	Sample	Date	Location
08-1169	VOA	CAMO-08-12759	5/19/2008	R-16r
08-1169	VOA	CAMO-08-12761	5/19/2008	R-16r
08-1176	GENINORG	CAMO-08-12745	5/17/2008	Test Well 8
08-1176	GENINORG	CAMO-08-12747	5/19/2008	Test Well 8
08-1176	METALS	CAMO-08-12745	5/17/2008	Test Well 8
08-1176	METALS	CAMO-08-12747	5/19/2008	Test Well 8
08-1176	VOA	CAMO-08-12746	5/19/2008	Test Well 8
08-1176	VOA	CAMO-08-12747	5/19/2008	Test Well 8
08-1193	GENINORG	CAMO-08-12712	5/20/2008	MCA-1
08-1193	GENINORG	CAMO-08-12713	5/20/2008	MCA-1
08-1193	GENINORG	CAMO-08-12737	5/20/2008	MCOI-5
08-1193	GENINORG	CAMO-08-12738	5/20/2008	MCOI-5
08-1193	GENINORG	CAMO-08-12752	5/20/2008	R-15
08-1193	GENINORG	CAMO-08-12753	5/20/2008	R-15
08-1193	GENINORG	CAMO-08-12754	5/20/2008	R-15
08-1193	GENINORG	CAMO-08-12755	5/20/2008	R-15
08-1193	GENINORG	CAMO-08-12976	5/20/2008	MCO-3
08-1193	GENINORG	CAMO-08-12977	5/20/2008	MCO-3
08-1193	METALS	CAMO-08-12712	5/20/2008	MCA-1
08-1193	METALS	CAMO-08-12713	5/20/2008	MCA-1
08-1193	METALS	CAMO-08-12737	5/20/2008	MCOI-5
08-1193	METALS	CAMO-08-12738	5/20/2008	MCOI-5
08-1193	METALS	CAMO-08-12752	5/20/2008	R-15
08-1193	METALS	CAMO-08-12753	5/20/2008	R-15
08-1193	METALS	CAMO-08-12754	5/20/2008	R-15
08-1193	METALS	CAMO-08-12755	5/20/2008	R-15
08-1193	METALS	CAMO-08-12977	5/20/2008	MCO-3
08-1193	RAD	CAMO-08-12737	5/20/2008	MCOI-5
08-1193	VOA	CAMO-08-12736	5/20/2008	MCOI-5
08-1193	VOA	CAMO-08-12737	5/20/2008	MCOI-5
08-1193	VOA	CAMO-08-12751	5/20/2008	R-15
08-1193	VOA	CAMO-08-12753	5/20/2008	R-15
08-1193	VOA	CAMO-08-12754	5/20/2008	R-15
08-1193	VOA	CAMO-08-12755	5/20/2008	R-15
08-1196	GENINORG	CAMO-08-12739	5/20/2008	MCOI-6
08-1196	GENINORG	CAMO-08-12744	5/20/2008	R-1
08-1196	METALS	CAMO-08-12739	5/20/2008	MCOI-6
08-1196	METALS	CAMO-08-12744	5/20/2008	R-1
08-1196	RAD	CAMO-08-12739	5/20/2008	MCOI-6
08-1196	VOA	CAMO-08-12739	5/20/2008	MCOI-6
08-1196	VOA	CAMO-08-12740	5/20/2008	MCOI-6

Request	Suite	Sample	Date	Location
08-1196	VOA	CAMO-08-12743	5/20/2008	R-1
08-1196	VOA	CAMO-08-12744	5/20/2008	R-1
08-1217	GENINORG	CAMO-08-12718	5/21/2008	MCO-4B
08-1217	GENINORG	CAMO-08-12719	5/21/2008	MCO-4B
08-1217	GENINORG	CAMO-08-12978	5/21/2008	MCO-6
08-1217	GENINORG	CAMO-08-12979	5/21/2008	MCO-6
08-1217	GENINORG	CAMO-08-12980	5/21/2008	MCO-7
08-1217	GENINORG	CAMO-08-12981	5/21/2008	MCO-7
08-1217	METALS	CAMO-08-12718	5/21/2008	MCO-4B
08-1217	METALS	CAMO-08-12719	5/21/2008	MCO-4B
08-1217	METALS	CAMO-08-12979	5/21/2008	MCO-6
08-1217	METALS	CAMO-08-12980	5/21/2008	MCO-7
08-1217	RAD	CAMO-08-12719	5/21/2008	MCO-4B
08-1220	GENINORG	CAMO-08-12720	5/22/2008	CDBO-6
08-1220	GENINORG	CAMO-08-12721	5/22/2008	CDBO-6
08-1220	METALS	CAMO-08-12720	5/22/2008	CDBO-6
08-1220	METALS	CAMO-08-12721	5/22/2008	CDBO-6
08-1220	PEST/PCB	CAMO-08-12721	5/22/2008	CDBO-6
08-1220	RAD	CAMO-08-12720	5/22/2008	CDBO-6
08-1220	RAD	CAMO-08-12721	5/22/2008	CDBO-6
08-1221	GENINORG	CAMO-08-12774	5/23/2008	R-21
08-1221	GENINORG	CAMO-08-12776	5/23/2008	R-21
08-1221	GENINORG	CAMO-08-12777	5/23/2008	R-21
08-1221	GENINORG	CAMO-08-12778	5/23/2008	R-21
08-1221	METALS	CAMO-08-12774	5/23/2008	R-21
08-1221	METALS	CAMO-08-12776	5/23/2008	R-21
08-1221	METALS	CAMO-08-12777	5/23/2008	R-21
08-1221	METALS	CAMO-08-12778	5/23/2008	R-21
08-1221	VOA	CAMO-08-12774	5/23/2008	R-21
08-1221	VOA	CAMO-08-12775	5/23/2008	R-21
08-1221	VOA	CAMO-08-12777	5/23/2008	R-21
08-1221	VOA	CAMO-08-12778	5/23/2008	R-21
08-1224	DIOX/FUR	CAMO-08-12721	5/22/2008	CDBO-6
08-1249	GENINORG	CAMO-08-12714	5/28/2008	MCO-2
08-1249	GENINORG	CAMO-08-12715	5/28/2008	MCO-2
08-1249	GENINORG	CAMO-08-12716	5/28/2008	MCO-2
08-1249	GENINORG	CAMO-08-12717	5/28/2008	MCO-2
08-1249	METALS	CAMO-08-12714	5/28/2008	MCO-2
08-1249	METALS	CAMO-08-12715	5/28/2008	MCO-2
08-1249	METALS	CAMO-08-12716	5/28/2008	MCO-2
08-1249	METALS	CAMO-08-12717	5/28/2008	MCO-2

Request	Suite	Sample	Date	Location
08-1249	RAD	CAMO-08-12715	5/28/2008	MCO-2
08-1249	RAD	CAMO-08-12716	5/28/2008	MCO-2
08-1249	RAD	CAMO-08-12726	5/28/2008	MCO-7.5
08-1253	DIOX/FUR	CAMO-08-12722	5/29/2008	MCO-0.6
08-1253	DIOX/FUR	CAMO-08-12724	5/29/2008	MCO-0.6
08-1253	DIOX/FUR	CAMO-08-12725	5/29/2008	MCO-0.6
08-1254	GENINORG	CAMO-08-12722	5/29/2008	MCO-0.6
08-1254	GENINORG	CAMO-08-12723	5/29/2008	MCO-0.6
08-1254	GENINORG	CAMO-08-12724	5/29/2008	MCO-0.6
08-1254	GENINORG	CAMO-08-12725	5/29/2008	MCO-0.6
08-1254	METALS	CAMO-08-12722	5/29/2008	MCO-0.6
08-1254	METALS	CAMO-08-12723	5/29/2008	MCO-0.6
08-1254	METALS	CAMO-08-12724	5/29/2008	MCO-0.6
08-1254	METALS	CAMO-08-12725	5/29/2008	MCO-0.6
08-1254	PEST/PCB	CAMO-08-12722	5/29/2008	MCO-0.6
08-1254	RAD	CAMO-08-12722	5/29/2008	MCO-0.6
08-1254	RAD	CAMO-08-12723	5/29/2008	MCO-0.6
08-1254	SVOA	CAMO-08-12722	5/29/2008	MCO-0.6
08-1254	SVOA	CAMO-08-12724	5/29/2008	MCO-0.6
08-1259	GENINORG	CAMO-08-12733	5/29/2008	MCOI-4
08-1259	GENINORG	CAMO-08-12734	5/29/2008	MCOI-4
08-1259	METALS	CAMO-08-12733	5/29/2008	MCOI-4
08-1259	METALS	CAMO-08-12734	5/29/2008	MCOI-4
08-1259	RAD	CAMO-08-12734	5/29/2008	MCOI-4
08-1259	SVOA	CAMO-08-12734	5/29/2008	MCOI-4
08-1259	VOA	CAMO-08-12734	5/29/2008	MCOI-4
08-1259	VOA	CAMO-08-12735	5/29/2008	MCOI-4