SUMMARY OF NEW LOS ALAMOS NATIONAL LABORATORY GROUNDWATER DATA LOADED IN J ANUARY 2009

INTRODUCTION

This report provides preliminary information to the New Mexico Environment Department (NMED) concerning recent groundwater monitoring data obtained by the Los Alamos National Laboratory (the Laboratory) under its interim monitoring plan. This report contains results for chemical constituents that meet the seven screening criteria laid out in the Compliance Order on Consent (Consent Order), modified May 13, 2008. The report covers groundwater samples taken from wells or springs (listed in the accompanying table) that provide surveillance of the groundwater zones indicated in the table.

The report includes one table, *Table 1: NMED 1-09 Groundwater Report*. This table contains numerous values, often because new data are reported when they are detected for the first time since June 14, 2007, or are greater than other data collected since that time (as specified in the Consent Order). These reported data are often similar to data gathered before June 14, 2007. Over time, the data that exceed the reference data are expected to be reduced substantially.

This table includes additional comments on the significance of the results for those that appear to be exceptional or are first-time occurrences of results based on considering monitoring data acquired before June 14, 2007 (using statistics described below).

The table contains supplemental information summarizing monitoring results obtained before June 14, 2007.

The table includes sampling date, the name of the well or spring, the location of the well or spring, the depth of the screened interval, the groundwater zone sampled, analytical result, detection limit, values for regulatory standards, and analytical and secondary validation qualifiers. Additional information describing the locations and analytical data is also included. All data have been through secondary validation. The definitions for abbreviations in the table may be found at http://www.lanl.gov/environment/all/racer.shtml.

In accordance with the Consent Order, the screening levels used include the U.S. Environmental Protection Agency (EPA) maximum contaminant levels (MCLs), the New Mexico groundwater standards, and the EPA Region 6 tap water screening levels (for compounds having no other regulatory standard). In the table, the EPA Region 6 tap water screening levels are identified as being for cancer (10⁻⁵ excess) or noncancer risk values. The data were screened using 10 times the EPA's 10⁻⁶ excess cancer risk values, as indicated in Section VIII.A.1 of the Consent Order.

Background levels applied in Criteria 2 and 5 are the most recent NMED-approved 95% upper tolerance limits for background for each groundwater zone as set forth in the "Groundwater Background Investigation Report," prepared under Section IV.A.3.d of the Consent Order.

Criteria 5 and 6 involve conclusions based on four consecutive samples. No results are included for these criteria in the table because few locations have been sampled a sufficient number of times since June 14, 2007, to meet the criteria.

DESCRIPTION OF TABLE

The table is divided into separate categories that correspond to the seven screening criteria in the Consent Order: these are labeled (in the first column) C1 through C6 for the numbered criteria and CA for

cases where the concentration of a constituent in a well screen or spring has not previously exceeded either the New Mexico Water Quality Control Commission (NMWQCC) standard or the federal MCLs. Some data meet more than one criterion and appear in the table multiple times. The criteria are as follows:

- CA. The Respondents shall notify the Department orally within one business day after review of the analytical data if such data show detection of a contaminant in a well screen interval or spring at a concentration that exceeds either the NMWQCC water quality standard or the federal MCL if that contaminant has not previously exceeded such water quality standard or maximum contaminant level in such well screen interval or spring.
- C1. Detection of a contaminant that is an organic compound in a spring or screened interval of a well if that contaminant has not previously been detected in the spring or screened interval.
- C2. Detection of a contaminant that is a metal or other inorganic compound at a concentration above the background level in a spring or screened interval of a well if that contaminant has not previously exceeded the background level in the spring or screened interval.
- C3. Detection of a contaminant in a spring or screened interval of a well at a concentration that exceeds either one-half the New Mexico water quality standard or one-half the federal maximum contaminant level, or if there is no such standard for the contaminant, one-half the EPA Region 6 human health medium-specific screening level for tap water, if that contaminant has not previously exceeded one-half such standard or screening level in the spring or screened interval.
- C4. Detection of perchlorate in a spring or screened interval of a well at a concentration of 2 µg/L or greater if perchlorate at such concentration has not previously been detected in the spring or screened interval.
- C5. Detection of a contaminant that is a metal or other inorganic compound in a spring or screened interval of a well at a concentration that exceeds 2 times the background level for the third consecutive sampling of the spring or screened interval.
- C6. Detection of a contaminant in a spring or screened interval of a well at a concentration that exceeds either one-half the New Mexico water quality standard or one-half the federal MCL, and that has increased for the third consecutive sampling of that spring or screened interval.

The next seven columns of the table give information on monitoring results obtained over a longer time frame than samples collected after June 14, 2007. The columns provide summary statistics on for the samples collected since January 1, 2000, for the same analyte and field preparation (for example, filtered samples). The information includes the date of first sampling event included in the statistics, the numbers of sampling events and samples analyzed, the number of detections, and the minimum, maximum, and median concentration for detections. This information indicates whether the new result is consistent with the range of earlier data.

The subsequent columns contain location and sampling information:

Hdr 1—canyon where monitoring location is found

Zone—groundwater zone sampled by monitoring location (such as alluvial spring)

Location—monitoring location name

Port Depth—depth of top of well screen in feet (0 for springs, -1 if unknown)

Start Date—sample date

Fld QC Type Code—identifies samples that are field duplicates (definitions for these and other abbreviations may be found at http://www.lanl.gov/environment/all/racer.shtml)

Fld Prep—identifies whether samples are filtered or unfiltered

Lab Sample Type Code—indicates whether result is a primary (customer) sample or reanalysis

Anyl Suite—gives analytical suite (such as volatile organic compounds) for analyzed compound

Analyte Desc-name of analyte

Analyte—chemical symbol for analyte or CAS (Chemical Abstracts Service) number for organic compounds

Std Result—the analytical result in standard measurement units

Result/Median—the ratio of the Std Result to the median of all detections since 2000

LVL Type/Risk Code—the type of regulatory standard, screening level, or background value (indicating groundwater zone) used for comparison

Screen Level—the value of the LVL Type/Risk Code

Exceedance Ratio—the ratio of Std Result to LVL Type/Risk Code

Std Mdl—the method detection limit in standard measurement units

Std UOM— the standard units of measurement

Dilution Factor—amount by which the sample was diluted to measure the concentration

Lab Qual Code—the analytical laboratory qualifiers indicating analytical quality of the sample

Concat Flag Code—concatenated secondary validation qualifiers produced by an independent contractor who reviews data packages, verifying, for example, that holding times were met, that all documentation is present, and that analytical laboratory quality control measures were applied, documented, and kept within contract requirements

Concat Reason Code—concatenated secondary validation codes explaining assignment of qualifiers

Anyl Meth Code—analytical method number

Lab Code—analytical laboratory name

Comment—a comment on the analytical result

Table 1: NMED 1-09 Groundwater Report

			LD 1-0					•																								
	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date		Fld Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Qual Co	icat Flag Code	Concat Reason Code	Anyl Meth Code	Lab Code	Comment
C	1 1	1	11/05/08		13.5	13.5	1	Sandia Canyon	Regional	R-43	903.9	11/05/08	FD			VOA	Toluene	108-88-3	13.5	1.00				0.25	ug/L	1					GELC	Sample taken following aquifer test, prior to sampling system installation
C	1 1	1	11/10/08	0.819	0.819	0.819	1	Sandia Canyon	Regional	R-43	969.1	11/10/08	FD	F	CS '	VOA	Toluene	108-88-3	0.819	1.00				0.25	ug/L	1 J	J	J_L	AB :	SW-846:8260B	GELC	Sample taken following aquifer test, prior to sampling system installation
C	1 7	8	08/30/05	0.309	0.309	0.309	1	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCO-2	1.5	12/10/08		UF	CS '	VOA	Toluene	108-88-3	0.309	1.00	NM GW STD	750	0.0	0.25	ug/L	1 J	J	J_L	AB :	SW-846:8260B	GELC	
C	1 16	24	10/17/02	1.99	1.99	1.99	1	Pajarito Canyon (includes Twomile and Threemile Canyons)	Regional	R-23	816	12/03/08		UF	CS :	SVOA	Phenol	108-95-2	1.99	1.00	NM GW STD	5	0.4	1	ug/L	1 J	J	J_L	.AB	SW-846:8270C	GELC	
C	2 8	9	10/24/01	0.3	0.54	0.39	9	Guaje Canyon (includes Barrancas and Rendija Canyons)	Water Supply	G-5A	746.6	09/10/08		UF	CS	GENINORG	Perchlorate	CIO4	0.406	1.04	LANL Reg BG LVL	0.05	8.1	0.05	ug/L	1	J	PE [*]	12e	SW-846:6850	GELC	
C	2 1	2	11/10/08	3.99	4	4	2	Sandia Canyon	Regional	R-43	969.1	11/10/08	FD	F	CS	GENINORG	Chloride	CI(-1)	3.99		LANL Reg BG LVL	3.57	1.1	0.066	mg/L	1				EPA:300.0	GELC	Sample taken following aquifer test, prior to sampling system installation
C	2 1	2	11/10/08	3.99	4	4	2	Sandia Canyon	Regional	R-43	969.1	11/10/08		F	CS	GENINORG	Chloride	CI(-1)	4	1.00	LANL Reg BG LVL	3.57	1.1	0.066	mg/L	1				EPA:300.0	GELC	Sample taken following aquifer test, prior to sampling system installation
C	2 1	3	11/10/08	4.65	4.87	4.73	3	Sandia Canyon	Regional	R-43	969.1	11/10/08		F	CS	GENINORG	Magnesium	Mg	4.87		LANL Reg BG LVL	4.15	1.2	0.085	mg/L	1			,	SW-846:6010B	GELC	Sample taken following aquifer test, prior to sampling system installation
C	2 1	1	11/10/08	0.398	0.398	0.398	1	Sandia Canyon	Regional	R-43	969.1	11/10/08		UF	CS	GENINORG	Total Organic Carbon	TOC	0.398	1.00	LANL Reg BG LVL	0.33	1.2	0.33	mg/L	1 J	J	J_L	AB :	SW-846:9060	GELC	Sample taken following aquifer test, prior to sampling system installation
C	2 1	3	11/10/08	98.1	255	235	3	Sandia Canyon	Regional	R-43	969.1	11/10/08		F	CS	METALS	Iron	Fe			LANL Reg BG LVL	21	4.7	25	ug/L	1 J	J	J_L		SW-846:6010B		Sample taken following aquifer test, prior to sampling system installation
	2 1	3	11/10/08	14.3	14.9	14.9	3	Sandia Canyon	Regional	R-43	969.1	11/10/08				METALS	Manganese	Mn			BG LVL	2.94	4.9	2	ug/L	1			;	SW-846:6010B		Sample taken following aquifer test, prior to sampling system installation
С	2 1	3	11/10/08		2.3	2.3	3	Sandia Canyon	Regional	R-43	969.1	11/10/08					Molybdenum	Мо	2.1		LANL Reg BG LVL		1.1	0.1	ug/L	1					GELC	Sample taken following aquifer test, prior to sampling system installation
	2 1				8.2	6.3	3	Sandia Canyon	Regional	R-43	969.1	11/10/08					Zinc	Zn	6.3		LANL Reg BG LVL		1.6		ug/L	1 J	J	J_L	AB :	SW-846:6010B		Sample taken following aquifer test, prior to sampling system installation
			01/19/06		15.6	5.4	11	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Water Supply	PM-5	1440	09/10/08				METALS	Chromium	Cr			LANL Reg BG LVL				ug/L	1					GELC	
C	2 3	3	06/28/05	27.8	111	93.5	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08		F	CS	GENINORG	Chloride	CI(-1)	111	1.19	LANL Avi BG LVL	69.76	1.6	0.66	mg/L	10				EPA:300.0	GELC	road salt? Na ~ Cl, in Twomile

Criteria Code	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date	Fld QC Type Code	Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Qual Co	Concat Flag Code	Concat Reason Code	Anyl Meth Code	Lab Code	Comment
C2	3	3	06/28/05	0.0694	0.109	0.0892	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	GENINORG	Perchlorate	CIO4	0.109	1.22	LANL AVI BG LVL	0.05	2.2	0.05	ug/L	1	J J	J J	I_LAB	SW-846:6850	GELC	in Twomile
C2	3	3	06/28/05	3.35	10.8	3.98	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	GENINORG	Potassium	К	10.8		LANL AVI BG LVL	5.21	2.1	0.05	mg/L	1				SW-846:6010B	GELC	in Twomile
C2	3	3	06/28/05	37.2	79.8	68.1	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	GENINORG	Sodium	Na	68.1	1.00	LANL AVI BG LVL	15.54	4.4	0.045	mg/L	1				SW-846:6010B	GELC	road salt? Na ~ CI, in Twomile
C2	3	3	06/28/05	0.092	0.092	0.092	1	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	GENINORG	Total Phosphate as Phosphorus	PO4-P	0.092	1.00	LANL AVI BG LVL	0.05	1.8	0.024	mg/L	1				EPA:365.4	GELC	in Twomile
C2	3	4	06/28/05	164	314	245	4	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	GENINORG	Total Dissolved Solids	TDS	272	1.11	LANL AVI BG LVL	139	2.0	2.4	mg/L	1				EPA:160.1	GELC	road salt? Na ~ CI, in Twomile
C2	3	3	06/28/05	50.4	84.9	55.6	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Barium	Ва	84.9	1.53	LANL AVI BG LVL	68.57	1.2	1	ug/L	1				SW-846:6010B	GELC	Turb = 124 NTU, in Twomile
C2	3	3	06/28/05	4.2	8.1	6.2	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Copper	Cu	8.1	1.31	LANL AVI BG LVL	3	2.7	3	ug/L	1	J J	J J	I_LAB	SW-846:6010B	GELC	Turb = 124 NTU, in Twomile
C2	3	3	06/28/05	12.4	107	17.5	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Manganese	Mn	12.4	0.71	LANL AVI BG LVL	2	6.2	2	ug/L	1				SW-846:6010B	GELC	Turb = 124 NTU, in Twomile
C2	3	3	06/28/05	1.4	2.6	2.2	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Nickel	Ni	2.6	1.18	LANL AVI BG LVL	1	2.6	0.5	ug/L	1				SW-846:6020	GELC	Turb = 124 NTU, in Twomile
C2	3	3	06/28/05	0.73	1.8	0.86	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Lead	Pb	0.86		LANL AVI BG LVL	0.5	1.7	0.5	ug/L	1	J J	J J	I_LAB	SW-846:6020	GELC	Turb = 124 NTU, in Twomile
C2	3	3	06/28/05	4.9	24.8	14.9	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Antimony	Sb	24.8		LANL AVI BG LVL	0.5	49.6	0.5	ug/L	1	J	J 4	4a	SW-846:6020	GELC	Turb = 124 NTU, in Twomile
C2	3	3	06/28/05	15.9	374	195	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Zinc	Zn	374	1.92	LANL AVI BG LVL	2	187.0	2	ug/L	1				SW-846:6010B	GELC	Turb = 124 NTU, in Twomile
C2	10	12	08/31/06	0.02	0.073	0.047	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-9	6	12/10/08	F	= (CS	GENINORG	Total Phosphate as Phosphorus	PO4-P	0.073		LANL AVI BG LVL	0.05	1.5	0.024	mg/L	1				EPA:365.4	GELC	
C2	10	13	08/28/06	0.038	0.103	0.077	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-18	12.5	12/11/08	F	= (cs	GENINORG	Total Phosphate as Phosphorus	PO4-P	0.077	1.00	LANL AVI BG LVL	0.05	1.5	0.024	mg/L	1				EPA:365.4	GELC	
C2	10	13	08/28/06	0.038	0.103	0.077	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-18	12.5	12/11/08	FD F	= (CS		Total Phosphate as Phosphorus	PO4-P	0.103	1.34	LANL AVI BG LVL	0.05	2.1	0.024	mg/L	1				EPA:365.4	GELC	
C2	3	5	06/09/08	4.8	6.9	6.8	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD F	= (CS	METALS	Arsenic	As	6.8	1.00	LANL AVI BG LVL	6	1.1	1.5	ug/L	1				SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content

Criteria Code	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date	Fld QC Type Code	Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Qual Co	Concat Flag Code	Concat Reason Code	Anyl Meth Code	Lab Code	Comment
C2	3	5	06/09/08	4.8	6.9	6.8	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F (CS	METALS	Arsenic	As	6.9	1.01	LANL Avi BG LVL	6	1.2	1.5	ug/L	1				SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C2	3	3	06/22/08	1.6	1.6	1.6	1	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-7c	9.7	12/03/08		F (CS	METALS	Chromium	Cr	1.6		LANL Avi BG LVL	1		1.5	ug/L	1	J J	J J	LAB	SW-846:6020	GELC	
C2	10	10	08/22/06	0.097	0.097	0.097	1	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Anderson Spring	0	12/09/08		F (CS	GENINORG	Total Phosphate as Phosphorus	PO4-P	0.097	1.00	LANL Int BG LVL	0.08	1.2	0.024	mg/L	1				EPA:365.4	GELC	
C2	10	11	08/31/06	9.18	19.6	14	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Charlie's Spring	0	12/04/08	FD	F (CS	GENINORG	Calcium	Са	19.6		LANL Int BG LVL	17.31	1.1	0.03	mg/L	1				SW-846:6010B	GELC	
C2	10	11	08/31/06	9.18	19.6	14	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Charlie's Spring	0	12/04/08		F (CS	GENINORG	Calcium	Са	19	1.36	LANL Int BG LVL	17.31	1.1		mg/L	1				SW-846:6010B	GELC	
C2	10	11	08/31/06	3.05	6.42	4.93	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Charlie's Spring	0	12/04/08	FD	F (CS	GENINORG	Magnesium	Mg	6.42	1.30	LANL Int BG LVL	6.12	1.1	0.085	mg/L	1				SW-846:6010B	GELC	
C2	10	11	08/31/06	35.1	71.9	62.8	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Charlie's Spring	0	12/04/08	FD	F (CS	METALS	Barium	Ва	71.9	1.14	LANL Int BG LVL	71.83	1.0	1	ug/L	1	E			SW-846:6010B	GELC	
C2	11	11	06/22/05	0.098	0.221	0.16	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Bulldog Spring	0	12/10/08		F (CS	GENINORG	Bromide	Br(-1)	0.098	0.61	LANL Int BG LVL	0.03	3.3	0.067	mg/L	1	J J	ı l	LAB	EPA:300.0	GELC	
C2	8	8	09/22/00	14.9	21.1	16.8	8	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate	R-19	909.3	12/03/08		F (CS	GENINORG	Calcium	Са	17.6	1.05	LANL Int BG LVL	17.31	1.0	0.03	mg/L	1				SW-846:6010B	GELC	
C2			09/22/00		21	19.5	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate	R-19	909.3	12/03/08				METALS	Boron	В	19.5		LANL Int BG LVL	15.12	1.3	10	ug/L	1	J J	J J_	LAB	SW-846:6010B	GELC	
C2	3	3	07/05/05	0.073	0.227	0.15	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Regional	R-22	1448.2	12/19/08					Ammonia as Nitrogen				LANL Reg BG LVL			0.03		1	J	J- 16a	a	EPA:350.1	GELC	
			01/26/07			0.081	1	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Alluvial	CDV-16- 02659	1.7	10/08/08				GENINORG		Br(-1)			LANL Avi BG LVL			0.067		1	J J	J J	-		GELC	
			03/28/00		23			Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)		CDV-16- 02659	1.7	10/08/08				GENINORG		Na			LANL Avi BG LVL			0.045		1				SW-846:6010B		
			03/28/00			46.4		Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Alluvial	CDV-16- 02659	1.7	10/08/08					Boron	В	61.8		LANL Avi BG LVL		1.2		ug/L	1				SW-846:6010B		
			03/28/00		57.9			Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Alluvial	CDV-16- 02659	1.7	10/08/08				-	Zinc	Zn	11		LANL Avi BG LVL				ug/L	1				SW-846:6010B		
C2	26	26	01/10/00	14	23	17	26	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	SWSC Spring	0	10/08/08		F (CS	GENINORG	Calcium	Са	18.4	1.08	LANL Int BG LVL	17.31	1.1	0.03	mg/L	1				SW-846:6010B	GELC	

															o o																
Criteria Code	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date	Fld QC Type Code	Fld Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Qual Co	Concat Flag Code Concat Reason Code	Anyl Meth Code	Lab Code	Comment
C2	26	26	01/10/00	2.6	8.52	3.35	4	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)		SWSC Spring	0	10/08/08		F	CS	METALS	Zinc	Zn	2.9	0.87	LANL Int BG LVL	2	1.5	2	ug/L	1	J J	J_LAE	SW-846:6010B	GELC	
C2	5	6	01/30/07	1.69	3.04	2.33	6	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	Martin Spring	0	10/08/08		F	CS	GENINORG	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	3.04	1.30	LANL Int BG LVL	2.41	1.3	0.05	mg/L	5	J	l4a	EPA:353.2	GELC	
C2	11	13	03/29/04	0.31	1.7	0.95	13	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	Martin Spring	0	10/08/08		F	CS	METALS	Uranium	U	1.5		LANL Int BG LVL		2.1	0.05	ug/L	1			SW-846:6020	GELC	
C2	2	2	10/31/01	0.388	0.388	0.388	1	White Rock Canyon and Rio Grande	Water Supply	Buckman 6	291	09/24/08		UF	CS	GENINORG	Perchlorate	CIO4	0.388		LANL Reg BG LVL	0.05	7.8	0.05	ug/L	1			SW-846:6850	GELC	
C2	1	1	09/24/08	466	466	466	1	White Rock Canyon and Rio Grande	Water Supply	Buckman 6	291	09/24/08		UF	CS	GENINORG	Specific Conductance	SPEC_CON DC	466	1.00	LANL Reg BG LVL	287.21	1.6	1	uS/cm	1			EPA:120.1	GELC	
C3	3	3	06/28/05	1200	3610	1240	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08		F	CS	METALS	Iron	Fe	1240	1.00	NM GW STD	1000	2.5	25	ug/L	1	* J	l4a	SW-846:6010B	GELC	Turb = 124 NTU, in Twomile
C3	3	3	06/28/05	1.8	9.7	2.7	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08		UF	CS	METALS	Lead	Pb	9.7	3.59	EPA PRIM DW STD	15	1.3	0.5	ug/L	1			SW-846:6020	GELC	Turb = 124 NTU, in Twomile
C3	3	3	06/28/05	4.5	7.7	6.1	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08		UF	CS	METALS	Antimony	Sb	7.7	1.26	EPA PRIM DW STD	6	2.6	0.5	ug/L	1	J	l4a	SW-846:6020	GELC	Turb = 124 NTU, in Twomile
C3	3	3	06/28/05	4.9	24.8	14.9	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08		F	CS	METALS	Antimony	Sb	24.8	1.66	EPA PRIM DW STD	6	8.3	0.5	ug/L	1	J	l4a	SW-846:6020	GELC	Turb = 124 NTU, in Twomile
C3	3	5	06/09/08	331	522	423	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F	CS	GENINORG	Total Dissolved Solids	TDS	519	1.23	NM GW STD	1000	1.0	2.4	mg/L	1			EPA:160.1	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C3	3	5	06/09/08	331	522	423	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F	CS	GENINORG	Total Dissolved Solids	TDS	522	1.23	NM GW STD	1000	1.0	2.4	mg/L	1			EPA:160.1	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C3	3	5	06/09/08	4.8	6.9	6.8	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F	CS	METALS	Arsenic	As	6.9	1.01	EPA PRIM DW STD	10	1.4	1.5	ug/L	1			SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C3	3	5	06/09/08	4.8	6.9	6.8	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F	CS	METALS	Arsenic	As	6.8	1.00	EPA PRIM DW STD	10	1.4	1.5	ug/L	1			SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C3	3	5	06/09/08	3.2	5.7	5.3	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	UF	CS	METALS	Arsenic	As	5.7	1.08	EPA PRIM DW STD	10	1.1	1.5	ug/L	1			SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C3	3	5	06/09/08	3.2	5.7	5.3	3	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08				METALS	Arsenic	As	5.3		EPA PRIM DW STD	10	1.1	1.5	ug/L	1			SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C3	3	5	06/09/08	281	601	436	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F	CS	METALS	Barium	Ва	570	1.31	NM GW STD	1000	1.1	5	ug/L	1			SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C3	3	5	06/09/08	281	601	436	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F	CS	METALS	Barium	Ва	601	1.38	NM GW STD	1000	1.2	5	ug/L	1			SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content

Criteria Code	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date		Fld Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Lab Qual Code	cat Reas	Anyl Meth Code	Lab Code	Comment
C3	1	1	09/24/08	7	7	7	1	White Rock Canyon and Rio Grande	Water Supply	Buckman 6	291	09/24/08		UF	CS	METALS	Arsenic	As	7		EPA PRIM DW STD	10	1.4	1.5	ug/L	1			SW-846:6020	GELC	Similar to nearby wells
C5	25	28	10/24/01	1.22	2.97	2.05	28	Pueblo Canyon (includes Acid Canyon)	Water Supply	O-1	1017	09/10/08		UF	CS	GENINORG	Perchlorate	CIO4	1.96	0.96	LANL Reg BG LVL	0.05	19.6	0.2	ug/L	4	J	PE12e	SW-846:6850	GELC	
C5	23	25	10/24/01	0.354	0.55	0.381	24	Upper Los Alamos Canyon (includes DP	Water Supply	0-4	1115	09/10/08		UF	CS	GENINORG	Perchlorate	CIO4	0.415		LANL Reg BG LVL	0.05	4.2	0.05	ug/L	1	J	PE12e	SW-846:6850	GELC	
C5	23	25	10/24/01	0.354	0.55	0.381	24	Canyon) Upper Los Alamos Canyon (includes DP	Water	0-4	1115	09/10/08	FD	UF	CS	GENINORG	Perchlorate	CIO4	0.434		LANL Reg BG LVL	0.05	4.3	0.05	ug/L	1	J	PE12e	SW-846:6850	GELC	
C5	21	23	10/24/01	0.401	0.52	0.444	21	Canyon) Sandia Canyon	Water	PM-1	945	09/10/08		UF	CS	GENINORG	Perchlorate	CIO4	0.472	1.06	LANL Reg	0.05	4.7	0.05	ug/L	1	J	PE12e	SW-846:6850	GELC	
C5	11	11	11/28/01	0.3	0.354	0.337	11	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Supply Water Supply	PM-4	1260	09/10/08		UF	CS	GENINORG	Perchlorate	CIO4	0.35	1.04	BG LVL LANL Reg BG LVL	0.05	3.5	0.05	ug/L	1	J	PE12e	SW-846:6850	GELC	
C5	25	31	10/24/01	0.296	0.444	0.338	26	Mortandad Canyon (includes Ten Site Canyon and Canada del Buey)	Water Supply	PM-5	1440	09/10/08		UF	CS	GENINORG	Perchlorate	CIO4	0.34		LANL Reg BG LVL	0.05	3.4	0.05	ug/L	1	J	PE12e	SW-846:6850	GELC	
C5	10	11	08/29/06	0.268	0.388	0.309	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-BG-1	10	12/08/08		F	CS	GENINORG	Perchlorate	CIO4	0.268		LANL AvI BG LVL	0.05	2.7	0.05	ug/L	1			SW-846:6850	GELC	
C5	10	12	08/31/06	0.247	0.568	0.32	12	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-9	6	12/10/08		F	CS	GENINORG	Perchlorate	CIO4	0.28		LANL AvI BG LVL	0.05	2.8	0.05	ug/L	1			SW-846:6850	GELC	
C5	10	12	08/31/06	0.266	0.417	0.34	12	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-11	27	12/09/08		F	CS	GENINORG	Perchlorate	CIO4	0.266		LANL AvI BG LVL	0.05	2.7	0.05	ug/L	1			SW-846:6850	GELC	
C5	10	13	08/28/06	0.0972	0.242	0.162	13	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-18	12.5	12/11/08	FD	F	CS	GENINORG	Perchlorate	CIO4	0.115		LANL AvI BG LVL	0.05	1.2	0.05	ug/L	1 .	J J	J_LAB	SW-846:6850	GELC	
C5	10	13	08/28/06	45.1	96.3	56.2	13	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-18	12.5	12/11/08	FD	F	CS	GENINORG	Sodium	Na	56.3		LANL Avl BG LVL	15.54	1.8	0.045	mg/L	1			SW-846:6010B	GELC	
C5	10	13	08/28/06	45.1	96.3	56.2	13	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	18-MW-18	12.5	12/11/08		F	CS	GENINORG	Sodium	Na	56.2		LANL AVI BG LVL	15.54	1.8	0.045	mg/L	1			SW-846:6010B	GELC	
C5	3		06/09/08		444	350	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08					Ţ	ALK- CO3+HCO3			BG LVL	76			mg/L	1			EPA:310.1		Well is in Cerro Grande fire ash deposits with high metals content
	3		06/09/08	241	444	350	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD					ALK- CO3+HCO3			LANL AvI BG LVL	76			mg/L	1			EPA:310.1	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	61.9	114	85.7	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F	CS	GENINORG	Calcium	Ca	106		BG LVL	26.36	2.0	0.15	mg/L	1			SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	61.9	114	85.7	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F	CS	GENINORG	Calcium	Са	114	1.33	LANL AvI BG LVL	26.36	2.2	0.15	mg/L	1			SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content

Criteria Code	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date	Fld QC Type Code	Fld Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Qual Co	Concat Flag Code	Concat Reason Code	Anyl Meth Code	Lab Code	Comment
C5	3	5	06/09/08	0.932	1.48	1.3	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08			CS	GENINORG	Ammonia as Nitrogen	NH3-N	1.48	1.14	LANL AVI BG LVL	0.04	18.5	0.03	mg/L	1	J	J- 16	Sa	EPA:350.1	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	0.932	1.48	1.3	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F	CS	GENINORG	Ammonia as Nitrogen	NH3-N	1.37	1.05	LANL AVI BG LVL	0.04	17.1	0.03	mg/L	1	J	J- 16	Sa	EPA:350.1	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	331	522	423	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F (CS	GENINORG	Total Dissolved Solids	TDS	522	1.23	LANL AVI BG LVL	139	1.9	2.4	mg/L	1				EPA:160.1	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	331	522	423	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F (CS	GENINORG	Total Dissolved Solids	TDS	519	1.23	LANL AVI BG LVL	139	1.9	2.4	mg/L	1				EPA:160.1	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	281	601	436	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F (CS	METALS	Barium	Ва	601	1.38	LANL AVI BG LVL	68.57	4.4	5	ug/L	1				SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	281	601	436	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F (CS	METALS	Barium	Ва	570	1.31	LANL AVI BG LVL	68.57	4.2	5	ug/L	1				SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	9.6	23.6	17.1	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F (CS	METALS	Cobalt	Co	22.1	1.29	LANL AVI BG LVL	0.5	22.1	5	ug/L	1	J J	J J	_LAB	SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	9.6	23.6	17.1	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F (CS	METALS	Cobalt	Co	23.6	1.38	LANL AVI BG LVL	0.5	23.6	5	ug/L	1	J J	J J_	_LAB	SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	6040	17500	11900	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F (CS	METALS	Manganese	Mn	16900	1.42	LANL AVI BG LVL	2	4225. 0	10	ug/L	5				SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	6040	17500	11900	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F (CS	METALS	Manganese	Mn	17500	1.47	LANL AVI BG LVL	2	4375. 0	10	ug/L	5				SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	6.8	8.2	7.3	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD	F (CS	METALS	Molybdenum	Мо	7.1	0.97	LANL AVI BG LVL	2	1.8	0.1	ug/L	1	J	J 14	1 a	SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	6.8	8.2	7.3	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F (CS	METALS	Molybdenum	Мо	6.8	0.93	LANL AvI BG LVL	2	1.7	0.1	ug/L	1	J	J 14	1 a	SW-846:6020	GELC	Well is in Cerro Grande fire ash deposits with high metals content
	3		06/09/08			7.1	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08				METALS	Nickel	Ni	10.5		LANL AVI BG LVL	1		0.5	ug/L	1					GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3		06/09/08		10.7	7.1	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD			METALS	Nickel	Ni	10.7		LANL Avi BG LVL	1	5.4	0.5	ug/L	1					GELC	Well is in Cerro Grande fire ash deposits with high metals content
C5	3		06/09/08		777	583	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08	FD			METALS	Strontium	Sr	777		LANL AVI BG LVL	120		5	ug/L	1				SW-846:6010B		Well is in Cerro Grande fire ash deposits with high metals content
C5	3	5	06/09/08	383	777	583	5	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial	PCAO-5	14.7	12/02/08		F (cs	METALS	Strontium	Sr	723	1.24	LANL AVI BG LVL	120	3.0	5	ug/L	1				SW-846:6010B	GELC	Well is in Cerro Grande fire ash deposits with high metals content

Criteria Code	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date	Fld QC Type Code	Fld Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Lab Qual Code	Concat Flag Code	Concat Reason Code Anyl Meth Code		Lab Code	Comment
C5	11	20	06/20/05	0.161	0.405	0.253	20	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Homestead Spring	0	12/04/08	1		CS	GENINORG	Perchlorate	CIO4	0.163	0.64	LANL Int BG LVL	0.05	1.6	0.05	ug/L	1	J J		_LAB SW-846:6	350	GELC	
C5	11	11	06/21/05	0.213	0.457	0.266	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Starmer Spring	0	12/04/08		F	CS	GENINORG	Perchlorate	CIO4	0.213	0.80	BG LVL	0.05	2.1	0.05	ug/L	1			SW-846:6	350	GELC	
C5	10	10	08/22/06	0.324	0.633	0.413	10	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Anderson Spring	0	12/09/08	1			GENINORG	Perchlorate	CIO4	0.329	0.80	LANL Int BG LVL	0.05	3.3	0.05	ug/L	1			SW-846:6	350	GELC	
			08/22/06			4.9	10	Pajarito Canyon (includes Twomile and Threemile Canyons)	Spring	Anderson Spring	0	12/09/08	1			METALS	Chromium	Cr	4.5	0.92	P. LANL Int BG LVL	1	2.3	1.5	ug/L	1			SW-846:6	020	GELC	
C5	11	11	06/20/05	0.377	0.804	0.472	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Kieling Spring	0	12/10/08	1	F		GENINORG		CIO4	0.804	1.70	LANL Int BG LVL	0.05	8.0	0.05	ug/L	1			SW-846:6	350	GELC	
C5	10	11	08/31/06	0.213	0.447	0.31	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Charlie's Spring	0	12/04/08		F	CS	GENINORG	Perchlorate	CIO4	0.31	1.00	BG LVL	0.05	3.1	0.05	ug/L	1			SW-846:6	350	GELC	
C5	10	11	08/31/06	0.213	0.447	0.31	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Charlie's Spring	0	12/04/08	FD I	F	CS	GENINORG	Perchlorate	CIO4	0.312	1.01	LANL Int BG LVL	0.05	3.1	0.05	ug/L	1			SW-846:6	350	GELC	
C5	11	11	06/22/05	0.606	0.947	0.698	11	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate Spring	Bulldog Spring	0	12/10/08		F	CS	GENINORG	Perchlorate	CIO4	0.947	1.36	BG LVL	0.05	9.5	0.05	ug/L	1			SW-846:6	350	GELC	
C5	8	8	09/22/00	0.409	0.71	0.54	8	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate	R-19	909.3	12/03/08	1	F	CS	GENINORG	Fluoride	F(-1)	0.622	1.15	BG LVL	0.23	1.4	0.033	mg/L	1			EPA:300.0)	GELC	
C5		10				0.204	10	Pajarito Canyon (includes Twomile and Threemile Canyons)	Intermediate	R-23i		12/02/08				GENINORG		CIO4	0.228	1.12	LANL Int BG LVL	0.05	2.3	0.05	ug/L	1			SW-846:6	350	GELC	
C5	12	22	08/25/05	0.364	1.28	0.704	18	(includes Twomile and Threemile Canyons)	Regional	R-18	1358	12/11/08	FD I	UF	CS	GENINORG	Total Organic Carbon	TOC	0.688		B LANL Reg BG LVL		1.0	0.33		1	J J	J J	_LAB SW-846:9	060	GELC	
			12/17/03		1.51	0.868	20	Pajarito Canyon (includes Twomile and Threemile Canyons)	Regional	R-23	816	12/03/08					Total Organic Carbon	TOC	1.41	1.62	LANL Reg BG LVL	0.33	2.1	0.33	mg/L	1			SW-846:9	060	GELC	
			03/28/00		8440	6410	37	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)		CDV-16- 02659	1.7	10/08/08					Barium	Ва	6470		LANL AVI BG LVL	68.57	47.2		ug/L	1			SW-846:6			
C5	4		05/10/07		23	17.6	4	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)		Spring	0	10/08/08				GENINORG		CI(-1)	18.1		B LANL Int BG LVL	7.78		0.066	_	1			EPA:300.0		GELC	
C5			05/10/07			0.595	4	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)		Spring	0	10/08/08				GENINORG		CIO4	0.72		LANL Int BG LVL	0.05		0.05	ug/L	1			SW-846:6		GELC	
C5	26	26	01/10/00	209	371	279	25	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	SWSC Spring	0	10/08/08		F	cs	METALS	Barium	Ва	268	0.96	BG LVL	71.83	1.9	1	ug/L	1			SW-846:6	010B	GELC	

oisetic O	Visits	Samples	First Event	Min Detect	Max Detect	Median Detect	Num Detect	Hdr 1	Zone	Location	Port Depth	Start Date	FId QC T	Fld Prep Code	Lab Sample Type Code	Anyl Suite Code	Analyte Desc	Analyte	Std Result	Result/Median	LVL Type/Risk Code	Screen Level	Exceedance Ratio	Std Mdl	Std Uom	Dilution Factor	Qual Coo	Concat Flag Code Concat Reason Code	Anyl Meth Code	Lab Code	Comment
C	26	26	01/10/00	5	85	10	15	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	SWSC Spring	0	10/08/08	F		CS	METALS	Manganese	Mn	11		LANL Int BG LVL	2	2.8	2	ug/L	1			SW-846:6010B	GELC	
C	5	6	01/30/07	19.2	32.4	23.3	6	Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	Martin Spring	0	10/08/08	F		CS	GENINORG	Chloride	CI(-1)	20.5		LANL Int BG LVL	7.78	1.3	0.13	mg/L	2			EPA:300.0	GELC	
C	5	6	01/30/07	0.459	0.694	0.541		Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	Martin Spring	0	10/08/08	F	=	CS	GENINORG	Perchlorate	CIO4	0.694		LANL Int BG LVL	0.05	6.9	0.05	ug/L	1			SW-846:6850	GELC	
C	41	44	01/10/00	570	2840	2020		Water Canyon (includes Canyon del Valle, Potrillo, and Fence Canyons)	Intermediate Spring	Martin Spring	0	10/08/08	F	=	CS	METALS	Boron	В	1230		LANL Int BG LVL	15.12	40.7	10	ug/L	1			SW-846:6010B	GELC	
C!	3	3	06/16/08	10.9	14.1	11.1	3			R-23i PIEZ	0	12/12/08	ι	JF (CS	GENINORG	Magnesium	Mg	11.1	1.00		0.0636	87.3	0.085	mg/L	1			SW-846:6010B	GELC	
C	3	3	06/16/08	10.9	13.7	11.4	3			R-23i PIEZ	0	12/12/08	F	-	CS	GENINORG	Magnesium	Mg	11.4	1.00		0.0636	89.6	0.085	mg/L	1			SW-846:6010B	GELC	
C	3	3	06/16/08	10.9	14.1	11.1	3			R-23i PIEZ	0	12/12/08	ι	JF (CS	GENINORG	Magnesium	Mg	11.1	1.00		0.0636	87.3	0.085	mg/L	1			SW-846:6010B	GELC	
C	3	3	06/16/08	10.9	13.7	11.4	3			R-23i PIEZ	0	12/12/08	F	= (CS	GENINORG	Magnesium	Mg	11.4	1.00		0.0636	89.6	0.085	mg/L	1			SW-846:6010B	GELC	
C	3	3	06/28/05	1200	3610	1240		Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	-	CS	METALS	Iron	Fe	1240		NM GW STD	1000	1.2	25	ug/L	1	* J	l4a	SW-846:6010B	GELC	Turb = 124 NTU, in Twomile
C	3	3	06/28/05	4.5	7.7	6.1		Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	l	JF	CS	METALS	Antimony	Sb	7.7		EPA PRIM DW STD	6	1.3	0.5	ug/L	1	J	l4a	SW-846:6020	GELC	Turb = 124 NTU, in Twomile
C	3	3	06/28/05	4.9	24.8	14.9	2	Pajarito Canyon (includes Twomile and Threemile Canyons)	Alluvial Spring	TW-1.72 Spring	0	12/11/08	F	= (CS	METALS	Antimony	Sb	24.8		EPA PRIM DW STD	6	4.1	0.5	ug/L	1	J	l4a	SW-846:6020	GELC	Turb = 124 NTU, in Twomile