



Los Alamos

NATIONAL LABORATORY

EST. 1943

Environmental Programs

P.O. Box 1663, MS M991

Los Alamos, New Mexico 87545

(505) 606-2337/FAX (505) 665-1812



National Nuclear Security Administration

Los Alamos Site Office, MS A316

Environmental Restoration Program

Los Alamos, New Mexico 87544

(505) 667-4255/FAX (505) 606-2132

Date: May 29, 2009

Refer To: EP2009-0234

James P. Bearzi, Bureau Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505-6303

Subject: Submittal of the Periodic Monitoring Reports for Ancho, Mortandad, Sandia, Pajarito, and Los Alamos Canyons

Enclosed please find two hard copies with electronic files of the periodic monitoring reports for Ancho, Mortandad, Sandia, Pajarito, and Los Alamos Canyons. Submittal of these reports fulfills Section IV.A.3.b of the Consent Order and satisfies the third quarter 2009 reporting requirements.

If you have questions, please contact Robert S. King at (505) 667-2491 (rsking@lanl.gov) or Suzy Schulman at (505) 606-1962 (ssschulman@doeal.gov).

Sincerely,

Michael J. Graham, Associate Director
Environmental Programs
Los Alamos National Laboratory

Sincerely,

David R. Gregory, Project Director
Environmental Operations
Los Alamos Site Office

MG/DG/AS/RK/FC:sm

Enclosures: Two hard copies with electronic files:

- 1) Periodic Monitoring Report for Ancho Watershed, October 15–24, 2008
(LA-UR-09-2844)
- 2) Periodic Monitoring Report for Mortandad Watershed, November 3–30, 2008
(LA-UR-09-2845)
- 3) Periodic Monitoring Report for Sandia Watershed, November 3–20, 2008
(LA-UR-09-3064)
- 4) Periodic Monitoring Report for Pajarito Watershed, December 2–18, 2008
(LA-UR-09-3072)
- 5) Periodic Monitoring Report for Los Alamos Watershed, January 7–22, 2009
(LA-UR-09-3071)

Cy: (w/enc.)
Neil Weber, San Ildefonso Pueblo
Suzy Schulman, DOE-LASO, MS A316
Ardyth M. Simmons, EP-LWSP, MS M992
RPF, MS M707 (with two CDs)
Public Reading Room, MS M992

Cy: (Letter and CD only)
Laurie King, EPA Region 6, Dallas, TX
Steve Yanicak, NMED-OB, White Rock, NM
Robert S. King, EP-LWSP, MS M992
Florie Caporuscio, EP-LWSP, MS M992
David Rogers, EP-LWSP, MS M992
Kristine Smeltz, EP-WES, MS M992
EP-LWSP File, MS M992

Cy: (w/o enc.)
Tom Skibitski, NMED-OB, Santa Fe, NM
Keyana DeAguero, DOE-LASO (date-stamped letter emailed)
Cassandra Begay, DOE-LASO, MS A316
Michael J. Graham, ADEP, MS J591
Paul R. Huber, EP-LWSP, MS M992
Alison M. Dorries, EP-WES, MS M992
IRM-RMMSO, MS A150 (date-stamped letter emailed)

LA-UR-09-3071
May 2009
EP2009-0261

Periodic Monitoring Report for Los Alamos Watershed, January 7–January 22, 2009

Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

Periodic Monitoring Report for Los Alamos Watershed, January 7–January 22, 2009

May 2009

Responsible project leader:

Ardyth Simmons		Program Manager	Environmental Programs	5-20-09
Printed Name	Signature	Title	Organization	Date

Responsible LANS representative:

Michael J. Graham		Associate Director	Environmental Programs	5/20/09
Printed Name	Signature	Title	Organization	Date

Responsible DOE representative:

David R. Gregory		Project Director	DOE-LASO	5/28/09
Printed Name	Signature	Title	Organization	Date

EXECUTIVE SUMMARY

The purpose of this report is to provide the results of the periodic monitoring event (PME) conducted by Los Alamos National Laboratory in the Los Alamos Watershed. This PME was conducted pursuant to the "2008 Interim Facility-Wide Groundwater Monitoring Plan," prepared under the Compliance Order on Consent (Consent Order).

The PME documented in this report occurred from January 7 to January 22, 2009, and included sampling of groundwater wells or well ports, springs, and base-flow stations. Unreported results from a previous PME are also included. These results were not available for inclusion in the previous PME because they had not yet been validated.

Water samples obtained from various locations during this PME were analyzed for target analyte list metals, volatile organic compounds, semivolatile organic compounds, cyanide, pesticides, polychlorinated biphenyls, high explosives, radionuclides, low-level tritium, inorganics, perchlorate, stable isotopes, and field parameters (alkalinity, dissolved oxygen, pH, specific conductance, temperature, and turbidity).

No previously unreported results for either surface water or groundwater were above screening levels. For the current PME, four perchlorate results exceeded the Consent Order screening level. The perchlorate screening level was exceeded at intermediate aquifer wells R-6i and LAOI-3.2 and at Basalt Spring. Regional aquifer monitoring well R-4 had a perchlorate result of 4.26 µg/L, which exceeded the screening level of 4 µg/L.

CONTENTS

1.0 INTRODUCTION 1
 1.1 Background..... 1
 1.2 Conceptual Model..... 2
2.0 SCOPE OF ACTIVITIES 2
3.0 MONITORING RESULTS 2
 3.1 Methods and Procedures 2
 3.2 Field Parameter Results 2
 3.3 Water-Level Observations 2
 3.4 Deviations from Planned Scope 2
4.0 ANALYTICAL DATA RESULTS..... 2
 4.1 Methods and Procedures 2
 4.2 Analytical Data..... 3
 4.2.1 Surface Water (Base Flow) 5
 4.2.2 Groundwater..... 5
 4.3 Sampling Program Modifications 5
5.0 INVESTIGATION-DERIVED WASTE 6
6.0 SUMMARY AND INTERPRETATIONS..... 6
 6.1 Monitoring Results 6
 6.2 Analytical Results 6
 6.2.1 Surface Water (Base Flow) 6
 6.2.2 Groundwater..... 6
 6.3 Data Gaps..... 6
7.0 REFERENCES 6

Figures

Figure 2.0-1 Watershed monitoring locations..... 7
 Figure 3.3-1 Alluvial groundwater elevations 8
 Figure 3.3-2 Intermediate groundwater elevations..... 9
 Figure 3.3-3 Regional groundwater elevations..... 10
 Figure 4.2-1 Analytical results 11

Tables

Table 2.0-1 Monitoring Locations and General Information..... 13
 Table 3.4-1 Observations and Deviations 17
 Table 4.2-1 Screening Levels for Groundwater and Surface Water at Los Alamos National Laboratory 18
 Table 4.2-2 Results above Screening Levels for Groundwater 18

Appendixes

Appendix A	Conceptual Model
Appendix B	Field Parameter Results
Appendix C	Groundwater-Level Measurements
Appendix D	Analytical Results
Appendix E	Screening Results
Appendix F	Investigation-Derived Waste Management
Appendix G	Analytical Reports (on CD included with this document)

Acronyms and Abbreviations

μS/cm	microsiemens per centimeter
AK	acceptable knowledge
amsl	above mean sea level
AOC	area of concern
AQA	Analytical Quality Associates, Inc.
BCG	Biota Concentration Guide (DOE)
bgs	below ground surface
Consent Order	Compliance Order on Consent
DCG	Derived Concentration Guidelines (DOE)
DOE	Department of Energy (U.S.)
DIOX/FUR	dioxin and furan
DOT	Department of Transportation (U.S.)
DP	Delta Prime
EP	Environmental Programs Directorate
EPA	U.S. Environmental Protection Agency
ENV	Environmental Protection Division
F	filtered
GENINORG	general inorganics
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan

LANL	Los Alamos National Laboratory
LC/MS	liquid chromatography/mass spectrometry
MCL	maximum contaminant level (EPA)
MDL	method detection limit
MTBE	methyl tertiary butyl ether
n/a	not applicable
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
NOI	notice of intent
NTU	nephelometric turbidity unit
PCB	polychlorinated biphenyl
PEST/PCB	pesticide and polychlorinated biphenyl
PME	periodic monitoring event
PMR	periodic monitoring report
PPE	personal protective equipment
QC	quality control
RAD	radionuclide
RCRA	Resource Conservation and Recovery Act
RPF	Records Processing Facility
SOP	standard operating procedure
SVOA	semivolatile organic analyte
SVOC	semivolatile organic compound
SWMU	solid waste management unit
TA	technical area
TDS	total dissolved solids
TSD	treatment, storage, and disposal
VOA	volatile organic analysis

VOC	volatile organic compound
WAC	waste acceptance criteria
WCSF	waste characterization strategy form
WPF	waste profile form

1.0 INTRODUCTION

This report documents semiannual groundwater and surface-water monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Los Alamos Watershed pursuant to the "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 2008, 101897), prepared under the Compliance Order on Consent (Consent Order). The semiannual periodic monitoring event (PME) occurred from January 7 to January 22, 2009. This event included sampling at groundwater wells or ports, springs, and base-flow stations. Data that were not reported in the previous periodic monitoring report (PMR) because of delays caused by data validation are included in Appendix D.

The Consent Order identifies New Mexico Water Quality Control Commission (NMWQCC) groundwater standards, including alternative abatement standards and U.S. Environmental Protection Agency (EPA) drinking water maximum contaminant levels (MCLs), as cleanup levels for groundwater when corrective action is implemented. NMWQCC groundwater standards, MCLs, and EPA tap water screening levels are used as screening levels for monitoring data and are provided in this report.

This report presents the following information:

- general background information on the watershed
- field measurement monitoring results
- watershed conceptual model
- water-quality monitoring results
- results of the screening analysis (comparing the PME's results with regulatory standards and results from previous reports)
- a summary and interpretations based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy.

1.1 Background

The Los Alamos Watershed encompasses approximately 57 mi² (148 km²). It includes Los Alamos, Pueblo, Delta Prime (DP), and Acid Canyons. Bayo, Guaje, Rendija, and Barrancas Canyons (collectively known as the North Canyons) are smaller tributary canyons in the watershed. The watershed contains numerous springs, perennial and ephemeral stream segments, and alluvial groundwater. Portions of Los Alamos townsite, Los Alamos County, Santa Fe County, and San Ildefonso Pueblo tribal lands are located within the Los Alamos Watershed.

Laboratory operations have been associated with the release of treated and untreated effluent into the watershed since the establishment of the Laboratory in the 1940s and up to the present. Current discharges subject to National Pollutant Discharge Elimination System permit requirements, runoff from solid waste management units, and areas of concern at former and current Technical Area 00 (TA-00), TA-01, TA-02, TA-03, TA-19, TA-21, TA-31, TA-41, TA-43, TA-53, TA-72, and TA-73 have contributed to contaminant releases within the watershed.

1.2 Conceptual Model

The conceptual model for the Los Alamos Watershed is presented in Appendix A of this document.

2.0 SCOPE OF ACTIVITIES

The PME for the Los Alamos Watershed was conducted pursuant to the 2008 IFGMP (LANL 2008, 101897).

Table 2.0-1 provides the location name, sample collection date, port name, port depth, screened interval, top and bottom screen depths, base flow or water level, and the water-level observation method for each of the monitored locations. These locations are shown spatially in Figure 2.0-1.

3.0 MONITORING RESULTS

3.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the PME are documented in the 2008 IFGMP (LANL 2008, 101897).

3.2 Field Parameter Results

Appendix B contains the field parameter results for the PME.

3.3 Water-Level Observations

The periodic monitoring groundwater elevation data for this event and the previous three monitoring events are located in Appendix C. For wells equipped with transducers, the reported water level is the water-level measurement taken earliest on the day of sampling. All manual measurements are reported at the time immediately before sampling. One year of water-level measurements, including data taken during this PME, is shown graphically in Figures 3.3-1 through 3.3-3.

3.4 Deviations from Planned Scope

Table 3.4-1 describes the deviations from the planned scope of the PME.

4.0 ANALYTICAL DATA RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the analytical activities of the PME are documented in the 2008 IFGMP (LANL 2008, 101897).

All sampling, data reviews, and data package validations were conducted using standard operating procedures (SOPs) that are part of a comprehensive quality assurance program. The quality program and procedures may be viewed at <http://www.lanl.gov/environment/all/qa.shtml>. Completed chain-of-custody forms serve as an analytical request form and include the requester or owner, sample number, program code, date and time of sample collection, total number of bottles, list of analytes to be measured, bottle sizes, and preservatives for each analysis required.

The required analytical laboratory batch quality control (QC) is defined by the analytical method, the analytical statement of work, and generally accepted laboratory practices. The analytical laboratory assigns qualifiers to the data to indicate the quality of the analytical results. The laboratory batch QC is used in the secondary data-validation process to evaluate the quality of individual analytical results, evaluate the appropriateness of the analytical methodologies, and measure the routine performance of the analytical laboratory. In addition to batch QC performed by laboratories, the Laboratory submitted field QC samples to test the overall sampling and analytical laboratory process and to spot-check for analytical problems. These results are used in secondary validation along with information provided by the analytical laboratory.

After the Laboratory receives the analytical laboratory data packages, the packages receive secondary validation by an independent contractor, Analytical Quality Associates, Inc. (AQA). AQA's reviews follow the guidelines set in the DOE–Albuquerque Operations model SOP for data validation, which includes reviewing the data quality and the documentation's correctness and completeness; verifying that holding times were met; and ensuring that analytical laboratory QC measures were applied, documented, and kept within contract requirements. As a result of secondary validation, a second set of qualifiers is assigned to the analytical results.

The Laboratory assigns detection status to the analytical result based on the analytical laboratory and secondary validation qualifiers. A < symbol indicates that based on the qualifiers, the result was a nondetection.

4.2 Analytical Data

Appendix D presents the analytical data from this PME and from the last three sampling events immediately before the August–September 2008 sampling event. The screening levels with which the results are compared are shown in Table 4.2-1. The analytical laboratory reports (including chains of custody, etc.) are in Appendix G. Appendix D contains all data obtained during the PME (i.e., all data that have been independently reviewed for conformance with Laboratory requirements), with the following constraints.

- All data
 - ❖ Data that are R-qualified (rejected because of noncompliance regarding QC acceptance criteria) during independent validation are considered “not detected” but are reported.
 - ❖ Analytical laboratory QC results, including matrix spike and matrix spike duplicates, are not included in the data set.
- Radionuclides
 - ❖ All low-detection-limit tritium data are reported. Results greater than 3 times the 1 standard deviation total propagated analytical uncertainty (or 3σ) are considered to be detections.
 - ❖ Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.
 - ❖ Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
 - ❖ Otherwise, all results without a laboratory qualifier of U or X (abbreviations that indicate the analyte was not detected) are reported at all locations.

- Nonradionuclides
 - ❖ All results, excluding nondetections, are reported. Field duplicates, reanalyses, field blanks, trip blanks, equipment blanks, and different analytical methods are also reported.


The screening levels applied to all media are listed in Table 4.2-1. Table 4.2-1 indicates the type of screening level and its source.

Data for PMRs are evaluated using the following screening process.

- Surface-water and groundwater perchlorate data are compared with the 4 µg/L screening level established in Section VIII.A.1.a of the Consent Order. Surface-water sample results were compared with all surface-water standards without consideration of the designated use for the particular reach. The NMWQCC groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous phase liquids apply to the total unfiltered concentrations of the contaminants.
- As required by the Consent Order, EPA Region 6 tap water screening levels are used for constituents having no other regulatory standard and for which toxicological information is published. For these screening levels, the tables indicate a risk type of C (excess cancer risk level of 10^{-5}) or N (noncancer). The Consent Order specifies screening for excess cancer risk at a risk level of 10^{-5} (rather than 10^{-6} as given in the Region 6 tables). Therefore, the Region 6 values were multiplied by 10 to obtain the 10^{-5} excess cancer risk level.
- The analytical results for radioactivity are compared with the DOE Biota Concentration Guide (BCG) for surface water and Derived Concentration Guidelines (DCG) for groundwater.

Tables E-1 through E-16 (Appendix E) show all values for perchlorate, radionuclides, organic compounds, and all values greater than half the lowest applicable screening level values for metals and inorganic compounds.

Analytical results are presented graphically in Figure 4.2-1. Figure 4.2-1 contains diagrams displaying a series of select analytes. A diagram displaying perchlorate concentration is shown below.



Perchlorate concentrations

The analytes displayed in Figure 4.2-1 were selected from data acquired during the PME and were chosen for display on Figure 4.2-1 because of their historical presence in groundwater in this watershed. Radionuclides are not shown on the diagrams. The solid red lines, when shown, depict applicable screening levels. Note that some screening levels may exceed the highest concentration displayed and may not appear on the diagram. Screening-level values are in Tables E-1 through E-16 in Appendix E.

A summary of the results from comparing the surface-water analytical data with screening levels is shown in Tables E-1, E-2, and E-8 through E-11 (Appendix E).

A summary of the results comparing the groundwater analytical data with screening levels is shown in Tables E-3 through E-7 and E-12 through E-16 (Appendix E). Graphical representations of select groundwater analytical results (section 4.2) are shown in Figure 4.2-1.

Table 4.2-2 shows surface-water and groundwater analytical results (by hydrogeologic zone for a specific analytical suite) that are above a screening level. Multiple detections of a particular constituent at a location are counted as one result. For example, if aluminum is detected above a screening level in both a primary sample and a field duplicate, only one result is shown.

4.2.1 Surface Water (Base Flow)

No previously unreported surface-water results from earlier watershed monitoring events were above screening levels.

No results from surface-water samples in the current watershed monitoring event exceeded screening levels.

4.2.2 Groundwater

No previously unreported groundwater results from earlier watershed monitoring events were above screening levels.

The perchlorate concentrations at two intermediate wells were above the Consent Order screening level for perchlorate of 4 µg/L. At R-6i, the result of 6.6 µg/L is close to measurements since 2005 but is the lowest measured at that location. At LAOI-3.2 the result of 4.62 µg/L is close to measurements since 2007. Values there increased after sampling began in 2005, from 2.5 to 8 µg/L in 2007, and have since declined.

At Basalt Spring, the perchlorate result of 4.39 µg/L is the highest of measurements made at this location since 2004 with the liquid chromatography/mass spectrometry/mass spectrometry method. These results range as low as 0.6 µg/L in 2006.

The regional aquifer perchlorate concentration in Pueblo Canyon at R-4 was 4.26 µg/L, above the Consent Order screening level for perchlorate of 4 µg/L and typical of measurements made since sampling began in October 2003.

4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the Los Alamos Watershed are proposed at this time.

5.0 INVESTIGATION-DERIVED WASTE

Appendix F discusses the management of wastes produced during this PME.

6.0 SUMMARY AND INTERPRETATIONS

6.1 Monitoring Results

An evaluation of the field parameter monitoring results presented in Appendix B and subsequent monitoring events will be provided in the annual update to the IFGMP.

6.2 Analytical Results

6.2.1 Surface Water (Base Flow)

The types of contaminants detected and their concentrations are consistent with data reported from previous monitoring events in this watershed.

No results from surface-water samples collected during this PME from Los Alamos Canyon exceeded screening levels (Table 4.2-2).

6.2.2 Groundwater

The types of contaminants detected and their concentrations are consistent with data reported from previous monitoring events in this watershed.

Overall, four perchlorate results from groundwater samples collected during this PME from Los Alamos Canyon exceeded screening levels (Table 4.2-2).

6.3 Data Gaps

A summary of the field parameter gaps encountered during the PME are in Table 3.4-1. The table provides detailed accounts of sampling event deviations.

7.0 REFERENCES

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID. This information is also included in text citations. ER IDs are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), May 2008. "2008 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-08-3273, Los Alamos, New Mexico. (LANL 2008, 101897)




Figure 2.0-1 Watershed monitoring locations




Figure 3.3-2 Intermediate groundwater elevations




Figure 3.3-3 Regional groundwater elevations




Figure 4.2-1 Analytical results

**Table 2.0-1
Monitoring Locations and General Information**

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft ³ /s)	Water Level (ft amsl ^a)	Water-Level Method
Base Flow									
Acid above Pueblo (E056)	Not scheduled to be sampled this round	n/a ^b	n/a	n/a	n/a	n/a	n/a	n/a	n/a
DP above TA-21 (E038)	22-Jan-09	n/a	n/a	n/a	n/a	n/a	Frozen ^c	n/a	n/a
DP below Meadow at TA-21 (E039)	21-Jan-09	n/a	n/a	n/a	n/a	n/a	0.002	n/a	n/a
Guaje above Rendija (E089)	22-Jan-09	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
Pueblo 3	Not scheduled to be sampled this round	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Pueblo above Acid (E055)	Not scheduled to be sampled this round	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Pueblo above SR-502 (E060)	21-Jan-09	n/a	n/a	n/a	n/a	n/a	0.004	n/a	n/a
Los Alamos above DP Canyon (E030)	22-Jan-09	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
Los Alamos above SR-4 (E042)	22-Jan-09	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
Los Alamos below Ice Rink (E026)	22-Jan-09	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
Los Alamos below LA Weir (E050)	22-Jan-09	n/a	n/a	n/a	n/a	n/a	Dry	n/a	n/a
Los Alamos Canyon near Otowi Bridge (E110)	15-Jan-09	n/a	n/a	n/a	n/a	n/a	0.007	n/a	n/a
Springs									
Basalt Spring	13-Jan-09	n/a	n/a	n/a	n/a	n/a	0.02	n/a	n/a
DP Spring	Not scheduled to be sampled this round	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Los Alamos Spring	13-Jan-09	n/a	n/a	n/a	n/a	n/a	0.002	n/a	n/a

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft ³ /s)	Water Level (ft amsl ^a)	Water-Level Method
Alluvial Aquifer									
APCO-1	9-Jan-09	Single	4.7	10	4.7	14.7	0.0002	6365.42	Manual
LADP-3	9-Jan-09	Single	316	9	316	325	0.001	6434.94	Manual
LAO-0.3	Not scheduled to be sampled this round	Single	5.9	5	5.9	10.9	n/a	n/a	n/a
LAO-0.6	Not scheduled to be sampled this round	Single	8	5	8	13	n/a	n/a	n/a
LAO-1	Not scheduled to be sampled this round	Single	8	20	8	28	n/a	n/a	n/a
LAO-1.6g	Not scheduled to be sampled this round	Single	10.47	15	10.47	25.47	n/a	n/a	n/a
LAO-1.8	13-Jan-09	Single	8	10	8	18	n/a	Dry	n/a
LAO-2	Not scheduled to be sampled this round	Single	7	25	7	32	n/a	n/a	n/a
LAO-3a	Not scheduled to be sampled this round	Single	4.7	10	4.7	14.7	n/a	n/a	n/a
LAO-4.5c	Not scheduled to be sampled this round	Single	13.3	10	13.3	23.3	n/a	n/a	n/a
LAO-5	9-Jan-09	Single	5	20	5	25	n/a	Dry	n/a
LAO-6	13-Jan-09	Single	6	10	6	16	n/a	Dry	n/a
LAO-6a	13-Jan-09	Single	4.2	10	4.2	14.2	n/a	Dry	n/a
LAO-B	Not scheduled to be sampled this round	Single	11.84	15	11.84	26.84	n/a	n/a	n/a
LAUZ-1	Not scheduled to be sampled this round	Single	5.35	5	5.35	10.35	n/a	n/a	n/a
LLAO-1b	12-Jan-09	Single	11.32	10	11.32	21.32	n/a	Dry	n/a
LLAO-4	8-Jan-09	Single	5.24	10	5.24	15.24	n/a	5509.10	Manual
PAO-1	Not scheduled to be sampled this round	Single	5.89	5	5.89	10.89	n/a	n/a	n/a

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft ³ /s)	Water Level (ft amsl ^a)	Water-Level Method
PAO-2	Not scheduled to be sampled this round	Single	6.06	5	6.06	11.06	n/a	n/a	n/a
PAO-4	7-Jan-09	Single	1.97	5	1.97	6.97	n/a	6436.91	Manual
Intermediate Aquifer									
LAOI(a)-1.1	13-Jan-09	Single	295.2	9.8	295.2	305	n/a	6542.43	Manual
LAOI-3.2	12-Jan-09	Single	153.3	9.5	153.3	162.8	n/a	6497.67	Manual
LAOI-3.2a	12-Jan-09	Single	181.4	9.6	181.4	191	n/a	6440.19	Manual
LAOI-7	7-Jan-09	Single	240	19.6	240	259.6	n/a	6242.39	Manual
POI-4	22-Jan-09	Single	159	15	159	174	n/a	6213.58	Manual
R-3i	20-Jan-09	Single	215.2	6.8	215.2	222	n/a	6202.41	Manual
R-5	14-Jan-09	MP1A	329.5	5.1	326.4	331.5	n/a	Dry	n/a
R-5	14-Jan-09	MP2A	383.9	16	372.8	388.8	n/a	6134.15	Transducer
R-6i	20-Jan-09	Single	602	10	602	612	n/a	6403.09	Manual
R-7	13-Jan-09	MP1A	378	16	363.2	379.2	n/a	Dry	n/a
R-7	13-Jan-09	MP2A	744.8	16	730.4	746.4	n/a	Dry	n/a
R-9i	8-Jan-09	MP1A	198.8	10.4	189.1	199.5	n/a	6242.98	Transducer
R-9i	8-Jan-09	MP2A	278.8	10.7	269.6	280.3	n/a	6132.36	Transducer
Regional Aquifer									
R-2	14-Jan-09	Single	918	23.12	906.45	929.57	n/a	5869.90	Manual
R-24	15-Jan-09	Single	825	23	825	848	n/a	5829.98	Manual
R-4	22-Jan-09	Single	792.9	23.1	792.9	816	n/a	5830.36	Manual
R-5	14-Jan-09	MP3B	695.1	43.4	676.9	720.3	n/a	5766.64	Transducer
R-5	12-Jan-09	MP4A	860.9	5	858.7	863.7	n/a	5745.41	Transducer
R-6	20-Jan-09	Single	1205	23	1205	1228	n/a	5837.31	Manual
R-7	13-Jan-09	MP3A	915.1	41.9	895.5	937.4	n/a	5877.24	Transducer

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft ³ /s)	Water Level (ft amsl ^a)	Water-Level Method
R-8	8-Jan-09	MP1A	711.1	50.39	705.31	755.7	n/a	5852.72	Transducer
R-8	8-Jan-09	MP2A	825	7	821	828	n/a	5831.97	Transducer
R-9	8-Jan-09	Single	684	65.5	683	748.5	n/a	5691.21	Manual
Test Well 3	Not sampled	Single	805	10	805	815	n/a	Well plugged	n/a

^a amsl = Above mean sea level.

^b n/a = Not applicable.

^c See Table 3.4-1 for explanation.

**Table 3.4-1
Observations and Deviations**

Sampling Problems			
Locations	Deviation	Cause	Comment
Acid above Pueblo (E056), DP Spring, LAO-0.3, LAO-0.6, LAO-1, LAO-1.6g, LAO-2, LAO-3a, LAO-4.5c, LAO-B, LAUZ-1, PAO-1, PAO-2, PAO-5S, Pueblo 3, Pueblo above Acid (E055)	No data are included in this report for these locations.	These locations were not scheduled for sampling this sampling round.	Locations will be sampled during next scheduled sampling round.
DP above TA-21 (E038)	No data are included in this report for this location.	The location was not sampled on 01/22/09 because it was frozen.	Location will be sampled during next scheduled sampling round.
Guaje above Rendija Canyon (E089), Los Alamos above DP Canyon (E030), Los Alamos above SR-4 (E042), Los Alamos below Ice Rink (E026), Los Alamos below LA Weir (E050)	No data are included in this report for these locations.	The locations were not sampled on 01/22/09 because they were dry.	Locations will be sampled when sufficient water is present.
LAO-1.8, LAO-6, LAO-6a, R-7 screen 1 (MP1A), R-7 screen 2	No data are included in this report for these locations.	The locations were not sampled on 01/13/09 because they were dry.	Locations will be sampled when sufficient water is present.
LAO-5	No data are included in this report for this location.	The location was not sampled on 01/09/09 because it was dry.	Location will be sampled when sufficient water is present.
LLAO-1b	No data are included in this report for this location.	The location was not sampled on 01/12/09 because it was dry.	Location will be sampled when sufficient water is present.
R-5 screen 1 (MP1A)	No data are included in this report for this location.	The location was not sampled on 01/14/09 because it was dry.	Location will be sampled when sufficient water is present.
Test Well 3	No data are included in this report for this location.	The location could not be sampled because the well bore was obstructed and was inaccessible and no pump was installed.	Location will be sampled when the obstruction has been removed and the well has been reconfigured.

**Table 4.2-1
Screening Levels for Groundwater and
Surface Water at Los Alamos National Laboratory**

Standard Type	Groundwater	Surface Water
DOE BCG	n/a ^a	x ^b
DOE 100-mrem Public Dose DCG	x	n/a
DOE 4-mrem Drinking Water DCG	x	n/a
EPA Primary Drinking Water Standard	x	n/a
EPA Region 6 Tap Water Screening Level	x	n/a
New Mexico Environmental Improvement Board Radiation Protection Standards	x	x
NMWQCC Groundwater Standard	x	n/a
NMWQCC Irrigation Standard	n/a	x
NMWQCC Livestock Watering Standard	n/a	x
NMWQCC Wildlife Habitat Standard	n/a	x
NMWQCC Aquatic Life Standards Acute	n/a	x
NMWQCC Aquatic Life Standards Chronic	n/a	x
NMWQCC Human Health Standard	n/a	x

^a n/a = Not applicable.

^b x = Standard applied to data screen for this report.

**Table 4.2-2
Results above Screening Levels for Groundwater**

Location	Date	Analyte	Result	Units	Screening-Level Value	Screening Level
Intermediate Groundwater						
R-6i	01/20/09	ClO ₄ (F*)	6.62	µg/L	4	Consent Order
LAOI-3.2	01/12/09	ClO ₄ (F)	4.62	µg/L	4	Consent Order
Basalt Spring	01/13/09	ClO ₄ (F)	4.39	µg/L	4	Consent Order
Regional Groundwater						
R-4	01/22/09	ClO ₄ (F)	4.26	µg/L	4	Consent Order

*F = Filtered.

Appendix A

Conceptual Model

Canyon	Contaminant Sources	Alluvial Groundwater Contaminants	Intermediate Groundwater Contaminants	Regional Groundwater Contaminants
Bayo Canyon	Minor past dry and liquid sources	No alluvial groundwater	No intermediate groundwater	None
Pueblo and Acid Canyons	Multiple past effluent discharges and current sanitary effluent	Chloride at 50% and total dissolved solids (TDS) at 80% of New Mexico Water Quality Control Commission (NMWQCC) groundwater standards.	Nitrate at 75% of NMWQCC groundwater standard; fluoride at 70% of NMWQCC groundwater standard	Trace fluoride, perchlorate, and nitrate
Los Alamos and Delta Prime Canyons	Multiple past effluent discharges	Strontium-90 above 4 mrem U.S. Department of Energy Derived Concentration Guidelines screening level; chloride and TDS above NMWQCC groundwater standard; fluoride at 50% of NMWQCC groundwater standard; trace perchlorate and molybdenum	Tritium at 20% of U.S. Environmental Protection Agency maximum contaminant level screening level; trace nitrate, fluoride, perchlorate.	None
Lower Los Alamos Canyon	Multiple past effluent discharges	Nitrate above NMWQCC groundwater standard	Nitrate at 70% of NMWQCC groundwater standard; fluoride at 55% of NMWQCC groundwater standard	None

Appendix B

Field Parameter Results

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
APCO-1	5211	4.7	01/09/09	WG	Dissolved Oxygen	1.13	mg/L	CAPU-09-1777
APCO-1	5211	4.7	01/16/08	WG	Dissolved Oxygen	1.21	mg/L	CAPU-08-9774
APCO-1	5211	4.7	04/25/07	WG	Dissolved Oxygen	1.02	mg/L	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Dissolved Oxygen	2.4	mg/L	FU060700G1PA01
APCO-1	5211	4.7	08/01/07	WG	Dissolved Oxygen	0.3	mg/L	FU070700G1PA01
APCO-1	5211	4.7	01/09/09	WG	Oxidation-Reduction Potential	342	mV	CAPU-09-1777
APCO-1	5211	4.7	01/16/08	WG	Oxidation-Reduction Potential	341	mV	CAPU-08-9774
APCO-1	5211	4.7	04/25/07	WG	Oxidation-Reduction Potential	119	mV	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Oxidation-Reduction Potential	275.1	mV	FU060700G1PA01
APCO-1	5211	4.7	08/01/07	WG	Oxidation-Reduction Potential	84	mV	FU070700G1PA01
APCO-1	5211	4.7	01/09/09	WG	Specific Conductance	248	µS/cm	CAPU-09-1777
APCO-1	5211	4.7	01/16/08	WG	Specific Conductance	502	µS/cm	CAPU-08-9774
APCO-1	5211	4.7	04/25/07	WG	Specific Conductance	665	µS/cm	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Specific Conductance	472	µS/cm	FU060700G1PA01
APCO-1	5211	4.7	08/01/07	WG	Specific Conductance	562	µS/cm	FU070700G1PA01
APCO-1	5211	4.7	01/09/09	WG	Temperature	4.58	deg C	CAPU-09-1777
APCO-1	5211	4.7	01/16/08	WG	Temperature	3.9	deg C	CAPU-08-9774
APCO-1	5211	4.7	04/25/07	WG	Temperature	7.9	deg C	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Temperature	16.6	deg C	FU060700G1PA01
APCO-1	5211	4.7	08/01/07	WG	Temperature	17.3	deg C	FU070700G1PA01
APCO-1	5211	4.7	01/09/09	WG	Turbidity	4.51	NTU	CAPU-09-1777
APCO-1	5211	4.7	01/16/08	WG	Turbidity	4.06	NTU	CAPU-08-9774
APCO-1	5211	4.7	04/25/07	WG	Turbidity	1.07	NTU	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Turbidity	84.5	NTU	FU060700G1PA01
APCO-1	5211	4.7	08/01/07	WG	Turbidity	3.55	NTU	FU070700G1PA01
APCO-1	5211	4.7	01/09/09	WG	pH	6.88	SU	CAPU-09-1777
APCO-1	5211	4.7	01/16/08	WG	pH	6.73	SU	CAPU-08-9774
APCO-1	5211	4.7	04/25/07	WG	pH	6.53	SU	FU070400G1PA01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
APCO-1	5211	4.7	08/08/06	WG	pH	7	SU	FU060700G1PA01
APCO-1	5211	4.7	08/01/07	WG	pH	6.45	SU	FU070700G1PA01
Basalt Spring	1341	0	01/13/09	WG	Dissolved Oxygen	8.22	mg/L	CALA-09-1697
Basalt Spring	1341	0	08/25/08	WG	Dissolved Oxygen	8.05	mg/L	CALA-08-13921
Basalt Spring	1341	0	01/25/08	WG	Dissolved Oxygen	3.6	mg/L	CALA-08-9808
Basalt Spring	1341	0	04/26/07	WG	Dissolved Oxygen	0.79	mg/L	FU070400GGSB01
Basalt Spring	1341	0	08/08/06	WG	Dissolved Oxygen	3.26	mg/L	FU060700GGSB01
Basalt Spring	1341	0	01/13/09	WG	Specific Conductance	215	µS/cm	CALA-09-1697
Basalt Spring	1341	0	08/25/08	WG	Specific Conductance	334	µS/cm	CALA-08-13921
Basalt Spring	1341	0	01/25/08	WG	Specific Conductance	448	µS/cm	CALA-08-9808
Basalt Spring	1341	0	04/26/07	WG	Specific Conductance	359	µS/cm	FU070400GGSB01
Basalt Spring	1341	0	08/08/06	WG	Specific Conductance	481	µS/cm	FU060700GGSB01
Basalt Spring	1341	0	01/13/09	WG	Temperature	10.2	deg C	CALA-09-1697
Basalt Spring	1341	0	08/25/08	WG	Temperature	11.8	deg C	CALA-08-13921
Basalt Spring	1341	0	01/25/08	WG	Temperature	10.3	deg C	CALA-08-9808
Basalt Spring	1341	0	04/26/07	WG	Temperature	9	deg C	FU070400GGSB01
Basalt Spring	1341	0	08/08/06	WG	Temperature	10.2	deg C	FU060700GGSB01
Basalt Spring	1341	0	01/13/09	WG	Turbidity	0.52	NTU	CALA-09-1697
Basalt Spring	1341	0	08/25/08	WG	Turbidity	0.71	NTU	CALA-08-13921
Basalt Spring	1341	0	01/25/08	WG	Turbidity	0.72	NTU	CALA-08-9808
Basalt Spring	1341	0	04/26/07	WG	Turbidity	0.54	NTU	FU070400GGSB01
Basalt Spring	1341	0	08/08/06	WG	Turbidity	3.34	NTU	FU060700GGSB01
Basalt Spring	1341	0	01/13/09	WG	pH	7.31	SU	CALA-09-1697
Basalt Spring	1341	0	08/25/08	WG	pH	6.96	SU	CALA-08-13921
Basalt Spring	1341	0	01/25/08	WG	pH	6.82	SU	CALA-08-9808
Basalt Spring	1341	0	04/26/07	WG	pH	6.7	SU	FU070400GGSB01
Basalt Spring	1341	0	08/08/06	WG	pH	6.68	SU	FU060700GGSB01
DP below Meadow at TA-21	—	—	01/21/09	WS	Dissolved Oxygen	10.52	mg/L	CALA-09-1688

May 2009

B-2

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
DP below Meadow at TA-21	—	—	08/28/08	WS	Dissolved Oxygen	3.68	mg/L	CALA-08-13800
DP below Meadow at TA-21	—	—	01/18/08	WS	Dissolved Oxygen	3.6	mg/L	CALA-08-9841
DP below Meadow at TA-21	—	—	04/17/07	WS	Dissolved Oxygen	3.65	mg/L	FU070400P03901
DP below Meadow at TA-21	—	—	07/25/07	WS	Dissolved Oxygen	2.58	mg/L	FU070700P03901
DP below Meadow at TA-21	—	—	01/21/09	WS	Specific Conductance	739	µS/cm	CALA-09-1688
DP below Meadow at TA-21	—	—	08/28/08	WS	Specific Conductance	1083	µS/cm	CALA-08-13800
DP below Meadow at TA-21	—	—	01/18/08	WS	Specific Conductance	1276	µS/cm	CALA-08-9841
DP below Meadow at TA-21	—	—	04/17/07	WS	Specific Conductance	119.4	µS/cm	FU070400P03901
DP below Meadow at TA-21	—	—	07/25/07	WS	Specific Conductance	1218	µS/cm	FU070700P03901
DP below Meadow at TA-21	—	—	01/21/09	WS	Temperature	1.46	deg C	CALA-09-1688
DP below Meadow at TA-21	—	—	08/28/08	WS	Temperature	20.9	deg C	CALA-08-13800
DP below Meadow at TA-21	—	—	01/18/08	WS	Temperature	1.4	deg C	CALA-08-9841
DP below Meadow at TA-21	—	—	04/17/07	WS	Temperature	11	deg C	FU070400P03901
DP below Meadow at TA-21	—	—	07/25/07	WS	Temperature	26.3	deg C	FU070700P03901
DP below Meadow at TA-21	—	—	01/21/09	WS	Turbidity	0.69	NTU	CALA-09-1688
DP below Meadow at TA-21	—	—	08/28/08	WS	Turbidity	6.2	NTU	CALA-08-13800
DP below Meadow at TA-21	—	—	01/18/08	WS	Turbidity	4.26	NTU	CALA-08-9841
DP below Meadow at TA-21	—	—	04/17/07	WS	Turbidity	0.57	NTU	FU070400P03901
DP below Meadow at TA-21	—	—	07/25/07	WS	Turbidity	1.29	NTU	FU070700P03901
DP below Meadow at TA-21	—	—	01/21/09	WS	pH	7.05	SU	CALA-09-1688
DP below Meadow at TA-21	—	—	08/28/08	WS	pH	7.1	SU	CALA-08-13800
DP below Meadow at TA-21	—	—	01/18/08	WS	pH	7.14	SU	CALA-08-9841
DP below Meadow at TA-21	—	—	04/17/07	WS	pH	7.03	SU	FU070400P03901
DP below Meadow at TA-21	—	—	07/25/07	WS	pH	6.89	SU	FU070700P03901
LADP-3	5411	316	01/09/09	WG	Dissolved Oxygen	8.02	mg/L	CALA-09-1747
LADP-3	5411	316	01/24/08	WG	Dissolved Oxygen	1.68	mg/L	CALA-08-10317
LADP-3	5411	316	04/26/07	WG	Dissolved Oxygen	0.51	mg/L	FU070400G3PD01
LADP-3	5411	316	01/09/09	WG	Oxidation-Reduction Potential	332.5	mV	CALA-09-1747

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LADP-3	5411	316	01/24/08	WG	Oxidation-Reduction Potential	418	mV	CALA-08-10317
LADP-3	5411	316	04/26/07	WG	Oxidation-Reduction Potential	281	mV	FU070400G3PD01
LADP-3	5411	316	01/09/09	WG	Purge Volume	2.5	gal.	CALA-09-1747
LADP-3	5411	316	01/24/08	WG	Purge Volume	1	gal.	CALA-08-10317
LADP-3	5411	316	01/09/09	WG	Specific Conductance	158	µS/cm	CALA-09-1747
LADP-3	5411	316	01/24/08	WG	Specific Conductance	270	µS/cm	CALA-08-10317
LADP-3	5411	316	04/26/07	WG	Specific Conductance	256	µS/cm	FU070400G3PD01
LADP-3	5411	316	01/09/09	WG	Temperature	9.57	deg C	CALA-09-1747
LADP-3	5411	316	01/24/08	WG	Temperature	9.1	deg C	CALA-08-10317
LADP-3	5411	316	04/26/07	WG	Temperature	12.8	deg C	FU070400G3PD01
LADP-3	5411	316	01/09/09	WG	Turbidity	1.51	NTU	CALA-09-1747
LADP-3	5411	316	01/24/08	WG	Turbidity	0.28	NTU	CALA-08-10317
LADP-3	5411	316	04/26/07	WG	Turbidity	2	NTU	FU070400G3PD01
LADP-3	5411	316	01/09/09	WG	pH	6.68	SU	CALA-09-1747
LADP-3	5411	316	01/24/08	WG	pH	8.32	SU	CALA-08-10317
LADP-3	5411	316	04/26/07	WG	pH	8.14	SU	FU070400G3PD01
LAOI(a)-1.1	5391	295.2	01/13/09	WG	Dissolved Oxygen	6.03	mg/L	CALA-09-1725
LAOI(a)-1.1	5391	295.2	09/03/08	WG	Dissolved Oxygen	8.31	mg/L	CALA-08-13865
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Dissolved Oxygen	8.9	mg/L	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Dissolved Oxygen	9.78	mg/L	FU060700G11L01
LAOI(a)-1.1	5391	295.2	07/31/07	WG	Dissolved Oxygen	5.31	mg/L	FU070700G11L01
LAOI(a)-1.1	5391	295.2	01/13/09	WG	Oxidation-Reduction Potential	440.7	mV	CALA-09-1725
LAOI(a)-1.1	5391	295.2	09/03/08	WG	Oxidation-Reduction Potential	310	mV	CALA-08-13865
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Oxidation-Reduction Potential	124	mV	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Oxidation-Reduction Potential	367.1	mV	FU060700G11L01
LAOI(a)-1.1	5391	295.2	07/31/07	WG	Oxidation-Reduction Potential	408	mV	FU070700G11L01
LAOI(a)-1.1	5391	295.2	01/13/09	WG	Specific Conductance	73	µS/cm	CALA-09-1725
LAOI(a)-1.1	5391	295.2	09/03/08	WG	Specific Conductance	88.6	µS/cm	CALA-08-13865

May 2009

B-4

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Specific Conductance	205	µS/cm	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Specific Conductance	91.7	µS/cm	FU060700G11L01
LAOI(a)-1.1	5391	295.2	07/31/07	WG	Specific Conductance	96.1	µS/cm	FU070700G11L01
LAOI(a)-1.1	5391	295.2	01/13/09	WG	Temperature	9.32	deg C	CALA-09-1725
LAOI(a)-1.1	5391	295.2	09/03/08	WG	Temperature	11.2	deg C	CALA-08-13865
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Temperature	14	deg C	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Temperature	11.1	deg C	FU060700G11L01
LAOI(a)-1.1	5391	295.2	07/31/07	WG	Temperature	12.7	deg C	FU070700G11L01
LAOI(a)-1.1	5391	295.2	01/13/09	WG	Turbidity	500	NTU	CALA-09-1725
LAOI(a)-1.1	5391	295.2	09/03/08	WG	Turbidity	26.1	NTU	CALA-08-13865
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Turbidity	7.8	NTU	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Turbidity	18.8	NTU	FU060700G11L01
LAOI(a)-1.1	5391	295.2	07/31/07	WG	Turbidity	9.83	NTU	FU070700G11L01
LAOI(a)-1.1	5391	295.2	01/13/09	WG	pH	6.59	SU	CALA-09-1725
LAOI(a)-1.1	5391	295.2	09/03/08	WG	pH	7.33	SU	CALA-08-13865
LAOI(a)-1.1	5391	295.2	04/25/07	WG	pH	9.7	SU	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	pH	9.06	SU	FU060700G11L01
LAOI(a)-1.1	5391	295.2	07/31/07	WG	pH	6.97	SU	FU070700G11L01
LAOI-3.2	6001	153.3	01/12/09	WG	Dissolved Oxygen	8.93	mg/L	CALA-09-1732
LAOI-3.2	6001	153.3	08/28/08	WG	Dissolved Oxygen	8.23	mg/L	CALA-08-13888
LAOI-3.2	6001	153.3	01/15/08	WG	Dissolved Oxygen	9.98	mg/L	CALA-08-9882
LAOI-3.2	6001	153.3	04/19/07	WG	Dissolved Oxygen	9.92	mg/L	FU070400G32L01
LAOI-3.2	6001	153.3	07/26/07	WG	Dissolved Oxygen	4.32	mg/L	FU070700G32L01
LAOI-3.2	6001	153.3	01/12/09	WG	Oxidation-Reduction Potential	322	mV	CALA-09-1732
LAOI-3.2	6001	153.3	08/28/08	WG	Oxidation-Reduction Potential	135	mV	CALA-08-13888
LAOI-3.2	6001	153.3	01/15/08	WG	Oxidation-Reduction Potential	245	mV	CALA-08-9882
LAOI-3.2	6001	153.3	04/19/07	WG	Oxidation-Reduction Potential	211	mV	FU070400G32L01
LAOI-3.2	6001	153.3	07/26/07	WG	Oxidation-Reduction Potential	250	mV	FU070700G32L01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI-3.2	6001	153.3	01/12/09	WG	Specific Conductance	175	µS/cm	CALA-09-1732
LAOI-3.2	6001	153.3	08/28/08	WG	Specific Conductance	241	µS/cm	CALA-08-13888
LAOI-3.2	6001	153.3	01/15/08	WG	Specific Conductance	252	µS/cm	CALA-08-9882
LAOI-3.2	6001	153.3	04/19/07	WG	Specific Conductance	246	µS/cm	FU070400G32L01
LAOI-3.2	6001	153.3	07/26/07	WG	Specific Conductance	248	µS/cm	FU070700G32L01
LAOI-3.2	6001	153.3	01/12/09	WG	Temperature	11.14	deg C	CALA-09-1732
LAOI-3.2	6001	153.3	08/28/08	WG	Temperature	12.2	deg C	CALA-08-13888
LAOI-3.2	6001	153.3	01/15/08	WG	Temperature	10.7	deg C	CALA-08-9882
LAOI-3.2	6001	153.3	04/19/07	WG	Temperature	12.5	deg C	FU070400G32L01
LAOI-3.2	6001	153.3	07/26/07	WG	Temperature	14.1	deg C	FU070700G32L01
LAOI-3.2	6001	153.3	01/12/09	WG	Turbidity	0.61	NTU	CALA-09-1732
LAOI-3.2	6001	153.3	08/28/08	WG	Turbidity	0.57	NTU	CALA-08-13888
LAOI-3.2	6001	153.3	01/15/08	WG	Turbidity	0.79	NTU	CALA-08-9882
LAOI-3.2	6001	153.3	04/19/07	WG	Turbidity	0.77	NTU	FU070400G32L01
LAOI-3.2	6001	153.3	07/26/07	WG	Turbidity	1.82	NTU	FU070700G32L01
LAOI-3.2	6001	153.3	01/12/09	WG	pH	6.61	SU	CALA-09-1732
LAOI-3.2	6001	153.3	08/28/08	WG	pH	6.68	SU	CALA-08-13888
LAOI-3.2	6001	153.3	01/15/08	WG	pH	6.76	SU	CALA-08-9882
LAOI-3.2	6001	153.3	04/19/07	WG	pH	6.7	SU	FU070400G32L01
LAOI-3.2	6001	153.3	07/26/07	WG	pH	6.7	SU	FU070700G32L01
LAOI-3.2a	7691	181.4	01/12/09	WG	Dissolved Oxygen	2.93	mg/L	CALA-09-1737
LAOI-3.2a	7691	181.4	09/05/08	WG	Dissolved Oxygen	6.59	mg/L	CALA-08-13896
LAOI-3.2a	7691	181.4	01/23/08	WG	Dissolved Oxygen	7.43	mg/L	CALA-08-9869
LAOI-3.2a	7691	181.4	04/25/07	WG	Dissolved Oxygen	6.97	mg/L	FU07040GI32A01
LAOI-3.2a	7691	181.4	07/30/07	WG	Dissolved Oxygen	5.78	mg/L	FU07070GI32A01
LAOI-3.2a	7691	181.4	01/12/09	WG	Oxidation-Reduction Potential	391.6	mV	CALA-09-1737
LAOI-3.2a	7691	181.4	09/05/08	WG	Oxidation-Reduction Potential	140	mV	CALA-08-13896
LAOI-3.2a	7691	181.4	01/23/08	WG	Oxidation-Reduction Potential	404	mV	CALA-08-9869

May 2009

B-6

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI-3.2a	7691	181.4	04/25/07	WG	Oxidation-Reduction Potential	502	mV	FU07040GI32A01
LAOI-3.2a	7691	181.4	07/30/07	WG	Oxidation-Reduction Potential	4.75	mV	FU07070GI32A01
LAOI-3.2a	7691	181.4	01/12/09	WG	Purge Volume	24	gal.	CALA-09-1737
LAOI-3.2a	7691	181.4	09/05/08	WG	Purge Volume	11	gal.	CALA-08-13896
LAOI-3.2a	7691	181.4	01/23/08	WG	Purge Volume	1	gal.	CALA-08-9869
LAOI-3.2a	7691	181.4	07/30/07	WG	Purge Volume	3.5	gal.	FU07070GI32A01
LAOI-3.2a	7691	181.4	01/12/09	WG	Specific Conductance	180	μS/cm	CALA-09-1737
LAOI-3.2a	7691	181.4	09/05/08	WG	Specific Conductance	226	μS/cm	CALA-08-13896
LAOI-3.2a	7691	181.4	01/23/08	WG	Specific Conductance	233	μS/cm	CALA-08-9869
LAOI-3.2a	7691	181.4	04/25/07	WG	Specific Conductance	250	μS/cm	FU07040GI32A01
LAOI-3.2a	7691	181.4	07/30/07	WG	Specific Conductance	255	μS/cm	FU07070GI32A01
LAOI-3.2a	7691	181.4	01/12/09	WG	Temperature	11.79	deg C	CALA-09-1737
LAOI-3.2a	7691	181.4	09/05/08	WG	Temperature	14.6	deg C	CALA-08-13896
LAOI-3.2a	7691	181.4	01/23/08	WG	Temperature	12.3	deg C	CALA-08-9869
LAOI-3.2a	7691	181.4	04/25/07	WG	Temperature	12.4	deg C	FU07040GI32A01
LAOI-3.2a	7691	181.4	07/30/07	WG	Temperature	19.3	deg C	FU07070GI32A01
LAOI-3.2a	7691	181.4	01/12/09	WG	Turbidity	0.99	NTU	CALA-09-1737
LAOI-3.2a	7691	181.4	09/05/08	WG	Turbidity	0.48	NTU	CALA-08-13896
LAOI-3.2a	7691	181.4	01/23/08	WG	Turbidity	0.19	NTU	CALA-08-9869
LAOI-3.2a	7691	181.4	04/25/07	WG	Turbidity	0.2	NTU	FU07040GI32A01
LAOI-3.2a	7691	181.4	07/30/07	WG	Turbidity	1.06	NTU	FU07070GI32A01
LAOI-3.2a	7691	181.4	01/12/09	WG	pH	6.55	SU	CALA-09-1737
LAOI-3.2a	7691	181.4	09/05/08	WG	pH	6.83	SU	CALA-08-13896
LAOI-3.2a	7691	181.4	01/23/08	WG	pH	6.7	SU	CALA-08-9869
LAOI-3.2a	7691	181.4	04/25/07	WG	pH	6.8	SU	FU07040GI32A01
LAOI-3.2a	7691	181.4	07/30/07	WG	pH	6.73	SU	FU07070GI32A01
LAOI-7	6411	240	01/07/09	WG	Dissolved Oxygen	7.36	mg/L	CALA-09-1734
LAOI-7	6411	240	08/27/08	WG	Dissolved Oxygen	6.83	mg/L	CALA-08-13897

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI-7	6411	240	01/09/08	WG	Dissolved Oxygen	7.8	mg/L	CALA-08-10260
LAOI-7	6411	240	04/18/07	WG	Dissolved Oxygen	6.7	mg/L	FU07040LAOI701
LAOI-7	6411	240	07/19/07	WG	Dissolved Oxygen	4.48	mg/L	FU07070LAOI701
LAOI-7	6411	240	01/07/09	WG	Oxidation-Reduction Potential	158.1	mV	CALA-09-1734
LAOI-7	6411	240	08/27/08	WG	Oxidation-Reduction Potential	120	mV	CALA-08-13897
LAOI-7	6411	240	01/09/08	WG	Oxidation-Reduction Potential	244	mV	CALA-08-10260
LAOI-7	6411	240	04/18/07	WG	Oxidation-Reduction Potential	71.2	mV	FU07040LAOI701
LAOI-7	6411	240	07/19/07	WG	Oxidation-Reduction Potential	64	mV	FU07070LAOI701
LAOI-7	6411	240	01/07/09	WG	Purge Volume	81	gal.	CALA-09-1734
LAOI-7	6411	240	08/27/08	WG	Purge Volume	87.5	gal.	CALA-08-13897
LAOI-7	6411	240	01/09/08	WG	Purge Volume	54	gal.	CALA-08-10260
LAOI-7	6411	240	07/19/07	WG	Purge Volume	125	gal.	FU07070LAOI701
LAOI-7	6411	240	01/07/09	WG	Specific Conductance	192	µS/cm	CALA-09-1734
LAOI-7	6411	240	08/27/08	WG	Specific Conductance	212	µS/cm	CALA-08-13897
LAOI-7	6411	240	01/09/08	WG	Specific Conductance	187.9	µS/cm	CALA-08-10260
LAOI-7	6411	240	04/18/07	WG	Specific Conductance	181.7	µS/cm	FU07040LAOI701
LAOI-7	6411	240	07/19/07	WG	Specific Conductance	124.6	µS/cm	FU07070LAOI701
LAOI-7	6411	240	01/07/09	WG	Temperature	14.3	deg C	CALA-09-1734
LAOI-7	6411	240	08/27/08	WG	Temperature	15.1	deg C	CALA-08-13897
LAOI-7	6411	240	01/09/08	WG	Temperature	13.8	deg C	CALA-08-10260
LAOI-7	6411	240	04/18/07	WG	Temperature	14.9	deg C	FU07040LAOI701
LAOI-7	6411	240	07/19/07	WG	Temperature	16.7	deg C	FU07070LAOI701
LAOI-7	6411	240	01/07/09	WG	Turbidity	1.8	NTU	CALA-09-1734
LAOI-7	6411	240	08/27/08	WG	Turbidity	1.46	NTU	CALA-08-13897
LAOI-7	6411	240	01/09/08	WG	Turbidity	0.98	NTU	CALA-08-10260
LAOI-7	6411	240	04/18/07	WG	Turbidity	1.74	NTU	FU07040LAOI701
LAOI-7	6411	240	07/19/07	WG	Turbidity	1.03	NTU	FU07070LAOI701
LAOI-7	6411	240	01/07/09	WG	pH	6.97	SU	CALA-09-1734

May 2009

B-8

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI-7	6411	240	08/27/08	WG	pH	7.23	SU	CALA-08-13897
LAOI-7	6411	240	01/09/08	WG	pH	7.14	SU	CALA-08-10260
LAOI-7	6411	240	04/18/07	WG	pH	7.22	SU	FU07040LAOI701
LAOI-7	6411	240	07/19/07	WG	pH	7.23	SU	FU07070LAOI701
LLAO-4	5661	5.24	01/08/09	WG	Dissolved Oxygen	5.13	mg/L	CALA-09-1715
LLAO-4	5661	5.24	08/27/08	WG	Dissolved Oxygen	5.3	mg/L	CALA-08-13928
LLAO-4	5661	5.24	01/25/08	WG	Dissolved Oxygen	2.35	mg/L	CALA-08-9759
LLAO-4	5661	5.24	01/25/08	WG	Dissolved Oxygen	2.35	mg/L	CALA-08-10386
LLAO-4	5661	5.24	04/24/07	WG	Dissolved Oxygen	1.31	mg/L	FU070400G4LL01
LLAO-4	5661	5.24	07/24/07	WG	Dissolved Oxygen	1.33	mg/L	FU070700G4LL01
LLAO-4	5661	5.24	01/08/09	WG	Oxidation-Reduction Potential	421	mV	CALA-09-1715
LLAO-4	5661	5.24	08/27/08	WG	Oxidation-Reduction Potential	180	mV	CALA-08-13928
LLAO-4	5661	5.24	01/25/08	WG	Oxidation-Reduction Potential	293	mV	CALA-08-9759
LLAO-4	5661	5.24	01/25/08	WG	Oxidation-Reduction Potential	293	mV	CALA-08-10386
LLAO-4	5661	5.24	04/24/07	WG	Oxidation-Reduction Potential	286	mV	FU070400G4LL01
LLAO-4	5661	5.24	07/24/07	WG	Oxidation-Reduction Potential	243	mV	FU070700G4LL01
LLAO-4	5661	5.24	01/08/09	WG	Specific Conductance	795	μ S/cm	CALA-09-1715
LLAO-4	5661	5.24	08/27/08	WG	Specific Conductance	448	μ S/cm	CALA-08-13928
LLAO-4	5661	5.24	01/25/08	WG	Specific Conductance	496	μ S/cm	CALA-08-9759
LLAO-4	5661	5.24	01/25/08	WG	Specific Conductance	496	μ S/cm	CALA-08-10386
LLAO-4	5661	5.24	04/24/07	WG	Specific Conductance	504	μ S/cm	FU070400G4LL01
LLAO-4	5661	5.24	07/24/07	WG	Specific Conductance	765	μ S/cm	FU070700G4LL01
LLAO-4	5661	5.24	01/08/09	WG	Temperature	12.93	deg C	CALA-09-1715
LLAO-4	5661	5.24	08/27/08	WG	Temperature	16.1	deg C	CALA-08-13928
LLAO-4	5661	5.24	01/25/08	WG	Temperature	14.6	deg C	CALA-08-10386
LLAO-4	5661	5.24	01/25/08	WG	Temperature	14.6	deg C	CALA-08-9759
LLAO-4	5661	5.24	04/24/07	WG	Temperature	11.2	deg C	FU070400G4LL01
LLAO-4	5661	5.24	07/24/07	WG	Temperature	18.1	deg C	FU070700G4LL01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LLAO-4	5661	5.24	01/08/09	WG	Turbidity	0.2	NTU	CALA-09-1715
LLAO-4	5661	5.24	08/27/08	WG	Turbidity	0.68	NTU	CALA-08-13928
LLAO-4	5661	5.24	01/25/08	WG	Turbidity	0.28	NTU	CALA-08-9759
LLAO-4	5661	5.24	01/25/08	WG	Turbidity	0.28	NTU	CALA-08-10386
LLAO-4	5661	5.24	04/24/07	WG	Turbidity	0.43	NTU	FU070400G4LL01
LLAO-4	5661	5.24	07/24/07	WG	Turbidity	0.37	NTU	FU070700G4LL01
LLAO-4	5661	5.24	01/08/09	WG	pH	6.83	SU	CALA-09-1715
LLAO-4	5661	5.24	08/27/08	WG	pH	6.85	SU	CALA-08-13928
LLAO-4	5661	5.24	01/25/08	WG	pH	6.85	SU	CALA-08-10386
LLAO-4	5661	5.24	01/25/08	WG	pH	6.85	SU	CALA-08-9759
LLAO-4	5661	5.24	04/24/07	WG	pH	6.83	SU	FU070400G4LL01
LLAO-4	5661	5.24	07/24/07	WG	pH	6.75	SU	FU070700G4LL01
Los Alamos Canyon near Otowi Bridge	—	—	01/15/09	WS	Dissolved Oxygen	10.18	mg/L	CALA-09-1692
Los Alamos Canyon near Otowi Bridge	—	—	09/02/08	WS	Dissolved Oxygen	6.06	mg/L	CALA-08-13919
Los Alamos Canyon near Otowi Bridge	—	—	01/14/08	WS	Dissolved Oxygen	9	mg/L	CALA-08-9837
Los Alamos Canyon near Otowi Bridge	—	—	04/10/07	WS	Dissolved Oxygen	8.26	mg/L	FU070400P11001
Los Alamos Canyon near Otowi Bridge	—	—	07/24/07	WP	Dissolved Oxygen	7.16	mg/L	FU070700P11001
Los Alamos Canyon near Otowi Bridge	—	—	01/15/09	WS	Specific Conductance	349	µS/cm	CALA-09-1692
Los Alamos Canyon near Otowi Bridge	—	—	09/02/08	WS	Specific Conductance	412	µS/cm	CALA-08-13919
Los Alamos Canyon near Otowi Bridge	—	—	01/14/08	WS	Specific Conductance	410	µS/cm	CALA-08-9837
Los Alamos Canyon near Otowi Bridge	—	—	04/10/07	WS	Specific Conductance	353	µS/cm	FU070400P11001
Los Alamos Canyon near Otowi Bridge	—	—	07/24/07	WP	Specific Conductance	481	µS/cm	FU070700P11001
Los Alamos Canyon near Otowi Bridge	—	—	01/15/09	WS	Temperature	13.91	deg C	CALA-09-1692
Los Alamos Canyon near Otowi Bridge	—	—	09/02/08	WS	Temperature	25.7	deg C	CALA-08-13919
Los Alamos Canyon near Otowi Bridge	—	—	01/14/08	WS	Temperature	8.7	deg C	CALA-08-9837
Los Alamos Canyon near Otowi Bridge	—	—	04/10/07	WS	Temperature	10.7	deg C	FU070400P11001
Los Alamos Canyon near Otowi Bridge	—	—	07/24/07	WP	Temperature	26	deg C	FU070700P11001
Los Alamos Canyon near Otowi Bridge	—	—	01/15/09	WS	Turbidity	9.7	NTU	CALA-09-1692

May 2009

B-10

EP2009-0261

EP2009-0261

B-11

May 2009

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Los Alamos Canyon near Otowi Bridge	—	—	09/02/08	WS	Turbidity	4.71	NTU	CALA-08-13919
Los Alamos Canyon near Otowi Bridge	—	—	01/14/08	WS	Turbidity	1.07	NTU	CALA-08-9837
Los Alamos Canyon near Otowi Bridge	—	—	04/10/07	WS	Turbidity	160	NTU	FU070400P11001
Los Alamos Canyon near Otowi Bridge	—	—	07/24/07	WP	Turbidity	0.99	NTU	FU070700P11001
Los Alamos Canyon near Otowi Bridge	—	—	01/15/09	WS	pH	7.56	SU	CALA-09-1692
Los Alamos Canyon near Otowi Bridge	—	—	09/02/08	WS	pH	8.34	SU	CALA-08-13919
Los Alamos Canyon near Otowi Bridge	—	—	01/14/08	WS	pH	7.57	SU	CALA-08-9837
Los Alamos Canyon near Otowi Bridge	—	—	01/28/08	WM	pH	7.44	SU	FU080100M11001
Los Alamos Canyon near Otowi Bridge	—	—	07/24/07	WP	pH	7.84	SU	FU070700P11001
Los Alamos Spring	1341	0	01/13/09	WG	Dissolved Oxygen	0.18	mg/L	CALA-09-1811
Los Alamos Spring	1341	0	08/25/08	WG	Dissolved Oxygen	8.69	mg/L	CALA-08-13923
Los Alamos Spring	1341	0	01/25/08	WG	Dissolved Oxygen	9.94	mg/L	CALA-08-9789
Los Alamos Spring	1341	0	04/26/07	WG	Dissolved Oxygen	6.7	mg/L	FU070400GLAS01
Los Alamos Spring	1341	0	07/31/07	WG	Dissolved Oxygen	6.7	mg/L	FU070700GLAS01
Los Alamos Spring	1341	0	01/13/09	WG	Specific Conductance	245	μS/cm	CALA-09-1811
Los Alamos Spring	1341	0	08/25/08	WG	Specific Conductance	332	μS/cm	CALA-08-13923
Los Alamos Spring	1341	0	01/25/08	WG	Specific Conductance	313	μS/cm	CALA-08-9789
Los Alamos Spring	1341	0	04/26/07	WG	Specific Conductance	276	μS/cm	FU070400GLAS01
Los Alamos Spring	1341	0	07/31/07	WG	Specific Conductance	337	μS/cm	FU070700GLAS01
Los Alamos Spring	1341	0	01/13/09	WG	Temperature	8.73	deg C	CALA-09-1811
Los Alamos Spring	1341	0	08/25/08	WG	Temperature	14.5	deg C	CALA-08-13923
Los Alamos Spring	1341	0	01/25/08	WG	Temperature	7.3	deg C	CALA-08-9789
Los Alamos Spring	1341	0	04/26/07	WG	Temperature	10.5	deg C	FU070400GLAS01
Los Alamos Spring	1341	0	07/31/07	WG	Temperature	16.1	deg C	FU070700GLAS01
Los Alamos Spring	1341	0	01/13/09	WG	Turbidity	15	NTU	CALA-09-1811
Los Alamos Spring	1341	0	08/25/08	WG	Turbidity	0.72	NTU	CALA-08-13923
Los Alamos Spring	1341	0	01/25/08	WG	Turbidity	0.36	NTU	CALA-08-9789
Los Alamos Spring	1341	0	04/26/07	WG	Turbidity	0.57	NTU	FU070400GLAS01

Periodic Monitoring Report for Los Alamos Watershed

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Los Alamos Spring	1341	0	07/31/07	WG	Turbidity	0.87	NTU	FU070700GLAS01
Los Alamos Spring	1341	0	01/13/09	WG	pH	7.85	SU	CALA-09-1811
Los Alamos Spring	1341	0	08/25/08	WG	pH	7.05	SU	CALA-08-13923
Los Alamos Spring	1341	0	01/25/08	WG	pH	7.29	SU	CALA-08-9789
Los Alamos Spring	1341	0	04/26/07	WG	pH	7.53	SU	FU070400GLAS01
Los Alamos Spring	1341	0	07/31/07	WG	pH	7.36	SU	FU070700GLAS01
PAO-4	5591	1.97	01/07/09	WG	Dissolved Oxygen	0.29	mg/L	CAPU-09-1773
PAO-4	5591	1.97	09/04/08	WG	Dissolved Oxygen	0.41	mg/L	CAPU-08-14567
PAO-4	5591	1.97	01/16/08	WG	Dissolved Oxygen	0.4	mg/L	CAPU-08-9767
PAO-4	5591	1.97	04/19/07	WG	Dissolved Oxygen	0.53	mg/L	FU07040G4OAP01
PAO-4	5591	1.97	08/02/07	WG	Dissolved Oxygen	0.5	mg/L	FU07070G4OAP01
PAO-4	5591	1.97	01/07/09	WG	Oxidation-Reduction Potential	345	mV	CAPU-09-1773
PAO-4	5591	1.97	09/04/08	WG	Oxidation-Reduction Potential	-221	mV	CAPU-08-14567
PAO-4	5591	1.97	01/16/08	WG	Oxidation-Reduction Potential	199	mV	CAPU-08-9767
PAO-4	5591	1.97	04/19/07	WG	Oxidation-Reduction Potential	-118	mV	FU07040G4OAP01
PAO-4	5591	1.97	08/02/07	WG	Oxidation-Reduction Potential	-113	mV	FU07070G4OAP01
PAO-4	5591	1.97	01/07/09	WG	Specific Conductance	321	μS/cm	CAPU-09-1773
PAO-4	5591	1.97	09/04/08	WG	Specific Conductance	560	μS/cm	CAPU-08-14567
PAO-4	5591	1.97	01/16/08	WG	Specific Conductance	524	μS/cm	CAPU-08-9767
PAO-4	5591	1.97	04/19/07	WG	Specific Conductance	751	μS/cm	FU07040G4OAP01
PAO-4	5591	1.97	08/02/07	WG	Specific Conductance	732	μS/cm	FU07070G4OAP01
PAO-4	5591	1.97	01/07/09	WG	Temperature	4.72	deg C	CAPU-09-1773
PAO-4	5591	1.97	09/04/08	WG	Temperature	16.1	deg C	CAPU-08-14567
PAO-4	5591	1.97	01/16/08	WG	Temperature	5.1	deg C	CAPU-08-9767
PAO-4	5591	1.97	04/19/07	WG	Temperature	10.6	deg C	FU07040G4OAP01
PAO-4	5591	1.97	08/02/07	WG	Temperature	17.7	deg C	FU07070G4OAP01
PAO-4	5591	1.97	01/07/09	WG	Turbidity	2.36	NTU	CAPU-09-1773
PAO-4	5591	1.97	09/04/08	WG	Turbidity	2.4	NTU	CAPU-08-14567

May 2009

B-12

EP2009-0261

EP2009-0261

B-13

May 2009

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
PAO-4	5591	1.97	01/16/08	WG	Turbidity	1.88	NTU	CAPU-08-9767
PAO-4	5591	1.97	04/19/07	WG	Turbidity	3.43	NTU	FU07040G4OAP01
PAO-4	5591	1.97	08/02/07	WG	Turbidity	3.47	NTU	FU07070G4OAP01
PAO-4	5591	1.97	01/07/09	WG	pH	6.69	SU	CAPU-09-1773
PAO-4	5591	1.97	09/04/08	WG	pH	6.71	SU	CAPU-08-14567
PAO-4	5591	1.97	01/16/08	WG	pH	7.15	SU	CAPU-08-9767
PAO-4	5591	1.97	04/19/07	WG	pH	6.88	SU	FU07040G4OAP01
PAO-4	5591	1.97	08/02/07	WG	pH	6.9	SU	FU07070G4OAP01
POI-4	4291	159	01/22/09	WG	Dissolved Oxygen	5.36	mg/L	CAPU-09-1779
POI-4	4291	159	09/04/08	WG	Dissolved Oxygen	8.1	mg/L	CAPU-08-14782
POI-4	4291	159	01/22/08	WG	Dissolved Oxygen	2.1	mg/L	CAPU-08-9905
POI-4	4291	159	04/25/07	WG	Dissolved Oxygen	5.93	mg/L	FU070400G4OP01
POI-4	4291	159	08/02/07	WG	Dissolved Oxygen	0.45	mg/L	FU070700G4OP01
POI-4	4291	159	01/22/09	WG	Oxidation-Reduction Potential	242.3	mV	CAPU-09-1779
POI-4	4291	159	09/04/08	WG	Oxidation-Reduction Potential	138	mV	CAPU-08-14782
POI-4	4291	159	01/22/08	WG	Oxidation-Reduction Potential	287	mV	CAPU-08-9905
POI-4	4291	159	04/25/07	WG	Oxidation-Reduction Potential	560	mV	FU070400G4OP01
POI-4	4291	159	08/02/07	WG	Oxidation-Reduction Potential	392	mV	FU070700G4OP01
POI-4	4291	159	01/22/09	WG	Specific Conductance	447	µS/cm	CAPU-09-1779
POI-4	4291	159	09/04/08	WG	Specific Conductance	559	µS/cm	CAPU-08-14782
POI-4	4291	159	01/22/08	WG	Specific Conductance	597	µS/cm	CAPU-08-9905
POI-4	4291	159	04/25/07	WG	Specific Conductance	583	µS/cm	FU070400G4OP01
POI-4	4291	159	08/02/07	WG	Specific Conductance	583	µS/cm	FU070700G4OP01
POI-4	4291	159	01/22/09	WG	Temperature	11.34	deg C	CAPU-09-1779
POI-4	4291	159	09/04/08	WG	Temperature	12.2	deg C	CAPU-08-14782
POI-4	4291	159	01/22/08	WG	Temperature	12.1	deg C	CAPU-08-9905
POI-4	4291	159	04/25/07	WG	Temperature	12.7	deg C	FU070400G4OP01
POI-4	4291	159	08/02/07	WG	Temperature	19.3	deg C	FU070700G4OP01

May 2009

B-14

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
POI-4	4291	159	01/22/09	WG	Turbidity	0.48	NTU	CAPU-09-1779
POI-4	4291	159	09/04/08	WG	Turbidity	10.2	NTU	CAPU-08-14782
POI-4	4291	159	01/22/08	WG	Turbidity	60.5	NTU	CAPU-08-9905
POI-4	4291	159	04/25/07	WG	Turbidity	1.61	NTU	FU070400G4OP01
POI-4	4291	159	08/02/07	WG	Turbidity	12.6	NTU	FU070700G4OP01
POI-4	4291	159	01/22/09	WG	pH	6.82	SU	CAPU-09-1779
POI-4	4291	159	09/04/08	WG	pH	7.1	SU	CAPU-08-14782
POI-4	4291	159	01/22/08	WG	pH	8.39	SU	CAPU-08-9905
POI-4	4291	159	04/25/07	WG	pH	7.11	SU	FU070400G4OP01
POI-4	4291	159	08/02/07	WG	pH	7.55	SU	FU070700G4OP01
Pueblo above SR-502	—	—	01/21/09	WS	Dissolved Oxygen	9.27	mg/L	CAPU-09-1766
Pueblo above SR-502	—	—	01/14/08	WS	Dissolved Oxygen	10	mg/L	CAPU-08-9849
Pueblo above SR-502	—	—	04/11/07	WS	Dissolved Oxygen	8.62	mg/L	FU070400P06001
Pueblo above SR-502	—	—	07/28/06	WP	Dissolved Oxygen	1	mg/L	FU060700P06001
Pueblo above SR-502	—	—	05/02/05	WS	Dissolved Oxygen	4.52	mg/L	FU05040P06001
Pueblo above SR-502	—	—	01/21/09	WS	Specific Conductance	270	µS/cm	CAPU-09-1766
Pueblo above SR-502	—	—	01/14/08	WS	Specific Conductance	513	µS/cm	CAPU-08-9849
Pueblo above SR-502	—	—	04/11/07	WS	Specific Conductance	619	µS/cm	FU070400P06001
Pueblo above SR-502	—	—	07/28/06	WP	Specific Conductance	651	µS/cm	FU060700P06001
Pueblo above SR-502	—	—	05/02/05	WS	Specific Conductance	649	µS/cm	FU05040P06001
Pueblo above SR-502	—	—	01/21/09	WS	Temperature	2.29	deg C	CAPU-09-1766
Pueblo above SR-502	—	—	01/14/08	WS	Temperature	0.2	deg C	CAPU-08-9849
Pueblo above SR-502	—	—	04/11/07	WS	Temperature	9.8	deg C	FU070400P06001
Pueblo above SR-502	—	—	07/28/06	WP	Temperature	16.5	deg C	FU060700P06001
Pueblo above SR-502	—	—	05/02/05	WS	Temperature	10.2	deg C	FU05040P06001
Pueblo above SR-502	—	—	01/21/09	WS	Turbidity	4.01	NTU	CAPU-09-1766
Pueblo above SR-502	—	—	01/14/08	WS	Turbidity	68.6	NTU	CAPU-08-9849
Pueblo above SR-502	—	—	04/11/07	WS	Turbidity	39.1	NTU	FU070400P06001

Periodic Monitoring Report for Los Alamos Watershed

EP2009-0261

B-15

May 2009

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Pueblo above SR-502	—	—	07/28/06	WP	Turbidity	11.8	NTU	FU060700P06001
Pueblo above SR-502	—	—	05/02/05	WS	Turbidity	45.6	NTU	FU05040P06001
Pueblo above SR-502	—	—	01/21/09	WS	pH	6.8	SU	CAPU-09-1766
Pueblo above SR-502	—	—	01/14/08	WS	pH	7.78	SU	CAPU-08-9849
Pueblo above SR-502	—	—	04/11/07	WS	pH	7.8	SU	FU070400P06001
Pueblo above SR-502	—	—	07/28/06	WP	pH	6.8	SU	FU060700P06001
Pueblo above SR-502	—	—	01/28/08	WM	pH	6.96	SU	FU080100M06001
R-2	1711	918	01/14/09	WG	Dissolved Oxygen	5.59	mg/L	CAPU-09-1797
R-2	1711	918	08/29/08	WG	Dissolved Oxygen	4.04	mg/L	CAPU-08-14787
R-2	1711	918	01/11/08	WG	Dissolved Oxygen	5.1	mg/L	CAPU-08-9896
R-2	1711	918	04/17/07	WG	Dissolved Oxygen	4	mg/L	FU070400G02R01
R-2	1711	918	07/16/07	WG	Dissolved Oxygen	3.22	mg/L	FU070700G02R01
R-2	1711	918	01/14/09	WG	Oxidation-Reduction Potential	148	mV	CAPU-09-1797
R-2	1711	918	08/29/08	WG	Oxidation-Reduction Potential	142	mV	CAPU-08-14787
R-2	1711	918	01/11/08	WG	Oxidation-Reduction Potential	202	mV	CAPU-08-9896
R-2	1711	918	04/17/07	WG	Oxidation-Reduction Potential	37.4	mV	FU070400G02R01
R-2	1711	918	07/16/07	WG	Oxidation-Reduction Potential	280	mV	FU070700G02R01
R-2	1711	918	01/14/09	WG	Purge Volume	360	gal.	CAPU-09-1797
R-2	1711	918	08/29/08	WG	Purge Volume	173	gal.	CAPU-08-14787
R-2	1711	918	01/11/08	WG	Purge Volume	160	gal.	CAPU-08-9896
R-2	1711	918	07/16/07	WG	Purge Volume	115	gal.	FU070700G02R01
R-2	1711	918	01/14/09	WG	Specific Conductance	23.2	µS/cm	CAPU-09-1797
R-2	1711	918	08/29/08	WG	Specific Conductance	121.2	µS/cm	CAPU-08-14787
R-2	1711	918	01/11/08	WG	Specific Conductance	137.5	µS/cm	CAPU-08-9896
R-2	1711	918	04/17/07	WG	Specific Conductance	129.6	µS/cm	FU070400G02R01
R-2	1711	918	07/16/07	WG	Specific Conductance	100.7	µS/cm	FU070700G02R01
R-2	1711	918	01/14/09	WG	Turbidity	16.3	NTU	CAPU-09-1797
R-2	1711	918	08/29/08	WG	Turbidity	7.2	NTU	CAPU-08-14787

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-2	1711	918	01/11/08	WG	Turbidity	4.59	NTU	CAPU-08-9896
R-2	1711	918	04/17/07	WG	Turbidity	4.7	NTU	FU070400G02R01
R-2	1711	918	07/16/07	WG	Turbidity	4.11	NTU	FU070700G02R01
R-2	1711	918	01/14/09	WG	pH	6.95	SU	CAPU-09-1797
R-2	1711	918	08/29/08	WG	pH	7.19	SU	CAPU-08-14787
R-2	1711	918	01/11/08	WG	pH	7.48	SU	CAPU-08-9896
R-2	1711	918	04/17/07	WG	pH	7.5	SU	FU070400G02R01
R-2	1711	918	07/16/07	WG	pH	7.51	SU	FU070700G02R01
R-24	6321	825	01/15/09	WG	Dissolved Oxygen	2.73	mg/L	CAPU-09-1804
R-24	6321	825	08/26/08	WG	Dissolved Oxygen	2.19	mg/L	CAPU-08-14805
R-24	6321	825	01/22/08	WG	Dissolved Oxygen	3.4	mg/L	CAPU-08-9903
R-24	6321	825	04/16/07	WG	Dissolved Oxygen	1.8	mg/L	FU070400GR2401
R-24	6321	825	07/18/07	WG	Dissolved Oxygen	1.53	mg/L	FU070700GR2401
R-24	6321	825	01/15/09	WG	Oxidation-Reduction Potential	439.3	mV	CAPU-09-1804
R-24	6321	825	08/26/08	WG	Oxidation-Reduction Potential	131	mV	CAPU-08-14805
R-24	6321	825	01/22/08	WG	Oxidation-Reduction Potential	360	mV	CAPU-08-9903
R-24	6321	825	04/16/07	WG	Oxidation-Reduction Potential	-115.1	mV	FU070400GR2401
R-24	6321	825	07/18/07	WG	Oxidation-Reduction Potential	219	mV	FU070700GR2401
R-24	6321	825	01/15/09	WG	Purge Volume	395	gal.	CAPU-09-1804
R-24	6321	825	08/26/08	WG	Purge Volume	164	gal.	CAPU-08-14805
R-24	6321	825	01/22/08	WG	Purge Volume	4.5	gal.	CAPU-08-9903
R-24	6321	825	07/18/07	WG	Purge Volume	300	gal.	FU070700GR2401
R-24	6321	825	01/15/09	WG	Specific Conductance	277	µS/cm	CAPU-09-1804
R-24	6321	825	08/26/08	WG	Specific Conductance	211	µS/cm	CAPU-08-14805
R-24	6321	825	01/22/08	WG	Specific Conductance	212	µS/cm	CAPU-08-9903
R-24	6321	825	04/16/07	WG	Specific Conductance	247	µS/cm	FU070400GR2401
R-24	6321	825	07/18/07	WG	Specific Conductance	248	µS/cm	FU070700GR2401
R-24	6321	825	01/15/09	WG	Temperature	28.05	deg C	CAPU-09-1804

May 2009

B-16

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-24	6321	825	08/26/08	WG	Temperature	29.2	deg C	CAPU-08-14805
R-24	6321	825	01/22/08	WG	Temperature	28.3	deg C	CAPU-08-9903
R-24	6321	825	04/16/07	WG	Temperature	29	deg C	FU070400GR2401
R-24	6321	825	07/18/07	WG	Temperature	29.9	deg C	FU070700GR2401
R-24	6321	825	01/15/09	WG	Turbidity	0.78	NTU	CAPU-09-1804
R-24	6321	825	08/26/08	WG	Turbidity	1.89	NTU	CAPU-08-14805
R-24	6321	825	01/22/08	WG	Turbidity	1.09	NTU	CAPU-08-9903
R-24	6321	825	04/16/07	WG	Turbidity	0.55	NTU	FU070400GR2401
R-24	6321	825	07/18/07	WG	Turbidity	0.58	NTU	FU070700GR2401
R-24	6321	825	01/15/09	WG	pH	7.74	SU	CAPU-09-1804
R-24	6321	825	08/26/08	WG	pH	7.89	SU	CAPU-08-14805
R-24	6321	825	01/22/08	WG	pH	8.1	SU	CAPU-08-9903
R-24	6321	825	04/16/07	WG	pH	7.7	SU	FU070400GR2401
R-24	6321	825	07/18/07	WG	pH	7.9	SU	FU070700GR2401
R-3i	7701	215.2	01/20/09	WG	Dissolved Oxygen	7.18	mg/L	CAPU-09-1784
R-3i	7701	215.2	09/03/08	WG	Dissolved Oxygen	7.92	mg/L	CAPU-08-14785
R-3i	7701	215.2	01/16/08	WG	Dissolved Oxygen	7.4	mg/L	CAPU-08-10315
R-3i	7701	215.2	07/20/07	WG	Dissolved Oxygen	5.11	mg/L	FU070700G3iR01
R-3i	7701	215.2	04/09/07	WG	Dissolved Oxygen	7.3	mg/L	FU070400G3iR01
R-3i	7701	215.2	01/20/09	WG	Oxidation-Reduction Potential	338.5	mV	CAPU-09-1784
R-3i	7701	215.2	09/03/08	WG	Oxidation-Reduction Potential	336	mV	CAPU-08-14785
R-3i	7701	215.2	01/16/08	WG	Oxidation-Reduction Potential	270	mV	CAPU-08-10315
R-3i	7701	215.2	07/20/07	WG	Oxidation-Reduction Potential	234	mV	FU070700G3iR01
R-3i	7701	215.2	04/09/07	WG	Oxidation-Reduction Potential	257.7	mV	FU070400G3iR01
R-3i	7701	215.2	01/20/09	WG	Specific Conductance	388	μS/cm	CAPU-09-1784
R-3i	7701	215.2	09/03/08	WG	Specific Conductance	439	μS/cm	CAPU-08-14785
R-3i	7701	215.2	01/16/08	WG	Specific Conductance	485	μS/cm	CAPU-08-10315
R-3i	7701	215.2	07/20/07	WG	Specific Conductance	495	μS/cm	FU070700G3iR01

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-3i	7701	215.2	04/09/07	WG	Specific Conductance	473	µS/cm	FU070400G3iR01
R-3i	7701	215.2	01/20/09	WG	Temperature	13.6	deg C	CAPU-09-1784
R-3i	7701	215.2	09/03/08	WG	Temperature	14.2	deg C	CAPU-08-14785
R-3i	7701	215.2	01/16/08	WG	Temperature	13.2	deg C	CAPU-08-10315
R-3i	7701	215.2	07/20/07	WG	Temperature	20.8	deg C	FU070700G3iR01
R-3i	7701	215.2	04/09/07	WG	Temperature	13.3	deg C	FU070400G3iR01
R-3i	7701	215.2	01/20/09	WG	Turbidity	0.57	NTU	CAPU-09-1784
R-3i	7701	215.2	09/03/08	WG	Turbidity	0.99	NTU	CAPU-08-14785
R-3i	7701	215.2	01/16/08	WG	Turbidity	0.99	NTU	CAPU-08-10315
R-3i	7701	215.2	07/20/07	WG	Turbidity	4.6	NTU	FU070700G3iR01
R-3i	7701	215.2	04/09/07	WG	Turbidity	1.44	NTU	FU070400G3iR01
R-3i	7701	215.2	01/20/09	WG	pH	7.27	SU	CAPU-09-1784
R-3i	7701	215.2	09/03/08	WG	pH	7.66	SU	CAPU-08-14785
R-3i	7701	215.2	01/16/08	WG	pH	7.67	SU	CAPU-08-10315
R-3i	7701	215.2	07/20/07	WG	pH	7.43	SU	FU070700G3iR01
R-3i	7701	215.2	04/09/07	WG	pH	7.52	SU	FU070400G3iR01
R-4	1721	792.9	01/22/09	WG	Dissolved Oxygen	3.84	mg/L	CAPU-09-1799
R-4	1721	792.9	08/26/08	WG	Dissolved Oxygen	5.36	mg/L	CAPU-08-14796
R-4	1721	792.9	01/22/08	WG	Dissolved Oxygen	5.4	mg/L	CAPU-08-9891
R-4	1721	792.9	04/17/07	WG	Dissolved Oxygen	2.5	mg/L	FU070400G04R01
R-4	1721	792.9	07/18/07	WG	Dissolved Oxygen	3.17	mg/L	FU070700G04R01
R-4	1721	792.9	01/22/09	WG	Oxidation-Reduction Potential	339.1	mV	CAPU-09-1799
R-4	1721	792.9	08/26/08	WG	Oxidation-Reduction Potential	164	mV	CAPU-08-14796
R-4	1721	792.9	01/22/08	WG	Oxidation-Reduction Potential	270	mV	CAPU-08-9891
R-4	1721	792.9	04/17/07	WG	Oxidation-Reduction Potential	-56.2	mV	FU070400G04R01
R-4	1721	792.9	07/18/07	WG	Oxidation-Reduction Potential	199	mV	FU070700G04R01
R-4	1721	792.9	01/22/09	WG	Specific Conductance	179	µS/cm	CAPU-09-1799
R-4	1721	792.9	08/26/08	WG	Specific Conductance	151.6	µS/cm	CAPU-08-14796

May 2009

B-18

EP2009-0261

EP2009-0261

B-19

May 2009

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-4	1721	792.9	01/22/08	WG	Specific Conductance	147.9	μS/cm	CAPU-08-9891
R-4	1721	792.9	04/17/07	WG	Specific Conductance	160.2	μS/cm	FU070400G04R01
R-4	1721	792.9	07/18/07	WG	Specific Conductance	164.6	μS/cm	FU070700G04R01
R-4	1721	792.9	01/22/09	WG	Temperature	23.79	deg C	CAPU-09-1799
R-4	1721	792.9	08/26/08	WG	Temperature	25.3	deg C	CAPU-08-14796
R-4	1721	792.9	01/22/08	WG	Temperature	27.9	deg C	CAPU-08-9891
R-4	1721	792.9	04/17/07	WG	Temperature	24.4	deg C	FU070400G04R01
R-4	1721	792.9	07/18/07	WG	Temperature	25.9	deg C	FU070700G04R01
R-4	1721	792.9	01/22/09	WG	Turbidity	0.38	NTU	CAPU-09-1799
R-4	1721	792.9	08/26/08	WG	Turbidity	0.32	NTU	CAPU-08-14796
R-4	1721	792.9	01/22/08	WG	Turbidity	0.16	NTU	CAPU-08-9891
R-4	1721	792.9	04/17/07	WG	Turbidity	0.32	NTU	FU070400G04R01
R-4	1721	792.9	07/18/07	WG	Turbidity	0.27	NTU	FU070700G04R01
R-4	1721	792.9	01/22/09	WG	pH	7.85	SU	CAPU-09-1799
R-4	1721	792.9	08/26/08	WG	pH	7.9	SU	CAPU-08-14796
R-4	1721	792.9	01/22/08	WG	pH	7.54	SU	CAPU-08-9891
R-4	1721	792.9	04/17/07	WG	pH	7.88	SU	FU070400G04R01
R-4	1721	792.9	07/18/07	WG	pH	7.85	SU	FU070700G04R01
R-5	2452	383.9	01/14/09	WG	Dissolved Oxygen	7.59	mg/L	CAPU-09-1781
R-5	2452	383.9	08/26/08	WG	Dissolved Oxygen	8.6	mg/L	CAPU-08-14776
R-5	2452	383.9	05/02/05	WG	Dissolved Oxygen	5.16	mg/L	FU0504G05R201
R-5	2452	383.9	09/27/04	WG	Dissolved Oxygen	9.7	mg/L	GU0409G05R201
R-5	2452	383.9	04/28/04	WG	Dissolved Oxygen	7.2	mg/L	GU0404G05R201
R-5	2452	383.9	01/14/09	WG	Specific Conductance	603	μS/cm	CAPU-09-1781
R-5	2452	383.9	08/26/08	WG	Specific Conductance	274	μS/cm	CAPU-08-14776
R-5	2452	383.9	07/16/07	WG	Specific Conductance	92.7	μS/cm	FU07070G05R201
R-5	2452	383.9	01/14/09	WG	Temperature	14.65	deg C	CAPU-09-1781
R-5	2452	383.9	08/26/08	WG	Temperature	21.2	deg C	CAPU-08-14776

Periodic Monitoring Report for Los Alamos Watershed

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-5	2452	383.9	04/17/07	WG	Temperature	17.9	deg C	FU07040G05R201
R-5	2452	383.9	07/25/06	WG	Temperature	23.9	deg C	FU06070G05R201
R-5	2452	383.9	07/16/07	WG	Temperature	24.8	deg C	FU07070G05R201
R-5	2452	383.9	01/14/09	WG	Turbidity	2.52	NTU	CAPU-09-1781
R-5	2452	383.9	08/26/08	WG	Turbidity	81	NTU	CAPU-08-14776
R-5	2452	383.9	04/17/07	WG	Turbidity	0.21	NTU	FU07040G05R201
R-5	2452	383.9	07/25/06	WG	Turbidity	0.24	NTU	FU06070G05R201
R-5	2452	383.9	07/16/07	WG	Turbidity	0.28	NTU	FU07070G05R201
R-5	2452	383.9	01/14/09	WG	pH	7.88	SU	CAPU-09-1781
R-5	2452	383.9	08/26/08	WG	pH	8.29	SU	CAPU-08-14776
R-5	2452	383.9	07/16/07	WG	pH	8.03	SU	FU07070G05R201
R-5	2512	718.6	01/14/09	WG	Dissolved Oxygen	5.83	mg/L	CAPU-09-1795
R-5	2512	718.6	08/27/08	WG	Dissolved Oxygen	3.1	mg/L	CAPU-08-14801
R-5	2512	718.6	05/03/05	WG	Dissolved Oxygen	5.02	mg/L	FU0504G05R301
R-5	2512	718.6	04/30/04	WG	Dissolved Oxygen	5.6	mg/L	GU0404G05R301
R-5	2512	718.6	01/14/09	WG	Specific Conductance	499	µS/cm	CAPU-09-1795
R-5	2512	718.6	08/27/08	WG	Specific Conductance	254	µS/cm	CAPU-08-14801
R-5	2512	718.6	07/17/07	WG	Specific Conductance	120.3	µS/cm	FU07070G05R301
R-5	2512	718.6	01/14/09	WG	Temperature	19.92	deg C	CAPU-09-1795
R-5	2512	718.6	08/27/08	WG	Temperature	25.2	deg C	CAPU-08-14801
R-5	2512	718.6	04/18/07	WG	Temperature	22.4	deg C	FU07040G05R301
R-5	2512	718.6	07/26/06	WG	Temperature	25.5	deg C	FU06070G05R301
R-5	2512	718.6	07/17/07	WG	Temperature	26.9	deg C	FU07070G05R301
R-5	2512	718.6	01/14/09	WG	Turbidity	0.32	NTU	CAPU-09-1795
R-5	2512	718.6	08/27/08	WG	Turbidity	1.56	NTU	CAPU-08-14801
R-5	2512	718.6	04/18/07	WG	Turbidity	0.3	NTU	FU07040G05R301
R-5	2512	718.6	07/26/06	WG	Turbidity	0.24	NTU	FU06070G05R301
R-5	2512	718.6	07/17/07	WG	Turbidity	0.24	NTU	FU07070G05R301

May 2009

B-20

EP2009-0261

EP2009-0261

B-21

May 2009

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-5	2512	718.6	01/14/09	WG	pH	7.22	SU	CAPU-09-1795
R-5	2512	718.6	08/27/08	WG	pH	8.37	SU	CAPU-08-14801
R-5	2512	718.6	07/17/07	WG	pH	8.13	SU	FU07070G05R301
R-5	2552	860.9	01/12/09	WG	Dissolved Oxygen	4.9	mg/L	CAPU-09-1805
R-5	2552	860.9	08/26/08	WG	Dissolved Oxygen	6.1	mg/L	CAPU-08-14851
R-5	2552	860.9	05/05/05	WG	Dissolved Oxygen	6.63	mg/L	FU0504G05R401
R-5	2552	860.9	09/30/04	WG	Dissolved Oxygen	9	mg/L	GU0409G05R401
R-5	2552	860.9	05/03/04	WG	Dissolved Oxygen	10.5	mg/L	GU0404G05R401-A
R-5	2552	860.9	01/12/09	WG	Specific Conductance	242	μS/cm	CAPU-09-1805
R-5	2552	860.9	08/26/08	WG	Specific Conductance	250	μS/cm	CAPU-08-14851
R-5	2552	860.9	04/17/07	WG	Specific Conductance	222	μS/cm	FU07040G05R401
R-5	2552	860.9	07/16/07	WG	Specific Conductance	160.2	μS/cm	FU07070G05R401
R-5	2552	860.9	01/12/09	WG	Temperature	20.08	deg C	CAPU-09-1805
R-5	2552	860.9	08/26/08	WG	Temperature	23.9	deg C	CAPU-08-14851
R-5	2552	860.9	04/17/07	WG	Temperature	22	deg C	FU07040G05R401
R-5	2552	860.9	07/27/06	WG	Temperature	24	deg C	FU06070G05R401
R-5	2552	860.9	07/16/07	WG	Temperature	26.5	deg C	FU07070G05R401
R-5	2552	860.9	01/12/09	WG	Turbidity	0.8	NTU	CAPU-09-1805
R-5	2552	860.9	08/26/08	WG	Turbidity	1.15	NTU	CAPU-08-14851
R-5	2552	860.9	04/17/07	WG	Turbidity	0.21	NTU	FU07040G05R401
R-5	2552	860.9	07/27/06	WG	Turbidity	1.18	NTU	FU06070G05R401
R-5	2552	860.9	07/16/07	WG	Turbidity	0.48	NTU	FU07070G05R401
R-5	2552	860.9	01/12/09	WG	pH	8.16	SU	CAPU-09-1805
R-5	2552	860.9	08/26/08	WG	pH	8.02	SU	CAPU-08-14851
R-5	2552	860.9	04/17/07	WG	pH	7.8	SU	FU07040G05R401
R-5	2552	860.9	07/16/07	WG	pH	8.08	SU	FU07070G05R401
R-6	5871	1205	01/20/09	WG	Dissolved Oxygen	4.32	mg/L	CALA-09-1759
R-6	5871	1205	08/27/08	WG	Dissolved Oxygen	4.06	mg/L	CALA-08-13902

Periodic Monitoring Report for Los Alamos Watershed

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-6	5871	1205	01/17/08	WG	Dissolved Oxygen	4.1	mg/L	CALA-08-9939
R-6	5871	1205	04/12/07	WG	Dissolved Oxygen	4	mg/L	FU070400G06R01
R-6	5871	1205	07/17/07	WG	Dissolved Oxygen	3.09	mg/L	FU070700G06R01
R-6	5871	1205	01/20/09	WG	Oxidation-Reduction Potential	219.8	mV	CALA-09-1759
R-6	5871	1205	08/27/08	WG	Oxidation-Reduction Potential	52	mV	CALA-08-13902
R-6	5871	1205	01/17/08	WG	Oxidation-Reduction Potential	200	mV	CALA-08-9939
R-6	5871	1205	04/12/07	WG	Oxidation-Reduction Potential	197.6	mV	FU070400G06R01
R-6	5871	1205	07/17/07	WG	Oxidation-Reduction Potential	284	mV	FU070700G06R01
R-6	5871	1205	01/20/09	WG	Specific Conductance	145	µS/cm	CALA-09-1759
R-6	5871	1205	08/27/08	WG	Specific Conductance	129.3	µS/cm	CALA-08-13902
R-6	5871	1205	01/17/08	WG	Specific Conductance	144.9	µS/cm	CALA-08-9939
R-6	5871	1205	04/12/07	WG	Specific Conductance	143.1	µS/cm	FU070400G06R01
R-6	5871	1205	07/17/07	WG	Specific Conductance	149.5	µS/cm	FU070700G06R01
R-6	5871	1205	01/20/09	WG	Temperature	22.41	deg C	CALA-09-1759
R-6	5871	1205	08/27/08	WG	Temperature	23	deg C	CALA-08-13902
R-6	5871	1205	01/17/08	WG	Temperature	21	deg C	CALA-08-9939
R-6	5871	1205	04/12/07	WG	Temperature	20.4	deg C	FU070400G06R01
R-6	5871	1205	07/17/07	WG	Temperature	23.8	deg C	FU070700G06R01
R-6	5871	1205	01/20/09	WG	Turbidity	0.35	NTU	CALA-09-1759
R-6	5871	1205	08/27/08	WG	Turbidity	0.43	NTU	CALA-08-13902
R-6	5871	1205	01/17/08	WG	Turbidity	0.36	NTU	CALA-08-9939
R-6	5871	1205	04/12/07	WG	Turbidity	0.67	NTU	FU070400G06R01
R-6	5871	1205	07/17/07	WG	Turbidity	0.8	NTU	FU070700G06R01
R-6	5871	1205	01/20/09	WG	pH	8.21	SU	CALA-09-1759
R-6	5871	1205	08/27/08	WG	pH	8.33	SU	CALA-08-13902
R-6	5871	1205	01/17/08	WG	pH	8.43	SU	CALA-08-9939
R-6	5871	1205	04/12/07	WG	pH	8.27	SU	FU070400G06R01
R-6	5871	1205	07/17/07	WG	pH	8.36	SU	FU070700G06R01

May 2009

B-22

EP2009-0261

EP2009-0261

B-23

May 2009

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-6i	5881	602	01/20/09	WG	Dissolved Oxygen	6.9	mg/L	CALA-09-1741
R-6i	5881	602	08/27/08	WG	Dissolved Oxygen	5.71	mg/L	CALA-08-13889
R-6i	5881	602	01/23/08	WG	Dissolved Oxygen	6.5	mg/L	CALA-08-9860
R-6i	5881	602	04/12/07	WG	Dissolved Oxygen	4.3	mg/L	FU070400G6IR01
R-6i	5881	602	07/17/07	WG	Dissolved Oxygen	3.81	mg/L	FU070700G6IR01
R-6i	5881	602	01/20/09	WG	Oxidation-Reduction Potential	226.6	mV	CALA-09-1741
R-6i	5881	602	08/27/08	WG	Oxidation-Reduction Potential	125	mV	CALA-08-13889
R-6i	5881	602	01/23/08	WG	Oxidation-Reduction Potential	208	mV	CALA-08-9860
R-6i	5881	602	04/12/07	WG	Oxidation-Reduction Potential	157.6	mV	FU070400G6IR01
R-6i	5881	602	07/17/07	WG	Oxidation-Reduction Potential	157	mV	FU070700G6IR01
R-6i	5881	602	01/20/09	WG	Specific Conductance	196	μS/cm	CALA-09-1741
R-6i	5881	602	08/27/08	WG	Specific Conductance	216	μS/cm	CALA-08-13889
R-6i	5881	602	01/23/08	WG	Specific Conductance	238	μS/cm	CALA-08-9860
R-6i	5881	602	04/12/07	WG	Specific Conductance	241	μS/cm	FU070400G6IR01
R-6i	5881	602	07/17/07	WG	Specific Conductance	252	μS/cm	FU070700G6IR01
R-6i	5881	602	01/20/09	WG	Temperature	14.26	deg C	CALA-09-1741
R-6i	5881	602	08/27/08	WG	Temperature	18	deg C	CALA-08-13889
R-6i	5881	602	01/23/08	WG	Temperature	16.4	deg C	CALA-08-9860
R-6i	5881	602	04/12/07	WG	Temperature	13.6	deg C	FU070400G6IR01
R-6i	5881	602	07/17/07	WG	Temperature	19.5	deg C	FU070700G6IR01
R-6i	5881	602	01/20/09	WG	Turbidity	0.64	NTU	CALA-09-1741
R-6i	5881	602	08/27/08	WG	Turbidity	1.02	NTU	CALA-08-13889
R-6i	5881	602	01/23/08	WG	Turbidity	0.79	NTU	CALA-08-9860
R-6i	5881	602	04/12/07	WG	Turbidity	1.48	NTU	FU070400G6IR01
R-6i	5881	602	07/17/07	WG	Turbidity	0.81	NTU	FU070700G6IR01
R-6i	5881	602	01/20/09	WG	pH	7.3	SU	CALA-09-1741
R-6i	5881	602	08/27/08	WG	pH	7.43	SU	CALA-08-13889
R-6i	5881	602	01/23/08	WG	pH	7.38	SU	CALA-08-9860

Periodic Monitoring Report for Los Alamos Watershed

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-6i	5881	602	04/12/07	WG	pH	7.34	SU	FU070400G6IR01
R-6i	5881	602	07/17/07	WG	pH	7.29	SU	FU070700G6IR01
R-7	1442	915.1	01/13/09	WG	Dissolved Oxygen	3.95	mg/L	CALA-09-1750
R-7	1442	915.1	08/26/08	WG	Dissolved Oxygen	1.75	mg/L	CALA-08-14854
R-7	1442	915.1	01/23/08	WG	Dissolved Oxygen	3.8	mg/L	CALA-08-9933
R-7	1442	915.1	04/26/05	WG	Dissolved Oxygen	5.3	mg/L	FU0504G07R301
R-7	1442	915.1	08/06/02	WG	Dissolved Oxygen	3.98	mg/L	GU0207G07R301
R-7	1442	915.1	01/13/09	WG	Specific Conductance	90	μS/cm	CALA-09-1750
R-7	1442	915.1	08/26/08	WG	Specific Conductance	102.5	μS/cm	CALA-08-14854
R-7	1442	915.1	01/23/08	WG	Specific Conductance	224	μS/cm	CALA-08-9933
R-7	1442	915.1	04/13/07	WG	Specific Conductance	105.5	μS/cm	FU07040G07R301
R-7	1442	915.1	07/31/07	WG	Specific Conductance	104.9	μS/cm	FU07070G07R301
R-7	1442	915.1	01/13/09	WG	Temperature	11.03	deg C	CALA-09-1750
R-7	1442	915.1	08/26/08	WG	Temperature	17.7	deg C	CALA-08-14854
R-7	1442	915.1	01/23/08	WG	Temperature	12	deg C	CALA-08-9933
R-7	1442	915.1	04/13/07	WG	Temperature	12.2	deg C	FU07040G07R301
R-7	1442	915.1	07/31/07	WG	Temperature	23.2	deg C	FU07070G07R301
R-7	1442	915.1	01/13/09	WG	Turbidity	2.29	NTU	CALA-09-1750
R-7	1442	915.1	08/26/08	WG	Turbidity	2.06	NTU	CALA-08-14854
R-7	1442	915.1	01/23/08	WG	Turbidity	1.52	NTU	CALA-08-9933
R-7	1442	915.1	04/13/07	WG	Turbidity	2.64	NTU	FU07040G07R301
R-7	1442	915.1	07/31/07	WG	Turbidity	0.4	NTU	FU07070G07R301
R-7	1442	915.1	01/13/09	WG	pH	6.87	SU	CALA-09-1750
R-7	1442	915.1	08/26/08	WG	pH	7.2	SU	CALA-08-14854
R-7	1442	915.1	01/23/08	WG	pH	6.65	SU	CALA-08-9933
R-7	1442	915.1	04/13/07	WG	pH	6.55	SU	FU07040G07R301
R-7	1442	915.1	07/31/07	WG	pH	6.87	SU	FU07070G07R301
R-8	2302	711.1	01/08/09	WG	Dissolved Oxygen	5.3	mg/L	CALA-09-1761

May 2009

B-24

EP2009-0261

EP2009-0261

B-25

May 2009

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-8	2302	711.1	09/04/08	WG	Dissolved Oxygen	4.68	mg/L	CALA-08-13906
R-8	2302	711.1	01/16/08	WG	Dissolved Oxygen	9.1	mg/L	CALA-08-9947
R-8	2302	711.1	04/27/05	WG	Dissolved Oxygen	7.5	mg/L	FU0504G08R101
R-8	2302	711.1	08/24/04	WG	Dissolved Oxygen	11	mg/L	GU0407G08R101
R-8	2302	711.1	01/08/09	WG	Specific Conductance	260	µS/cm	CALA-09-1761
R-8	2302	711.1	09/04/08	WG	Specific Conductance	146.7	µS/cm	CALA-08-13906
R-8	2302	711.1	01/16/08	WG	Specific Conductance	136.3	µS/cm	CALA-08-9947
R-8	2302	711.1	07/24/07	WG	Specific Conductance	112	µS/cm	FU07070G08R101
R-8	2302	711.1	01/08/09	WG	Temperature	17.77	deg C	CALA-09-1761
R-8	2302	711.1	09/04/08	WG	Temperature	21.5	deg C	CALA-08-13906
R-8	2302	711.1	01/16/08	WG	Temperature	17.3	deg C	CALA-08-9947
R-8	2302	711.1	04/10/07	WG	Temperature	19.8	deg C	FU07040G08R101
R-8	2302	711.1	07/24/07	WG	Temperature	23.1	deg C	FU07070G08R101
R-8	2302	711.1	01/08/09	WG	Turbidity	1.01	NTU	CALA-09-1761
R-8	2302	711.1	09/04/08	WG	Turbidity	0.2	NTU	CALA-08-13906
R-8	2302	711.1	01/16/08	WG	Turbidity	0.65	NTU	CALA-08-9947
R-8	2302	711.1	04/10/07	WG	Turbidity	0.17	NTU	FU07040G08R101
R-8	2302	711.1	07/24/07	WG	Turbidity	0.28	NTU	FU07070G08R101
R-8	2302	711.1	01/08/09	WG	pH	8.41	SU	CALA-09-1761
R-8	2302	711.1	09/04/08	WG	pH	8.29	SU	CALA-08-13906
R-8	2302	711.1	01/16/08	WG	pH	8.41	SU	CALA-08-9947
R-8	2302	711.1	07/24/07	WG	pH	8.35	SU	FU07070G08R101
R-8	2372	825	09/03/08	WG	Dissolved Oxygen	4.39	mg/L	CALA-08-13908
R-8	2372	825	01/08/09	WG	Dissolved Oxygen	9.57	mg/L	CALA-09-1749
R-8	2372	825	01/15/08	WG	Dissolved Oxygen	9.1	mg/L	CALA-08-9940
R-8	2372	825	04/28/05	WG	Dissolved Oxygen	8.7	mg/L	FU0504G08R201
R-8	2372	825	08/25/04	WG	Dissolved Oxygen	6.5	mg/L	GU0407G08R201
R-8	2372	825	09/03/08	WG	Specific Conductance	189.1	µS/cm	CALA-08-13908

Periodic Monitoring Report for Los Alamos Watershed

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-8	2372	825	01/08/09	WG	Specific Conductance	366	µS/cm	CALA-09-1749
R-8	2372	825	01/15/08	WG	Specific Conductance	165.3	µS/cm	CALA-08-9940
R-8	2372	825	07/25/07	WG	Specific Conductance	164.4	µS/cm	FU07070G08R201
R-8	2372	825	09/03/08	WG	Temperature	21.2	deg C	CALA-08-13908
R-8	2372	825	01/08/09	WG	Temperature	15.07	deg C	CALA-09-1749
R-8	2372	825	01/15/08	WG	Temperature	14.8	deg C	CALA-08-9940
R-8	2372	825	04/10/07	WG	Temperature	20.2	deg C	FU07040G08R201
R-8	2372	825	07/25/07	WG	Temperature	23.3	deg C	FU07070G08R201
R-8	2372	825	09/03/08	WG	Turbidity	0.41	NTU	CALA-08-13908
R-8	2372	825	01/08/09	WG	Turbidity	5.03	NTU	CALA-09-1749
R-8	2372	825	01/15/08	WG	Turbidity	0.65	NTU	CALA-08-9940
R-8	2372	825	04/10/07	WG	Turbidity	0.17	NTU	FU07040G08R201
R-8	2372	825	07/25/07	WG	Turbidity	0.4	NTU	FU07070G08R201
R-8	2372	825	09/03/08	WG	pH	8.75	SU	CALA-08-13908
R-8	2372	825	01/08/09	WG	pH	8.41	SU	CALA-09-1749
R-8	2372	825	01/15/08	WG	pH	8.92	SU	CALA-08-9940
R-8	2372	825	07/25/07	WG	pH	9.03	SU	FU07070G08R201
R-9	1731	684	01/08/09	WG	Dissolved Oxygen	5.05	mg/L	CALA-09-1764
R-9	1731	684	08/26/08	WG	Dissolved Oxygen	4.45	mg/L	CALA-08-13913
R-9	1731	684	01/10/08	WG	Dissolved Oxygen	5.2	mg/L	CALA-08-9875
R-9	1731	684	07/19/07	WG	Dissolved Oxygen	3.12	mg/L	FU070700G09R01
R-9	1731	684	04/10/07	WG	Dissolved Oxygen	4.5	mg/L	FU070400G09R01
R-9	1731	684	01/08/09	WG	Oxidation-Reduction Potential	421.5	mV	CALA-09-1764
R-9	1731	684	08/26/08	WG	Oxidation-Reduction Potential	202	mV	CALA-08-13913
R-9	1731	684	01/10/08	WG	Oxidation-Reduction Potential	434	mV	CALA-08-9875
R-9	1731	684	07/19/07	WG	Oxidation-Reduction Potential	235	mV	FU070700G09R01
R-9	1731	684	04/10/07	WG	Oxidation-Reduction Potential	272	mV	FU070400G09R01
R-9	1731	684	01/08/09	WG	Specific Conductance	496	µS/cm	CALA-09-1764

May 2009

B-26

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-9	1731	684	08/26/08	WG	Specific Conductance	214	μS/cm	CALA-08-13913
R-9	1731	684	01/10/08	WG	Specific Conductance	231	μS/cm	CALA-08-9875
R-9	1731	684	07/19/07	WG	Specific Conductance	144.5	μS/cm	FU070700G09R01
R-9	1731	684	04/10/07	WG	Specific Conductance	213	μS/cm	FU070400G09R01
R-9	1731	684	01/08/09	WG	Temperature	21.58	deg C	CALA-09-1764
R-9	1731	684	08/26/08	WG	Temperature	22.7	deg C	CALA-08-13913
R-9	1731	684	01/10/08	WG	Temperature	21.5	deg C	CALA-08-9875
R-9	1731	684	07/19/07	WG	Temperature	23.1	deg C	FU070700G09R01
R-9	1731	684	04/10/07	WG	Temperature	20.9	deg C	FU070400G09R01
R-9	1731	684	01/08/09	WG	Turbidity	1	NTU	CALA-09-1764
R-9	1731	684	08/26/08	WG	Turbidity	0.42	NTU	CALA-08-13913
R-9	1731	684	01/10/08	WG	Turbidity	0.27	NTU	CALA-08-9875
R-9	1731	684	07/19/07	WG	Turbidity	0.2	NTU	FU070700G09R01
R-9	1731	684	04/10/07	WG	Turbidity	2.28	NTU	FU070400G09R01
R-9	1731	684	01/08/09	WG	pH	7.84	SU	CALA-09-1764
R-9	1731	684	08/26/08	WG	pH	8.04	SU	CALA-08-13913
R-9	1731	684	01/10/08	WG	pH	8.06	SU	CALA-08-9875
R-9	1731	684	07/19/07	WG	pH	8.08	SU	FU070700G09R01
R-9	1731	684	04/10/07	WG	pH	8.06	SU	FU070400G09R01
R-9i	552	198.8	01/08/09	WG	Dissolved Oxygen	4.01	mg/L	CALA-09-1727
R-9i	552	198.8	08/29/08	WG	Dissolved Oxygen	4.5	mg/L	CALA-08-13878
R-9i	552	198.8	01/22/08	WG	Dissolved Oxygen	3.1	mg/L	CALA-08-9935
R-9i	552	198.8	04/29/05	WG	Dissolved Oxygen	8.2	mg/L	FU0504G9iR101
R-9i	552	198.8	08/02/02	WG	Dissolved Oxygen	3.66	mg/L	GU0208G9iR101
R-9i	552	198.8	01/08/09	WG	Specific Conductance	233	μS/cm	CALA-09-1727
R-9i	552	198.8	08/29/08	WG	Specific Conductance	275	μS/cm	CALA-08-13878
R-9i	552	198.8	01/22/08	WG	Specific Conductance	269	μS/cm	CALA-08-9935
R-9i	552	198.8	08/10/06	WG	Specific Conductance	282	μS/cm	FU06070G9iR101

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-9i	552	198.8	07/27/07	WG	Specific Conductance	351	µS/cm	FU07070G9iR101
R-9i	552	198.8	01/08/09	WG	Temperature	11.46	deg C	CALA-09-1727
R-9i	552	198.8	08/29/08	WG	Temperature	4.9	deg C	CALA-08-13878
R-9i	552	198.8	01/22/08	WG	Temperature	11.6	deg C	CALA-08-9935
R-9i	552	198.8	08/10/06	WG	Temperature	17.6	deg C	FU06070G9iR101
R-9i	552	198.8	07/27/07	WG	Temperature	21.7	deg C	FU07070G9iR101
R-9i	552	198.8	01/08/09	WG	Turbidity	0.8	NTU	CALA-09-1727
R-9i	552	198.8	08/29/08	WG	Turbidity	2.6	NTU	CALA-08-13878
R-9i	552	198.8	01/22/08	WG	Turbidity	0.39	NTU	CALA-08-9935
R-9i	552	198.8	08/10/06	WG	Turbidity	0.2	NTU	FU06070G9iR101
R-9i	552	198.8	07/27/07	WG	Turbidity	1.46	NTU	FU07070G9iR101
R-9i	552	198.8	01/08/09	WG	pH	6.98	SU	CALA-09-1727
R-9i	552	198.8	08/29/08	WG	pH	8.1	SU	CALA-08-13878
R-9i	552	198.8	01/22/08	WG	pH	6.81	SU	CALA-08-9935
R-9i	552	198.8	08/10/06	WG	pH	7.23	SU	FU06070G9iR101
R-9i	552	198.8	07/27/07	WG	pH	7.86	SU	FU07070G9iR101
R-9i	602	278.8	07/29/02	WG	Alkalinity-CO3+HCO3	52	mg/L	FU0207G9iR201
R-9i	602	278.8	01/08/09	WG	Dissolved Oxygen	3.27	mg/L	CALA-09-1729
R-9i	602	278.8	09/02/08	WG	Dissolved Oxygen	6	mg/L	CALA-08-13881
R-9i	602	278.8	01/22/08	WG	Dissolved Oxygen	3.7	mg/L	CALA-08-9936
R-9i	602	278.8	07/29/02	WG	Dissolved Oxygen	2.34	mg/L	FU0207G9iR201
R-9i	602	278.8	01/08/09	WG	Specific Conductance	168	µS/cm	CALA-09-1729
R-9i	602	278.8	09/02/08	WG	Specific Conductance	193.2	µS/cm	CALA-08-13881
R-9i	602	278.8	01/22/08	WG	Specific Conductance	167.3	µS/cm	CALA-08-9936
R-9i	602	278.8	08/10/06	WG	Specific Conductance	183.7	µS/cm	FU06070G9iR201
R-9i	602	278.8	07/27/07	WG	Specific Conductance	236	µS/cm	FU07070G9iR201
R-9i	602	278.8	01/08/09	WG	Temperature	11.8	deg C	CALA-09-1729
R-9i	602	278.8	09/02/08	WG	Temperature	17.5	deg C	CALA-08-13881

May 2009

B-28

EP2009-0261

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-9i	602	278.8	01/22/08	WG	Temperature	13.5	deg C	CALA-08-9936
R-9i	602	278.8	08/10/06	WG	Temperature	17	deg C	FU06070G9iR201
R-9i	602	278.8	07/27/07	WG	Temperature	24.5	deg C	FU07070G9iR201
R-9i	602	278.8	01/08/09	WG	Turbidity	0.42	NTU	CALA-09-1729
R-9i	602	278.8	09/02/08	WG	Turbidity	0.67	NTU	CALA-08-13881
R-9i	602	278.8	01/22/08	WG	Turbidity	0.35	NTU	CALA-08-9936
R-9i	602	278.8	08/10/06	WG	Turbidity	0.49	NTU	FU06070G9iR201
R-9i	602	278.8	07/27/07	WG	Turbidity	0.34	NTU	FU07070G9iR201
R-9i	602	278.8	01/08/09	WG	pH	8.76	SU	CALA-09-1729
R-9i	602	278.8	09/02/08	WG	pH	8.5	SU	CALA-08-13881
R-9i	602	278.8	01/22/08	WG	pH	8.3	SU	CALA-08-9936
R-9i	602	278.8	08/10/06	WG	pH	7.27	SU	FU06070G9iR201
R-9i	602	278.8	07/27/07	WG	pH	7.96	SU	FU07070G9iR201

— = Not applicable.

mV = Millivolt.

NTU = Nephelometric turbidity unit.

SU = Standard unit.

WG = Groundwater.

WM = Snowmelt.

WS = Surface water.

WP = Persistent water.

May 2009

B-30

EP2009-0261

Appendix C

Groundwater-Level Measurements

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/22/2009	6365.58	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/21/2009	6365.57	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/20/2009	6365.6	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/19/2009	6365.57	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/18/2009	6365.55	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/17/2009	6365.57	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/16/2009	6365.56	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/15/2009	6365.53	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/14/2009	6365.49	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/13/2009	6365.54	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/12/2009	6365.59	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/11/2009	6365.55	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/10/2009	6365.53	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/9/2009	6365.42	Manual
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/9/2009	6365.52	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/8/2009	6365.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/7/2009	6365.47	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/6/2009	6365.52	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/5/2009	6365.52	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/4/2009	6365.52	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/3/2009	6365.54	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/2/2009	6365.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/1/2009	6365.52	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/31/2008	6365.47	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/30/2008	6365.48	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/29/2008	6365.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/28/2008	6365.39	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/27/2008	6365.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/26/2008	6365.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/25/2008	6365.49	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/24/2008	6365.49	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/23/2008	6365.49	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/22/2008	6365.47	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/21/2008	6365.48	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/20/2008	6365.44	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/19/2008	6365.45	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/18/2008	6365.46	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/17/2008	6365.48	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/16/2008	6365.48	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/15/2008	6365.49	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/14/2008	6365.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/13/2008	6365.45	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/12/2008	6365.4	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/11/2008	6365.38	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/10/2008	6365.39	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/9/2008	6365.44	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/8/2008	6365.43	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/7/2008	6365.36	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/6/2008	6365.35	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/5/2008	6365.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/4/2008	6365.34	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/3/2008	6365.37	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/2/2008	6365.33	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	12/1/2008	6365.38	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/30/2008	6365.34	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/29/2008	6365.34	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/28/2008	6365.43	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/27/2008	6365.34	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/26/2008	6365.37	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/25/2008	6365.36	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/24/2008	6365.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/23/2008	6365.26	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/22/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/21/2008	6365.26	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/20/2008	6364.67	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/19/2008	6365.24	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/18/2008	6365.05	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/17/2008	6364.53	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/16/2008	6364.61	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/15/2008	6363.85	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/14/2008	6364.15	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/13/2008	6364.82	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/12/2008	6365.38	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/11/2008	6365.33	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/10/2008	6365.35	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/9/2008	6365.33	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/8/2008	6365.3	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/7/2008	6365.27	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/6/2008	6365.2	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/5/2008	6365.23	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/4/2008	6364.99	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/3/2008	6365.17	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/2/2008	6364.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	11/1/2008	6364.21	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/31/2008	6365.02	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/30/2008	6365.06	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/29/2008	6365.22	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/28/2008	6364.15	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/27/2008	6365.02	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/26/2008	6365.13	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/25/2008	6365.29	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/24/2008	6365.12	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/23/2008	6365.26	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/22/2008	6365.22	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/21/2008	6365.21	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/20/2008	6364.01	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/19/2008	6364.94	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/18/2008	6365.05	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/17/2008	6365.11	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/16/2008	6364.98	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/15/2008	6365.03	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/14/2008	6364.74	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/13/2008	6364.69	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/12/2008	6364.59	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/11/2008	6363.53	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/10/2008	6363.27	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/9/2008	6364.28	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/8/2008	6363.75	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/7/2008	6360.92	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/6/2008	6360.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/5/2008	6360.83	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/4/2008	6360.74	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/3/2008	6360.55	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/2/2008	6360.33	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	10/1/2008	6360.29	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/30/2008	6360.41	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/29/2008	6360.52	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/28/2008	6360.6	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/27/2008	6360.69	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/26/2008	6360.78	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/25/2008	6360.86	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/24/2008	6360.96	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/23/2008	6361.06	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/22/2008	6361.17	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/21/2008	6361.28	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/20/2008	6361.38	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/19/2008	6361.49	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/18/2008	6361.61	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/17/2008	6361.73	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/16/2008	6361.85	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/15/2008	6362.03	Manual
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/15/2008	6361.98	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/14/2008	6362.11	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/13/2008	6362.24	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/12/2008	6362.38	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/11/2008	6362.53	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/10/2008	6362.68	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/9/2008	6362.85	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/8/2008	6363.05	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/7/2008	6363.3	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/6/2008	6363.56	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/5/2008	6363.85	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/4/2008	6364.28	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/3/2008	6364.33	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/2/2008	6364.71	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	9/1/2008	6364.35	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/31/2008	6363.39	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/30/2008	6364.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/29/2008	6363.59	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/28/2008	6362.47	Manual
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/28/2008	6363.98	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/27/2008	6362.92	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/26/2008	6362.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/25/2008	6362.57	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/24/2008	6362.77	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/23/2008	6363.08	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/22/2008	6363.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/21/2008	6363.07	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/20/2008	6362.9	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/19/2008	6362.42	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/18/2008	6358.89	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/17/2008	6358.14	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/16/2008	6358.16	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/15/2008	6358.18	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/14/2008	6358.21	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/13/2008	6358.23	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/12/2008	6358.27	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/11/2008	6358.29	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/10/2008	6358.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/9/2008	6358.35	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/8/2008	6358.37	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/7/2008	6358.43	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/6/2008	6358.47	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/5/2008	6358.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/4/2008	6358.52	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/3/2008	6358.55	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/2/2008	6358.57	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	8/1/2008	6358.6	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/31/2008	6358.64	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/30/2008	6358.68	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/29/2008	6358.7	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/28/2008	6358.73	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/27/2008	6358.77	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/26/2008	6358.79	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/25/2008	6358.83	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/24/2008	6358.84	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/23/2008	6358.86	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/22/2008	6358.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/21/2008	6358.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/20/2008	6358.92	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/19/2008	6358.95	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/18/2008	6359	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/17/2008	6359.05	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/16/2008	6359.08	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/15/2008	6359.12	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/14/2008	6359.17	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/13/2008	6359.19	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/12/2008	6359.21	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/11/2008	6359.22	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/10/2008	6359.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/9/2008	6359.26	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/8/2008	6359.28	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/7/2008	6359.3	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/6/2008	6359.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/5/2008	6359.35	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/4/2008	6359.4	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/3/2008	6359.42	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/2/2008	6359.45	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	7/1/2008	6359.48	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/30/2008	6359.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/29/2008	6359.53	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/28/2008	6359.57	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/27/2008	6359.6	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/26/2008	6359.64	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/25/2008	6359.67	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/24/2008	6359.72	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/23/2008	6359.77	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/22/2008	6359.82	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/21/2008	6359.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/20/2008	6359.95	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/19/2008	6360.02	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/18/2008	6360.09	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/17/2008	6360.17	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/16/2008	6360.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/15/2008	6360.35	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/14/2008	6360.44	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/13/2008	6360.55	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/12/2008	6360.66	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/11/2008	6360.76	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/10/2008	6360.87	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/9/2008	6360.98	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/8/2008	6361.08	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/7/2008	6361.19	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/6/2008	6361.29	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/5/2008	6361.41	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/4/2008	6361.51	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/3/2008	6361.62	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/2/2008	6361.73	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	6/1/2008	6361.85	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/31/2008	6361.96	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/30/2008	6362.08	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/29/2008	6362.22	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/28/2008	6362.36	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/27/2008	6362.31	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/26/2008	6361.98	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/25/2008	6361.94	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/24/2008	6362.06	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/23/2008	6362.2	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/22/2008	6362.36	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/21/2008	6362.5	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/20/2008	6362.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/19/2008	6361.37	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/18/2008	6360.97	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/17/2008	6360.8	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/16/2008	6360.86	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/15/2008	6360.92	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/14/2008	6360.97	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/13/2008	6361.03	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/12/2008	6361.07	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/11/2008	6361.11	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/10/2008	6361.15	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/9/2008	6361.18	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/8/2008	6361.28	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/7/2008	6361.32	Manual
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/7/2008	6361.37	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/6/2008	6361.48	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/5/2008	6361.59	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/4/2008	6361.71	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/3/2008	6361.83	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/2/2008	6361.96	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	5/1/2008	6362.08	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/30/2008	6362.19	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/29/2008	6362.3	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/28/2008	6362.42	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/27/2008	6362.56	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/26/2008	6362.71	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/25/2008	6362.87	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/24/2008	6363.07	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/23/2008	6363.33	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/22/2008	6363.65	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/21/2008	6363.96	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/20/2008	6363.87	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/19/2008	6363.69	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/18/2008	6363.37	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/17/2008	6363.13	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/16/2008	6363.36	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/15/2008	6363.68	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/14/2008	6363.94	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/13/2008	6363.48	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/12/2008	6363.39	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/11/2008	6363.64	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/10/2008	6363.97	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/9/2008	6363.95	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/8/2008	6364.36	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/7/2008	6364.12	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/6/2008	6364.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/5/2008	6363.87	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/4/2008	6364.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/3/2008	6364.3	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/2/2008	6363.73	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	4/1/2008	6364.03	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/31/2008	6364.44	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/30/2008	6364.36	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/29/2008	6364.2	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/28/2008	6363.95	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/27/2008	6363.87	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/26/2008	6364.18	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/25/2008	6364.56	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/24/2008	6364.83	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/23/2008	6364.71	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/22/2008	6364.59	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/21/2008	6364.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/20/2008	6364.93	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/19/2008	6364.95	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/18/2008	6364.95	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/17/2008	6364.9	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/16/2008	6364.81	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/15/2008	6364.77	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/14/2008	6364.84	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/13/2008	6364.89	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/12/2008	6364.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/11/2008	6364.88	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/10/2008	6364.97	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/9/2008	6364.91	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/8/2008	6364.92	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/7/2008	6364.93	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/6/2008	6364.91	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/5/2008	6364.91	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/4/2008	6364.94	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/3/2008	6365.01	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/2/2008	6365.03	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	3/1/2008	6365.05	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/29/2008	6365.08	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/28/2008	6365.1	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/27/2008	6365.1	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/26/2008	6365.17	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/25/2008	6365.53	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/24/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/23/2008	6365.29	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/22/2008	6365.24	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/21/2008	6365.21	Manual
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/21/2008	6365.19	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/20/2008	6365.14	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/19/2008	6365.2	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/18/2008	6365.17	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/17/2008	6365.29	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/16/2008	6365.38	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/15/2008	6365.49	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/14/2008	6365.46	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/13/2008	6365.4	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/12/2008	6365.38	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/11/2008	6365.39	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/10/2008	6365.3	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/9/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/8/2008	6365.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/7/2008	6365.29	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/6/2008	6365.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/5/2008	6365.32	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/4/2008	6365.27	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/3/2008	6365.21	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/2/2008	6365.13	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	2/1/2008	6365.26	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/31/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/30/2008	6365.26	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/29/2008	6365.54	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/28/2008	6365.4	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/27/2008	6365.26	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/26/2008	6365.2	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/25/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/24/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/23/2008	6365.22	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/22/2008	6365.27	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/21/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/20/2008	6365.24	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/19/2008	6365.23	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/18/2008	6365.42	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/17/2008	6365.31	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/16/2008	6365.14	Manual
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/16/2008	6365.42	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/15/2008	6365.3	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/14/2008	6365.33	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/13/2008	6365.25	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/12/2008	6365.27	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/11/2008	6365.27	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/10/2008	6365.22	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/9/2008	6365.2	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/8/2008	6365.17	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/7/2008	6365.2	Transducer
APCO-1	4.7	Single	5211	10	4.7	14.7	2	2.5	1/6/2008	6365.01	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/22/2009	6434.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/21/2009	6434.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/20/2009	6434.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/19/2009	6434.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/18/2009	6434.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/17/2009	6434.43	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/16/2009	6434.4	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/15/2009	6434.51	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/14/2009	6434.62	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/13/2009	6434.49	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/12/2009	6434.6	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/11/2009	6434.55	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/10/2009	6435	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/9/2009	6434.95	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/8/2009	6435.05	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/7/2009	6435.06	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/6/2009	6434.94	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/5/2009	6435.08	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/4/2009	6434.95	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	1/3/2009	6434.9	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/2/2009	6434.96	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/1/2009	6435	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/31/2008	6435.12	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/30/2008	6435.15	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/29/2008	6435.29	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/28/2008	6435.64	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/27/2008	6435.53	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/26/2008	6435.43	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/25/2008	6435.57	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/24/2008	6435.61	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/23/2008	6435.38	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/22/2008	6435.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/21/2008	6435.54	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/20/2008	6435.47	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/19/2008	6435.41	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/18/2008	6435.56	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/17/2008	6435.63	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/16/2008	6435.68	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/15/2008	6435.68	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/14/2008	6436.12	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/13/2008	6435.84	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/12/2008	6435.53	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/11/2008	6435.5	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/10/2008	6435.55	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/9/2008	6436.16	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/8/2008	6435.89	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/7/2008	6435.63	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/6/2008	6435.69	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/5/2008	6435.68	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/4/2008	6435.8	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/3/2008	6436.04	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/2/2008	6435.81	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	12/1/2008	6435.96	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/30/2008	6436.04	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/29/2008	6436.11	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/28/2008	6436.05	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/27/2008	6435.96	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/26/2008	6435.89	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/25/2008	6435.76	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/24/2008	6435.83	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/23/2008	6435.94	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/22/2008	6435.9	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/21/2008	6435.76	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/20/2008	6435.91	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/19/2008	6435.82	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/18/2008	6435.7	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/17/2008	6435.83	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/16/2008	6435.88	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/15/2008	6435.87	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/14/2008	6436.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	11/13/2008	6436.22	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/12/2008	6436.23	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/11/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/10/2008	6436.56	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/9/2008	6436.34	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/8/2008	6436.18	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/7/2008	6436.13	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/6/2008	6436.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/5/2008	6436.55	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/4/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/3/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/2/2008	6436.08	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	11/1/2008	6435.92	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/31/2008	6435.93	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/30/2008	6436.07	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/29/2008	6435.97	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/28/2008	6435.85	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/27/2008	6435.76	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/26/2008	6436.1	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/25/2008	6436.14	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/24/2008	6436.18	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/23/2008	6436.11	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/22/2008	6436.27	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/21/2008	6436.11	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/20/2008	6436.06	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/19/2008	6436.09	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/18/2008	6435.92	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/17/2008	6435.98	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/16/2008	6435.98	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/15/2008	6436.11	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/14/2008	6436.16	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/13/2008	6436.27	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/12/2008	6436.57	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/11/2008	6436.44	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/10/2008	6436.44	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/9/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/8/2008	6436.14	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/7/2008	6436.12	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/6/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/5/2008	6436.44	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/4/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/3/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/2/2008	6436.16	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	10/1/2008	6436.08	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/30/2008	6436	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/29/2008	6436.06	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/28/2008	6436.08	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/27/2008	6436.18	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/26/2008	6436.11	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/25/2008	6436.04	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/24/2008	6436.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	9/23/2008	6436.18	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/22/2008	6436.22	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/21/2008	6436.21	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/20/2008	6436.16	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/19/2008	6436.17	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/18/2008	6436.15	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/17/2008	6436.06	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/16/2008	6436	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/15/2008	6436.04	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/14/2008	6436.25	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/13/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/12/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/11/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/10/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/9/2008	6436.34	Manual
LADP-3	316	Single	5411	9	316	325	2	2.5	9/9/2008	6436.21	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/8/2008	6436.26	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/7/2008	6436.27	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/6/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/5/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/4/2008	6436.26	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/3/2008	6436.14	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/2/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	9/1/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/31/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/30/2008	6436.17	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/29/2008	6436.23	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/28/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/27/2008	6436.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/26/2008	6436.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/25/2008	6436.16	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/24/2008	6436.13	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/23/2008	6436.27	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/22/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/21/2008	6436.34	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/20/2008	6436.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/19/2008	6436.27	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/18/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/17/2008	6436.24	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/16/2008	6436.24	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/15/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/14/2008	6436.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/13/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/12/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/11/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/10/2008	6436.34	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/9/2008	6436.29	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/8/2008	6436.22	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/7/2008	6436.21	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/6/2008	6436.17	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/5/2008	6436.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	8/4/2008	6436.29	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/3/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/2/2008	6436.24	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	8/1/2008	6436.27	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/31/2008	6436.31	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/30/2008	6436.29	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/29/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/28/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/27/2008	6436.4	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/26/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/25/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/24/2008	6436.35	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/23/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/22/2008	6436.39	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/21/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/20/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/19/2008	6436.38	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/18/2008	6436.39	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/17/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/16/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/15/2008	6436.38	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/14/2008	6436.35	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/13/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/12/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/11/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/10/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/9/2008	6436.32	Manual
LADP-3	316	Single	5411	9	316	325	2	2.5	7/9/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/8/2008	6436.32	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	7/8/2008	6436.32	Manual
LADP-3	316	Single	5411	9	316	325	2	2.5	7/1/2008	6436.25	Manual
LADP-3	316	Single	5411	9	316	325	2	2.5	7/1/2008	6436.19	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/30/2008	6436.16	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/29/2008	6436.17	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/28/2008	6436.35	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/27/2008	6436.35	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/26/2008	6436.34	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/25/2008	6436.26	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/24/2008	6436.23	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/23/2008	6436.26	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/22/2008	6436.13	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/21/2008	6436.12	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/20/2008	6436.25	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/19/2008	6436.39	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/18/2008	6436.25	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/17/2008	6436.2	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/16/2008	6436.26	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/15/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/14/2008	6436.2	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/13/2008	6436.25	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/12/2008	6436.39	Transducer

Periodic Monitoring Report for Los Alamos Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	6/11/2008	6436.57	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/10/2008	6436.34	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/9/2008	6436.34	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/8/2008	6436.54	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/7/2008	6436.48	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/6/2008	6436.47	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/5/2008	6436.82	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/4/2008	6436.62	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/3/2008	6436.41	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/2/2008	6436.42	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	6/1/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/31/2008	6436.35	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/30/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/29/2008	6436.3	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/28/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/27/2008	6436.4	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/26/2008	6436.58	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/25/2008	6436.46	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/24/2008	6436.56	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/23/2008	6436.84	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/22/2008	6436.92	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/21/2008	6436.59	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/20/2008	6436.4	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/19/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/18/2008	6436.29	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/17/2008	6436.2	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/16/2008	6436.17	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/15/2008	6436.38	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/14/2008	6436.44	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/13/2008	6436.66	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/12/2008	6436.5	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/11/2008	6436.34	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/10/2008	6436.57	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/9/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/8/2008	6436.59	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/7/2008	6436.67	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/6/2008	6436.76	Manual
LADP-3	316	Single	5411	9	316	325	2	2.5	5/6/2008	6436.5	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/5/2008	6436.49	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/4/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/3/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/2/2008	6436.67	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	5/1/2008	6436.85	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/30/2008	6436.62	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/29/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/28/2008	6436.2	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/27/2008	6436.24	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/26/2008	6436.42	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/25/2008	6436.51	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/24/2008	6436.56	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/23/2008	6436.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	4/22/2008	6436.48	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/21/2008	6436.58	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/20/2008	6436.61	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/19/2008	6436.49	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/18/2008	6436.43	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/17/2008	6436.67	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/16/2008	6436.6	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/15/2008	6436.42	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/14/2008	6436.17	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/13/2008	6436.23	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/12/2008	6436.28	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/11/2008	6436.61	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/10/2008	6436.87	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/9/2008	6436.76	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/8/2008	6436.61	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/7/2008	6436.59	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/6/2008	6436.67	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/5/2008	6436.56	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/4/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/3/2008	6436.61	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/2/2008	6436.43	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	4/1/2008	6436.41	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/31/2008	6436.69	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/30/2008	6436.61	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/29/2008	6436.5	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/28/2008	6436.61	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/27/2008	6436.58	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/26/2008	6436.4	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/25/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/24/2008	6436.25	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/23/2008	6436.24	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/22/2008	6436.29	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/21/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/20/2008	6436.43	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/19/2008	6436.38	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/18/2008	6436.57	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/17/2008	6436.76	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/16/2008	6436.7	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/15/2008	6436.71	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/14/2008	6436.73	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/13/2008	6436.62	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/12/2008	6436.39	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/11/2008	6436.23	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/10/2008	6436.19	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/9/2008	6436.52	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/8/2008	6436.44	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/7/2008	6436.37	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/6/2008	6436.49	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/5/2008	6436.72	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/4/2008	6436.41	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/3/2008	6436.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	3/2/2008	6436.7	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	3/1/2008	6436.19	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/29/2008	6436.38	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/28/2008	6436.42	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/27/2008	6436.16	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/26/2008	6436.26	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/25/2008	6436.54	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/24/2008	6436.27	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/23/2008	6436.66	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/22/2008	6436.55	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/21/2008	6436.56	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/20/2008	6436.48	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/19/2008	6436.43	Manual
LADP-3	316	Single	5411	9	316	325	2	2.5	2/19/2008	6436.42	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/18/2008	6436.48	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/17/2008	6436.66	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/16/2008	6436.51	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/15/2008	6436.56	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/14/2008	6436.83	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/13/2008	6436.39	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/12/2008	6436.41	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/11/2008	6436.4	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/10/2008	6436.26	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/9/2008	6436.38	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/8/2008	6436.59	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/7/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/6/2008	6436.54	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/5/2008	6436.85	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/4/2008	6436.88	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/3/2008	6436.64	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/2/2008	6436.6	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	2/1/2008	6436.45	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/31/2008	6436.72	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/30/2008	6436.66	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/29/2008	6436.9	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/28/2008	6436.57	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/27/2008	6436.2	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/26/2008	6436.18	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/25/2008	6436.44	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/24/2008	6436.53	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/23/2008	6436.48	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/22/2008	6436.5	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/21/2008	6436.63	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/20/2008	6436.51	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/19/2008	6436.43	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/18/2008	6436.63	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/17/2008	6436.59	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/16/2008	6436.83	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/15/2008	6436.36	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/14/2008	6436.33	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/13/2008	6436.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LADP-3	316	Single	5411	9	316	325	2	2.5	1/12/2008	6436.52	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/11/2008	6436.6	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/10/2008	6436.67	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/9/2008	6436.52	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/8/2008	6436.63	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/7/2008	6436.84	Transducer
LADP-3	316	Single	5411	9	316	325	2	2.5	1/6/2008	6436.79	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/22/2009	6960.93	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/21/2009	6960.97	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/20/2009	6960.99	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/19/2009	6961.02	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/18/2009	6961.06	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/17/2009	6961.1	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/16/2009	6961.15	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/15/2009	6961.2	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/14/2009	6961.25	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/13/2009	6961.31	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/12/2009	6961.36	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/11/2009	6961.41	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/10/2009	6961.5	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/9/2009	6961.49	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/8/2009	6961.57	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/7/2009	6961.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/6/2009	6961.6	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/5/2009	6961.51	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/4/2009	6961.41	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/3/2009	6961.35	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/2/2009	6961.32	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/1/2009	6961.28	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/31/2008	6961.27	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/30/2008	6961.31	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/29/2008	6961.47	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/28/2008	6961.76	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/27/2008	6962.04	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/26/2008	6961.95	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/25/2008	6962.16	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/24/2008	6962.2	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/23/2008	6962.05	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/22/2008	6962.01	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/21/2008	6962.03	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/20/2008	6961.98	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/19/2008	6961.84	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/18/2008	6961.54	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/17/2008	6961.09	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/16/2008	6961.04	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/15/2008	6961.13	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/14/2008	6961.13	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/13/2008	6960.98	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/12/2008	6961.09	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/11/2008	6961.19	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/10/2008	6961.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/9/2008	6961.36	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/8/2008	6961.35	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/7/2008	6961.42	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/6/2008	6961.54	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/5/2008	6961.61	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/4/2008	6961.64	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/3/2008	6961.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/2/2008	6961.7	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	12/1/2008	6961.68	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/30/2008	6961.59	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/29/2008	6961.34	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/28/2008	6960.33	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/27/2008	6959.5	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/26/2008	6959.5	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/25/2008	6959.52	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/24/2008	6959.55	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/23/2008	6959.54	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/22/2008	6959.57	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/21/2008	6959.59	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/20/2008	6959.61	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/19/2008	6959.64	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/18/2008	6959.68	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/17/2008	6959.71	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/16/2008	6959.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/15/2008	6959.8	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/14/2008	6959.78	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/13/2008	6959.81	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/12/2008	6959.85	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/11/2008	6959.89	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/10/2008	6959.9	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/9/2008	6959.95	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/8/2008	6959.99	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/7/2008	6960.05	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/6/2008	6960.1	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/5/2008	6960.11	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/4/2008	6960.16	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/3/2008	6960.2	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/2/2008	6960.24	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	11/1/2008	6960.29	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/31/2008	6960.34	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/30/2008	6960.37	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/29/2008	6960.42	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/28/2008	6960.47	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/27/2008	6960.58	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/26/2008	6960.61	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/25/2008	6960.68	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/24/2008	6960.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/23/2008	6960.8	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/22/2008	6960.89	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/21/2008	6961.03	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/20/2008	6961.18	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/19/2008	6961.29	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/18/2008	6961.38	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/17/2008	6961.48	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/16/2008	6961.43	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/15/2008	6961.14	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/14/2008	6960.52	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/13/2008	6960.7	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/12/2008	6960.43	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/11/2008	6959.3	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/10/2008	6959.32	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/9/2008	6959.35	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/8/2008	6959.37	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/7/2008	6959.44	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/6/2008	6959.42	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/5/2008	6959.44	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/4/2008	6959.47	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/3/2008	6959.49	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/2/2008	6959.52	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	10/1/2008	6959.56	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/30/2008	6959.62	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/29/2008	6959.65	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/28/2008	6959.68	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/27/2008	6959.7	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/26/2008	6959.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/25/2008	6959.79	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/24/2008	6959.83	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/23/2008	6959.88	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/22/2008	6959.91	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/21/2008	6959.96	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/20/2008	6960.03	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/19/2008	6960.07	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/18/2008	6960.13	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/17/2008	6960.2	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/16/2008	6960.29	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/15/2008	6960.38	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/14/2008	6960.46	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/13/2008	6960.55	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/12/2008	6960.62	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/11/2008	6960.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/10/2008	6960.86	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/9/2008	6961.07	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/8/2008	6961.29	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/7/2008	6961.58	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/6/2008	6961.84	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/5/2008	6962.07	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/4/2008	6962.13	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/3/2008	6962.15	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/2/2008	6962.18	Manual
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/2/2008	6962.17	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	9/1/2008	6962.13	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/31/2008	6961.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/30/2008	6961.41	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/29/2008	6961.65	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/28/2008	6961.95	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/27/2008	6961.95	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/26/2008	6961.84	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/25/2008	6961.42	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/24/2008	6961.22	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/23/2008	6960.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/22/2008	6960.89	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/21/2008	6961.08	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/20/2008	6961.33	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/19/2008	6961.58	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/18/2008	6961.87	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/17/2008	6961.78	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/16/2008	6961.13	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/15/2008	6961.34	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/14/2008	6961.61	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/13/2008	6961.86	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/12/2008	6961.98	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/11/2008	6961.83	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/10/2008	6961.3	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/9/2008	6960.2	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/8/2008	6959.96	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/7/2008	6959.7	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/6/2008	6959.87	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/5/2008	6959.83	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/4/2008	6959.42	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/3/2008	6959.45	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/2/2008	6959.47	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	8/1/2008	6959.5	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/31/2008	6959.53	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/30/2008	6959.56	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/29/2008	6959.59	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/28/2008	6959.62	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/27/2008	6959.62	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/26/2008	6959.66	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/25/2008	6959.7	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/24/2008	6959.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/23/2008	6959.8	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/22/2008	6959.93	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/21/2008	6959.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/20/2008	6959.78	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/19/2008	6959.79	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/18/2008	6959.82	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/17/2008	6959.83	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/16/2008	6959.88	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/15/2008	6959.92	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/14/2008	6959.98	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/13/2008	6960.03	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/12/2008	6960.14	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/11/2008	6960.22	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	7/11/2008	6960.22	Manual
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	5/5/2008	6962.16	Manual
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/21/2008	6962.39	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/20/2008	6962.39	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/19/2008	6962.41	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/18/2008	6962.43	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/17/2008	6962.38	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/16/2008	6962.36	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/15/2008	6962.4	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/14/2008	6962.43	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/13/2008	6962.48	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/12/2008	6962.52	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/11/2008	6962.53	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/10/2008	6962.54	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/9/2008	6962.55	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/8/2008	6962.59	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/7/2008	6962.6	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/6/2008	6962.62	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/5/2008	6962.65	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/4/2008	6962.69	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/3/2008	6962.69	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/2/2008	6962.69	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	4/1/2008	6962.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/31/2008	6962.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/30/2008	6962.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/29/2008	6962.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/28/2008	6962.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/27/2008	6962.67	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/26/2008	6962.67	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/25/2008	6962.66	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/24/2008	6962.66	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/23/2008	6962.65	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/22/2008	6962.61	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/21/2008	6962.61	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/20/2008	6962.59	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/19/2008	6962.62	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/18/2008	6962.58	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/17/2008	6962.6	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/16/2008	6962.6	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/15/2008	6962.6	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/14/2008	6962.55	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/13/2008	6962.53	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/12/2008	6962.54	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/11/2008	6962.57	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/10/2008	6962.59	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/9/2008	6962.6	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/8/2008	6962.62	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/7/2008	6962.69	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/6/2008	6962.7	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/5/2008	6962.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/4/2008	6962.72	Transducer

Periodic Monitoring Report for Los Alamos Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/3/2008	6962.78	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/2/2008	6962.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	3/1/2008	6962.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/29/2008	6962.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/28/2008	6962.71	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/27/2008	6962.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/26/2008	6962.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/25/2008	6962.7	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/24/2008	6962.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/23/2008	6962.71	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/22/2008	6962.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/21/2008	6962.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/20/2008	6962.73	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/19/2008	6962.76	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/18/2008	6962.77	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/17/2008	6962.77	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/16/2008	6962.75	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/15/2008	6962.72	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/14/2008	6962.53	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/13/2008	6962.46	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/12/2008	6962.38	Manual
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/12/2008	6962.43	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/11/2008	6962.39	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/10/2008	6962.37	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/9/2008	6962.37	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/8/2008	6962.33	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/7/2008	6962.37	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/6/2008	6962.39	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/5/2008	6962.38	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/4/2008	6962.33	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/3/2008	6962.31	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/2/2008	6962.38	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	2/1/2008	6962.33	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/31/2008	6962.39	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/30/2008	6962.35	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/29/2008	6962.77	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/28/2008	6962.22	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/27/2008	6962.22	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/26/2008	6962.24	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/25/2008	6962.26	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/24/2008	6962.28	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/23/2008	6962.32	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/22/2008	6962.39	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/21/2008	6962.52	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/20/2008	6962.67	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/19/2008	6962.55	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/18/2008	6962.59	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/17/2008	6962.44	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/16/2008	6962.43	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/15/2008	6962.43	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/14/2008	6962.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/13/2008	6962.44	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/12/2008	6962.5	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/11/2008	6962.52	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/10/2008	6962.6	Manual
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/10/2008	6962.63	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/9/2008	6962.64	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/8/2008	6962.65	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/7/2008	6962.74	Transducer
LAO-0.3	5.9	Single	5511	5	5.9	10.9	4	4.5	1/6/2008	6962.67	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/22/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/21/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/20/2009	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/19/2009	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/18/2009	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/17/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/16/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/15/2009	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/14/2009	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/13/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/12/2009	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/11/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/10/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/9/2009	6905.75	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/8/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/7/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/6/2009	6905.76	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/5/2009	6905.75	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/4/2009	6905.75	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/3/2009	6905.75	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/2/2009	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/1/2009	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/31/2008	6905.7	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/30/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/29/2008	6905.65	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/28/2008	6905.62	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/27/2008	6905.6	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/26/2008	6905.55	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/25/2008	6905.49	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/24/2008	6905.44	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/23/2008	6905.37	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/22/2008	6905.27	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/21/2008	6905.17	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/20/2008	6905.01	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/19/2008	6904.79	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/18/2008	6904.64	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/17/2008	6904.53	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/16/2008	6904.47	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/15/2008	6904.41	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/14/2008	6904.35	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/13/2008	6904.29	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/12/2008	6904.26	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/11/2008	6904.27	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/10/2008	6904.28	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/9/2008	6904.29	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/8/2008	6904.32	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/7/2008	6904.35	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/6/2008	6904.38	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/5/2008	6904.43	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/4/2008	6904.48	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/3/2008	6904.53	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/2/2008	6904.58	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	12/1/2008	6904.65	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/30/2008	6904.72	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/29/2008	6904.76	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/28/2008	6904.62	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/27/2008	6904.4	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/26/2008	6904.43	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/25/2008	6904.46	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/24/2008	6904.49	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/23/2008	6904.52	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/22/2008	6904.55	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/21/2008	6904.57	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/20/2008	6904.6	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/19/2008	6904.64	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/18/2008	6904.67	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/17/2008	6904.71	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/16/2008	6904.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/15/2008	6904.77	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/14/2008	6904.81	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/13/2008	6904.82	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/12/2008	6904.84	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/11/2008	6904.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/10/2008	6904.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/9/2008	6904.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/8/2008	6904.84	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/7/2008	6904.82	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/6/2008	6904.81	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/5/2008	6904.79	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/4/2008	6904.75	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/3/2008	6904.71	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/2/2008	6904.68	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	11/1/2008	6904.66	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/31/2008	6904.63	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/30/2008	6904.6	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/29/2008	6904.57	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/28/2008	6904.54	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/27/2008	6904.51	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/26/2008	6904.49	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/25/2008	6904.49	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/24/2008	6904.49	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/23/2008	6904.51	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/22/2008	6904.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/21/2008	6904.55	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/20/2008	6904.6	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/19/2008	6904.66	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/18/2008	6904.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/17/2008	6904.81	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/16/2008	6904.91	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/15/2008	6905.03	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/14/2008	6904.92	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/13/2008	6905.03	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/12/2008	6904.94	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/11/2008	6904.51	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/10/2008	6904.57	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/9/2008	6904.63	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/8/2008	6904.7	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/7/2008	6904.77	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/6/2008	6904.87	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/5/2008	6904.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/4/2008	6904.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/3/2008	6904.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/2/2008	6905	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	10/1/2008	6905.09	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/30/2008	6905.17	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/29/2008	6905.26	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/28/2008	6905.35	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/27/2008	6905.43	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/26/2008	6905.48	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/25/2008	6905.53	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/24/2008	6905.53	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/23/2008	6905.58	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/22/2008	6905.58	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/21/2008	6905.61	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/20/2008	6905.62	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/19/2008	6905.64	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/18/2008	6905.62	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/17/2008	6905.64	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/16/2008	6905.64	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/15/2008	6905.65	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/14/2008	6905.65	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/13/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/12/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/11/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/10/2008	6905.7	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/9/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/8/2008	6905.7	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/7/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/6/2008	6905.82	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/5/2008	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/4/2008	6905.77	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/3/2008	6905.75	Manual
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/3/2008	6905.68	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/2/2008	6905.74	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.6	8	Single	6701	5	8	13	4	4.5	9/1/2008	6905.83	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/31/2008	6905.6	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/30/2008	6905.59	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/29/2008	6905.65	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/28/2008	6905.57	Manual
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/28/2008	6905.64	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/27/2008	6905.68	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/26/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/25/2008	6905.7	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/24/2008	6905.63	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/23/2008	6905.56	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/22/2008	6905.57	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/21/2008	6905.6	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/20/2008	6905.58	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/19/2008	6905.57	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/18/2008	6905.56	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/17/2008	6905.53	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/16/2008	6905.42	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/15/2008	6905.4	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/14/2008	6905.37	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/13/2008	6905.37	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/12/2008	6905.37	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/11/2008	6905.34	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/10/2008	6905.12	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/9/2008	6904.77	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/8/2008	6904.61	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/7/2008	6904.49	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/6/2008	6904.57	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/5/2008	6904.44	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/4/2008	6904.18	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/3/2008	6904.21	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/2/2008	6904.26	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	8/1/2008	6904.3	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/31/2008	6904.35	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/30/2008	6904.39	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/29/2008	6904.44	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/28/2008	6904.48	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/27/2008	6904.53	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/26/2008	6904.55	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/25/2008	6904.61	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/24/2008	6904.67	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/23/2008	6904.72	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/22/2008	6904.82	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/21/2008	6904.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/20/2008	6904.79	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/19/2008	6904.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/18/2008	6904.95	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/17/2008	6904.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/16/2008	6904.92	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/15/2008	6904.99	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/14/2008	6905.04	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/13/2008	6905.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/12/2008	6905.17	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/11/2008	6905.24	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/10/2008	6905.41	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/9/2008	6905.47	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/8/2008	6905.39	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/7/2008	6905.3	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/6/2008	6905.44	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/5/2008	6905.31	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/4/2008	6905.39	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/3/2008	6905.46	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/2/2008	6905.59	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	7/1/2008	6905.55	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/30/2008	6905.58	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/29/2008	6905.61	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/28/2008	6905.64	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/27/2008	6905.66	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/26/2008	6905.67	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/25/2008	6905.69	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/24/2008	6905.7	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/23/2008	6905.71	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/22/2008	6905.72	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/21/2008	6905.72	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/20/2008	6905.71	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/19/2008	6905.72	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/18/2008	6905.72	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/17/2008	6905.73	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/16/2008	6905.74	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/15/2008	6905.75	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/14/2008	6905.75	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/13/2008	6905.76	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/12/2008	6905.76	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/11/2008	6905.77	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/10/2008	6905.79	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/9/2008	6905.79	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/8/2008	6905.8	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/7/2008	6905.82	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/6/2008	6905.84	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/5/2008	6905.84	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/4/2008	6905.84	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/3/2008	6905.84	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/2/2008	6905.86	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	6/1/2008	6905.88	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/31/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/30/2008	6905.9	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/29/2008	6905.96	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/28/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/27/2008	6905.9	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/26/2008	6905.92	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/25/2008	6905.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/24/2008	6905.94	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/23/2008	6905.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/22/2008	6905.92	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/21/2008	6905.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/20/2008	6905.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/19/2008	6905.95	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/18/2008	6905.95	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/17/2008	6905.97	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/16/2008	6906	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/15/2008	6905.97	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/14/2008	6905.96	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/13/2008	6905.96	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/12/2008	6905.97	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/11/2008	6905.98	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/10/2008	6906	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/9/2008	6906	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/8/2008	6906.01	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/7/2008	6906.02	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/6/2008	6906.04	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/5/2008	6906.04	Manual
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/5/2008	6906.05	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/4/2008	6906.07	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/3/2008	6906.06	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/2/2008	6906.07	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	5/1/2008	6906.08	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/30/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/29/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/28/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/27/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/26/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/25/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/24/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/23/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/22/2008	6906.09	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/21/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/20/2008	6906.12	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/19/2008	6906.12	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/18/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/17/2008	6906.09	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/16/2008	6906.09	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/15/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/14/2008	6906.12	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/13/2008	6906.14	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/12/2008	6906.15	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/11/2008	6906.17	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/10/2008	6906.19	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/9/2008	6906.18	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/8/2008	6906.19	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/7/2008	6906.2	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/6/2008	6906.22	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/5/2008	6906.23	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/4/2008	6906.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/3/2008	6906.25	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/2/2008	6906.25	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	4/1/2008	6906.26	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/31/2008	6906.26	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/30/2008	6906.26	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/29/2008	6906.25	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/28/2008	6906.24	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/27/2008	6906.22	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/26/2008	6906.19	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/25/2008	6906.19	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/24/2008	6906.18	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/23/2008	6906.16	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/22/2008	6906.14	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/21/2008	6906.13	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/20/2008	6906.14	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/19/2008	6906.14	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/18/2008	6906.16	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/17/2008	6906.16	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/16/2008	6906.16	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/15/2008	6906.15	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/14/2008	6906.13	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/13/2008	6906.12	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/12/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/11/2008	6906.12	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/10/2008	6906.12	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/9/2008	6906.15	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/8/2008	6906.17	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/7/2008	6906.18	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/6/2008	6906.19	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/5/2008	6906.22	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/4/2008	6906.23	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/3/2008	6906.23	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/2/2008	6906.22	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	3/1/2008	6906.18	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/29/2008	6906.17	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/28/2008	6906.16	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/27/2008	6906.14	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/26/2008	6906.15	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/25/2008	6906.18	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/24/2008	6906.08	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/23/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/22/2008	6906.1	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/21/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/20/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/19/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/18/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/17/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/16/2008	6906.08	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/15/2008	6906.05	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/14/2008	6905.97	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/13/2008	6905.92	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/12/2008	6905.9	Manual
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/12/2008	6905.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/11/2008	6905.92	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/10/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/9/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/8/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/7/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/6/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/5/2008	6905.9	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/4/2008	6905.9	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/3/2008	6905.91	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/2/2008	6905.95	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	2/1/2008	6905.96	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/31/2008	6905.96	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/30/2008	6905.99	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/29/2008	6906.11	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/28/2008	6905.84	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/27/2008	6905.79	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/26/2008	6905.79	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/25/2008	6905.8	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/24/2008	6905.81	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/23/2008	6905.83	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/22/2008	6905.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/21/2008	6905.94	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/20/2008	6905.95	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/19/2008	6905.93	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/18/2008	6905.94	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/17/2008	6905.85	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/16/2008	6905.87	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/15/2008	6905.86	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/14/2008	6905.88	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/13/2008	6905.88	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/12/2008	6905.88	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/11/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/10/2008	6905.84	Manual
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/10/2008	6905.89	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/9/2008	6905.9	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/8/2008	6905.9	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/7/2008	6905.95	Transducer
LAO-0.6	8	Single	6701	5	8	13	4	4.5	1/6/2008	6905.9	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/27/2008	6812.95	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/26/2008	6815.25	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/25/2008	6817.18	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/24/2008	6820.07	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/23/2008	6822.15	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/22/2008	6824.25	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/21/2008	6825.01	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/20/2008	6825.12	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/19/2008	6825.19	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/18/2008	6825.25	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/17/2008	6825.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1	8	Single	4381	20	8	28	3	3.5	10/16/2008	6825.34	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/15/2008	6825.41	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/14/2008	6825.49	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/13/2008	6825.59	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/12/2008	6825.75	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/11/2008	6825.3	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/10/2008	6825.35	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/9/2008	6825.4	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/8/2008	6825.45	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/7/2008	6825.5	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/6/2008	6825.55	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/5/2008	6825.6	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/4/2008	6825.64	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/3/2008	6825.64	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/2/2008	6825.67	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	10/1/2008	6825.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/30/2008	6825.73	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/29/2008	6825.75	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/28/2008	6825.77	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/27/2008	6825.8	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/26/2008	6825.82	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/25/2008	6825.83	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/24/2008	6825.84	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/23/2008	6825.85	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/22/2008	6825.87	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/21/2008	6825.87	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/20/2008	6825.9	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/19/2008	6825.9	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/18/2008	6825.91	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/17/2008	6825.91	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/16/2008	6825.89	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/15/2008	6825.92	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/14/2008	6825.93	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/13/2008	6825.94	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/12/2008	6825.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/11/2008	6825.98	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/10/2008	6826	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/9/2008	6826.02	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/8/2008	6826.08	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/7/2008	6826.15	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/6/2008	6826.22	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/5/2008	6826.31	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/4/2008	6826.42	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/3/2008	6826.48	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	9/3/2008	6826.49	Manual
LAO-1	8	Single	4381	20	8	28	3	3.5	9/2/2008	6826.7	Manual
LAO-1	8	Single	4381	20	8	28	3	3.5	9/1/2008	6826.29	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/31/2008	6825.75	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/30/2008	6825.79	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/29/2008	6825.85	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/28/2008	6825.93	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1	8	Single	4381	20	8	28	3	3.5	8/27/2008	6826.03	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/26/2008	6826.15	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/25/2008	6825.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/24/2008	6825.64	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/23/2008	6825.43	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/22/2008	6825.47	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/21/2008	6825.51	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/20/2008	6825.55	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/19/2008	6825.6	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/18/2008	6825.66	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/17/2008	6825.74	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/16/2008	6825.49	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/15/2008	6825.54	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/14/2008	6825.59	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/13/2008	6825.65	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/12/2008	6825.74	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/11/2008	6825.91	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/10/2008	6816.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	8/9/2008	6811.69	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/29/2008	6811.77	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/28/2008	6813.49	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/27/2008	6815.87	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/26/2008	6817.79	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/25/2008	6821.07	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/24/2008	6822.78	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/23/2008	6824.78	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/22/2008	6825.09	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/21/2008	6825.15	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/20/2008	6825.19	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/19/2008	6825.23	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/18/2008	6825.27	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/17/2008	6825.31	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/16/2008	6825.34	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/15/2008	6825.37	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/14/2008	6825.39	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/13/2008	6825.42	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/12/2008	6825.45	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/11/2008	6825.48	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/10/2008	6825.5	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/9/2008	6825.53	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/8/2008	6825.55	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/7/2008	6825.57	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/6/2008	6825.63	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/5/2008	6825.57	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/4/2008	6825.6	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/3/2008	6825.63	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/2/2008	6825.67	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	7/1/2008	6825.71	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/30/2008	6825.76	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/29/2008	6825.81	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/28/2008	6825.89	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1	8	Single	4381	20	8	28	3	3.5	6/27/2008	6825.99	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/26/2008	6826.15	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/25/2008	6826.38	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/24/2008	6826.63	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/23/2008	6826.9	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/22/2008	6827.19	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/21/2008	6827.54	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/20/2008	6827.91	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/19/2008	6828.3	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/18/2008	6828.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/17/2008	6829.07	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/16/2008	6829.38	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/15/2008	6829.6	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/14/2008	6829.78	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/13/2008	6829.94	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/12/2008	6830.08	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/11/2008	6830.22	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/10/2008	6830.35	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/9/2008	6830.48	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/8/2008	6830.59	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/7/2008	6830.68	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/6/2008	6830.74	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/5/2008	6830.81	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/4/2008	6830.87	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/3/2008	6830.92	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/2/2008	6830.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	6/1/2008	6830.98	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/31/2008	6831.01	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/30/2008	6831.06	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/29/2008	6831.2	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/28/2008	6831.3	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/27/2008	6831.3	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/26/2008	6831.31	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/25/2008	6831.3	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/24/2008	6831.3	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/23/2008	6831.29	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/22/2008	6831.3	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/21/2008	6831.31	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/20/2008	6831.29	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/19/2008	6831.29	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/18/2008	6831.27	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/17/2008	6831.26	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/16/2008	6831.33	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/15/2008	6831.41	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/14/2008	6831.42	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/13/2008	6831.44	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/12/2008	6831.46	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/11/2008	6831.47	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/10/2008	6831.5	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/9/2008	6831.5	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/8/2008	6831.51	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1	8	Single	4381	20	8	28	3	3.5	5/7/2008	6831.54	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/6/2008	6831.55	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/5/2008	6831.55	Manual
LAO-1	8	Single	4381	20	8	28	3	3.5	5/5/2008	6831.55	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/4/2008	6831.55	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/3/2008	6831.54	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/2/2008	6831.57	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	5/1/2008	6831.62	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/30/2008	6831.64	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/29/2008	6831.65	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/28/2008	6831.65	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/27/2008	6831.67	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/26/2008	6831.69	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/25/2008	6831.69	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/24/2008	6831.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/23/2008	6831.68	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/22/2008	6831.66	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/21/2008	6831.68	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/20/2008	6831.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/19/2008	6831.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/18/2008	6831.68	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/17/2008	6831.68	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/16/2008	6831.69	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/15/2008	6831.71	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/14/2008	6831.73	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/13/2008	6831.74	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/12/2008	6831.76	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/11/2008	6831.79	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/10/2008	6831.82	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/9/2008	6831.84	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/8/2008	6831.86	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/7/2008	6831.88	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/6/2008	6831.91	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/5/2008	6831.94	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/4/2008	6831.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/3/2008	6831.98	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/2/2008	6831.99	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	4/1/2008	6832	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/31/2008	6832.03	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/30/2008	6832.04	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/29/2008	6832.05	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/28/2008	6832.04	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/27/2008	6832.03	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/26/2008	6832.01	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/25/2008	6832.02	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/24/2008	6832.01	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/23/2008	6831.99	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/22/2008	6831.97	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/21/2008	6831.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/20/2008	6831.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/19/2008	6831.96	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1	8	Single	4381	20	8	28	3	3.5	3/18/2008	6831.97	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/17/2008	6831.98	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/16/2008	6831.99	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/15/2008	6831.99	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/14/2008	6831.97	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/13/2008	6831.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/12/2008	6831.95	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/11/2008	6831.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/10/2008	6831.96	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/9/2008	6831.99	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/8/2008	6832.01	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/7/2008	6832.02	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/6/2008	6832.05	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/5/2008	6832.08	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/4/2008	6832.1	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/3/2008	6832.11	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/2/2008	6832.13	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	3/1/2008	6832.09	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/29/2008	6832.07	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/28/2008	6832.07	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/27/2008	6832.05	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/26/2008	6832.06	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/25/2008	6832.13	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/24/2008	6832.02	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/23/2008	6832.04	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/22/2008	6832.04	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/21/2008	6832.05	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/20/2008	6832.04	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/19/2008	6832.04	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/18/2008	6832.03	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/17/2008	6832.01	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/16/2008	6831.97	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/15/2008	6831.9	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/14/2008	6831.78	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/13/2008	6831.69	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/12/2008	6831.67	Manual
LAO-1	8	Single	4381	20	8	28	3	3.5	2/12/2008	6831.67	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/11/2008	6831.63	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/10/2008	6831.56	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/9/2008	6831.51	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/8/2008	6831.46	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/7/2008	6831.4	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/6/2008	6831.36	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/5/2008	6831.29	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/4/2008	6831.19	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/3/2008	6831.07	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/2/2008	6830.97	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	2/1/2008	6830.86	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/31/2008	6830.77	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/30/2008	6830.67	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/29/2008	6830.55	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1	8	Single	4381	20	8	28	3	3.5	1/28/2008	6830	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/27/2008	6830.08	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/26/2008	6830.18	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/25/2008	6830.29	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/24/2008	6830.39	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/23/2008	6830.5	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/22/2008	6830.62	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/21/2008	6830.75	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/20/2008	6830.87	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/19/2008	6831.02	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/18/2008	6831.21	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/17/2008	6831.42	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/16/2008	6831.49	Manual
LAO-1	8	Single	4381	20	8	28	3	3.5	1/16/2008	6831.57	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/15/2008	6831.56	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/14/2008	6831.58	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/13/2008	6831.61	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/12/2008	6831.67	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/11/2008	6831.7	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/10/2008	6831.71	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/9/2008	6831.72	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/8/2008	6831.74	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/7/2008	6831.83	Transducer
LAO-1	8	Single	4381	20	8	28	3	3.5	1/6/2008	6831.74	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/22/2009	6640.17	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/21/2009	6640.18	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/20/2009	6640.19	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/19/2009	6640.21	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/18/2009	6640.22	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/17/2009	6640.24	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/16/2009	6640.25	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/15/2009	6640.27	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/14/2009	6640.28	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/13/2009	6640.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/12/2009	6640.31	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/11/2009	6640.32	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/10/2009	6640.34	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/9/2009	6640.35	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/8/2009	6640.36	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/7/2009	6640.38	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/6/2009	6640.39	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/5/2009	6640.4	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/4/2009	6640.42	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/3/2009	6640.43	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/2/2009	6640.44	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/1/2009	6640.45	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/31/2008	6640.47	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/30/2008	6640.48	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/29/2008	6640.49	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/28/2008	6640.51	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/27/2008	6640.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/26/2008	6640.53	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/25/2008	6640.55	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/24/2008	6640.56	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/23/2008	6640.57	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/22/2008	6640.58	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/21/2008	6640.6	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/20/2008	6640.61	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/19/2008	6640.63	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/18/2008	6640.64	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/17/2008	6640.65	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/16/2008	6640.66	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/15/2008	6640.68	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/14/2008	6640.69	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/13/2008	6640.7	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/12/2008	6640.71	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/11/2008	6640.72	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/10/2008	6640.73	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/9/2008	6640.75	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/8/2008	6640.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/7/2008	6640.77	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/6/2008	6640.78	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/5/2008	6640.79	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/4/2008	6640.8	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/3/2008	6640.82	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/2/2008	6640.83	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	12/1/2008	6640.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/30/2008	6640.86	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/29/2008	6640.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/28/2008	6640.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/27/2008	6640.9	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/26/2008	6640.91	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/25/2008	6640.93	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/24/2008	6640.94	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/23/2008	6640.96	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/22/2008	6640.97	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/21/2008	6640.99	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/20/2008	6641	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/19/2008	6641.02	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/18/2008	6641.03	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/17/2008	6641.05	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/16/2008	6641.06	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/15/2008	6641.08	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/14/2008	6641.09	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/13/2008	6641.11	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/12/2008	6641.12	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/11/2008	6641.14	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/10/2008	6641.15	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/9/2008	6641.17	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/8/2008	6641.18	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/7/2008	6641.2	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/6/2008	6641.22	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/5/2008	6641.23	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/4/2008	6641.24	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/3/2008	6641.26	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/2/2008	6641.28	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	11/1/2008	6641.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/31/2008	6641.31	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/30/2008	6641.33	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/29/2008	6641.35	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/28/2008	6641.37	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/27/2008	6641.39	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/26/2008	6641.42	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/25/2008	6641.45	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/24/2008	6641.49	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/23/2008	6641.52	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/22/2008	6641.55	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/21/2008	6641.59	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/20/2008	6641.62	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/19/2008	6641.65	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/18/2008	6641.68	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/17/2008	6641.69	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/16/2008	6641.68	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/15/2008	6641.65	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/14/2008	6641.62	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/13/2008	6641.63	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/12/2008	6641.54	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/11/2008	6641.4	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/10/2008	6641.42	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/9/2008	6641.44	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/8/2008	6641.46	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/7/2008	6641.49	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/6/2008	6641.51	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/5/2008	6641.53	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/4/2008	6641.55	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/3/2008	6641.58	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/2/2008	6641.6	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	10/1/2008	6641.63	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/30/2008	6641.66	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/29/2008	6641.69	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/28/2008	6641.71	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/27/2008	6641.74	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/26/2008	6641.77	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/25/2008	6641.8	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/24/2008	6641.84	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/23/2008	6641.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/22/2008	6641.93	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/21/2008	6641.98	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/20/2008	6642.03	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/19/2008	6642.09	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/18/2008	6642.14	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/17/2008	6642.2	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/16/2008	6642.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/15/2008	6642.33	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/14/2008	6642.39	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/13/2008	6642.46	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/12/2008	6642.52	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/11/2008	6642.58	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/10/2008	6642.64	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/9/2008	6642.69	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/8/2008	6642.73	Manual
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/8/2008	6642.77	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/7/2008	6642.82	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/6/2008	6642.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/5/2008	6642.9	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/4/2008	6642.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/3/2008	6642.79	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/2/2008	6642.64	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	9/1/2008	6642.46	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/31/2008	6642.27	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/30/2008	6642.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/29/2008	6642.34	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/28/2008	6642.35	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/27/2008	6642.38	Manual
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/27/2008	6642.34	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/26/2008	6642.33	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/25/2008	6642.24	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/24/2008	6642.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/23/2008	6642.29	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/22/2008	6642.35	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/21/2008	6642.4	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/20/2008	6642.46	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/19/2008	6642.52	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/18/2008	6642.58	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/17/2008	6642.63	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/16/2008	6642.67	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/15/2008	6642.71	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/14/2008	6642.69	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/13/2008	6642.61	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/12/2008	6642.37	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/11/2008	6642.09	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/10/2008	6641.9	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/9/2008	6641.82	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/8/2008	6641.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/7/2008	6641.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/6/2008	6641.92	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/5/2008	6641.96	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/4/2008	6641.99	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/3/2008	6642.03	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/2/2008	6642.07	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	8/1/2008	6642.1	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/31/2008	6642.14	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/30/2008	6642.18	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/29/2008	6642.22	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/28/2008	6642.26	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/27/2008	6642.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/26/2008	6642.34	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/25/2008	6642.39	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/24/2008	6642.43	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/23/2008	6642.48	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/22/2008	6642.53	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/21/2008	6642.58	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/20/2008	6642.64	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/19/2008	6642.7	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/18/2008	6642.78	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/17/2008	6642.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/16/2008	6642.94	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/15/2008	6643.04	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/14/2008	6643.15	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/13/2008	6643.28	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/12/2008	6643.42	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/11/2008	6643.56	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/10/2008	6643.72	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/9/2008	6643.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/8/2008	6644.07	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/7/2008	6644.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/6/2008	6644.45	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/5/2008	6644.14	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/4/2008	6644.02	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/3/2008	6644.19	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/2/2008	6644.38	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	7/1/2008	6644.58	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/30/2008	6644.79	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/29/2008	6645.01	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/28/2008	6645.25	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/27/2008	6645.5	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/26/2008	6645.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/25/2008	6646.01	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/24/2008	6646.27	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/23/2008	6646.53	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/22/2008	6646.78	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/21/2008	6647.02	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/20/2008	6647.27	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/19/2008	6647.52	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/18/2008	6647.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/17/2008	6648	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/16/2008	6648.24	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/15/2008	6648.48	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/14/2008	6648.71	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/13/2008	6648.95	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/12/2008	6649.2	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/11/2008	6649.44	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/10/2008	6649.68	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/9/2008	6649.93	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/8/2008	6650.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/7/2008	6650.39	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/6/2008	6650.61	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/5/2008	6650.82	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/4/2008	6651.02	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/3/2008	6651.21	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/2/2008	6651.4	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	6/1/2008	6651.59	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/31/2008	6651.8	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/30/2008	6651.91	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/29/2008	6651.9	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/28/2008	6651.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/27/2008	6652.09	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/26/2008	6652.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/25/2008	6652.43	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/24/2008	6652.52	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/23/2008	6652.51	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/22/2008	6652.41	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/21/2008	6652.54	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/20/2008	6652.65	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/19/2008	6652.7	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/18/2008	6652.72	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/17/2008	6652.74	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/16/2008	6652.78	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/15/2008	6652.75	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/14/2008	6652.73	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/13/2008	6652.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/12/2008	6652.79	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/11/2008	6652.78	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/10/2008	6652.81	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/9/2008	6652.81	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/8/2008	6652.82	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/7/2008	6652.86	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/6/2008	6652.85	Manual
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/6/2008	6652.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/5/2008	6652.84	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/4/2008	6652.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/3/2008	6652.83	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/2/2008	6652.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	5/1/2008	6652.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/30/2008	6652.9	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/29/2008	6652.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/28/2008	6652.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/27/2008	6652.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/26/2008	6652.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/25/2008	6652.86	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/24/2008	6652.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/23/2008	6652.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/22/2008	6652.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/21/2008	6652.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/20/2008	6652.9	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/19/2008	6652.89	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/18/2008	6652.86	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/17/2008	6652.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/16/2008	6652.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/15/2008	6652.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/14/2008	6652.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/13/2008	6652.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/12/2008	6652.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/11/2008	6652.91	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/10/2008	6652.96	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/9/2008	6652.94	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/8/2008	6652.93	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/7/2008	6652.94	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/6/2008	6652.95	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/5/2008	6652.97	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/4/2008	6652.95	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/3/2008	6652.96	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/2/2008	6652.96	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	4/1/2008	6652.94	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/31/2008	6652.95	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/30/2008	6652.95	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/29/2008	6652.94	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/28/2008	6652.92	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/27/2008	6652.9	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/26/2008	6652.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/25/2008	6652.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/24/2008	6652.84	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/23/2008	6652.8	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/22/2008	6652.79	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/21/2008	6652.78	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/20/2008	6652.79	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/19/2008	6652.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/18/2008	6652.77	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/17/2008	6652.77	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/16/2008	6652.77	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/15/2008	6652.75	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/14/2008	6652.75	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/13/2008	6652.73	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/12/2008	6652.71	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/11/2008	6652.69	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/10/2008	6652.67	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/9/2008	6652.7	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/8/2008	6652.73	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/7/2008	6652.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/6/2008	6652.77	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/5/2008	6652.71	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/4/2008	6652.69	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/3/2008	6652.64	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/2/2008	6652.65	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	3/1/2008	6652.57	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/29/2008	6652.54	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/28/2008	6652.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/27/2008	6652.47	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/26/2008	6652.43	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/25/2008	6652.41	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/24/2008	6652.2	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/23/2008	6652.11	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/22/2008	6651.99	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/21/2008	6651.63	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/20/2008	6651.26	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/19/2008	6651.1	Manual
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/19/2008	6650.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/18/2008	6650.02	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/17/2008	6648.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/16/2008	6647.42	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/15/2008	6646.56	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/14/2008	6646.24	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/13/2008	6646.35	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/12/2008	6646.48	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/11/2008	6646.62	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/10/2008	6646.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/9/2008	6646.91	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/8/2008	6647.07	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/7/2008	6647.22	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/6/2008	6647.68	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/5/2008	6647.65	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/4/2008	6647.68	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/3/2008	6647.78	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/2/2008	6647.85	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	2/1/2008	6647.99	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/31/2008	6648.15	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/30/2008	6648.2	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/29/2008	6648.21	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/28/2008	6648	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/27/2008	6648.16	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/26/2008	6648.3	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/25/2008	6648.46	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/24/2008	6648.61	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/23/2008	6648.75	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/22/2008	6648.89	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/21/2008	6649.05	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/20/2008	6649.17	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/19/2008	6649.31	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/18/2008	6649.47	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/17/2008	6649.61	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/16/2008	6649.76	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/15/2008	6649.87	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/14/2008	6649.96	Manual
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/14/2008	6650	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/13/2008	6650.14	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/12/2008	6650.28	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/11/2008	6650.4	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/10/2008	6650.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/9/2008	6650.63	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/8/2008	6650.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/7/2008	6650.88	Transducer
LAO-1.6g	10.47	Single	5551	15	10.47	25.47	4	4.5	1/6/2008	6650.85	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/27/2008	6665.35	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/26/2008	6665.5	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/25/2008	6665.48	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/24/2008	6665.5	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/23/2008	6665.53	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/22/2008	6665.58	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/21/2008	6665.57	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/20/2008	6665.55	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/19/2008	6665.55	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/18/2008	6665.54	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/17/2008	6665.57	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/16/2008	6665.69	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/15/2008	6665.76	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/14/2008	6665.78	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/13/2008	6665.84	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/12/2008	6665.86	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/11/2008	6665.87	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/10/2008	6665.91	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/9/2008	6665.94	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/8/2008	6665.98	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/7/2008	6666.01	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/6/2008	6666.02	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/5/2008	6666.03	Manual
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/5/2008	6665.99	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/4/2008	6666.01	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/3/2008	6666.06	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/2/2008	6666.15	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	5/1/2008	6666.21	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/30/2008	6666.23	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/29/2008	6666.29	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/28/2008	6666.35	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/27/2008	6666.44	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/26/2008	6666.54	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/25/2008	6666.63	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/24/2008	6666.69	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/23/2008	6666.74	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/22/2008	6666.8	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/21/2008	6666.88	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/20/2008	6666.95	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/19/2008	6667.01	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/18/2008	6667.11	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/17/2008	6667.27	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/16/2008	6667.38	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/15/2008	6667.47	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/14/2008	6667.59	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/13/2008	6667.75	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/12/2008	6667.96	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/11/2008	6668.25	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/10/2008	6668.45	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/9/2008	6668.57	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/8/2008	6668.68	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/7/2008	6668.78	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/6/2008	6668.87	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/5/2008	6668.98	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/4/2008	6669.08	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/3/2008	6669.2	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/2/2008	6669.28	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	4/1/2008	6669.38	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/31/2008	6669.47	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/30/2008	6669.5	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/29/2008	6669.52	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/28/2008	6669.57	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/27/2008	6669.64	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/26/2008	6669.62	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/25/2008	6669.67	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/24/2008	6669.65	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/23/2008	6669.61	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/22/2008	6669.62	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/21/2008	6669.61	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/20/2008	6669.63	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/19/2008	6669.62	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/18/2008	6669.65	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/17/2008	6669.67	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/16/2008	6669.68	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/15/2008	6669.66	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/14/2008	6669.64	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/13/2008	6669.6	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/12/2008	6669.57	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/11/2008	6669.54	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/10/2008	6669.5	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/9/2008	6669.53	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/8/2008	6669.56	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/7/2008	6669.46	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/6/2008	6669.47	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/5/2008	6669.49	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/4/2008	6669.43	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/3/2008	6669.36	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/2/2008	6669.3	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	3/1/2008	6669.12	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/29/2008	6669	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/28/2008	6668.9	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/27/2008	6668.75	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/26/2008	6668.63	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/25/2008	6668.5	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/24/2008	6668.18	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/23/2008	6667.95	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/22/2008	6667.64	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/21/2008	6667.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/20/2008	6667.1	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/19/2008	6666.63	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/18/2008	6666.01	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	2/17/2008	6665.31	Transducer
LAO-1.8	8	Single	6721	10	8	18	3	3.5	1/14/2008	6665.21	Manual
LAO-2	7	Single	4391	25	7	32	3	3.5	1/9/2009	6594.33	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/8/2009	6594.53	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/7/2009	6594.74	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/6/2009	6594.97	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/5/2009	6595.19	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/4/2009	6595.42	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/3/2009	6595.7	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/2/2009	6596.01	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/1/2009	6596.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/31/2008	6596.9	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/30/2008	6597.5	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/29/2008	6598.13	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/28/2008	6598.73	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/27/2008	6599.35	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/26/2008	6600	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/25/2008	6600.71	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/24/2008	6601.49	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/23/2008	6602.35	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/22/2008	6603.3	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/21/2008	6604.36	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/20/2008	6605.56	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/19/2008	6606.47	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/18/2008	6606.88	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/17/2008	6606.96	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/16/2008	6607	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/15/2008	6607.05	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/14/2008	6607.12	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/13/2008	6607.2	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/12/2008	6607.29	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/11/2008	6607.37	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/10/2008	6607.45	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/9/2008	6607.54	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/8/2008	6607.62	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/7/2008	6607.69	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/6/2008	6607.79	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/5/2008	6607.84	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/4/2008	6607.79	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/3/2008	6607.52	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/2/2008	6594.78	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	12/1/2008	6594.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/26/2008	6594.36	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/25/2008	6594.58	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/24/2008	6594.81	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/23/2008	6595.05	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/22/2008	6595.3	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/21/2008	6595.56	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-2	7	Single	4391	25	7	32	3	3.5	11/20/2008	6595.88	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/19/2008	6596.23	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/18/2008	6596.71	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/17/2008	6597.32	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/16/2008	6597.97	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/15/2008	6598.57	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/14/2008	6599.19	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/13/2008	6599.84	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/12/2008	6600.56	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/11/2008	6601.32	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/10/2008	6602.16	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/9/2008	6603.11	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/8/2008	6604.11	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/7/2008	6605.35	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/6/2008	6606.39	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/5/2008	6606.88	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/4/2008	6606.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/3/2008	6606.98	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/2/2008	6607.03	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	11/1/2008	6607.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/31/2008	6607.15	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/30/2008	6607.23	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/29/2008	6607.34	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/28/2008	6607.46	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/27/2008	6607.58	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/26/2008	6607.71	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/25/2008	6607.87	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/24/2008	6608	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/23/2008	6608.1	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/22/2008	6608.19	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/21/2008	6608.25	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/20/2008	6608.32	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/19/2008	6608.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/18/2008	6608.43	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/17/2008	6608.5	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/16/2008	6608.59	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/15/2008	6608.34	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/14/2008	6608.22	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/13/2008	6608.42	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/12/2008	6601.61	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/11/2008	6601.86	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/10/2008	6602.77	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/9/2008	6603.72	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/8/2008	6604.85	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/7/2008	6605.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/6/2008	6606.71	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/5/2008	6606.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/4/2008	6606.97	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/3/2008	6607	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/2/2008	6607.02	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	10/1/2008	6607.05	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-2	7	Single	4391	25	7	32	3	3.5	9/30/2008	6607.07	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/29/2008	6607.09	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/28/2008	6607.11	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/27/2008	6607.13	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/26/2008	6607.15	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/25/2008	6607.16	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/24/2008	6607.18	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/23/2008	6607.21	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/22/2008	6607.26	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/21/2008	6607.32	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/20/2008	6607.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/19/2008	6607.46	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/18/2008	6607.56	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/17/2008	6607.64	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/16/2008	6607.73	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/15/2008	6607.85	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/14/2008	6607.98	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/13/2008	6608.1	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/12/2008	6608.24	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/11/2008	6608.39	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/10/2008	6608.56	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/9/2008	6608.79	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/8/2008	6608.94	Manual
LAO-2	7	Single	4391	25	7	32	3	3.5	9/8/2008	6609.05	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/7/2008	6609.35	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/6/2008	6609.69	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/5/2008	6610.03	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/4/2008	6610.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/3/2008	6610.86	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/2/2008	6611.09	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	9/1/2008	6610.07	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/31/2008	6609.31	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/30/2008	6609.6	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/29/2008	6609.9	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/28/2008	6610.17	Manual
LAO-2	7	Single	4391	25	7	32	3	3.5	8/28/2008	6610.3	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/27/2008	6610.54	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/26/2008	6610.58	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/25/2008	6609.6	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/24/2008	6609.4	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/23/2008	6609	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/22/2008	6609.16	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/21/2008	6609.34	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/20/2008	6609.52	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/19/2008	6609.73	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/18/2008	6609.99	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/17/2008	6609.69	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/16/2008	6608.9	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/15/2008	6609	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/14/2008	6609.15	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/13/2008	6609.19	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-2	7	Single	4391	25	7	32	3	3.5	8/12/2008	6608.89	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/11/2008	6609	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/10/2008	6607.43	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	8/9/2008	6594.55	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/27/2008	6594.76	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/26/2008	6595	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/25/2008	6595.24	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/24/2008	6595.48	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/23/2008	6595.79	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/22/2008	6596.1	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/21/2008	6596.52	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/20/2008	6597.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/19/2008	6597.7	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/18/2008	6598.31	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/17/2008	6598.91	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/16/2008	6599.56	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/15/2008	6600.26	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/14/2008	6601.01	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/13/2008	6601.83	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/12/2008	6602.76	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/11/2008	6603.74	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/10/2008	6604.96	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/9/2008	6606.29	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/8/2008	6606.96	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/7/2008	6607.09	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/6/2008	6607.18	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/5/2008	6607.22	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/4/2008	6607.19	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/3/2008	6607.24	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/2/2008	6607.3	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	7/1/2008	6607.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/30/2008	6607.45	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/29/2008	6607.52	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/28/2008	6607.6	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/27/2008	6607.68	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/26/2008	6607.76	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/25/2008	6607.83	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/24/2008	6607.89	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/23/2008	6607.95	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/22/2008	6608.03	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/21/2008	6608.11	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/20/2008	6608.18	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/19/2008	6608.25	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/18/2008	6608.31	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/17/2008	6608.37	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/16/2008	6608.44	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/15/2008	6608.53	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/14/2008	6608.6	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/13/2008	6608.68	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/12/2008	6608.76	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/11/2008	6608.85	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-2	7	Single	4391	25	7	32	3	3.5	6/10/2008	6608.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/9/2008	6609.04	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/8/2008	6609.15	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/7/2008	6609.27	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/6/2008	6609.39	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/5/2008	6609.53	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/4/2008	6609.66	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/3/2008	6609.79	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/2/2008	6609.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	6/1/2008	6610.1	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/31/2008	6610.28	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/30/2008	6610.56	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/29/2008	6610.54	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/28/2008	6610.47	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/27/2008	6610.65	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/26/2008	6610.82	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/25/2008	6610.99	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/24/2008	6611.16	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/23/2008	6611.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/22/2008	6611.57	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/21/2008	6611.75	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/20/2008	6611.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/19/2008	6612.07	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/18/2008	6612.14	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/17/2008	6612.22	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/16/2008	6612.54	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/15/2008	6611.98	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/14/2008	6611.98	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/13/2008	6612.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/12/2008	6612.15	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/11/2008	6612.17	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/10/2008	6612.19	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/9/2008	6612.2	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/8/2008	6612.22	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/7/2008	6612.25	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/6/2008	6612.25	Manual
LAO-2	7	Single	4391	25	7	32	3	3.5	5/6/2008	6612.27	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/5/2008	6612.28	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/4/2008	6612.3	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/3/2008	6612.32	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/2/2008	6612.35	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	5/1/2008	6612.38	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/30/2008	6612.4	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/29/2008	6612.42	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/28/2008	6612.45	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/27/2008	6612.47	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/26/2008	6612.5	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/25/2008	6612.51	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/24/2008	6612.53	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/23/2008	6612.55	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/22/2008	6612.57	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-2	7	Single	4391	25	7	32	3	3.5	4/21/2008	6612.6	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/20/2008	6612.63	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/19/2008	6612.64	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/18/2008	6612.64	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/17/2008	6612.66	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/16/2008	6612.69	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/15/2008	6612.71	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/14/2008	6612.74	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/13/2008	6612.76	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/12/2008	6612.79	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/11/2008	6612.83	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/10/2008	6612.87	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/9/2008	6612.88	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/8/2008	6612.89	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/7/2008	6612.91	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/6/2008	6612.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/5/2008	6612.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/4/2008	6612.92	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/3/2008	6612.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/2/2008	6612.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	4/1/2008	6612.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/31/2008	6612.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/30/2008	6612.91	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/29/2008	6612.89	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/28/2008	6612.88	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/27/2008	6612.89	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/26/2008	6612.89	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/25/2008	6612.91	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/24/2008	6612.91	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/23/2008	6612.9	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/22/2008	6612.91	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/21/2008	6612.92	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/20/2008	6612.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/19/2008	6612.93	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/18/2008	6612.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/17/2008	6612.97	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/16/2008	6612.99	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/15/2008	6613	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/14/2008	6613.02	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/13/2008	6613.02	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/12/2008	6613.02	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/11/2008	6613.02	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/10/2008	6613.01	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/9/2008	6613.06	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/8/2008	6613.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/7/2008	6613.07	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/6/2008	6613.09	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/5/2008	6613.11	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/4/2008	6613.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/3/2008	6613.05	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	3/2/2008	6613.08	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-2	7	Single	4391	25	7	32	3	3.5	3/1/2008	6613.03	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/29/2008	6613.05	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/28/2008	6613.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/27/2008	6613.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/26/2008	6613.34	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/25/2008	6612.92	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/24/2008	6612.29	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/23/2008	6612.12	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/22/2008	6611.84	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/21/2008	6611.48	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/20/2008	6611.03	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/19/2008	6610.55	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/18/2008	6610.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/17/2008	6609.6	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/16/2008	6608.22	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/15/2008	6607.1	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/14/2008	6607.01	Manual
LAO-2	7	Single	4391	25	7	32	3	3.5	2/14/2008	6607.02	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/13/2008	6607.01	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/12/2008	6607.02	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/11/2008	6607.06	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/10/2008	6607.12	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/9/2008	6607.22	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/8/2008	6607.34	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/7/2008	6607.46	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/6/2008	6607.58	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/5/2008	6607.74	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/4/2008	6607.88	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/3/2008	6607.95	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/2/2008	6608.09	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	2/1/2008	6608.25	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/31/2008	6608.41	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/30/2008	6608.63	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/29/2008	6607.97	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/28/2008	6607.03	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/27/2008	6607.09	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/26/2008	6607.2	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/25/2008	6607.31	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/24/2008	6607.42	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/23/2008	6607.55	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/22/2008	6607.68	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/21/2008	6607.82	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/20/2008	6607.94	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/19/2008	6608.08	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/18/2008	6608.22	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/17/2008	6608.36	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/16/2008	6608.5	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/15/2008	6608.55	Manual
LAO-2	7	Single	4391	25	7	32	3	3.5	1/15/2008	6608.62	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/14/2008	6608.76	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/13/2008	6608.85	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-2	7	Single	4391	25	7	32	3	3.5	1/12/2008	6609.04	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/11/2008	6609.24	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/10/2008	6609.44	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/9/2008	6609.63	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/8/2008	6609.8	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/7/2008	6609.91	Transducer
LAO-2	7	Single	4391	25	7	32	3	3.5	1/6/2008	6609.49	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/22/2009	6598.71	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/21/2009	6598.73	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/20/2009	6598.74	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/19/2009	6598.75	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/18/2009	6598.78	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/17/2009	6598.82	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/16/2009	6598.85	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/15/2009	6598.89	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/14/2009	6598.92	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/13/2009	6598.96	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/12/2009	6599	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/11/2009	6599.05	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/10/2009	6599.1	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/9/2009	6599.14	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/8/2009	6599.18	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/7/2009	6599.21	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/6/2009	6599.24	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/5/2009	6599.25	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/4/2009	6599.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/3/2009	6599.3	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/2/2009	6599.32	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/1/2009	6599.33	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/31/2008	6599.35	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/30/2008	6599.36	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/29/2008	6599.37	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/28/2008	6599.38	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/27/2008	6599.4	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/26/2008	6599.41	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/25/2008	6599.41	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/24/2008	6599.43	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/23/2008	6599.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/22/2008	6599.43	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/21/2008	6599.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/20/2008	6599.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/19/2008	6599.49	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/18/2008	6599.5	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/17/2008	6599.49	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/16/2008	6599.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/15/2008	6599.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/14/2008	6599.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/13/2008	6599.46	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/12/2008	6599.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/11/2008	6599.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/10/2008	6599.44	Transducer

Periodic Monitoring Report for Los Alamos Watershed

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/9/2008	6599.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/8/2008	6599.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/7/2008	6599.44	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/6/2008	6599.42	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/5/2008	6599.39	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/4/2008	6599.38	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/3/2008	6599.37	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/2/2008	6599.36	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	12/1/2008	6599.38	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/30/2008	6599.46	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/29/2008	6599.53	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/28/2008	6599.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/27/2008	6599.5	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/26/2008	6599.49	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/25/2008	6599.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/24/2008	6599.47	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/23/2008	6599.46	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/22/2008	6599.44	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/21/2008	6599.42	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/20/2008	6599.4	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/19/2008	6599.37	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/18/2008	6599.33	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/17/2008	6599.3	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/16/2008	6599.26	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/15/2008	6599.23	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/14/2008	6599.19	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/13/2008	6599.14	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/12/2008	6599.14	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/11/2008	6599.19	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/10/2008	6599.26	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/9/2008	6599.34	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/8/2008	6599.21	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/7/2008	6599.29	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/6/2008	6599.26	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/5/2008	6599.32	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/4/2008	6599.37	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/3/2008	6599.39	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/2/2008	6599.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	11/1/2008	6599.49	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/31/2008	6599.57	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/30/2008	6599.65	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/29/2008	6599.72	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/28/2008	6599.8	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/27/2008	6599.87	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/26/2008	6599.97	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/25/2008	6599.94	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/24/2008	6600	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/23/2008	6600.06	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/22/2008	6600.15	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/21/2008	6600.13	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/20/2008	6600.19	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/19/2008	6600.25	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/18/2008	6600.26	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/17/2008	6600.3	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/16/2008	6600.37	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/15/2008	6600.44	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/14/2008	6600.41	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/13/2008	6600.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/12/2008	6600.79	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/11/2008	6599.77	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/10/2008	6599.81	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/9/2008	6599.83	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/8/2008	6599.85	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/7/2008	6599.92	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/6/2008	6599.93	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/5/2008	6599.92	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/4/2008	6599.93	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/3/2008	6599.93	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/2/2008	6599.95	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	10/1/2008	6599.98	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/30/2008	6600	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/29/2008	6600.01	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/28/2008	6600.05	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/27/2008	6600.06	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/26/2008	6600.1	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/25/2008	6600.12	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/24/2008	6600.14	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/23/2008	6600.19	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/22/2008	6600.23	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/21/2008	6600.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/20/2008	6600.39	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/19/2008	6600.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/18/2008	6600.58	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/17/2008	6600.73	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/16/2008	6600.83	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/15/2008	6600.93	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/14/2008	6601.08	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/13/2008	6601.24	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/12/2008	6601.35	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/11/2008	6601.46	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/10/2008	6601.59	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/9/2008	6601.66	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/8/2008	6601.76	Manual
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/8/2008	6601.82	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/7/2008	6601.94	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/6/2008	6602.08	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/5/2008	6602.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/4/2008	6602.12	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/3/2008	6602.17	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/2/2008	6602.19	Manual
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/2/2008	6602.38	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	9/1/2008	6602.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/31/2008	6601.7	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/30/2008	6601.79	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/29/2008	6601.89	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/28/2008	6601.81	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/27/2008	6601.79	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/26/2008	6601.92	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/25/2008	6601.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/24/2008	6601.41	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/23/2008	6601.09	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/22/2008	6601.07	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/21/2008	6601.03	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/20/2008	6600.96	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/19/2008	6600.88	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/18/2008	6600.78	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/17/2008	6600.63	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/16/2008	6600.24	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/15/2008	6600.16	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/14/2008	6600.07	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/13/2008	6600	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/12/2008	6599.81	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/11/2008	6599.81	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/10/2008	6599.19	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/9/2008	6598.69	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/8/2008	6598.69	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/7/2008	6598.68	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/6/2008	6598.67	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/5/2008	6598.64	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/4/2008	6598.64	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/3/2008	6598.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/2/2008	6598.63	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	8/1/2008	6598.65	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/31/2008	6598.67	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/30/2008	6598.7	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/29/2008	6598.73	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/28/2008	6598.77	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/27/2008	6598.81	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/26/2008	6598.88	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/25/2008	6598.94	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/24/2008	6598.99	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/23/2008	6599.05	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/22/2008	6599.11	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/21/2008	6599.17	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/20/2008	6599.23	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/19/2008	6599.29	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/18/2008	6599.36	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/17/2008	6599.41	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/16/2008	6599.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/15/2008	6599.55	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/14/2008	6599.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/13/2008	6599.69	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/12/2008	6599.76	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/11/2008	6599.86	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/10/2008	6599.96	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/9/2008	6600.07	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/8/2008	6600.2	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/7/2008	6600.39	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/6/2008	6600.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/5/2008	6600.73	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/4/2008	6600.21	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/3/2008	6600.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/2/2008	6600.33	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	7/1/2008	6600.36	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/30/2008	6600.41	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/29/2008	6600.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/28/2008	6600.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/27/2008	6600.59	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/26/2008	6600.64	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/25/2008	6600.69	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/24/2008	6600.74	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/23/2008	6600.8	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/22/2008	6600.85	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/21/2008	6600.95	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/20/2008	6601.04	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/19/2008	6601.11	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/18/2008	6601.18	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/17/2008	6601.26	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/16/2008	6601.34	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/15/2008	6601.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/14/2008	6601.54	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/13/2008	6601.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/12/2008	6601.7	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/11/2008	6601.78	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/10/2008	6601.86	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/9/2008	6601.95	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/8/2008	6602.05	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/7/2008	6602.14	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/6/2008	6602.24	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/5/2008	6602.33	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/4/2008	6602.43	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/3/2008	6602.53	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/2/2008	6602.63	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	6/1/2008	6602.74	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/31/2008	6602.85	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/30/2008	6602.98	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/29/2008	6603.06	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/28/2008	6602.87	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/27/2008	6602.93	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/26/2008	6602.99	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/25/2008	6603.03	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/24/2008	6603.07	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/23/2008	6603.11	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/22/2008	6603.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/21/2008	6603.18	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/20/2008	6603.23	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/19/2008	6603.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/18/2008	6603.33	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/17/2008	6603.38	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/16/2008	6603.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/15/2008	6603.32	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/14/2008	6603.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/13/2008	6603.32	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/12/2008	6603.37	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/11/2008	6603.39	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/10/2008	6603.41	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/9/2008	6603.42	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/8/2008	6603.43	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/7/2008	6603.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/6/2008	6603.47	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/5/2008	6603.47	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/4/2008	6603.49	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/3/2008	6603.49	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/2/2008	6603.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/1/2008	6603.47	Manual
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	5/1/2008	6603.52	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/30/2008	6603.54	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/29/2008	6603.54	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/28/2008	6603.55	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/27/2008	6603.55	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/26/2008	6603.56	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/25/2008	6603.54	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/24/2008	6603.53	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/23/2008	6603.53	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/22/2008	6603.52	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/21/2008	6603.53	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/20/2008	6603.55	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/19/2008	6603.56	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/18/2008	6603.56	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/17/2008	6603.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/16/2008	6603.52	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/15/2008	6603.54	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/14/2008	6603.56	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/13/2008	6603.57	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/12/2008	6603.59	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/11/2008	6603.61	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/10/2008	6603.64	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/9/2008	6603.63	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/8/2008	6603.63	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/7/2008	6603.65	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/6/2008	6603.66	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/5/2008	6603.68	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/4/2008	6603.69	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/3/2008	6603.7	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/2/2008	6603.71	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	4/1/2008	6603.71	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/31/2008	6603.71	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/30/2008	6603.7	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/29/2008	6603.71	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/28/2008	6603.69	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/27/2008	6603.68	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/26/2008	6603.66	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/25/2008	6603.66	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/24/2008	6603.65	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/23/2008	6603.61	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/22/2008	6603.59	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/21/2008	6603.59	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/20/2008	6603.6	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/19/2008	6603.6	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/18/2008	6603.61	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/17/2008	6603.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/16/2008	6603.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/15/2008	6603.6	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/14/2008	6603.58	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/13/2008	6603.56	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/12/2008	6603.55	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/11/2008	6603.55	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/10/2008	6603.55	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/9/2008	6603.57	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/8/2008	6603.6	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/7/2008	6603.6	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/6/2008	6603.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/5/2008	6603.63	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/4/2008	6603.64	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/3/2008	6603.63	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/2/2008	6603.62	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	3/1/2008	6603.56	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/29/2008	6603.53	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/28/2008	6603.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/27/2008	6603.48	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/26/2008	6603.47	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/25/2008	6603.54	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/24/2008	6603.35	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/23/2008	6603.35	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/22/2008	6603.3	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/21/2008	6603.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/20/2008	6603.22	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/19/2008	6603.16	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/18/2008	6603.07	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/17/2008	6602.94	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/16/2008	6602.56	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/15/2008	6600.9	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/14/2008	6599.51	Manual
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/14/2008	6599.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/13/2008	6599.59	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/12/2008	6599.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/11/2008	6599.81	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/10/2008	6599.96	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/9/2008	6600.14	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/8/2008	6600.33	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/7/2008	6600.52	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/6/2008	6600.73	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/5/2008	6600.92	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/4/2008	6601.08	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/3/2008	6601.23	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/2/2008	6601.45	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	2/1/2008	6601.68	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/31/2008	6601.92	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/30/2008	6602.14	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/29/2008	6602.33	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/28/2008	6600.25	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/27/2008	6600.37	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/26/2008	6600.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/25/2008	6600.66	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/24/2008	6600.79	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/23/2008	6600.93	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/22/2008	6601.07	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/21/2008	6601.21	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/20/2008	6601.35	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/19/2008	6601.5	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/18/2008	6601.65	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/17/2008	6601.79	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/16/2008	6601.93	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/15/2008	6602.06	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/14/2008	6602.24	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/13/2008	6602.15	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/12/2008	6602.28	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/11/2008	6602.39	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/10/2008	6602.51	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/9/2008	6602.57	Manual
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/9/2008	6602.59	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/8/2008	6602.72	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/7/2008	6602.86	Transducer
LAO-3a	4.7	Single	4401	10	4.7	14.7	2	2.375	1/6/2008	6602.48	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/20/2008	6467.9	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/19/2008	6469.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/18/2008	6471.22	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/17/2008	6472.47	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/16/2008	6472.96	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/15/2008	6473.14	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/14/2008	6473.25	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/13/2008	6471.4	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/12/2008	6467.69	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/6/2008	6468.99	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/5/2008	6470.65	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/4/2008	6472.68	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/3/2008	6472.97	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/2/2008	6473.02	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	10/1/2008	6473.08	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/30/2008	6473.14	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/29/2008	6473.19	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/28/2008	6473.23	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/27/2008	6473.29	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/26/2008	6473.33	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/25/2008	6473.38	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/24/2008	6473.42	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/23/2008	6473.46	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/22/2008	6473.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/21/2008	6473.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/20/2008	6473.58	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/19/2008	6473.62	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/18/2008	6473.65	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/17/2008	6473.69	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/16/2008	6473.73	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/15/2008	6473.77	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/14/2008	6473.8	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/13/2008	6473.84	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/12/2008	6473.87	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/11/2008	6473.9	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/10/2008	6473.93	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/9/2008	6473.97	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/8/2008	6474	Manual
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/8/2008	6473.96	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/7/2008	6474.01	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/6/2008	6474.08	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/5/2008	6474.19	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/4/2008	6474.18	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/3/2008	6474.29	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/2/2008	6474.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	9/1/2008	6474.33	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/31/2008	6474.03	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/30/2008	6474.06	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/29/2008	6474.11	Manual
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/29/2008	6474.15	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/28/2008	6474.2	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/27/2008	6474.28	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/26/2008	6474.42	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/25/2008	6474.32	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/24/2008	6474.4	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/23/2008	6474.18	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/22/2008	6474.21	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/21/2008	6474.25	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/20/2008	6474.27	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/19/2008	6474.31	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/18/2008	6474.38	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/17/2008	6474.52	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/16/2008	6474.32	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/15/2008	6474.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/14/2008	6474.41	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/13/2008	6474.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/12/2008	6474.56	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/11/2008	6474.82	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/10/2008	6474.47	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/9/2008	6474.31	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/8/2008	6474.33	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/7/2008	6474.36	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/6/2008	6474.39	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/5/2008	6474.42	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/4/2008	6474.45	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/3/2008	6474.48	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/2/2008	6474.52	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	8/1/2008	6474.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/31/2008	6474.58	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/30/2008	6474.62	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/29/2008	6474.65	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/28/2008	6474.69	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/27/2008	6474.71	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/26/2008	6474.73	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/25/2008	6474.77	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/24/2008	6474.8	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/23/2008	6474.84	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/22/2008	6474.87	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/21/2008	6474.9	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/20/2008	6474.94	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/19/2008	6474.98	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/18/2008	6475.01	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/17/2008	6475.05	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/16/2008	6475.09	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/15/2008	6475.14	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/14/2008	6475.17	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/13/2008	6475.21	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/12/2008	6475.26	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/11/2008	6475.3	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/10/2008	6475.36	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/9/2008	6475.41	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/8/2008	6475.46	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/7/2008	6475.52	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/6/2008	6475.64	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/5/2008	6475.7	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/4/2008	6475.54	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/3/2008	6475.59	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/2/2008	6475.66	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	7/1/2008	6475.72	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/30/2008	6475.78	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/29/2008	6475.85	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/28/2008	6475.93	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/27/2008	6476.01	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/26/2008	6476.1	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/25/2008	6476.2	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/24/2008	6476.3	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/23/2008	6476.4	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/22/2008	6476.53	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/21/2008	6476.66	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/20/2008	6476.82	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/19/2008	6477	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/18/2008	6477.19	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/17/2008	6477.41	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/16/2008	6477.64	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/15/2008	6477.89	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/14/2008	6478.14	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/13/2008	6478.38	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/12/2008	6478.61	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/11/2008	6478.82	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/10/2008	6479.02	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/9/2008	6479.19	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/8/2008	6479.35	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/7/2008	6479.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/6/2008	6479.62	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/5/2008	6479.73	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/4/2008	6479.82	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/3/2008	6479.92	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/2/2008	6480	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	6/1/2008	6480.08	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/31/2008	6480.17	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/30/2008	6480.26	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/29/2008	6480.41	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/28/2008	6480.36	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/27/2008	6480.41	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/26/2008	6480.46	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/25/2008	6480.47	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/24/2008	6480.48	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/23/2008	6480.49	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/22/2008	6480.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/21/2008	6480.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/20/2008	6480.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/19/2008	6480.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/18/2008	6480.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/17/2008	6480.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/16/2008	6480.57	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/15/2008	6480.54	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/14/2008	6480.53	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/13/2008	6480.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/12/2008	6480.56	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/11/2008	6480.53	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/10/2008	6480.54	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/9/2008	6480.49	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/8/2008	6480.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/7/2008	6480.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/6/2008	6480.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/5/2008	6480.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/4/2008	6480.53	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/3/2008	6480.53	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/2/2008	6480.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/1/2008	6480.58	Manual
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	5/1/2008	6480.53	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/30/2008	6480.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/29/2008	6480.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/28/2008	6480.56	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/27/2008	6480.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/26/2008	6480.56	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/25/2008	6480.54	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/24/2008	6480.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/23/2008	6480.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/22/2008	6480.54	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/21/2008	6480.56	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/20/2008	6480.6	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/19/2008	6480.61	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/18/2008	6480.59	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/17/2008	6480.56	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/16/2008	6480.58	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/15/2008	6480.61	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/14/2008	6480.62	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/13/2008	6480.64	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/12/2008	6480.66	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/11/2008	6480.69	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/10/2008	6480.74	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/9/2008	6480.74	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/8/2008	6480.75	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/7/2008	6480.77	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/6/2008	6480.8	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/5/2008	6480.83	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/4/2008	6480.84	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/3/2008	6480.86	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/2/2008	6480.88	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	4/1/2008	6480.88	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/31/2008	6480.89	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/30/2008	6480.89	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/29/2008	6480.88	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/28/2008	6480.86	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/27/2008	6480.86	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/26/2008	6480.83	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/25/2008	6480.82	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/24/2008	6480.8	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/23/2008	6480.76	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/22/2008	6480.75	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/21/2008	6480.74	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/20/2008	6480.75	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/19/2008	6480.73	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/18/2008	6480.73	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/17/2008	6480.71	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/16/2008	6480.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/15/2008	6480.54	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/14/2008	6480.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/13/2008	6480.45	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/12/2008	6480.39	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/11/2008	6480.34	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/10/2008	6480.27	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/9/2008	6480.21	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/8/2008	6480.1	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/7/2008	6480.03	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/6/2008	6479.71	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/5/2008	6479.34	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/4/2008	6478.8	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/3/2008	6478.07	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/2/2008	6477.09	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	3/1/2008	6475.76	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/29/2008	6475.82	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/28/2008	6475.88	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/27/2008	6475.95	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/26/2008	6476.08	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/25/2008	6475.81	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/24/2008	6475.47	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/23/2008	6475.48	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/22/2008	6475.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/21/2008	6475.53	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/20/2008	6475.57	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/19/2008	6475.63	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/18/2008	6475.69	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/17/2008	6475.73	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/16/2008	6475.71	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/15/2008	6475.65	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/14/2008	6475.56	Manual
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/14/2008	6475.54	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/13/2008	6475.51	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/12/2008	6475.49	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/11/2008	6475.49	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/10/2008	6475.5	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/9/2008	6475.52	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/8/2008	6475.55	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/7/2008	6475.56	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/6/2008	6475.59	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/5/2008	6475.61	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/4/2008	6475.64	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/3/2008	6475.65	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/2/2008	6475.68	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	2/1/2008	6475.71	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/31/2008	6475.77	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/30/2008	6475.83	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/29/2008	6475.77	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/28/2008	6475.65	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/27/2008	6475.66	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/26/2008	6475.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/25/2008	6475.72	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/24/2008	6475.74	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/23/2008	6475.77	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/22/2008	6475.8	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/21/2008	6475.83	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/20/2008	6475.86	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/19/2008	6475.89	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/18/2008	6475.93	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/17/2008	6475.96	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/16/2008	6476	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/15/2008	6476.03	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/14/2008	6476.05	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/13/2008	6476.08	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/12/2008	6476.13	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/11/2008	6476.18	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/10/2008	6476.23	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/9/2008	6476.28	Manual
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/9/2008	6476.26	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/8/2008	6476.34	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/7/2008	6476.4	Transducer
LAO-4.5c	13.3	Single	4431	10	13.3	23.3	2	2.5	1/6/2008	6476.33	Transducer
LAO-5	5	Single	6731	20	5	25	3	3.5	8/25/2008	6408.08	Manual
LAO-5	5	Single	6731	20	5	25	3	3.5	1/9/2008	6407.57	Manual
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/13/2008	6410.73	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/12/2008	6411.29	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/11/2008	6411.88	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/10/2008	6412.39	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/9/2008	6413.34	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/8/2008	6413.8	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/7/2008	6414.13	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/6/2008	6414.23	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/5/2008	6414.13	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/4/2008	6414.19	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/3/2008	6414.26	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/2/2008	6414.28	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	7/1/2008	6414.29	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/30/2008	6414.3	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/29/2008	6414.32	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/28/2008	6414.36	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/27/2008	6414.38	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/26/2008	6414.41	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/25/2008	6414.43	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/24/2008	6414.46	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/23/2008	6414.5	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/22/2008	6414.53	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/21/2008	6414.57	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/20/2008	6414.6	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/19/2008	6414.63	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/18/2008	6414.66	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/17/2008	6414.7	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/16/2008	6414.73	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/15/2008	6414.76	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/14/2008	6414.78	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/13/2008	6414.81	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/12/2008	6414.85	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/11/2008	6414.88	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/10/2008	6414.89	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/9/2008	6414.89	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/8/2008	6414.94	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/7/2008	6415.02	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/6/2008	6415.01	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/5/2008	6415.03	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/4/2008	6415.02	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/3/2008	6415.04	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/2/2008	6415.08	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	6/1/2008	6415.15	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/31/2008	6415.28	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/30/2008	6415.45	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/29/2008	6415.68	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/28/2008	6415.65	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/27/2008	6415.62	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/26/2008	6415.57	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/25/2008	6415.47	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/24/2008	6415.37	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/23/2008	6415.28	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/22/2008	6415.19	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/21/2008	6415.06	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/20/2008	6414.95	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/19/2008	6414.9	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/18/2008	6414.87	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/17/2008	6414.91	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/16/2008	6415.1	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/15/2008	6415.17	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/14/2008	6415.13	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/13/2008	6415.12	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/12/2008	6415.02	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/11/2008	6414.92	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/10/2008	6414.89	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/9/2008	6414.84	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/8/2008	6414.82	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/7/2008	6414.82	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/6/2008	6414.8	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/5/2008	6414.8	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/4/2008	6414.81	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/3/2008	6414.83	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/2/2008	6414.88	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/1/2008	6414.97	Manual
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	5/1/2008	6414.93	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/30/2008	6414.96	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/29/2008	6414.97	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/28/2008	6415	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/27/2008	6415.05	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/26/2008	6415.1	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/25/2008	6415.14	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/24/2008	6415.18	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/23/2008	6415.23	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/22/2008	6415.29	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/21/2008	6415.4	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/20/2008	6415.48	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/19/2008	6415.57	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/18/2008	6415.66	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/17/2008	6415.79	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/16/2008	6415.88	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/15/2008	6415.9	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/14/2008	6415.9	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/13/2008	6415.98	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/12/2008	6416.06	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/11/2008	6416.19	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/10/2008	6416.32	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/9/2008	6416.46	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/8/2008	6416.64	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/7/2008	6416.76	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/6/2008	6416.86	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/5/2008	6416.94	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/4/2008	6417.01	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/3/2008	6417.12	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/2/2008	6417.16	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	4/1/2008	6417.21	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/31/2008	6417.28	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/30/2008	6417.32	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/29/2008	6417.4	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/28/2008	6417.47	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/27/2008	6417.49	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/26/2008	6417.47	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/25/2008	6417.45	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/24/2008	6417.42	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/23/2008	6417.34	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/22/2008	6417.29	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/21/2008	6417.27	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/20/2008	6417.19	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/19/2008	6417.16	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/18/2008	6417.15	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/17/2008	6417.19	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/16/2008	6417.16	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/15/2008	6417.08	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/14/2008	6416.98	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/13/2008	6416.86	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/12/2008	6416.71	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/11/2008	6416.59	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/10/2008	6416.47	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/9/2008	6416.39	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/8/2008	6416.24	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/7/2008	6416.56	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/6/2008	6416.43	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/5/2008	6416.04	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/4/2008	6414.96	Transducer
LAO-6a	4.2	Single	4451	10	4.2	14.2	2	2.5	3/3/2008	6410.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/22/2009	7315.97	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/21/2009	7316.15	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/20/2009	7316.18	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/19/2009	7316.25	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/18/2009	7316.3	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/17/2009	7316.21	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/16/2009	7316.25	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/15/2009	7316.23	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/14/2009	7316.19	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/13/2009	7316.37	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/12/2009	7316.3	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/11/2009	7316.42	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/10/2009	7316.24	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/9/2009	7316.09	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/8/2009	7316.2	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/7/2009	7316.12	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/6/2009	7315.84	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/5/2009	7316.23	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/4/2009	7316.01	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/3/2009	7315.99	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/2/2009	7316.25	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/1/2009	7316.32	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/31/2008	7316.5	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/30/2008	7316.54	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/29/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/28/2008	7316.46	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/27/2008	7315.99	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/26/2008	7315.74	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/25/2008	7316.13	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/24/2008	7315.98	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/23/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/22/2008	7316.15	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/21/2008	7316.25	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/20/2008	7316.05	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/19/2008	7316.18	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/18/2008	7316.04	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/17/2008	7316.18	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/16/2008	7316.14	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/15/2008	7316.22	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/14/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/13/2008	7315.73	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/12/2008	7316.08	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/11/2008	7316.38	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/10/2008	7316.34	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/9/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/8/2008	7315.75	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/7/2008	7315.99	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/6/2008	7316.06	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/5/2008	7316.05	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/4/2008	7315.95	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/3/2008	7315.74	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/2/2008	7315.99	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	12/1/2008	7315.92	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/30/2008	7315.85	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/29/2008	7315.76	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/28/2008	7315.77	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/27/2008	7315.78	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/26/2008	7315.86	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/25/2008	7315.98	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/24/2008	7316	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	11/23/2008	7315.88	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	9/3/2008	7315.8	Manual
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	9/3/2008	7315.8	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	9/2/2008	7315.8	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	9/1/2008	7315.76	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/31/2008	7315.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/30/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/29/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/28/2008	7315.72	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/27/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/26/2008	7315.67	Manual
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/26/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/25/2008	7315.66	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/24/2008	7315.66	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/23/2008	7315.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/22/2008	7315.66	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/21/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/20/2008	7315.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/19/2008	7315.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/18/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/17/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/16/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/15/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/14/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/13/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/12/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/11/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/10/2008	7315.73	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/9/2008	7315.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/8/2008	7315.67	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/7/2008	7315.64	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/6/2008	7315.64	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/5/2008	7315.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/4/2008	7315.61	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/3/2008	7315.61	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/2/2008	7315.62	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	8/1/2008	7315.61	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/31/2008	7315.62	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/30/2008	7315.63	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/29/2008	7315.64	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/28/2008	7315.64	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/27/2008	7315.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/26/2008	7315.64	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/25/2008	7315.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/24/2008	7315.66	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/23/2008	7315.67	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/22/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/21/2008	7315.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/20/2008	7315.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/19/2008	7315.74	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/18/2008	7315.72	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/17/2008	7315.72	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/16/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/15/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/14/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/13/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/12/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/11/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/10/2008	7315.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/9/2008	7315.72	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/8/2008	7315.73	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/7/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/6/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/5/2008	7315.67	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/4/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/3/2008	7315.69	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/2/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	7/1/2008	7315.7	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/30/2008	7315.72	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/29/2008	7315.72	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/28/2008	7315.73	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/27/2008	7315.73	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/26/2008	7315.73	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/25/2008	7315.73	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/24/2008	7315.74	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/23/2008	7315.74	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/22/2008	7315.75	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/21/2008	7315.76	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/20/2008	7315.76	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/19/2008	7315.77	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/18/2008	7315.77	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/17/2008	7315.78	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/16/2008	7315.78	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/15/2008	7315.78	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/14/2008	7315.79	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/13/2008	7315.8	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/12/2008	7315.8	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/11/2008	7315.83	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/10/2008	7315.83	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/9/2008	7315.83	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/8/2008	7315.84	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/7/2008	7315.86	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/6/2008	7315.86	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/5/2008	7315.87	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/4/2008	7315.88	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/3/2008	7315.88	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/2/2008	7315.89	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	6/1/2008	7315.9	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/31/2008	7315.91	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/30/2008	7315.91	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/29/2008	7315.94	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/28/2008	7315.93	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/27/2008	7315.94	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/26/2008	7315.96	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/25/2008	7315.96	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/24/2008	7316.04	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/23/2008	7316.03	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/22/2008	7316	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/21/2008	7316.01	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/20/2008	7316.01	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/19/2008	7316.02	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/18/2008	7316.03	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/17/2008	7316.04	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/16/2008	7316.05	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/15/2008	7316.13	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/14/2008	7316.11	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/13/2008	7316.09	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/12/2008	7316.11	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/11/2008	7316.12	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/10/2008	7316.14	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/9/2008	7316.15	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/8/2008	7316.17	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/7/2008	7316.2	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/6/2008	7316.21	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/5/2008	7316.2	Manual
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/5/2008	7316.29	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/4/2008	7316.3	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/3/2008	7316.3	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/2/2008	7316.33	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	5/1/2008	7316.36	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/30/2008	7316.36	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/29/2008	7316.37	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/28/2008	7316.39	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/27/2008	7316.4	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/26/2008	7316.4	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/25/2008	7316.37	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/24/2008	7316.38	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/23/2008	7316.38	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/22/2008	7316.4	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/21/2008	7316.41	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/20/2008	7316.43	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/19/2008	7316.43	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/18/2008	7316.48	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/17/2008	7316.41	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/16/2008	7316.43	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/15/2008	7316.46	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/14/2008	7316.49	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/13/2008	7316.5	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/12/2008	7316.52	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/11/2008	7316.53	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/10/2008	7316.6	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/9/2008	7316.54	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/8/2008	7316.56	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/7/2008	7316.58	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/6/2008	7316.61	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/5/2008	7316.63	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/4/2008	7316.64	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/3/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/2/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	4/1/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/31/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/30/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/29/2008	7316.63	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/28/2008	7316.61	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/27/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/26/2008	7316.57	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/25/2008	7316.56	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/24/2008	7316.54	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/23/2008	7316.53	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/22/2008	7316.52	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/21/2008	7316.52	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/20/2008	7316.53	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/19/2008	7316.54	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/18/2008	7316.56	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/17/2008	7316.56	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/16/2008	7316.56	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/15/2008	7316.54	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/14/2008	7316.51	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/13/2008	7316.48	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/12/2008	7316.48	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/11/2008	7316.49	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/10/2008	7316.51	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/9/2008	7316.54	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/8/2008	7316.56	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/7/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/6/2008	7316.62	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/5/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/4/2008	7316.71	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/3/2008	7316.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/2/2008	7316.68	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	3/1/2008	7316.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/29/2008	7316.62	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/28/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/27/2008	7316.57	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/26/2008	7316.57	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/25/2008	7316.53	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/24/2008	7316.62	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/23/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/22/2008	7316.65	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/21/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/20/2008	7316.6	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/19/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/18/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/17/2008	7316.58	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/16/2008	7316.51	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/15/2008	7316.45	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/14/2008	7316.34	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/13/2008	7316.32	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/12/2008	7316.25	Manual
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/12/2008	7316.26	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/11/2008	7316.25	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/10/2008	7316.25	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/9/2008	7316.36	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/8/2008	7316.24	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/7/2008	7316.41	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/6/2008	7316.59	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/5/2008	7316.4	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/4/2008	7316.34	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/3/2008	7316.35	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/2/2008	7316.37	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	2/1/2008	7316.37	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/31/2008	7316.53	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/30/2008	7316.46	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/29/2008	7316.34	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/28/2008	7316.18	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/27/2008	7316.29	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/26/2008	7316.33	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/25/2008	7316.16	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/24/2008	7316.18	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/23/2008	7316.23	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/22/2008	7316.17	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/21/2008	7316.12	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/20/2008	7316.15	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/19/2008	7316.23	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/18/2008	7316.19	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/17/2008	7316.21	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/16/2008	7316.25	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/15/2008	7316.16	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/14/2008	7316.15	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/13/2008	7316.15	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/12/2008	7316.16	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/11/2008	7316.13	Manual

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/11/2008	7316.18	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/10/2008	7316.24	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/9/2008	7316.17	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/8/2008	7316.24	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/7/2008	7316.19	Transducer
LAO-B	11.84	Single	5221	15	11.84	26.84	4	4.5	1/6/2008	7316.15	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/22/2009	6542.43	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/21/2009	6542.24	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/20/2009	6542.22	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/19/2009	6542.19	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/18/2009	6542.14	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/17/2009	6542.24	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/16/2009	6542.15	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/15/2009	6542.19	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/14/2009	6542.18	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/13/2009	6542.38	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/12/2009	6542.48	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/11/2009	6542.39	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/10/2009	6542.52	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/9/2009	6542.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/8/2009	6542.63	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/7/2009	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/6/2009	6543.02	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/5/2009	6542.66	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/4/2009	6542.82	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/3/2009	6542.96	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/2/2009	6542.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/1/2009	6542.68	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/31/2008	6542.47	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/30/2008	6542.52	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/29/2008	6542.42	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/28/2008	6542.61	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/27/2008	6543	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/26/2008	6543.06	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/25/2008	6542.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/24/2008	6542.88	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/23/2008	6543.11	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/22/2008	6542.7	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/21/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/20/2008	6542.8	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/19/2008	6542.65	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/18/2008	6542.78	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/17/2008	6542.82	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/16/2008	6542.87	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/15/2008	6542.81	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/14/2008	6543.24	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/13/2008	6542.93	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/12/2008	6542.58	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/11/2008	6542.51	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/10/2008	6542.54	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/9/2008	6543.15	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/8/2008	6542.86	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/7/2008	6542.56	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/6/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/5/2008	6542.56	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/4/2008	6542.66	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/3/2008	6542.88	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/2/2008	6542.62	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	12/1/2008	6542.75	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/30/2008	6542.81	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/29/2008	6542.87	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/28/2008	6542.79	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/27/2008	6542.68	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/26/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/25/2008	6542.44	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/24/2008	6542.5	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/23/2008	6542.61	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/22/2008	6542.56	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/21/2008	6542.4	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/20/2008	6542.54	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/19/2008	6542.44	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/18/2008	6542.31	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/17/2008	6542.43	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/16/2008	6542.46	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/15/2008	6542.44	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/14/2008	6542.85	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/13/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/12/2008	6542.75	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/11/2008	6542.84	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/10/2008	6543.05	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/9/2008	6542.82	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/8/2008	6542.65	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/7/2008	6542.58	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/6/2008	6542.77	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/5/2008	6542.99	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/4/2008	6542.77	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/3/2008	6542.73	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/2/2008	6542.53	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	11/1/2008	6542.37	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/31/2008	6542.39	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/30/2008	6542.54	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/29/2008	6542.44	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/28/2008	6542.32	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/27/2008	6542.23	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/26/2008	6542.58	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/25/2008	6542.62	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/24/2008	6542.67	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/23/2008	6542.6	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/22/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/21/2008	6542.6	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/20/2008	6542.55	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/19/2008	6542.59	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/18/2008	6542.41	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/17/2008	6542.47	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/16/2008	6542.46	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/15/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/14/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/13/2008	6542.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/12/2008	6543.04	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/11/2008	6542.89	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/10/2008	6542.9	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/9/2008	6542.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/8/2008	6542.57	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/7/2008	6542.55	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/6/2008	6542.88	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/5/2008	6542.87	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/4/2008	6542.79	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/3/2008	6542.75	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/2/2008	6542.58	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	10/1/2008	6542.5	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/30/2008	6542.41	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/29/2008	6542.49	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/28/2008	6542.51	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/27/2008	6542.61	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/26/2008	6542.54	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/25/2008	6542.47	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/24/2008	6542.52	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/23/2008	6542.61	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/22/2008	6542.66	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/21/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/20/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/19/2008	6542.6	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/18/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/17/2008	6542.49	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/16/2008	6542.42	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/15/2008	6542.46	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/14/2008	6542.67	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/13/2008	6542.77	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/12/2008	6542.73	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/11/2008	6542.73	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/10/2008	6542.64	Manual
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/10/2008	6542.68	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/9/2008	6542.56	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/8/2008	6542.6	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/7/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/6/2008	6542.61	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/5/2008	6542.6	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/4/2008	6542.46	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/3/2008	6542.62	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/2/2008	6542.78	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	9/1/2008	6542.85	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/31/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/30/2008	6542.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/29/2008	6542.7	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/28/2008	6542.77	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/27/2008	6542.78	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/26/2008	6542.77	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/25/2008	6542.63	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/24/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/23/2008	6542.73	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/22/2008	6542.82	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/21/2008	6542.79	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/20/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/19/2008	6542.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/18/2008	6542.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/17/2008	6542.69	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/16/2008	6542.68	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/15/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/14/2008	6542.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/13/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/12/2008	6542.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/11/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/10/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/9/2008	6542.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/8/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/7/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/6/2008	6542.59	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/5/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/4/2008	6542.71	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/3/2008	6542.71	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/2/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	8/1/2008	6542.67	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/31/2008	6542.71	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/30/2008	6542.68	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/29/2008	6542.69	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/28/2008	6542.79	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/27/2008	6542.73	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/26/2008	6542.6	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/25/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/24/2008	6542.67	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/23/2008	6542.68	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/22/2008	6542.7	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/21/2008	6542.63	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/20/2008	6542.62	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/19/2008	6542.67	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/18/2008	6542.65	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/17/2008	6542.49	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/16/2008	6542.67	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/15/2008	6542.78	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/14/2008	6542.75	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/13/2008	6542.69	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/12/2008	6542.78	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/11/2008	6542.79	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/10/2008	6542.75	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/9/2008	6542.76	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/8/2008	6542.82	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/8/2008	6542.85	Manual
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/2/2008	6542.78	Manual
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/2/2008	6542.77	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	7/1/2008	6542.68	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/30/2008	6542.58	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/29/2008	6542.62	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/28/2008	6542.82	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/27/2008	6542.85	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/26/2008	6542.78	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/25/2008	6542.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/24/2008	6542.73	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/23/2008	6542.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/22/2008	6542.62	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/21/2008	6542.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/20/2008	6542.8	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/19/2008	6542.88	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/18/2008	6542.77	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/17/2008	6542.75	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/16/2008	6542.85	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/15/2008	6542.81	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/14/2008	6542.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/13/2008	6542.81	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/12/2008	6542.98	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/11/2008	6543.1	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/10/2008	6542.89	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/9/2008	6542.92	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/8/2008	6543.06	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/7/2008	6543.01	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/6/2008	6543.04	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/5/2008	6543.42	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/4/2008	6543.16	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/3/2008	6543	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/2/2008	6542.94	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	6/1/2008	6542.89	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/31/2008	6542.88	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/30/2008	6542.91	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/29/2008	6542.87	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/28/2008	6542.87	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/27/2008	6543	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/26/2008	6543.1	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/25/2008	6542.99	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/24/2008	6543.11	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/23/2008	6543.4	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/22/2008	6543.51	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/21/2008	6543.12	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/20/2008	6542.94	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/19/2008	6542.96	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/18/2008	6542.82	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/17/2008	6542.76	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/16/2008	6542.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/15/2008	6542.98	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/14/2008	6542.98	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/13/2008	6543.22	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/12/2008	6543.1	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/11/2008	6542.88	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/10/2008	6543.13	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/9/2008	6543.05	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/8/2008	6543.13	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/7/2008	6543.23	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/6/2008	6543.39	Manual
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/6/2008	6543.17	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/5/2008	6543.11	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/4/2008	6543.1	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/3/2008	6543.05	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/2/2008	6543.29	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	5/1/2008	6543.49	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/30/2008	6543.31	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/29/2008	6543.02	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/28/2008	6542.89	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/27/2008	6542.93	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/26/2008	6543.06	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/25/2008	6543.16	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/24/2008	6543.23	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/23/2008	6543.14	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/22/2008	6543.13	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/21/2008	6543.25	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/20/2008	6543.32	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/19/2008	6543.14	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/18/2008	6543.11	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/17/2008	6543.37	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/16/2008	6543.34	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/15/2008	6543.11	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/14/2008	6542.91	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/13/2008	6542.89	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/12/2008	6542.96	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/11/2008	6543.31	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/10/2008	6543.58	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/9/2008	6543.41	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/8/2008	6543.28	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/7/2008	6543.3	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/6/2008	6543.42	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/5/2008	6543.24	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/4/2008	6543.16	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/3/2008	6543.28	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/2/2008	6543.12	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	4/1/2008	6543.14	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/31/2008	6543.35	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/30/2008	6543.31	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/29/2008	6543.24	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/28/2008	6543.28	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/27/2008	6543.28	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/26/2008	6543.14	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/25/2008	6543.14	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/24/2008	6542.98	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/23/2008	6542.96	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/22/2008	6543.04	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/21/2008	6543.13	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/20/2008	6543.12	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/19/2008	6543.1	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/18/2008	6543.3	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/17/2008	6543.5	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/16/2008	6543.47	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/15/2008	6543.41	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/14/2008	6543.44	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/13/2008	6543.33	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/12/2008	6543.13	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/11/2008	6543	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/10/2008	6542.98	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/9/2008	6543.33	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/8/2008	6543.18	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/7/2008	6543.14	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/6/2008	6543.29	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/5/2008	6543.45	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/4/2008	6543.18	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/3/2008	6543.28	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/2/2008	6543.44	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	3/1/2008	6542.97	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/29/2008	6543.16	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/28/2008	6543.22	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/27/2008	6543	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/26/2008	6543.11	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/25/2008	6543.32	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/24/2008	6543.06	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/23/2008	6543.46	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/22/2008	6543.37	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/21/2008	6543.42	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/20/2008	6543.26	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/19/2008	6543.25	Manual
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/19/2008	6543.22	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/18/2008	6543.3	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/17/2008	6543.5	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/16/2008	6543.29	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/15/2008	6543.36	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/14/2008	6543.64	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/13/2008	6543.22	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/12/2008	6543.28	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/11/2008	6543.2	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/10/2008	6543.07	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/9/2008	6543.21	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/8/2008	6543.43	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/7/2008	6543.32	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/6/2008	6543.33	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/5/2008	6543.66	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/4/2008	6543.72	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/3/2008	6543.4	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/2/2008	6543.37	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	2/1/2008	6543.25	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/31/2008	6543.53	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/30/2008	6543.5	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/29/2008	6543.74	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/28/2008	6543.46	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/27/2008	6543.1	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/26/2008	6543.09	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/25/2008	6543.37	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/24/2008	6543.31	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/23/2008	6543.29	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/22/2008	6543.33	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/21/2008	6543.49	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/20/2008	6543.29	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/19/2008	6543.22	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/18/2008	6543.44	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/17/2008	6543.43	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/16/2008	6543.6	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/15/2008	6543.15	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/14/2008	6543.15	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/13/2008	6543.3	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/12/2008	6543.41	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/11/2008	6543.38	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/10/2008	6543.47	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/9/2008	6543.34	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/8/2008	6543.47	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/7/2008	6543.61	Transducer
LAOI(a)-1.1	295.2	Single	5391	9.8	295.2	305	3	3.5	1/6/2008	6543.57	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/22/2009	6497.84	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/21/2009	6497.65	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/20/2009	6497.62	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/19/2009	6497.59	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/18/2009	6497.53	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/17/2009	6497.63	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/16/2009	6497.56	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/15/2009	6497.64	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/14/2009	6497.73	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/13/2009	6497.53	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/12/2009	6497.64	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/11/2009	6497.55	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/10/2009	6497.68	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/9/2009	6497.89	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/8/2009	6497.78	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/7/2009	6497.89	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/6/2009	6498.15	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/5/2009	6497.77	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/4/2009	6497.94	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/3/2009	6498.06	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/2/2009	6497.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/1/2009	6497.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/31/2008	6497.54	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/30/2008	6497.57	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/29/2008	6497.47	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/28/2008	6497.65	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/27/2008	6498.03	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/26/2008	6498.1	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/25/2008	6497.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/24/2008	6497.91	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/23/2008	6498.13	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/22/2008	6497.72	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/21/2008	6497.65	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/20/2008	6497.8	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/19/2008	6497.67	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/18/2008	6497.79	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/17/2008	6497.83	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/16/2008	6497.88	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/15/2008	6497.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/14/2008	6498.24	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/13/2008	6497.92	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/12/2008	6497.58	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/11/2008	6497.5	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/10/2008	6497.52	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/9/2008	6498.12	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/8/2008	6497.83	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/7/2008	6497.52	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/6/2008	6497.55	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/5/2008	6497.52	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/4/2008	6497.61	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/3/2008	6497.84	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/2/2008	6497.58	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	12/1/2008	6497.7	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/30/2008	6497.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/29/2008	6497.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/28/2008	6497.72	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/27/2008	6497.6	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/26/2008	6497.5	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/25/2008	6497.34	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/24/2008	6497.39	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/23/2008	6497.48	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/22/2008	6497.41	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/21/2008	6497.24	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/20/2008	6497.37	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/19/2008	6497.26	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/18/2008	6497.12	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/17/2008	6497.23	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/16/2008	6497.26	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/15/2008	6497.23	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/14/2008	6497.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/13/2008	6497.54	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/12/2008	6497.53	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/11/2008	6497.62	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/10/2008	6497.84	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/9/2008	6497.61	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/8/2008	6497.43	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/7/2008	6497.36	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/6/2008	6497.54	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/5/2008	6497.77	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/4/2008	6497.53	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/3/2008	6497.48	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/2/2008	6497.27	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	11/1/2008	6497.1	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/31/2008	6497.1	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/30/2008	6497.24	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/29/2008	6497.12	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/28/2008	6496.99	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/27/2008	6496.89	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/26/2008	6497.24	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/25/2008	6497.26	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/24/2008	6497.3	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/23/2008	6497.21	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/22/2008	6497.36	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/21/2008	6497.19	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/20/2008	6497.13	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/19/2008	6497.15	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/18/2008	6496.97	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/17/2008	6497.02	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/16/2008	6497.01	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/15/2008	6497.14	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/14/2008	6497.18	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/13/2008	6497.27	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/12/2008	6497.57	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/11/2008	6497.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/10/2008	6497.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/9/2008	6497.24	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/8/2008	6497.08	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/7/2008	6497.06	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/6/2008	6497.39	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/5/2008	6497.36	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/4/2008	6497.28	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/3/2008	6497.23	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/2/2008	6497.05	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	10/1/2008	6496.95	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/30/2008	6496.86	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/29/2008	6496.92	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/28/2008	6496.93	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/27/2008	6497.02	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/26/2008	6496.95	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/25/2008	6496.86	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/24/2008	6496.9	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/23/2008	6496.98	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/22/2008	6497.01	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/21/2008	6496.98	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/20/2008	6496.92	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/19/2008	6496.91	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/18/2008	6496.9	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/17/2008	6496.79	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/16/2008	6496.72	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/15/2008	6496.74	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/14/2008	6496.95	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/13/2008	6497.04	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/12/2008	6497	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/11/2008	6496.99	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/10/2008	6496.95	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/9/2008	6496.92	Manual
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/9/2008	6496.83	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/8/2008	6496.86	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/7/2008	6496.87	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/6/2008	6496.91	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/5/2008	6496.93	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/4/2008	6496.86	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/3/2008	6496.72	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/2/2008	6496.87	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	9/1/2008	6496.92	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/31/2008	6496.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/30/2008	6496.69	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/29/2008	6496.71	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/28/2008	6496.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/27/2008	6496.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/26/2008	6496.79	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/25/2008	6496.63	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/24/2008	6496.58	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/23/2008	6496.71	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/22/2008	6496.8	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/21/2008	6496.76	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/20/2008	6496.71	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/19/2008	6496.66	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/18/2008	6496.67	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/17/2008	6496.61	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/16/2008	6496.59	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/15/2008	6496.66	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/14/2008	6496.64	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/13/2008	6496.64	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/12/2008	6496.6	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/11/2008	6496.61	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/10/2008	6496.61	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/9/2008	6496.55	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/8/2008	6496.46	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/7/2008	6496.45	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/6/2008	6496.39	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/5/2008	6496.43	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/4/2008	6496.49	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/3/2008	6496.49	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/2/2008	6496.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	8/1/2008	6496.44	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/31/2008	6496.47	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/30/2008	6496.44	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/29/2008	6496.46	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/28/2008	6496.48	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/27/2008	6496.41	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/26/2008	6496.27	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/25/2008	6496.31	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/24/2008	6496.32	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/23/2008	6496.33	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/22/2008	6496.35	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/21/2008	6496.27	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/20/2008	6496.26	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/19/2008	6496.3	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/18/2008	6496.3	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/17/2008	6496.2	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/16/2008	6496.17	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/15/2008	6496.26	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/14/2008	6496.22	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/13/2008	6496.14	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/12/2008	6496.22	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/11/2008	6496.22	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/10/2008	6496.17	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/9/2008	6496.16	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/8/2008	6496.19	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/7/2008	6496.24	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/6/2008	6496.23	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/5/2008	6496.09	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/4/2008	6496.05	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/3/2008	6496.13	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/2/2008	6496.08	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	7/1/2008	6495.98	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/30/2008	6495.86	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/29/2008	6495.89	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/28/2008	6496.07	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/27/2008	6496.09	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/26/2008	6496	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/25/2008	6495.93	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/24/2008	6495.91	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/23/2008	6495.89	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/22/2008	6495.76	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/21/2008	6495.76	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/20/2008	6495.9	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/19/2008	6495.97	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/18/2008	6495.85	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/17/2008	6495.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/16/2008	6495.89	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/15/2008	6495.83	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/14/2008	6495.74	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/13/2008	6495.81	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/12/2008	6495.95	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/11/2008	6496.06	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/10/2008	6495.84	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/9/2008	6495.87	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/8/2008	6495.99	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/7/2008	6495.94	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/6/2008	6495.94	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/5/2008	6496.31	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/4/2008	6496.04	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/3/2008	6495.86	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/2/2008	6495.8	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	6/1/2008	6495.72	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/31/2008	6495.71	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/30/2008	6495.72	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/29/2008	6495.67	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/28/2008	6495.65	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/27/2008	6495.77	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/26/2008	6495.87	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/25/2008	6495.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/24/2008	6495.85	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/23/2008	6496.13	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/22/2008	6496.23	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/21/2008	6495.83	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/20/2008	6495.65	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/19/2008	6495.64	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/18/2008	6495.48	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/17/2008	6495.4	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/16/2008	6495.37	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/15/2008	6495.6	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/14/2008	6495.58	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/13/2008	6495.82	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/12/2008	6495.68	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/11/2008	6495.45	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/10/2008	6495.69	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/9/2008	6495.59	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/8/2008	6495.66	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/7/2008	6495.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/6/2008	6495.58	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/5/2008	6495.5	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/4/2008	6495.47	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/3/2008	6495.41	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/2/2008	6495.64	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/1/2008	6495.77	Manual
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	5/1/2008	6495.78	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/30/2008	6495.59	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/29/2008	6495.29	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/28/2008	6495.13	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/27/2008	6495.16	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/26/2008	6495.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/25/2008	6495.37	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/24/2008	6495.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/23/2008	6495.33	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/22/2008	6495.3	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/21/2008	6495.41	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/20/2008	6495.46	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/19/2008	6495.26	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/18/2008	6495.21	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/17/2008	6495.47	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/16/2008	6495.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/15/2008	6495.19	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/14/2008	6494.96	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/13/2008	6494.93	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/12/2008	6494.98	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/11/2008	6495.31	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/10/2008	6495.59	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/9/2008	6495.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/8/2008	6495.28	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/7/2008	6495.28	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/6/2008	6495.37	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/5/2008	6495.2	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/4/2008	6495.1	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/3/2008	6495.2	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/2/2008	6495.04	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	4/1/2008	6495.04	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/31/2008	6495.25	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/30/2008	6495.18	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/29/2008	6495.1	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/28/2008	6495.13	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/27/2008	6495.11	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/26/2008	6494.96	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/25/2008	6494.94	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/24/2008	6494.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/23/2008	6494.72	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/22/2008	6494.79	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/21/2008	6494.87	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/20/2008	6494.86	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/19/2008	6494.82	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/18/2008	6495	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/17/2008	6495.2	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/16/2008	6495.15	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/15/2008	6495.08	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/14/2008	6495.1	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/13/2008	6494.97	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/12/2008	6494.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/11/2008	6494.61	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/10/2008	6494.57	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/9/2008	6494.9	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/8/2008	6494.74	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/7/2008	6494.67	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/6/2008	6494.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/5/2008	6494.96	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/4/2008	6494.67	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/3/2008	6494.75	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/2/2008	6494.9	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	3/1/2008	6494.41	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/29/2008	6494.59	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/28/2008	6494.63	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/27/2008	6494.39	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/26/2008	6494.47	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/25/2008	6494.67	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/24/2008	6494.39	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/23/2008	6494.78	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/22/2008	6494.68	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/21/2008	6494.71	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/20/2008	6494.62	Manual
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/20/2008	6494.53	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/19/2008	6494.47	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/18/2008	6494.53	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/17/2008	6494.73	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/16/2008	6494.51	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/15/2008	6494.55	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/14/2008	6494.83	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/13/2008	6494.39	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/12/2008	6494.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/11/2008	6494.34	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/10/2008	6494.19	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/9/2008	6494.31	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/8/2008	6494.52	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/7/2008	6494.4	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/6/2008	6494.41	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/5/2008	6494.73	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/4/2008	6494.79	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/3/2008	6494.46	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/2/2008	6494.42	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	2/1/2008	6494.27	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/31/2008	6494.54	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/30/2008	6494.49	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/29/2008	6494.73	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/28/2008	6494.43	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/27/2008	6494.06	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/26/2008	6494.03	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/25/2008	6494.3	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/24/2008	6494.22	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/23/2008	6494.18	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/22/2008	6494.21	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/21/2008	6494.36	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/20/2008	6494.14	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/19/2008	6494.05	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/18/2008	6494.25	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/17/2008	6494.22	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/16/2008	6494.38	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/15/2008	6493.94	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/14/2008	6493.92	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/13/2008	6494.05	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/12/2008	6494.16	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/11/2008	6494.11	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/10/2008	6494.18	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/9/2008	6494.04	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/8/2008	6494.15	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/7/2008	6494.27	Transducer
LAOI-3.2	153.3	Single	6001	9.5	153.3	162.8	2.1	3.5	1/6/2008	6494.22	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/22/2009	6440.34	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/21/2009	6440.13	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/20/2009	6440.1	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/19/2009	6440.08	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/18/2009	6440.02	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/17/2009	6440.14	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/16/2009	6440.05	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/15/2009	6440.15	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/14/2009	6440.26	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/13/2009	6440.05	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/12/2009	6440.18	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/11/2009	6440.06	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/10/2009	6440.18	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/9/2009	6440.44	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/8/2009	6440.3	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/7/2009	6440.44	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/6/2009	6440.75	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/5/2009	6440.3	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/4/2009	6440.51	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/3/2009	6440.67	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/2/2009	6440.39	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/1/2009	6440.34	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/31/2008	6440.1	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/30/2008	6440.14	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/29/2008	6440	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/28/2008	6440.17	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/27/2008	6440.63	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/26/2008	6440.72	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/25/2008	6440.31	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/24/2008	6440.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/23/2008	6440.77	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/22/2008	6440.27	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/21/2008	6440.19	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/20/2008	6440.37	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/19/2008	6440.21	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/18/2008	6440.37	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/17/2008	6440.42	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/16/2008	6440.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/15/2008	6440.4	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/14/2008	6440.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/13/2008	6440.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/12/2008	6440.17	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/11/2008	6440.08	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/10/2008	6440.09	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/9/2008	6440.81	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/8/2008	6440.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/7/2008	6440.13	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/6/2008	6440.16	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/5/2008	6440.11	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/4/2008	6440.23	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/3/2008	6440.5	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/2/2008	6440.18	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	12/1/2008	6440.32	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/30/2008	6440.39	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/29/2008	6440.45	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/28/2008	6440.37	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/27/2008	6440.25	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/26/2008	6440.15	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/25/2008	6439.98	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/24/2008	6440.03	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/23/2008	6440.14	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/22/2008	6440.08	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/21/2008	6439.91	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/20/2008	6440.06	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/19/2008	6439.97	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/18/2008	6439.82	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/17/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/16/2008	6439.96	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/15/2008	6439.91	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/14/2008	6440.37	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/13/2008	6440.26	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/12/2008	6440.24	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/11/2008	6440.34	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/10/2008	6440.61	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/9/2008	6440.35	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/8/2008	6440.15	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/7/2008	6440.05	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/6/2008	6440.25	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/5/2008	6440.53	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/4/2008	6440.28	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/3/2008	6440.24	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/2/2008	6440.02	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	11/1/2008	6439.85	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/31/2008	6439.86	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/30/2008	6440	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/29/2008	6439.91	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/28/2008	6439.78	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/27/2008	6439.69	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/26/2008	6440.01	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/25/2008	6440.04	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/24/2008	6440.08	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/23/2008	6440.01	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/22/2008	6440.17	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/21/2008	6440	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/20/2008	6439.95	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/19/2008	6439.98	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/18/2008	6439.8	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/17/2008	6439.86	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/16/2008	6439.85	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/15/2008	6439.96	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/14/2008	6440	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/13/2008	6440.09	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/12/2008	6440.45	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/11/2008	6440.28	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/10/2008	6440.3	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/9/2008	6440.11	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/8/2008	6439.95	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/7/2008	6439.9	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/6/2008	6440.25	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/5/2008	6440.24	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/4/2008	6440.15	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/3/2008	6440.12	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/2/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	10/1/2008	6439.85	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/30/2008	6439.77	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/29/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/28/2008	6439.85	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/27/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/26/2008	6439.87	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/25/2008	6439.8	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/24/2008	6439.85	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/23/2008	6439.92	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/22/2008	6439.96	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/21/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/20/2008	6439.89	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/19/2008	6439.89	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/18/2008	6439.88	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/17/2008	6439.78	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/16/2008	6439.72	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/15/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/14/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/13/2008	6440.05	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/12/2008	6440.01	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/11/2008	6440.01	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/10/2008	6439.97	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/9/2008	6439.99	Manual
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/9/2008	6439.87	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/8/2008	6439.91	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/7/2008	6439.93	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/6/2008	6439.96	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/5/2008	6440.01	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/4/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/3/2008	6439.82	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/2/2008	6439.96	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	9/1/2008	6440.03	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/31/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/30/2008	6439.82	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/29/2008	6439.88	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/28/2008	6439.93	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/27/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/26/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/25/2008	6439.79	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/24/2008	6439.75	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/23/2008	6439.88	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/22/2008	6439.98	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/21/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/20/2008	6439.91	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/19/2008	6439.87	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/18/2008	6439.89	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/17/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/16/2008	6439.82	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/15/2008	6439.9	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/14/2008	6439.89	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/13/2008	6439.9	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/12/2008	6439.87	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/11/2008	6439.88	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/10/2008	6439.89	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/9/2008	6439.84	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/8/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/7/2008	6439.75	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/6/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/5/2008	6439.75	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/4/2008	6439.82	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/3/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/2/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	8/1/2008	6439.79	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/31/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/30/2008	6439.8	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/29/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/28/2008	6439.85	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/27/2008	6439.8	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/26/2008	6439.67	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/25/2008	6439.72	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/24/2008	6439.74	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/23/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/22/2008	6439.78	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/21/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/20/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/19/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/18/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/17/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/16/2008	6439.63	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/15/2008	6439.73	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/14/2008	6439.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/13/2008	6439.62	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/12/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/11/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/10/2008	6439.67	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/9/2008	6439.67	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/8/2008	6439.82	Manual
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/8/2008	6439.81	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/2/2008	6439.7	Manual
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/2/2008	6439.74	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	7/1/2008	6439.64	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/30/2008	6439.55	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/29/2008	6439.59	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/28/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/27/2008	6439.78	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/26/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/25/2008	6439.65	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/24/2008	6439.65	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/23/2008	6439.62	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/22/2008	6439.52	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/21/2008	6439.54	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/20/2008	6439.68	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/19/2008	6439.74	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/18/2008	6439.63	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/17/2008	6439.62	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/16/2008	6439.7	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/15/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/14/2008	6439.59	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/13/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/12/2008	6439.8	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/11/2008	6439.92	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/10/2008	6439.72	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/9/2008	6439.75	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/8/2008	6439.87	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/7/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/6/2008	6439.84	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/5/2008	6440.22	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/4/2008	6439.95	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/3/2008	6439.79	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/2/2008	6439.73	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	6/1/2008	6439.67	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/31/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/30/2008	6439.7	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/29/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/28/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/27/2008	6439.77	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/26/2008	6439.88	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/25/2008	6439.77	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/24/2008	6439.86	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/23/2008	6440.15	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/22/2008	6440.27	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/21/2008	6439.87	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/20/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/19/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/18/2008	6439.57	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/17/2008	6439.51	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/16/2008	6439.5	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/15/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/14/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/13/2008	6439.94	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/12/2008	6439.81	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/11/2008	6439.6	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/10/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/9/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/8/2008	6439.83	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/7/2008	6439.93	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/6/2008	6439.77	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/5/2008	6439.71	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/4/2008	6439.68	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/3/2008	6439.64	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/2/2008	6439.86	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/1/2008	6440	Manual
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	5/1/2008	6440.02	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/30/2008	6439.84	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/29/2008	6439.57	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/28/2008	6439.44	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/27/2008	6439.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/26/2008	6439.58	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/25/2008	6439.69	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/24/2008	6439.74	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/23/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/22/2008	6439.64	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/21/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/20/2008	6439.81	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/19/2008	6439.63	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/18/2008	6439.6	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/17/2008	6439.85	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/16/2008	6439.82	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/15/2008	6439.61	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/14/2008	6439.42	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/13/2008	6439.39	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/12/2008	6439.45	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/11/2008	6439.75	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/10/2008	6440.02	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/9/2008	6439.86	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/8/2008	6439.73	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/7/2008	6439.74	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/6/2008	6439.84	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/5/2008	6439.68	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/4/2008	6439.61	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/3/2008	6439.72	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/2/2008	6439.55	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	4/1/2008	6439.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/31/2008	6439.78	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/30/2008	6439.72	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/29/2008	6439.65	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/28/2008	6439.69	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/27/2008	6439.67	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/26/2008	6439.56	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/25/2008	6439.55	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/24/2008	6439.4	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/23/2008	6439.37	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/22/2008	6439.43	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/21/2008	6439.53	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/20/2008	6439.51	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/19/2008	6439.5	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/18/2008	6439.67	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/17/2008	6439.86	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/16/2008	6439.84	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/15/2008	6439.78	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/14/2008	6439.8	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/13/2008	6439.69	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/12/2008	6439.51	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/11/2008	6439.39	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/10/2008	6439.35	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/9/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/8/2008	6439.52	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/7/2008	6439.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/6/2008	6439.61	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/5/2008	6439.76	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/4/2008	6439.5	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/3/2008	6439.61	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/2/2008	6439.74	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	3/1/2008	6439.31	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/29/2008	6439.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/28/2008	6439.54	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/27/2008	6439.34	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/26/2008	6439.41	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/25/2008	6439.58	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/24/2008	6439.34	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/23/2008	6439.69	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/22/2008	6439.61	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/21/2008	6439.65	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/20/2008	6439.55	Manual
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/20/2008	6439.53	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/19/2008	6439.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/18/2008	6439.56	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/17/2008	6439.75	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/16/2008	6439.55	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/15/2008	6439.62	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/14/2008	6439.87	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/13/2008	6439.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/12/2008	6439.54	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/11/2008	6439.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/10/2008	6439.34	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/9/2008	6439.44	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/8/2008	6439.63	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/7/2008	6439.54	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/6/2008	6439.55	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/5/2008	6439.84	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/4/2008	6439.91	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/3/2008	6439.61	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/2/2008	6439.59	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	2/1/2008	6439.46	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/31/2008	6439.72	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/30/2008	6439.68	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/29/2008	6439.93	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/28/2008	6439.66	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/27/2008	6439.36	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/26/2008	6439.3	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/25/2008	6439.53	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/24/2008	6439.47	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/23/2008	6439.38	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/22/2008	6439.41	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/21/2008	6439.55	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/20/2008	6439.38	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/19/2008	6439.29	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/18/2008	6439.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/17/2008	6439.47	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/16/2008	6439.65	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/15/2008	6439.36	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/14/2008	6439.29	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/13/2008	6439.39	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/12/2008	6439.49	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/11/2008	6439.45	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/10/2008	6439.53	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/9/2008	6439.4	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/8/2008	6439.48	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/7/2008	6439.58	Transducer
LAOI-3.2a	181.4	Single	7691	9.6	181.4	191	3.1	3.5	1/6/2008	6439.56	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/22/2009	6242.15	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/21/2009	6242.13	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/20/2009	6242.12	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/19/2009	6242.16	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/18/2009	6242.12	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/17/2009	6242.24	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/16/2009	6242.19	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/15/2009	6242.23	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/14/2009	6242.32	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/13/2009	6242.24	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/12/2009	6242.33	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/11/2009	6242.32	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/10/2009	6242.25	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/9/2009	6242.45	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/8/2009	6242.37	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/7/2009	6242.41	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/6/2009	6242.57	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/5/2009	6242.44	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/4/2009	6242.44	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/3/2009	6242.58	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/2/2009	6242.5	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/1/2009	6242.56	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/31/2008	6242.46	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/30/2008	6242.55	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/29/2008	6242.49	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/28/2008	6242.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/27/2008	6242.63	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/26/2008	6242.76	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/25/2008	6242.63	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/24/2008	6242.54	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/23/2008	6242.76	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/22/2008	6242.65	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/21/2008	6242.58	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/20/2008	6242.7	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/19/2008	6242.59	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/18/2008	6242.72	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/17/2008	6242.7	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/16/2008	6242.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/15/2008	6242.65	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/14/2008	6242.84	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/13/2008	6242.83	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/12/2008	6242.71	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/11/2008	6242.71	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/10/2008	6242.64	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/9/2008	6242.87	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/8/2008	6242.85	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/7/2008	6242.74	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/6/2008	6242.76	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/5/2008	6242.72	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/4/2008	6242.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/3/2008	6242.91	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/2/2008	6242.84	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	12/1/2008	6242.84	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/30/2008	6242.88	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/29/2008	6242.89	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/28/2008	6242.9	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/27/2008	6242.9	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/26/2008	6242.9	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/25/2008	6242.88	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/24/2008	6242.85	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/23/2008	6242.96	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/22/2008	6242.96	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/21/2008	6242.94	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/20/2008	6242.99	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/19/2008	6243.04	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/18/2008	6242.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/17/2008	6243.04	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/16/2008	6243.09	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/15/2008	6242.99	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/14/2008	6243.18	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/13/2008	6243.18	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/12/2008	6243.18	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/11/2008	6243.17	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/10/2008	6243.32	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/9/2008	6243.26	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/8/2008	6243.23	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/7/2008	6243.16	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/6/2008	6243.2	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/5/2008	6243.33	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/4/2008	6243.28	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/3/2008	6243.29	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/2/2008	6243.29	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	11/1/2008	6243.25	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/31/2008	6243.23	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/30/2008	6243.32	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/29/2008	6243.34	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/28/2008	6243.36	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/27/2008	6243.23	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/26/2008	6243.42	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/25/2008	6243.42	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/24/2008	6243.48	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/23/2008	6243.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/22/2008	6243.55	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/21/2008	6243.54	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/20/2008	6243.54	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/19/2008	6243.61	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/18/2008	6243.57	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/17/2008	6243.61	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/16/2008	6243.62	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/15/2008	6243.67	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/14/2008	6243.7	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/13/2008	6243.67	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/12/2008	6243.84	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/11/2008	6243.78	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/10/2008	6243.83	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/9/2008	6243.82	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/8/2008	6243.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/7/2008	6243.72	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/6/2008	6243.86	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/5/2008	6243.88	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/4/2008	6243.88	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/3/2008	6243.91	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/2/2008	6243.89	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	10/1/2008	6243.89	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/30/2008	6243.87	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/29/2008	6243.91	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/28/2008	6243.93	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/27/2008	6244.01	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/26/2008	6244.02	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/25/2008	6244	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/24/2008	6244.03	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/23/2008	6244.07	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/22/2008	6244.12	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/21/2008	6244.14	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/20/2008	6244.14	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/19/2008	6244.16	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/18/2008	6244.21	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/17/2008	6244.21	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/16/2008	6244.21	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/15/2008	6244.21	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/14/2008	6244.27	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/13/2008	6244.34	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/12/2008	6244.37	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/11/2008	6244.38	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/10/2008	6244.41	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/9/2008	6244.42	Manual
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/9/2008	6244.34	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/8/2008	6244.38	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/7/2008	6244.4	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/6/2008	6244.44	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/5/2008	6244.48	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/4/2008	6244.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/3/2008	6244.44	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/2/2008	6244.5	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	9/1/2008	6244.58	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/31/2008	6244.58	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/30/2008	6244.54	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/29/2008	6244.56	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/28/2008	6244.63	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/27/2008	6244.65	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/26/2008	6244.69	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/25/2008	6244.67	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/24/2008	6244.68	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/23/2008	6244.71	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/22/2008	6244.77	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/21/2008	6244.78	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/20/2008	6244.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/19/2008	6244.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/18/2008	6244.83	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/17/2008	6244.86	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/16/2008	6244.85	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/15/2008	6244.92	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/14/2008	6244.93	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/13/2008	6244.95	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/12/2008	6244.95	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/11/2008	6244.99	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/10/2008	6245.02	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/9/2008	6245.04	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/8/2008	6245.05	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/7/2008	6245.08	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/6/2008	6245.08	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/5/2008	6245.11	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/4/2008	6245.15	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/3/2008	6245.17	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/2/2008	6245.18	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	8/1/2008	6245.21	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/31/2008	6245.25	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/30/2008	6245.25	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/29/2008	6245.28	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/28/2008	6245.3	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/27/2008	6245.37	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/26/2008	6245.32	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/25/2008	6245.35	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/24/2008	6245.37	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/23/2008	6245.4	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/22/2008	6245.45	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/21/2008	6245.46	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/20/2008	6245.45	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/19/2008	6245.49	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/18/2008	6245.54	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/17/2008	6245.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/16/2008	6245.5	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/15/2008	6245.59	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/14/2008	6245.62	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/13/2008	6245.61	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/12/2008	6245.66	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/11/2008	6245.67	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/10/2008	6245.68	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/9/2008	6245.69	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/8/2008	6245.7	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/7/2008	6245.75	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/6/2008	6245.79	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/5/2008	6245.77	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/4/2008	6245.78	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/3/2008	6245.86	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/2/2008	6245.86	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	7/1/2008	6245.9	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/30/2008	6245.89	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/29/2008	6245.87	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/28/2008	6245.97	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/27/2008	6246.02	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/26/2008	6246.02	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/25/2008	6246.03	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/24/2008	6246.05	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/23/2008	6246.1	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/22/2008	6246.1	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/21/2008	6246.1	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/20/2008	6246.13	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/19/2008	6246.24	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/18/2008	6246.23	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/17/2008	6246.22	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/16/2008	6246.31	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/15/2008	6246.33	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/14/2008	6246.31	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/13/2008	6246.32	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/12/2008	6246.36	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/11/2008	6246.48	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/10/2008	6246.43	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/9/2008	6246.43	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/8/2008	6246.48	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/7/2008	6246.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/6/2008	6246.45	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/5/2008	6246.61	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/4/2008	6246.58	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/3/2008	6246.52	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/2/2008	6246.54	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	6/1/2008	6246.52	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/31/2008	6246.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/30/2008	6246.5	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/29/2008	6246.53	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/28/2008	6246.49	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/27/2008	6246.49	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/26/2008	6246.58	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/25/2008	6246.52	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/24/2008	6246.49	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/23/2008	6246.55	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/22/2008	6246.6	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/21/2008	6246.52	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/20/2008	6246.4	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/19/2008	6246.41	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/18/2008	6246.34	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/17/2008	6246.3	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/16/2008	6246.19	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/15/2008	6246.25	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/14/2008	6246.11	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/13/2008	6246.17	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/12/2008	6246.15	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/11/2008	6245.94	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/10/2008	6245.98	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/9/2008	6245.85	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/8/2008	6245.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/7/2008	6245.83	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/6/2008	6245.7	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/5/2008	6245.57	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/4/2008	6245.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/3/2008	6245.34	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/2/2008	6245.34	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/1/2008	6245.34	Manual
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	5/1/2008	6245.31	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/30/2008	6245.23	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/29/2008	6245.02	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/28/2008	6244.87	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/27/2008	6244.68	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/26/2008	6244.67	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/25/2008	6244.52	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/24/2008	6244.44	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/23/2008	6244.34	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/22/2008	6244.16	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/21/2008	6244.06	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/20/2008	6244.02	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/19/2008	6243.84	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/18/2008	6243.65	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/17/2008	6243.58	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/16/2008	6243.49	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/15/2008	6243.36	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/14/2008	6243.18	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/13/2008	6243.04	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/12/2008	6242.89	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/11/2008	6242.88	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/10/2008	6242.95	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/9/2008	6242.82	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/8/2008	6242.64	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/7/2008	6242.62	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/6/2008	6242.56	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/5/2008	6242.51	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/4/2008	6242.35	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/3/2008	6242.37	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/2/2008	6242.3	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	4/1/2008	6242.18	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/31/2008	6242.2	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/30/2008	6242.15	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/29/2008	6242.1	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/28/2008	6242.05	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/27/2008	6242.06	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/26/2008	6241.96	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/25/2008	6241.97	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/24/2008	6241.89	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/23/2008	6241.79	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/22/2008	6241.84	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/21/2008	6241.81	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/20/2008	6241.85	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/19/2008	6241.72	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/18/2008	6241.76	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/17/2008	6241.74	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/16/2008	6241.77	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/15/2008	6241.7	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/14/2008	6241.76	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/13/2008	6241.72	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/12/2008	6241.68	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/11/2008	6241.62	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/10/2008	6241.54	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/9/2008	6241.65	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/8/2008	6241.68	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/7/2008	6241.57	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/6/2008	6241.6	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/5/2008	6241.71	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/4/2008	6241.66	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/3/2008	6241.52	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/2/2008	6241.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	3/1/2008	6241.59	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/29/2008	6241.6	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/28/2008	6241.73	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/27/2008	6241.64	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/26/2008	6241.61	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/25/2008	6241.81	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/24/2008	6241.56	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/23/2008	6241.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/22/2008	6241.7	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/21/2008	6241.79	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/20/2008	6241.75	Manual
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/20/2008	6241.78	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/19/2008	6241.73	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/18/2008	6241.71	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/17/2008	6241.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/16/2008	6241.78	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/15/2008	6241.69	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/14/2008	6241.95	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/13/2008	6241.77	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/12/2008	6241.79	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/11/2008	6241.85	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/10/2008	6241.77	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/9/2008	6241.78	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/8/2008	6241.94	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/7/2008	6241.82	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/6/2008	6241.8	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/5/2008	6241.92	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/4/2008	6242	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/3/2008	6241.87	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/2/2008	6241.86	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	2/1/2008	6241.86	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/31/2008	6241.86	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/30/2008	6241.96	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/29/2008	6242.02	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/28/2008	6242.03	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/27/2008	6241.87	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/26/2008	6241.81	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/25/2008	6241.93	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/24/2008	6241.92	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/23/2008	6241.94	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/22/2008	6241.89	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/21/2008	6242.03	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/20/2008	6241.99	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/19/2008	6241.88	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/18/2008	6241.99	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/17/2008	6241.97	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/16/2008	6242.12	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/15/2008	6242	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/14/2008	6241.95	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/13/2008	6242.04	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/12/2008	6242.05	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/11/2008	6242.08	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/10/2008	6242.07	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/9/2008	6242.11	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/8/2008	6242.01	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/7/2008	6242.15	Transducer
LAOI-7	240	Single	6411	19.6	240	259.6	3	3.5	1/6/2008	6242.18	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/22/2009	7029.4	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/21/2009	7029.43	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/20/2009	7029.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/19/2009	7029.51	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/18/2009	7029.55	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/17/2009	7029.6	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/16/2009	7029.64	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/15/2009	7029.69	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/14/2009	7029.74	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/13/2009	7029.78	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/12/2009	7029.82	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/11/2009	7029.82	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/10/2009	7029.87	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/9/2009	7029.93	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/8/2009	7029.99	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/7/2009	7030.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/6/2009	7030.09	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/5/2009	7030.11	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/4/2009	7030.15	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/3/2009	7030.21	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/2/2009	7030.21	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/1/2009	7030.26	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/31/2008	7030.33	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/30/2008	7030.37	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/29/2008	7030.41	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/28/2008	7030.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/27/2008	7030.54	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/26/2008	7030.6	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/25/2008	7030.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/24/2008	7030.69	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/23/2008	7030.76	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/22/2008	7030.78	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/21/2008	7030.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/20/2008	7030.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/19/2008	7030.97	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/18/2008	7031.26	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/17/2008	7029.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/16/2008	7029.39	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/15/2008	7029.39	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/14/2008	7029.36	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/13/2008	7029.32	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/12/2008	7029.35	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/11/2008	7029.4	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/10/2008	7029.45	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/9/2008	7029.51	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/8/2008	7029.55	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/7/2008	7029.56	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/6/2008	7029.61	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/5/2008	7029.68	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/4/2008	7029.73	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/3/2008	7029.77	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/2/2008	7029.79	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	12/1/2008	7029.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/30/2008	7029.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/29/2008	7030	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/28/2008	7030.49	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/27/2008	7028.16	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/26/2008	7028.21	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/25/2008	7028.25	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/24/2008	7028.3	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/23/2008	7028.31	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/22/2008	7028.38	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/21/2008	7028.43	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/20/2008	7028.45	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/19/2008	7028.49	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/18/2008	7028.54	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/17/2008	7028.62	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/16/2008	7028.66	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/15/2008	7028.72	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/14/2008	7028.76	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/13/2008	7028.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/12/2008	7028.86	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/11/2008	7028.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/10/2008	7028.98	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/9/2008	7029.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/8/2008	7029.05	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/7/2008	7029.1	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/6/2008	7029.16	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/5/2008	7029.24	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/4/2008	7029.32	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/3/2008	7029.37	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/2/2008	7029.43	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	11/1/2008	7029.49	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/31/2008	7029.56	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/30/2008	7029.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/29/2008	7029.67	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/28/2008	7029.74	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/27/2008	7029.83	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/26/2008	7029.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/25/2008	7029.99	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/24/2008	7030.06	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/23/2008	7030.13	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/22/2008	7030.21	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/21/2008	7030.28	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/20/2008	7030.34	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/19/2008	7030.42	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/18/2008	7030.49	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/17/2008	7030.61	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/16/2008	7030.7	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/15/2008	7030.75	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/14/2008	7030.59	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/13/2008	7030.65	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/12/2008	7030.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/11/2008	7029.42	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/10/2008	7029.49	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/9/2008	7029.57	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/8/2008	7029.64	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/7/2008	7029.71	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/6/2008	7029.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/5/2008	7030.2	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/4/2008	7028.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/3/2008	7028.87	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/2/2008	7028.95	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	10/1/2008	7028.99	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/30/2008	7029.08	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/29/2008	7029.15	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/28/2008	7029.19	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/27/2008	7029.27	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/26/2008	7029.36	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/25/2008	7029.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/24/2008	7029.53	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/23/2008	7029.87	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/22/2008	7029.11	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/21/2008	7029.18	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/20/2008	7029.25	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/19/2008	7029.33	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/18/2008	7029.4	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/17/2008	7029.48	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/16/2008	7029.56	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/15/2008	7029.65	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/14/2008	7029.75	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/13/2008	7029.83	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/12/2008	7029.91	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/11/2008	7030	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/10/2008	7030.09	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/9/2008	7030.18	Manual
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/9/2008	7030.18	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/8/2008	7030.27	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/7/2008	7030.37	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/6/2008	7030.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/5/2008	7030.57	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/4/2008	7030.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/3/2008	7030.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/2/2008	7030.71	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	9/1/2008	7030.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/31/2008	7030.43	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/30/2008	7030.5	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/29/2008	7030.49	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/28/2008	7030.52	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/27/2008	7030.56	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/26/2008	7030.62	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/25/2008	7030.64	Manual
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/25/2008	7030.95	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/24/2008	7030.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/23/2008	7030.21	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/22/2008	7030.31	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/21/2008	7030.41	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/20/2008	7030.44	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/19/2008	7030.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/18/2008	7030.51	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/17/2008	7030.62	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/16/2008	7030.42	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/15/2008	7030.46	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/14/2008	7030.41	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/13/2008	7030.46	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/12/2008	7030.42	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/11/2008	7030.52	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/10/2008	7030.57	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/9/2008	7030.55	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/8/2008	7029.46	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/7/2008	7029.55	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/6/2008	7029.64	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/5/2008	7030.2	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/4/2008	7028.75	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/3/2008	7028.82	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/2/2008	7028.91	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	8/1/2008	7029	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/31/2008	7029.1	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/30/2008	7029.19	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/29/2008	7029.3	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/28/2008	7029.37	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/27/2008	7029.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/26/2008	7029.54	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/25/2008	7029.66	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/24/2008	7029.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/23/2008	7029.91	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/22/2008	7030.13	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/21/2008	7029.45	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/20/2008	7029.56	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/19/2008	7029.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/18/2008	7029.79	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/17/2008	7030.59	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/16/2008	7029.22	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/15/2008	7029.32	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/14/2008	7029.39	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/13/2008	7029.48	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/12/2008	7029.57	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/11/2008	7029.67	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/10/2008	7029.82	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/9/2008	7030.68	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/8/2008	7029.7	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/7/2008	7028.41	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/6/2008	7028.44	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/5/2008	7028.5	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/4/2008	7028.58	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/3/2008	7028.69	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/2/2008	7029.01	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	7/1/2008	7028.07	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/30/2008	7028.12	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/29/2008	7028.17	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/28/2008	7028.23	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/27/2008	7028.28	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/26/2008	7028.34	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/25/2008	7028.39	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/24/2008	7028.42	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/23/2008	7028.48	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/22/2008	7028.54	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/21/2008	7028.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/20/2008	7028.7	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/19/2008	7028.78	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/18/2008	7028.85	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/17/2008	7028.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/16/2008	7029	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/15/2008	7029.09	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/14/2008	7029.17	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/13/2008	7029.26	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/12/2008	7029.35	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/11/2008	7029.45	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/10/2008	7029.53	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/9/2008	7029.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/8/2008	7029.73	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/7/2008	7029.85	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/6/2008	7029.94	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/5/2008	7030.04	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/4/2008	7030.13	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/3/2008	7030.21	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/2/2008	7030.32	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	6/1/2008	7030.43	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/31/2008	7030.55	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/30/2008	7030.74	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/29/2008	7030.87	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/28/2008	7029.86	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/27/2008	7029.94	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/26/2008	7030.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/25/2008	7030.13	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/24/2008	7030.53	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/23/2008	7029.68	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/22/2008	7029.74	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/21/2008	7029.79	Manual
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/21/2008	7029.8	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/20/2008	7029.85	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/19/2008	7029.9	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/18/2008	7029.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/17/2008	7029.95	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/16/2008	7030.28	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/15/2008	7028.44	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/14/2008	7028.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/13/2008	7028.51	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/12/2008	7028.54	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/11/2008	7028.57	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/10/2008	7028.61	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/9/2008	7028.64	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/8/2008	7028.68	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/7/2008	7028.71	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/6/2008	7028.74	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/5/2008	7028.77	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/4/2008	7028.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/3/2008	7028.84	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/2/2008	7028.91	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	5/1/2008	7028.95	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/30/2008	7028.95	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/29/2008	7029	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/28/2008	7029.04	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/27/2008	7029.08	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/26/2008	7029.14	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/25/2008	7029.19	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/24/2008	7029.25	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/23/2008	7029.3	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/22/2008	7029.35	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/21/2008	7029.41	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/20/2008	7029.46	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/19/2008	7029.5	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/18/2008	7029.54	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/17/2008	7029.6	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/16/2008	7029.65	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/15/2008	7029.67	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/14/2008	7029.72	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/13/2008	7029.77	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/12/2008	7029.81	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/11/2008	7029.87	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/10/2008	7029.93	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/9/2008	7029.97	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/8/2008	7030.02	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/7/2008	7030.07	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/6/2008	7030.13	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/5/2008	7030.17	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/4/2008	7030.22	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/3/2008	7030.28	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/2/2008	7030.32	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	4/1/2008	7030.36	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/31/2008	7030.42	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/30/2008	7030.47	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/29/2008	7030.5	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/28/2008	7030.55	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/27/2008	7030.59	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/26/2008	7030.63	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/25/2008	7030.7	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/24/2008	7030.73	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/23/2008	7030.77	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/22/2008	7030.82	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/21/2008	7030.84	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/20/2008	7030.88	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/19/2008	7030.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/18/2008	7031	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/17/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/16/2008	7031.05	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/15/2008	7031.07	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/14/2008	7031.08	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/13/2008	7031.07	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/12/2008	7031.06	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/11/2008	7031.05	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/10/2008	7031.01	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/9/2008	7031.01	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/8/2008	7031.02	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/7/2008	7031.07	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/6/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/5/2008	7031.02	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/4/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/3/2008	7031.02	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/2/2008	7031.05	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	3/1/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/29/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/28/2008	7031.04	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/27/2008	7031.05	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/26/2008	7031.08	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/25/2008	7031.29	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/24/2008	7031.05	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/23/2008	7031.02	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/22/2008	7031.04	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/21/2008	7031.06	Manual
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/21/2008	7031	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/20/2008	7030.99	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/19/2008	7031	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/18/2008	7031.01	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/17/2008	7031.04	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/16/2008	7031.07	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/15/2008	7031.1	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/14/2008	7031.12	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/13/2008	7031.16	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/12/2008	7031.2	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/11/2008	7031.11	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/10/2008	7030.96	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/9/2008	7030.99	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/8/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/7/2008	7031.19	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/6/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/5/2008	7030.53	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/4/2008	7030.6	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/3/2008	7030.6	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/2/2008	7030.67	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	2/1/2008	7030.76	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/31/2008	7030.94	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/30/2008	7031.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/29/2008	7031	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/28/2008	7030.37	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/27/2008	7029.92	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/26/2008	7029.97	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/25/2008	7030.03	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/24/2008	7030.08	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/23/2008	7030.14	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/22/2008	7030.2	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/21/2008	7030.28	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/20/2008	7030.34	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/19/2008	7030.42	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/18/2008	7030.5	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/17/2008	7030.58	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/16/2008	7030.66	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/15/2008	7030.71	Manual
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/15/2008	7030.69	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/14/2008	7030.76	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/13/2008	7030.87	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/12/2008	7030.97	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/11/2008	7031.04	Manual
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/11/2008	7031.01	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/10/2008	7031.01	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/9/2008	7031.38	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/8/2008	7030.6	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/7/2008	7030.88	Transducer
LAUZ-1	5.35	Single	5361	5	5.35	10.35	0	0	1/6/2008	7030.31	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/8/2009	5828.13	Manual
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	9/22/2008	5828.15	Manual
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	8/28/2008	5828.05	Manual
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	6/1/2008	5828.11	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/31/2008	5828.15	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/30/2008	5828.2	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/29/2008	5828.24	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/28/2008	5828.3	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/27/2008	5828.35	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/26/2008	5828.4	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/25/2008	5828.45	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/24/2008	5828.51	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/23/2008	5828.59	Manual
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/23/2008	5828.58	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/22/2008	5828.64	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/21/2008	5828.67	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/20/2008	5828.72	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/19/2008	5828.79	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/18/2008	5828.84	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/17/2008	5828.91	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/16/2008	5828.98	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/15/2008	5829.08	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/14/2008	5829.15	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/13/2008	5829.25	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/12/2008	5829.31	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/11/2008	5829.38	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/10/2008	5829.5	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/9/2008	5829.56	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/8/2008	5829.59	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/7/2008	5829.71	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/6/2008	5829.7	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/5/2008	5829.77	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/4/2008	5829.91	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/3/2008	5830	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/2/2008	5830.39	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	5/1/2008	5831.06	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/30/2008	5831.86	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/29/2008	5832.9	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/28/2008	5834.12	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/27/2008	5834.62	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/26/2008	5834.96	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/25/2008	5835.23	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/24/2008	5835.49	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/23/2008	5835.72	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/22/2008	5835.87	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/21/2008	5836.05	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/20/2008	5836.19	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/19/2008	5836.26	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/18/2008	5836.3	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/17/2008	5836.41	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/16/2008	5836.44	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/15/2008	5836.42	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/14/2008	5836.36	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/13/2008	5836.33	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/12/2008	5836.3	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/11/2008	5836.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/10/2008	5836.4	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/9/2008	5836.41	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/8/2008	5836.44	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/7/2008	5836.57	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/6/2008	5836.73	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/5/2008	5836.93	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/4/2008	5837.16	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/3/2008	5837.49	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/2/2008	5837.74	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	4/1/2008	5837.94	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/31/2008	5838.14	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/30/2008	5838.31	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/29/2008	5838.47	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/28/2008	5838.61	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/27/2008	5838.76	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/26/2008	5838.87	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/25/2008	5838.99	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/24/2008	5839.08	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/23/2008	5839.17	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/22/2008	5839.27	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/21/2008	5839.36	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/20/2008	5839.46	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/19/2008	5839.52	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/18/2008	5839.62	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/17/2008	5839.71	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/16/2008	5839.8	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/15/2008	5839.85	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/14/2008	5839.96	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/13/2008	5840.02	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/12/2008	5840.08	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/11/2008	5840.14	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/10/2008	5840.21	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/9/2008	5840.35	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/8/2008	5840.42	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/7/2008	5840.47	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/6/2008	5840.55	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/5/2008	5840.64	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/4/2008	5840.67	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/3/2008	5840.69	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/2/2008	5840.83	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	3/1/2008	5840.77	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/29/2008	5840.76	Manual
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/29/2008	5840.81	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/28/2008	5840.83	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/27/2008	5840.73	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/26/2008	5840.61	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/25/2008	5840.33	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/24/2008	5840.16	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/23/2008	5840.14	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/22/2008	5839.99	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/21/2008	5839.83	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/20/2008	5839.56	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/19/2008	5839.29	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/18/2008	5838.88	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/17/2008	5838.22	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/16/2008	5837.31	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/15/2008	5836.14	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/14/2008	5835.64	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/13/2008	5835.1	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/12/2008	5834.61	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/11/2008	5834.23	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/10/2008	5834.25	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/9/2008	5834.33	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/8/2008	5834.46	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/7/2008	5834.44	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/6/2008	5834.45	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/5/2008	5834.54	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/4/2008	5834.61	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/3/2008	5834.54	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/2/2008	5834.52	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	2/1/2008	5834.45	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/31/2008	5834.17	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/30/2008	5833.23	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/29/2008	5832.07	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/28/2008	5832.1	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/27/2008	5832.4	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/26/2008	5832.94	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/25/2008	5833.39	Manual
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/25/2008	5833.8	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/24/2008	5834.22	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/23/2008	5834.54	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/22/2008	5834.84	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/21/2008	5835.2	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/20/2008	5835.47	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/19/2008	5835.73	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/18/2008	5835.97	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/17/2008	5836.06	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/16/2008	5836.16	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/15/2008	5836.35	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/14/2008	5836.55	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/13/2008	5836.75	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/12/2008	5836.8	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/11/2008	5837	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/10/2008	5837.1	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/9/2008	5837.22	Manual
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/9/2008	5837.29	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/8/2008	5837.5	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/7/2008	5837.71	Transducer
LLAO-1b	11.32	Single	5231	10	11.32	21.32	4	4.5	1/6/2008	5837.98	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/22/2009	5509.32	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/21/2009	5509.31	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/20/2009	5509.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/19/2009	5509.29	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/18/2009	5509.27	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/17/2009	5509.27	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/16/2009	5509.26	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/15/2009	5509.25	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/14/2009	5509.24	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/13/2009	5509.22	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/12/2009	5509.21	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/11/2009	5509.2	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/10/2009	5509.18	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/9/2009	5509.19	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/8/2009	5509.1	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/8/2009	5509.17	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/7/2009	5509.16	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/6/2009	5509.16	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/5/2009	5509.13	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/4/2009	5509.12	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/3/2009	5509.11	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/2/2009	5509.09	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/1/2009	5509.07	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/31/2008	5509.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/30/2008	5509.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/29/2008	5509.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/28/2008	5509.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/27/2008	5509	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/26/2008	5508.99	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/25/2008	5508.96	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/24/2008	5508.94	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/23/2008	5508.93	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/22/2008	5508.91	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/21/2008	5508.88	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/20/2008	5508.87	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/19/2008	5508.85	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/18/2008	5508.84	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/17/2008	5508.82	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/16/2008	5508.8	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/15/2008	5508.79	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/14/2008	5508.78	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/13/2008	5508.75	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/12/2008	5508.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/11/2008	5508.71	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/10/2008	5508.69	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/9/2008	5508.68	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/8/2008	5508.66	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/7/2008	5508.63	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/6/2008	5508.61	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/5/2008	5508.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/4/2008	5508.58	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/3/2008	5508.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/2/2008	5508.54	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	12/1/2008	5508.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/30/2008	5508.51	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/29/2008	5508.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/28/2008	5508.46	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/27/2008	5508.43	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/26/2008	5508.41	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/25/2008	5508.39	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/24/2008	5508.37	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/23/2008	5508.35	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/22/2008	5508.33	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/21/2008	5508.3	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/20/2008	5508.29	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/19/2008	5508.26	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/18/2008	5508.24	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/17/2008	5508.22	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/16/2008	5508.2	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/15/2008	5508.18	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/14/2008	5508.17	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/13/2008	5508.14	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/12/2008	5508.12	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/11/2008	5508.1	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/10/2008	5508.09	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/9/2008	5508.06	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/8/2008	5508.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/7/2008	5508.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/6/2008	5508	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/5/2008	5507.98	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/4/2008	5507.96	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/3/2008	5507.94	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/2/2008	5507.92	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	11/1/2008	5507.9	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/31/2008	5507.88	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/30/2008	5507.87	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/29/2008	5507.85	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/28/2008	5507.83	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/27/2008	5507.82	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/26/2008	5507.8	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/25/2008	5507.79	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/24/2008	5507.77	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/23/2008	5507.76	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/22/2008	5507.75	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/21/2008	5507.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/20/2008	5507.72	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/19/2008	5507.71	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/18/2008	5507.7	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/17/2008	5507.69	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/16/2008	5507.69	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/15/2008	5507.68	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/14/2008	5507.65	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/13/2008	5507.64	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/12/2008	5507.58	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/11/2008	5507.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/10/2008	5507.52	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/9/2008	5507.5	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/8/2008	5507.49	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/7/2008	5507.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/6/2008	5507.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/5/2008	5507.47	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/4/2008	5507.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/3/2008	5507.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/2/2008	5507.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	10/1/2008	5507.49	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/30/2008	5507.5	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/29/2008	5507.51	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/28/2008	5507.52	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/27/2008	5507.53	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/26/2008	5507.55	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/25/2008	5507.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/24/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/23/2008	5507.58	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/22/2008	5507.58	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/22/2008	5507.51	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/21/2008	5507.52	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/20/2008	5507.53	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/19/2008	5507.54	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/18/2008	5507.54	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/17/2008	5507.55	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/16/2008	5507.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/15/2008	5507.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/14/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/13/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/12/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/11/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/10/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/9/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/8/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/7/2008	5507.58	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/6/2008	5507.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/5/2008	5507.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/4/2008	5507.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/3/2008	5507.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/2/2008	5507.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	9/1/2008	5507.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/31/2008	5507.55	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/30/2008	5507.55	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/29/2008	5507.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/28/2008	5507.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/27/2008	5507.56	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/27/2008	5507.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/26/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/25/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/24/2008	5507.58	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/23/2008	5507.58	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/22/2008	5507.6	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/21/2008	5507.62	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/20/2008	5507.64	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/19/2008	5507.66	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/18/2008	5507.6	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/17/2008	5507.42	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/16/2008	5507.43	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/15/2008	5507.43	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/14/2008	5507.43	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/13/2008	5507.44	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/12/2008	5507.44	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/11/2008	5507.45	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/10/2008	5507.45	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/9/2008	5507.46	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/8/2008	5507.46	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/7/2008	5507.46	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/6/2008	5507.47	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/5/2008	5507.47	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/4/2008	5507.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/3/2008	5507.49	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/2/2008	5507.49	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	8/1/2008	5507.5	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/31/2008	5507.5	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/30/2008	5507.51	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/29/2008	5507.52	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/28/2008	5507.52	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/27/2008	5507.53	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/26/2008	5507.53	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/25/2008	5507.54	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/24/2008	5507.55	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/23/2008	5507.54	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/22/2008	5507.55	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/21/2008	5507.55	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/20/2008	5507.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/19/2008	5507.57	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/18/2008	5507.58	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/17/2008	5507.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/16/2008	5507.6	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/15/2008	5507.61	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/14/2008	5507.62	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/13/2008	5507.63	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/12/2008	5507.64	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/11/2008	5507.66	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/10/2008	5507.67	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/9/2008	5507.68	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/8/2008	5507.7	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/7/2008	5507.72	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/6/2008	5507.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/5/2008	5507.75	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/4/2008	5507.77	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/3/2008	5507.79	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/2/2008	5507.81	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	7/1/2008	5507.83	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/30/2008	5507.86	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/29/2008	5507.88	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/28/2008	5507.92	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/27/2008	5507.94	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/26/2008	5507.98	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/25/2008	5508.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/24/2008	5508.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/23/2008	5508.09	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/22/2008	5508.13	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/21/2008	5508.18	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/20/2008	5508.23	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/19/2008	5508.28	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/18/2008	5508.34	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/17/2008	5508.39	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/16/2008	5508.42	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/16/2008	5508.45	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/15/2008	5508.51	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/14/2008	5508.58	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/13/2008	5508.63	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/12/2008	5508.7	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/11/2008	5508.76	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/10/2008	5508.82	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/9/2008	5508.88	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/8/2008	5508.94	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/7/2008	5509.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/6/2008	5509.07	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/5/2008	5509.12	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/4/2008	5509.18	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/3/2008	5509.23	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/2/2008	5509.3	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	6/1/2008	5509.35	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/31/2008	5509.41	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/30/2008	5509.46	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/29/2008	5509.5	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/28/2008	5509.54	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/27/2008	5509.6	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/26/2008	5509.63	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/25/2008	5509.66	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/24/2008	5509.7	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/23/2008	5509.71	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/23/2008	5509.75	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/22/2008	5509.8	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/21/2008	5509.84	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/20/2008	5509.9	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/19/2008	5509.94	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/18/2008	5509.98	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/17/2008	5510.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/16/2008	5510.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/15/2008	5510.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/14/2008	5510.14	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/13/2008	5510.19	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/12/2008	5510.22	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/11/2008	5510.26	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/10/2008	5510.31	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/9/2008	5510.33	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/8/2008	5510.37	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/7/2008	5510.39	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/6/2008	5510.42	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/5/2008	5510.45	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/4/2008	5510.47	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/3/2008	5510.5	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/2/2008	5510.53	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	5/1/2008	5510.56	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/30/2008	5510.59	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/29/2008	5510.61	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/28/2008	5510.62	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/27/2008	5510.64	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/26/2008	5510.67	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/25/2008	5510.7	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/24/2008	5510.7	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/23/2008	5510.72	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/22/2008	5510.75	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/21/2008	5510.78	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/20/2008	5510.79	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/19/2008	5510.8	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/18/2008	5510.82	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/17/2008	5510.84	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/16/2008	5510.86	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/15/2008	5510.88	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/14/2008	5510.87	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/13/2008	5510.89	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/12/2008	5510.9	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/11/2008	5510.93	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/10/2008	5510.95	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/9/2008	5510.95	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/8/2008	5510.97	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/7/2008	5510.98	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/6/2008	5511	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/5/2008	5511	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/4/2008	5511.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/3/2008	5511.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/2/2008	5511.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	4/1/2008	5511.03	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/31/2008	5511.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/30/2008	5511.06	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/29/2008	5511.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/28/2008	5511.07	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/27/2008	5511.09	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/26/2008	5511.08	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/25/2008	5511.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/24/2008	5511.09	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/23/2008	5511.1	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/22/2008	5511.11	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/21/2008	5511.13	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/20/2008	5511.14	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/19/2008	5511.14	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/18/2008	5511.15	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/17/2008	5511.17	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/16/2008	5511.17	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/15/2008	5511.17	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/14/2008	5511.18	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/13/2008	5511.17	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/12/2008	5511.15	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/11/2008	5511.12	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/10/2008	5511.1	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/9/2008	5511.1	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/8/2008	5511.09	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/7/2008	5511.06	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/6/2008	5511.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/5/2008	5511.08	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/4/2008	5511.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/3/2008	5511.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/2/2008	5511.08	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	3/1/2008	5511.03	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/29/2008	5511.02	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/29/2008	5511.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/28/2008	5511.06	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/27/2008	5511.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/26/2008	5511.03	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/25/2008	5511.05	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/24/2008	5511.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/23/2008	5511.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/22/2008	5511.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/21/2008	5511.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/20/2008	5511.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/19/2008	5511.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/18/2008	5511.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/17/2008	5511.03	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/16/2008	5511.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/15/2008	5511.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/14/2008	5511.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/13/2008	5511.01	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/12/2008	5511.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/11/2008	5511.03	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/10/2008	5511.02	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/9/2008	5511.04	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/8/2008	5511.06	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/7/2008	5511.06	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/6/2008	5511.07	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/5/2008	5511.11	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/4/2008	5511.13	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/3/2008	5511.15	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/2/2008	5511.19	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	2/1/2008	5511.24	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/31/2008	5511.34	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/30/2008	5511.48	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/29/2008	5511.46	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/28/2008	5510.74	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/27/2008	5510.71	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/26/2008	5510.7	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/25/2008	5510.68	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/25/2008	5510.74	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/24/2008	5510.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/23/2008	5510.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/22/2008	5510.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/21/2008	5510.75	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/20/2008	5510.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/19/2008	5510.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/18/2008	5510.73	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/17/2008	5510.72	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/16/2008	5510.72	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/15/2008	5510.68	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/14/2008	5510.66	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/13/2008	5510.67	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/12/2008	5510.66	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/11/2008	5510.64	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/10/2008	5510.63	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/9/2008	5510.59	Manual
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/9/2008	5510.64	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/8/2008	5510.61	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/7/2008	5510.61	Transducer
LLAO-4	5.24	Single	5661	10	5.24	15.24	4	4.5	1/6/2008	5510.59	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/22/2009	6948.37	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/21/2009	6948.49	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/20/2009	6948.53	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/19/2009	6948.62	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/18/2009	6948.66	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/17/2009	6948.65	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/16/2009	6948.68	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/15/2009	6948.72	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/14/2009	6948.73	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/13/2009	6948.82	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/12/2009	6948.82	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/11/2009	6948.86	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/10/2009	6948.69	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/9/2009	6948.65	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/8/2009	6948.7	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/7/2009	6948.63	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/6/2009	6948.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/5/2009	6948.48	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/4/2009	6948.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/3/2009	6948.45	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/2/2009	6948.6	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/1/2009	6948.65	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/31/2008	6948.71	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/30/2008	6948.76	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/29/2008	6948.89	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/28/2008	6948.91	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/27/2008	6948.61	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/26/2008	6948.41	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/25/2008	6948.66	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/24/2008	6948.67	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/23/2008	6948.46	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/22/2008	6948.69	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/21/2008	6948.78	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/20/2008	6948.6	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/19/2008	6948.63	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/18/2008	6948.52	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/17/2008	6947.9	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/16/2008	6947.89	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/15/2008	6947.76	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/14/2008	6947.95	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/13/2008	6948.2	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/12/2008	6948.57	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/11/2008	6948.66	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/10/2008	6948.73	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/9/2008	6948.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/8/2008	6948.52	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/7/2008	6948.71	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/6/2008	6948.77	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/5/2008	6948.67	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/4/2008	6948.53	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/3/2008	6948.14	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/2/2008	6948.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	12/1/2008	6948.36	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/30/2008	6948.48	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/29/2008	6948.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/28/2008	6947.05	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/27/2008	6946.72	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/26/2008	6946.8	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/25/2008	6946.88	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/24/2008	6946.99	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/23/2008	6947.09	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/22/2008	6947.2	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/21/2008	6947.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/20/2008	6947.48	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/19/2008	6947.63	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/18/2008	6947.79	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/17/2008	6949.06	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/16/2008	6949.16	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/15/2008	6949.23	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/14/2008	6949.14	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/13/2008	6949.24	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/12/2008	6949.29	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/11/2008	6949.26	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/10/2008	6949.11	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/9/2008	6949.28	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/8/2008	6949.36	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/7/2008	6949.39	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/6/2008	6949.29	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/5/2008	6948.95	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/4/2008	6948.74	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/3/2008	6948.74	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/2/2008	6948.86	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	11/1/2008	6948.93	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/31/2008	6949.01	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/30/2008	6949	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/29/2008	6949.06	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/28/2008	6949.16	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/27/2008	6949.14	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/26/2008	6949.14	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/25/2008	6949.19	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/24/2008	6949.19	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/23/2008	6949.23	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/22/2008	6948.97	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/21/2008	6949.01	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/20/2008	6949.04	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/19/2008	6949.04	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/18/2008	6949.11	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/17/2008	6949.1	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/16/2008	6949.1	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/15/2008	6949.08	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/14/2008	6948.86	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/13/2008	6948.95	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/12/2008	6948.5	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/11/2008	6947.2	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/10/2008	6947.42	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/9/2008	6947.63	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/8/2008	6947.82	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/7/2008	6947.92	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/6/2008	6946.82	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/5/2008	6946.56	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/4/2008	6946.43	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/3/2008	6946.39	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/2/2008	6946.41	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	10/1/2008	6946.48	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/30/2008	6946.55	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/29/2008	6946.65	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/28/2008	6946.76	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/27/2008	6946.78	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/26/2008	6946.83	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/25/2008	6947.02	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/24/2008	6947.08	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/23/2008	6947.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/22/2008	6947.49	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/21/2008	6947.73	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/20/2008	6948.72	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/19/2008	6948.8	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/18/2008	6948.92	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/17/2008	6949.11	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/16/2008	6949.32	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/15/2008	6948.89	Manual
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/15/2008	6948.93	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/14/2008	6949.04	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/13/2008	6949.1	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/12/2008	6949.11	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/11/2008	6949.13	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/10/2008	6949.14	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/9/2008	6949.15	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/8/2008	6949.17	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/7/2008	6949.19	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/6/2008	6949.21	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/5/2008	6949.23	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/4/2008	6949.27	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/3/2008	6949.26	Manual
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/3/2008	6949.32	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/2/2008	6949.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	9/1/2008	6949.69	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/31/2008	6949.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/30/2008	6949.25	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/29/2008	6949.26	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/28/2008	6949.29	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/27/2008	6949.36	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/26/2008	6949.48	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/25/2008	6949.55	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/24/2008	6949.37	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/23/2008	6949.2	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/22/2008	6949.24	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/21/2008	6949.25	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/20/2008	6949.26	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/19/2008	6949.28	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/18/2008	6949.31	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/17/2008	6949.47	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/16/2008	6949.21	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/15/2008	6949.22	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/14/2008	6949.23	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/13/2008	6949.27	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/12/2008	6949.21	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/11/2008	6949.26	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/10/2008	6949.27	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/9/2008	6949.28	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/8/2008	6948.89	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/7/2008	6947.86	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/6/2008	6948.26	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/5/2008	6948.08	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/4/2008	6945.77	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/3/2008	6945.81	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/2/2008	6945.85	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	8/1/2008	6945.9	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/31/2008	6945.97	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/30/2008	6946.04	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/29/2008	6946.15	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/28/2008	6946.27	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/27/2008	6946.38	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/26/2008	6946.54	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/25/2008	6946.78	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/24/2008	6947.06	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/23/2008	6947.38	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/22/2008	6947.67	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/21/2008	6947.83	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/20/2008	6948.16	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/19/2008	6948.54	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/18/2008	6948.57	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/17/2008	6947.92	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/16/2008	6948.03	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/15/2008	6948.24	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/14/2008	6948.2	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/13/2008	6947.77	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/12/2008	6947.66	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/11/2008	6947.96	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/10/2008	6948.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/9/2008	6945.75	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/8/2008	6945.76	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/7/2008	6945.76	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/6/2008	6945.78	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/5/2008	6945.79	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/4/2008	6945.8	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/3/2008	6945.81	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/2/2008	6945.81	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	7/1/2008	6945.81	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/30/2008	6945.81	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/29/2008	6945.82	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/28/2008	6945.84	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/27/2008	6945.86	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/26/2008	6945.89	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/25/2008	6945.93	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/24/2008	6945.97	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/23/2008	6946.02	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/22/2008	6946.06	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/21/2008	6946.1	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/20/2008	6946.15	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/19/2008	6946.21	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/18/2008	6946.28	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/17/2008	6946.35	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/16/2008	6946.43	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/15/2008	6946.54	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/14/2008	6946.68	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/13/2008	6946.83	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/12/2008	6947.01	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/11/2008	6947.24	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/10/2008	6947.45	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/9/2008	6947.69	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/8/2008	6947.94	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/7/2008	6948.2	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/6/2008	6948.5	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/5/2008	6948.73	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/4/2008	6948.91	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/3/2008	6948.98	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/2/2008	6949.05	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	6/1/2008	6949.07	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/31/2008	6949.09	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/30/2008	6949.13	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/29/2008	6949.1	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/28/2008	6948.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/27/2008	6948.6	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/26/2008	6948.87	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/25/2008	6948.94	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/24/2008	6949.04	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/23/2008	6949.09	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/22/2008	6949.05	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/21/2008	6949.07	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/20/2008	6949.09	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/19/2008	6949.11	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/18/2008	6949.12	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/17/2008	6949.16	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/16/2008	6949.25	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/15/2008	6948.93	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/14/2008	6949.06	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/13/2008	6949.05	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/12/2008	6949.09	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/11/2008	6949.11	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/10/2008	6949.13	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/9/2008	6949.16	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/8/2008	6949.17	Manual
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/8/2008	6949.24	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/7/2008	6948.03	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/6/2008	6948.16	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/5/2008	6948.3	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/4/2008	6948.46	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/3/2008	6948.63	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/2/2008	6948.79	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	5/1/2008	6948.94	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/30/2008	6949.03	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/29/2008	6949.07	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/28/2008	6949.1	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/27/2008	6949.13	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/26/2008	6949.15	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/25/2008	6949.16	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/24/2008	6949.17	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/23/2008	6949.17	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/22/2008	6949.18	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/21/2008	6949.18	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/20/2008	6949.19	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/19/2008	6949.19	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/18/2008	6949.2	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/17/2008	6949.21	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/16/2008	6949.21	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/15/2008	6949.22	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/14/2008	6949.23	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/13/2008	6949.24	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/12/2008	6949.25	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/11/2008	6949.26	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/10/2008	6949.31	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/9/2008	6949.28	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/8/2008	6949.29	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/7/2008	6949.3	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/6/2008	6949.3	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/5/2008	6949.31	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/4/2008	6949.31	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/3/2008	6949.32	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/2/2008	6949.32	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	4/1/2008	6949.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/31/2008	6949.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/30/2008	6949.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/29/2008	6949.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/28/2008	6949.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/27/2008	6949.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/26/2008	6949.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/25/2008	6949.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/24/2008	6949.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/23/2008	6949.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/22/2008	6949.35	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/21/2008	6949.36	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/20/2008	6949.36	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/19/2008	6949.36	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/18/2008	6949.38	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/17/2008	6949.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/16/2008	6949.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/15/2008	6949.41	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/14/2008	6949.41	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/13/2008	6949.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/12/2008	6949.38	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/11/2008	6949.37	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/10/2008	6949.37	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/9/2008	6949.38	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/8/2008	6949.39	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/7/2008	6949.42	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/6/2008	6949.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/5/2008	6949.44	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/4/2008	6949.46	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/3/2008	6949.47	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/2/2008	6949.49	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	3/1/2008	6949.46	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/29/2008	6949.45	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/28/2008	6949.44	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/27/2008	6949.46	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/26/2008	6949.49	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/25/2008	6949.62	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/24/2008	6949.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/23/2008	6949.41	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/22/2008	6949.39	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/21/2008	6949.33	Manual
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/21/2008	6949.34	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/20/2008	6949.33	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/19/2008	6949.35	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/18/2008	6949.37	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/17/2008	6949.41	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/16/2008	6949.41	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/15/2008	6949.4	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/14/2008	6949.36	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/13/2008	6949.32	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/12/2008	6949.35	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/11/2008	6949.31	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/10/2008	6949.26	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/9/2008	6949.25	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/8/2008	6949.23	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/7/2008	6949.23	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/6/2008	6949.21	Transducer
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	2/6/2008	6949.21	Manual
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/17/2008	6949.02	Manual
PAO-1	5.89	Single	5561	5	5.89	10.89	4	4.5	1/14/2008	6949.22	Manual
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	11/6/2008	6920.35	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	11/5/2008	6922.56	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	11/4/2008	6920.49	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/21/2008	6919.8	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/20/2008	6920.23	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/19/2008	6920.83	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/18/2008	6921.65	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/17/2008	6922.73	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/16/2008	6922.98	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/15/2008	6922.9	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/14/2008	6920.88	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/13/2008	6922.23	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/12/2008	6923.19	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	10/11/2008	6919.95	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/11/2008	6920.18	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/10/2008	6921.13	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/9/2008	6921.91	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/8/2008	6922.66	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/7/2008	6923.12	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/6/2008	6923.21	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/5/2008	6923.25	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/4/2008	6923.31	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/3/2008	6923.28	Manual
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/3/2008	6923.36	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/2/2008	6923.42	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	9/1/2008	6923.72	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/31/2008	6923.18	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/30/2008	6923.02	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/29/2008	6923.05	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/28/2008	6923.08	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/27/2008	6923.14	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/26/2008	6923.18	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/25/2008	6923.13	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/24/2008	6922.37	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/23/2008	6919.99	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/22/2008	6920.68	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/21/2008	6921.83	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/20/2008	6922.51	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/19/2008	6922.71	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/18/2008	6922.74	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/17/2008	6922.85	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/16/2008	6921.18	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/15/2008	6922.21	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/14/2008	6922.56	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/13/2008	6922.69	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/12/2008	6922.54	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/11/2008	6922.54	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/10/2008	6922.16	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/9/2008	6920.64	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	8/8/2008	6919.82	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	6/2/2008	6919.71	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	6/1/2008	6920.52	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/31/2008	6921.96	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/30/2008	6923	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/29/2008	6921.79	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/28/2008	6919.65	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/26/2008	6919.76	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/25/2008	6920.51	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/24/2008	6921.05	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/23/2008	6920.91	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/22/2008	6920.38	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/21/2008	6919.9	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/20/2008	6919.65	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/19/2008	6920.03	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/18/2008	6921.07	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/17/2008	6923.22	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/16/2008	6923.53	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/15/2008	6920.1	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/10/2008	6919.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/9/2008	6920.67	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/8/2008	6921.43	Manual
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/8/2008	6923.3	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	5/7/2008	6920.17	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/18/2008	6919.68	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/17/2008	6919.63	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/16/2008	6920.03	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/15/2008	6920.71	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/14/2008	6921.28	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/13/2008	6921.92	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/12/2008	6922.29	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/11/2008	6922.75	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/10/2008	6922.83	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/9/2008	6922.81	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/8/2008	6922.83	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/7/2008	6922.85	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/6/2008	6922.9	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/5/2008	6922.89	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/4/2008	6922.87	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/3/2008	6922.89	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/2/2008	6922.9	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	4/1/2008	6922.94	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/31/2008	6922.98	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/30/2008	6923.05	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/29/2008	6923.12	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/28/2008	6923.18	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/27/2008	6923.23	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/26/2008	6923.27	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/25/2008	6923.32	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/24/2008	6923.35	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/23/2008	6923.38	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/22/2008	6923.44	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/21/2008	6923.49	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/20/2008	6923.52	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/19/2008	6923.56	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/18/2008	6923.59	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/17/2008	6923.65	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/16/2008	6923.68	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/15/2008	6923.72	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/14/2008	6923.74	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/13/2008	6923.72	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/12/2008	6923.7	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/11/2008	6923.69	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/10/2008	6923.67	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/9/2008	6923.69	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/8/2008	6923.69	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/7/2008	6923.72	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/6/2008	6923.71	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/5/2008	6923.71	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/4/2008	6923.7	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/3/2008	6923.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/2/2008	6923.69	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	3/1/2008	6923.63	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/29/2008	6923.61	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/28/2008	6923.58	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/27/2008	6923.54	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/26/2008	6923.54	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/25/2008	6923.71	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/24/2008	6923.53	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/23/2008	6923.54	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/22/2008	6923.51	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/21/2008	6923.5	Manual
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/21/2008	6923.56	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/20/2008	6923.53	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/19/2008	6923.53	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/18/2008	6923.53	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/17/2008	6923.55	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/16/2008	6923.52	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/15/2008	6923.48	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/14/2008	6923.45	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/13/2008	6923.4	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/12/2008	6923.4	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/11/2008	6923.35	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/10/2008	6923.26	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/9/2008	6923.2	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/8/2008	6923.11	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/7/2008	6923	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/6/2008	6922.83	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/5/2008	6922.43	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/4/2008	6920.86	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	2/3/2008	6919.85	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/17/2008	6919.46	Manual
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/17/2008	6919.68	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/16/2008	6920.4	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/15/2008	6920.85	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/14/2008	6921.04	Manual
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/14/2008	6921.83	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/13/2008	6923.08	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/12/2008	6923.19	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/11/2008	6923.12	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/10/2008	6922.96	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/9/2008	6922.6	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/8/2008	6922.26	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/7/2008	6921.08	Transducer
PAO-2	6.06	Single	6801	5	6.06	11.06	4	4.5	1/6/2008	6919.47	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/15/2008	6435.45	Manual
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/15/2008	6435.46	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/14/2008	6435.55	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/13/2008	6435.49	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/12/2008	6435.51	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/11/2008	6435.43	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/10/2008	6435.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/9/2008	6435.54	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/8/2008	6435.48	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/7/2008	6435.56	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/6/2008	6435.66	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/5/2008	6435.7	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/4/2008	6435.87	Manual
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/4/2008	6435.87	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/3/2008	6435.96	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/2/2008	6436.37	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	9/1/2008	6437.92	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/31/2008	6435.62	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/30/2008	6435.89	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/29/2008	6436.17	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/28/2008	6435.66	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/27/2008	6435.66	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/26/2008	6435.76	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/25/2008	6435.93	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/24/2008	6435.87	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/23/2008	6435.53	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/22/2008	6435.74	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/21/2008	6435.77	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/20/2008	6435.83	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/19/2008	6435.88	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/18/2008	6436.34	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/17/2008	6435.8	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/16/2008	6435.57	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/15/2008	6435.59	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/14/2008	6435.64	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/13/2008	6435.67	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/12/2008	6435.7	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/11/2008	6436.04	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/10/2008	6435.81	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/9/2008	6435.31	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/8/2008	6435.3	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/7/2008	6435.4	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/6/2008	6435.18	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/5/2008	6434.95	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/4/2008	6435.02	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/3/2008	6435.06	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/2/2008	6435.11	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	8/1/2008	6435.17	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/31/2008	6435.22	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/30/2008	6435.28	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/29/2008	6435.37	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/28/2008	6435.53	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/27/2008	6435.38	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/26/2008	6435.36	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/25/2008	6435.43	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/24/2008	6435.55	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/23/2008	6435.66	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/22/2008	6435.33	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/21/2008	6435.32	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/20/2008	6435.38	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/19/2008	6435.41	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/18/2008	6435.39	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/17/2008	6435.31	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/16/2008	6435.33	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/15/2008	6435.38	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/14/2008	6435.47	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/13/2008	6435.45	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/12/2008	6435.51	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/11/2008	6435.63	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/10/2008	6435.7	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/9/2008	6435.7	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/8/2008	6435.55	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/7/2008	6435.51	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/6/2008	6435.58	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/5/2008	6435.63	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/4/2008	6435.57	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/3/2008	6434.82	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/2/2008	6434.52	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	7/1/2008	6434.54	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/30/2008	6434.57	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/29/2008	6434.62	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/28/2008	6434.69	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/27/2008	6434.78	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/26/2008	6434.83	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/25/2008	6434.69	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/24/2008	6434.72	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/23/2008	6434.78	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/22/2008	6434.84	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/21/2008	6434.91	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/20/2008	6435.01	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/19/2008	6435.14	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/18/2008	6435.23	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/17/2008	6435.29	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/16/2008	6435.29	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/15/2008	6435.32	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/14/2008	6435.33	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/13/2008	6435.19	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/12/2008	6435.18	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/11/2008	6435.33	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/10/2008	6435.42	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/9/2008	6435.45	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/8/2008	6435.49	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/7/2008	6435.64	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/6/2008	6435.51	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/5/2008	6435.52	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/4/2008	6435.55	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/3/2008	6435.58	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/2/2008	6435.6	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	6/1/2008	6435.64	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/31/2008	6435.7	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/30/2008	6435.71	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/29/2008	6435.7	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/28/2008	6435.73	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/27/2008	6435.81	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/26/2008	6435.84	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/25/2008	6435.82	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/24/2008	6435.85	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/23/2008	6435.77	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/22/2008	6435.79	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/21/2008	6435.83	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/20/2008	6435.89	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/19/2008	6435.93	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/18/2008	6435.91	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/17/2008	6435.95	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/16/2008	6436.03	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/15/2008	6435.91	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/14/2008	6435.88	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/13/2008	6435.91	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/12/2008	6435.95	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/11/2008	6435.96	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/10/2008	6435.99	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/9/2008	6436.04	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/8/2008	6436.05	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/7/2008	6436	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/6/2008	6435.98	Manual
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/6/2008	6436	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/5/2008	6436.02	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/4/2008	6436.03	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/3/2008	6436.05	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/2/2008	6436.03	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	5/1/2008	6436.05	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/30/2008	6436.06	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/29/2008	6436.06	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/28/2008	6436.09	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/27/2008	6436.05	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/26/2008	6436.04	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/25/2008	6436.05	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/24/2008	6436.06	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/23/2008	6436.08	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/22/2008	6436.1	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/21/2008	6436.14	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/20/2008	6436.12	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/19/2008	6436.11	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/18/2008	6436.13	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/17/2008	6436.1	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/16/2008	6436.15	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/15/2008	6436.24	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/14/2008	6436.35	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/13/2008	6436.39	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/12/2008	6436.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/11/2008	6436.42	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/10/2008	6436.44	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/9/2008	6436.7	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/8/2008	6436.73	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/7/2008	6436.78	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/6/2008	6436.77	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/5/2008	6436.77	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/4/2008	6436.84	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/3/2008	6436.92	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/2/2008	6436.87	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	4/1/2008	6436.92	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/31/2008	6436.98	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/30/2008	6437.06	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/29/2008	6437.07	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/28/2008	6437.09	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/27/2008	6437	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/26/2008	6437.08	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/25/2008	6437.15	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/24/2008	6437.24	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/23/2008	6437.24	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/22/2008	6437.16	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/21/2008	6437.28	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/20/2008	6437.29	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/19/2008	6437.29	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/18/2008	6437.31	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/17/2008	6437.36	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/16/2008	6437.34	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/15/2008	6437.35	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/14/2008	6437.42	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/13/2008	6437.44	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/12/2008	6437.44	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/11/2008	6437.46	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/10/2008	6437.48	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/9/2008	6437.47	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/8/2008	6437.46	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/7/2008	6437.45	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/6/2008	6437.49	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/5/2008	6437.48	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/4/2008	6437.48	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/3/2008	6437.5	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/2/2008	6437.53	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	3/1/2008	6437.51	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/29/2008	6437.53	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/28/2008	6437.52	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/27/2008	6437.5	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/26/2008	6437.51	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/25/2008	6437.55	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/25/2008	6437.58	Manual
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/21/2008	6437.48	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/20/2008	6437.46	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/19/2008	6437.45	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/18/2008	6437.45	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/17/2008	6437.45	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/16/2008	6437.5	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/15/2008	6437.54	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/14/2008	6437.53	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/13/2008	6437.49	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/12/2008	6437.51	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/11/2008	6437.43	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/10/2008	6437.42	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/9/2008	6437.45	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/8/2008	6437.48	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/7/2008	6437.44	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/6/2008	6437.4	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/5/2008	6437.45	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/4/2008	6437.69	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/3/2008	6437.49	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/2/2008	6437.66	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	2/1/2008	6437.62	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/31/2008	6437.62	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/30/2008	6437.71	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/29/2008	6437.9	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/28/2008	6437.76	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/27/2008	6437.74	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/26/2008	6437.81	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/25/2008	6437.86	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/24/2008	6437.85	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/23/2008	6437.87	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/22/2008	6437.86	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/21/2008	6437.82	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/20/2008	6437.82	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/19/2008	6437.81	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/18/2008	6437.82	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/17/2008	6437.8	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/16/2008	6437.77	Manual
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/16/2008	6437.87	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/15/2008	6437.82	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/14/2008	6437.82	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/13/2008	6437.8	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/12/2008	6437.79	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/11/2008	6437.78	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/10/2008	6437.75	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/9/2008	6437.75	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/8/2008	6437.74	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/7/2008	6437.77	Transducer
PAO-4	1.97	Single	5591	5	1.97	6.97	4	4.5	1/6/2008	6437.71	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/22/2009	6213.48	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/21/2009	6213.35	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/20/2009	6213.31	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/19/2009	6213.27	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/18/2009	6213.27	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/17/2009	6213.3	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
POI-4	159	Single	4291	15	159	174	4	4.5	1/16/2009	6213.3	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/15/2009	6213.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/14/2009	6213.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/13/2009	6213.22	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/12/2009	6213.22	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/11/2009	6213.22	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/10/2009	6213.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/9/2009	6213.45	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/8/2009	6213.42	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/7/2009	6213.52	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/6/2009	6213.61	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/5/2009	6213.44	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/4/2009	6213.52	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/3/2009	6213.52	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/2/2009	6213.29	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/1/2009	6213.15	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/31/2008	6213.01	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/30/2008	6213.03	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/29/2008	6213.06	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/28/2008	6213.27	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/27/2008	6213.47	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/26/2008	6213.43	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/25/2008	6213.28	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/24/2008	6213.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/23/2008	6213.29	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/22/2008	6213.03	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/21/2008	6213.01	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/20/2008	6213.08	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/19/2008	6213.06	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/18/2008	6213.17	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/17/2008	6213.21	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/16/2008	6213.3	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/15/2008	6213.35	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/14/2008	6213.43	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/13/2008	6213.15	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/12/2008	6213	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/11/2008	6213.09	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/10/2008	6213.21	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/9/2008	6213.37	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/8/2008	6213.12	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/7/2008	6212.97	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/6/2008	6213.02	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/5/2008	6213.04	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/4/2008	6213.14	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/3/2008	6213.19	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/2/2008	6213.15	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	12/1/2008	6213.22	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/30/2008	6213.23	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/29/2008	6213.17	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/28/2008	6213.06	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/27/2008	6212.92	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
POI-4	159	Single	4291	15	159	174	4	4.5	11/26/2008	6212.8	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/25/2008	6212.78	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/24/2008	6212.77	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/23/2008	6212.74	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/22/2008	6212.63	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/21/2008	6212.61	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/20/2008	6212.61	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/19/2008	6212.61	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/18/2008	6212.66	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/17/2008	6212.8	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/16/2008	6212.92	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/15/2008	6212.98	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/14/2008	6213.15	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/13/2008	6213.13	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/12/2008	6213.17	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/11/2008	6213.23	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/10/2008	6213.24	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/9/2008	6213.06	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/8/2008	6213.06	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/7/2008	6213.11	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/6/2008	6213.24	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/5/2008	6213.23	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/4/2008	6213.07	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/3/2008	6212.9	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/2/2008	6212.7	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	11/1/2008	6212.66	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/31/2008	6212.67	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/30/2008	6212.62	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/29/2008	6212.53	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/28/2008	6212.58	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/27/2008	6212.67	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/26/2008	6212.86	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/25/2008	6212.85	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/24/2008	6212.79	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/23/2008	6212.77	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/22/2008	6212.66	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/21/2008	6212.45	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/20/2008	6212.26	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/19/2008	6212.17	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/18/2008	6212.09	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/17/2008	6212.12	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/16/2008	6212.19	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/15/2008	6212.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/14/2008	6212.56	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/13/2008	6212.81	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/12/2008	6212.88	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/11/2008	6212.68	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/10/2008	6212.44	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/9/2008	6212.29	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/8/2008	6212.39	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/7/2008	6212.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
POI-4	159	Single	4291	15	159	174	4	4.5	10/6/2008	6212.87	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/5/2008	6212.71	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/4/2008	6212.51	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/3/2008	6212.27	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/2/2008	6212.12	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	10/1/2008	6212.08	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/30/2008	6212.09	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/29/2008	6212.14	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/28/2008	6212.18	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/27/2008	6212.19	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/26/2008	6212.16	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/25/2008	6212.19	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/24/2008	6212.28	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/23/2008	6212.37	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/22/2008	6212.39	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/21/2008	6212.36	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/20/2008	6212.33	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/19/2008	6212.26	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/18/2008	6212.23	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/17/2008	6212.22	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/16/2008	6212.32	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/15/2008	6212.55	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/14/2008	6212.79	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/13/2008	6212.83	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/12/2008	6212.82	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/11/2008	6212.75	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/10/2008	6212.77	Manual
POI-4	159	Single	4291	15	159	174	4	4.5	9/10/2008	6212.63	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/9/2008	6212.62	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/8/2008	6212.65	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/7/2008	6212.7	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/6/2008	6212.72	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/5/2008	6212.64	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/4/2008	6212.43	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/3/2008	6212.52	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/2/2008	6212.62	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	9/1/2008	6212.53	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/31/2008	6212.4	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/30/2008	6212.41	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/29/2008	6212.48	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/28/2008	6212.47	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/27/2008	6212.37	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/26/2008	6212.2	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/25/2008	6212.14	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/24/2008	6212.21	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/23/2008	6212.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/22/2008	6212.37	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/21/2008	6212.29	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/20/2008	6212.22	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/19/2008	6212.19	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/18/2008	6212.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
POI-4	159	Single	4291	15	159	174	4	4.5	8/17/2008	6212.18	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/16/2008	6212.24	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/15/2008	6212.3	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/14/2008	6212.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/13/2008	6212.37	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/12/2008	6212.36	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/11/2008	6212.37	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/10/2008	6212.3	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/9/2008	6212.18	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/8/2008	6212.15	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/7/2008	6212.14	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/6/2008	6212.16	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/5/2008	6212.27	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/4/2008	6212.33	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	8/4/2008	6212.35	Manual
POI-4	159	Single	4291	15	159	174	4	4.5	7/1/2008	6212.45	Manual
POI-4	159	Single	4291	15	159	174	4	4.5	7/1/2008	6212.44	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/30/2008	6212.47	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/29/2008	6212.72	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/28/2008	6212.88	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/27/2008	6212.83	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/26/2008	6212.72	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/25/2008	6212.7	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/24/2008	6212.67	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/23/2008	6212.54	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/22/2008	6212.51	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/21/2008	6212.63	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/20/2008	6212.81	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/19/2008	6212.75	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/18/2008	6212.69	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/17/2008	6212.75	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/16/2008	6212.76	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/15/2008	6212.71	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/14/2008	6212.78	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/13/2008	6212.91	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/12/2008	6213.03	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/11/2008	6213.02	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/10/2008	6212.95	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/9/2008	6213.04	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/8/2008	6213.15	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/7/2008	6213.22	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/6/2008	6213.38	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/5/2008	6213.53	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/4/2008	6213.29	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/3/2008	6213.14	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/2/2008	6213.08	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	6/1/2008	6213.03	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/31/2008	6213.04	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/30/2008	6213.03	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/29/2008	6213.04	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/28/2008	6213.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
POI-4	159	Single	4291	15	159	174	4	4.5	5/27/2008	6213.24	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/26/2008	6213.32	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/25/2008	6213.35	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/24/2008	6213.53	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/23/2008	6213.86	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/22/2008	6213.77	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/21/2008	6213.45	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/20/2008	6213.33	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/19/2008	6213.25	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/18/2008	6213.13	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/17/2008	6213.1	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/16/2008	6213.2	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/15/2008	6213.38	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/14/2008	6213.43	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/13/2008	6213.55	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/12/2008	6213.45	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/11/2008	6213.38	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/10/2008	6213.53	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/9/2008	6213.53	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/8/2008	6213.62	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/7/2008	6213.66	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/6/2008	6213.62	Manual
POI-4	159	Single	4291	15	159	174	4	4.5	5/6/2008	6213.57	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/5/2008	6213.53	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/4/2008	6213.55	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/3/2008	6213.66	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/2/2008	6214.02	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	5/1/2008	6214.14	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/30/2008	6213.78	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/29/2008	6213.6	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/28/2008	6213.52	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/27/2008	6213.55	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/26/2008	6213.65	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/25/2008	6213.81	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/24/2008	6213.82	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/23/2008	6213.74	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/22/2008	6213.81	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/21/2008	6213.97	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/20/2008	6213.91	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/19/2008	6213.79	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/18/2008	6213.92	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/17/2008	6214.23	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/16/2008	6214.05	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/15/2008	6213.71	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/14/2008	6213.55	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/13/2008	6213.54	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/12/2008	6213.68	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/11/2008	6214.14	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/10/2008	6214.32	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/9/2008	6214.12	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/8/2008	6214.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
POI-4	159	Single	4291	15	159	174	4	4.5	4/7/2008	6214.11	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/6/2008	6214.2	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/5/2008	6213.98	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/4/2008	6213.99	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/3/2008	6214.02	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/2/2008	6213.89	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	4/1/2008	6214.05	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/31/2008	6214.26	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/30/2008	6214.26	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/29/2008	6214.21	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/28/2008	6214.29	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/27/2008	6214.19	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/26/2008	6214.04	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/25/2008	6213.9	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/24/2008	6213.69	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/23/2008	6213.69	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/22/2008	6213.73	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/21/2008	6213.79	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/20/2008	6213.74	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/19/2008	6213.83	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/18/2008	6214.11	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/17/2008	6214.36	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/16/2008	6214.34	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/15/2008	6214.35	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/14/2008	6214.27	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/13/2008	6214.06	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/12/2008	6213.75	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/11/2008	6213.64	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/10/2008	6213.73	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/9/2008	6214	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/8/2008	6213.79	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/7/2008	6213.86	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/6/2008	6214.1	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/5/2008	6214.17	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/4/2008	6213.92	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/3/2008	6214.21	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/2/2008	6214.05	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	3/1/2008	6213.7	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	2/29/2008	6213.91	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	2/28/2008	6213.78	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	2/27/2008	6213.61	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	2/26/2008	6213.76	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	2/25/2008	6213.8	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	2/24/2008	6213.8	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	2/23/2008	6213.99	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/30/2008	6214.27	Manual
POI-4	159	Single	4291	15	159	174	4	4.5	1/30/2008	6214.19	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/29/2008	6214.42	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/28/2008	6213.92	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/27/2008	6213.65	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/26/2008	6213.67	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
POI-4	159	Single	4291	15	159	174	4	4.5	1/25/2008	6213.89	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/24/2008	6213.8	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/23/2008	6213.79	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/22/2008	6213.9	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/21/2008	6213.89	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/20/2008	6213.69	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/19/2008	6213.71	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/18/2008	6213.91	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/17/2008	6213.95	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/16/2008	6213.89	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/15/2008	6213.54	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/14/2008	6213.55	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/13/2008	6213.64	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/12/2008	6213.73	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/11/2008	6213.7	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/10/2008	6213.77	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/9/2008	6213.68	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/8/2008	6213.96	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/7/2008	6214.01	Transducer
POI-4	159	Single	4291	15	159	174	4	4.5	1/6/2008	6213.86	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/22/2009	5869.99	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/21/2009	5869.8	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/20/2009	5869.78	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/19/2009	5869.76	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/18/2009	5869.72	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/17/2009	5869.83	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/16/2009	5869.77	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/15/2009	5869.87	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/14/2009	5869.96	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/13/2009	5869.78	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/12/2009	5869.89	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/11/2009	5869.8	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/10/2009	5869.95	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/9/2009	5870.17	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/8/2009	5870.06	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/7/2009	5870.19	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/6/2009	5870.45	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/5/2009	5870.07	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/4/2009	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/3/2009	5870.39	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/2/2009	5870.13	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/1/2009	5870.09	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/31/2008	5869.88	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/30/2008	5869.93	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/29/2008	5869.84	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/28/2008	5870.04	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/27/2008	5870.44	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/26/2008	5870.52	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/25/2008	5870.16	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/24/2008	5870.34	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/23/2008	5870.57	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/22/2008	5870.15	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/21/2008	5870.09	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/20/2008	5870.26	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/19/2008	5870.12	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/18/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/17/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/16/2008	5870.35	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/15/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/14/2008	5870.74	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/13/2008	5870.42	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/12/2008	5870.07	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/11/2008	5870	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/10/2008	5870.04	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/9/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/8/2008	5870.37	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/7/2008	5870.06	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/6/2008	5870.11	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/5/2008	5870.08	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/4/2008	5870.18	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/3/2008	5870.42	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/2/2008	5870.15	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	12/1/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/30/2008	5870.35	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/29/2008	5870.41	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/28/2008	5870.32	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/27/2008	5870.2	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/26/2008	5870.11	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/25/2008	5869.95	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/24/2008	5870.02	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/23/2008	5870.11	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/22/2008	5870.06	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/21/2008	5869.9	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/20/2008	5870.04	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/19/2008	5869.94	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/18/2008	5869.81	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/17/2008	5869.94	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/16/2008	5869.97	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/15/2008	5869.96	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/14/2008	5870.39	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/13/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/12/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/11/2008	5870.39	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/10/2008	5870.6	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/9/2008	5870.38	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/8/2008	5870.21	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/7/2008	5870.15	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/6/2008	5870.34	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/5/2008	5870.57	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/4/2008	5870.34	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/3/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/2/2008	5870.08	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	11/1/2008	5869.92	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/31/2008	5869.93	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/30/2008	5870.08	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/29/2008	5869.98	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/28/2008	5869.86	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/27/2008	5869.77	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/26/2008	5870.12	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/25/2008	5870.16	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/24/2008	5870.22	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/23/2008	5870.14	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/22/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/21/2008	5870.13	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/20/2008	5870.09	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/19/2008	5870.12	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/18/2008	5869.95	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/17/2008	5870.01	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/16/2008	5870.01	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/15/2008	5870.15	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/14/2008	5870.2	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/13/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/12/2008	5870.63	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/11/2008	5870.47	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/10/2008	5870.49	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/9/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/8/2008	5870.16	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/7/2008	5870.14	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/6/2008	5870.49	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/5/2008	5870.47	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/4/2008	5870.38	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/3/2008	5870.35	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/2/2008	5870.16	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	10/1/2008	5870.08	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/30/2008	5869.99	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/29/2008	5870.06	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/28/2008	5870.08	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/27/2008	5870.18	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/26/2008	5870.12	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/25/2008	5870.04	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/24/2008	5870.1	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/23/2008	5870.2	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/22/2008	5870.24	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/21/2008	5870.23	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/20/2008	5870.18	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/19/2008	5870.18	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/18/2008	5870.18	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/17/2008	5870.08	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/16/2008	5870.02	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/15/2008	5870.07	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/14/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/13/2008	5870.4	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/12/2008	5870.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/11/2008	5870.35	Manual
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/11/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/10/2008	5870.21	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/9/2008	5870.11	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/8/2008	5870.16	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/7/2008	5870.18	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/6/2008	5870.23	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/5/2008	5870.27	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/4/2008	5870.21	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/3/2008	5870.09	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/2/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	9/1/2008	5870.32	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/31/2008	5870.23	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/30/2008	5870.12	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/29/2008	5870.22	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/28/2008	5870.27	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/27/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/26/2008	5870.27	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/25/2008	5870.12	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/24/2008	5870.09	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/23/2008	5870.26	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/22/2008	5870.34	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/21/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/20/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/19/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/18/2008	5870.27	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/17/2008	5870.2	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/16/2008	5870.21	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/15/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/14/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/13/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/12/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/11/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/10/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/9/2008	5870.26	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/8/2008	5870.17	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/7/2008	5870.16	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/6/2008	5870.13	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/5/2008	5870.17	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/4/2008	5870.26	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/3/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/2/2008	5870.22	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	8/1/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/31/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/30/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/29/2008	5870.32	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/28/2008	5870.36	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/27/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/26/2008	5870.15	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/25/2008	5870.22	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/24/2008	5870.26	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/23/2008	5870.26	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/22/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/21/2008	5870.21	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/20/2008	5870.23	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/19/2008	5870.27	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/18/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/17/2008	5870.19	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/16/2008	5870.19	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/15/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/14/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/13/2008	5870.17	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/12/2008	5870.27	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/11/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/10/2008	5870.26	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/9/2008	5870.24	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/8/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/7/2008	5870.39	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/6/2008	5870.38	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/5/2008	5870.28	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/4/2008	5870.24	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/3/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/2/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	7/1/2008	5870.18	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/30/2008	5870.09	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/29/2008	5870.16	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/28/2008	5870.34	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/27/2008	5870.35	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/26/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/25/2008	5870.23	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/24/2008	5870.23	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/23/2008	5870.21	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/22/2008	5870.11	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/21/2008	5870.15	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/20/2008	5870.31	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/19/2008	5870.36	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/18/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/17/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/16/2008	5870.33	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/15/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/14/2008	5870.24	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/13/2008	5870.3	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/12/2008	5870.5	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/11/2008	5870.59	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/10/2008	5870.39	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/9/2008	5870.42	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/8/2008	5870.59	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/7/2008	5870.52	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/6/2008	5870.55	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/5/2008	5870.95	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/4/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/3/2008	5870.52	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/2/2008	5870.43	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	6/1/2008	5870.38	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/31/2008	5870.38	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/30/2008	5870.43	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/29/2008	5870.37	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/28/2008	5870.4	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/27/2008	5870.53	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/26/2008	5870.62	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/25/2008	5870.52	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/24/2008	5870.64	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/23/2008	5870.93	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/22/2008	5871.05	Manual
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/22/2008	5871.05	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/21/2008	5870.62	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/20/2008	5870.47	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/19/2008	5870.47	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/18/2008	5870.32	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/17/2008	5870.25	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/16/2008	5870.26	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/15/2008	5870.49	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/14/2008	5870.5	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/13/2008	5870.76	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/12/2008	5870.61	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/11/2008	5870.39	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/10/2008	5870.65	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/9/2008	5870.58	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/8/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/7/2008	5870.73	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/6/2008	5870.58	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/5/2008	5870.53	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/4/2008	5870.52	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/3/2008	5870.48	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/2/2008	5870.73	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	5/1/2008	5870.92	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/30/2008	5870.72	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/29/2008	5870.43	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/28/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/27/2008	5870.35	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/26/2008	5870.47	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/25/2008	5870.59	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/24/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/23/2008	5870.55	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/22/2008	5870.54	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/21/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/20/2008	5870.73	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/19/2008	5870.53	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/18/2008	5870.51	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/17/2008	5870.78	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/16/2008	5870.75	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/15/2008	5870.51	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/14/2008	5870.3	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/13/2008	5870.29	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/12/2008	5870.37	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/11/2008	5870.73	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/10/2008	5871.01	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/9/2008	5870.84	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/8/2008	5870.71	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/7/2008	5870.72	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/6/2008	5870.85	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/5/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/4/2008	5870.59	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/3/2008	5870.7	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/2/2008	5870.54	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	4/1/2008	5870.56	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/31/2008	5870.78	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/30/2008	5870.74	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/29/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/28/2008	5870.69	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/27/2008	5870.7	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/26/2008	5870.55	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/25/2008	5870.54	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/24/2008	5870.37	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/23/2008	5870.36	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/22/2008	5870.44	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/21/2008	5870.54	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/20/2008	5870.53	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/19/2008	5870.51	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/18/2008	5870.72	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/17/2008	5870.93	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/16/2008	5870.9	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/15/2008	5870.83	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/14/2008	5870.86	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/13/2008	5870.74	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/12/2008	5870.54	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/11/2008	5870.4	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/10/2008	5870.38	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/9/2008	5870.73	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/8/2008	5870.59	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/7/2008	5870.54	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/6/2008	5870.69	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/5/2008	5870.85	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/4/2008	5870.57	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/3/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/2/2008	5870.84	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	3/1/2008	5870.34	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/29/2008	5870.54	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/28/2008	5870.6	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/27/2008	5870.37	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/26/2008	5870.47	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/25/2008	5870.69	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/24/2008	5870.43	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/23/2008	5870.83	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/22/2008	5870.74	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/21/2008	5870.79	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/20/2008	5870.63	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/19/2008	5870.58	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/18/2008	5870.67	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/17/2008	5870.88	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/16/2008	5870.66	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/15/2008	5870.73	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/14/2008	5871.02	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/13/2008	5870.59	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/12/2008	5870.64	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/11/2008	5870.56	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/10/2008	5870.43	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/9/2008	5870.58	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/8/2008	5870.81	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/7/2008	5870.7	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/6/2008	5870.72	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/5/2008	5871.06	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/4/2008	5871.13	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/3/2008	5870.8	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/2/2008	5870.77	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	2/1/2008	5870.64	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/31/2008	5870.93	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/30/2008	5870.89	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/29/2008	5871.14	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/28/2008	5870.79	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/27/2008	5870.48	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/26/2008	5870.47	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/25/2008	5870.76	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/24/2008	5870.7	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/23/2008	5870.67	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/22/2008	5870.71	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/21/2008	5870.87	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/20/2008	5870.67	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/19/2008	5870.61	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/18/2008	5870.83	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/17/2008	5870.81	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/16/2008	5870.99	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/15/2008	5870.53	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/14/2008	5870.53	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/13/2008	5870.68	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/12/2008	5870.81	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/11/2008	5870.77	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/10/2008	5870.87	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/9/2008	5870.71	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/8/2008	5870.87	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/7/2008	5870.99	Transducer
R-2	918	Single	1711	23.12	906.45	929.57	4.5	5.27	1/6/2008	5870.95	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/22/2009	5829.56	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/21/2009	5829.42	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/20/2009	5829.43	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	1/19/2009	5829.04	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/18/2009	5829.05	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/17/2009	5829.41	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/16/2009	5829.34	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/15/2009	5829.43	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/14/2009	5829.55	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/13/2009	5829.56	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/12/2009	5829.29	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/11/2009	5829.34	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/10/2009	5829.49	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/9/2009	5829.74	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/8/2009	5829.7	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/7/2009	5830.12	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/6/2009	5830.48	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/5/2009	5830.02	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/4/2009	5830.12	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/3/2009	5830.06	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/2/2009	5829.99	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/1/2009	5830.05	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/31/2008	5829.77	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/30/2008	5829.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/29/2008	5829.6	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/28/2008	5829.58	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/27/2008	5830.16	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/26/2008	5830.02	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/25/2008	5829.37	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/24/2008	5829.7	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/23/2008	5829.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/22/2008	5829.85	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/21/2008	5829.59	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/20/2008	5829.89	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/19/2008	5829.94	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/18/2008	5830.11	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/17/2008	5829.99	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/16/2008	5830.11	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/15/2008	5829.88	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/14/2008	5830.01	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/13/2008	5829.78	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/12/2008	5829.48	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/11/2008	5829.52	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/10/2008	5829.74	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/9/2008	5830.16	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/8/2008	5829.98	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/7/2008	5829.47	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/6/2008	5829.68	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/5/2008	5829.72	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/4/2008	5829.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/3/2008	5830.17	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/2/2008	5829.95	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	12/1/2008	5830.05	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/30/2008	5830.06	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	11/29/2008	5830.13	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/28/2008	5829.82	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/27/2008	5829.71	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/26/2008	5829.64	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/25/2008	5829.63	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/24/2008	5829.37	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/23/2008	5829.52	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/22/2008	5829.69	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/21/2008	5829.56	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/20/2008	5829.71	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/19/2008	5829.6	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/18/2008	5829.46	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/17/2008	5829.59	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/16/2008	5829.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/15/2008	5830.11	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/14/2008	5830.74	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/13/2008	5830.84	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/12/2008	5830.93	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/11/2008	5830.96	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/10/2008	5831.06	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/9/2008	5830.71	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/8/2008	5830.77	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/7/2008	5830.68	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/6/2008	5830.79	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/5/2008	5830.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/4/2008	5830.57	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/3/2008	5830.58	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/2/2008	5830.25	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	11/1/2008	5830.3	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/31/2008	5830.28	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/30/2008	5830.35	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/29/2008	5830.19	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/28/2008	5830.01	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/27/2008	5829.87	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/26/2008	5830.03	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/25/2008	5830.24	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/24/2008	5830.21	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/23/2008	5830.04	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/22/2008	5830.11	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/21/2008	5829.84	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/20/2008	5829.65	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/19/2008	5829.43	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/18/2008	5829.35	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/17/2008	5829.41	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/16/2008	5829.23	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/15/2008	5829.17	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/14/2008	5829.12	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/13/2008	5829.12	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/12/2008	5829.34	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/11/2008	5829.17	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/10/2008	5829.18	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	10/9/2008	5828.85	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/8/2008	5828.46	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/7/2008	5828.16	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/6/2008	5828.29	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/5/2008	5828.13	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/4/2008	5827.96	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/3/2008	5828.18	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/2/2008	5827.82	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	10/1/2008	5827.89	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/30/2008	5827.96	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/29/2008	5828.15	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/28/2008	5827.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/27/2008	5828.71	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/26/2008	5828.56	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/25/2008	5828.96	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/24/2008	5829.36	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/23/2008	5829.67	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/22/2008	5829.94	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/21/2008	5830	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/20/2008	5829.75	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/19/2008	5829.7	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/18/2008	5829.63	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/17/2008	5829.48	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/16/2008	5829.69	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/15/2008	5829.79	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/14/2008	5829.8	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/13/2008	5829.84	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/12/2008	5829.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/11/2008	5829.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/10/2008	5829.93	Manual
R-24	825	Single	6321	23	825	848	4.46	5.27	9/10/2008	5830.15	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/9/2008	5830.06	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/8/2008	5830.05	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/7/2008	5830.01	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/6/2008	5829.98	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/5/2008	5829.92	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/4/2008	5829.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/3/2008	5829.66	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/2/2008	5829.72	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	9/1/2008	5829.67	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/31/2008	5829.47	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/30/2008	5829.26	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/29/2008	5829.14	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/28/2008	5829.17	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/27/2008	5829.2	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/26/2008	5829	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/25/2008	5828.58	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/24/2008	5828.42	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/23/2008	5828.39	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/22/2008	5828.51	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/21/2008	5828.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	8/20/2008	5828.46	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/19/2008	5828.54	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/18/2008	5828.47	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/17/2008	5828.25	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/16/2008	5828.08	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/15/2008	5827.71	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/14/2008	5827.48	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/13/2008	5827.75	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/12/2008	5827.45	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/11/2008	5827.36	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/10/2008	5827.73	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/9/2008	5827.38	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/8/2008	5827.33	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/7/2008	5827.46	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/6/2008	5827.99	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/5/2008	5828.05	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/4/2008	5828.04	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/3/2008	5828.02	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/2/2008	5828.01	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	8/1/2008	5828.39	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/31/2008	5828.45	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/30/2008	5828.42	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/29/2008	5828.51	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/28/2008	5828.55	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/27/2008	5828.52	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/26/2008	5828.26	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/25/2008	5828.27	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/24/2008	5828.35	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/23/2008	5828.35	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/22/2008	5828.35	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/21/2008	5828.24	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/20/2008	5828.2	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/19/2008	5828.26	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/18/2008	5828.3	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/17/2008	5828.22	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/16/2008	5828.2	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/15/2008	5828.26	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/14/2008	5828.29	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/13/2008	5828.35	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/12/2008	5828.2	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/11/2008	5828.25	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/10/2008	5828.2	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/9/2008	5827.99	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/8/2008	5827.97	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/7/2008	5828.1	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/6/2008	5827.93	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/5/2008	5827.89	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/4/2008	5827.89	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/3/2008	5828.01	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/2/2008	5827.92	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	7/1/2008	5827.66	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	6/30/2008	5827.44	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/29/2008	5827.52	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/28/2008	5827.6	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/27/2008	5827.91	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/26/2008	5827.85	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/25/2008	5827.74	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/24/2008	5827.73	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/23/2008	5827.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/22/2008	5827.25	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/21/2008	5827.15	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/20/2008	5827.51	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/19/2008	5827.68	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/18/2008	5827.52	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/17/2008	5827.43	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/16/2008	5827.34	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/15/2008	5827.55	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/14/2008	5827.44	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/13/2008	5827.46	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/12/2008	5827.53	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/11/2008	5827.52	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/10/2008	5827.14	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/9/2008	5826.92	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/8/2008	5826.66	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/7/2008	5825.97	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/6/2008	5826.08	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/5/2008	5826.17	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/4/2008	5825.88	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/3/2008	5825.73	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/2/2008	5825.91	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	6/1/2008	5825.63	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/31/2008	5825.8	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/30/2008	5826.12	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/29/2008	5826	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/28/2008	5825.95	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/27/2008	5826.29	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/26/2008	5826.59	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/25/2008	5826.89	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/24/2008	5826.8	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/23/2008	5826.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/22/2008	5826.66	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/21/2008	5826.39	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/20/2008	5826.42	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/19/2008	5826.63	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/18/2008	5826.92	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/17/2008	5827.69	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/16/2008	5827.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/15/2008	5827.87	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/14/2008	5827.55	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/13/2008	5828.58	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/12/2008	5828.28	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/11/2008	5828.26	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	5/10/2008	5828.18	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/9/2008	5827.84	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/8/2008	5827.91	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/7/2008	5827.36	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/6/2008	5827.32	Manual
R-24	825	Single	6321	23	825	848	4.46	5.27	5/6/2008	5827.4	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/5/2008	5827.18	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/4/2008	5827.38	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/3/2008	5827.66	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/2/2008	5828.19	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	5/1/2008	5828.22	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/30/2008	5828.01	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/29/2008	5827.78	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/28/2008	5827.56	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/27/2008	5827.62	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/26/2008	5828.03	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/25/2008	5828.39	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/24/2008	5828.47	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/23/2008	5828.51	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/22/2008	5828.47	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/21/2008	5828.54	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/20/2008	5828.97	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/19/2008	5829.31	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/18/2008	5829.42	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/17/2008	5829.58	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/16/2008	5829.3	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/15/2008	5828.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/14/2008	5828.44	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/13/2008	5828.77	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/12/2008	5829.45	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/11/2008	5829.91	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/10/2008	5830.09	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/9/2008	5829.84	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/8/2008	5829.53	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/7/2008	5829.03	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/6/2008	5829.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/5/2008	5830.36	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/4/2008	5830.09	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/3/2008	5830.13	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/2/2008	5830	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	4/1/2008	5830.05	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/31/2008	5829.93	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/30/2008	5829.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/29/2008	5830.33	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/28/2008	5830.39	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/27/2008	5830.2	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/26/2008	5830.03	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/25/2008	5830.03	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/24/2008	5829.55	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/23/2008	5829.64	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/22/2008	5829.77	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	3/21/2008	5830.06	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/20/2008	5830.03	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/19/2008	5830.06	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/18/2008	5830.27	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/17/2008	5830.17	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/16/2008	5830.14	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/15/2008	5830.79	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/14/2008	5830.71	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/13/2008	5830.59	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/12/2008	5830.27	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/11/2008	5829.95	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/10/2008	5829.77	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/9/2008	5830.36	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/8/2008	5830.09	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/7/2008	5830.17	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/6/2008	5830.26	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/5/2008	5830.5	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/4/2008	5830.06	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/3/2008	5829.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/2/2008	5830.04	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	3/1/2008	5829.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/29/2008	5830.12	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/28/2008	5830.14	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/27/2008	5829.65	Manual
R-24	825	Single	6321	23	825	848	4.46	5.27	2/27/2008	5829.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/26/2008	5829.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/25/2008	5829.64	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/24/2008	5829.59	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/23/2008	5830.19	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/22/2008	5830.08	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/21/2008	5830.12	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/20/2008	5829.87	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/19/2008	5829.8	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/18/2008	5829.56	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/17/2008	5829.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/16/2008	5829.93	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/15/2008	5829.98	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/14/2008	5830.24	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/13/2008	5829.95	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/12/2008	5829.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/11/2008	5829.39	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/10/2008	5829.36	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/9/2008	5829.74	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/8/2008	5829.93	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/7/2008	5829.95	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/6/2008	5829.8	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/5/2008	5830.22	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/4/2008	5830.11	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/3/2008	5829.58	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/2/2008	5829.76	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	2/1/2008	5829.59	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-24	825	Single	6321	23	825	848	4.46	5.27	1/31/2008	5829.81	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/30/2008	5829.82	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/29/2008	5829.83	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/28/2008	5829.14	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/27/2008	5828.91	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/26/2008	5829.14	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/25/2008	5829.34	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/24/2008	5829.25	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/23/2008	5829.16	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/22/2008	5829.2	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/21/2008	5828.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/20/2008	5828.77	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/19/2008	5828.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/18/2008	5828.92	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/17/2008	5828.91	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/16/2008	5829.1	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/15/2008	5828.47	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/14/2008	5828.33	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/13/2008	5828.1	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/12/2008	5828.84	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/11/2008	5828.85	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/10/2008	5828.86	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/9/2008	5828.9	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/8/2008	5829.27	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/7/2008	5828.6	Transducer
R-24	825	Single	6321	23	825	848	4.46	5.27	1/6/2008	5828.8	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/22/2009	6202.63	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/21/2009	6202.43	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/20/2009	6202.39	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/19/2009	6202.34	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/18/2009	6202.25	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/17/2009	6202.34	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/16/2009	6202.22	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/15/2009	6202.26	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/14/2009	6202.32	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/13/2009	6202.11	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/12/2009	6202.16	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/11/2009	6202.01	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/10/2009	6202.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/9/2009	6202.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/8/2009	6202	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/7/2009	6202.03	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/6/2009	6202.25	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/5/2009	6201.86	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/4/2009	6201.95	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/3/2009	6202.09	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/2/2009	6201.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/1/2009	6201.81	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/31/2008	6201.58	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/30/2008	6201.58	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/29/2008	6201.39	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/28/2008	6201.43	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/27/2008	6201.69	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/26/2008	6201.77	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/25/2008	6201.38	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/24/2008	6201.4	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/23/2008	6201.64	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/22/2008	6201.25	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/21/2008	6201.12	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/20/2008	6201.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/19/2008	6200.99	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/18/2008	6201.07	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/17/2008	6201.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/16/2008	6201.01	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/15/2008	6200.81	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/14/2008	6201.21	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/13/2008	6200.94	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/12/2008	6200.59	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/11/2008	6200.45	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/10/2008	6200.34	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/9/2008	6200.86	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/8/2008	6200.63	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/7/2008	6200.31	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/6/2008	6200.28	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/5/2008	6200.17	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/4/2008	6200.21	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/3/2008	6200.39	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/2/2008	6200.08	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	12/1/2008	6200.12	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/30/2008	6200.12	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/29/2008	6200.14	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/28/2008	6200.04	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/27/2008	6199.94	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/26/2008	6199.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/25/2008	6199.68	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/24/2008	6199.69	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/23/2008	6199.77	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/22/2008	6199.71	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/21/2008	6199.54	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/20/2008	6199.66	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/19/2008	6199.57	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/18/2008	6199.4	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/17/2008	6199.46	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/16/2008	6199.43	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/15/2008	6199.3	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/14/2008	6199.64	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/13/2008	6199.5	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/12/2008	6199.42	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/11/2008	6199.42	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/10/2008	6199.61	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/9/2008	6199.39	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/8/2008	6199.19	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/7/2008	6199.05	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/6/2008	6199.16	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/5/2008	6199.38	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/4/2008	6199.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/3/2008	6199.18	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/2/2008	6199.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	11/1/2008	6198.88	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/31/2008	6198.87	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/30/2008	6199.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/29/2008	6198.95	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/28/2008	6198.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/27/2008	6198.71	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/26/2008	6199.03	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/25/2008	6199.05	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/24/2008	6199.11	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/23/2008	6199.05	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/22/2008	6199.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/21/2008	6199.08	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/20/2008	6199.06	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/19/2008	6199.13	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/18/2008	6198.98	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/17/2008	6199.04	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/16/2008	6199.03	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/15/2008	6199.13	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/14/2008	6199.15	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/13/2008	6199.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/12/2008	6199.5	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/11/2008	6199.37	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/10/2008	6199.42	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/9/2008	6199.3	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/8/2008	6199.18	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/7/2008	6199.12	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/6/2008	6199.43	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/5/2008	6199.45	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/4/2008	6199.44	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/3/2008	6199.48	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/2/2008	6199.38	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	10/1/2008	6199.36	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/30/2008	6199.32	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/29/2008	6199.41	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/28/2008	6199.46	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/27/2008	6199.61	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/26/2008	6199.6	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/25/2008	6199.56	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/24/2008	6199.58	Manual
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/24/2008	6199.52	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/23/2008	6199.63	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/22/2008	6199.71	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/21/2008	6199.74	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/20/2008	6199.75	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/19/2008	6199.8	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/18/2008	6199.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/17/2008	6199.83	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/16/2008	6199.79	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/15/2008	6199.83	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/14/2008	6200.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/13/2008	6200.15	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/12/2008	6200.16	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/11/2008	6200.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/10/2008	6200.22	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/9/2008	6200.14	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/8/2008	6200.23	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/7/2008	6200.28	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/6/2008	6200.35	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/5/2008	6200.43	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/4/2008	6200.41	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/3/2008	6200.3	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/2/2008	6200.47	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	9/1/2008	6200.58	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/31/2008	6200.55	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/30/2008	6200.48	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/29/2008	6200.56	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/28/2008	6200.66	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/27/2008	6200.71	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/26/2008	6200.78	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/25/2008	6200.69	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/24/2008	6200.69	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/23/2008	6200.83	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/22/2008	6200.94	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/21/2008	6200.96	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/20/2008	6200.97	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/19/2008	6200.98	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/18/2008	6201.04	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/17/2008	6201.04	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/16/2008	6201.06	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/15/2008	6201.18	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/14/2008	6201.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/13/2008	6201.25	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/12/2008	6201.25	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/11/2008	6201.32	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/10/2008	6201.38	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/9/2008	6201.4	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/8/2008	6201.39	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/7/2008	6201.44	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/6/2008	6201.43	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/5/2008	6201.5	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/4/2008	6201.6	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/3/2008	6201.65	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/2/2008	6201.65	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	8/1/2008	6201.71	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/31/2008	6201.78	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/30/2008	6201.8	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/29/2008	6201.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/28/2008	6201.93	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/27/2008	6201.97	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/26/2008	6201.88	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/25/2008	6201.96	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/24/2008	6202.03	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/23/2008	6202.09	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/22/2008	6202.17	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/21/2008	6202.16	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/20/2008	6202.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/19/2008	6202.29	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/18/2008	6202.37	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/17/2008	6202.33	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/16/2008	6202.35	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/15/2008	6202.52	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/14/2008	6202.56	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/13/2008	6202.54	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/12/2008	6202.67	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/11/2008	6202.73	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/10/2008	6202.75	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/9/2008	6202.79	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/8/2008	6202.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/7/2008	6202.96	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/6/2008	6203.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/5/2008	6202.98	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/4/2008	6203	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/3/2008	6203.14	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/2/2008	6203.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	7/1/2008	6203.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/30/2008	6203.16	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/29/2008	6203.21	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/28/2008	6203.43	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/27/2008	6203.52	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/26/2008	6203.52	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/25/2008	6203.52	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/24/2008	6203.59	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/23/2008	6203.66	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/22/2008	6203.63	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/21/2008	6203.68	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/20/2008	6203.84	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/19/2008	6203.99	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/18/2008	6203.95	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/17/2008	6203.97	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/16/2008	6204.12	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/15/2008	6204.15	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/14/2008	6204.12	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/13/2008	6204.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/12/2008	6204.34	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/11/2008	6204.51	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/10/2008	6204.37	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/9/2008	6204.42	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/8/2008	6204.56	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/7/2008	6204.56	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/6/2008	6204.53	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/5/2008	6204.89	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/4/2008	6204.72	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/3/2008	6204.62	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/2/2008	6204.63	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	6/1/2008	6204.62	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/31/2008	6204.66	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/30/2008	6204.71	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/29/2008	6204.75	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/28/2008	6204.77	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/27/2008	6204.88	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/26/2008	6205.03	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/25/2008	6204.94	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/24/2008	6204.99	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/23/2008	6205.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/22/2008	6205.32	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/21/2008	6205.06	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/20/2008	6204.93	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/19/2008	6205	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/18/2008	6204.9	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/17/2008	6204.9	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/16/2008	6204.87	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/15/2008	6205.09	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/14/2008	6205.04	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/13/2008	6205.28	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/12/2008	6205.22	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/11/2008	6204.99	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/10/2008	6205.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/9/2008	6205.11	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/8/2008	6205.15	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/7/2008	6205.24	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/6/2008	6205.38	Manual
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/6/2008	6205.28	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/5/2008	6205.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/4/2008	6205.15	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/3/2008	6205.04	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/2/2008	6205.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	5/1/2008	6205.31	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/30/2008	6205.18	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/29/2008	6204.94	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/28/2008	6204.79	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/27/2008	6204.76	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/26/2008	6204.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/25/2008	6204.87	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/24/2008	6204.89	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/23/2008	6204.8	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/22/2008	6204.7	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/21/2008	6204.74	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/20/2008	6204.77	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/19/2008	6204.55	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/18/2008	6204.4	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/17/2008	6204.53	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/16/2008	6204.46	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/15/2008	6204.24	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/14/2008	6204	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/13/2008	6203.9	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/12/2008	6203.82	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/11/2008	6203.99	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/10/2008	6204.18	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/9/2008	6203.98	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/8/2008	6203.76	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/7/2008	6203.72	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/6/2008	6203.73	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/5/2008	6203.57	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/4/2008	6203.4	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/3/2008	6203.48	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/2/2008	6203.32	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	4/1/2008	6203.24	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/31/2008	6203.38	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/30/2008	6203.3	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/29/2008	6203.2	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/28/2008	6203.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/27/2008	6203.17	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/26/2008	6203.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/25/2008	6203.01	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/24/2008	6202.83	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/23/2008	6202.76	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/22/2008	6202.81	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/21/2008	6202.85	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/20/2008	6202.82	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/19/2008	6202.71	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/18/2008	6202.79	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/17/2008	6202.89	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/16/2008	6202.84	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/15/2008	6202.72	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/14/2008	6202.75	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/13/2008	6202.63	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/12/2008	6202.44	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/11/2008	6202.29	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/10/2008	6202.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/9/2008	6202.45	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/8/2008	6202.33	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/7/2008	6202.19	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/6/2008	6202.25	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/5/2008	6202.4	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/4/2008	6202.13	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/3/2008	6202.09	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/2/2008	6202.33	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	3/1/2008	6201.86	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/29/2008	6201.96	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/28/2008	6202.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/27/2008	6201.77	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/26/2008	6201.79	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/25/2008	6201.98	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/24/2008	6201.62	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/23/2008	6201.96	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/22/2008	6201.8	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/21/2008	6201.83	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/20/2008	6201.66	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/19/2008	6201.54	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/18/2008	6201.52	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/17/2008	6201.66	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/16/2008	6201.45	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/15/2008	6201.4	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/14/2008	6201.67	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/13/2008	6201.22	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/12/2008	6201.22	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/11/2008	6201.14	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/10/2008	6200.93	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/9/2008	6200.98	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/8/2008	6201.13	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/7/2008	6200.94	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/6/2008	6200.84	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/5/2008	6201.06	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/4/2008	6201.09	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/3/2008	6200.74	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/2/2008	6200.65	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	2/1/2008	6200.46	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/31/2008	6200.6	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/30/2008	6200.54	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/29/2008	6200.7	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/28/2008	6200.46	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/27/2008	6200.06	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/26/2008	6199.95	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/25/2008	6200.14	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/24/2008	6200.02	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/23/2008	6199.97	Manual
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/23/2008	6199.99	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/22/2008	6199.92	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/21/2008	6200.04	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/20/2008	6199.79	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/19/2008	6199.62	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/18/2008	6199.75	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/17/2008	6199.66	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/16/2008	6199.78	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/15/2008	6199.33	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/14/2008	6199.22	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/13/2008	6199.29	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/12/2008	6199.31	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/11/2008	6199.21	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/10/2008	6199.19	Manual

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/10/2008	6199.28	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/9/2008	6199.11	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/8/2008	6199.12	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/7/2008	6199.22	Transducer
R-3i	215.2	Single	7701	6.8	215.2	222	2	2.3	1/6/2008	6199.16	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/22/2009	5830.43	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/21/2009	5830.24	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/20/2009	5830.23	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/19/2009	5830.2	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/18/2009	5830.18	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/17/2009	5830.3	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/16/2009	5830.23	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/15/2009	5830.33	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/14/2009	5830.44	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/13/2009	5830.27	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/12/2009	5830.36	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/11/2009	5830.28	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/10/2009	5830.41	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/9/2009	5830.65	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/8/2009	5830.55	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/7/2009	5830.68	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/6/2009	5830.95	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/5/2009	5830.56	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/4/2009	5830.74	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/3/2009	5830.87	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/2/2009	5830.63	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/1/2009	5830.59	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/31/2008	5830.37	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/30/2008	5830.41	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/29/2008	5830.29	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/28/2008	5830.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/27/2008	5830.87	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/26/2008	5830.93	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/25/2008	5830.56	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/24/2008	5830.75	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/23/2008	5830.99	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/22/2008	5830.59	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/21/2008	5830.52	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/20/2008	5830.68	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/19/2008	5830.55	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/18/2008	5830.68	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/17/2008	5830.71	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/16/2008	5830.75	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/15/2008	5830.68	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/14/2008	5831.11	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/13/2008	5830.79	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/12/2008	5830.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/11/2008	5830.39	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/10/2008	5830.42	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/9/2008	5831.04	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/8/2008	5830.75	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/7/2008	5830.44	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/6/2008	5830.48	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/5/2008	5830.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/4/2008	5830.56	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/3/2008	5830.79	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/2/2008	5830.52	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	12/1/2008	5830.64	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/30/2008	5830.69	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/29/2008	5830.73	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/28/2008	5830.63	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/27/2008	5830.53	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/26/2008	5830.44	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/25/2008	5830.29	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/24/2008	5830.35	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/23/2008	5830.46	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/22/2008	5830.41	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/21/2008	5830.25	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/20/2008	5830.41	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/19/2008	5830.32	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/18/2008	5830.19	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/17/2008	5830.33	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/16/2008	5830.37	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/15/2008	5830.35	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/14/2008	5830.78	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/13/2008	5830.66	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/12/2008	5830.64	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/11/2008	5830.71	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/10/2008	5830.91	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/9/2008	5830.66	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/8/2008	5830.46	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/7/2008	5830.37	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/6/2008	5830.54	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/5/2008	5830.75	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/4/2008	5830.51	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/3/2008	5830.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/2/2008	5830.22	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	11/1/2008	5830.05	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/31/2008	5830.04	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/30/2008	5830.17	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/29/2008	5830.04	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/28/2008	5829.9	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/27/2008	5829.78	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/26/2008	5830.12	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/25/2008	5830.15	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/24/2008	5830.17	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/23/2008	5830.06	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/22/2008	5830.2	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/21/2008	5830.01	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/20/2008	5829.94	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/19/2008	5829.95	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/18/2008	5829.75	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/17/2008	5829.8	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/16/2008	5829.76	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/15/2008	5829.86	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/14/2008	5829.89	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/13/2008	5829.97	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/12/2008	5830.28	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/11/2008	5830.11	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/10/2008	5830.11	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/9/2008	5829.91	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/8/2008	5829.74	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/7/2008	5829.71	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/6/2008	5830.06	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/5/2008	5830.05	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/4/2008	5829.99	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/3/2008	5829.99	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/2/2008	5829.84	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	10/1/2008	5829.79	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/30/2008	5829.73	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/29/2008	5829.83	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/28/2008	5829.87	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/27/2008	5830.03	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/26/2008	5829.98	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/25/2008	5829.93	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/24/2008	5830.01	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/23/2008	5830.1	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/22/2008	5830.14	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/21/2008	5830.11	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/20/2008	5830.05	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/19/2008	5830.04	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/18/2008	5830.02	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/17/2008	5829.91	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/16/2008	5829.85	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/15/2008	5829.87	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/14/2008	5830.07	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/13/2008	5830.17	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/12/2008	5830.11	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/11/2008	5830.12	Manual
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/11/2008	5830.19	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/10/2008	5830.14	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/9/2008	5830	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/8/2008	5830.03	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/7/2008	5830.03	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/6/2008	5830.04	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/5/2008	5830.05	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/4/2008	5829.96	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/3/2008	5829.8	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/2/2008	5829.94	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	9/1/2008	5829.97	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/31/2008	5829.84	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/30/2008	5829.71	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/29/2008	5829.73	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/28/2008	5829.78	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/27/2008	5829.77	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/26/2008	5829.65	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/25/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/24/2008	5829.42	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/23/2008	5829.55	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/22/2008	5829.65	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/21/2008	5829.62	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/20/2008	5829.58	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/19/2008	5829.54	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/18/2008	5829.54	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/17/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/16/2008	5829.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/15/2008	5829.51	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/14/2008	5829.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/13/2008	5829.53	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/12/2008	5829.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/11/2008	5829.52	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/10/2008	5829.55	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/9/2008	5829.51	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/8/2008	5829.43	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/7/2008	5829.43	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/6/2008	5829.4	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/5/2008	5829.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/4/2008	5829.53	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/3/2008	5829.54	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/2/2008	5829.49	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	8/1/2008	5829.54	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/31/2008	5829.59	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/30/2008	5829.57	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/29/2008	5829.6	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/28/2008	5829.62	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/27/2008	5829.56	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/26/2008	5829.43	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/25/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/24/2008	5829.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/23/2008	5829.51	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/22/2008	5829.53	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/21/2008	5829.46	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/20/2008	5829.46	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/19/2008	5829.52	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/18/2008	5829.53	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/17/2008	5829.43	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/16/2008	5829.41	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/15/2008	5829.52	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/14/2008	5829.49	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/13/2008	5829.42	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/12/2008	5829.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/11/2008	5829.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/10/2008	5829.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/9/2008	5829.43	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/8/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/7/2008	5829.54	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/6/2008	5829.53	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/5/2008	5829.4	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/4/2008	5829.38	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/3/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/2/2008	5829.44	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	7/1/2008	5829.33	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/30/2008	5829.23	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/29/2008	5829.27	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/28/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/27/2008	5829.52	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/26/2008	5829.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/25/2008	5829.39	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/24/2008	5829.39	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/23/2008	5829.38	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/22/2008	5829.26	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/21/2008	5829.27	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/20/2008	5829.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/19/2008	5829.54	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/18/2008	5829.43	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/17/2008	5829.4	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/16/2008	5829.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/15/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/14/2008	5829.39	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/13/2008	5829.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/12/2008	5829.62	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/11/2008	5829.74	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/10/2008	5829.52	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/9/2008	5829.55	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/8/2008	5829.69	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/7/2008	5829.65	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/6/2008	5829.68	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/5/2008	5830.1	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/4/2008	5829.85	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/3/2008	5829.7	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/2/2008	5829.67	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	6/1/2008	5829.63	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/31/2008	5829.65	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/30/2008	5829.71	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/29/2008	5829.69	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/28/2008	5829.7	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/27/2008	5829.85	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/26/2008	5829.99	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/25/2008	5829.89	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/24/2008	5830.02	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/23/2008	5830.34	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/22/2008	5830.46	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/21/2008	5830.09	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/20/2008	5829.94	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/19/2008	5829.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/18/2008	5829.86	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/17/2008	5829.83	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/16/2008	5829.82	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/15/2008	5830.06	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/14/2008	5830.05	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/13/2008	5830.33	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/12/2008	5830.21	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/11/2008	5829.99	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/10/2008	5830.24	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/9/2008	5830.16	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/8/2008	5830.25	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/7/2008	5830.36	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/6/2008	5830.2	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/5/2008	5830.24	Manual
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/5/2008	5830.2	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/4/2008	5830.2	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/3/2008	5830.17	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/2/2008	5830.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	5/1/2008	5830.66	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/30/2008	5830.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/29/2008	5830.23	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/28/2008	5830.11	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/27/2008	5830.17	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/26/2008	5830.33	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/25/2008	5830.47	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/24/2008	5830.56	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/23/2008	5830.51	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/22/2008	5830.51	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/21/2008	5830.67	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/20/2008	5830.75	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/19/2008	5830.59	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/18/2008	5830.56	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/17/2008	5830.84	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/16/2008	5830.8	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/15/2008	5830.59	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/14/2008	5830.39	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/13/2008	5830.4	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/12/2008	5830.48	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/11/2008	5830.84	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/10/2008	5831.13	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/9/2008	5830.96	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/8/2008	5830.83	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/7/2008	5830.86	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/6/2008	5831.01	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/5/2008	5830.85	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/4/2008	5830.74	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/3/2008	5830.85	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/2/2008	5830.68	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	4/1/2008	5830.69	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	3/31/2008	5830.89	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	3/30/2008	5830.86	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	3/29/2008	5830.79	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	3/28/2008	5830.82	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	3/27/2008	5830.79	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	3/26/2008	5830.6	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	3/26/2008	5830.6	Manual
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/25/2008	5830.37	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/24/2008	5830.29	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/23/2008	5830.27	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/22/2008	5830.3	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/21/2008	5830.44	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/20/2008	5830.24	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/19/2008	5830.17	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/18/2008	5830.38	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/17/2008	5830.38	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/16/2008	5830.56	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/15/2008	5830.1	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/14/2008	5830.1	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/13/2008	5830.26	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/12/2008	5830.41	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/11/2008	5830.39	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/10/2008	5830.45	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/9/2008	5830.34	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/8/2008	5830.5	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/7/2008	5830.63	Transducer
R-4	792.9	Single	1721	23.1	792.9	816	4.5	5.27	1/6/2008	5830.61	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/22/2009	6133.85	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/21/2009	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/20/2009	6133.85	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/19/2009	6133.85	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/18/2009	6133.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/17/2009	6133.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/16/2009	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/15/2009	6133.74	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/14/2009	6134.15	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/9/2009	6133.75	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/8/2009	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/7/2009	6133.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/6/2009	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/5/2009	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/4/2009	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/3/2009	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/2/2009	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/1/2009	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/31/2008	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/30/2008	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/29/2008	6133.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/28/2008	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/27/2008	6133.73	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/26/2008	6133.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/25/2008	6133.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/24/2008	6133.77	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/23/2008	6133.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/22/2008	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/21/2008	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/20/2008	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/19/2008	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/18/2008	6133.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/17/2008	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/16/2008	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/15/2008	6133.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/14/2008	6133.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/13/2008	6133.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/12/2008	6133.85	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/11/2008	6133.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/10/2008	6133.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/9/2008	6133.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/8/2008	6133.86	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/7/2008	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/6/2008	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/5/2008	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/4/2008	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/3/2008	6133.86	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/2/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/1/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/30/2008	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/29/2008	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/28/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/27/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/26/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/25/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/24/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/23/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/22/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/21/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/20/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/19/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/18/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/17/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/16/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/15/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/14/2008	6133.86	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/13/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/12/2008	6133.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/11/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/10/2008	6133.89	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/9/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/8/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/7/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/6/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/5/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/4/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/3/2008	6133.96	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/2/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/1/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/31/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/30/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/29/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/28/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/27/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/26/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/25/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/24/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/23/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/22/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/21/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/20/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/19/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/18/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/17/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/16/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/15/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/14/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/13/2008	6133.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/12/2008	6133.91	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/11/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/10/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/9/2008	6133.94	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/8/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/7/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/6/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/5/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/4/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/3/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/2/2008	6134.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/1/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/30/2008	6134.01	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/29/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/28/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/27/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/26/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/25/2008	6134.01	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/24/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/23/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/22/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/21/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/20/2008	6134.01	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/19/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/18/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/17/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/16/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/15/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/14/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/13/2008	6133.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/12/2008	6133.96	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/11/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/10/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/9/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/8/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/7/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/6/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/5/2008	6133.98	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/4/2008	6134.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/3/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/2/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/1/2008	6134	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/31/2008	6134.01	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/30/2008	6134.03	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/29/2008	6134.03	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/28/2008	6133.97	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/26/2008	6133.71	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/25/2008	6134.05	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/24/2008	6134.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/23/2008	6134.03	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/22/2008	6134.03	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/21/2008	6134.03	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/20/2008	6134.03	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/19/2008	6134.05	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/18/2008	6134.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/17/2008	6134.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/16/2008	6134.05	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/15/2008	6134.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/14/2008	6134.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/13/2008	6134.08	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/12/2008	6134.08	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/11/2008	6134.08	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/10/2008	6134.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/9/2008	6134.08	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/8/2008	6134.08	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/7/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/6/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/5/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/4/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/3/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/2/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/1/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/31/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/30/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/29/2008	6134.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/28/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/27/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/26/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/25/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/24/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/23/2008	6134.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/22/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/21/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/20/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/19/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/18/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/17/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/16/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/15/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/14/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/13/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/12/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/11/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/10/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/9/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/8/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/7/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/6/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/5/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/4/2008	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/3/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/2/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/1/2008	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/30/2008	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/29/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/28/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/27/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/26/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/25/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/24/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/23/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/22/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/21/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/20/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/19/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/18/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/17/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/16/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/15/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/14/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/13/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/12/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/11/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/10/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/9/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/8/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/7/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/6/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/5/2008	6134.12	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/4/2008	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/3/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/2/2008	6134.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/1/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/31/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/30/2008	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/29/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/28/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/27/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/26/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/25/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/24/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/23/2008	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/22/2008	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/21/2008	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/20/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/19/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/18/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/17/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/16/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/15/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/14/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/13/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/12/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/11/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/10/2008	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/9/2008	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/8/2008	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/7/2008	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/6/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/5/2008	6134.26	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/4/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/3/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/2/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/1/2008	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/30/2008	6134.26	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/29/2008	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/28/2008	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/27/2008	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/26/2008	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/25/2008	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/24/2008	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/23/2008	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/22/2008	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/21/2008	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/20/2008	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/19/2008	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/18/2008	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/17/2008	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/16/2008	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/15/2008	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/14/2008	6134.35	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/13/2008	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/12/2008	6134.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/11/2008	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/10/2008	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/9/2008	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/8/2008	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/7/2008	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/6/2008	6134.37	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/5/2008	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/4/2008	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/3/2008	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/2/2008	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/1/2008	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/31/2008	6134.37	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/30/2008	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/29/2008	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/28/2008	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/27/2008	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/26/2008	6134.44	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/25/2008	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/24/2008	6134.46	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/23/2008	6134.46	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/22/2008	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/21/2008	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/20/2008	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/19/2008	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/18/2008	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/17/2008	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/16/2008	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/15/2008	6134.46	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/14/2008	6134.46	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/13/2008	6134.47	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/12/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/11/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/10/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/9/2008	6134.46	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/8/2008	6134.47	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/7/2008	6134.46	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/6/2008	6134.47	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/5/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/4/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/3/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/2/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/1/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/29/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/28/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/27/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/26/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/25/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/24/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/23/2008	6134.47	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/22/2008	6134.49	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/21/2008	6134.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/20/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/19/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/18/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/17/2008	6134.53	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/16/2008	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/15/2008	6134.54	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/14/2008	6134.54	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/13/2008	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/12/2008	6134.54	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/11/2008	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/10/2008	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/9/2008	6134.53	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/8/2008	6134.54	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/7/2008	6134.54	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/6/2008	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/5/2008	6134.53	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/4/2008	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/3/2008	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/2/2008	6134.6	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/1/2008	6134.6	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/31/2008	6134.6	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/30/2008	6134.61	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/29/2008	6134.61	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/28/2008	6134.63	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/27/2008	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/26/2008	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/25/2008	6134.63	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/24/2008	6134.63	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/23/2008	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/22/2008	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/21/2008	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/20/2008	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/19/2008	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/18/2008	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/17/2008	6134.69	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/16/2008	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/15/2008	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/14/2008	6134.68	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/13/2008	6134.68	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/12/2008	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/11/2008	6134.57	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/9/2008	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/8/2008	6134.69	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/7/2008	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/6/2008	6134.7	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/22/2009	5746.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/21/2009	5746.95	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/20/2009	5746.49	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/19/2009	5746.35	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/18/2009	5746.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/17/2009	5746.81	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/16/2009	5746.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/15/2009	5746.63	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/12/2009	5745.41	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/9/2009	5746.35	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/8/2009	5746.14	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/7/2009	5745.65	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/6/2009	5745.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/5/2009	5745.36	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/4/2009	5745.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/3/2009	5746.18	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/2/2009	5746.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/1/2009	5746.1	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/31/2008	5745.67	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/30/2008	5745.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/29/2008	5745.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/28/2008	5746.05	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/27/2008	5746.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/26/2008	5746.06	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/25/2008	5746.99	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/24/2008	5746.76	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/23/2008	5747	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/22/2008	5746.3	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/21/2008	5746.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/20/2008	5746.69	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/19/2008	5746.62	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/18/2008	5746.46	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/17/2008	5746.1	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/16/2008	5746.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/15/2008	5746.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/14/2008	5746.23	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/13/2008	5747.13	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/12/2008	5747.13	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/11/2008	5747.13	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/10/2008	5746.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/9/2008	5746.72	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/8/2008	5746.01	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/7/2008	5746.32	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/6/2008	5747.11	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/5/2008	5747.07	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/4/2008	5747.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/3/2008	5746.39	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/2/2008	5746.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	12/1/2008	5746	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/30/2008	5745.9	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/29/2008	5746.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/28/2008	5746.25	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/27/2008	5746.62	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/26/2008	5746.71	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/25/2008	5745.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/24/2008	5745.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/23/2008	5746.15	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/22/2008	5746.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/21/2008	5746.83	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/20/2008	5746.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/19/2008	5746.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/18/2008	5746.3	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/17/2008	5745.78	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/16/2008	5745.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/15/2008	5746.1	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/14/2008	5745.47	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/13/2008	5745.2	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/12/2008	5745.32	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/11/2008	5745.96	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/10/2008	5745.69	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/9/2008	5745.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/8/2008	5746.34	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/7/2008	5746.95	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/6/2008	5746.71	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/5/2008	5746.37	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/4/2008	5745.9	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/3/2008	5745.5	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/2/2008	5746.08	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	11/1/2008	5746.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/31/2008	5746.76	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/30/2008	5746.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/29/2008	5746.41	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/28/2008	5745.69	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/27/2008	5745.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/26/2008	5745.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/25/2008	5747.09	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/24/2008	5746.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/23/2008	5746.72	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/22/2008	5746.65	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/21/2008	5746.22	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/20/2008	5745.46	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/19/2008	5745.68	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/18/2008	5746.62	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/17/2008	5746.11	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/16/2008	5746.2	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/15/2008	5746.03	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/14/2008	5745.76	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/13/2008	5745.38	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/12/2008	5745.17	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/11/2008	5745.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/10/2008	5746.14	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/9/2008	5746.07	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/8/2008	5746.18	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/7/2008	5745.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/6/2008	5746.06	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/5/2008	5745.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/4/2008	5745.61	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/3/2008	5746.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/2/2008	5745.94	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	10/1/2008	5745.62	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/30/2008	5745.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/29/2008	5744.56	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/28/2008	5744.77	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/27/2008	5744.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/26/2008	5744.66	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/25/2008	5745.03	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/24/2008	5744.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/23/2008	5744.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/22/2008	5744.96	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/21/2008	5744.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/20/2008	5744.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/19/2008	5745.24	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/18/2008	5745.47	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/17/2008	5745.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/16/2008	5745.03	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/15/2008	5745.26	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/14/2008	5745.69	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/13/2008	5745.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/12/2008	5744.37	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/11/2008	5744.64	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/10/2008	5744.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/9/2008	5744.64	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/8/2008	5744.98	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/7/2008	5745.24	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/6/2008	5745.52	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/5/2008	5745.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/4/2008	5745.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/3/2008	5745.45	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/2/2008	5745.55	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	9/1/2008	5745.1	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/31/2008	5744.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/30/2008	5744.98	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/29/2008	5745.17	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/28/2008	5744.78	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/26/2008	5744.05	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/25/2008	5744.47	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/24/2008	5743.77	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/23/2008	5744.03	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/22/2008	5744.52	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/21/2008	5744.4	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/20/2008	5744.47	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/19/2008	5744.77	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/18/2008	5745.32	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/17/2008	5745.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/16/2008	5745.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/15/2008	5744.35	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/14/2008	5744.66	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/13/2008	5744.54	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/12/2008	5744.77	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/11/2008	5745.62	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/10/2008	5745.55	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/9/2008	5745.45	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/8/2008	5744.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/7/2008	5743.91	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/6/2008	5743.54	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/5/2008	5743.14	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/4/2008	5743.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/3/2008	5743.16	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/2/2008	5743.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/1/2008	5743.65	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/31/2008	5743.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/30/2008	5743.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/29/2008	5744.08	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/28/2008	5743.84	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/27/2008	5743.79	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/26/2008	5743.98	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/25/2008	5744.29	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/24/2008	5744.63	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/23/2008	5744.43	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/22/2008	5744.7	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/21/2008	5744.38	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/20/2008	5745.11	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/19/2008	5744.94	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/18/2008	5744.22	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/17/2008	5744.22	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/16/2008	5744.49	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/15/2008	5744.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/14/2008	5744.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/13/2008	5744.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/12/2008	5744	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/11/2008	5744.5	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/10/2008	5744.64	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/9/2008	5743.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/8/2008	5743.54	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/7/2008	5743.23	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/6/2008	5743.21	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/5/2008	5743.39	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/4/2008	5743.63	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/3/2008	5743.51	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/2/2008	5743.77	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/1/2008	5743.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/30/2008	5743.4	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/29/2008	5743.53	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/28/2008	5743.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/27/2008	5743.77	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/26/2008	5743.96	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/25/2008	5744.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/24/2008	5744.26	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/23/2008	5743.86	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/22/2008	5743.98	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/21/2008	5744.14	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/20/2008	5744.33	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/19/2008	5744.56	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/18/2008	5744.9	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/17/2008	5744.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/16/2008	5744.97	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/15/2008	5744.77	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/14/2008	5745.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/13/2008	5745.24	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/12/2008	5745.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/11/2008	5745.66	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/10/2008	5745.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/9/2008	5745.67	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/8/2008	5746.13	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/7/2008	5746.55	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/6/2008	5747.26	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/5/2008	5746.44	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/4/2008	5746.32	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/3/2008	5746.95	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/2/2008	5746.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/1/2008	5746.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/31/2008	5747.06	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/30/2008	5747.23	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/29/2008	5747.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/28/2008	5747.16	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/27/2008	5747.26	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/26/2008	5747.11	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/25/2008	5747.28	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/24/2008	5747.79	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/23/2008	5747.53	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/22/2008	5747.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/21/2008	5747.67	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/20/2008	5747.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/19/2008	5747.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/18/2008	5747.4	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/17/2008	5746.97	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/16/2008	5747.63	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/15/2008	5747.56	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/14/2008	5748.45	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/13/2008	5748.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/12/2008	5748.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/11/2008	5748.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/10/2008	5749.01	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/9/2008	5749.32	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/8/2008	5748.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/7/2008	5748.28	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/6/2008	5748.5	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/5/2008	5748.29	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/4/2008	5748.7	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/3/2008	5749.07	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/2/2008	5749.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/1/2008	5748.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/30/2008	5748.68	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/29/2008	5748.59	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/28/2008	5747.86	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/27/2008	5747.91	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/26/2008	5748.61	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/25/2008	5748.28	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/24/2008	5747.98	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/23/2008	5747.77	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/22/2008	5747.53	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/21/2008	5747.02	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/20/2008	5746.51	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/19/2008	5746.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/18/2008	5746.97	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/17/2008	5747.28	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/16/2008	5748.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/15/2008	5748.12	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/14/2008	5747.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/13/2008	5747.07	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/12/2008	5746.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/11/2008	5746.91	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/10/2008	5746.71	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/9/2008	5746.81	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/8/2008	5747.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/7/2008	5747.3	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/6/2008	5746.43	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/5/2008	5746.65	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/4/2008	5747.32	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/3/2008	5746.99	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/2/2008	5747.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/1/2008	5747.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/31/2008	5747.54	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/30/2008	5747.84	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/29/2008	5747.65	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/28/2008	5747.53	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/27/2008	5747.56	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/26/2008	5747.65	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/25/2008	5747.61	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/24/2008	5747.3	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/23/2008	5747.49	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/22/2008	5748.16	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/21/2008	5748.02	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/20/2008	5748.12	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/19/2008	5748.07	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/18/2008	5748	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/17/2008	5747.84	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/16/2008	5748.16	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/15/2008	5748.43	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/14/2008	5748.5	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/13/2008	5748.61	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/12/2008	5748.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/11/2008	5748.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/10/2008	5748.37	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/9/2008	5748.19	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/8/2008	5749.19	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/7/2008	5748.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/6/2008	5748.35	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/5/2008	5748	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/4/2008	5748.36	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/3/2008	5748.12	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/2/2008	5748.1	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	3/1/2008	5748.36	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/29/2008	5748.43	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/28/2008	5748.38	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/27/2008	5748.5	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/26/2008	5748.16	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/25/2008	5748.22	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/24/2008	5748.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/23/2008	5748.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/22/2008	5748.98	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/21/2008	5749.06	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/20/2008	5748.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/19/2008	5748.5	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/18/2008	5748.38	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/17/2008	5748.38	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/16/2008	5748.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/15/2008	5748.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/14/2008	5748.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/13/2008	5748.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/12/2008	5748.84	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/11/2008	5748.56	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/10/2008	5748.84	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/9/2008	5749.17	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/8/2008	5748.94	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/7/2008	5748.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/6/2008	5748.61	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/5/2008	5748.33	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/4/2008	5748.03	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/3/2008	5748.42	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/2/2008	5749.17	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	2/1/2008	5748.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/31/2008	5748.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/30/2008	5748.22	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/29/2008	5748.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/28/2008	5748.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/27/2008	5748.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/26/2008	5748.82	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/25/2008	5748.92	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/24/2008	5749.01	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/23/2008	5749.26	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/22/2008	5749.59	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/21/2008	5749.29	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/20/2008	5749.97	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/19/2008	5750.67	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/18/2008	5751.02	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/17/2008	5751	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/16/2008	5751	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/15/2008	5750.99	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/14/2008	5750.9	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/13/2008	5751.37	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/12/2008	5751.35	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/11/2008	5751.13	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/10/2008	5751.34	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/9/2008	5751.11	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/8/2008	5751.09	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/7/2008	5750.45	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	1/6/2008	5750.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/22/2009	5837.57	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/21/2009	5837.38	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/20/2009	5837.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/19/2009	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/18/2009	5837.3	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/17/2009	5837.41	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/16/2009	5837.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/15/2009	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/14/2009	5837.55	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/13/2009	5837.39	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/12/2009	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/11/2009	5837.38	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/10/2009	5837.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/9/2009	5837.75	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/8/2009	5837.64	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/7/2009	5837.78	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/6/2009	5838.03	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/5/2009	5837.64	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/4/2009	5837.82	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/3/2009	5837.95	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/2/2009	5837.7	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/1/2009	5837.65	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/31/2008	5837.45	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/30/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/29/2008	5837.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/28/2008	5837.57	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/27/2008	5837.97	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/26/2008	5838	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/25/2008	5837.65	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/24/2008	5837.85	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/23/2008	5838.07	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/22/2008	5837.67	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/21/2008	5837.61	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/20/2008	5837.76	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/19/2008	5837.63	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/18/2008	5837.76	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/17/2008	5837.79	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/16/2008	5837.84	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/15/2008	5837.76	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/14/2008	5838.19	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/13/2008	5837.86	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/12/2008	5837.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/11/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/10/2008	5837.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/9/2008	5838.09	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/8/2008	5837.79	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/7/2008	5837.49	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/6/2008	5837.54	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/5/2008	5837.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/4/2008	5837.6	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/3/2008	5837.82	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/2/2008	5837.57	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	12/1/2008	5837.7	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/30/2008	5837.73	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/29/2008	5837.78	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/28/2008	5837.67	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/27/2008	5837.55	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/26/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/25/2008	5837.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/24/2008	5837.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/23/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/22/2008	5837.43	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/21/2008	5837.26	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/20/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/19/2008	5837.29	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/18/2008	5837.16	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/17/2008	5837.27	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/16/2008	5837.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/15/2008	5837.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/14/2008	5837.72	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/13/2008	5837.61	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/12/2008	5837.61	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/11/2008	5837.67	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/10/2008	5837.85	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/9/2008	5837.63	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/8/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/7/2008	5837.42	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/6/2008	5837.59	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/5/2008	5837.8	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/4/2008	5837.55	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/3/2008	5837.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/2/2008	5837.3	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	11/1/2008	5837.16	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/31/2008	5837.18	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/30/2008	5837.32	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/29/2008	5837.21	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/28/2008	5837.08	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/27/2008	5837	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/26/2008	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/25/2008	5837.39	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/24/2008	5837.44	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/23/2008	5837.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/22/2008	5837.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/21/2008	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/20/2008	5837.29	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/19/2008	5837.29	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/18/2008	5837.12	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/17/2008	5837.21	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/16/2008	5837.2	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/15/2008	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/14/2008	5837.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/13/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/12/2008	5837.76	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/11/2008	5837.63	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/10/2008	5837.64	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/9/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/8/2008	5837.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/7/2008	5837.29	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/6/2008	5837.61	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/5/2008	5837.59	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/4/2008	5837.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/3/2008	5837.5	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/2/2008	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	10/1/2008	5837.24	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/30/2008	5837.17	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/29/2008	5837.22	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/28/2008	5837.22	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/27/2008	5837.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/26/2008	5837.28	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/25/2008	5837.21	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/24/2008	5837.26	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/23/2008	5837.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/22/2008	5837.42	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/21/2008	5837.42	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/20/2008	5837.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/19/2008	5837.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/18/2008	5837.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/17/2008	5837.25	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/16/2008	5837.21	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/15/2008	5837.27	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/14/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/13/2008	5837.57	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/12/2008	5837.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/11/2008	5837.54	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/10/2008	5837.55	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/9/2008	5837.44	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/8/2008	5837.61	Manual
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/8/2008	5837.45	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/7/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/6/2008	5837.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/5/2008	5837.54	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/4/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/3/2008	5837.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/2/2008	5837.5	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	9/1/2008	5837.57	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/31/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/30/2008	5837.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/29/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/28/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/27/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/26/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/25/2008	5837.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/24/2008	5837.28	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/23/2008	5837.41	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/22/2008	5837.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/21/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/20/2008	5837.45	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/19/2008	5837.43	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/18/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/17/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/16/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/15/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/14/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/13/2008	5837.49	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/12/2008	5837.44	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/11/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/10/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/9/2008	5837.42	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/8/2008	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/7/2008	5837.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/6/2008	5837.28	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/5/2008	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/4/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/3/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/2/2008	5837.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	8/1/2008	5837.41	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/31/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/30/2008	5837.45	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/29/2008	5837.49	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/28/2008	5837.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/27/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/26/2008	5837.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/25/2008	5837.38	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/24/2008	5837.42	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/23/2008	5837.44	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/22/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/21/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/20/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/19/2008	5837.47	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/18/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/17/2008	5837.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/16/2008	5837.38	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/15/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/14/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/13/2008	5837.41	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/12/2008	5837.49	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/11/2008	5837.5	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/10/2008	5837.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/9/2008	5837.45	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/8/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/7/2008	5837.56	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/6/2008	5837.56	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/5/2008	5837.45	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/4/2008	5837.42	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/3/2008	5837.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/2/2008	5837.5	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	7/1/2008	5837.39	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/30/2008	5837.28	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/29/2008	5837.34	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/28/2008	5837.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/27/2008	5837.58	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/26/2008	5837.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/25/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/24/2008	5837.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/23/2008	5837.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/22/2008	5837.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/21/2008	5837.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/20/2008	5837.54	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/19/2008	5837.63	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/18/2008	5837.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/17/2008	5837.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/16/2008	5837.6	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/15/2008	5837.59	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/14/2008	5837.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/13/2008	5837.62	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/12/2008	5837.79	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/11/2008	5837.9	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/10/2008	5837.7	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/9/2008	5837.74	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/8/2008	5837.87	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/7/2008	5837.83	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/6/2008	5837.88	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/5/2008	5838.27	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/4/2008	5838	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/3/2008	5837.84	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/2/2008	5837.8	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	6/1/2008	5837.74	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/31/2008	5837.75	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/30/2008	5837.81	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/29/2008	5837.77	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/28/2008	5837.77	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/27/2008	5837.88	Manual
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/27/2008	5837.96	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/26/2008	5838.07	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/25/2008	5837.98	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/24/2008	5838.1	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/23/2008	5838.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/22/2008	5838.49	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/21/2008	5838.08	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/20/2008	5837.93	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/19/2008	5837.95	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/18/2008	5837.82	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/17/2008	5837.77	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/16/2008	5837.81	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/15/2008	5838.02	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/14/2008	5837.99	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/13/2008	5838.26	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/12/2008	5838.13	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/11/2008	5837.93	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/10/2008	5838.17	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/9/2008	5838.11	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/8/2008	5838.19	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/7/2008	5838.25	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/6/2008	5838.1	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/5/2008	5838.05	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/4/2008	5838.05	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/3/2008	5838.05	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/2/2008	5838.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	5/1/2008	5838.56	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/30/2008	5838.38	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/29/2008	5838.1	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/28/2008	5837.96	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/27/2008	5838.01	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/26/2008	5838.15	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/25/2008	5838.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/24/2008	5838.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/23/2008	5838.28	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/22/2008	5838.28	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/21/2008	5838.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/20/2008	5838.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/19/2008	5838.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/18/2008	5838.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/17/2008	5838.58	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/16/2008	5838.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/15/2008	5838.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/14/2008	5838.1	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/13/2008	5838.09	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/12/2008	5838.18	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/11/2008	5838.55	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/10/2008	5838.83	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/9/2008	5838.65	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/8/2008	5838.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/7/2008	5838.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/6/2008	5838.65	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/5/2008	5838.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/4/2008	5838.44	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/3/2008	5838.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/2/2008	5838.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	4/1/2008	5838.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/31/2008	5838.58	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/30/2008	5838.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/29/2008	5838.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/28/2008	5838.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/27/2008	5838.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/26/2008	5838.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/25/2008	5838.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/24/2008	5838.18	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/23/2008	5838.17	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/22/2008	5838.24	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/21/2008	5838.38	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/20/2008	5838.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/19/2008	5838.35	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/18/2008	5838.52	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/17/2008	5838.73	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/16/2008	5838.68	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/15/2008	5838.66	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/14/2008	5838.67	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/13/2008	5838.54	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/12/2008	5838.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/11/2008	5838.19	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/10/2008	5838.16	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/9/2008	5838.5	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/8/2008	5838.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/7/2008	5838.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/6/2008	5838.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/5/2008	5838.62	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/4/2008	5838.33	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/3/2008	5838.42	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/2/2008	5838.56	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	3/1/2008	5838.1	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/29/2008	5838.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/28/2008	5838.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/27/2008	5838.13	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/26/2008	5838.23	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/25/2008	5838.41	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/24/2008	5838.17	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/23/2008	5838.57	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/22/2008	5838.5	Manual
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/22/2008	5838.47	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/21/2008	5838.51	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/20/2008	5838.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/19/2008	5838.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/18/2008	5838.38	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/17/2008	5838.58	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/16/2008	5838.39	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/15/2008	5838.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/14/2008	5838.72	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/13/2008	5838.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/12/2008	5838.36	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/11/2008	5838.26	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/10/2008	5838.13	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/9/2008	5838.29	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/8/2008	5838.5	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/7/2008	5838.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/6/2008	5838.4	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/5/2008	5838.73	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/4/2008	5838.77	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/3/2008	5838.44	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/2/2008	5838.43	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	2/1/2008	5838.29	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/31/2008	5838.59	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/30/2008	5838.53	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/29/2008	5838.78	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/28/2008	5838.43	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/27/2008	5838.09	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/26/2008	5838.1	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/25/2008	5838.37	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/24/2008	5838.3	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/23/2008	5838.28	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/22/2008	5838.31	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/21/2008	5838.44	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/20/2008	5838.25	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/19/2008	5838.21	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/18/2008	5838.45	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/17/2008	5838.43	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/16/2008	5838.59	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/15/2008	5838.13	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/14/2008	5838.12	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/13/2008	5838.27	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/12/2008	5838.41	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/11/2008	5838.39	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/10/2008	5838.46	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/9/2008	5838.32	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/8/2008	5838.48	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/7/2008	5838.59	Transducer
R-6	1205	Single	5871	23	1205	1228	4.5	5	1/6/2008	5838.55	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/22/2009	6403.36	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/21/2009	6403.15	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/20/2009	6403.14	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/19/2009	6403.11	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/18/2009	6403.07	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/17/2009	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/16/2009	6403.11	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/15/2009	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/14/2009	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/13/2009	6403.1	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/12/2009	6403.2	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/11/2009	6403.11	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/10/2009	6403.24	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/9/2009	6403.46	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/8/2009	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/7/2009	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/6/2009	6403.74	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/5/2009	6403.38	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/4/2009	6403.54	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/3/2009	6403.67	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/2/2009	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/1/2009	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/31/2008	6403.15	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/30/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/29/2008	6403.1	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/28/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/27/2008	6403.69	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/26/2008	6403.75	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/25/2008	6403.41	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/24/2008	6403.59	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/23/2008	6403.81	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/22/2008	6403.4	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/21/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/20/2008	6403.5	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/19/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/18/2008	6403.5	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/17/2008	6403.56	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/16/2008	6403.62	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/15/2008	6403.56	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/14/2008	6403.99	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/13/2008	6403.68	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/12/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/11/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/10/2008	6403.31	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/9/2008	6403.92	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/8/2008	6403.62	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/7/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/6/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/5/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/4/2008	6403.45	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/3/2008	6403.67	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/2/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	12/1/2008	6403.56	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/30/2008	6403.63	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/29/2008	6403.68	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/28/2008	6403.6	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/27/2008	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/26/2008	6403.4	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/25/2008	6403.23	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/24/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/23/2008	6403.39	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/22/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/21/2008	6403.16	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/20/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/19/2008	6403.18	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/18/2008	6403.04	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/17/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/16/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/15/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/14/2008	6403.61	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/13/2008	6403.53	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/12/2008	6403.53	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/11/2008	6403.63	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/10/2008	6403.86	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/9/2008	6403.63	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/8/2008	6403.47	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/7/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/6/2008	6403.61	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/5/2008	6403.83	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/4/2008	6403.6	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/3/2008	6403.55	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/2/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	11/1/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/31/2008	6403.18	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/30/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/29/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/28/2008	6403.09	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/27/2008	6403	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/26/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/25/2008	6403.39	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/24/2008	6403.44	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/23/2008	6403.36	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/22/2008	6403.5	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/21/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/20/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/19/2008	6403.31	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/18/2008	6403.13	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/17/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/16/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/15/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/14/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/13/2008	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/12/2008	6403.79	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/11/2008	6403.65	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/10/2008	6403.66	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/9/2008	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/8/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/7/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/6/2008	6403.68	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/5/2008	6403.66	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/4/2008	6403.57	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/3/2008	6403.54	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/2/2008	6403.36	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	10/1/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/30/2008	6403.18	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/29/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/28/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/27/2008	6403.36	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/26/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/25/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/24/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/23/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/22/2008	6403.39	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/21/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/20/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/19/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/18/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/17/2008	6403.2	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/16/2008	6403.14	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/15/2008	6403.18	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/14/2008	6403.39	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/13/2008	6403.5	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/12/2008	6403.46	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/11/2008	6403.47	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/10/2008	6403.43	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/9/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/9/2008	6403.33	Manual
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/8/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/7/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/6/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/5/2008	6403.38	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/4/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/3/2008	6403.2	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/2/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	9/1/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/31/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/30/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/29/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/28/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/27/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/26/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/25/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/24/2008	6403.16	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/23/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/22/2008	6403.4	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/21/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/20/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/19/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/18/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/17/2008	6403.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/16/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/15/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/14/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/13/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/12/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/11/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/10/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/9/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/8/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/7/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/6/2008	6403.16	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/5/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/4/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/3/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/2/2008	6403.24	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	8/1/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/31/2008	6403.31	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/30/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/29/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/28/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/27/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/26/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/25/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/24/2008	6403.24	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/23/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/22/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/21/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/20/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/19/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/18/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/17/2008	6403.2	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/16/2008	6403.18	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/15/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/14/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/13/2008	6403.18	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/12/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/11/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/10/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/9/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/8/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/7/2008	6403.36	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/6/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/5/2008	6403.23	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/4/2008	6403.2	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/3/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/2/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	7/1/2008	6403.15	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/30/2008	6403.05	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/29/2008	6403.08	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/28/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/27/2008	6403.3	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/26/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/25/2008	6403.15	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/24/2008	6403.15	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/23/2008	6403.13	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/22/2008	6403.02	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/21/2008	6403.03	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/20/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/19/2008	6403.24	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/18/2008	6403.13	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/17/2008	6403.09	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/16/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/15/2008	6403.14	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/14/2008	6403.06	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/13/2008	6403.14	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/12/2008	6403.31	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/11/2008	6403.41	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/10/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/9/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/8/2008	6403.38	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/7/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/6/2008	6403.38	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/5/2008	6403.76	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/4/2008	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/3/2008	6403.31	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/2/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	6/1/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/31/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/30/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/29/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/28/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/27/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/26/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/25/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/24/2008	6403.45	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/23/2008	6403.74	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/22/2008	6403.84	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/21/2008	6403.43	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/20/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/19/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/18/2008	6403.11	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/17/2008	6403.05	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/16/2008	6403.03	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/15/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/14/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/13/2008	6403.51	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/12/2008	6403.39	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/11/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/10/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/9/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/8/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/7/2008	6403.52	Manual

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/7/2008	6403.5	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/6/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/5/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/4/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/3/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/2/2008	6403.46	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	5/1/2008	6403.65	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/30/2008	6403.45	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/29/2008	6403.17	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/28/2008	6403.02	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/27/2008	6403.06	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/26/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/25/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/24/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/23/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/22/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/21/2008	6403.38	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/20/2008	6403.44	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/19/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/18/2008	6403.23	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/17/2008	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/16/2008	6403.44	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/15/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/14/2008	6403	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/13/2008	6402.99	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/12/2008	6403.06	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/11/2008	6403.41	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/10/2008	6403.71	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/9/2008	6403.54	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/8/2008	6403.41	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/7/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/6/2008	6403.53	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/5/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/4/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/3/2008	6403.4	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/2/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	4/1/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/31/2008	6403.48	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/30/2008	6403.43	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/29/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/28/2008	6403.4	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/27/2008	6403.39	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/26/2008	6403.25	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/25/2008	6403.24	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/24/2008	6403.06	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/23/2008	6403.04	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/22/2008	6403.12	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/21/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/20/2008	6403.22	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/19/2008	6403.2	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/18/2008	6403.41	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/17/2008	6403.62	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/16/2008	6403.59	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/15/2008	6403.53	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/14/2008	6403.55	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/13/2008	6403.43	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/12/2008	6403.23	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/11/2008	6403.09	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/10/2008	6403.07	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/9/2008	6403.41	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/8/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/7/2008	6403.23	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/6/2008	6403.38	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/5/2008	6403.54	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/4/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/3/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/2/2008	6403.5	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	3/1/2008	6403.02	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/29/2008	6403.21	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/28/2008	6403.26	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/27/2008	6403.03	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/26/2008	6403.14	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/25/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/24/2008	6403.08	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/23/2008	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/22/2008	6403.42	Manual
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/22/2008	6403.4	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/21/2008	6403.44	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/20/2008	6403.29	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/19/2008	6403.24	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/18/2008	6403.32	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/17/2008	6403.53	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/16/2008	6403.31	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/15/2008	6403.37	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/14/2008	6403.65	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/13/2008	6403.23	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/12/2008	6403.27	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/11/2008	6403.19	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/10/2008	6403.06	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/9/2008	6403.2	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/8/2008	6403.43	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/7/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/6/2008	6403.35	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/5/2008	6403.68	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/4/2008	6403.75	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/3/2008	6403.43	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/2/2008	6403.41	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	2/1/2008	6403.28	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/31/2008	6403.57	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/30/2008	6403.54	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/29/2008	6403.78	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/28/2008	6403.48	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/27/2008	6403.11	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/26/2008	6403.1	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/25/2008	6403.38	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/24/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/23/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/22/2008	6403.33	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/21/2008	6403.49	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/20/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/19/2008	6403.23	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/18/2008	6403.45	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/17/2008	6403.44	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/16/2008	6403.6	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/15/2008	6403.15	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/14/2008	6403.14	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/13/2008	6403.3	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/12/2008	6403.42	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/11/2008	6403.39	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/10/2008	6403.47	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/9/2008	6403.34	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/8/2008	6403.48	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/7/2008	6403.6	Transducer
R-6i	602	Single	5881	10	602	612	4.46	5.27	1/6/2008	6403.55	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/22/2009	5876.9	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/21/2009	5876.89	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/20/2009	5876.88	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/19/2009	5876.89	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/18/2009	5876.85	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/17/2009	5876.85	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/16/2009	5876.88	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/15/2009	5876.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/13/2009	5877.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/12/2009	5876.89	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/11/2009	5876.89	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/10/2009	5876.9	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/9/2009	5876.9	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/8/2009	5876.91	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/7/2009	5876.91	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/6/2009	5876.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/5/2009	5876.91	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/4/2009	5876.91	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/3/2009	5876.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/2/2009	5876.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/1/2009	5876.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/31/2008	5876.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/30/2008	5876.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/29/2008	5876.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/28/2008	5876.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/27/2008	5876.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/26/2008	5876.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/25/2008	5876.95	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/24/2008	5876.95	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/23/2008	5876.96	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/22/2008	5876.97	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/21/2008	5876.97	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/20/2008	5876.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/19/2008	5876.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/18/2008	5876.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/17/2008	5876.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/16/2008	5877	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/15/2008	5877	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/14/2008	5877	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/13/2008	5877	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/12/2008	5877.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/11/2008	5877.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/10/2008	5877.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/9/2008	5877.02	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/8/2008	5877.02	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/7/2008	5877.02	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/6/2008	5877.02	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/5/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/4/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/3/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/2/2008	5877.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/1/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/30/2008	5877.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/29/2008	5877.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/28/2008	5877.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/27/2008	5877.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/26/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/25/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/24/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/23/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/22/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/21/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/20/2008	5877.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/19/2008	5877.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/18/2008	5877.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/17/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/16/2008	5877.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/15/2008	5877.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/14/2008	5877.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/13/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/12/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/11/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/10/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/9/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/8/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/7/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/6/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/5/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/4/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/3/2008	5877.09	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/2/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/1/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/31/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/30/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/29/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/28/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/27/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/26/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/25/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/24/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/23/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/22/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/21/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/20/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/19/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/18/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/17/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/16/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/15/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/14/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/13/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/12/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/11/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/10/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/9/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/8/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/7/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/6/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/5/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/4/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/3/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/2/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/1/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/30/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/29/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/28/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/27/2008	5877.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/26/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/25/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/24/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/23/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/22/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/21/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/20/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/19/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/18/2008	5877.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/17/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/16/2008	5877.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/15/2008	5877.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/14/2008	5877.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/13/2008	5877.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/12/2008	5877.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/11/2008	5877.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/10/2008	5877.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/9/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/8/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/7/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/6/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/5/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/4/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/3/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/2/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/1/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/31/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/30/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/29/2008	5877.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/28/2008	5877.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/26/2008	5877.57	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/25/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/24/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/23/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/22/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/21/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/20/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/19/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/18/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/17/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/16/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/15/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/14/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/13/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/12/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/11/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/10/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/9/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/8/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/7/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/6/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/5/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/4/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/3/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/2/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/1/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/31/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/30/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/29/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/28/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/27/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/26/2008	5877.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/25/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/24/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/23/2008	5877.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/22/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/21/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/20/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/19/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/18/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/17/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/16/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/15/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/14/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/13/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/12/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/11/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/10/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/9/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/8/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/7/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/6/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/5/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/4/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/3/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/2/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/1/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/30/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/29/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/28/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/27/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/26/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/25/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/24/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/23/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/22/2008	5877.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/21/2008	5877.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/20/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/19/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/18/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/17/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/16/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/15/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/14/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/13/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/12/2008	5877.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/11/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/10/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/9/2008	5877.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/8/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/7/2008	5877.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/6/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/5/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/4/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/3/2008	5877.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/2/2008	5877.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/1/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/31/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/30/2008	5877.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/29/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/28/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/27/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/26/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/25/2008	5877.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/24/2008	5877.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/23/2008	5877.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/22/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/21/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/20/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/19/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/18/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/17/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/16/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/15/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/14/2008	5877.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/13/2008	5877.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/12/2008	5877.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/11/2008	5877.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/10/2008	5877.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/9/2008	5877.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/8/2008	5877.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/7/2008	5877.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/6/2008	5877.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/5/2008	5877.22	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/4/2008	5877.22	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/3/2008	5877.23	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/2/2008	5877.22	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/1/2008	5877.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/30/2008	5877.22	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/29/2008	5877.22	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/28/2008	5877.22	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/27/2008	5877.23	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/26/2008	5877.23	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/25/2008	5877.23	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/24/2008	5877.23	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/23/2008	5877.24	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/22/2008	5877.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/21/2008	5877.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/20/2008	5877.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/19/2008	5877.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/18/2008	5877.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/17/2008	5877.29	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/16/2008	5877.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/15/2008	5877.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/28/2008	5877.51	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/24/2008	5877.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/23/2008	5877.3	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/17/2008	5877.52	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/16/2008	5877.51	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/15/2008	5877.51	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/14/2008	5877.51	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/13/2008	5877.51	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/12/2008	5877.52	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/11/2008	5877.52	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/10/2008	5877.53	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/9/2008	5877.53	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/8/2008	5877.53	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/7/2008	5877.53	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/6/2008	5877.53	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/22/2009	5852.98	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/21/2009	5852.97	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/20/2009	5852.93	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/19/2009	5852.91	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/18/2009	5852.92	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/17/2009	5852.92	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/16/2009	5852.93	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/15/2009	5852.96	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/14/2009	5853.01	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/13/2009	5853.02	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/12/2009	5853.01	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/11/2009	5853.03	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/10/2009	5853.03	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/9/2009	5853.02	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/8/2009	5852.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/7/2009	5853.3	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/22/2008	5853.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/21/2008	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/20/2008	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/19/2008	5853.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/18/2008	5853.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/17/2008	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/16/2008	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/15/2008	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/14/2008	5853.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/13/2008	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/12/2008	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/11/2008	5853.53	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/10/2008	5853.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/9/2008	5853.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/7/2008	5853.45	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/6/2008	5853.41	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/5/2008	5853.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/4/2008	5853.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/3/2008	5853.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/18/2008	5852.68	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/17/2008	5852.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/16/2008	5852.45	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/15/2008	5852.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/14/2008	5852.38	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/13/2008	5852.36	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/12/2008	5852.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/11/2008	5852.53	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/10/2008	5852.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/9/2008	5852.86	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/8/2008	5853.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/7/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/6/2008	5853.23	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/5/2008	5853.23	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/4/2008	5853.24	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/3/2008	5853.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/2/2008	5853.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/1/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/31/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/30/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/29/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/28/2008	5853.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/27/2008	5853.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/26/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/25/2008	5853.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/24/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/23/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/22/2008	5853.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/21/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/20/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/19/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/18/2008	5853.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/17/2008	5853.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/16/2008	5853.24	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/15/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/14/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/13/2008	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/12/2008	5853.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/11/2008	5853.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/10/2008	5853.15	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/9/2008	5853.13	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/8/2008	5853.11	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/7/2008	5853.07	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/6/2008	5853.06	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/5/2008	5853.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/4/2008	5853.03	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/3/2008	5853	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/2/2008	5852.98	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/1/2008	5852.96	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/30/2008	5852.96	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/29/2008	5852.94	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/28/2008	5852.94	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/27/2008	5852.9	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/26/2008	5852.88	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/25/2008	5852.84	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/24/2008	5852.8	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/23/2008	5852.75	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/22/2008	5852.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/21/2008	5852.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/20/2008	5852.64	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/19/2008	5852.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/18/2008	5852.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/17/2008	5852.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/16/2008	5852.32	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/15/2008	5852.23	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/14/2008	5852.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/13/2008	5851.92	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/12/2008	5851.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/11/2008	5851.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/10/2008	5851.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/9/2008	5850.99	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/8/2008	5850.75	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/7/2008	5850.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/6/2008	5850.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/5/2008	5850.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/4/2008	5850.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/3/2008	5850.64	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/2/2008	5850.66	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/1/2008	5850.71	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/31/2008	5850.79	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/30/2008	5850.88	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/29/2008	5851.02	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/28/2008	5851.1	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/27/2008	5851.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/26/2008	5851.19	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/25/2008	5851.14	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/24/2008	5851.1	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/23/2008	5851.15	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/22/2008	5851.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/21/2008	5851.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/20/2008	5851.7	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/19/2008	5851.94	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/18/2008	5852.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/17/2008	5852.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/16/2008	5852.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/15/2008	5852.31	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/14/2008	5852.36	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/13/2008	5852.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/12/2008	5852.19	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/11/2008	5852.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/10/2008	5851.92	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/9/2008	5851.89	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/8/2008	5851.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/7/2008	5851.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/6/2008	5851.64	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/5/2008	5851.69	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/4/2008	5851.7	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/3/2008	5851.67	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/2/2008	5851.66	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/1/2008	5851.7	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/30/2008	5851.75	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/29/2008	5851.81	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/28/2008	5851.91	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/27/2008	5851.94	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/26/2008	5851.95	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/25/2008	5852.01	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/24/2008	5852.1	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/23/2008	5852.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/22/2008	5852.35	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/21/2008	5852.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/20/2008	5852.58	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/19/2008	5852.53	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/18/2008	5852.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/17/2008	5852.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/16/2008	5852.44	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/15/2008	5852.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/14/2008	5852.68	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/13/2008	5852.79	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/12/2008	5852.75	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/11/2008	5852.73	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/10/2008	5852.71	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/9/2008	5852.73	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/8/2008	5852.79	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/7/2008	5853.03	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/6/2008	5853.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/5/2008	5853.11	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/4/2008	5853.06	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/3/2008	5853.07	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/2/2008	5853.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/1/2008	5853.08	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/31/2008	5853.07	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/30/2008	5853.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/29/2008	5853.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/28/2008	5853.15	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/27/2008	5853.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/26/2008	5853.11	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/25/2008	5853.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/24/2008	5853.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/23/2008	5853.12	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/22/2008	5853.13	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/21/2008	5853.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/20/2008	5853.19	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/19/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/18/2008	5853.23	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/17/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/16/2008	5853.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/15/2008	5853.39	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/14/2008	5853.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/13/2008	5853.33	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/12/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/11/2008	5853.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/10/2008	5853.31	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/9/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/8/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/7/2008	5853.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/6/2008	5853.24	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/5/2008	5853.24	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/4/2008	5853.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/3/2008	5853.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/2/2008	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/1/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/29/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/28/2008	5853.23	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/27/2008	5853.23	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/26/2008	5853.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/25/2008	5853.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/24/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/23/2008	5853.21	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/22/2008	5853.21	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/21/2008	5853.21	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/20/2008	5853.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/19/2008	5853.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/18/2008	5853.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/17/2008	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/16/2008	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/15/2008	5853.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/14/2008	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/13/2008	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/12/2008	5853.14	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/11/2008	5853.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/10/2008	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/9/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/8/2008	5853.24	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/7/2008	5853.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/6/2008	5853.23	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/5/2008	5853.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/4/2008	5853.15	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/3/2008	5853.14	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/2/2008	5853.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/1/2008	5853.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/31/2008	5853.01	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/30/2008	5852.96	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/29/2008	5852.85	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/28/2008	5852.84	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/27/2008	5852.86	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/26/2008	5852.81	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/25/2008	5852.78	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/24/2008	5852.75	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/23/2008	5852.7	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/22/2008	5852.6	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/21/2008	5852.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/20/2008	5852.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/19/2008	5852.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/18/2008	5852.29	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/17/2008	5852.29	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/16/2008	5851.91	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/15/2008	5851.89	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/11/2008	5852.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/10/2008	5852.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/9/2008	5852.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/8/2008	5852.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/7/2008	5852.58	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/6/2008	5852.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/22/2009	5832.51	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/21/2009	5832.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/20/2009	5832.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/19/2009	5831.97	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/18/2009	5832.06	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/17/2009	5832.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/16/2009	5832.3	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/15/2009	5832.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/14/2009	5832.5	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/13/2009	5832.88	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/12/2009	5832.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/11/2009	5832.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/10/2009	5832.18	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/9/2009	5831.87	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/8/2009	5831.97	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/7/2009	5832.91	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/22/2008	5834.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/21/2008	5834.49	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/20/2008	5834.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/19/2008	5834.46	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/18/2008	5834.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/17/2008	5834.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/16/2008	5834.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/15/2008	5834.53	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/14/2008	5834.48	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/13/2008	5834.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/12/2008	5834.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/11/2008	5834.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/10/2008	5834.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/9/2008	5834.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/7/2008	5834.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/6/2008	5834.5	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/5/2008	5834.46	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/4/2008	5834.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/3/2008	5834.39	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/18/2008	5832.45	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/17/2008	5832.05	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/16/2008	5831.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/15/2008	5830.71	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/14/2008	5830.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/13/2008	5830.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/12/2008	5829.94	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/11/2008	5830.03	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/10/2008	5830.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/9/2008	5830.95	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/8/2008	5831.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/7/2008	5832.79	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/6/2008	5833.39	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/5/2008	5833.4	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/4/2008	5833.42	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/3/2008	5833.45	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/2/2008	5833.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/1/2008	5833.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/31/2008	5833.62	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/30/2008	5833.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/29/2008	5833.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/28/2008	5833.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/27/2008	5833.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/26/2008	5833.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/25/2008	5833.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/24/2008	5833.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/23/2008	5833.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/22/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/21/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/20/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/19/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/18/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/17/2008	5833.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/16/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/15/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/14/2008	5833.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/13/2008	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/12/2008	5833.47	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/11/2008	5833.46	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/10/2008	5833.42	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/9/2008	5833.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/8/2008	5833.33	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/7/2008	5833.32	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/6/2008	5833.24	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/5/2008	5833.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/4/2008	5833.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/3/2008	5833.23	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/2/2008	5833.17	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/1/2008	5833.14	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/30/2008	5833.15	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/29/2008	5833.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/28/2008	5833.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/27/2008	5833.17	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/26/2008	5833.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/25/2008	5833.1	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/24/2008	5833.06	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/23/2008	5832.97	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/22/2008	5832.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/21/2008	5832.85	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/20/2008	5832.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/19/2008	5832.77	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/18/2008	5832.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/17/2008	5832.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/16/2008	5832.42	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/15/2008	5832.26	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/14/2008	5832.01	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/13/2008	5831.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/12/2008	5831.18	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/11/2008	5830.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/10/2008	5829.82	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/9/2008	5828.82	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/8/2008	5827.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/7/2008	5826.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/6/2008	5825.95	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/5/2008	5825.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/4/2008	5825.46	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/3/2008	5825.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/2/2008	5825.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/1/2008	5825.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/31/2008	5825.72	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/30/2008	5826.01	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/29/2008	5826.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/28/2008	5826.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/27/2008	5827.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/26/2008	5827.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/25/2008	5827.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/24/2008	5826.85	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/23/2008	5826.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/22/2008	5826.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/21/2008	5827.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/20/2008	5827.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/19/2008	5828.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/18/2008	5829.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/17/2008	5831.14	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/16/2008	5830.86	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/15/2008	5831.27	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/14/2008	5831.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/13/2008	5832.07	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/12/2008	5831.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/11/2008	5831.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/10/2008	5830.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/9/2008	5830.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/8/2008	5829.89	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/7/2008	5829.17	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/6/2008	5828.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/5/2008	5828.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/4/2008	5828.82	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/3/2008	5828.71	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/2/2008	5828.77	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/1/2008	5828.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/30/2008	5828.71	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/29/2008	5828.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/28/2008	5829.04	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/27/2008	5829.05	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/26/2008	5829.2	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/25/2008	5829.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/24/2008	5829.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/23/2008	5829.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/22/2008	5829.9	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/21/2008	5830.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/20/2008	5831.3	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/19/2008	5831.85	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/18/2008	5831.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/17/2008	5831.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/16/2008	5830.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/15/2008	5830.87	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/14/2008	5830.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/13/2008	5831.62	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/12/2008	5832.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/11/2008	5832.17	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/10/2008	5831.95	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/9/2008	5831.72	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/8/2008	5831.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/7/2008	5831.53	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/6/2008	5833.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/5/2008	5833.49	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/4/2008	5833.01	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/3/2008	5833.02	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/2/2008	5833.11	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/1/2008	5833.15	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/31/2008	5832.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/30/2008	5832.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/29/2008	5833.46	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/28/2008	5833.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/27/2008	5833.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/26/2008	5833.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/25/2008	5833.26	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/24/2008	5832.73	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/23/2008	5832.92	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/22/2008	5833.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/21/2008	5833.17	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/20/2008	5833.25	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/19/2008	5833.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/18/2008	5833.44	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/17/2008	5832.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/16/2008	5833.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/15/2008	5834.03	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/14/2008	5834.3	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/13/2008	5834.12	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/12/2008	5833.85	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/11/2008	5833.48	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/10/2008	5833.51	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/9/2008	5833.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/8/2008	5833.46	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/7/2008	5833.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/6/2008	5833.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/5/2008	5833.78	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/4/2008	5833.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/3/2008	5832.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/2/2008	5833.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/1/2008	5833.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/29/2008	5833.51	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/28/2008	5833.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/27/2008	5833.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/26/2008	5833.39	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/25/2008	5832.9	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/24/2008	5833.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/23/2008	5833.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/22/2008	5833.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/21/2008	5833.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/20/2008	5833.4	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/19/2008	5833.36	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/18/2008	5832.88	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/17/2008	5833.09	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/16/2008	5833.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/15/2008	5833.36	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/14/2008	5833.48	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/13/2008	5833.73	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/12/2008	5833.34	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/11/2008	5832.9	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/10/2008	5833.16	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/9/2008	5833.45	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/8/2008	5833.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/7/2008	5833.87	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/6/2008	5833.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/5/2008	5833.87	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/4/2008	5833.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/3/2008	5833.27	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/2/2008	5833.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/1/2008	5833.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/31/2008	5833.06	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/30/2008	5833.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/29/2008	5832.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/28/2008	5832.11	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/27/2008	5832.31	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/26/2008	5832.48	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/25/2008	5832.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/24/2008	5832.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/23/2008	5832.38	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/22/2008	5832.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/21/2008	5831.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/20/2008	5831.62	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/19/2008	5831.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/18/2008	5830.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/17/2008	5830.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/16/2008	5830.26	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/15/2008	5829.94	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/14/2008	5829.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/11/2008	5830.89	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/10/2008	5830.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/9/2008	5831.1	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/8/2008	5831.38	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/7/2008	5830.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/6/2008	5830.83	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/22/2009	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/21/2009	5691.12	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/20/2009	5691.09	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/19/2009	5691.05	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/18/2009	5690.99	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/17/2009	5691.1	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/16/2009	5691.02	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/15/2009	5691.1	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/14/2009	5691.2	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/13/2009	5690.99	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/12/2009	5691.07	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/11/2009	5690.95	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/10/2009	5691.06	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/9/2009	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/8/2009	5691.18	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/7/2009	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/6/2009	5691.59	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/5/2009	5691.21	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/4/2009	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/3/2009	5691.59	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/2/2009	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/1/2009	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/31/2008	5691.07	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/30/2008	5691.08	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/29/2008	5690.92	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/28/2008	5691.08	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/27/2008	5691.48	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/26/2008	5691.59	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/25/2008	5691.22	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/24/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/23/2008	5691.67	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/22/2008	5691.25	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/21/2008	5691.18	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/20/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/19/2008	5691.18	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/18/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/17/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/16/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/15/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/14/2008	5691.84	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/13/2008	5691.55	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/12/2008	5691.2	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/11/2008	5691.1	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/10/2008	5691.1	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/9/2008	5691.77	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/8/2008	5691.51	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/7/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/6/2008	5691.21	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/5/2008	5691.16	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/4/2008	5691.27	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/3/2008	5691.52	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/2/2008	5691.25	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	12/1/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/30/2008	5691.46	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/29/2008	5691.54	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/28/2008	5691.48	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/27/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/26/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/25/2008	5691.15	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/24/2008	5691.22	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/23/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/22/2008	5691.27	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/21/2008	5691.09	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/20/2008	5691.25	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/19/2008	5691.14	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/18/2008	5690.97	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/17/2008	5691.07	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/16/2008	5691.05	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/15/2008	5691	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/14/2008	5691.44	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/13/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/12/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/11/2008	5691.42	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/10/2008	5691.69	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/9/2008	5691.47	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/8/2008	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/7/2008	5691.21	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/6/2008	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/5/2008	5691.7	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/4/2008	5691.52	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/3/2008	5691.51	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/2/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	11/1/2008	5691.13	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/31/2008	5691.13	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/30/2008	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/29/2008	5691.17	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/28/2008	5691.02	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/27/2008	5690.89	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/26/2008	5691.25	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/25/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/24/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/23/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/22/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/21/2008	5691.27	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/20/2008	5691.23	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/19/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/18/2008	5691.06	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/17/2008	5691.09	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/16/2008	5691.05	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/15/2008	5691.16	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/14/2008	5691.18	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/13/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/12/2008	5691.62	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/11/2008	5691.5	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/10/2008	5691.53	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/9/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/8/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/7/2008	5691.15	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/6/2008	5691.51	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/5/2008	5691.52	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/4/2008	5691.47	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/3/2008	5691.47	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/2/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	10/1/2008	5691.21	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/30/2008	5691.11	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/29/2008	5691.17	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/28/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/27/2008	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/26/2008	5691.22	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/25/2008	5691.13	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/24/2008	5691.18	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/23/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/22/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/21/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/20/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/19/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/18/2008	5691.25	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/17/2008	5691.14	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/16/2008	5691.04	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/15/2008	5691.05	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/14/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/13/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/12/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/11/2008	5691.36	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/10/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/9/2008	5691.21	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/8/2008	5691.34	Manual
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/8/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/7/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/6/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/5/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/4/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/3/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/2/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	9/1/2008	5691.42	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/31/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/30/2008	5691.23	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/29/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/28/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/27/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/26/2008	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/25/2008	5691.25	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/24/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/23/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/22/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/21/2008	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/20/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/19/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/18/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/17/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/16/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/15/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/14/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/13/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/12/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/11/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/10/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/9/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/8/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/7/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/6/2008	5691.24	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/5/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/4/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/3/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/2/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	8/1/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/31/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/30/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/29/2008	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/28/2008	5691.45	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/27/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/26/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/25/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/24/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/23/2008	5691.35	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/22/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/21/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/20/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/19/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/18/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/17/2008	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/16/2008	5691.27	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/15/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/14/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/13/2008	5691.27	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/12/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/11/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/10/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/9/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/8/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/7/2008	5691.46	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/6/2008	5691.47	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/5/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/4/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/3/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/2/2008	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	7/1/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/30/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/29/2008	5691.21	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/28/2008	5691.42	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/27/2008	5691.46	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/26/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/25/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/24/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/23/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/22/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/21/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/20/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/19/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/18/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/17/2008	5691.44	Manual
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/17/2008	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/16/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/15/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/14/2008	5691.22	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/13/2008	5691.27	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/12/2008	5691.42	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/11/2008	5691.56	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/10/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/9/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/8/2008	5691.49	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/7/2008	5691.45	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/6/2008	5691.46	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/5/2008	5691.89	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/4/2008	5691.67	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/3/2008	5691.51	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/2/2008	5691.46	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	6/1/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/31/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/30/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/29/2008	5691.64	Manual
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/29/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/28/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/27/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/26/2008	5691.49	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/25/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/24/2008	5691.46	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/23/2008	5691.79	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/22/2008	5691.96	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/21/2008	5691.61	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/20/2008	5691.44	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/19/2008	5691.45	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/18/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/17/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/16/2008	5691.13	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/15/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/14/2008	5691.34	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/13/2008	5691.62	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/12/2008	5691.5	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/11/2008	5691.25	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/10/2008	5691.5	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/9/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/8/2008	5691.51	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/7/2008	5691.64	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/6/2008	5691.48	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/5/2008	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/4/2008	5691.38	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/3/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/2/2008	5691.59	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	5/1/2008	5691.81	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/30/2008	5691.66	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/29/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/28/2008	5691.19	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/27/2008	5691.21	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/26/2008	5691.32	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/25/2008	5691.42	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/24/2008	5691.5	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/23/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/22/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/21/2008	5691.53	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/20/2008	5691.61	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/19/2008	5691.42	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/18/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/17/2008	5691.66	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/16/2008	5691.65	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/15/2008	5691.44	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/14/2008	5691.18	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/13/2008	5691.12	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/12/2008	5691.13	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/11/2008	5691.48	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/10/2008	5691.8	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/9/2008	5691.66	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/8/2008	5691.53	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/7/2008	5691.56	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/6/2008	5691.67	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/5/2008	5691.52	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/4/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/3/2008	5691.55	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/2/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	4/1/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/31/2008	5691.62	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/30/2008	5691.59	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/29/2008	5691.54	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/28/2008	5691.6	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/27/2008	5691.61	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/26/2008	5691.49	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/25/2008	5691.49	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/24/2008	5691.28	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/23/2008	5691.25	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/22/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/21/2008	5691.39	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/20/2008	5691.36	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/19/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/18/2008	5691.49	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/17/2008	5691.72	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/16/2008	5691.73	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/15/2008	5691.69	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/14/2008	5691.76	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/13/2008	5691.66	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/12/2008	5691.45	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/11/2008	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/10/2008	5691.24	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/9/2008	5691.59	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/8/2008	5691.45	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/7/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/6/2008	5691.52	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/5/2008	5691.73	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/4/2008	5691.44	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/3/2008	5691.54	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/2/2008	5691.76	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	3/1/2008	5691.26	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/29/2008	5691.45	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/28/2008	5691.5	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/27/2008	5691.44	Manual
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/27/2008	5691.22	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/26/2008	5691.3	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/25/2008	5691.51	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/24/2008	5691.21	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/23/2008	5691.63	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/22/2008	5691.54	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/21/2008	5691.61	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/20/2008	5691.44	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/19/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/18/2008	5691.44	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/17/2008	5691.67	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/16/2008	5691.47	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/15/2008	5691.54	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/14/2008	5691.88	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/13/2008	5691.44	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/12/2008	5691.49	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/11/2008	5691.41	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/10/2008	5691.23	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/9/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/8/2008	5691.57	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/7/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/6/2008	5691.43	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/5/2008	5691.79	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/4/2008	5691.89	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/3/2008	5691.58	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/2/2008	5691.55	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	2/1/2008	5691.4	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/31/2008	5691.69	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/30/2008	5691.69	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/29/2008	5691.98	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/28/2008	5691.72	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/27/2008	5691.33	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/26/2008	5691.29	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/25/2008	5691.57	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/24/2008	5691.5	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/23/2008	5691.48	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/22/2008	5691.51	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/21/2008	5691.68	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/20/2008	5691.47	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/19/2008	5691.37	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/18/2008	5691.6	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/17/2008	5691.6	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/16/2008	5691.81	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/15/2008	5691.35	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/14/2008	5691.31	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/13/2008	5691.45	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/12/2008	5691.57	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/11/2008	5691.54	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/10/2008	5691.64	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/9/2008	5691.51	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/8/2008	5691.66	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/7/2008	5691.83	Transducer
R-9	684	Single	1731	65.5	683	748.5	4.5	5	1/6/2008	5691.82	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/22/2009	6242.59	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/21/2009	6242.71	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/20/2009	6242.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/19/2009	6242.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/18/2009	6242.78	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/17/2009	6242.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/16/2009	6242.81	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/15/2009	6242.74	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/14/2009	6242.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/13/2009	6242.81	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/12/2009	6242.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/11/2009	6242.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/10/2009	6242.7	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/9/2009	6242.61	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/8/2009	6242.98	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/7/2009	6242.68	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/20/2008	6242.93	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/19/2008	6243	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/18/2008	6242.96	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/17/2008	6242.93	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/16/2008	6242.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/15/2008	6243.02	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/4/2008	6243.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/3/2008	6243.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/2/2008	6243.23	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/29/2008	6243.15	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/28/2008	6243.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/27/2008	6243.25	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/20/2008	6243.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/18/2008	6243.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/11/2008	6244	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/10/2008	6244.03	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/9/2008	6244.15	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/8/2008	6244.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/7/2008	6244.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/6/2008	6244.11	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/5/2008	6244.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/4/2008	6244.22	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/3/2008	6244.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/2/2008	6244.41	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/1/2008	6244.48	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/30/2008	6244.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/29/2008	6244.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/28/2008	6244.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/27/2008	6244.51	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/26/2008	6244.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/25/2008	6244.63	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/24/2008	6244.62	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/23/2008	6244.58	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/22/2008	6244.59	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/21/2008	6244.63	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/20/2008	6244.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/19/2008	6244.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/18/2008	6244.73	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/17/2008	6244.82	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/16/2008	6244.87	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/15/2008	6244.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/14/2008	6244.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/13/2008	6244.73	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/12/2008	6244.79	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/11/2008	6244.79	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/10/2008	6244.86	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/9/2008	6244.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/8/2008	6244.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/7/2008	6244.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/6/2008	6244.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/5/2008	6244.93	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/4/2008	6245.01	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/3/2008	6245.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/2/2008	6245.13	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/29/2008	6244.92	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/28/2008	6245.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/27/2008	6245.14	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/26/2008	6245.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/25/2008	6245.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/24/2008	6245.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/23/2008	6245.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/22/2008	6245.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/21/2008	6245.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/20/2008	6245.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/19/2008	6245.41	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/18/2008	6245.44	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/17/2008	6245.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/16/2008	6245.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/15/2008	6245.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/14/2008	6245.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/13/2008	6245.6	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/12/2008	6245.64	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/11/2008	6245.66	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/10/2008	6245.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/9/2008	6245.74	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/8/2008	6245.82	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/7/2008	6245.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/6/2008	6245.95	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/5/2008	6245.95	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/4/2008	6245.94	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/3/2008	6245.96	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/2/2008	6246.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/1/2008	6246.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/31/2008	6246.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/30/2008	6246.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/29/2008	6246.14	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/28/2008	6246.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/27/2008	6246.27	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/26/2008	6246.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/25/2008	6246.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/24/2008	6246.38	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/23/2008	6246.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/22/2008	6246.46	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/21/2008	6246.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/20/2008	6246.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/19/2008	6246.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/18/2008	6246.62	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/17/2008	6246.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/16/2008	6246.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/15/2008	6246.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/14/2008	6246.82	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/13/2008	6246.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/12/2008	6246.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/11/2008	6246.93	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/10/2008	6246.99	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/9/2008	6247.03	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/8/2008	6247.03	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/7/2008	6247.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/6/2008	6247.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/5/2008	6247.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/4/2008	6247.25	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/3/2008	6247.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/2/2008	6247.31	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/1/2008	6247.45	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/30/2008	6247.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/29/2008	6247.55	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/28/2008	6247.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/27/2008	6247.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/26/2008	6247.63	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/25/2008	6247.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/24/2008	6247.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/23/2008	6247.83	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/22/2008	6247.96	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/21/2008	6248	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/20/2008	6247.94	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/19/2008	6247.98	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/18/2008	6248.1	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/17/2008	6248.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/16/2008	6248.17	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/15/2008	6248.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/14/2008	6248.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/13/2008	6248.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/12/2008	6248.32	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/11/2008	6248.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/10/2008	6248.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/9/2008	6248.58	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/8/2008	6248.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/7/2008	6248.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/6/2008	6248.7	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/5/2008	6248.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/4/2008	6248.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/3/2008	6248.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/2/2008	6248.98	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/1/2008	6249.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/31/2008	6249.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/30/2008	6249.13	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/29/2008	6249.23	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/28/2008	6249.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/27/2008	6249.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/26/2008	6249.33	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/25/2008	6249.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/24/2008	6249.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/23/2008	6249.41	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/22/2008	6249.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/21/2008	6249.74	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/20/2008	6249.88	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/19/2008	6249.98	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/18/2008	6250.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/17/2008	6250.22	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/16/2008	6250.23	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/15/2008	6250.22	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/14/2008	6250.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/13/2008	6250.31	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/12/2008	6250.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/11/2008	6250.84	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/10/2008	6250.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/9/2008	6251.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/8/2008	6251.21	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/7/2008	6251.41	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/6/2008	6251.68	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/5/2008	6251.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/4/2008	6252.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/3/2008	6252.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/2/2008	6251.96	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/1/2008	6251.81	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/30/2008	6251.86	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/29/2008	6251.93	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/28/2008	6251.96	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/27/2008	6251.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/26/2008	6251.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/25/2008	6251.65	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/24/2008	6251.58	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/23/2008	6251.6	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/22/2008	6251.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/21/2008	6251.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/20/2008	6251.47	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/19/2008	6251.6	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/18/2008	6251.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/17/2008	6251.82	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/16/2008	6252.02	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/15/2008	6252.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/14/2008	6252.25	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/13/2008	6252.17	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/12/2008	6252.04	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/11/2008	6251.79	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/10/2008	6251.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/9/2008	6251.49	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/8/2008	6251.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/7/2008	6251.14	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/6/2008	6250.82	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/5/2008	6250.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/4/2008	6250.35	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/3/2008	6249.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/2/2008	6249.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/1/2008	6249.14	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/31/2008	6248.59	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/30/2008	6248.33	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/29/2008	6247.78	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/28/2008	6247.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/27/2008	6246.8	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/26/2008	6246.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/25/2008	6246.14	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/24/2008	6245.84	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/23/2008	6245.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/22/2008	6245.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/21/2008	6245.02	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/20/2008	6244.83	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/19/2008	6244.47	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/18/2008	6244	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/17/2008	6243.49	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/16/2008	6243.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/15/2008	6242.9	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/14/2008	6242.79	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/13/2008	6242.78	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/12/2008	6242.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/11/2008	6242.87	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/10/2008	6242.78	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/9/2008	6242.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/8/2008	6242.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/7/2008	6242.43	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/6/2008	6242.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/5/2008	6242.13	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/4/2008	6242.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/3/2008	6242.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/2/2008	6242.13	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/1/2008	6242.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/29/2008	6242.21	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/28/2008	6242.21	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/27/2008	6242.38	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/26/2008	6242.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/25/2008	6242.14	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/24/2008	6242.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/23/2008	6242.11	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/22/2008	6242.11	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/21/2008	6242.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/20/2008	6242.21	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/19/2008	6242.23	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/18/2008	6242.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/17/2008	6242.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/16/2008	6242.19	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/15/2008	6242.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/14/2008	6242.02	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/13/2008	6242.24	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/12/2008	6242.19	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/11/2008	6242.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/10/2008	6242.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/9/2008	6242.25	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/8/2008	6242.19	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/7/2008	6242.19	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/6/2008	6242.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/5/2008	6242.01	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/4/2008	6242.02	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/3/2008	6242.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/2/2008	6242.19	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/1/2008	6242.31	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/31/2008	6242.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/30/2008	6242.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/29/2008	6242.01	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/28/2008	6242.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/22/2008	6242.13	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/17/2008	6242.31	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/16/2008	6242.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/15/2008	6242.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/14/2008	6242.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/13/2008	6242.47	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/12/2008	6242.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/11/2008	6242.46	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/10/2008	6242.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/9/2008	6242.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/8/2008	6242.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/7/2008	6242.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/6/2008	6242.42	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/22/2009	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/21/2009	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/20/2009	6131.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/19/2009	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/18/2009	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/17/2009	6132.03	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/16/2009	6132.05	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/15/2009	6132.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/14/2009	6132.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/13/2009	6132.1	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/12/2009	6132.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/11/2009	6132.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/10/2009	6132.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/9/2009	6132.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/8/2009	6132.48	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/7/2009	6132.04	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/20/2008	6132.04	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/19/2008	6132.05	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/18/2008	6132.02	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/17/2008	6132.02	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/16/2008	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/15/2008	6132.01	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/4/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/3/2008	6131.92	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/2/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/29/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/28/2008	6131.92	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/27/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/20/2008	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/18/2008	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/11/2008	6131.92	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/10/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/9/2008	6131.9	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/8/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/7/2008	6131.87	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/6/2008	6131.87	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/5/2008	6131.87	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/4/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/3/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/2/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/1/2008	6131.92	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/30/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/29/2008	6131.95	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/28/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/27/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/26/2008	6131.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/25/2008	6131.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/24/2008	6131.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/23/2008	6131.99	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/22/2008	6131.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/21/2008	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/20/2008	6131.99	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/19/2008	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/18/2008	6132	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/17/2008	6131.99	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/16/2008	6131.99	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/15/2008	6131.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/14/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/13/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/12/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/11/2008	6131.96	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/10/2008	6131.94	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/9/2008	6131.94	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/8/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/7/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/6/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/5/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/4/2008	6131.88	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/3/2008	6131.86	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/2/2008	6131.63	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/28/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/27/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/26/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/25/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/24/2008	6131.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/23/2008	6131.95	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/22/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/21/2008	6131.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/20/2008	6131.92	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/19/2008	6131.92	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/18/2008	6131.9	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/17/2008	6131.88	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/16/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/15/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/14/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/13/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/12/2008	6131.89	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/11/2008	6131.87	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/10/2008	6131.87	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/9/2008	6131.87	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/8/2008	6131.88	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/7/2008	6131.9	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/6/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/5/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/4/2008	6131.91	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/3/2008	6131.9	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/2/2008	6131.88	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/1/2008	6131.88	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/31/2008	6131.87	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/30/2008	6131.86	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/29/2008	6131.86	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/28/2008	6131.86	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/27/2008	6131.85	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/26/2008	6131.85	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/25/2008	6131.84	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/24/2008	6131.82	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/23/2008	6131.82	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/22/2008	6131.82	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/21/2008	6131.82	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/20/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/19/2008	6131.81	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/18/2008	6131.83	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/17/2008	6131.83	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/16/2008	6131.82	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/15/2008	6131.81	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/14/2008	6131.81	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/13/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/12/2008	6131.82	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/11/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/10/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/9/2008	6131.79	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/8/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/7/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/6/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/5/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/4/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/3/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/2/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/1/2008	6131.79	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/30/2008	6131.79	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/29/2008	6131.79	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/28/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/27/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/26/2008	6131.79	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/25/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/24/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/23/2008	6131.8	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/22/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/21/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/20/2008	6131.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/19/2008	6131.76	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/18/2008	6131.75	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/17/2008	6131.75	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/16/2008	6131.73	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/15/2008	6131.72	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/14/2008	6131.69	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/13/2008	6131.66	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/12/2008	6131.64	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/11/2008	6131.61	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/10/2008	6131.58	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/9/2008	6131.52	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/8/2008	6131.48	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/7/2008	6131.42	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/6/2008	6131.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/5/2008	6131.41	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/4/2008	6131.41	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/3/2008	6131.39	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/2/2008	6131.39	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/1/2008	6131.37	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/31/2008	6131.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/30/2008	6131.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/29/2008	6131.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/28/2008	6131.28	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/27/2008	6131.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/26/2008	6131.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/25/2008	6131.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/24/2008	6131.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/23/2008	6131.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/22/2008	6131.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/21/2008	6131.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/20/2008	6131.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/19/2008	6131.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/18/2008	6131.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/17/2008	6131.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/16/2008	6131.04	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/15/2008	6131.01	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/14/2008	6130.97	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/13/2008	6130.93	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/12/2008	6130.9	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/11/2008	6130.88	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/10/2008	6130.83	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/9/2008	6130.79	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/8/2008	6130.78	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/7/2008	6130.77	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/6/2008	6130.74	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/5/2008	6130.71	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/4/2008	6130.67	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/3/2008	6130.64	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/2/2008	6130.63	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/1/2008	6130.63	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/30/2008	6130.62	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/29/2008	6130.62	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/28/2008	6130.61	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/27/2008	6130.59	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/26/2008	6130.55	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/25/2008	6130.53	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/24/2008	6130.51	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/23/2008	6130.5	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/22/2008	6130.48	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/21/2008	6130.48	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/20/2008	6130.46	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/19/2008	6130.46	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/18/2008	6130.43	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/17/2008	6130.43	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/16/2008	6130.39	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/15/2008	6130.39	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/14/2008	6130.37	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/13/2008	6130.34	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/12/2008	6130.32	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/11/2008	6130.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/10/2008	6130.28	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/9/2008	6130.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/8/2008	6130.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/7/2008	6130.22	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/6/2008	6130.23	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/5/2008	6130.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/4/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/3/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/2/2008	6130.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/1/2008	6130.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/31/2008	6130.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/30/2008	6130.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/29/2008	6130.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/28/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/27/2008	6130.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/26/2008	6130.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/25/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/24/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/23/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/22/2008	6130.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/21/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/20/2008	6130.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/19/2008	6130.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/18/2008	6130.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/17/2008	6130.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/16/2008	6130.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/15/2008	6130.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/14/2008	6130.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/13/2008	6130.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/12/2008	6130.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/11/2008	6130.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/10/2008	6130.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/9/2008	6130.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/8/2008	6130.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/7/2008	6130.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/6/2008	6130.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/5/2008	6130.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/4/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/3/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/2/2008	6130.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/1/2008	6130.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/29/2008	6130.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/28/2008	6130.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/27/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/26/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/25/2008	6130.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/24/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/23/2008	6130.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/22/2008	6130.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/21/2008	6130.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/20/2008	6130.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/19/2008	6130.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/18/2008	6130.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/17/2008	6130.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/16/2008	6130.17	Transducer

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval (ft)	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in.)	Outer Diam (in.)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/15/2008	6130.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/14/2008	6130.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/13/2008	6130.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/12/2008	6130.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/11/2008	6130.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/10/2008	6130.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/9/2008	6130.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/8/2008	6130.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/7/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/6/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/5/2008	6130.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/4/2008	6130.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/3/2008	6130.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/2/2008	6130.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/1/2008	6130.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/31/2008	6130.05	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/30/2008	6130.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/29/2008	6130.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/28/2008	6130.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/22/2008	6130.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/17/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/16/2008	6130.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/15/2008	6130.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/14/2008	6130.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/13/2008	6130.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/12/2008	6130.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/11/2008	6130.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/10/2008	6130.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/9/2008	6130.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/8/2008	6130.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/7/2008	6130.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/6/2008	6130.18	Transducer

Appendix D

Analytical Results

The following symbols, abbreviations, and acronyms are used throughout Appendix D.

—	none
*	(Inorganic) The result for this analyte in the Los Alamos National Laboratory (Laboratory) replicate analysis was outside acceptance criteria.
B	(Organic) This analyte was detected in the associated Laboratory method blank and the sample. (B) (Inorganic) The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
CS	client sample
CST	control sample triplicate
DUP	duplicate sample
E	(Organic) The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma–atomic emission spectroscopy). The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption) The result for this analyte failed one or more Contract Laboratory Program acceptance criteria as explained in the case narrative.
EES6	The Laboratory’s Earth and Environmental Sciences Division (Hydrology, Geochemistry, and Geology Group)
EPA	U.S. Environmental Protection Agency
F	filtered
FD	field duplicate
FTB	field trip blank
GELC	General Engineering Laboratories
GEO	Geochron Analytical Laboratory
H	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
HUFFMAN	Huffman Analytical Laboratory
Inorg	inorganic
J	(Organic/Inorganic) The required extraction or analysis holding time for this result was exceeded.
J-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.

LLEE	low-level electrolytic extraction
LT	(Rad) The result for this analyte is affected by spectral interference.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
MDA	minimum detectable activity
MDL	method detection limit
Met	metals
mV	millivolt
n/a	not applicable
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PARA	Paragon Analytical Laboratory
R	rejected
Rad	radionuclides
STSL	Severn Trent St. Louis Analytical Laboratory
SV	semivolatile organics
TPU	total propagated uncertainty
U	not detected
UF	unfiltered
UMTL	University of Miami Tritium Laboratory
VOA	volatile organic analysis
WG	groundwater
WM	snowmelt
WP	persistent water
WS	surface water

**Table D-1
Previously Unreported Data**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	n/a	n/a	8/25/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	64	0.75	0	—	pCi/L	—	—	08-1785	CALA-08-13921	UMTL
Basalt Spring	n/a	n/a	1/25/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	26	0.97	4	—	pCi/L	—	U	08-582	CALA-08-9808	ARSL
Basalt Spring	n/a	n/a	4/26/2007	WG	UF	CS	FB	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	—	2336	UU070400GGSB01-FB	UMTL
Basalt Spring	n/a	n/a	4/26/2007	WG	UF	RE	FB	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	J	2336	UU070400GGSB01-FB	UMTL
Basalt Spring	n/a	n/a	4/26/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	44	0.53	0	—	pCi/L	—	—	2336	UU070400GGSB01	UMTL
Basalt Spring	n/a	n/a	8/8/2006	WG	UF	CS	—	Rad	LLEE	Tritium	—	36	0.43	0	—	pCi/L	—	—	WG-04451-UM	UU060700GGSB01	UMTL
DP Spring	n/a	n/a	9/3/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	27	1.4	3	—	pCi/L	—	U	08-1841	CALA-08-13813	ARSL
DP Spring	n/a	n/a	1/18/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	56	0.64	0	—	pCi/L	—	—	08-546	CALA-08-9811	UMTL
DP Spring	n/a	n/a	7/23/2007	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	191	19.9	183	—	pCi/L	—	J	190152	GU070700GSPD01	GELC
DP Spring	n/a	n/a	4/18/2007	WG	UF	CS	—	Rad	EPA:906.0	Tritium	<	-43	18.9	193	—	pCi/L	U	U	184649	GU070400GSPD01	GELC
DP above TA-21	n/a	n/a	9/2/2008	WS	UF	CS	—	DRO	SW-846:8015	TPH DRO	—	91	—	—	47	µg/L	J	J	08-1825	CALA-08-13810	GELC
DP above TA-21	n/a	n/a	9/2/2008	WS	UF	CS	—	Geninorg	EPA:351.2	TKN	—	1	—	—	0	mg/L	—	J	08-1825	CALA-08-13810	GELC
DP above TA-21	n/a	n/a	9/2/2008	WS	UF	CS	—	Geninorg	SW-846:9060	TOC	—	3	—	—	0	mg/L	—	—	08-1825	CALA-08-13810	GELC
DP above TA-21	n/a	n/a	9/2/2008	WS	UF	CS	—	Voa	SW-846:8260B	Chloroform	—	0	—	—	0	µg/L	J	J	08-1825	CALA-08-13810	GELC
LAO-0.3	5511	5.9	9/2/2008	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	3	—	—	0	mg/L	—	—	08-1825	CALA-08-13845	GELC
LAO-0.3	5511	5.9	1/10/2008	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	3	—	—	0	mg/L	—	—	08-472	CALA-08-9739	GELC
LAO-0.3	5511	5.9	7/17/2007	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	4	—	—	0	mg/L	—	—	189841	GU070700GLA0301	GELC
LAO-0.3	5511	5.9	4/13/2007	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	6	—	—	0	mg/L	—	—	184266	GU070400GLA0301	GELC
LAO-0.3	5511	5.9	9/2/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	29	1.5	3	—	pCi/L	—	U	08-1841	CALA-08-13845	ARSL
LAO-0.3	5511	5.9	7/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	67	0.75	0	—	pCi/L	—	—	2367	UU070700GLA0301	UMTL
LAO-0.3	5511	5.9	4/13/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	68	0.75	0	—	pCi/L	—	—	2328	UU070400GLA0301	UMTL
LAO-0.3	5511	5.9	7/31/2006	WG	UF	CS	—	Rad	LLEE	Tritium	—	64	0.75	0	—	pCi/L	—	—	2238	UU060700GLA0301	UMTL
LAO-0.3	5511	5.9	9/2/2008	WG	UF	CS	FTB	Voa	SW-846:8260B	Methylene Chloride	—	2	—	—	2	µg/L	J	J	08-1825	CALA-08-13844	GELC
LAO-0.3	5511	5.9	7/17/2007	WG	UF	CS	—	Voa	SW-846:8260B	Methylene Chloride	<	12	—	—	2	µg/L	B	J+, U	189841	GU070700GLA0301	GELC
LAO-0.3	5511	5.9	7/31/2006	WG	UF	CS	—	Voa	SW-846:8260B	Methylene Chloride	<	5	—	—	2	µg/L	U	—	168378	GU060700GLA0302	GELC
LAO-0.6	6701	8	8/29/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	27	1.4	3	—	pCi/L	—	U	08-1841	CALA-08-13821	ARSL
LAO-0.6	6701	8	7/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	68	0.75	0	—	pCi/L	—	—	2367	UU070700GLA0601	UMTL
LAO-0.6	6701	8	4/10/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	73	0.85	0	—	pCi/L	—	—	2327	UU070400GLA0601	UMTL
LAO-0.6	6701	8	8/3/2006	WG	UF	CS	—	Rad	LLEE	Tritium	—	80	0.85	0	—	pCi/L	—	—	2243	UU060700GLA0601	UMTL
LAO-1	4381	8	9/2/2008	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	3	—	—	0	mg/L	—	—	08-1825	CALA-08-13823	GELC
LAO-1	4381	8	1/16/2008	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	4	—	—	0	mg/L	—	—	08-515	CALA-08-9755	GELC
LAO-1	4381	8	8/1/2007	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	4	—	—	0	mg/L	—	—	190721	GU070700G10L01	GELC
LAO-1	4381	8	4/11/2007	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	5	—	—	0	mg/L	—	—	184191	GU070400G10L01	GELC
LAO-1	4381	8	9/2/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	38	1.99	3	—	pCi/L	—	U	08-1841	CALA-08-13823	ARSL
LAO-1	4381	8	1/16/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	64	0.75	0	—	pCi/L	—	—	08-548	CALA-08-9755	UMTL
LAO-1	4381	8	8/1/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	94	1.1	0	—	pCi/L	—	—	2376	UU070700G10L01	UMTL
LAO-1	4381	8	4/11/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	94	0.96	0	—	pCi/L	—	—	2327	UU070400G10L01	UMTL
LAO-1	4381	8	9/2/2008	WG	UF	CS	FTB	Voa	SW-846:8260B	Acetone	—	1	—	—	1	µg/L	J	J	08-1825	CALA-08-13822	GELC
LAO-1	4381	8	8/1/2007	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	2	—	—	1	µg/L	BJ	U	190721	GU070700G10L01	GELC
LAO-1	4381	8	5/10/2005	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	—	µg/L	U	—	136421	GU05050G10L01	GELC
LAO-1	4381	8	6/2/2004	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	—	µg/L	U	—	114296	GU04050G10L01	GELC
LAO-1.6g	5551	10.47	8/27/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	22	1.2	3	—	pCi/L	—	U	08-1841	CALA-08-13825	ARSL
LAO-1.6g	5551	10.47	1/14/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	58	0.64	0	—	pCi/L	—	—	08-506	CALA-08-9760	UMTL
LAO-1.6g	5551	10.47	7/18/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	71	0.75	0	—	pCi/L	—	—	2367	UU070700G16G01	UMTL
LAO-1.6g	5551	10.47	4/10/2007	WG	UF	CS	FD	Rad	LLEE	Tritium	—	80	0.85	0	—	pCi/L	—	—	2327	UU070400G16G20	UMTL
LAO-1.6g	5551	10.47	4/10/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	79	0.85	0	—	pCi/L	—	—	2327	UU070400G16G01	UMTL
LAO-2	4391	7	8/28/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	18	0.98	3	—	pCi/L	—	U	08-1841	CALA-08-13840	ARSL
LAO-2	4391	7	1/15/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	64	0.75	0	—	pCi/L	—	—	08-511	CALA-08-9737	UMTL
LAO-2	4391	7	7/23/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	80	0.85	0	—	pCi/L	—	—	2371	UU070700G20L01	UMTL
LAO-2	4391	7	4/18/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	136	1.5	0	—	pCi/L	—	—	2332	UU070400G20L01	UMTL

Table D-1
Previously Unreported Data

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-3a	4401	4.7	9/2/2008	WG	UF	CS	FD	Geninorg	SW-846:9060	TOC	—	2	—	—	0	mg/L	—	—	08-1825	CALA-08-13863	GELC
LAO-3a	4401	4.7	9/2/2008	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	2	—	—	0	mg/L	—	—	08-1825	CALA-08-13860	GELC
LAO-3a	4401	4.7	1/9/2008	WG	UF	CS	FD	Geninorg	SW-846:9060	TOC	—	2	—	—	0	mg/L	—	—	08-467	CALA-08-9744	GELC
LAO-3a	4401	4.7	1/9/2008	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	2	—	—	0	mg/L	—	—	08-467	CALA-08-9741	GELC
LAO-3a	4401	4.7	7/19/2007	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	4	—	—	0	mg/L	—	—	190027	GU070700GA3L01	GELC
LAO-3a	4401	4.7	4/12/2007	WG	UF	CS	—	Geninorg	SW-846:9060	TOC	—	2	—	—	0	mg/L	—	—	184191	GU070400GA3L01	GELC
LAO-3a	4401	4.7	9/2/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	<	22	1.2	3	—	pCi/L	—	U	08-1841	CALA-08-13863	ARSL
LAO-3a	4401	4.7	9/2/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	25	1.3	3	—	pCi/L	—	U	08-1841	CALA-08-13860	ARSL
LAO-3a	4401	4.7	1/9/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	—	58	0.64	0	—	pCi/L	—	—	08-500	CALA-08-9744	UMTL
LAO-3a	4401	4.7	1/9/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	57	0.64	0	—	pCi/L	—	—	08-500	CALA-08-9741	UMTL
LAO-3a	4401	4.7	7/19/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	77	0.85	0	—	pCi/L	—	—	2371	UU070700GA3L01	UMTL
LAO-3a	4401	4.7	4/12/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	126	1.4	0	—	pCi/L	—	—	2328	UU070400GA3L01	UMTL
LAO-3a	4401	4.7	9/2/2008	WG	UF	CS	FD	Voa	SW-846:8260B	Acetone	—	1	—	—	1	µg/L	J	J	08-1825	CALA-08-13863	GELC
LAO-3a	4401	4.7	7/19/2007	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1	µg/L	U	—	190027	GU070700GA3L01	GELC
LAO-3a	4401	4.7	8/1/2006	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	1	µg/L	U	—	168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	6/2/2004	WG	UF	CS	—	Voa	SW-846:8260B	Acetone	<	5	—	—	—	µg/L	U	—	114296	GU04050GA3L01	GELC
LAO-4.5c	4431	13.3	8/29/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	35	1.8	4	—	pCi/L	—	U	08-1841	CALA-08-13841	ARSL
LAO-4.5c	4431	13.3	1/9/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	57	0.64	0	—	pCi/L	—	—	08-500	CALA-08-9745	UMTL
LAO-4.5c	4431	13.3	7/19/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	72	0.75	0	—	pCi/L	—	—	2371	UU070700GC5401	UMTL
LAO-4.5c	4431	13.3	4/12/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	75	0.85	0	—	pCi/L	—	—	2328	UU070400GC5401	UMTL
LAO-B	5221	11.84	8/26/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	—	45	0.53	0	—	pCi/L	—	—	08-1774	CALA-08-13818	UMTL
LAO-B	5221	11.84	8/26/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	47	0.53	0	—	pCi/L	—	—	08-1774	CALA-08-13815	UMTL
LAO-B	5221	11.84	1/14/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	—	51	0.53	0	—	pCi/L	—	—	08-506	CALA-08-9752	UMTL
LAO-B	5221	11.84	1/14/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	51	0.53	0	—	pCi/L	—	—	08-506	CALA-08-9749	UMTL
LAO-B	5221	11.84	7/16/2007	WG	UF	CS	FD	Rad	LLEE	Tritium	—	62	0.75	0	—	pCi/L	—	—	2367	UU070700GBAL20	UMTL
LAO-B	5221	11.84	7/16/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	63	0.75	0	—	pCi/L	—	—	2367	UU070700GBAL01	UMTL
LAO-B	5221	11.84	4/9/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	60	0.53	0	—	pCi/L	—	—	2327	UU070400GBAL01	UMTL
LAOI(a)-1.1	5391	295.2	9/3/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	1	0.33	3	—	pCi/L	U	U	08-1841	CALA-08-13865	ARSL
LAOI(a)-1.1	5391	295.2	7/31/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2376	UU070700G11L01	UMTL
LAOI(a)-1.1	5391	295.2	4/25/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	3	0.096	0	—	pCi/L	—	—	2336	UU070400G11L01	UMTL
LAOI(a)-1.1	5391	295.2	8/4/2006	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2243	UU060700G11L01	UMTL
LAOI-3.2	6001	153.3	8/28/2008	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3101	60.7	190	—	pCi/L	—	—	08-1841	CALA-08-13888	ARSL
LAOI-3.2	6001	153.3	1/15/2008	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3710	126.7	160	—	pCi/L	—	—	08-512	CALA-08-9882	GELC
LAOI-3.2	6001	153.3	7/26/2007	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3990	135	183	—	pCi/L	—	—	190355	GU070700G32L01	GELC
LAOI-3.2	6001	153.3	4/19/2007	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	2990	37.3	119	—	pCi/L	—	—	184713	GU070400G32L01	GELC
LAUZ-1	5361	5.35	8/25/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	47	0.53	0	—	pCi/L	—	—	08-1785	CALA-08-13835	UMTL
LAUZ-1	5361	5.35	1/11/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	32	0.32	0	—	pCi/L	—	—	08-504	CALA-08-9733	UMTL
LAUZ-1	5361	5.35	8/1/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	53	0.53	0	—	pCi/L	—	—	2379	UU070700G1ZL01	UMTL
LAUZ-1	5361	5.35	4/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	53	0.53	0	—	pCi/L	—	—	2330	UU070400G1ZL01	UMTL
LLAO-4	5661	5.24	8/27/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	11	0.7	4	—	pCi/L	—	U	08-1841	CALA-08-13928	ARSL
LLAO-4	5661	5.24	1/25/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	19	2.1	4	—	pCi/L	—	J	08-583	CALA-08-9759	ARSL
LLAO-4	5661	5.24	7/23/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	20	0.22	0	—	pCi/L	—	—	2371	UU070700G4LL01	UMTL
LLAO-4	5661	5.24	4/24/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	23	0.18	0	—	pCi/L	—	—	2333	UU070400G4LL01	UMTL
Los Alamos Canyon near Otowi Bridge	n/a	n/a	9/2/2008	WS	UF	CS	—	Rad	LLEE	Tritium	<	7	0.52	3	—	pCi/L	—	U	08-1841	CALA-08-13919	ARSL
Los Alamos Canyon near Otowi Bridge	n/a	n/a	1/14/2008	WS	UF	CS	—	Rad	LLEE	Tritium	—	20	0.22	0	—	pCi/L	—	—	08-509	CALA-08-9837	UMTL
Los Alamos Canyon near Otowi Bridge	n/a	n/a	7/24/2007	WP	UF	CS	—	Rad	LLEE	Tritium	—	21	0.23	0	—	pCi/L	—	—	2371	UU070700P11001	UMTL
Los Alamos Canyon near Otowi Bridge	n/a	n/a	4/10/2007	WP	UF	CS	—	Rad	LLEE	Tritium	—	37	0.43	0	—	pCi/L	—	—	2327	UU070400P11001	UMTL
Los Alamos Spring	n/a	n/a	8/25/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	—	08-1785	CALA-08-13923	UMTL
Los Alamos Spring	n/a	n/a	1/25/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	2	0.7	3	—	pCi/L	U	U	08-582	CALA-08-9789	ARSL
Los Alamos Spring	n/a	n/a	7/31/2007	WG	UF	CS	FB	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2376	UU070700GLAS01-FB	UMTL

Table D-1
Previously Unreported Data

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	n/a	n/a	7/31/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	—	2376	UU070700GLAS01	UMTL
Los Alamos Spring	n/a	n/a	4/26/2007	WG	UF	CS	FB	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2336	UU070400GLAS01-FB	UMTL
Los Alamos Spring	n/a	n/a	4/26/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	J	2336	UU070400GLAS01	UMTL
PAO-1	5561	5.89	9/3/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	23	1.2	3	—	pCi/L	—	U	08-1842	CAPU-08-14575	ARSL
PAO-1	5561	5.89	1/17/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	46	0.53	0	—	pCi/L	—	—	08-551	CAPU-08-9768	UMTL
PAO-1	5561	5.89	7/25/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	64	0.75	0	—	pCi/L	—	—	2371	UU07070G1OAP01	UMTL
PAO-1	5561	5.89	4/23/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	85	0.96	0	—	pCi/L	—	—	2332	UU07040G1OAP01	UMTL
PAO-2	6801	6.06	9/3/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	23	1.3	3	—	pCi/L	—	U	08-1842	CAPU-08-14570	ARSL
PAO-2	6801	6.06	7/25/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	67	0.75	0	—	pCi/L	—	—	2371	UU07070GPAO201	UMTL
PAO-2	6801	6.06	4/23/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	80	0.85	0	—	pCi/L	—	—	2332	UU07040GPAO201	UMTL
PAO-2	6801	6.06	8/10/2006	WG	UF	CS	—	Rad	LLEE	Tritium	—	114	1.3	0	—	pCi/L	—	—	WG-04376-UM	UU06070GPAO201	UMTL
PAO-4	5591	1.97	9/4/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	—	7	0.096	0	—	pCi/L	—	—	08-1898	CAPU-08-15348	UMTL
PAO-4	5591	1.97	9/4/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	7	0.096	0	—	pCi/L	—	—	08-1898	CAPU-08-14567	UMTL
PAO-4	5591	1.97	8/2/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	7	0.096	0	—	pCi/L	—	—	2379	UU07070G4OAP01	UMTL
PAO-4	5591	1.97	4/19/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	8	0.096	0	—	pCi/L	—	—	2332	UU07040G4OAP01	UMTL
PAO-4	5591	1.97	8/10/2006	WG	UF	CS	—	Rad	LLEE	Tritium	—	64	0.75	0	—	pCi/L	—	—	WG-04378-UM	UU06070G4OAP01	UMTL
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	128	—	—	1	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0	—	—	0	mg/L	J	J	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	58	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	59	—	—	0	mg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	58	—	—	1	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	Field	Dissolved Oxygen	—	6	—	—	—	mg/L	—	—	0	CAPU-08-14562	FLD
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	184	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	188	—	—	0	mg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	10	—	—	0	mg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as N	—	8	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	Field	ORP	—	161	—	—	—	mV	—	—	0	CAPU-08-14562	FLD
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0	—	—	0	µg/L	J	J	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	17	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	18	—	—	0	mg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	Field	Purge Volume	—	7	—	—	—	gal	—	—	0	CAPU-08-14562	FLD
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	79	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	80	—	—	0	mg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	807	—	—	1	uS/cm	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	Field	Specific Conductance	—	769	—	—	—	uS/cm	—	—	0	CAPU-08-14562	FLD
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	128	—	—	1	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	Field	Temperature	—	20	—	—	—	deg C	—	—	0	CAPU-08-14562	FLD
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:160.1	TDS	—	553	—	—	2	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	Field	Turbidity	—	1	—	—	—	NTU	—	—	0	CAPU-08-14562	FLD
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7	—	—	0	SU	H	J-	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Geninorg	Field	pH	—	7	—	—	—	SU	—	—	0	CAPU-08-14562	FLD
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	203	—	—	68	µg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	7	—	—	2	µg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	5	—	—	2	µg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	201	—	—	1	µg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	197	—	—	1	µg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	638	—	—	10	µg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	636	—	—	10	µg/L	—	—	08-1846	CAPU-08-14562	GELC

Table D-1
Previously Unreported Data

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Cobalt	—	2	—	—	1	µg/L	J	J	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Cobalt	—	2	—	—	1	µg/L	J	J	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Copper	—	3	—	—	3	µg/L	J	J	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Copper	—	4	—	—	3	µg/L	J	J	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	27	—	—	25	µg/L	J	J	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	158	—	—	25	µg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6020	Lead	—	2	—	—	1	µg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4	—	—	2	µg/L	J	J	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2	—	—	0	µg/L	—	J	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	2	—	—	0	µg/L	—	J	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	7	—	—	1	µg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	7	—	—	1	µg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66	—	—	0	mg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	314	—	—	1	µg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	320	—	—	1	µg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0	—	—	0	µg/L	J	J	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	11	—	—	1	µg/L	—	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11	—	—	1	µg/L	—	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	16	—	—	2	µg/L	*	—	08-1846	CAPU-08-14560	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	13	—	—	2	µg/L	*	—	08-1846	CAPU-08-14562	GELC
PAO-5s	6831	8.05	9/4/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	9	0.096	0	—	pCi/L	—	—	08-1898	CAPU-08-14562	UMTL
POI-4	4291	159	9/4/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	22	0.25	0	—	pCi/L	—	—	08-1898	CAPU-08-14782	UMTL
POI-4	4291	159	1/22/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	19	0.21	0	—	pCi/L	—	—	08-554	CAPU-08-9905	UMTL
POI-4	4291	159	8/2/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	20	0.21	0	—	pCi/L	—	—	2379	UU070700G4OP01	UMTL
POI-4	4291	159	4/25/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	18	0.19	0	—	pCi/L	—	—	2336	UU070400G4OP01	UMTL
POI-4	4291	159	8/8/2006	WG	UF	CS	—	Rad	LLEE	Tritium	—	21	0.22	0	—	pCi/L	—	—	WG-04382-UM	UU060700G4OP01	UMTL
R-2	1711	918	8/29/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.32	3	—	pCi/L	U	U	08-1842	CAPU-08-14787	ARSL
R-2	1711	918	1/11/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	U	U	08-505	CAPU-08-9896	UMTL
R-2	1711	918	7/16/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2367	UU070700G02R01	UMTL
R-2	1711	918	4/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	0	0.096	0	—	pCi/L	—	—	2330	UU070400G02R01	UMTL
R-2	1711	918	4/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	—	2330	UU070400G02R01	UMTL
R-2	1711	918	4/17/2007	WG	UF	RE	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2330	UU070400G02R01	UMTL
R-2	1711	918	4/17/2007	WG	UF	RE	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2330	UU070400G02R01	UMTL
R-24	6321	825	8/26/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	U	U	08-1779	CAPU-08-14805	UMTL
R-24	6321	825	7/18/2007	WG	UF	CS	FB	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2371	UU070700GR2401-FB	UMTL
R-24	6321	825	7/18/2007	WG	UF	CS	FD	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2371	UU070700GR2401	UMTL
R-24	6321	825	7/18/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2371	UU070700GR2401	UMTL
R-24	6321	825	4/16/2007	WG	UF	CS	FB	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	—	2330	UU070400GR2401-FB	UMTL
R-24	6321	825	4/16/2007	WG	UF	RE	FB	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	—	2330	UU070400GR2401-FB	UMTL
R-24	6321	825	4/16/2007	WG	UF	CS	FD	Rad	LLEE	Tritium	<	1	0.096	0	—	pCi/L	—	U	2330	UU070400GR2420	UMTL
R-24	6321	825	4/16/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	J	2330	UU070400GR2401	UMTL
R-24	6321	825	7/27/2006	WG	UF	CS	FD	Rad	LLEE	Tritium	—	1	0.096	0	—	pCi/L	—	J	2238	UU060700GR2490	UMTL
R-24	6321	825	7/27/2006	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2238	UU060700GR2401	UMTL
R-3i	7701	215.2	9/3/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	41	2.1	3	—	pCi/L	—	U	08-1842	CAPU-08-14785	ARSL
R-3i	7701	215.2	1/16/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	67	0.75	0	—	pCi/L	—	—	08-547	CAPU-08-10315	UMTL
R-3i	7701	215.2	7/20/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	69	0.75	0	—	pCi/L	—	—	2371	UU070700G3iR01	UMTL
R-3i	7701	215.2	4/9/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	71	0.75	0	—	pCi/L	—	—	2327	UU070400G3iR01	UMTL
R-4	1721	792.9	8/26/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	—	56	0.64	0	—	pCi/L	—	—	08-1779	CAPU-08-14793	UMTL
R-4	1721	792.9	8/26/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	59	0.64	0	—	pCi/L	—	—	08-1779	CAPU-08-14796	UMTL
R-4	1721	792.9	7/18/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	53	0.53	0	—	pCi/L	—	—	2371	UU070700G04R01	UMTL

**Table D-1
Previously Unreported Data**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-4	1721	792.9	4/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	43	0.43	0	—	pCi/L	—	—	2330	UU070400G04R01	UMTL
R-4	1721	792.9	7/25/2006	WG	UF	CS	—	Rad	LLEE	Tritium	—	58	0.64	0	—	pCi/L	—	—	2236	UU060700G04R01	UMTL
R-5	2452	383.9	8/26/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	U	U	08-1779	CAPU-08-14776	UMTL
R-5	2452	383.9	1/9/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	1	0.096	0	—	pCi/L	—	U	08-502	CAPU-08-9916	UMTL
R-5	2452	383.9	7/16/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2367	UU07070G05R201	UMTL
R-5	2452	383.9	4/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2330	UU07040G05R201	UMTL
R-5	2512	718.6	8/27/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.32	3	—	pCi/L	U	U	08-1842	CAPU-08-14801	ARSL
R-5	2512	718.6	1/10/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	1	0.096	0	—	pCi/L	—	U	08-502	CAPU-08-9918	UMTL
R-5	2512	718.6	4/18/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2332	UU07040G05R301	UMTL
R-5	2512	718.6	4/18/2007	WG	UF	RE	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2332	UU07040G05R301	UMTL
R-5	2552	860.9	8/26/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	08-1779	CAPU-08-14851	UMTL
R-5	2552	860.9	1/10/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	U	U	08-502	CAPU-08-9919	UMTL
R-5	2552	860.9	7/16/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2367	UU07070G05R401	UMTL
R-5	2552	860.9	4/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2330	UU07040G05R401	UMTL
R-6	5871	1205	8/27/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	-1	0.33	3	—	pCi/L	U	U	08-1841	CALA-08-13902	ARSL
R-6	5871	1205	1/17/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	1	0.096	0	—	pCi/L	—	U	08-550	CALA-08-9939	UMTL
R-6	5871	1205	7/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2367	UU070700G06R01	UMTL
R-6	5871	1205	7/17/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	4	0.096	0	—	pCi/L	—	—	2367	UU070700G06R01	UMTL
R-6	5871	1205	7/17/2007	WG	UF	RE	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2367	UU070700G06R01	UMTL
R-6	5871	1205	4/12/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2328	UU070400G06R01	UMTL
R-6i	5881	602	8/27/2008	WG	UF	CS	FD	Rad	EPA:906.0	Tritium	—	3176	62	190	—	pCi/L	—	—	08-1841	CALA-08-13892	ARSL
R-6i	5881	602	8/27/2008	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3080	60.4	190	—	pCi/L	—	—	08-1841	CALA-08-13889	ARSL
R-6i	5881	602	1/23/2008	WG	UF	CS	FD	Rad	EPA:906.0	Tritium	—	3830	130	170	—	pCi/L	—	—	08-571	CALA-08-9865	GELC
R-6i	5881	602	1/23/2008	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3610	123.3	170	—	pCi/L	—	—	08-571	CALA-08-9860	GELC
R-6i	5881	602	7/17/2007	WG	UF	CS	FB	Rad	EPA:906.0	Tritium	<	-5	12.6	140	—	pCi/L	U	U	189841	GU070700G6IR01-FB	GELC
R-6i	5881	602	7/17/2007	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	4060	142.7	145	—	pCi/L	—	—	189841	GU070700G6IR01	GELC
R-6i	5881	602	4/12/2007	WG	UF	CS	FB	Rad	EPA:906.0	Tritium	<	-123	18.9	197	—	pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	4/12/2007	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	4230	65.7	330	—	pCi/L	—	—	184266	GU070400G6IR01	GELC
R-7	1442	915.1	8/26/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	U	U	08-1784	CALA-08-14854	UMTL
R-7	1442	915.1	1/23/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	17	0.93	4	—	pCi/L	—	U	08-580	CALA-08-9933	ARSL
R-7	1442	915.1	7/31/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2376	UU07070G07R301	UMTL
R-7	1442	915.1	4/13/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2328	UU07040G07R301	UMTL
R-7	1442	915.1	4/13/2007	WG	UF	RE	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2328	UU07040G07R301	UMTL
R-8	2302	711.1	9/4/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	U	U	08-1899	CALA-08-13906	UMTL
R-8	2302	711.1	1/16/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	08-549	CALA-08-9947	UMTL
R-8	2302	711.1	7/24/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2371	UU07070G08R101	UMTL
R-8	2302	711.1	4/10/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2327	UU07040G08R101	UMTL
R-8	2372	825	9/3/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	1	0.28	3	—	pCi/L	U	U	08-1841	CALA-08-13909	ARSL
R-8	2372	825	1/15/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	U	U	08-549	CALA-08-9940	UMTL
R-8	2372	825	7/25/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2371	UU07070G08R201	UMTL
R-8	2372	825	4/10/2007	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	0.096	0	—	pCi/L	—	U	2327	UU07040G08R201	UMTL
R-9	1731	684	8/26/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	—	10	0.106	0	—	pCi/L	—	—	08-1784	CALA-08-13914	UMTL
R-9	1731	684	8/26/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	9	0.106	0	—	pCi/L	—	—	08-1784	CALA-08-13913	UMTL
R-9	1731	684	1/10/2008	WG	UF	CS	FD	Rad	LLEE	Tritium	—	9	0.096	0	—	pCi/L	—	—	08-503	CALA-08-9879	UMTL
R-9	1731	684	1/10/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	7	0.096	0	—	pCi/L	—	—	08-503	CALA-08-9875	UMTL
R-9	1731	684	7/19/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	10	0.106	0	—	pCi/L	—	—	2371	UU070700G09R01	UMTL
R-9	1731	684	7/19/2007	WG	UF	RE	—	Rad	LLEE	Tritium	—	10	0.106	0	—	pCi/L	—	—	2371	UU070700G09R01	UMTL
R-9i	552	198.8	8/29/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	61	3.1	3	—	pCi/L	—	U	08-1841	CALA-08-13878	ARSL
R-9i	552	198.8	1/22/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	115	1.3	0	—	pCi/L	—	—	08-560	CALA-08-9935	UMTL
R-9i	552	198.8	7/27/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	110	1.17	0	—	pCi/L	—	—	2376	UU07070G9iR101	UMTL

**Table D-1
Previously Unreported Data**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9i	552	198.8	4/9/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	155	1.7	0	—	pCi/L	—	—	2327	UU07040G9iR101	UMTL
R-9i	602	278.8	9/2/2008	WG	UF	CS	—	Rad	LLEE	Tritium	<	88	4.4	4	—	pCi/L	—	U	08-1841	CALA-08-13881	ARSL
R-9i	602	278.8	1/22/2008	WG	UF	CS	—	Rad	LLEE	Tritium	—	103	1.17	0	—	pCi/L	—	—	08-560	CALA-08-9936	UMTL
R-9i	602	278.8	7/27/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	109	1.17	0	—	pCi/L	—	—	2376	UU07070G9iR201	UMTL
R-9i	602	278.8	4/9/2007	WG	UF	CS	—	Rad	LLEE	Tritium	—	111	1.17	0	—	pCi/L	—	—	2327	UU07040G9iR201	UMTL
R-9i	602	278.8	9/2/2008	WG	UF	CS	FTB	Voa	SW-846:8260B	Methylene Chloride	—	2	—	—	2	µg/L	J	J	08-1825	CALA-08-13879	GELC
R-9i	602	278.8	9/6/2001	WG	UF	CS	—	Voa	SW-846:8260	Methylene Chloride	<	5	—	—	—	µg/L	U	U	9713R	GW9I-01-0011	GELC
R-9i	602	278.8	9/15/2000	WG	UF	CS	—	Voa	SW-846:8260	Methylene Chloride	<	5	—	—	—	µg/L	U	UJ	7535R	CALA-00-0161	PARA

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.00000258	—	—	2.58E-06	µg/L	—	—	09-612	CAPU-09-1777	ALTC
APCO-1	5211	4.7	01/16/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	<	0.00000427	—	—	4.27E-06	µg/L	U	U	08-525	CAPU-08-9774	ALTC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	<	0.00000351	—	—	3.51E-06	µg/L	U	UJ	29265	AU070700G1PA01	ALTC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	<	0.000002	—	—	2.00E-06	µg/L	U	UJ	28923	AU070400G1PA01	ALTC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000175	—	—	—	µg/L	—	J	G341-253	GU060700G1PA01	SGSW
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	—	0.00000257	—	—	2.57E-06	µg/L	J	J	09-612	CAPU-09-1777	ALTC
APCO-1	5211	4.7	01/16/08	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	<	0.00000387	—	—	3.87E-06	µg/L	U	U	08-525	CAPU-08-9774	ALTC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	—	0.00000408	—	—	4.08E-06	µg/L	J	J	29265	AU070700G1PA01	ALTC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	<	0.0000038	—	—	3.80E-06	µg/L	U	UJ	28923	AU070400G1PA01	ALTC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Diox/Fur	SW-846:8290	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	<	0.0000031	—	—	—	µg/L	—	U	G341-253	GU060700G1PA01	SGSW
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	96.1	—	—	7.30E-01	mg/L	—	—	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	91.1	—	—	7.30E-01	mg/L	—	—	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	188	—	—	7.25E-01	mg/L	—	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	209	—	—	7.25E-01	mg/L	—	—	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	31.8	—	—	7.25E-01	mg/L	—	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	146	—	—	7.25E-01	mg/L	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	45.8	—	—	6.60E-01	mg/L	—	—	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	49.2	—	—	3.30E-01	mg/L	—	—	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	43.2	—	—	6.60E-01	mg/L	—	J	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	44.7	—	—	3.30E-01	mg/L	—	—	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	34.7	—	—	3.30E-01	mg/L	—	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	35.3	—	—	3.30E-01	mg/L	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.56	—	—	3.30E-02	mg/L	—	J-	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.519	—	—	3.30E-02	mg/L	—	J-	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.591	—	—	3.30E-02	mg/L	—	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.416	—	—	3.30E-02	mg/L	—	—	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.616	—	—	3.30E-02	mg/L	—	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.605	—	—	3.30E-02	mg/L	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.58	—	—	2.50E-01	mg/L	—	—	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	5.31	—	—	1.00E-01	mg/L	—	—	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.825	—	—	1.00E-02	mg/L	—	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.674	—	—	1.00E-02	mg/L	—	—	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	2.01	—	—	1.40E-02	mg/L	—	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	2.24	—	—	1.40E-02	mg/L	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.207	—	—	5.00E-02	µg/L	—	—	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.1	—	—	1.00E-01	µg/L	—	—	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.05	—	—	5.00E-02	µg/L	U	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	4.42	—	—	4.00E+00	µg/L	J	—	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.05	—	—	5.00E-02	µg/L	U	—	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.135	—	—	5.00E-02	µg/L	J	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	80.5	—	—	3.20E-02	mg/L	—	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	63.4	—	—	3.20E-02	mg/L	—	J	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	70.4	—	—	3.20E-02	mg/L	—	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	106	—	—	3.20E-02	mg/L	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	447	—	—	1.00E+00	µS/cm	—	—	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	510	—	—	1.00E+00	µS/cm	—	—	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	586	—	—	1.00E+00	µS/cm	—	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	738	—	—	1.00E+00	µS/cm	—	—	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	467	—	—	1.00E+00	µS/cm	—	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	460	—	—	1.00E+00	µS/cm	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	22	—	—	1.00E-01	mg/L	—	J-	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	38.9	—	—	1.00E-01	mg/L	—	—	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.58	—	—	1.00E-01	mg/L	—	—	190721	GF070700G1PA01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		48.9			5.00E-01	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12.7			1.00E-01	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		13.5			1.00E-01	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		286			2.40E+00	mg/L			09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		331			2.40E+00	mg/L			08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		353			2.38E+00	mg/L			190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		378			2.38E+00	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		331			2.38E+00	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		419			2.38E+00	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		9.86			2.90E-01	mg/L		J	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		10			1.45E-01	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		6.61			1.00E-01	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.452			2.90E-02	mg/L		J-	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	01/16/08	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		1.15			2.90E-02	mg/L			08-526	CAPU-08-9774	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		9.77			2.90E-01	mg/L		J	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		11			1.45E-01	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		5.92			1.00E-01	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.9			3.30E-01	mg/L			09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	01/16/08	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.11			3.30E-01	mg/L			08-526	CAPU-08-9774	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		10.6			6.60E-01	mg/L			190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.72			3.30E-01	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		17			1.65E+00	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.84			2.40E-02	mg/L			09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.03			2.40E-02	mg/L			08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.94			2.40E-02	mg/L			190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.77			2.40E-02	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		5.63			1.00E-01	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		5.96			1.00E-01	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS		Geninorg	EPA:150.1	pH		7.01			1.00E-02	SU	H	J-	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS		Geninorg	EPA:150.1	pH		7.08			1.00E-02	SU	H	J-	08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.66			1.00E-02	SU	H	J	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.42			1.00E-02	SU	H	J	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.08			1.00E-02	SU	H	J	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.84			1.00E-02	SU	H	J	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide		59			3.20E-02	mg/L			09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/16/08	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide		55.4			3.20E-02	mg/L			08-526	CAPU-08-9775	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS		Rad	HASL-300	Americium-241	<	0.0237	3.67E-03	3.20E-02		pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS		Rad	HASL-300	Americium-241	<	0.00263	1.43E-03	4.78E-02		pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Rad	HASL-300	Americium-241	<	0.0115	2.58E-03	2.37E-02		pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Rad	HASL-300	Americium-241	<	-0.0246	4.23E-03	4.10E-02		pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS		Rad	HASL-300	Americium-241	<	0.0176	3.33E-03	2.90E-02		pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS		Rad	HASL-300	Americium-241	<	0.021	2.60E-03	5.50E-02		pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Rad	HASL-300	Americium-241		0.0714	4.80E-03	2.61E-02		pCi/L		J	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Rad	Alpha Spec	Americium-241	<	0.0228	2.88E-03	3.60E-02		pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Rad	Alpha Spec	Americium-241	<	0.0168	3.14E-03	3.30E-02		pCi/L	U		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS		Rad	EPA:901.1	Cesium-137	<	0.801	4.33E-01	4.40E+00		pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS		Rad	EPA:901.1	Cesium-137	<	0.279	5.00E-01	4.23E+00		pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Rad	EPA:901.1	Cesium-137	<	0.239	4.13E-01	4.59E+00		pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Rad	EPA:901.1	Cesium-137	<	0.658	2.40E-01	2.29E+00		pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS		Rad	EPA:901.1	Cesium-137	<	-0.34	4.33E-01	4.10E+00		pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137	<	2.46	4.77E-01	3.35E+00		pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137	<	-0.423	3.87E-01	4.08E+00		pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Rad	EPA:901.1	Cesium-137	<	0.693	1.12E+00	3.69E+00		pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS		Rad	EPA:901.1	Cobalt-60	<	1.12	5.33E-01	5.50E+00		pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60	<	-0.707	4.43E-01	4.22E+00		pCi/L	U	U	190721	GF070700G1PA01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.53	4.00E-01	5.10E+00	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.934	1.68E-01	2.46E+00	—	pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.0443	4.33E-01	4.10E+00	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.652	3.73E-01	3.83E+00	—	pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.438	3.57E-01	4.25E+00	—	pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.0348	3.63E-01	3.80E+00	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	EPA:900	Gross alpha/beta	<	-0.00617	2.43E-01	2.90E+00	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	<	-0.191	1.30E-01	2.00E+00	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	EPA:900	Gross beta	—	12.8	5.00E-01	2.40E+00	—	pCi/L	—	—	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	EPA:900	Gross beta	—	19.3	8.27E-01	3.54E+00	—	pCi/L	—	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	EPA:900	Gross beta	—	12.2	2.24E-01	1.06E+00	—	pCi/L	—	—	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:900	Gross beta	—	19.5	4.23E-01	3.04E+00	—	pCi/L	—	—	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	14.1	5.67E-01	2.70E+00	—	pCi/L	—	—	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	16.6	7.93E-01	4.35E+00	—	pCi/L	—	—	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	15	2.61E-01	1.31E+00	—	pCi/L	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	12	1.61E-01	8.55E-01	—	pCi/L	—	—	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	31.1	1.10E+01	4.90E+01	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	61	2.60E+01	2.30E+02	—	pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	80.6	3.14E+01	3.89E+02	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	70.1	1.60E+01	2.01E+02	—	pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	58.8	1.33E+01	6.60E+01	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	104	2.18E+01	3.29E+02	—	pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	105	2.90E+01	3.07E+02	—	pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	63.1	4.10E+01	2.66E+02	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.59	3.67E+00	3.40E+01	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-13.1	3.03E+00	2.93E+01	—	pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-11.3	3.43E+00	3.22E+01	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.46	1.74E+00	1.77E+01	—	pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-2.7	3.33E+00	3.40E+01	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-16.9	3.07E+00	2.71E+01	—	pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-3.77	3.03E+00	2.83E+01	—	pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-12.1	2.56E+00	2.44E+01	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0113	2.33E-03	4.30E-02	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00334	5.00E-04	3.24E-02	—	pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00715	1.38E-03	2.29E-02	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0312	6.03E-03	5.40E-02	—	pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0117	2.77E-03	4.40E-02	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0018	1.59E-03	3.46E-02	—	pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.0029	2.90E-03	2.78E-02	—	pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	Alpha Spec	Plutonium-238	<	-0.0115	7.80E-03	6.00E-02	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP	—	Rad	Alpha Spec	Plutonium-238	<	-0.0142	1.06E-02	7.40E-02	—	pCi/L	U	—	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00284	5.00E-03	5.00E-02	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.137	5.97E-03	2.98E-02	—	pCi/L	—	—	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.0691	4.67E-03	2.67E-02	—	pCi/L	—	J	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.107	6.33E-03	4.60E-02	—	pCi/L	—	J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.038	4.67E-03	5.20E-02	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.139	5.83E-03	3.18E-02	—	pCi/L	—	—	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	1.5	3.22E-02	3.24E-02	—	pCi/L	—	—	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	Alpha Spec	Plutonium-239/240	—	0.15	9.70E-03	6.20E-02	—	pCi/L	—	J	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP	—	Rad	Alpha Spec	Plutonium-239/240	—	0.147	1.19E-02	7.60E-02	—	pCi/L	—	—	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	8.94	5.33E+00	5.40E+01	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	3.01	7.87E+00	3.55E+01	—	pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	10.3	9.97E+00	3.83E+01	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	3.66	4.80E+00	1.95E+01	—	pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-19	5.00E+00	5.20E+01	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	39.8	6.33E+00	3.66E+01	—	pCi/L	UI	R	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	45.9	5.23E+00	3.23E+01	—	pCi/L	UI	R	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	15.3	9.07E+00	3.28E+01	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:903.1	Radium-226	—	0.684	5.73E-02	4.18E-01	—	pCi/L	—	J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0	1.83E-02	2.50E-01	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	01/16/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	—	0.804	7.33E-02	4.40E-01	—	pCi/L	—	—	08-526	CAPU-08-9774	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.253	4.73E-02	4.47E-01	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP	—	Rad	EPA:903.1	Radium-226	—	0.714	6.13E-02	4.25E-01	—	pCi/L	—	—	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-226	—	10.8	1.78E+00	7.77E+00	—	pCi/L	—	J	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.311	7.93E-02	3.40E-01	—	pCi/L	U	U	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	DUP	—	Rad	EPA:901.1	Radium-226	<	3.15	2.34E+00	1.23E+01	—	pCi/L	U	—	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	DUP	—	Rad	EPA:903.1	Radium-226	<	0.209	5.93E-02	2.44E-01	—	pCi/L	U	—	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	11/07/01	WG	F	CS	—	Rad	EPA:901.1	Radium-228	<	5.9	7.67E-01	9.00E+00	—	pCi/L	U	U	179S	CAPU-01-0207	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.1	5.67E-02	6.30E-01	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	01/16/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.121	7.00E-02	7.50E-01	—	pCi/L	U	U	08-526	CAPU-08-9774	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	0.438	2.48E+00	1.67E+01	—	pCi/L	U	U	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	DUP	—	Rad	EPA:901.1	Radium-228	<	6.28	3.63E+00	2.57E+01	—	pCi/L	U	—	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	4.98	2.45E+00	1.48E+01	—	pCi/L	U	U	70712	GU02110G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	UF	DUP	—	Rad	EPA:901.1	Radium-228	<	9.93	3.77E+00	3.11E+01	—	pCi/L	U	—	70712	GU02110G1PA01	GELC
APCO-1	5211	4.7	11/07/01	WG	UF	CS	—	Rad	EPA:901.1	Radium-228	<	4.1	8.00E-01	8.20E+00	—	pCi/L	U	U	179S	CAPU-01-0208	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.291	5.00E-01	4.70E+00	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.41	4.90E-01	3.65E+00	—	pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-2.54	4.47E-01	4.35E+00	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.0592	2.11E-01	2.27E+00	—	pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.256	4.67E-01	4.60E+00	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.688	3.80E-01	3.52E+00	—	pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	2.77	2.56E-01	3.93E+00	—	pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.362	3.37E-01	3.58E+00	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.157	4.67E-02	4.90E-01	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.278	4.47E-02	4.23E-01	—	pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.875	7.70E-02	6.56E-01	—	pCi/L	—	J	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.482	3.40E-02	3.52E-01	—	pCi/L	—	J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.148	5.00E-02	4.90E-01	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0235	3.37E-02	3.59E-01	—	pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.104	4.20E-02	4.28E-01	—	pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	GFPC	Strontium-90	—	0.645	3.13E-02	1.09E-01	—	pCi/L	—	—	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.00414	5.67E-03	1.50E-01	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.0925	5.63E-03	3.50E-02	—	pCi/L	—	J	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	HASL-300	Uranium-234	<	0.06	1.05E-02	1.14E-01	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.35	1.15E-02	7.00E-02	—	pCi/L	—	J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.0421	8.00E-03	1.70E-01	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.0936	5.63E-03	3.19E-02	—	pCi/L	—	J	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.259	1.71E-02	1.04E-01	—	pCi/L	—	J	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	Alpha Spec	Uranium-234	—	0.111	6.30E-03	7.50E-02	—	pCi/L	—	J	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP	—	Rad	Alpha Spec	Uranium-234	—	0.152	7.00E-03	7.20E-02	—	pCi/L	—	—	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.00498	4.33E-03	7.30E-02	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.00927	2.31E-03	2.95E-02	—	pCi/L	U	U	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.0472	6.83E-03	9.60E-02	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0181	2.87E-03	4.30E-02	—	pCi/L	U	U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.0223	4.67E-03	8.20E-02	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-1.35E-09	2.30E-03	2.69E-02	—	pCi/L	U	U	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.0555	8.07E-03	8.78E-02	—	pCi/L	U	U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	Alpha Spec	Uranium-235/236	<	0.0105	2.15E-03	4.90E-02	—	pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP	—	Rad	Alpha Spec	Uranium-235/236	<	0.0152	2.39E-03	4.70E-02	—	pCi/L	U	—	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	-7.69E-09	7.00E-03	7.70E-02	—	pCi/L	U	U	09-596	CAPU-09-1776	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	08/01/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.075	5.07E-03	4.71E-02	—	pCi/L	—	J	190721	GF070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS	—	Rad	HASL-300	Uranium-238	<	0.06	8.03E-03	1.21E-01	—	pCi/L	U	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.188	7.93E-03	5.00E-02	—	pCi/L	—	J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	01/09/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	<	-0.00451	4.00E-03	8.60E-02	—	pCi/L	U	U	09-596	CAPU-09-1777	GELC
APCO-1	5211	4.7	08/01/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0685	5.73E-03	4.30E-02	—	pCi/L	—	J	190721	GU070700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.17	1.32E-02	1.11E-01	—	pCi/L	—	J	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS	—	Rad	Alpha Spec	Uranium-238	—	0.0891	5.10E-03	5.30E-02	—	pCi/L	—	J	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP	—	Rad	Alpha Spec	Uranium-238	—	0.102	5.47E-03	5.10E-02	—	pCi/L	—	—	123208	GU04090G1PA01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	84	—	—	7.30E-01	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	86.5	—	—	7.30E-01	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	87.2	—	—	7.30E-01	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	115	—	—	7.25E-01	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	109	—	—	7.25E-01	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	111	—	—	7.25E-01	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.129	—	—	6.70E-02	mg/L	J	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.108	—	—	6.70E-02	mg/L	J	J	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.60E-02	mg/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.123	—	—	6.60E-02	mg/L	J	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.116	—	—	6.60E-02	mg/L	J	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:300.0	Bromide	—	0.104	—	—	6.60E-02	mg/L	J	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	28.4	—	—	3.00E-02	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.7	—	—	3.00E-02	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	32.6	—	—	3.00E-02	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	31.4	—	—	3.60E-02	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.9	—	—	3.60E-02	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	28	—	—	3.00E-02	mg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	27.1	—	—	3.00E-02	mg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	32.7	—	—	3.00E-02	mg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	31.1	—	—	3.60E-02	mg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	35	—	—	3.60E-02	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	21.7	—	—	1.30E-01	mg/L	—	J+	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	25.2	—	—	1.30E-01	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	39	—	—	3.30E-01	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	37.1	—	—	3.30E-01	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	43.3	—	—	3.30E-01	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	43	—	—	3.30E-01	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.492	—	—	3.30E-02	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.474	—	—	3.30E-02	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.34	—	—	3.30E-02	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.357	—	—	3.30E-02	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.343	—	—	3.30E-02	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.33	—	—	3.30E-02	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	103	—	—	3.50E-01	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	93.2	—	—	3.50E-01	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	114	—	—	4.30E-01	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	113	—	—	4.40E-01	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	120	—	—	8.50E-02	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	101	—	—	3.50E-01	mg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	98.9	—	—	3.50E-01	mg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	115	—	—	4.30E-01	mg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	111	—	—	4.40E-01	mg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	124	—	—	8.50E-02	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	7.77	—	—	8.50E-02	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	7.07	—	—	8.50E-02	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.04	—	—	8.50E-02	mg/L	—	—	08-576	CALA-08-9806	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.27	—	—	8.50E-02	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.64	—	—	8.50E-02	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	7.68	—	—	8.50E-02	mg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	7.6	—	—	8.50E-02	mg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.12	—	—	8.50E-02	mg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.16	—	—	8.50E-02	mg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.96	—	—	8.50E-02	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.3	—	—	1.00E-01	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	6.53	—	—	1.00E-01	mg/L	—	J	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	10.6	—	—	2.50E-01	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	6.92	—	—	1.00E-01	mg/L	—	J	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	9.12	—	—	7.00E-02	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	8.78	—	—	7.00E-02	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	4.39	—	—	5.00E-01	µg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	3.28	—	—	2.50E-01	µg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.18	—	—	1.00E-01	µg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.38	—	—	1.00E-01	µg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	SW846 6850	Perchlorate	—	0.594	—	—	5.00E-02	µg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.01	—	—	5.00E-02	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.12	—	—	5.00E-02	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.36	—	—	5.00E-02	mg/L	E	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.71	—	—	5.00E-02	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.34	—	—	5.00E-02	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.89	—	—	5.00E-02	mg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	7.53	—	—	5.00E-02	mg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.37	—	—	5.00E-02	mg/L	E	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.61	—	—	5.00E-02	mg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	9.44	—	—	5.00E-02	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	53.5	—	—	3.20E-02	mg/L	—	J	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	58.4	—	—	3.20E-02	mg/L	—	J	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	59.5	—	—	3.20E-02	mg/L	—	J	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	25.6	—	—	4.50E-02	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	28.5	—	—	4.50E-02	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	46	—	—	4.50E-02	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	51.1	—	—	4.50E-02	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.5	—	—	4.50E-02	mg/L	E	J	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	25.2	—	—	4.50E-02	mg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	28.2	—	—	4.50E-02	mg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	46.2	—	—	4.50E-02	mg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	49.1	—	—	4.50E-02	mg/L	—	J	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	52.7	—	—	4.50E-02	mg/L	E	J	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	331	—	—	1.00E+00	µS/cm	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	175	—	—	1.00E+00	µS/cm	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	469	—	—	1.00E+00	µS/cm	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	483	—	—	1.00E+00	µS/cm	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	496	—	—	1.00E+00	µS/cm	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	482	—	—	1.00E+00	µS/cm	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	24.3	—	—	1.00E-01	mg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	23	—	—	1.00E-01	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	31.6	—	—	1.00E-01	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	22.8	—	—	1.00E-01	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	27.9	—	—	1.00E-01	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	28	—	—	1.00E-01	mg/L	—	—	168892	GU060700GGSB01	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	206	—	—	2.40E+00	mg/L	—	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	238	—	—	2.40E+00	mg/L	—	J	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	333	—	—	2.40E+00	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	289	—	—	2.38E+00	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	330	—	—	2.38E+00	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	336	—	—	2.38E+00	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.978	—	—	3.30E-01	mg/L	J	J	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.644	—	—	3.30E-01	mg/L	J	J	08-1766	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.4	—	—	3.30E-01	mg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	3.65	—	—	3.30E-01	mg/L	—	U	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.79	—	—	3.30E-01	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.703	—	—	2.40E-02	mg/L	—	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	1.11	—	—	2.40E-02	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	2.12	—	—	2.40E-02	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	2.13	—	—	2.40E-02	mg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	2.21	—	—	1.00E-02	mg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	2.1	—	—	1.00E-02	mg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.16	—	—	1.00E-02	SU	H	J-	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.52	—	—	1.00E-02	SU	H	J-	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.02	—	—	1.00E-02	SU	H	J-	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.86	—	—	1.00E-02	SU	H	J	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.79	—	—	1.00E-02	SU	H	J	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	6.85	—	—	1.00E-02	SU	H	J	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2	—	—	1.50E+00	µg/L	J	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	UJ	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.2	—	—	1.50E+00	µg/L	J	J	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	UJ	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	60.9	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	58.8	—	—	1.00E+00	µg/L	—	J	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	85.2	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	84.6	—	—	1.00E+00	µg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	93.4	—	—	1.00E+00	µg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	59.6	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	62.8	—	—	1.00E+00	µg/L	—	J	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	85.5	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	85	—	—	1.00E+00	µg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	95.4	—	—	1.00E+00	µg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	81.6	—	—	1.00E+01	µg/L	—	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	86.3	—	—	1.00E+01	µg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	207	—	—	1.00E+01	µg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	172	—	—	1.00E+01	µg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	240	—	—	1.00E+01	µg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	83.3	—	—	1.00E+01	µg/L	—	J	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	90.2	—	—	1.00E+01	µg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	207	—	—	1.00E+01	µg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	170	—	—	1.00E+01	µg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	241	—	—	1.00E+01	µg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	1.6	—	—	1.50E+00	µg/L	J	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	3.8	—	—	1.50E+00	µg/L	—	U	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-576	CALA-08-9806	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	3.7	—	—	1.00E+00	µg/L	—	U	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	3.7	—	—	1.00E+00	µg/L	—	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.8	—	—	1.50E+00	µg/L	J	J	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.1	—	—	1.50E+00	µg/L	J	J	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	1.6	—	—	1.00E+00	µg/L	J	U	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	4.3	—	—	1.00E+00	µg/L	—	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.6	—	—	1.00E-01	µg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.8	—	—	1.00E-01	µg/L	—	J	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.9	—	—	2.00E+00	µg/L	J	J	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	3.3	—	—	2.00E+00	µg/L	J	U	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	3.6	—	—	2.00E+00	µg/L	J	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	2.7	—	—	1.00E-01	µg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	3	—	—	1.00E-01	µg/L	—	J	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	3	—	—	2.00E+00	µg/L	J	J	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	4.1	—	—	2.00E+00	µg/L	J	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.1	—	—	2.00E+00	µg/L	J	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.8	—	—	5.00E-01	µg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6.4	—	—	5.00E-01	µg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	8.4	—	—	5.00E-01	µg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	6.6	—	—	5.00E-01	µg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.4	—	—	5.00E-01	µg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.2	—	—	5.00E-01	µg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	7	—	—	5.00E-01	µg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	8.2	—	—	5.00E-01	µg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	6.7	—	—	5.00E-01	µg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	2.3	—	—	1.00E+00	µg/L	J	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	1.1	—	—	1.00E+00	µg/L	J	J	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	1.3	—	—	1.00E+00	µg/L	J	J	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	5	—	—	1.00E+00	µg/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6020	Selenium	<	2.5	—	—	2.50E+00	µg/L	U	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	49.8	—	—	3.20E-02	mg/L	—	J	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	46.4	—	—	3.20E-02	mg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56.2	—	—	3.20E-02	mg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	149	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	124	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	172	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	167	—	—	1.00E+00	µg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	183	—	—	1.00E+00	µg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	147	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	132	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	173	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	166	—	—	1.00E+00	µg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	188	—	—	1.00E+00	µg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.61	—	—	5.00E-02	µg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.63	—	—	5.00E-02	µg/L	—	—	168892	GF060700GGSB01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.44	—	—	5.00E-02	µg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.56	—	—	5.00E-02	µg/L	—	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.66	—	—	5.00E-02	µg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.2	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.4	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.6	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.4	—	—	1.00E+00	µg/L	—	—	185087	GF070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	6.7	—	—	1.00E+00	µg/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.2	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.7	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	6.4	—	—	1.00E+00	µg/L	—	U	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	6.8	—	—	1.00E+00	µg/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.0153	3.30E-03	3.40E-02	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00653	1.17E-03	2.60E-02	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000195	7.67E-04	4.00E-02	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.000584	1.01E-03	2.26E-02	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00958	1.76E-03	3.20E-02	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0281	2.97E-03	3.00E-02	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00819	1.30E-03	2.60E-02	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.000749	1.37E-03	3.70E-02	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00336	9.60E-04	2.29E-02	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00535	1.44E-03	3.20E-02	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.518	4.00E-01	4.00E+00	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.71	4.00E-01	4.30E+00	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.361	4.00E-01	3.70E+00	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.157	4.03E-01	3.91E+00	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.726	2.39E-01	2.27E+00	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.64	4.00E-01	3.80E+00	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.53	4.33E-01	4.90E+00	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.971	5.67E-01	5.60E+00	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.97	4.03E-01	4.22E+00	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.00889	2.23E-01	2.34E+00	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.0818	4.00E-01	4.00E+00	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.745	4.00E-01	3.60E+00	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.524	3.67E-01	3.80E+00	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.9	4.37E-01	4.72E+00	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.45	2.79E-01	2.47E+00	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.29	4.67E-01	5.00E+00	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.43	4.33E-01	3.70E+00	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.06	6.00E-01	5.50E+00	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.14	4.03E-01	4.21E+00	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.726	1.81E-01	2.18E+00	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	30.4	5.33E+00	2.40E+01	—	pCi/L	—	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	6.9	2.77E+00	1.60E+01	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	190	5.33E+01	4.10E+02	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	102	2.37E+01	3.15E+02	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	76.5	1.76E+01	1.71E+02	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	30.6	7.67E+00	5.20E+01	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	83.2	1.67E+01	2.30E+02	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	165	3.67E+01	4.40E+02	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	70.6	2.13E+01	2.68E+02	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	61.7	2.34E+01	1.81E+02	—	pCi/L	U	U	136421	GU05050GGSB01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.02	3.00E+00	3.10E+01	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-13.6	2.97E+00	2.80E+01	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	29.4	4.00E+00	2.90E+01	—	pCi/L	UI	R	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	14.3	2.97E+00	2.58E+01	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.02	1.66E+00	1.69E+01	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-10.1	3.67E+00	3.40E+01	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-7.35	2.97E+00	2.90E+01	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	14.6	2.97E+00	2.20E+01	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-6.67	2.57E+00	2.59E+01	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.25	1.73E+00	1.65E+01	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	9.00E-04	4.00E-02	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.0197	3.67E-03	2.80E-02	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00765	2.23E-03	2.80E-02	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00384	1.57E-03	1.84E-02	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	HASL-300	Plutonium-238	—	0.0576	5.13E-03	4.00E-02	—	pCi/L	—	J	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	1.57E-10	1.23E-03	4.00E-02	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-1.81E-09	2.37E-03	2.70E-02	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00302	2.00E-03	2.80E-02	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.52E-03	2.20E-02	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00182	2.92E-03	3.80E-02	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00264	3.17E-03	4.70E-02	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0118	2.47E-03	3.40E-02	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0107	1.53E-03	3.30E-02	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0154	2.04E-03	2.15E-02	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0327	3.11E-03	3.40E-02	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00263	1.53E-03	4.70E-02	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0057	1.67E-03	3.20E-02	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00604	1.73E-03	3.30E-02	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.016	2.96E-03	2.56E-02	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0182	2.86E-03	3.20E-02	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-6.3	6.00E+00	5.90E+01	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	1.57	6.00E+00	6.20E+01	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	8.75	5.67E+00	5.60E+01	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	25.4	3.93E+00	3.54E+01	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	21.2	2.64E+00	3.00E+01	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	0.682	5.67E+00	6.30E+01	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	60.4	5.67E+00	3.90E+01	—	pCi/L	UI	R	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	14.9	6.67E+00	6.80E+01	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	49.5	7.73E+00	3.70E+01	—	pCi/L	UI	R	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	9.04	4.67E+00	1.94E+01	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.94	4.33E-01	3.80E+00	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.8	4.33E-01	4.90E+00	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0932	4.67E-01	4.50E+00	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	2.04	4.20E-01	4.59E+00	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.224	2.04E-01	2.21E+00	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.785	4.33E-01	4.40E+00	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	1.19	4.67E-01	4.90E+00	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.327	5.00E-01	5.00E+00	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.163	3.90E-01	4.46E+00	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.224	2.19E-01	2.34E+00	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.283	5.00E-02	4.90E-01	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.357	5.00E-02	4.80E-01	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.17	3.07E-02	3.00E-01	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.302	3.12E-02	2.99E-01	—	pCi/L	—	J	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.119	1.62E-02	1.83E-01	—	pCi/L	U	U	136421	GF05050GGSB01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0477	4.00E-02	4.70E-01	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.025	2.70E-02	3.10E-01	—	pCi/L	U	U	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.268	5.00E-02	4.70E-01	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0759	3.23E-02	3.27E-01	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0535	3.00E-02	3.63E-01	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	66.7337	7.45E-01	2.87E-01	—	pCi/L	—	—	09-629	CALA-09-1697	UMTL
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	63.5407	7.45E-01	2.87E-01	—	pCi/L	—	—	08-1785	CALA-08-13921	UMTL
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	25.595088	9.74E-01	3.65E+00	—	pCi/L	—	U	08-582	CALA-08-9808	ARSL
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	44.0634	5.32E-01	2.87E-01	—	pCi/L	—	—	2336	UU070400GGSB01	UMTL
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	LLEE	Tritium	—	36.4002	4.26E-01	2.87E-01	—	pCi/L	—	—	WG-04451-UM	UU060700GGSB01	UMTL
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.623	2.33E-02	1.50E-01	—	pCi/L	—	J+	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.543	1.43E-02	5.80E-02	—	pCi/L	—	—	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.306	9.67E-03	6.00E-02	—	pCi/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.33	1.19E-02	5.22E-02	—	pCi/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.248	9.43E-03	8.00E-02	—	pCi/L	—	J	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.782	2.90E-02	1.90E-01	—	pCi/L	—	J+	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.611	1.53E-02	5.40E-02	—	pCi/L	—	—	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.292	9.67E-03	6.30E-02	—	pCi/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.326	1.50E-02	7.23E-02	—	pCi/L	—	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.237	8.67E-03	6.50E-02	—	pCi/L	—	—	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.025	4.33E-03	7.30E-02	—	pCi/L	U	U	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0145	2.10E-03	3.10E-02	—	pCi/L	U	U	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0165	2.20E-03	3.00E-02	—	pCi/L	U	U	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0309	3.90E-03	4.40E-02	—	pCi/L	U	U	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00529	2.79E-03	4.90E-02	—	pCi/L	U	U	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0574	6.67E-03	9.30E-02	—	pCi/L	U	U	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.0372	2.93E-03	2.90E-02	—	pCi/L	—	—	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0175	2.53E-03	3.10E-02	—	pCi/L	U	U	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	-0.0257	6.07E-03	6.10E-02	—	pCi/L	U	U	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0342	3.23E-03	4.00E-02	—	pCi/L	U	U	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.449	1.80E-02	7.70E-02	—	pCi/L	—	J+	09-630	CALA-09-1698	GELC
Basalt Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.327	1.00E-02	3.00E-02	—	pCi/L	—	—	08-1768	CALA-08-13920	GELC
Basalt Spring	1341	0	01/25/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.196	7.33E-03	3.50E-02	—	pCi/L	—	—	08-576	CALA-08-9806	GELC
Basalt Spring	1341	0	08/08/06	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.225	9.50E-03	5.55E-02	—	pCi/L	—	—	168892	GF060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.148	7.23E-03	5.70E-02	—	pCi/L	—	J	136421	GF05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.48	2.07E-02	9.80E-02	—	pCi/L	—	J+	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.336	1.00E-02	2.90E-02	—	pCi/L	—	—	08-1768	CALA-08-13921	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.2	7.67E-03	3.70E-02	—	pCi/L	—	—	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.163	1.03E-02	7.69E-02	—	pCi/L	—	J	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	05/11/05	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.171	7.13E-03	4.60E-02	—	pCi/L	—	—	136421	GU05050GGSB01	GELC
Basalt Spring	1341	0	01/13/09	WG	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	—	5.21	—	—	1.30E+00	µg/L	—	J	09-630	CALA-09-1697	GELC
Basalt Spring	1341	0	01/25/08	WG	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	<	5	—	—	1.30E+00	µg/L	U	UJ	08-576	CALA-08-9808	GELC
Basalt Spring	1341	0	04/26/07	WG	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	<	5	—	—	1.25E+00	µg/L	U	—	185087	GU070400GGSB01	GELC
Basalt Spring	1341	0	08/08/06	WG	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	<	5	—	—	1.25E+00	µg/L	U	—	168892	GU060700GGSB01	GELC
Basalt Spring	1341	0	08/25/04	WG	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	<	5	—	—	—	µg/L	U	—	120146	GU04080GGSB01	GELC
DP below Meadow at TA-21	n/a	n/a	08/28/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1170	—	—	1.00E+00	µS/cm	—	—	08-1808	CALA-08-13802	GELC
DP below Meadow at TA-21	n/a	n/a	01/18/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	547	—	—	1.00E+00	µS/cm	—	—	08-539	CALA-08-9840	GELC
DP below Meadow at TA-21	n/a	n/a	07/25/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1310	—	—	1.00E+00	µS/cm	—	—	190281	GF070700P03901	GELC
DP below Meadow at TA-21	n/a	n/a	04/17/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	1350	—	—	1.00E+00	µS/cm	—	—	184479	GF070400P03901	GELC
DP below Meadow at TA-21	n/a	n/a	08/28/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.56	—	—	1.00E-02	SU	H	J-	08-1808	CALA-08-13802	GELC
DP below Meadow at TA-21	n/a	n/a	01/18/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.42	—	—	1.00E-02	SU	H	J-	08-539	CALA-08-9840	GELC
DP below Meadow at TA-21	n/a	n/a	07/25/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.6	—	—	1.00E-02	SU	H	J	190281	GF070700P03901	GELC
DP below Meadow at TA-21	n/a	n/a	04/17/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.03	—	—	1.00E-02	SU	H	J	184479	GF070400P03901	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.5	—	—	7.30E-01	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.7	—	—	7.30E-01	mg/L	—	—	08-575	CALA-08-10318	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	59.3	—	—	7.25E-01	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.6	—	—	3.00E-02	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.1	—	—	3.00E-02	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.2	—	—	3.60E-02	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	16.7	—	—	3.00E-02	mg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	17	—	—	3.00E-02	mg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	15.6	—	—	3.60E-02	mg/L	—	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	35.3	—	—	3.30E-01	mg/L	—	J+	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	32.7	—	—	3.30E-01	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	35.8	—	—	3.30E-01	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.197	—	—	3.30E-02	mg/L	—	J-	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.232	—	—	3.30E-02	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.271	—	—	3.30E-02	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	58.8	—	—	3.50E-01	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	60	—	—	4.30E-01	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	57.6	—	—	4.40E-01	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	63.1	—	—	3.50E-01	mg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	63.4	—	—	4.30E-01	mg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	59.3	—	—	4.40E-01	mg/L	—	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.8	—	—	8.50E-02	mg/L	—	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.82	—	—	8.50E-02	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.78	—	—	8.50E-02	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.17	—	—	8.50E-02	mg/L	—	J	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.07	—	—	8.50E-02	mg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.93	—	—	8.50E-02	mg/L	—	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.1	—	—	5.00E-02	mg/L	J	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.23	—	—	5.00E-02	mg/L	J	J-	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.202	—	—	1.00E-02	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.13	—	—	5.00E-02	µg/L	J	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	09/04/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.134	—	—	5.00E-02	µg/L	J	J	08-1855	CALA-08-13884	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.149	—	—	5.00E-02	µg/L	J	J	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.139	—	—	5.00E-02	µg/L	J	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.68	—	—	5.00E-02	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.58	—	—	5.00E-02	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.44	—	—	5.00E-02	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	7	—	—	5.00E-02	mg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.78	—	—	5.00E-02	mg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	6.67	—	—	5.00E-02	mg/L	—	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	58.3	—	—	3.20E-02	mg/L	—	J	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	23.2	—	—	4.50E-02	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	26.1	—	—	4.50E-02	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	26.7	—	—	4.50E-02	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	24.9	—	—	4.50E-02	mg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	27.7	—	—	4.50E-02	mg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	25.9	—	—	4.50E-02	mg/L	—	J	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	272	—	—	1.00E+00	µS/cm	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	262	—	—	1.00E+00	µS/cm	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	274	—	—	1.00E+00	µS/cm	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.65	—	—	1.00E-01	mg/L	—	J-	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	6.91	—	—	1.00E-01	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.3	—	—	1.00E-01	mg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	186	—	—	2.40E+00	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	195	—	—	2.40E+00	mg/L	—	J	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	178	—	—	2.38E+00	mg/L	—	—	185087	GF070400G3PD01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.5	—	—	3.30E-01	mg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.31	—	—	3.30E-01	mg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.56	—	—	3.30E-01	mg/L	—	U	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.073	—	—	2.40E-02	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.065	—	—	2.40E-02	mg/L	—	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.096	—	—	2.40E-02	mg/L	—	U	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.95	—	—	1.00E-02	SU	H	J-	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.31	—	—	1.00E-02	SU	H	J-	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.97	—	—	1.00E-02	SU	H	J	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	26.8	—	—	1.00E+00	µg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	27.4	—	—	1.00E+00	µg/L	—	J	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	27.6	—	—	1.00E+00	µg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	28.7	—	—	1.00E+00	µg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	29.3	—	—	1.00E+00	µg/L	—	J	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	28.6	—	—	1.00E+00	µg/L	—	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	13.6	—	—	1.00E+01	µg/L	J	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	22.7	—	—	1.00E+01	µg/L	J	J	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	18.9	—	—	1.00E+01	µg/L	J	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	12.4	—	—	1.00E+01	µg/L	J	J	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	23.2	—	—	1.00E+01	µg/L	J	J	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	16	—	—	1.00E+01	µg/L	J	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	9.6	—	—	1.50E+00	µg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	11	—	—	2.50E+00	µg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	8.8	—	—	1.00E+00	µg/L	—	J+	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	11	—	—	1.50E+00	µg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	12.9	—	—	2.50E+00	µg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	9.8	—	—	1.00E+00	µg/L	—	J+	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.4	—	—	1.00E-01	µg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2.3	—	—	2.00E+00	µg/L	J	U	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.3	—	—	1.00E-01	µg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.1	—	—	2.00E+00	µg/L	J	J	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.6	—	—	2.00E+00	µg/L	J	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.63	—	—	5.00E-01	µg/L	J	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.74	—	—	5.00E-01	µg/L	J	J	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	µg/L	U	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.53	—	—	5.00E-01	µg/L	J	J	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	<	0.5	—	—	5.00E-01	µg/L	U	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	61	—	—	3.20E-02	mg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	59.6	—	—	3.20E-02	mg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	109	—	—	1.00E+00	µg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	116	—	—	1.00E+00	µg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	112	—	—	1.00E+00	µg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	117	—	—	1.00E+00	µg/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	123	—	—	1.00E+00	µg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	115	—	—	1.00E+00	µg/L	—	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.4	—	—	3.00E-01	µg/L	J	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.41	—	—	4.00E-01	µg/L	J	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.54	—	—	3.00E-01	µg/L	J	J	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.96	—	—	5.00E-02	µg/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.92	—	—	5.00E-02	µg/L	—	—	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	0.9	—	—	5.00E-02	µg/L	—	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.99	—	—	5.00E-02	µg/L	—	—	09-598	CALA-09-1747	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.97	—	—	5.00E-02	µg/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	0.9	—	—	5.00E-02	µg/L	—	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.6	—	—	1.00E+00	µg/L	J	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	2	—	—	1.00E+00	µg/L	J	J	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	1.8	—	—	1.00E+00	µg/L	J	—	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.5	—	—	1.00E+00	µg/L	J	J	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	1.9	—	—	1.00E+00	µg/L	J	J	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	1.7	—	—	1.00E+00	µg/L	J	U	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	µg/L	J	J	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.1	—	—	2.00E+00	µg/L	J	J	08-575	CALA-08-10318	GELC
LADP-3	5411	316	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	4.3	—	—	2.00E+00	µg/L	J	U	185087	GF070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4.8	—	—	2.00E+00	µg/L	J	J	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	5.6	—	—	2.00E+00	µg/L	J	J	08-575	CALA-08-10317	GELC
LADP-3	5411	316	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	4.6	—	—	2.00E+00	µg/L	J	—	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00676	3.10E-03	3.30E-02	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00623	1.63E-03	3.80E-02	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00199	2.10E-03	3.00E-02	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00438	1.30E-03	4.80E-02	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.22	4.33E-01	4.10E+00	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.55	4.33E-01	4.00E+00	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.9	7.00E-01	4.60E+00	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.974	4.33E-01	4.50E+00	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.07	4.67E-01	4.90E+00	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.91	4.67E-01	5.10E+00	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.656	4.00E-01	4.20E+00	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-3.98	5.67E-01	3.20E+00	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:900	Gross alpha/beta	<	-0.0215	1.07E-01	1.50E+00	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	<	0.295	1.60E-01	1.90E+00	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:900	Gross beta	—	6.87	4.00E-01	2.90E+00	—	pCi/L	—	—	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	6.41	3.67E-01	2.50E+00	—	pCi/L	—	—	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	114	1.97E+01	1.00E+02	—	pCi/L	—	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	60	3.20E+01	2.20E+02	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	65.4	9.00E+00	4.50E+01	—	pCi/L	—	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	83.5	1.97E+01	2.40E+02	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	15.5	3.67E+00	3.70E+01	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.05	3.13E+00	3.10E+01	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	14.3	3.33E+00	3.50E+01	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.3	3.30E+00	3.30E+01	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-6.49E-10	1.83E-03	4.10E-02	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00167	1.47E-03	3.10E-02	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00292	1.70E-03	4.40E-02	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00345	1.83E-03	3.20E-02	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00544	2.57E-03	4.80E-02	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00669	1.13E-03	3.60E-02	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00292	2.17E-03	5.20E-02	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	8.00E-04	3.70E-02	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	15.6	5.33E+00	5.90E+01	—	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	19.3	4.67E+00	3.90E+01	—	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	0.0455	5.67E+00	5.70E+01	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	30.8	5.33E+00	5.40E+01	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.189	4.33E-02	4.40E-01	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	EPA:903.1	Radium-226	<	0.237	3.67E-02	3.10E-01	—	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	—	Rad	EPA:904	Radium-228	<	0.291	7.67E-02	7.70E-01	—	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	—	Rad	EPA:904	Radium-228	—	1.14	8.67E-02	6.30E-01	—	pCi/L	—	—	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.254	5.00E-01	4.80E+00	—	pCi/L	U	U	09-598	CALA-09-1746	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LADP-3	5411	316	01/24/08	WG	F	CS	---	Rad	EPA:901.1	Sodium-22	<	1.18	4.67E-01	4.80E+00	---	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	---	Rad	EPA:901.1	Sodium-22	<	-2.73	3.67E-01	2.80E+00	---	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	---	Rad	EPA:901.1	Sodium-22	<	-0.717	4.33E-01	4.00E+00	---	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	---	Rad	EPA:905.0	Strontium-90	<	0.137	4.67E-02	4.90E-01	---	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	---	Rad	EPA:905.0	Strontium-90	<	0.0375	3.67E-02	4.10E-01	---	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	---	Rad	EPA:905.0	Strontium-90	<	-0.109	3.67E-02	4.80E-01	---	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	---	Rad	EPA:905.0	Strontium-90	<	0.051	4.33E-02	4.80E-01	---	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	---	Rad	LLEE	Tritium	---	106.0076	1.17E+00	2.87E-01	---	pCi/L	---	---	09-621	CALA-09-1747	UMTL
LADP-3	5411	316	04/26/07	WG	UF	CS	---	Rad	EPA:906.0	Tritium	---	151	1.36E+01	1.21E+02	---	pCi/L	---	J	185087	GU070400G3PD01	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	---	Rad	HASL-300	Uranium-234	---	0.271	1.40E-02	1.50E-01	---	pCi/L	---	---	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	---	Rad	HASL-300	Uranium-234	---	0.393	1.17E-02	6.00E-02	---	pCi/L	---	---	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	---	Rad	HASL-300	Uranium-234	---	0.291	1.43E-02	1.60E-01	---	pCi/L	---	---	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	---	Rad	HASL-300	Uranium-234	---	0.37	1.07E-02	5.90E-02	---	pCi/L	---	---	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	---	Rad	HASL-300	Uranium-235/236	<	-0.025	5.67E-03	7.30E-02	---	pCi/L	U	U	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	---	Rad	HASL-300	Uranium-235/236	<	0.0293	3.17E-03	3.00E-02	---	pCi/L	U	U	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	---	Rad	HASL-300	Uranium-235/236	<	0.0214	3.67E-03	7.80E-02	---	pCi/L	U	U	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	---	Rad	HASL-300	Uranium-235/236	<	0.0163	1.93E-03	2.90E-02	---	pCi/L	U	U	08-575	CALA-08-10317	GELC
LADP-3	5411	316	01/09/09	WG	F	CS	---	Rad	HASL-300	Uranium-238	---	0.316	1.50E-02	7.70E-02	---	pCi/L	---	---	09-598	CALA-09-1746	GELC
LADP-3	5411	316	01/24/08	WG	F	CS	---	Rad	HASL-300	Uranium-238	---	0.401	1.17E-02	3.60E-02	---	pCi/L	---	---	08-575	CALA-08-10318	GELC
LADP-3	5411	316	01/09/09	WG	UF	CS	---	Rad	HASL-300	Uranium-238	---	0.381	1.67E-02	8.20E-02	---	pCi/L	---	---	09-598	CALA-09-1747	GELC
LADP-3	5411	316	01/24/08	WG	UF	CS	---	Rad	HASL-300	Uranium-238	---	0.342	1.03E-02	3.40E-02	---	pCi/L	---	---	08-575	CALA-08-10317	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	43.1	---	---	7.30E-01	mg/L	---	---	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	45.1	---	---	7.30E-01	mg/L	---	---	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	38.5	---	---	7.25E-01	mg/L	---	---	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	74	---	---	7.25E-01	mg/L	---	---	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	41.9	---	---	7.25E-01	mg/L	---	---	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	39.7	---	---	7.25E-01	mg/L	---	---	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	---	Geninorg	EPA:300.0	Chloride	---	1.23	---	---	6.60E-02	mg/L	---	J+	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	---	Geninorg	EPA:300.0	Chloride	---	1.24	---	---	6.60E-02	mg/L	---	---	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	---	Geninorg	EPA:300.0	Chloride	---	1.2	---	---	6.60E-02	mg/L	---	---	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	---	Geninorg	EPA:300.0	Chloride	---	1.38	---	---	6.60E-02	mg/L	---	---	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	---	Geninorg	EPA:300.0	Chloride	---	1.28	---	---	6.60E-02	mg/L	---	---	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	---	Geninorg	EPA:300.0	Chloride	---	1.27	---	---	6.60E-02	mg/L	---	---	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	---	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	---	0.367	---	---	5.00E-02	mg/L	---	---	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	---	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	---	0.122	---	---	1.00E-02	mg/L	---	---	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	---	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	---	0.424	---	---	1.00E-02	mg/L	---	---	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	---	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	---	0.714	---	---	1.00E-02	mg/L	---	---	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	---	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	---	0.289	---	---	1.40E-02	mg/L	---	---	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	---	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	---	0.232	---	---	1.40E-02	mg/L	---	---	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	---	Geninorg	SW-846:6850	Perchlorate	---	0.197	---	---	5.00E-02	µg/L	J	J	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	---	Geninorg	SW-846:6850	Perchlorate	---	0.195	---	---	5.00E-02	µg/L	J	J+	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	---	Geninorg	EPA:314.0	Perchlorate	<	4	---	---	4.00E+00	µg/L	U	---	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	---	Geninorg	SW-846:6850	Perchlorate	---	0.171	---	---	5.00E-02	µg/L	J	---	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	---	Geninorg	EPA:314.0	Perchlorate	<	4	---	---	4.00E+00	µg/L	U	---	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	---	Geninorg	SW-846:6850	Perchlorate	---	0.167	---	---	5.00E-02	µg/L	J	---	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	---	Geninorg	SW846 6850	Perchlorate	---	0.175	---	---	5.00E-02	µg/L	J	---	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	---	Geninorg	EPA:314.0	Perchlorate	<	4	---	---	4.00E+00	µg/L	U	---	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	---	Geninorg	SW-846:6010B	Silicon Dioxide	---	68.9	---	---	3.20E-02	mg/L	---	---	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	---	Geninorg	SW-846:6010B	Silicon Dioxide	---	66.6	---	---	3.20E-02	mg/L	---	J	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	---	Geninorg	SW-846:6010B	Silicon Dioxide	---	65.7	---	---	3.20E-02	mg/L	---	---	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	---	Geninorg	SW-846:6010B	Silicon Dioxide	---	69.3	---	---	3.20E-02	mg/L	---	---	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	---	Geninorg	EPA:120.1	Specific Conductance	---	98.4	---	---	1.00E+00	µS/cm	---	---	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	---	Geninorg	EPA:120.1	Specific Conductance	---	104	---	---	1.00E+00	µS/cm	---	---	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	---	Geninorg	EPA:120.1	Specific Conductance	---	101	---	---	1.00E+00	µS/cm	---	---	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	---	Geninorg	EPA:120.1	Specific Conductance	---	181	---	---	1.00E+00	µS/cm	---	---	185012	GF070400G11L01	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	94.5	—	—	1.00E+00	µS/cm	—	—	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	91.6	—	—	1.00E+00	µS/cm	—	—	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.2	—	—	1.00E-01	mg/L	—	—	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.12	—	—	1.00E-01	mg/L	—	J-	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.04	—	—	1.00E-01	mg/L	—	—	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.14	—	—	1.00E-01	mg/L	—	—	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.28	—	—	1.00E-01	mg/L	—	—	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.24	—	—	1.00E-01	mg/L	—	—	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	120	—	—	2.40E+00	mg/L	—	J	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	119	—	—	2.40E+00	mg/L	—	—	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	111	—	—	2.38E+00	mg/L	—	—	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	125	—	—	2.38E+00	mg/L	—	—	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	127	—	—	2.38E+00	mg/L	—	—	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	138	—	—	2.38E+00	mg/L	—	—	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.1	—	—	1.00E-02	SU	H	J-	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.18	—	—	1.00E-02	SU	H	J-	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	07/31/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.34	—	—	1.00E-02	SU	H	J	190642	GF070700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.98	—	—	1.00E-02	SU	H	J	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.12	—	—	1.00E-02	SU	H	J	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	—	Geninorg	EPA:150.1	pH	—	7.02	—	—	1.00E-02	SU	H	J	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.1	—	—	3.20E-02	mg/L	—	—	09-630	CALA-09-1724	GELC
LAOI(a)-1.1	5391	295.2	09/03/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.5	—	—	3.20E-02	mg/L	—	—	08-1834	CALA-08-13866	GELC
LAOI(a)-1.1	5391	295.2	01/13/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.09579	9.58E-02	2.87E-01	—	pCi/L	U	U	09-629	CALA-09-1725	UMTL
LAOI(a)-1.1	5391	295.2	09/03/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.769513	3.29E-01	3.28E+00	—	pCi/L	U	U	08-1841	CALA-08-13865	ARSL
LAOI(a)-1.1	5391	295.2	07/31/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.06386	9.58E-02	2.87E-01	—	pCi/L	—	U	2376	UU070700G11L01	UMTL
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	2.96949	9.58E-02	2.87E-01	—	pCi/L	—	—	2336	UU070400G11L01	UMTL
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01	—	pCi/L	—	U	2243	UU060700G11L01	UMTL
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	80.3	—	—	7.30E-01	mg/L	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	77.3	—	—	7.30E-01	mg/L	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	77.5	—	—	7.30E-01	mg/L	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	77.9	—	—	7.25E-01	mg/L	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	81.9	—	—	7.25E-01	mg/L	—	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.077	—	—	6.70E-02	mg/L	J	J	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.069	—	—	6.70E-02	mg/L	J	J	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.60E-02	mg/L	U	U	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.098	—	—	6.60E-02	mg/L	J	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.2	—	—	6.60E-02	mg/L	—	J+	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.4	—	—	1.30E-01	mg/L	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	20.4	—	—	1.30E-01	mg/L	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19	—	—	1.32E-01	mg/L	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	17.4	—	—	6.60E-02	mg/L	—	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.133	—	—	3.30E-02	mg/L	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.154	—	—	3.30E-02	mg/L	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.133	—	—	3.30E-02	mg/L	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.143	—	—	3.30E-02	mg/L	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.142	—	—	3.30E-02	mg/L	—	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.39	—	—	1.00E-01	mg/L	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.03	—	—	5.00E-02	mg/L	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.48	—	—	1.00E-01	mg/L	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.88	—	—	1.00E-01	mg/L	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.71	—	—	1.00E-01	mg/L	—	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	4.62	—	—	5.00E-01	µg/L	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6	—	—	5.00E-01	µg/L	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.81	—	—	5.00E-01	µg/L	—	—	08-512	CALA-08-9883	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	9	—	—	4.00E+00	µg/L	J	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.3	—	—	5.00E-01	µg/L	—	J	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.65	—	—	5.00E-01	µg/L	—	J	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	8.16	—	—	4.00E+00	µg/L	J	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	71.8	—	—	3.20E-02	mg/L	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	73.8	—	—	3.20E-02	mg/L	—	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	246	—	—	1.00E+00	µS/cm	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	250	—	—	1.00E+00	µS/cm	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	276	—	—	1.00E+00	µS/cm	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	283	—	—	1.00E+00	µS/cm	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	269	—	—	1.00E+00	µS/cm	—	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.62	—	—	1.00E-01	mg/L	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.18	—	—	1.00E-01	mg/L	—	J-	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.85	—	—	1.00E-01	mg/L	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.49	—	—	1.00E-01	mg/L	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.95	—	—	1.00E-01	mg/L	—	—	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	194	—	—	2.40E+00	mg/L	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	212	—	—	2.40E+00	mg/L	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	217	—	—	2.40E+00	mg/L	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	223	—	—	2.38E+00	mg/L	—	—	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	214	—	—	2.38E+00	mg/L	—	J	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.582	—	—	3.30E-01	mg/L	J	J	09-611	CALA-09-1732	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1810	CALA-08-13888	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.28	—	—	3.30E-01	mg/L	—	—	08-512	CALA-08-9882	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.798	—	—	3.30E-01	mg/L	J	—	190355	GU070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.18	—	—	3.30E-01	mg/L	—	—	184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.2	—	—	1.00E-02	SU	H	J-	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.97	—	—	1.00E-02	SU	H	J-	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.27	—	—	1.00E-02	SU	H	J-	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.76	—	—	1.00E-02	SU	H	J	190355	GF070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.06	—	—	1.00E-02	SU	H	J	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.9	—	—	3.20E-02	mg/L	—	—	09-611	CALA-09-1733	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	69.2	—	—	3.20E-02	mg/L	—	—	08-1810	CALA-08-13887	GELC
LAOI-3.2	6001	153.3	01/15/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	71.6	—	—	3.20E-02	mg/L	—	—	08-512	CALA-08-9883	GELC
LAOI-3.2	6001	153.3	01/12/09	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	2580	9.00E+01	1.50E+02	—	pCi/L	—	—	09-611	CALA-09-1732	GELC
LAOI-3.2	6001	153.3	08/28/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3100.889	6.07E+01	1.90E+02	—	pCi/L	—	—	08-1841	CALA-08-13888	ARSL
LAOI-3.2	6001	153.3	01/15/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3710	1.27E+02	1.60E+02	—	pCi/L	—	—	08-512	CALA-08-9882	GELC
LAOI-3.2	6001	153.3	07/26/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3990	1.35E+02	1.83E+02	—	pCi/L	—	—	190355	GU070700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	2990	3.73E+01	1.19E+02	—	pCi/L	—	—	184713	GU070400G32L01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	75.1	—	—	7.30E-01	mg/L	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	74.1	—	—	7.30E-01	mg/L	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	72.2	—	—	7.30E-01	mg/L	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	66.9	—	—	7.25E-01	mg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	72.9	—	—	7.25E-01	mg/L	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.306	—	—	6.70E-02	mg/L	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.24	—	—	6.70E-02	mg/L	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.234	—	—	6.60E-02	mg/L	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.226	—	—	6.60E-02	mg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.24	—	—	6.60E-02	mg/L	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	21.8	—	—	1.30E-01	mg/L	—	J+	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	21.2	—	—	1.30E-01	mg/L	—	J-	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.4	—	—	1.30E-01	mg/L	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.9	—	—	1.32E-01	mg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	20	—	—	1.32E-01	mg/L	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.122	—	—	3.30E-02	mg/L	—	—	09-611	CALA-09-1736	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.147	—	—	3.30E-02	mg/L	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.127	—	—	3.30E-02	mg/L	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.136	—	—	3.30E-02	mg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.15	—	—	3.30E-02	mg/L	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.88	—	—	1.00E-01	mg/L	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.18	—	—	5.00E-02	mg/L	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.38	—	—	5.00E-02	mg/L	—	J-	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.27	—	—	1.00E-01	mg/L	—	J	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.84	—	—	1.00E-01	mg/L	—	J	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	3.01	—	—	2.50E-01	µg/L	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	3.29	—	—	2.50E-01	µg/L	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	3.55	—	—	2.50E-01	µg/L	—	J	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	3.4	—	—	2.50E-01	µg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	3.52	—	—	2.50E-01	µg/L	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	4.27	—	—	4.00E+00	µg/L	J	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	70	—	—	3.20E-02	mg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	72.6	—	—	3.20E-02	mg/L	—	J	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	260	—	—	1.00E+00	µS/cm	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	269	—	—	1.00E+00	µS/cm	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	248	—	—	1.00E+00	µS/cm	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	258	—	—	1.00E+00	µS/cm	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	263	—	—	1.00E+00	µS/cm	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.88	—	—	1.00E-01	mg/L	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.59	—	—	1.00E-01	mg/L	—	J-	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.55	—	—	1.00E-01	mg/L	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.5	—	—	1.00E-01	mg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.81	—	—	1.00E-01	mg/L	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	193	—	—	2.40E+00	mg/L	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	214	—	—	2.40E+00	mg/L	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	203	—	—	2.40E+00	mg/L	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	199	—	—	2.38E+00	mg/L	—	—	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	173	—	—	2.38E+00	mg/L	—	—	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.685	—	—	3.30E-01	mg/L	J	J	09-611	CALA-09-1737	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.05	—	—	3.30E-01	mg/L	—	—	08-1854	CALA-08-13896	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.534	—	—	3.30E-01	mg/L	J	J	08-568	CALA-08-9869	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.3	—	—	3.30E-01	mg/L	—	—	190642	GU07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.09	—	—	3.30E-01	mg/L	—	—	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.05	—	—	1.00E-02	SU	H	J-	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.04	—	—	1.00E-02	SU	H	J-	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.28	—	—	1.00E-02	SU	H	J-	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.38	—	—	1.00E-02	SU	H	J	190642	GF07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.65	—	—	1.00E-02	SU	H	J	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	70	—	—	3.20E-02	mg/L	—	—	09-611	CALA-09-1736	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	64.2	—	—	3.20E-02	mg/L	—	—	08-1855	CALA-08-13895	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	68.7	—	—	3.20E-02	mg/L	—	—	08-568	CALA-08-9868	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	1840	6.33E+01	1.50E+02	—	pCi/L	—	—	09-611	CALA-09-1737	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	2740	1.00E+02	1.80E+02	—	pCi/L	—	—	08-1855	CALA-08-13896	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	2620	9.00E+01	1.70E+02	—	pCi/L	—	—	08-568	CALA-08-9869	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	2740	9.40E+01	1.66E+02	—	pCi/L	—	—	190642	GU07070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	2700	3.60E+01	1.21E+02	—	pCi/L	—	—	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	01/12/09	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	—	0.408	—	—	2.50E-01	µg/L	J	J	09-611	CALA-09-1737	GELC
LAOI-3.2a	7691	181.4	09/05/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	—	0.392	—	—	2.50E-01	µg/L	J	J	08-1854	CALA-08-13896	GELC
LAOI-3.2a	7691	181.4	01/23/08	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	—	0.301	—	—	2.50E-01	µg/L	J	J	08-568	CALA-08-9869	GELC
LAOI-3.2a	7691	181.4	07/30/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	—	0.264	—	—	2.50E-01	µg/L	J	—	190642	GU07070GI32A01	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS	—	Voa	SW-846:8260B	Chloroform	—	0.279	—	—	2.50E-01	µg/L	J	—	185012	GU07040G132A01	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53	—	—	7.30E-01	mg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53.7	—	—	7.30E-01	mg/L	—	—	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	53.4	—	—	7.30E-01	mg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.3	—	—	7.25E-01	mg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	52.5	—	—	7.25E-01	mg/L	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.181	—	—	6.70E-02	mg/L	J	J	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.16	—	—	6.70E-02	mg/L	J	J	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.60E-02	mg/L	U	U	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.159	—	—	6.60E-02	mg/L	J	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.066	—	—	6.60E-02	mg/L	U	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	27.7	—	—	3.30E-01	mg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	38.3	—	—	1.30E-01	mg/L	—	—	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	24.1	—	—	1.30E-01	mg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	24.8	—	—	1.32E-01	mg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.4	—	—	6.60E-02	mg/L	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.208	—	—	3.30E-02	mg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.224	—	—	3.30E-02	mg/L	—	—	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.179	—	—	3.30E-02	mg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.208	—	—	3.30E-02	mg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.216	—	—	3.30E-02	mg/L	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.187	—	—	5.00E-02	mg/L	J	J	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.0629	—	—	1.00E-02	mg/L	—	U	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.275	—	—	5.00E-02	mg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.075	—	—	1.00E-02	mg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.276	—	—	1.00E-01	mg/L	J	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.522	—	—	5.00E-02	µg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.56	—	—	5.00E-02	µg/L	—	—	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.65	—	—	5.00E-02	µg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.535	—	—	5.00E-02	µg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.757	—	—	5.00E-02	µg/L	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	55.2	—	—	3.20E-02	mg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	54.4	—	—	3.20E-02	mg/L	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	235	—	—	1.00E+00	µS/cm	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	237	—	—	1.00E+00	µS/cm	—	—	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	215	—	—	1.00E+00	µS/cm	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	233	—	—	1.00E+00	µS/cm	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	195	—	—	1.00E+00	µS/cm	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	11.6	—	—	1.00E-01	mg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.9	—	—	1.00E-01	mg/L	—	J-	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	10.1	—	—	1.00E-01	mg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.81	—	—	1.00E-01	mg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.77	—	—	1.00E-01	mg/L	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	174	—	—	2.40E+00	mg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	179	—	—	2.40E+00	mg/L	—	—	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	168	—	—	2.40E+00	mg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	193	—	—	2.38E+00	mg/L	—	—	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	172	—	—	2.38E+00	mg/L	—	—	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.55	—	—	3.30E-01	mg/L	—	—	09-589	CALA-09-1734	GELC
LAOI-7	6411	240	08/27/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.795	—	—	3.30E-01	mg/L	J	J	08-1796	CALA-08-13897	GELC
LAOI-7	6411	240	01/09/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.2	—	—	3.30E-01	mg/L	—	—	08-467	CALA-08-10260	GELC
LAOI-7	6411	240	07/19/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.19	—	—	3.30E-01	mg/L	—	—	190027	GU07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.09	—	—	3.30E-01	mg/L	—	—	184649	GU07040LAOI701	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.096	—	—	2.40E-02	mg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.041	—	—	2.40E-02	mg/L	J	U	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.065	—	—	2.40E-02	mg/L	—	U	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.058	—	—	2.40E-02	mg/L	—	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.4	—	—	1.00E-02	SU	H	J-	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.6	—	—	1.00E-02	SU	H	J-	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.48	—	—	1.00E-02	SU	H	J-	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	07/19/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.31	—	—	1.00E-02	SU	H	J	190027	GF07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.42	—	—	1.00E-02	SU	H	J	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	01/07/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	58.3	—	—	3.20E-02	mg/L	—	—	09-589	CALA-09-1735	GELC
LAOI-7	6411	240	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	57.8	—	—	3.20E-02	mg/L	—	—	08-1797	CALA-08-13899	GELC
LAOI-7	6411	240	01/09/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	53.2	—	—	3.20E-02	mg/L	—	—	08-467	CALA-08-10261	GELC
LAOI-7	6411	240	01/07/09	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	710	2.97E+01	1.50E+02	—	pCi/L	—	—	09-589	CALA-09-1734	GELC
LAOI-7	6411	240	08/27/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	687	3.23E+01	1.80E+02	—	pCi/L	—	—	08-1798	CALA-08-13897	GELC
LAOI-7	6411	240	01/09/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	832	3.33E+01	1.70E+02	—	pCi/L	—	—	08-467	CALA-08-10260	GELC
LAOI-7	6411	240	07/19/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	892	3.67E+01	1.83E+02	—	pCi/L	—	—	190027	GU07070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	1130	2.40E+01	1.94E+02	—	pCi/L	—	—	184649	GU07040LAOI701	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	159	—	—	7.30E-01	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	165	—	—	7.30E-01	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	175	—	—	7.30E-01	mg/L	—	—	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	174	—	—	7.25E-01	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	184	—	—	7.25E-01	mg/L	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.192	—	—	6.70E-02	mg/L	J	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.169	—	—	6.70E-02	mg/L	J	J	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.191	—	—	6.60E-02	mg/L	J	J	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.195	—	—	6.60E-02	mg/L	J	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.224	—	—	6.60E-02	mg/L	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	51.3	—	—	3.00E-02	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	52	—	—	3.00E-02	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	57.2	—	—	3.00E-02	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	46.5	—	—	3.60E-02	mg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	53	—	—	3.00E-02	mg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	48	—	—	3.00E-02	mg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	56.5	—	—	3.00E-02	mg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	46.8	—	—	3.60E-02	mg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	34.5	—	—	3.30E-01	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	28.1	—	—	3.30E-01	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	38.5	—	—	3.30E-01	mg/L	—	—	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	39.3	—	—	3.30E-01	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	35.4	—	—	3.30E-01	mg/L	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.44	—	—	3.30E-02	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.459	—	—	3.30E-02	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.392	—	—	3.30E-02	mg/L	—	—	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.374	—	—	3.30E-02	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.395	—	—	3.30E-02	mg/L	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	149	—	—	3.50E-01	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	151	—	—	3.50E-01	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	167	—	—	4.25E-01	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	136	—	—	8.50E-02	mg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	154	—	—	3.50E-01	mg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	141	—	—	3.50E-01	mg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	165	—	—	4.25E-01	mg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	137	—	—	8.50E-02	mg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.05	—	—	8.50E-02	mg/L	—	—	09-592	CALA-09-1714	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.17	—	—	8.50E-02	mg/L	E	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.86	—	—	8.50E-02	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.8	—	—	8.50E-02	mg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.36	—	—	8.50E-02	mg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.15	—	—	8.50E-02	mg/L	E	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.78	—	—	8.50E-02	mg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.83	—	—	8.50E-02	mg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.184	—	—	5.00E-02	mg/L	J	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.0621	—	—	1.00E-02	mg/L	—	U	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.046	—	—	1.00E-02	mg/L	J	J	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.024	—	—	1.00E-02	mg/L	J	JN-, J-	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.268	—	—	1.00E-02	mg/L	—	J	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.092	—	—	5.00E-02	µg/L	J	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.0701	—	—	5.00E-02	µg/L	J	J	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.2	—	—	5.00E-02	µg/L	U	U	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.05	—	—	5.00E-02	µg/L	U	UJ	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.0516	—	—	5.00E-02	µg/L	J	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.86	—	—	5.00E-02	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.25	—	—	5.00E-02	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.24	—	—	5.00E-02	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.97	—	—	5.00E-02	mg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.99	—	—	5.00E-02	mg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	2.92	—	—	5.00E-02	mg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.13	—	—	5.00E-02	mg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.04	—	—	5.00E-02	mg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	66.3	—	—	3.20E-02	mg/L	—	J	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	55.2	—	—	3.20E-02	mg/L	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	41	—	—	4.50E-02	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	40.7	—	—	4.50E-02	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	48.7	—	—	4.50E-02	mg/L	E	J	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	36.6	—	—	4.50E-02	mg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	42.6	—	—	4.50E-02	mg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	37.5	—	—	4.50E-02	mg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	47.8	—	—	4.50E-02	mg/L	E	J	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	36.6	—	—	4.50E-02	mg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	473	—	—	1.00E+00	µS/cm	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	482	—	—	1.00E+00	µS/cm	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	509	—	—	1.00E+00	µS/cm	—	—	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	549	—	—	1.00E+00	µS/cm	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	540	—	—	1.00E+00	µS/cm	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.2	—	—	1.00E-01	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	21.1	—	—	1.00E-01	mg/L	—	J-	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	23.3	—	—	1.00E-01	mg/L	—	—	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	21.3	—	—	1.00E-01	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	19.4	—	—	1.00E-01	mg/L	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	307	—	—	2.40E+00	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	324	—	—	2.40E+00	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	338	—	—	2.40E+00	mg/L	—	—	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	348	—	—	2.38E+00	mg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	323	—	—	2.38E+00	mg/L	—	—	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.19	—	—	3.30E-01	mg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.382	—	—	3.30E-01	mg/L	J	J	08-1790	CALA-08-13928	GELC
LLAO-4	5661	5.24	01/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.24	—	—	3.30E-01	mg/L	—	—	08-578	CALA-08-9759	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.19	—	—	3.30E-01	mg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.23	—	—	3.30E-01	mg/L	—	—	184942	GU070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.089	—	—	2.40E-02	mg/L	—	J-	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.059	—	—	2.40E-02	mg/L	—	U	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.061	—	—	2.40E-02	mg/L	—	U	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.059	—	—	2.40E-02	mg/L	—	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.115	—	—	2.40E-02	mg/L	—	U	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.1	—	—	1.00E-02	SU	H	J-	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.31	—	—	1.00E-02	SU	H	J-	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.2	—	—	1.00E-02	SU	H	J-	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.05	—	—	1.00E-02	SU	H	J	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.02	—	—	1.00E-02	SU	H	J	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	2.9	—	—	1.50E+00	µg/L	J	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	8	—	—	1.50E+00	µg/L	—	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.6	—	—	1.50E+00	µg/L	J	J	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	9.7	—	—	1.50E+00	µg/L	—	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	149	—	—	1.00E+00	µg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	151	—	—	1.00E+00	µg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	181	—	—	1.00E+00	µg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	150	—	—	1.00E+00	µg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	154	—	—	1.00E+00	µg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	146	—	—	1.00E+00	µg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	178	—	—	1.00E+00	µg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	153	—	—	1.00E+00	µg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	73.7	—	—	1.00E+01	µg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	83.7	—	—	1.00E+01	µg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	91.5	—	—	1.00E+01	µg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	93.8	—	—	1.00E+01	µg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	75.7	—	—	1.00E+01	µg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	83.1	—	—	1.00E+01	µg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	89.4	—	—	1.00E+01	µg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	95.1	—	—	1.00E+01	µg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	4.7	—	—	2.00E+00	µg/L	J	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	4.9	—	—	2.00E+00	µg/L	J	J	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	6.8	—	—	2.00E+00	µg/L	J	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.1	—	—	1.00E-01	µg/L	—	U	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2.3	—	—	2.00E+00	µg/L	J	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.1	—	—	1.00E-01	µg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1	—	—	1.00E-01	µg/L	—	U	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	3.1	—	—	5.00E-01	µg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	—	169116	GF060700G4LL01	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.5	—	—	5.00E-01	µg/L	J	J	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.2	—	—	5.00E-01	µg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	3.5	—	—	5.00E-01	µg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	J	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	57.5	—	—	3.20E-02	mg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	60.1	—	—	3.20E-02	mg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	54.8	—	—	3.20E-02	mg/L	—	—	08-578	CALA-08-9758	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	420	—	—	1.00E+00	µg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	435	—	—	1.00E+00	µg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	507	—	—	1.00E+00	µg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	410	—	—	1.00E+00	µg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	435	—	—	1.00E+00	µg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	401	—	—	1.00E+00	µg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	502	—	—	1.00E+00	µg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	413	—	—	1.00E+00	µg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6020	Thallium	—	0.42	—	—	3.00E-01	µg/L	J	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	µg/L	U	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.3	—	—	3.00E-01	µg/L	U	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.5	—	—	5.00E-02	µg/L	—	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.2	—	—	5.00E-02	µg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.4	—	—	5.00E-02	µg/L	—	J	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.3	—	—	5.00E-02	µg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.1	—	—	5.00E-02	µg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.6	—	—	1.00E+00	µg/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	9	—	—	1.00E+00	µg/L	—	U	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	12.7	—	—	1.00E+00	µg/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.2	—	—	1.00E+00	µg/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8	—	—	1.00E+00	µg/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	10.7	—	—	1.00E+00	µg/L	—	U	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	15.3	—	—	1.00E+00	µg/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	9.4	—	—	1.00E+00	µg/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.6	—	—	2.00E+00	µg/L	J	J	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	10.9	—	—	2.00E+00	µg/L	—	—	08-1791	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	UJ	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.4	—	—	2.00E+00	µg/L	J	J	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-1791	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	UJ	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00877	2.00E-03	3.40E-02	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.00606	1.13E-03	2.60E-02	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.0011	8.10E-04	3.25E-02	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.000885	1.38E-03	2.46E-02	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.0156	3.10E-03	2.90E-02	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0125	2.53E-03	2.70E-02	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.0012	6.63E-04	3.20E-02	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00768	1.89E-03	2.84E-02	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.149	4.33E-01	4.50E+00	—	pCi/L	U	U	09-592	CALA-09-1714	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	1.57	4.33E-01	4.70E+00	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.318	5.50E-01	4.59E+00	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.64	4.17E-01	4.13E+00	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.02	4.67E-01	5.10E+00	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.64	4.00E-01	4.20E+00	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.667	3.70E-01	3.77E+00	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	1.11	3.43E-01	3.58E+00	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.217	4.00E-01	3.80E+00	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.23	5.00E-01	5.10E+00	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-2.25	4.83E-01	4.10E+00	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.5	4.90E-01	5.24E+00	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.593	4.67E-01	4.80E+00	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.864	4.67E-01	4.30E+00	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.952	3.83E-01	4.05E+00	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.631	3.77E-01	3.65E+00	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	71.5	1.50E+01	7.60E+01	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	18.7	5.00E+00	3.20E+01	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	61.7	1.72E+01	2.49E+02	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	83.3	2.50E+01	3.04E+02	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	78.4	8.00E+00	9.50E+01	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	9.25	5.00E+00	1.40E+01	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	85.7	2.21E+01	2.39E+02	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	90	1.88E+01	2.58E+02	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	13.7	3.67E+00	3.70E+01	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-11	3.67E+00	3.30E+01	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	4.18	4.00E+00	3.72E+01	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	11	1.87E+00	1.96E+01	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.49	3.67E+00	3.50E+01	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-8.85	2.80E+00	2.60E+01	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	7.1	2.85E+00	2.57E+01	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	7.58	2.76E+00	2.45E+01	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0354	6.00E-03	6.00E-02	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00166	5.67E-04	2.30E-02	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00472	2.22E-03	3.30E-02	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	5.67E-04	1.64E-02	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00547	4.00E-03	4.20E-02	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00194	3.67E-03	2.70E-02	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00175	1.75E-03	2.45E-02	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0.00551	1.84E-03	1.77E-02	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0118	3.33E-03	7.00E-02	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00498	1.23E-03	2.80E-02	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00236	2.36E-03	3.66E-02	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00341	1.14E-03	1.91E-02	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0109	2.23E-03	4.90E-02	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00194	2.13E-03	3.30E-02	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	0	8.27E-04	2.72E-02	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	HASL-300	Plutonium-239/240	<	-0.00184	1.37E-03	2.06E-02	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-36.5	6.33E+00	5.80E+01	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	42	6.33E+00	4.20E+01	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	35.8	6.17E+00	6.84E+01	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	EPA:901.1	Potassium-40	<	43.7	4.97E+00	6.41E+01	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-12.1	5.67E+00	5.70E+01	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	0.134	5.67E+00	5.70E+01	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-14.2	4.77E+00	4.03E+01	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	5.86	5.20E+00	5.23E+01	—	pCi/L	U	U	169116	GU060700G4LL01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.921	3.67E-01	3.50E+00	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.284	4.33E-01	4.30E+00	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.82	5.80E-01	5.51E+00	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.78	5.13E-01	4.29E+00	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.793	4.67E-01	4.30E+00	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.42	4.00E-01	3.60E+00	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.4	3.33E-01	2.87E+00	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-0.529	3.70E-01	3.49E+00	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.199	4.00E-02	4.90E-01	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0929	4.33E-02	4.40E-01	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.069	4.23E-02	4.88E-01	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.143	3.40E-02	3.87E-01	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.194	5.00E-02	4.90E-01	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.122	4.33E-02	4.70E-01	—	pCi/L	U	U	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.122	4.50E-02	4.94E-01	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	-0.00719	4.30E-02	4.82E-01	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	17.33799	1.92E-01	2.87E-01	—	pCi/L	—	—	09-697	CALA-09-1715	UMTL
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	11.347922	7.02E-01	3.51E+00	—	pCi/L	—	U	08-1841	CALA-08-13928	ARSL
LLAO-4	5661	5.24	01/25/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	18.698208	2.10E+00	4.25E+00	—	pCi/L	—	J	08-583	CALA-08-9759	ARSL
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	20.30748	2.24E-01	2.87E-01	—	pCi/L	—	—	2371	UU070700G4LL01	UMTL
LLAO-4	5661	5.24	04/24/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	23.34083	1.81E-01	2.87E-01	—	pCi/L	—	—	2333	UU070400G4LL01	UMTL
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.753	2.53E-02	1.30E-01	—	pCi/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.625	1.80E-02	8.30E-02	—	pCi/L	—	—	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.736	2.15E-02	4.18E-02	—	pCi/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	HASL-300	Uranium-234	—	0.573	1.73E-02	5.51E-02	—	pCi/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.651	2.30E-02	1.40E-01	—	pCi/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.691	1.73E-02	5.80E-02	—	pCi/L	—	—	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.688	2.04E-02	3.95E-02	—	pCi/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.523	1.75E-02	6.53E-02	—	pCi/L	—	—	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0271	4.67E-03	6.60E-02	—	pCi/L	U	U	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0327	3.67E-03	4.40E-02	—	pCi/L	U	U	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0362	3.90E-03	5.59E-02	—	pCi/L	U	U	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0359	4.53E-03	4.65E-02	—	pCi/L	U	U	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0377	4.67E-03	6.90E-02	—	pCi/L	U	U	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	—	0.042	3.67E-03	3.10E-02	—	pCi/L	—	—	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0137	4.57E-03	5.29E-02	—	pCi/L	U	U	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0271	4.30E-03	5.51E-02	—	pCi/L	U	U	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.428	1.67E-02	6.90E-02	—	pCi/L	—	—	09-592	CALA-09-1714	GELC
LLAO-4	5661	5.24	08/27/08	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.382	1.27E-02	4.30E-02	—	pCi/L	—	—	08-1792	CALA-08-13929	GELC
LLAO-4	5661	5.24	07/24/07	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.457	1.52E-02	5.57E-02	—	pCi/L	—	—	190192	GF070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS	—	Rad	HASL-300	Uranium-238	—	0.404	1.35E-02	5.86E-02	—	pCi/L	—	—	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	01/08/09	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.434	1.73E-02	7.20E-02	—	pCi/L	—	—	09-592	CALA-09-1715	GELC
LLAO-4	5661	5.24	08/27/08	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.389	1.13E-02	3.10E-02	—	pCi/L	—	—	08-1792	CALA-08-13928	GELC
LLAO-4	5661	5.24	07/23/07	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.399	1.43E-02	5.26E-02	—	pCi/L	—	—	190192	GU070700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.338	1.31E-02	6.95E-02	—	pCi/L	—	—	169116	GU060700G4LL01	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	149	—	—	7.30E-01	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	145	—	—	7.30E-01	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	148	—	—	7.30E-01	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	149	—	—	7.30E-01	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	149	—	—	7.25E-01	mg/L	—	—	190193	GF070700P11001	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	139	—	—	7.25E-01	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.048	—	—	3.00E-02	mg/L	J	J-	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.038	—	—	3.00E-02	mg/L	J	J-	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.115	—	—	3.00E-02	mg/L	—	J+	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.098	—	—	6.00E-02	mg/L	J	J-	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.045	—	—	3.00E-02	mg/L	J	U	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	1.49	—	—	3.00E-02	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:300.0	Bromide	—	0.157	—	—	6.70E-02	mg/L	J	J	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.149	—	—	6.70E-02	mg/L	J	J	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.162	—	—	6.70E-02	mg/L	J	J	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.2	—	—	6.60E-02	mg/L	U	U	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.229	—	—	6.60E-02	mg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.232	—	—	6.60E-02	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	SW-846:6010B	Calcium	—	45	—	—	3.00E-02	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	44.4	—	—	3.00E-02	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	47.7	—	—	3.00E-02	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Geninorg	EPA:200.7	Calcium	—	15.2	—	—	3.00E-02	mg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	47.2	—	—	3.00E-02	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	—	0.0556	—	—	3.00E-02	mg/L	J	J	09-652	CALA-09-1695	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Geninorg	SW-846:6010B	Calcium	—	46.2	—	—	3.00E-02	mg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	44.9	—	—	3.00E-02	mg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	50	—	—	3.00E-02	mg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	EPA:200.7	Calcium	—	34.4	—	—	3.00E-02	mg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	45.7	—	—	3.00E-02	mg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	26.1	—	—	1.30E-01	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	26.1	—	—	1.30E-01	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	29	—	—	1.30E-01	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	32.9	—	—	1.30E-01	mg/L	—	—	08-494	CALA-08-9835	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Chloride	—	37.5	—	—	3.30E-01	mg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:300.0	Chloride	—	41.1	—	—	3.30E-01	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.345	—	—	3.30E-02	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.342	—	—	3.30E-02	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.385	—	—	3.30E-02	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.33	—	—	3.30E-02	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.361	—	—	3.30E-02	mg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.328	—	—	3.30E-02	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	SM:A2340B	Hardness	—	130	—	—	3.50E-01	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	128	—	—	3.50E-01	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	137	—	—	3.50E-01	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Geninorg	SM:A2340B	Hardness	—	48.4	—	—	4.25E-01	mg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SM:A2340B	Hardness	—	138	—	—	4.30E-01	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Geninorg	SM:A2340B	Hardness	—	133	—	—	3.50E-01	mg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	130	—	—	3.50E-01	mg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	144	—	—	3.50E-01	mg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	108	—	—	4.25E-01	mg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	134	—	—	4.30E-01	mg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	4.32	—	—	8.50E-02	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.31	—	—	8.50E-02	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.42	—	—	8.50E-02	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Geninorg	EPA:200.7	Magnesium	—	2.54	—	—	8.50E-02	mg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.92	—	—	8.50E-02	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium	—	4.28	—	—	8.50E-02	mg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.24	—	—	8.50E-02	mg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.69	—	—	8.50E-02	mg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	EPA:200.7	Magnesium	—	5.44	—	—	8.50E-02	mg/L	—	—	202074	GU080100M11001	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.83	—	—	8.50E-02	mg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.835	—	—	5.00E-02	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.815	—	—	5.00E-02	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.321	—	—	5.00E-02	mg/L	—	J	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.61	—	—	5.00E-02	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.4	—	—	5.00E-02	mg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.03	—	—	1.00E-01	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.29	—	—	5.00E-02	µg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.291	—	—	5.00E-02	µg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.346	—	—	5.00E-02	µg/L	—	J	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.243	—	—	5.00E-02	µg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.218	—	—	5.00E-02	µg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.281	—	—	5.00E-02	µg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	SW-846:6010B	Potassium	—	3.49	—	—	5.00E-02	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.4	—	—	5.00E-02	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.88	—	—	5.00E-02	mg/L	E	J	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Geninorg	EPA:200.7	Potassium	—	7.92	—	—	5.00E-02	mg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.66	—	—	5.00E-02	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Geninorg	SW-846:6010B	Potassium	—	3.54	—	—	5.00E-02	mg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.48	—	—	5.00E-02	mg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.1	—	—	5.00E-02	mg/L	E	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	EPA:200.7	Potassium	—	9.91	—	—	5.00E-02	mg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.55	—	—	5.00E-02	mg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	59	—	—	3.20E-02	mg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	52.4	—	—	3.20E-02	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	SW-846:6010B	Sodium	—	31.9	—	—	4.50E-02	mg/L	—	—	09-652	CALA-09-1694	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	31.2	—	—	4.50E-02	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	33.3	—	—	4.50E-02	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Geninorg	EPA:200.7	Sodium	—	47.3	—	—	4.50E-02	mg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	37.3	—	—	4.50E-02	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	—	0.359	—	—	4.50E-02	mg/L	—	J	09-652	CALA-09-1695	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Geninorg	SW-846:6010B	Sodium	—	32.2	—	—	4.50E-02	mg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	31.1	—	—	4.50E-02	mg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	33.5	—	—	4.50E-02	mg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	EPA:200.7	Sodium	—	45.7	—	—	4.50E-02	mg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	35.9	—	—	4.50E-02	mg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	408	—	—	1.00E+00	µS/cm	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	412	—	—	1.00E+00	µS/cm	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	422	—	—	1.00E+00	µS/cm	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	470	—	—	1.00E+00	µS/cm	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	523	—	—	1.00E+00	µS/cm	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	455	—	—	1.00E+00	µS/cm	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	18.1	—	—	1.00E-01	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	18.1	—	—	1.00E-01	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	19.5	—	—	1.00E-01	mg/L	—	J-	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	19.1	—	—	1.00E-01	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	22.6	—	—	1.00E-01	mg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	20	—	—	1.00E-01	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	22.4	—	—	1.10E+00	mg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	35.2	—	—	2.30E+00	mg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	11.2	—	—	1.10E+00	mg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	3690	—	—	3.80E+01	mg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28	—	—	2.28E+00	mg/L	U	—	190193	GU070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	UF	CS	—	Geninorg	EPA:160.2	Suspended Sediment Concentration	—	196	—	—	5.70E+00	mg/L	—	—	184008	GU070400P11001	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	278	—	—	2.40E+00	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	257	—	—	2.40E+00	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	285	—	—	2.40E+00	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	292	—	—	2.40E+00	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	323	—	—	2.38E+00	mg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	286	—	—	2.38E+00	mg/L	—	—	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	1.76	—	—	3.30E-01	mg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.18	—	—	3.30E-01	mg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.03	—	—	3.30E-01	mg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.32	—	—	3.30E-01	mg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.48	—	—	3.30E-01	mg/L	—	—	190193	GU070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	04/10/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	6.66	—	—	6.60E-01	mg/L	—	—	184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Geninorg	EPA:150.1	pH	—	8.04	—	—	1.00E-02	SU	H	J-	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	8.02	—	—	1.00E-02	SU	H	J-	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	8.48	—	—	1.00E-02	SU	H	J-	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.71	—	—	1.00E-02	SU	H	J-	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	8.1	—	—	1.00E-02	SU	H	J	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Aluminum	—	679	—	—	6.80E+01	µg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Aluminum	—	318	—	—	6.80E+01	µg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	415	—	—	6.80E+01	µg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	472	—	—	6.80E+01	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Aluminum	—	5430	—	—	6.80E+01	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6010B	Barium	—	128	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	127	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	127	—	—	1.00E+00	µg/L	—	—	08-1823	CALA-08-13917	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Barium	—	33.2	—	—	1.00E+00	µg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	132	—	—	1.00E+00	µg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Barium	—	145	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	152	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	141	—	—	1.00E+00	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Barium	—	474	—	—	1.00E+00	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	130	—	—	1.00E+00	µg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6010B	Boron	—	48.7	—	—	1.00E+01	µg/L	J	J	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	47.9	—	—	1.00E+01	µg/L	J	J	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	68.4	—	—	1.00E+01	µg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	70.9	—	—	1.00E+01	µg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Metals	SW-846:6010B	Boron	—	94.5	—	—	1.00E+01	µg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Boron	—	49.3	—	—	1.00E+01	µg/L	J	J	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	47.9	—	—	1.00E+01	µg/L	J	J	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	67.8	—	—	1.00E+01	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	66.9	—	—	1.00E+01	µg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	UF	CS	—	Metals	SW-846:6010B	Boron	—	95	—	—	1.00E+01	µg/L	—	—	190193	GU070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	4.1	—	—	3.00E+00	µg/L	J	J	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Copper	<	3	—	—	3.00E+00	µg/L	U	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Copper	—	28.4	—	—	3.00E+00	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	<	10	—	—	3.00E+00	µg/L	U	U	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Iron	—	416	—	—	2.50E+01	µg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Iron	—	460	—	—	2.50E+01	µg/L	—	—	09-652	CALA-09-1693	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	279	—	—	2.50E+01	µg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	267	—	—	2.50E+01	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Iron	—	3950	—	—	2.50E+01	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	33.3	—	—	2.50E+01	µg/L	J	J	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6010B	Manganese	—	8.9	—	—	2.00E+00	µg/L	J	J	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	9	—	—	2.00E+00	µg/L	J	J	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	9.5	—	—	2.00E+00	µg/L	J	J	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Manganese	—	20.6	—	—	2.00E+00	µg/L	—	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	15.5	—	—	2.00E+00	µg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Manganese	—	27.5	—	—	2.00E+00	µg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	27.4	—	—	2.00E+00	µg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	22.4	—	—	2.00E+00	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Manganese	—	1800	—	—	2.00E+00	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	12.6	—	—	2.00E+00	µg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.47	—	—	1.00E-01	µg/L	J	J	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.49	—	—	1.00E-01	µg/L	J	J	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	0.73	—	—	1.00E-01	µg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6020	Molybdenum	—	0.45	—	—	1.00E-01	µg/L	J	J	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.49	—	—	1.00E-01	µg/L	J	J	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	0.61	—	—	1.00E-01	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6020	Nickel	—	0.73	—	—	5.00E-01	µg/L	J	J	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	0.78	—	—	5.00E-01	µg/L	J	J	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.8	Nickel	—	1.9	—	—	5.00E-01	µg/L	J	—	202074	GF080100M11001	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6020	Nickel	—	2.3	—	—	5.00E-01	µg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6020	Nickel	—	0.93	—	—	5.00E-01	µg/L	J	J	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.6	—	—	5.00E-01	µg/L	J	J	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.8	Nickel	—	26.1	—	—	5.00E-01	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6020	Nickel	—	2.1	—	—	5.00E-01	µg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	53	—	—	3.20E-02	mg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	53.2	—	—	3.20E-02	mg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	54.9	—	—	3.20E-02	mg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	50	—	—	3.20E-02	mg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6010B	Strontium	—	434	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	425	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	458	—	—	1.00E+00	µg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Strontium	—	410	—	—	1.00E+00	µg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Metals	SW-846:6010B	Strontium	—	474	—	—	1.00E+00	µg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Strontium	—	441	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	427	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	468	—	—	1.00E+00	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Strontium	—	396	—	—	1.00E+00	µg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	UF	CS	—	Metals	SW-846:6010B	Strontium	—	474	—	—	1.00E+00	µg/L	—	—	190193	GU070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6020	Uranium	—	2.2	—	—	5.00E-02	µg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	2.3	—	—	5.00E-02	µg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	2.6	—	—	5.00E-02	µg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6020	Uranium	—	1.9	—	—	5.00E-02	µg/L	—	J	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	F	CS	—	Metals	SW-846:6020	Uranium	—	2.1	—	—	5.00E-02	µg/L	—	—	190193	GF070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6020	Uranium	—	2.2	—	—	5.00E-02	µg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.4	—	—	5.00E-02	µg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.7	—	—	5.00E-02	µg/L	—	—	08-1823	CALA-08-13919	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.9	—	—	5.00E-02	µg/L	—	J	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	07/24/07	WP	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.1	—	—	5.00E-02	µg/L	—	—	190193	GU070700P11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6010B	Vanadium	—	8.9	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.6	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.4	—	—	1.00E+00	µg/L	—	—	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Vanadium	—	3.7	—	—	1.00E+00	µg/L	J	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Vanadium	—	7.9	—	—	1.00E+00	µg/L	—	—	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Vanadium	—	9.3	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	9.2	—	—	1.00E+00	µg/L	—	—	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.7	—	—	1.00E+00	µg/L	—	—	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Vanadium	—	26.7	—	—	1.00E+00	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	7.8	—	—	1.00E+00	µg/L	—	—	08-494	CALA-08-9837	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	FD	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	µg/L	J	J	09-652	CALA-09-1694	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.9	—	—	2.00E+00	µg/L	J	J	09-652	CALA-09-1691	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	—	5.8	—	—	2.00E+00	µg/L	J	J	08-1823	CALA-08-13917	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Zinc	—	9.1	—	—	2.00E+00	µg/L	J	—	202074	GF080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-494	CALA-08-9835	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	FD	Metals	SW-846:6010B	Zinc	—	3.5	—	—	2.00E+00	µg/L	J	J	09-652	CALA-09-1693	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/15/09	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.4	—	—	2.00E+00	µg/L	J	J	09-652	CALA-09-1692	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	09/02/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	—	3.3	—	—	2.00E+00	µg/L	J	J	08-1823	CALA-08-13919	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Zinc	—	144	—	—	2.00E+00	µg/L	—	—	202074	GU080100M11001	GELC
Los Alamos Canyon near Otowi Bridge	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-494	CALA-08-9837	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	83.5	—	—	7.30E-01	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	85.9	—	—	7.30E-01	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	81.5	—	—	7.30E-01	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	81.1	—	—	7.25E-01	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	86.1	—	—	7.25E-01	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.291	—	—	6.70E-02	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.27	—	—	6.70E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.276	—	—	6.60E-02	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.325	—	—	6.60E-02	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	<	0.291	—	—	6.60E-02	mg/L	—	U	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.8	—	—	3.00E-02	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.3	—	—	3.00E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.8	—	—	3.00E-02	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.5	—	—	3.00E-02	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.1	—	—	3.60E-02	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.4	—	—	3.00E-02	mg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.2	—	—	3.00E-02	mg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	35.1	—	—	3.00E-02	mg/L	—	—	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	33.4	—	—	3.00E-02	mg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	34.7	—	—	3.60E-02	mg/L	—	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.3	—	—	1.30E-01	mg/L	—	J+	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19	—	—	6.60E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19	—	—	6.60E-02	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	19.4	—	—	6.60E-02	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18.8	—	—	1.32E-01	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.922	—	—	3.30E-02	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.895	—	—	3.30E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.87	—	—	3.30E-02	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.847	—	—	3.30E-02	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.903	—	—	3.30E-02	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	119	—	—	3.50E-01	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	117	—	—	3.50E-01	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	121	—	—	4.30E-01	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	117	—	—	4.25E-01	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	120	—	—	4.40E-01	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	122	—	—	3.50E-01	mg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	118	—	—	3.50E-01	mg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	122	—	—	4.30E-01	mg/L	—	—	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	117	—	—	4.25E-01	mg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	122	—	—	4.40E-01	mg/L	—	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.52	—	—	8.50E-02	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.19	—	—	8.50E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.31	—	—	8.50E-02	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.15	—	—	8.50E-02	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.46	—	—	8.50E-02	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.7	—	—	8.50E-02	mg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.59	—	—	8.50E-02	mg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.38	—	—	8.50E-02	mg/L	—	—	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.24	—	—	8.50E-02	mg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	8.59	—	—	8.50E-02	mg/L	—	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.82	—	—	1.00E-01	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.05	—	—	1.00E-01	mg/L	—	J	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.44	—	—	1.00E-01	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.91	—	—	1.00E-01	mg/L	—	J	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.61	—	—	1.00E-01	mg/L	—	J	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.6	—	—	2.00E-01	µg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.44	—	—	2.00E-01	µg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.62	—	—	1.00E-01	µg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.44	—	—	1.00E-01	µg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.43	—	—	1.00E-01	µg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.04	—	—	5.00E-02	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.96	—	—	5.00E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.69	—	—	5.00E-02	mg/L	E	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.85	—	—	5.00E-02	mg/L	E	J	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.71	—	—	5.00E-02	mg/L	—	—	185087	GF070400GLAS01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.14	—	—	5.00E-02	mg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.02	—	—	5.00E-02	mg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.69	—	—	5.00E-02	mg/L	E	J	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.88	—	—	5.00E-02	mg/L	E	J	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	4.56	—	—	5.00E-02	mg/L	—	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	36.4	—	—	3.20E-02	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	35.9	—	—	3.20E-02	mg/L	—	J	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.6	—	—	4.50E-02	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.2	—	—	4.50E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.1	—	—	4.50E-02	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.2	—	—	4.50E-02	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.6	—	—	4.50E-02	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.7	—	—	4.50E-02	mg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.8	—	—	4.50E-02	mg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.1	—	—	4.50E-02	mg/L	—	—	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.1	—	—	4.50E-02	mg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.3	—	—	4.50E-02	mg/L	—	J	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	331	—	—	1.00E+00	µS/cm	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	343	—	—	1.00E+00	µS/cm	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	332	—	—	1.00E+00	µS/cm	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	351	—	—	1.00E+00	µS/cm	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	362	—	—	1.00E+00	µS/cm	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	37.6	—	—	1.00E-01	mg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	34.6	—	—	1.00E-01	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	34.5	—	—	1.00E-01	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	34	—	—	1.00E-01	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	34.7	—	—	1.00E-01	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	216	—	—	2.40E+00	mg/L	—	J	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	220	—	—	2.40E+00	mg/L	—	J	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	220	—	—	2.40E+00	mg/L	—	J	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	217	—	—	2.38E+00	mg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	215	—	—	2.38E+00	mg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.117	—	—	2.90E-02	mg/L	—	JN-	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.401	—	—	2.90E-02	mg/L	—	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.04	—	—	2.90E-02	mg/L	J	U	08-1766	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	U	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.029	—	—	2.90E-02	mg/L	U	UJ	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.052	—	—	2.90E-02	mg/L	J	JN-	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.737	—	—	3.30E-01	mg/L	J	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1766	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.774	—	—	3.30E-01	mg/L	J	J	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.01	—	—	3.30E-01	mg/L	—	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.21	—	—	3.30E-01	mg/L	—	U	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.12	—	—	1.00E-02	SU	H	J-	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.73	—	—	1.00E-02	SU	H	J-	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.72	—	—	1.00E-02	SU	H	J-	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.78	—	—	1.00E-02	SU	H	J	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.6	—	—	1.00E-02	SU	H	J	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	412	—	—	6.80E+01	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	126	—	—	6.80E+01	µg/L	J	J	08-1767	CALA-08-13923	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	190642	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Arsenic	—	1.8	—	—	1.50E+00	µg/L	J	J	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	2.1	—	—	1.50E+00	µg/L	J	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	UJ	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.3	—	—	1.50E+00	µg/L	J	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5	—	—	1.50E+00	µg/L	U	U	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	—	1.8	—	—	1.50E+00	µg/L	J	J	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	2.4	—	—	1.50E+00	µg/L	J	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Arsenic	<	1.5	—	—	1.50E+00	µg/L	U	UJ	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	37.4	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	40.3	—	—	1.00E+00	µg/L	—	J	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	38.8	—	—	1.00E+00	µg/L	—	J	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	41.3	—	—	1.00E+00	µg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	39.9	—	—	1.00E+00	µg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	42	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	43	—	—	1.00E+00	µg/L	—	J	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	38.9	—	—	1.00E+00	µg/L	—	J	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	41.5	—	—	1.00E+00	µg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	40.8	—	—	1.00E+00	µg/L	—	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.3	—	—	1.50E+00	µg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5	—	—	1.50E+00	µg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	4.9	—	—	2.50E+00	µg/L	J	J	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	—	5.3	—	—	1.00E+00	µg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Chromium	<	6.4	—	—	1.00E+00	µg/L	—	U	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	7.5	—	—	1.50E+00	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	6	—	—	1.50E+00	µg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	4.9	—	—	2.50E+00	µg/L	J	J	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	—	5.4	—	—	1.00E+00	µg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Chromium	<	6.5	—	—	1.00E+00	µg/L	—	U	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Iron	—	70.5	—	—	2.50E+01	µg/L	J	J	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	25	—	—	2.50E+01	µg/L	U	UJ	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Iron	<	18	—	—	1.80E+01	µg/L	U	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	363	—	—	2.50E+01	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	77.7	—	—	2.50E+01	µg/L	J	J	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Iron	<	100	—	—	2.50E+01	µg/L	U	U	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	46.9	—	—	2.50E+01	µg/L	J	JN-	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Iron	—	23.9	—	—	1.80E+01	µg/L	J	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	5.2	—	—	2.00E+00	µg/L	J	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	3	—	—	2.00E+00	µg/L	J	J	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	10	—	—	2.00E+00	µg/L	U	U	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	<	2	—	—	2.00E+00	µg/L	U	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	<	1.6	—	—	1.00E-01	µg/L	—	U	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	190642	GF070700GLAS01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.5	—	—	1.00E-01	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	<	1.5	—	—	1.00E-01	µg/L	—	U	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	10	—	—	2.00E+00	µg/L	U	U	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Molybdenum	—	2.3	—	—	2.00E+00	µg/L	J	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.1	—	—	5.00E-01	µg/L	J	J	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1	—	—	5.00E-01	µg/L	J	J	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	0.65	—	—	5.00E-01	µg/L	J	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.7	—	—	5.00E-01	µg/L	J	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1.3	—	—	5.00E-01	µg/L	J	J	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.96	—	—	5.00E-01	µg/L	J	J	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	1	—	—	5.00E-01	µg/L	J	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	0.67	—	—	5.00E-01	µg/L	J	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	4.6	—	—	1.00E+00	µg/L	J	J	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	3.5	—	—	1.00E+00	µg/L	J	J	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	4.2	—	—	1.00E+00	µg/L	J	J	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	3.1	—	—	1.00E+00	µg/L	J	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Selenium	—	3.4	—	—	2.50E+00	µg/L	J	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	4.6	—	—	1.00E+00	µg/L	J	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	3.5	—	—	1.00E+00	µg/L	J	J	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	3.8	—	—	1.00E+00	µg/L	J	J	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	2.9	—	—	1.00E+00	µg/L	J	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Selenium	—	2.9	—	—	2.50E+00	µg/L	J	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	36.8	—	—	3.20E-02	mg/L	—	J	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	35.6	—	—	3.20E-02	mg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	36	—	—	3.20E-02	mg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	180	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	161	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	181	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	178	—	—	1.00E+00	µg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	178	—	—	1.00E+00	µg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	184	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	162	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	181	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	179	—	—	1.00E+00	µg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	180	—	—	1.00E+00	µg/L	—	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	2.6	—	—	5.00E-02	µg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	2.6	—	—	5.00E-02	µg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	2.1	—	—	5.00E-02	µg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	2.8	—	—	5.00E-02	µg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	3.2	—	—	5.00E-02	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.1	—	—	5.00E-02	µg/L	—	—	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.6	—	—	5.00E-02	µg/L	—	—	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.2	—	—	5.00E-02	µg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.8	—	—	5.00E-02	µg/L	—	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.6	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.3	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	9.8	—	—	1.00E+00	µg/L	—	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	10.5	—	—	1.00E+00	µg/L	—	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	11.7	—	—	1.00E+00	µg/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.4	—	—	1.00E+00	µg/L	—	—	08-1767	CALA-08-13923	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.5	—	—	1.00E+00	µg/L	—	—	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.1	—	—	1.00E+00	µg/L	—	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	10.9	—	—	1.00E+00	µg/L	—	J+	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-1767	CALA-08-13922	GELC
Los Alamos Spring	1341	0	01/25/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.1	—	—	2.00E+00	µg/L	J	J	08-576	CALA-08-9787	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	2.2	—	—	2.00E+00	µg/L	J	—	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	F	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	185087	GF070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	2.5	—	—	2.00E+00	µg/L	J	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-1767	CALA-08-13923	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	10	—	—	2.00E+00	µg/L	U	U	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	<	2	—	—	2.00E+00	µg/L	U	—	185087	GU070400GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00106	2.70E-03	3.30E-02	—	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Americium-241	<	0.000969	1.37E-03	2.70E-02	—	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Rad	HASL-300	Americium-241	<	-0.00125	1.52E-03	3.84E-02	—	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.00495	2.73E-03	3.00E-02	—	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000899	1.00E-03	2.70E-02	—	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Rad	HASL-300	Americium-241	<	0.000984	1.44E-03	3.97E-02	—	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.811	4.00E-01	4.10E+00	—	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.134	4.00E-01	4.00E+00	—	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.0214	3.10E-01	3.00E+00	—	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.22	5.00E-01	5.40E+00	—	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.327	4.33E-01	4.20E+00	—	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	2.78	5.13E-01	4.81E+00	—	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.786	4.00E-01	3.50E+00	—	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.5	4.33E-01	4.00E+00	—	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-1.1	3.67E-01	3.25E+00	—	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	0.633	4.33E-01	4.60E+00	—	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.663	4.67E-01	4.30E+00	—	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.701	4.23E-01	3.95E+00	—	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:900	Gross alpha/beta	—	4.15	4.00E-01	2.40E+00	—	pCi/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:900	Gross alpha/beta	—	3.41	3.67E-01	2.20E+00	—	pCi/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:900	Gross beta	—	6.53	4.33E-01	3.30E+00	—	pCi/L	—	—	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Rad	EPA:900	Gross beta	—	4.61	3.60E-01	2.98E+00	—	pCi/L	—	J	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	4.93	3.30E-01	2.60E+00	—	pCi/L	—	—	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Rad	EPA:900	Gross beta	—	5.25	3.43E-01	2.63E+00	—	pCi/L	—	J	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	21.9	6.33E+00	5.20E+01	—	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	7.12	9.33E+00	2.70E+01	—	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Rad	EPA:901.1	Gross gamma	<	53.8	3.11E+01	2.23E+02	—	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	8.16	1.90E+01	2.80E+01	—	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	5.99	2.23E+00	2.40E+01	—	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	74.9	2.03E+01	2.41E+02	—	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-14.5	3.03E+00	2.90E+01	—	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.11	2.00E+00	1.90E+01	—	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	1.88	2.81E+00	2.67E+01	—	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	2.77	4.00E+00	3.60E+01	—	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-5.94	4.33E+00	3.60E+01	—	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	9.4	4.73E+00	3.90E+01	—	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00489	1.40E-03	3.70E-02	—	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00439	2.73E-03	3.10E-02	—	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.84E-03	3.35E-02	—	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00315	1.83E-03	4.80E-02	—	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00502	3.67E-03	3.50E-02	—	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.002	2.59E-03	3.84E-02	—	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.00734	2.93E-03	4.30E-02	—	pCi/L	U	U	09-630	CALA-09-1812	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	---	Rad	HASL-300	Plutonium-239/240	<	-5.23E-10	1.47E-03	3.70E-02	---	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	---	Rad	HASL-300	Plutonium-239/240	<	0.00871	1.54E-03	3.07E-02	---	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	HASL-300	Plutonium-239/240	<	0.0157	2.80E-03	5.60E-02	---	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	HASL-300	Plutonium-239/240	<	0.00501	2.03E-03	4.30E-02	---	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	HASL-300	Plutonium-239/240	<	-0.002	1.49E-03	3.53E-02	---	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	---	Rad	EPA:901.1	Potassium-40	<	17.8	7.00E+00	3.70E+01	---	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	---	Rad	EPA:901.1	Potassium-40	<	23.7	4.33E+00	4.90E+01	---	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	---	Rad	EPA:901.1	Potassium-40	<	5.94	4.63E+00	3.31E+01	---	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	EPA:901.1	Potassium-40	<	32.6	5.67E+00	3.20E+01	---	pCi/L	U	R	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	EPA:901.1	Potassium-40	<	55.8	5.67E+00	6.40E+01	---	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	EPA:901.1	Potassium-40	<	38.4	6.17E+00	4.46E+01	---	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	---	Rad	EPA:901.1	Sodium-22	<	-0.218	3.67E-01	3.30E+00	---	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	---	Rad	EPA:901.1	Sodium-22	<	0.0445	4.33E-01	4.10E+00	---	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	---	Rad	EPA:901.1	Sodium-22	<	-1.07	3.87E-01	3.48E+00	---	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	EPA:901.1	Sodium-22	<	-0.345	4.67E-01	4.40E+00	---	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	EPA:901.1	Sodium-22	<	0.0329	5.00E-01	4.80E+00	---	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	EPA:901.1	Sodium-22	<	0.971	5.40E-01	5.60E+00	---	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	---	Rad	EPA:905.0	Strontium-90	<	0.18	4.67E-02	4.80E-01	---	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	---	Rad	EPA:905.0	Strontium-90	<	-0.169	2.27E-02	3.20E-01	---	pCi/L	U	U	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	---	Rad	EPA:905.0	Strontium-90	<	-0.121	2.15E-02	2.30E-01	---	pCi/L	U	U	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	EPA:905.0	Strontium-90	<	0.0876	4.33E-02	4.70E-01	---	pCi/L	U	U	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	EPA:905.0	Strontium-90	<	-0.121	3.17E-02	3.90E-01	---	pCi/L	U	U	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	EPA:905.0	Strontium-90	<	-0.0777	2.22E-02	2.81E-01	---	pCi/L	U	U	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	LLEE	Tritium	---	1.24527	9.58E-02	2.87E-01	---	pCi/L	---	---	09-629	CALA-09-1811	UMTL
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	LLEE	Tritium	---	1.2772	9.58E-02	2.87E-01	---	pCi/L	---	---	08-1785	CALA-08-13923	UMTL
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	---	Rad	LLEE	Tritium	<	1.673132	6.91E-01	3.37E+00	---	pCi/L	U	U	08-582	CALA-08-9789	ARSL
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	LLEE	Tritium	---	1.11755	9.58E-02	2.87E-01	---	pCi/L	---	---	2376	UU070700GLAS01	UMTL
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	---	Rad	LLEE	Tritium	---	0.76632	9.58E-02	2.87E-01	---	pCi/L	---	J	2336	UU070400GLAS01	UMTL
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	---	Rad	HASL-300	Uranium-234	---	1.44	4.67E-02	2.00E-01	---	pCi/L	---	J+	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	---	Rad	HASL-300	Uranium-234	---	0.953	2.20E-02	5.50E-02	---	pCi/L	---	---	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	---	Rad	HASL-300	Uranium-234	---	1.05	2.60E-02	3.14E-02	---	pCi/L	---	---	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	HASL-300	Uranium-234	---	1.79	5.00E-02	1.40E-01	---	pCi/L	---	---	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	HASL-300	Uranium-234	---	0.905	2.10E-02	5.30E-02	---	pCi/L	---	---	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	HASL-300	Uranium-234	---	1.04	2.68E-02	3.48E-02	---	pCi/L	---	---	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	---	Rad	HASL-300	Uranium-235/236	<	0.0892	9.00E-03	1.00E-01	---	pCi/L	U	U	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	---	Rad	HASL-300	Uranium-235/236	---	0.0617	4.00E-03	3.00E-02	---	pCi/L	---	---	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	---	Rad	HASL-300	Uranium-235/236	---	0.0305	3.12E-03	2.65E-02	---	pCi/L	---	J	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	HASL-300	Uranium-235/236	---	0.0822	7.33E-03	7.10E-02	---	pCi/L	---	---	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	HASL-300	Uranium-235/236	---	0.0456	3.20E-03	2.80E-02	---	pCi/L	---	---	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	HASL-300	Uranium-235/236	---	0.0554	4.70E-03	2.94E-02	---	pCi/L	---	J	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	F	CS	---	Rad	HASL-300	Uranium-238	---	0.866	3.20E-02	1.10E-01	---	pCi/L	---	J+	09-630	CALA-09-1812	GELC
Los Alamos Spring	1341	0	08/25/08	WG	F	CS	---	Rad	HASL-300	Uranium-238	---	0.607	1.53E-02	2.90E-02	---	pCi/L	---	---	08-1768	CALA-08-13922	GELC
Los Alamos Spring	1341	0	07/31/07	WG	F	CS	---	Rad	HASL-300	Uranium-238	---	0.568	1.64E-02	4.23E-02	---	pCi/L	---	---	190642	GF070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Rad	HASL-300	Uranium-238	---	1.13	3.67E-02	7.40E-02	---	pCi/L	---	---	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	08/25/08	WG	UF	CS	---	Rad	HASL-300	Uranium-238	---	0.57	1.43E-02	2.80E-02	---	pCi/L	---	---	08-1768	CALA-08-13923	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Rad	HASL-300	Uranium-238	---	0.627	1.84E-02	4.69E-02	---	pCi/L	---	---	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	01/13/09	WG	UF	CS	---	Voa	SW-846:8260B	Chloromethane	---	0.341	---	---	3.00E-01	µg/L	J	J	09-630	CALA-09-1811	GELC
Los Alamos Spring	1341	0	01/25/08	WG	UF	CS	---	Voa	SW-846:8260B	Chloromethane	<	1	---	---	5.00E-01	µg/L	U	UJ	08-576	CALA-08-9789	GELC
Los Alamos Spring	1341	0	07/31/07	WG	UF	CS	---	Voa	SW-846:8260B	Chloromethane	<	1	---	---	5.00E-01	µg/L	U	---	190642	GU070700GLAS01	GELC
Los Alamos Spring	1341	0	04/26/07	WG	UF	CS	---	Voa	SW-846:8260B	Chloromethane	<	1	---	---	5.00E-01	µg/L	U	UJ	185087	GU070400GLAS01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	118	---	---	7.30E-01	mg/L	---	---	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	118	---	---	7.30E-01	mg/L	---	---	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	194	---	---	7.30E-01	mg/L	---	---	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	154	---	---	7.30E-01	mg/L	---	---	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	---	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	---	278	---	---	7.25E-01	mg/L	---	---	190796	GF070704OAP01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	290	—	—	7.25E-01	mg/L	—	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.088	—	—	3.00E-02	mg/L	—	J-	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.109	—	—	3.00E-02	mg/L	—	J-	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	3.98	—	—	1.50E-01	mg/L	—	J-	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	10.3	—	—	3.00E-01	mg/L	—	—	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	30.3	—	—	1.50E+00	mg/L	—	J	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	24.3	—	—	6.00E-01	mg/L	—	J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	45.8	—	—	3.30E-01	mg/L	—	—	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	45.7	—	—	3.30E-01	mg/L	—	—	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	49.2	—	—	3.30E-01	mg/L	—	J-	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	44.5	—	—	3.30E-01	mg/L	—	—	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	42.5	—	—	6.60E-01	mg/L	—	J	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	45	—	—	3.30E-01	mg/L	—	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.526	—	—	3.30E-02	mg/L	—	—	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.529	—	—	3.30E-02	mg/L	—	—	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.525	—	—	3.30E-02	mg/L	—	—	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.446	—	—	3.30E-02	mg/L	—	J-	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.406	—	—	3.30E-02	mg/L	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.553	—	—	3.30E-02	mg/L	—	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.25	—	—	1.00E-01	mg/L	—	—	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.25	—	—	1.00E-01	mg/L	—	—	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.05	—	—	1.00E-02	mg/L	U	U	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.05	—	—	1.00E-02	mg/L	U	U	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	UJ	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.0381	—	—	1.00E-02	mg/L	J	JN-	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	0.149	—	—	5.00E-02	µg/L	J	J	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.157	—	—	5.00E-02	µg/L	J	J	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.101	—	—	5.00E-02	µg/L	J	J	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.0596	—	—	5.00E-02	µg/L	J	—	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.05	—	—	5.00E-02	µg/L	U	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	15.7	—	—	4.00E+00	µg/L	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	<	0.05	—	—	5.00E-02	µg/L	U	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	20	—	—	2.00E+01	µg/L	U	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	80.4	—	—	3.20E-02	mg/L	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	62.9	—	—	3.20E-02	mg/L	—	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	463	—	—	1.00E+00	µS/cm	—	—	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	462	—	—	1.00E+00	µS/cm	—	—	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	579	—	—	1.00E+00	µS/cm	—	—	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	507	—	—	1.00E+00	µS/cm	—	—	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	762	—	—	1.00E+00	µS/cm	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	773	—	—	1.00E+00	µS/cm	—	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	16.4	—	—	1.00E-01	mg/L	—	—	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	16.4	—	—	1.00E-01	mg/L	—	—	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.62	—	—	1.00E-01	mg/L	—	J-	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	20.3	—	—	1.00E-01	mg/L	—	—	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.03	—	—	1.00E-01	mg/L	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	3.69	—	—	1.00E-01	mg/L	—	—	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	296	—	—	2.40E+00	mg/L	—	—	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	301	—	—	2.40E+00	mg/L	—	—	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	415	—	—	2.40E+00	mg/L	—	—	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	311	—	—	2.40E+00	mg/L	—	—	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	382	—	—	2.38E+00	mg/L	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	377	—	—	2.38E+00	mg/L	—	J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	29.7	—	—	2.90E-01	mg/L	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	22.7	—	—	2.90E-01	mg/L	—	J	184713	GF07040G4OAP01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
PAO-4	5591	1.97	01/07/09	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.634	—	—	2.90E-02	mg/L	—	J	09-590	CAPU-09-1775	GELC
PAO-4	5591	1.97	01/07/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.669	—	—	2.90E-02	mg/L	—	J	09-590	CAPU-09-1773	GELC
PAO-4	5591	1.97	09/04/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	3.45	—	—	2.90E-02	mg/L	—	J	08-1849	CAPU-08-14567	GELC
PAO-4	5591	1.97	01/16/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	6.67	—	—	2.90E-01	mg/L	—	—	08-526	CAPU-08-9767	GELC
PAO-4	5591	1.97	08/02/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	29.7	—	—	2.90E-01	mg/L	—	—	190796	GU07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	23.4	—	—	2.90E-01	mg/L	—	J	184713	GU07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	8.1	—	—	3.30E-01	mg/L	—	—	09-590	CAPU-09-1775	GELC
PAO-4	5591	1.97	01/07/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	8.16	—	—	3.30E-01	mg/L	—	—	09-590	CAPU-09-1773	GELC
PAO-4	5591	1.97	09/04/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	18.4	—	—	6.60E-01	mg/L	—	—	08-1849	CAPU-08-14567	GELC
PAO-4	5591	1.97	01/16/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	9.29	—	—	6.60E-01	mg/L	—	—	08-526	CAPU-08-9767	GELC
PAO-4	5591	1.97	08/02/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	11.6	—	—	6.60E-01	mg/L	—	—	190796	GU07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	12.2	—	—	3.30E-01	mg/L	—	—	184713	GU07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	3.36	—	—	1.20E-01	mg/L	—	J-	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	3.36	—	—	1.20E-01	mg/L	—	J-	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	3.17	—	—	1.20E-01	mg/L	—	—	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	2.98	—	—	1.20E-01	mg/L	—	—	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	9.73	—	—	1.20E-01	mg/L	—	—	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	6.2	—	—	2.40E-01	mg/L	—	J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.09	—	—	1.00E-02	SU	H	J-	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.1	—	—	1.00E-02	SU	H	J-	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.92	—	—	1.00E-02	SU	H	J-	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.26	—	—	1.00E-02	SU	H	J-	08-526	CAPU-08-9766	GELC
PAO-4	5591	1.97	08/02/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.96	—	—	1.00E-02	SU	H	J	190796	GF07070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.11	—	—	1.00E-02	SU	H	J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	59.3	—	—	3.20E-02	mg/L	—	—	09-590	CAPU-09-1774	GELC
PAO-4	5591	1.97	01/07/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	59.5	—	—	3.20E-02	mg/L	—	—	09-590	CAPU-09-1772	GELC
PAO-4	5591	1.97	09/04/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	63.4	—	—	3.20E-02	mg/L	—	—	08-1849	CAPU-08-14568	GELC
PAO-4	5591	1.97	01/16/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	52.3	—	—	3.20E-02	mg/L	—	—	08-526	CAPU-08-9766	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	183	—	—	7.30E-01	mg/L	—	—	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	172	—	—	7.30E-01	mg/L	—	—	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	175	—	—	7.30E-01	mg/L	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	151	—	—	7.25E-01	mg/L	—	—	190796	GF07070G4OAP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	179	—	—	7.25E-01	mg/L	—	—	185012	GF07040G4OAP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.111	—	—	6.70E-02	mg/L	J	J	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.11	—	—	6.70E-02	mg/L	J	J	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.155	—	—	6.60E-02	mg/L	J	J	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.179	—	—	6.60E-02	mg/L	J	—	190796	GF07070G4OAP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.174	—	—	6.60E-02	mg/L	J	—	185012	GF07040G4OAP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	45.1	—	—	3.30E-01	mg/L	—	—	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	45.2	—	—	3.30E-01	mg/L	—	—	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	42.8	—	—	6.60E-01	mg/L	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	42.5	—	—	6.60E-01	mg/L	—	J	190796	GF07070G4OAP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	45.3	—	—	3.30E-01	mg/L	—	—	185012	GF07040G4OAP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.289	—	—	3.30E-02	mg/L	—	J-	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.308	—	—	3.30E-02	mg/L	—	—	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.289	—	—	3.30E-02	mg/L	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.301	—	—	3.30E-02	mg/L	—	—	190796	GF07070G4OAP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.33	—	—	3.30E-02	mg/L	—	—	185012	GF07040G4OAP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.95	—	—	1.00E-01	mg/L	—	J-	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	5.05	—	—	1.00E-01	mg/L	—	—	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	7.65	—	—	1.00E-01	mg/L	—	J-	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	6.68	—	—	2.50E-01	mg/L	—	J	190796	GF07070G4OAP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	7.48	—	—	1.00E-01	mg/L	—	J	185012	GF07040G4OAP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.313	—	—	5.00E-02	µg/L	—	—	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.372	—	—	5.00E-02	µg/L	—	—	08-1846	CAPU-08-14781	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.246	—	—	5.00E-02	µg/L	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.234	—	—	5.00E-02	µg/L	—	—	190796	GF070700G4OP01	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190796	GF070400G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	185012	GF070400G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.234	—	—	5.00E-02	µg/L	—	—	185012	GF070400G4OP01	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	53.9	—	—	3.20E-02	mg/L	—	—	190796	GF070700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	53	—	—	3.20E-02	mg/L	—	J	185012	GF070400G4OP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	582	—	—	1.00E+00	µS/cm	—	—	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	593	—	—	1.00E+00	µS/cm	—	—	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	576	—	—	1.00E+00	µS/cm	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	595	—	—	1.00E+00	µS/cm	—	—	190796	GF070700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	621	—	—	1.00E+00	µS/cm	—	—	185012	GF070400G4OP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	28.2	—	—	1.00E-01	mg/L	—	—	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	26	—	—	1.00E-01	mg/L	—	J-	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	26.5	—	—	1.00E-01	mg/L	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	22.5	—	—	1.00E-01	mg/L	—	—	190796	GF070700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	23.6	—	—	1.00E-01	mg/L	—	—	185012	GF070400G4OP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	365	—	—	2.40E+00	mg/L	—	—	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	370	—	—	2.40E+00	mg/L	—	—	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	393	—	—	2.40E+00	mg/L	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	391	—	—	2.38E+00	mg/L	—	—	190796	GF070700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	367	—	—	2.38E+00	mg/L	—	—	185012	GF070400G4OP01	GELC
POI-4	4291	159	01/22/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.26	—	—	3.30E-01	mg/L	—	—	09-714	CAPU-09-1779	GELC
POI-4	4291	159	09/04/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.65	—	—	3.30E-01	mg/L	—	—	08-1846	CAPU-08-14782	GELC
POI-4	4291	159	01/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.74	—	—	3.30E-01	mg/L	—	—	08-552	CAPU-08-9905	GELC
POI-4	4291	159	08/02/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.48	—	—	3.30E-01	mg/L	—	—	190796	GU070700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.73	—	—	3.30E-01	mg/L	—	—	185012	GU070400G4OP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	1.4	—	—	2.40E-02	mg/L	—	J-	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.032	—	—	2.40E-02	mg/L	J	J	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	1.34	—	—	2.40E-02	mg/L	—	J	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	1.14	—	—	2.40E-02	mg/L	—	—	190796	GF070700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	1.08	—	—	2.40E-02	mg/L	—	—	185012	GF070400G4OP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.26	—	—	1.00E-02	SU	H	J-	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.23	—	—	1.00E-02	SU	H	J-	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.38	—	—	1.00E-02	SU	H	J-	08-552	CAPU-08-9906	GELC
POI-4	4291	159	08/02/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.84	—	—	1.00E-02	SU	H	J	190796	GF070700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	6.99	—	—	1.00E-02	SU	H	J	185012	GF070400G4OP01	GELC
POI-4	4291	159	01/22/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	53.4	—	—	3.20E-02	mg/L	—	—	09-714	CAPU-09-1778	GELC
POI-4	4291	159	09/04/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	54.4	—	—	3.20E-02	mg/L	—	—	08-1846	CAPU-08-14781	GELC
POI-4	4291	159	01/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	56.7	—	—	3.20E-02	mg/L	—	—	08-552	CAPU-08-9906	GELC
POI-4	4291	159	01/22/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	20.81836	1.92E-01	2.87E-01	—	pCi/L	—	—	09-762	CAPU-09-1779	UMTL
POI-4	4291	159	09/04/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	22.41486	2.45E-01	2.87E-01	—	pCi/L	—	—	08-1898	CAPU-08-14782	UMTL
POI-4	4291	159	01/22/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	19.12607	2.13E-01	2.87E-01	—	pCi/L	—	—	08-554	CAPU-08-9905	UMTL
POI-4	4291	159	08/02/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	19.54116	2.13E-01	2.87E-01	—	pCi/L	—	—	2379	UU070700G4OP01	UMTL
POI-4	4291	159	04/25/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	17.75308	1.92E-01	2.87E-01	—	pCi/L	—	—	2336	UU070400G4OP01	UMTL
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000235	—	—	2.35E-06	µg/L	—	—	09-703	CAPU-09-1766	ALTC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000317	—	—	3.17E-05	µg/L	—	—	08-496	CAPU-08-9849	ALTC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.0000185	—	—	1.85E-05	µg/L	—	J	28876	AU070400P06001	ALTC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Diox/Fur	SW-846:8290	Heptachlorodibenzodioxins (Total)	—	0.00112	—	—	—	µg/L	—	—	G341-251	GU060700P06001	SGSW
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78.2	—	—	7.30E-01	mg/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	96.8	—	—	7.30E-01	mg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	133	—	—	7.25E-01	mg/L	—	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	159	—	—	7.25E-01	mg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	197	—	—	1.45E+00	mg/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	153	—	—	7.25E-01	mg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	EPA:350.1	Ammonia as Nitrogen	—	0.097	—	—	3.00E-02	mg/L	—	J-	09-704	CAPU-09-1767	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	--	0.468	--	--	6.00E-02	mg/L	--	J-	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	--	22.3	--	--	3.00E+00	mg/L	--	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	5.36	--	--	1.00E-01	mg/L	--	J, R	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	RE		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	4.09	--	--	1.00E-01	mg/L	H	R, J	171709	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	--	4.69	--	--	1.00E-01	mg/L	--	J	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS		Geninorg	SW-846:6010B	Calcium	--	16.4	--	--	3.00E-02	mg/L	--	--	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS		Geninorg	EPA:200.7	Calcium	--	11.9	--	--	3.00E-02	mg/L	--	--	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	SW-846:6010B	Calcium	--	23.5	--	--	3.00E-02	mg/L	--	--	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium	--	21.6	--	--	3.60E-02	mg/L	--	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	SW-846:6010B	Calcium	--	33	--	--	3.60E-02	mg/L	--	--	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS		Geninorg	SW-846:6010B	Calcium	--	16	--	--	3.00E-02	mg/L	--	--	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS		Geninorg	EPA:200.7	Calcium	--	12.7	--	--	3.00E-02	mg/L	--	--	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS		Geninorg	SW-846:6010B	Calcium	--	25.3	--	--	3.00E-02	mg/L	--	--	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium	--	22.8	--	--	3.60E-02	mg/L	--	--	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS		Geninorg	SW-846:6010B	Calcium	--	32.4	--	--	3.60E-02	mg/L	--	--	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS		Geninorg	EPA:300.0	Chloride	--	45.4	--	--	3.30E-01	mg/L	--	--	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	EPA:300.0	Chloride	--	50.8	--	--	3.30E-01	mg/L	--	--	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	EPA:300.0	Chloride	--	42.3	--	--	3.30E-01	mg/L	--	--	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	EPA:300.0	Chloride	--	58.6	--	--	3.30E-01	mg/L	--	--	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS		Geninorg	EPA:300.0	Chloride	--	44.1	--	--	2.65E-01	mg/L	--	--	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS		Geninorg	EPA:300.0	Chloride	--	57.5	--	--	3.30E-01	mg/L	--	--	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS		Geninorg	EPA:300.0	Fluoride	--	0.414	--	--	3.30E-02	mg/L	--	--	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	EPA:300.0	Fluoride	--	0.386	--	--	3.30E-02	mg/L	--	--	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride	--	0.391	--	--	3.30E-02	mg/L	--	--	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	EPA:300.0	Fluoride	--	0.488	--	--	3.30E-02	mg/L	--	--	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS		Geninorg	EPA:300.0	Fluoride	--	0.404	--	--	3.00E-02	mg/L	--	--	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS		Geninorg	EPA:300.0	Fluoride	--	0.513	--	--	3.30E-02	mg/L	--	--	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS		Geninorg	SM:A2340B	Hardness	--	54.5	--	--	3.50E-01	mg/L	--	--	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS		Geninorg	SM:A2340B	Hardness	--	39.7	--	--	4.25E-01	mg/L	--	--	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	SM:A2340B	Hardness	--	81	--	--	4.30E-01	mg/L	--	--	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	SM:A2340B	Hardness	--	76	--	--	4.40E-01	mg/L	--	--	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	SM:A2340B	Hardness	--	115	--	--	8.50E-02	mg/L	--	--	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS		Geninorg	SM:A2340B	Hardness	--	53.7	--	--	3.50E-01	mg/L	--	--	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS		Geninorg	SM:A2340B	Hardness	--	44.2	--	--	4.25E-01	mg/L	--	--	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS		Geninorg	SM:A2340B	Hardness	--	88.9	--	--	4.30E-01	mg/L	--	--	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness	--	80.1	--	--	4.40E-01	mg/L	--	--	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS		Geninorg	SM:A2340B	Hardness	--	113	--	--	8.50E-02	mg/L	--	--	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS		Geninorg	SW-846:6010B	Magnesium	--	3.28	--	--	8.50E-02	mg/L	--	--	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS		Geninorg	EPA:200.7	Magnesium	--	2.45	--	--	8.50E-02	mg/L	--	--	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	SW-846:6010B	Magnesium	--	5.43	--	--	8.50E-02	mg/L	--	--	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium	--	5.35	--	--	8.50E-02	mg/L	--	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	SW-846:6010B	Magnesium	--	7.96	--	--	8.50E-02	mg/L	--	--	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium	--	3.33	--	--	8.50E-02	mg/L	--	--	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS		Geninorg	EPA:200.7	Magnesium	--	3.01	--	--	8.50E-02	mg/L	--	--	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium	--	6.26	--	--	8.50E-02	mg/L	--	--	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium	--	5.62	--	--	8.50E-02	mg/L	--	--	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS		Geninorg	SW-846:6010B	Magnesium	--	7.84	--	--	8.50E-02	mg/L	--	--	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	--	4.62	--	--	5.00E-02	mg/L	--	J-	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	--	7.09	--	--	1.00E-01	mg/L	--	--	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	--	1.72	--	--	1.00E-01	mg/L	--	--	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	763	--	--	1.40E+01	mg/L	--	J, R	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	--	3.32	--	--	3.00E-03	mg/L	--	--	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	--	4.78	--	--	1.40E-02	mg/L	--	J+	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS		Geninorg	SW-846:6850	Perchlorate	--	0.179	--	--	5.00E-02	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS		Geninorg	SW-846:6850	Perchlorate	--	1.55	--	--	1.00E-01	µg/L	--	--	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate	--	0.116	--	--	5.00E-02	µg/L	J	--	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS		Geninorg	EPA:314.0	Perchlorate	<	8	--	--	8.00E+00	µg/L	U	--	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	EPA:314.0	Perchlorate	--	4.7	--	--	4.00E+00	µg/L	J	--	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05	--	--	5.00E-02	µg/L	U	--	168313	GF060700P06001	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	SW846 6850	Perchlorate	<	0.05	—	—	5.00E-02	µg/L	U	UJ	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.2	—	—	5.00E-02	mg/L	E	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Geninorg	EPA:200.7	Potassium	—	8.52	—	—	5.00E-02	mg/L	—	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	13.2	—	—	5.00E-02	mg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.7	—	—	5.00E-02	mg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	16.3	—	—	5.00E-02	mg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	11.1	—	—	5.00E-02	mg/L	E	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	EPA:200.7	Potassium	—	9.2	—	—	5.00E-02	mg/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	14.6	—	—	5.00E-02	mg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	17.1	—	—	5.00E-02	mg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	16	—	—	5.00E-02	mg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	73.6	—	—	3.20E-02	mg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	74.2	—	—	3.20E-02	mg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	EPA:200.7	Silicon Dioxide	—	72.8	—	—	3.20E-02	mg/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	71.5	—	—	3.20E-02	mg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	UF	CS	—	Geninorg	EPA:200.7	Silicon Dioxide	—	71.3	—	—	3.20E-02	mg/L	—	—	135792	GU05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	65.2	—	—	4.50E-02	mg/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Geninorg	EPA:200.7	Sodium	—	41.5	—	—	4.50E-02	mg/L	—	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	65.2	—	—	4.50E-02	mg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	70.7	—	—	4.50E-02	mg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	74	—	—	4.50E-02	mg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	64.5	—	—	4.50E-02	mg/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Geninorg	EPA:200.7	Sodium	—	41.7	—	—	4.50E-02	mg/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	67.8	—	—	4.50E-02	mg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	70.8	—	—	4.50E-02	mg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	66.8	—	—	4.50E-02	mg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	428	—	—	1.00E+00	µS/cm	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	535	—	—	1.00E+00	µS/cm	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	663	—	—	1.00E+00	µS/cm	—	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	589	—	—	1.00E+00	µS/cm	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	SW-846:9050A	Specific Conductance	—	610	—	—	1.00E+00	µS/cm	—	—	137151	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	571	—	—	1.00E+00	µS/cm	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	25.6	—	—	1.00E-01	mg/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	32.2	—	—	1.00E-01	mg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	24.2	—	—	1.00E-01	mg/L	—	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	17	—	—	1.00E-01	mg/L	—	J+	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	20.4	—	—	5.70E-02	mg/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	17.3	—	—	1.00E-01	mg/L	—	J+	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	285	—	—	2.40E+00	mg/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	341	—	—	2.40E+00	mg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	297	—	—	2.38E+00	mg/L	—	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	401	—	—	2.38E+00	mg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	418	—	—	2.38E+00	mg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	374	—	—	2.38E+00	mg/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	11.3	—	—	7.40E-02	mg/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	8.1	—	—	3.30E-01	mg/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	5.39	—	—	3.30E-01	mg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	24.3	—	—	6.60E-01	mg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	14.7	—	—	6.60E-01	mg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	2.09	—	—	2.40E-02	mg/L	—	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	2.77	—	—	2.40E-02	mg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	5.13	—	—	2.40E-01	mg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	7.2	—	—	1.00E-01	mg/L	—	J	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	6.02	—	—	5.00E-02	mg/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	8.43	—	—	1.00E-01	mg/L	—	J	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	6.91	—	—	1.00E-02	SU	H	J-	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.75	—	—	1.00E-02	SU	H	J-	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J	184058	GF070400P06001	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Geninorg	EPA:150.1	pH	—	7.2	—	—	1.00E-02	SU	H	J	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Geninorg	EPA:150.1	pH	—	6.97	—	—	1.00E-02	SU	H	J	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	122	—	—	6.80E+01	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Aluminum	—	665	—	—	6.80E+01	µg/L	N	J+	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	<	200	—	—	6.80E+01	µg/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6010B	Aluminum	—	120	—	—	6.80E+01	µg/L	J	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Aluminum	<	68	—	—	6.80E+01	µg/L	U	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	331	—	—	6.80E+01	µg/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Aluminum	—	3810	—	—	6.80E+01	µg/L	N	J+	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	4870	—	—	6.80E+01	µg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	1640	—	—	6.80E+01	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6010B	Aluminum	—	414	—	—	6.80E+01	µg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6020	Antimony	—	0.51	—	—	5.00E-01	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.8	Antimony	<	0.5	—	—	5.00E-01	µg/L	U	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6020	Antimony	<	2	—	—	5.00E-01	µg/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6020	Antimony	<	0.52	—	—	5.00E-01	µg/L	J	U	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6020	Antimony	<	0.56	—	—	5.00E-01	µg/L	J	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6020	Antimony	—	0.68	—	—	5.00E-01	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.8	Antimony	<	0.5	—	—	5.00E-01	µg/L	U	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6020	Antimony	<	2	—	—	5.00E-01	µg/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6020	Antimony	<	0.5	—	—	5.00E-01	µg/L	U	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6020	Antimony	<	0.5	—	—	5.00E-01	µg/L	U	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6020	Arsenic	—	3.7	—	—	1.50E+00	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Arsenic	<	5	—	—	5.00E+00	µg/L	U	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6020	Arsenic	<	5.3	—	—	1.50E+00	µg/L	—	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6020	Arsenic	—	4.8	—	—	1.50E+00	µg/L	J	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6020	Arsenic	—	2.3	—	—	1.50E+00	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Arsenic	<	5	—	—	5.00E+00	µg/L	U	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6020	Arsenic	<	5.1	—	—	1.50E+00	µg/L	—	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6020	Arsenic	—	5.8	—	—	1.50E+00	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6010B	Arsenic	<	6	—	—	6.00E+00	µg/L	U	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	36.9	—	—	1.00E+00	µg/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Barium	—	28.8	—	—	1.00E+00	µg/L	—	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	29.7	—	—	1.00E+00	µg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6010B	Barium	—	20.5	—	—	1.00E+00	µg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Barium	—	32.3	—	—	1.00E+00	µg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	38	—	—	1.00E+00	µg/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Barium	—	62.6	—	—	1.00E+00	µg/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	62.5	—	—	1.00E+00	µg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6010B	Barium	—	44	—	—	1.00E+00	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6010B	Barium	—	67.8	—	—	1.00E+00	µg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	267	—	—	1.00E+01	µg/L	—	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	269	—	—	1.00E+01	µg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6010B	Boron	—	298	—	—	1.00E+01	µg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Boron	—	301	—	—	1.00E+01	µg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Metals	EPA:200.7	Boron	—	308	—	—	1.00E+01	µg/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	266	—	—	1.00E+01	µg/L	—	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	267	—	—	1.00E+01	µg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6010B	Boron	—	311	—	—	1.00E+01	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6010B	Boron	—	288	—	—	1.00E+01	µg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	UF	CS	—	Metals	EPA:200.7	Boron	—	296	—	—	1.00E+01	µg/L	—	—	135792	GU05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.22	—	—	1.10E-01	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.8	Cadmium	—	0.17	—	—	1.10E-01	µg/L	JN	J+	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6020	Cadmium	—	0.16	—	—	1.10E-01	µg/L	J	J	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.31	—	—	1.10E-01	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.8	Cadmium	—	0.29	—	—	1.10E-01	µg/L	JN	J+	202111	GU080100M06001	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	—	0.22	—	—	1.10E-01	µg/L	J	J	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6020	Cadmium	<	0.1	—	—	1.00E-01	µg/L	U	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	2.1	—	—	1.50E+00	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.8	Chromium	<	2.5	—	—	2.50E+00	µg/L	U	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6020	Chromium	<	10	—	—	2.50E+00	µg/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6020	Chromium	—	2.8	—	—	1.00E+00	µg/L	J	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6020	Chromium	<	2.7	—	—	1.00E+00	µg/L	J	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	2.1	—	—	1.50E+00	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.8	Chromium	—	5.9	—	—	2.50E+00	µg/L	J	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.3	—	—	2.50E+00	µg/L	J	J	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6020	Chromium	—	3.7	—	—	1.00E+00	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6020	Chromium	<	3.3	—	—	1.00E+00	µg/L	—	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	7.8	—	—	3.00E+00	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Copper	—	3.2	—	—	3.00E+00	µg/L	J	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	5.4	—	—	3.00E+00	µg/L	J	J	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6010B	Copper	—	19.5	—	—	3.00E+00	µg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Copper	<	3	—	—	3.00E+00	µg/L	U	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	7.8	—	—	3.00E+00	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Copper	—	6.4	—	—	3.00E+00	µg/L	J	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	9.5	—	—	3.00E+00	µg/L	J	J	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6010B	Copper	—	36.2	—	—	3.00E+00	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6010B	Copper	—	3.9	—	—	3.00E+00	µg/L	J	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	89.5	—	—	2.50E+01	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Iron	—	434	—	—	2.50E+01	µg/L	—	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	42.6	—	—	2.50E+01	µg/L	J	J	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6010B	Iron	—	246	—	—	1.80E+01	µg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Iron	—	858	—	—	1.80E+01	µg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	224	—	—	2.50E+01	µg/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Iron	—	2680	—	—	2.50E+01	µg/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	3420	—	—	2.50E+01	µg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6010B	Iron	—	1400	—	—	1.80E+01	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6010B	Iron	—	2710	—	—	1.80E+01	µg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6020	Lead	—	1	—	—	5.00E-01	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.8	Lead	—	0.68	—	—	5.00E-01	µg/L	JN	J-	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6020	Lead	<	2	—	—	5.00E-01	µg/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6020	Lead	—	0.57	—	—	5.00E-01	µg/L	J	—	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6020	Lead	—	0.63	—	—	5.00E-01	µg/L	J	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6020	Lead	—	1.4	—	—	5.00E-01	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.8	Lead	—	10	—	—	5.00E-01	µg/L	N	J-	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6020	Lead	—	5	—	—	5.00E-01	µg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6020	Lead	—	3.1	—	—	5.00E-01	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6020	Lead	—	2.3	—	—	5.00E-01	µg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	29.6	—	—	2.00E+00	µg/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Manganese	—	78	—	—	2.00E+00	µg/L	—	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	149	—	—	2.00E+00	µg/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6010B	Manganese	—	163	—	—	2.00E+00	µg/L	—	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Manganese	—	1440	—	—	2.00E+00	µg/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	29.6	—	—	2.00E+00	µg/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Metals	EPA:200.7	Manganese	—	200	—	—	2.00E+00	µg/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	295	—	—	2.00E+00	µg/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	—	Metals	SW-846:6010B	Manganese	—	202	—	—	2.00E+00	µg/L	—	—	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Metals	SW-846:6010B	Manganese	—	1490	—	—	2.00E+00	µg/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Metals	SW-846:6020	Molybdenum	—	6.4	—	—	1.00E-01	µg/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	—	Metals	EPA:200.7	Molybdenum	<	2	—	—	2.00E+00	µg/L	U	—	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	4.8	—	—	2.00E+00	µg/L	J	J	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	—	Metals	SW-846:6010B	Molybdenum	—	5	—	—	2.00E+00	µg/L	J	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Metals	SW-846:6010B	Molybdenum	<	4.4	—	—	2.00E+00	µg/L	J	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	6.8	—	—	1.00E-01	µg/L	—	—	09-704	CAPU-09-1766	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	---	Metals	EPA:200.7	Molybdenum	<	2	---	---	2.00E+00	µg/L	U	---	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	---	Metals	SW-846:6010B	Molybdenum	---	5.1	---	---	2.00E+00	µg/L	J	J	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	---	Metals	SW-846:6010B	Molybdenum	<	7	---	---	2.00E+00	µg/L	J	U	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	---	Metals	SW-846:6010B	Molybdenum	<	4	---	---	2.00E+00	µg/L	J	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	---	Metals	SW-846:6020	Nickel	---	4.6	---	---	5.00E-01	µg/L	---	---	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	---	Metals	EPA:200.8	Nickel	---	2.1	---	---	5.00E-01	µg/L	---	---	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	---	Metals	SW-846:6020	Nickel	---	3.1	---	---	5.00E-01	µg/L	---	---	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	---	Metals	SW-846:6020	Nickel	---	2.6	---	---	5.00E-01	µg/L	---	---	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	---	Metals	SW-846:6020	Nickel	---	7.9	---	---	5.00E-01	µg/L	---	---	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	---	Metals	SW-846:6020	Nickel	---	5.2	---	---	5.00E-01	µg/L	---	---	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	---	Metals	EPA:200.8	Nickel	---	5.3	---	---	5.00E-01	µg/L	---	---	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	---	Metals	SW-846:6020	Nickel	---	5	---	---	5.00E-01	µg/L	---	---	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	---	Metals	SW-846:6020	Nickel	---	3.1	---	---	5.00E-01	µg/L	---	---	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	---	Metals	SW-846:6020	Nickel	---	8	---	---	5.00E-01	µg/L	---	---	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	---	Metals	SW-846:6010B	Silicon Dioxide	---	56.5	---	---	3.20E-02	mg/L	---	---	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	---	Metals	SW-846:6010B	Silicon Dioxide	---	60.4	---	---	3.20E-02	mg/L	---	---	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	---	Metals	SW-846:6010B	Strontium	---	66.4	---	---	1.00E+00	µg/L	---	---	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	---	Metals	SW-846:6010B	Strontium	---	104	---	---	1.00E+00	µg/L	---	---	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	---	Metals	SW-846:6010B	Strontium	---	90.1	---	---	1.00E+00	µg/L	---	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	---	Metals	SW-846:6010B	Strontium	---	147	---	---	1.00E+00	µg/L	---	---	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	---	Metals	EPA:200.7	Strontium	---	109	---	---	1.00E+00	µg/L	---	---	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	---	Metals	SW-846:6010B	Strontium	---	65.2	---	---	1.00E+00	µg/L	---	---	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	---	Metals	SW-846:6010B	Strontium	---	116	---	---	1.00E+00	µg/L	---	---	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	---	Metals	SW-846:6010B	Strontium	---	98.8	---	---	1.00E+00	µg/L	---	---	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	---	Metals	SW-846:6010B	Strontium	---	146	---	---	1.00E+00	µg/L	---	---	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	UF	CS	---	Metals	EPA:200.7	Strontium	---	109	---	---	1.00E+00	µg/L	---	---	135792	GU05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	---	Metals	SW-846:6020	Uranium	---	0.11	---	---	5.00E-02	µg/L	J	J	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	---	Metals	SW-846:6020	Uranium	---	0.34	---	---	5.00E-02	µg/L	---	J	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	---	Metals	SW-846:6020	Uranium	---	0.6	---	---	5.00E-02	µg/L	---	---	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	---	Metals	SW-846:6020	Uranium	---	0.31	---	---	5.00E-02	µg/L	---	---	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	---	Metals	SW-846:6020	Uranium	---	0.14	---	---	5.00E-02	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	---	Metals	SW-846:6020	Uranium	---	0.58	---	---	5.00E-02	µg/L	---	J	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	---	Metals	SW-846:6020	Uranium	---	0.68	---	---	5.00E-02	µg/L	---	---	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	---	Metals	SW-846:6020	Uranium	---	0.38	---	---	5.00E-02	µg/L	---	---	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	---	Metals	SW-846:6010B	Vanadium	---	12.5	---	---	1.00E+00	µg/L	---	---	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	---	Metals	EPA:200.7	Vanadium	---	4.6	---	---	1.00E+00	µg/L	J	---	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	---	Metals	SW-846:6010B	Vanadium	---	11	---	---	1.00E+00	µg/L	---	---	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	---	Metals	SW-846:6010B	Vanadium	---	14.4	---	---	1.00E+00	µg/L	---	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	---	Metals	SW-846:6010B	Vanadium	---	6.4	---	---	1.00E+00	µg/L	---	---	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	---	Metals	SW-846:6010B	Vanadium	---	12.6	---	---	1.00E+00	µg/L	---	---	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	---	Metals	EPA:200.7	Vanadium	---	8.8	---	---	1.00E+00	µg/L	---	---	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	---	Metals	SW-846:6010B	Vanadium	---	15.5	---	---	1.00E+00	µg/L	---	---	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	---	Metals	SW-846:6010B	Vanadium	---	17.8	---	---	1.00E+00	µg/L	---	J+	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	---	Metals	SW-846:6010B	Vanadium	---	7.2	---	---	1.00E+00	µg/L	---	---	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	---	Metals	SW-846:6010B	Zinc	---	28.7	---	---	2.00E+00	µg/L	---	---	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	F	CS	---	Metals	EPA:200.7	Zinc	---	13.2	---	---	2.00E+00	µg/L	---	---	202111	GF080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	---	Metals	SW-846:6010B	Zinc	---	43.5	---	---	2.00E+00	µg/L	---	---	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	F	CS	---	Metals	SW-846:6010B	Zinc	---	36.2	---	---	2.00E+00	µg/L	---	J	184058	GF070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	---	Metals	SW-846:6010B	Zinc	<	10.7	---	---	2.00E+00	µg/L	---	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	---	Metals	SW-846:6010B	Zinc	---	29.4	---	---	2.00E+00	µg/L	---	---	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	---	Metals	EPA:200.7	Zinc	---	35.6	---	---	2.00E+00	µg/L	---	---	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	---	Metals	SW-846:6010B	Zinc	---	67.4	---	---	2.00E+00	µg/L	---	---	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	04/11/07	WS	UF	CS	---	Metals	SW-846:6010B	Zinc	---	63.4	---	---	2.00E+00	µg/L	---	---	184058	GU070400P06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	---	Metals	SW-846:6010B	Zinc	---	14.8	---	---	2.00E+00	µg/L	---	J+	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	---	Rad	HASL-300	Americium-241	<	0.0219	2.70E-03	2.30E-02	---	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	---	Rad	HASL-300	Americium-241	<	0.00568	1.17E-03	3.10E-02	---	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	---	Rad	HASL-300	Americium-241	<	0.00498	1.66E-03	2.80E-02	---	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	---	Rad	HASL-300	Americium-241	<	0	1.69E-03	3.30E-02	---	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	---	Rad	HASL-300	Americium-241	<	0.00928	2.63E-03	2.30E-02	---	pCi/L	U	U	09-704	CAPU-09-1766	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	HASL-300	Americium-241	—	0.49	1.56E-02	5.02E-02	—	pCi/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	HASL-300	Americium-241	<	0.023	2.17E-03	2.60E-02	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	HASL-300	Americium-241	<	-0.00743	1.17E-03	2.27E-02	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.932	4.00E-01	4.20E+00	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.538	5.00E-01	4.50E+00	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:901.1	Cesium-137	<	0.489	4.20E-01	4.68E+00	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.476	3.57E-01	3.81E+00	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-1.94	4.33E-01	4.00E+00	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.44	8.50E-01	5.93E+00	—	pCi/L	U	U	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	0.885	4.33E-01	4.40E+00	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:901.1	Cesium-137	<	-0.195	4.30E-01	4.61E+00	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.29	4.00E-01	3.90E+00	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.327	3.67E-01	3.60E+00	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.0751	4.07E-01	4.59E+00	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.19	4.40E-01	3.99E+00	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	2.34	4.67E-01	5.40E+00	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	6.39	1.14E+00	6.62E+00	—	pCi/L	U	U	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	-0.74	4.33E-01	3.80E+00	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:901.1	Cobalt-60	<	1.36	3.73E-01	4.52E+00	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:900	Gross alpha/beta	<	-0.14	1.17E-01	2.30E+00	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:900	Gross alpha/beta	<	0.946	2.53E-01	2.70E+00	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:900	Gross beta	—	14	6.00E-01	2.90E+00	—	pCi/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:900	Gross beta	—	13.5	3.83E-01	2.39E+00	—	pCi/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:900	Gross beta	—	19	4.17E-01	3.03E+00	—	pCi/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:900	Gross beta	—	11.8	5.33E-01	2.90E+00	—	pCi/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	EPA:900	Gross beta	—	90.3	3.24E+00	7.48E+00	—	pCi/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:900	Gross beta	—	13.7	4.10E-01	2.67E+00	—	pCi/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	12/17/03	WS	UF	CS	—	Rad	EPA:900	Gross beta	—	13	2.31E-01	1.40E+00	—	pCi/L	—	—	104142	GU03120W06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	17.9	4.33E+00	3.70E+01	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	68.7	2.27E+01	2.70E+02	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:901.1	Gross gamma	<	84.6	2.78E+01	2.97E+02	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:901.1	Gross gamma	<	82	2.35E+01	2.08E+02	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	11.1	2.23E+00	2.90E+01	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	45	2.07E+01	1.60E+02	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	284	5.37E+01	6.30E+02	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	12/17/03	WS	UF	CS	—	Rad	EPA:901.1	Gross gamma	<	82.8	1.44E+00	3.58E+02	—	pCi/L	U	U	104142	GU03120W06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	13.7	3.00E+00	3.00E+01	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	-4.12	3.67E+00	3.50E+01	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	5.06	3.14E+00	2.98E+01	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:901.1	Neptunium-237	<	12.9	2.28E+00	2.45E+01	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	0.324	3.10E+00	3.00E+01	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	-17.2	2.42E+00	1.97E+01	—	pCi/L	U	U	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	13.5	2.63E+00	2.80E+01	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:901.1	Neptunium-237	<	11.4	3.09E+00	3.31E+01	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0018	1.60E-03	2.70E-02	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	0	1.63E-03	3.60E-02	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	HASL-300	Plutonium-238	<	0.00682	2.52E-03	2.18E-02	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00895	4.23E-03	9.30E-02	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.00743	1.77E-03	2.80E-02	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	HASL-300	Plutonium-238	—	0.0576	4.13E-03	4.39E-02	—	pCi/L	—	J	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-238	<	0	4.00E-03	5.30E-02	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	HASL-300	Plutonium-238	<	-0.0129	2.49E-03	4.12E-02	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0234	2.50E-03	3.20E-02	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0218	2.40E-03	4.30E-02	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.0341	3.67E-03	2.54E-02	—	pCi/L	—	J	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	HASL-300	Plutonium-239/240	<	0.0447	6.00E-03	7.80E-02	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.0371	3.33E-03	3.30E-02	—	pCi/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	12.7	1.56E-01	5.16E-02	—	pCi/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.382	1.27E-02	6.20E-02	—	pCi/L	—	—	08-497	CAPU-08-9849	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	HASL-300	Plutonium-239/240	—	0.0815	7.00E-03	4.80E-02	—	pCi/L	—	J	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	-7.53	5.33E+00	5.00E+01	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	12.3	6.00E+00	4.80E+01	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:901.1	Potassium-40	<	51.8	5.77E+00	7.29E+01	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:901.1	Potassium-40	<	35.1	7.70E+00	3.61E+01	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	15.3	7.00E+00	7.40E+01	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	-29.9	9.43E+00	6.45E+01	—	pCi/L	U	U	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	23	6.00E+00	3.30E+01	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:901.1	Potassium-40	<	89	1.40E+01	3.45E+01	—	pCi/L	UI	R	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	1.37	3.33E-01	3.80E+00	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.59	4.00E-01	2.90E+00	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:901.1	Sodium-22	<	0.221	4.87E-01	5.46E+00	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.35	3.57E-01	3.62E+00	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0371	4.67E-01	4.60E+00	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.448	5.77E-01	5.66E+00	—	pCi/L	U	U	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	-1.23	4.33E-01	3.70E+00	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:901.1	Sodium-22	<	0.0272	4.07E-01	4.46E+00	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.395	5.33E-02	4.90E-01	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.41	4.67E-02	4.30E-01	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0184	2.92E-02	3.36E-01	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	EPA:905.0	Strontium-90	—	0.577	2.06E-02	1.74E-01	—	pCi/L	—	—	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.0878	4.67E-02	4.90E-01	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.328	4.43E-02	3.96E-01	—	pCi/L	U	U	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	EPA:905.0	Strontium-90	—	0.675	5.00E-02	4.10E-01	—	pCi/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	EPA:905.0	Strontium-90	<	0.259	3.20E-02	3.02E-01	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	HASL-300	Uranium-234	<	0.0417	3.67E-03	7.40E-02	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	HASL-300	Uranium-234	—	0.115	5.33E-03	6.60E-02	—	pCi/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	HASL-300	Uranium-234	—	0.138	5.97E-03	3.94E-02	—	pCi/L	—	—	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	HASL-300	Uranium-234	—	0.246	9.73E-03	8.20E-02	—	pCi/L	—	J	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	HASL-300	Uranium-234	<	0.048	3.67E-03	7.20E-02	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	HASL-300	Uranium-234	—	3.25	1.00E-01	5.42E-01	—	pCi/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.201	8.33E-03	8.10E-02	—	pCi/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	HASL-300	Uranium-234	—	0.181	6.90E-03	3.74E-02	—	pCi/L	—	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0	8.33E-04	3.70E-02	—	pCi/L	U	U	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0206	2.33E-03	3.30E-02	—	pCi/L	U	U	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0	1.10E-03	3.32E-02	—	pCi/L	U	U	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0135	3.00E-03	5.00E-02	—	pCi/L	U	U	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.00971	1.63E-03	3.60E-02	—	pCi/L	U	U	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0565	1.66E-02	2.68E-01	—	pCi/L	U	U	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0141	2.13E-03	4.00E-02	—	pCi/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	HASL-300	Uranium-235/236	<	0.0199	2.25E-03	3.15E-02	—	pCi/L	U	U	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0406	3.30E-03	3.90E-02	—	pCi/L	—	—	09-704	CAPU-09-1767	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	F	CS	—	Rad	HASL-300	Uranium-238	—	0.0888	4.67E-03	3.90E-02	—	pCi/L	—	—	08-497	CAPU-08-9852	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	F	CS	—	Rad	HASL-300	Uranium-238	—	0.113	5.33E-03	4.19E-02	—	pCi/L	—	J	168313	GF060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	F	CS	—	Rad	HASL-300	Uranium-238	—	0.154	7.70E-03	5.80E-02	—	pCi/L	—	J	135792	GF05040P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.0471	4.00E-03	3.70E-02	—	pCi/L	—	—	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/28/08	WM	UF	CS	—	Rad	HASL-300	Uranium-238	—	3.25	9.80E-02	3.19E-01	—	pCi/L	—	—	202111	GU080100M06001	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.153	7.00E-03	4.80E-02	—	pCi/L	—	—	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Rad	HASL-300	Uranium-238	—	0.104	4.97E-03	3.98E-02	—	pCi/L	—	J	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	01/21/09	WS	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	—	1.92	—	—	1.30E+00	µg/L	J	J	09-704	CAPU-09-1766	GELC
Pueblo above SR-502	n/a	n/a	01/14/08	WS	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	<	5	—	—	1.30E+00	µg/L	U	U	08-497	CAPU-08-9849	GELC
Pueblo above SR-502	n/a	n/a	07/28/06	WP	UF	CS	—	Voa	SW-846:8260B	Butanone[2-]	<	5	—	—	1.25E+00	µg/L	U	—	168313	GU060700P06001	GELC
Pueblo above SR-502	n/a	n/a	05/02/05	WS	UF	CS	—	Voa	EPA:624	Butanone[2-]	—	3.3	—	—	—	µg/L	J	—	135792	GU05040P06001	GELC
Pueblo above SR-502	n/a	n/a	12/17/03	WS	UF	CS	—	Voa	EPA:624	Butanone[2-]	<	5	—	—	—	µg/L	U	—	104142	GU03120W06001	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62	—	—	7.30E-01	mg/L	—	—	09-638	CAPU-09-1798	GELC
R-2	1711	918																			

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63	—	—	7.25E-01	mg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.17	—	—	6.60E-02	mg/L	—	—	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.08	—	—	6.60E-02	mg/L	—	—	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.12	—	—	6.60E-02	mg/L	—	—	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.17	—	—	6.60E-02	mg/L	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	2.21	—	—	6.60E-02	mg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.277	—	—	3.30E-02	mg/L	—	—	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.286	—	—	3.30E-02	mg/L	—	—	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.248	—	—	3.30E-02	mg/L	—	—	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.276	—	—	3.30E-02	mg/L	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.273	—	—	3.30E-02	mg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.456	—	—	5.00E-02	mg/L	—	—	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.51	—	—	5.00E-02	mg/L	—	J	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.483	—	—	1.00E-02	mg/L	—	—	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.42	—	—	5.00E-02	mg/L	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.435	—	—	1.00E-02	mg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.397	—	—	5.00E-02	µg/L	—	—	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.405	—	—	5.00E-02	µg/L	—	—	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.38	—	—	5.00E-02	µg/L	—	—	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.373	—	—	5.00E-02	µg/L	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	184483	GF070400G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.347	—	—	5.00E-02	µg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	82.2	—	—	3.20E-02	mg/L	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	83	—	—	3.20E-02	mg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	137	—	—	1.00E+00	µS/cm	—	—	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	134	—	—	1.00E+00	µS/cm	—	—	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	147	—	—	1.00E+00	µS/cm	—	—	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	144	—	—	1.00E+00	µS/cm	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	158	—	—	1.00E+00	µS/cm	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.41	—	—	1.00E-01	mg/L	—	J-	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.45	—	—	1.00E-01	mg/L	—	J-	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.4	—	—	1.00E-01	mg/L	—	—	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.58	—	—	1.00E-01	mg/L	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.76	—	—	1.00E-01	mg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	156	—	—	2.40E+00	mg/L	—	J	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	157	—	—	2.40E+00	mg/L	—	J	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	160	—	—	2.40E+00	mg/L	—	J	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	176	—	—	2.38E+00	mg/L	—	—	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	188	—	—	2.38E+00	mg/L	—	—	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.035	—	—	2.40E-02	mg/L	J	J	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.085	—	—	2.40E-02	mg/L	—	U	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.04	—	—	2.40E-02	mg/L	J	J	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.062	—	—	2.40E-02	mg/L	—	U	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.064	—	—	2.40E-02	mg/L	—	U	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.43	—	—	1.00E-02	SU	H	J-	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.47	—	—	1.00E-02	SU	H	J-	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.6	—	—	1.00E-02	SU	H	J-	08-477	CAPU-08-9897	GELC
R-2	1711	918	07/16/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.76	—	—	1.00E-02	SU	H	J	189777	GF070700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.75	—	—	1.00E-02	SU	H	J	184483	GF070400G02R01	GELC
R-2	1711	918	01/14/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	86.7	—	—	3.20E-02	mg/L	—	—	09-638	CAPU-09-1798	GELC
R-2	1711	918	08/29/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	86.3	—	—	3.20E-02	mg/L	—	—	08-1815	CAPU-08-14788	GELC
R-2	1711	918	01/11/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	80.1	—	—	3.20E-02	mg/L	E	—	08-477	CAPU-08-9897	GELC
R-2	1711	918	01/14/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.38316	9.58E-02	2.87E-01	—	pCi/L	—	U	09-676	CAPU-09-1797	UMTL
R-2	1711	918	08/29/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.453406	3.21E-01	3.30E+00	—	pCi/L	U	U	08-1842	CAPU-08-14787	ARSL

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-2	1711	918	01/11/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	U	U	08-505	CAPU-08-9896	UMTL
R-2	1711	918	07/16/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.25544	9.58E-02	2.87E-01	—	pCi/L	—	U	2367	UU070400G02R01	UMTL
R-2	1711	918	04/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	1.05369	9.58E-02	2.87E-01	—	pCi/L	—	—	2330	UU070400G02R01	UMTL
R-2	1711	918	04/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	0.22351	9.58E-02	2.87E-01	—	pCi/L	—	—	2330	UU070400G02R01	UMTL
R-2	1711	918	04/17/07	WG	UF	RE	—	Rad	LLEE	Tritium	<	0.22351	9.58E-02	2.87E-01	—	pCi/L	—	U	2330	UU070400G02R01	UMTL
R-2	1711	918	04/17/07	WG	UF	RE	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	—	U	2330	UU070400G02R01	UMTL
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	103	—	—	7.30E-01	mg/L	—	—	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	107	—	—	7.30E-01	mg/L	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	106	—	—	7.30E-01	mg/L	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	106	—	—	7.25E-01	mg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	129	—	—	7.25E-01	mg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.47	—	—	6.60E-02	mg/L	—	—	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.31	—	—	6.60E-02	mg/L	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.21	—	—	6.60E-02	mg/L	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.22	—	—	6.60E-02	mg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.31	—	—	6.60E-02	mg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.328	—	—	3.30E-02	mg/L	—	—	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.313	—	—	3.30E-02	mg/L	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.309	—	—	3.30E-02	mg/L	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.323	—	—	3.30E-02	mg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.316	—	—	3.30E-02	mg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.248	—	—	5.00E-02	mg/L	J	J	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.11	—	—	1.00E-02	mg/L	—	U	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.395	—	—	5.00E-02	mg/L	—	J-	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.35	—	—	5.00E-02	mg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.231	—	—	1.00E-02	mg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.356	—	—	5.00E-02	µg/L	—	—	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.317	—	—	5.00E-02	µg/L	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.395	—	—	5.00E-02	µg/L	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190028	GF070700GR2401	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.31	—	—	5.00E-02	µg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	184416	GF070400GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.209	—	—	5.00E-02	µg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	52.1	—	—	3.20E-02	mg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	56.6	—	—	3.20E-02	mg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	241	—	—	1.00E+00	µS/cm	—	—	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	253	—	—	1.00E+00	µS/cm	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	240	—	—	1.00E+00	µS/cm	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	272	—	—	1.00E+00	µS/cm	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	303	—	—	1.00E+00	µS/cm	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.74	—	—	1.00E-01	mg/L	—	J-	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.89	—	—	1.00E-01	mg/L	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.67	—	—	1.00E-01	mg/L	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.22	—	—	1.00E-01	mg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.5	—	—	1.00E-01	mg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	186	—	—	2.40E+00	mg/L	—	J	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	181	—	—	2.40E+00	mg/L	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	188	—	—	2.40E+00	mg/L	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	199	—	—	2.38E+00	mg/L	—	—	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	211	—	—	2.38E+00	mg/L	—	—	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.453	—	—	3.30E-01	mg/L	J	J	09-655	CAPU-09-1804	GELC
R-24	6321	825	08/26/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1776	CAPU-08-14805	GELC
R-24	6321	825	01/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.515	—	—	3.30E-01	mg/L	J	J	08-562	CAPU-08-9903	GELC
R-24	6321	825	07/18/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.743	—	—	3.30E-01	mg/L	J	U	190028	GU070700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.17	—	—	3.30E-01	mg/L	—	U	184416	GU070400GR2401	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	01/15/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.15	—	—	1.00E-02	SU	H	J-	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.02	—	—	1.00E-02	SU	H	J-	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.06	—	—	1.00E-02	SU	H	J-	08-562	CAPU-08-9902	GELC
R-24	6321	825	07/18/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J	190028	GF070700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J	184416	GF070400GR2401	GELC
R-24	6321	825	01/15/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	55.4	—	—	3.20E-02	mg/L	—	—	09-655	CAPU-09-1803	GELC
R-24	6321	825	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	54.1	—	—	3.20E-02	mg/L	—	—	08-1777	CAPU-08-14806	GELC
R-24	6321	825	01/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	55.6	—	—	3.20E-02	mg/L	—	—	08-562	CAPU-08-9902	GELC
R-24	6321	825	01/15/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	09-676	CAPU-09-1804	UMTL
R-24	6321	825	08/26/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.25544	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1779	CAPU-08-14805	UMTL
R-24	6321	825	07/18/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.15965	9.58E-02	2.87E-01	—	pCi/L	—	U	2371	UU070700GR2401	UMTL
R-24	6321	825	04/16/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	0.67053	9.58E-02	2.87E-01	—	pCi/L	—	J	2330	UU070400GR2401	UMTL
R-24	6321	825	07/27/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	—	U	2238	UU060700GR2401	UMTL
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	157	—	—	7.30E-01	mg/L	—	—	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	157	—	—	7.30E-01	mg/L	—	—	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	157	—	—	7.30E-01	mg/L	—	—	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	160	—	—	7.30E-01	mg/L	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	153	—	—	7.25E-01	mg/L	—	—	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	162	—	—	7.25E-01	mg/L	—	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	36.7	—	—	3.30E-01	mg/L	—	J+	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	38	—	—	3.30E-01	mg/L	—	J+	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	36.1	—	—	3.30E-01	mg/L	—	—	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	34.7	—	—	3.30E-01	mg/L	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	35.1	—	—	3.30E-01	mg/L	—	—	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	39.3	—	—	1.32E-01	mg/L	—	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.338	—	—	3.30E-02	mg/L	—	—	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.34	—	—	3.30E-02	mg/L	—	—	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.37	—	—	3.30E-02	mg/L	—	—	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.29	—	—	3.30E-02	mg/L	—	J-	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.314	—	—	3.30E-02	mg/L	—	—	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.311	—	—	3.30E-02	mg/L	—	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.43	—	—	1.00E-01	mg/L	—	J-	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.35	—	—	1.00E-01	mg/L	—	J-	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.37	—	—	1.00E-01	mg/L	—	—	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.18	—	—	1.00E-01	mg/L	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.04	—	—	1.00E-01	mg/L	—	—	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.3	—	—	1.00E-01	mg/L	—	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	2.82	—	—	2.00E-01	µg/L	—	—	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.69	—	—	2.00E-01	µg/L	—	—	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.88	—	—	2.50E-01	µg/L	—	J+	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.3	—	—	2.00E-01	µg/L	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.18	—	—	2.00E-01	µg/L	—	J-	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.6	—	—	2.50E-01	µg/L	—	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	52.4	—	—	3.20E-02	mg/L	—	—	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	49.6	—	—	3.20E-02	mg/L	—	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	500	—	—	1.00E+00	µS/cm	—	—	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	495	—	—	1.00E+00	µS/cm	—	—	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	512	—	—	1.00E+00	µS/cm	—	—	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	518	—	—	1.00E+00	µS/cm	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	526	—	—	1.00E+00	µS/cm	—	—	190068	GF070700G3IR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	499	—	—	1.00E+00	µS/cm	—	—	183956	GF070400G3IR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	23.1	—	—	1.00E-01	mg/L	—	—	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	23.2	—	—	1.00E-01	mg/L	—	—	09-684	CAPU-09-1783	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	23	—	—	1.00E-01	mg/L	—	J-	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	20.1	—	—	1.00E-01	mg/L	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	20.3	—	—	1.00E-01	mg/L	—	—	190068	GF070700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	22.2	—	—	1.00E-01	mg/L	—	—	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	310	—	—	2.40E+00	mg/L	—	—	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	318	—	—	2.40E+00	mg/L	—	—	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	323	—	—	2.40E+00	mg/L	—	—	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	324	—	—	2.40E+00	mg/L	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	317	—	—	2.38E+00	mg/L	—	—	190068	GF070700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	251	—	—	2.38E+00	mg/L	—	—	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/20/09	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	1.4	—	—	3.30E-01	mg/L	—	—	09-683	CAPU-09-1786	GELC
R-3i	7701	215.2	01/20/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.3	—	—	3.30E-01	mg/L	—	—	09-683	CAPU-09-1784	GELC
R-3i	7701	215.2	09/03/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.983	—	—	3.30E-01	mg/L	J	J	08-1836	CAPU-08-14785	GELC
R-3i	7701	215.2	01/16/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.15	—	—	3.30E-01	mg/L	—	—	08-522	CAPU-08-10315	GELC
R-3i	7701	215.2	07/20/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	1.07	—	—	3.30E-01	mg/L	—	—	190068	GU070700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.844	—	—	3.30E-01	mg/L	J	—	183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.036	—	—	2.40E-02	mg/L	J	J	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.06	—	—	2.40E-02	mg/L	—	U	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.039	—	—	2.40E-02	mg/L	J	U	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.035	—	—	2.40E-02	mg/L	J	—	190068	GF070700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.046	—	—	2.40E-02	mg/L	J	U	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.88	—	—	1.00E-02	SU	H	J-	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.86	—	—	1.00E-02	SU	H	J-	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.6	—	—	1.00E-02	SU	H	J-	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.01	—	—	1.00E-02	SU	H	J-	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	07/20/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.6	—	—	1.00E-02	SU	H	J	190068	GF070700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.4	—	—	1.00E-02	SU	H	J	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	49.2	—	—	3.20E-02	mg/L	—	—	09-684	CAPU-09-1787	GELC
R-3i	7701	215.2	01/20/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	48.8	—	—	3.20E-02	mg/L	—	—	09-684	CAPU-09-1783	GELC
R-3i	7701	215.2	09/03/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	51.5	—	—	3.20E-02	mg/L	—	—	08-1836	CAPU-08-14783	GELC
R-3i	7701	215.2	01/16/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	50.8	—	—	3.20E-02	mg/L	—	—	08-522	CAPU-08-10314	GELC
R-3i	7701	215.2	01/20/09	WG	UF	CS	FD	Rad	LLEE	Tritium	—	68.0109	7.45E-01	2.87E-01	—	pCi/L	—	—	09-685	CAPU-09-1786	UMTL
R-3i	7701	215.2	01/20/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	68.0109	7.45E-01	2.87E-01	—	pCi/L	—	—	09-685	CAPU-09-1784	UMTL
R-3i	7701	215.2	09/03/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	40.947032	2.11E+00	3.27E+00	—	pCi/L	—	U	08-1842	CAPU-08-14785	ARSL
R-3i	7701	215.2	01/16/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	66.7337	7.45E-01	2.87E-01	—	pCi/L	—	—	08-547	CAPU-08-10315	UMTL
R-3i	7701	215.2	07/20/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	68.9688	7.45E-01	2.87E-01	—	pCi/L	—	—	2371	UU070700G3iR01	UMTL
R-3i	7701	215.2	04/09/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	71.2039	7.45E-01	2.87E-01	—	pCi/L	—	—	2327	UU070400G3iR01	UMTL
R-3i	7701	215.2	01/20/09	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	1.29	—	—	1.20E+00	µg/L	J	J	09-683	CAPU-09-1784	GELC
R-3i	7701	215.2	09/03/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	1.44	—	—	1.00E+00	µg/L	J	J	08-1836	CAPU-08-14785	GELC
R-3i	7701	215.2	01/16/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	1.21	—	—	1.00E+00	µg/L	J	J	08-522	CAPU-08-10315	GELC
R-3i	7701	215.2	07/20/07	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	<	10.5	—	—	1.05E+00	µg/L	U	—	190068	GU070700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	<	12.2	—	—	1.22E+00	µg/L	U	—	183956	GU070400G3iR01	GELC
R-3i	7701	215.2	09/03/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	08-1836	CAPU-08-14785	GELC
R-3i	7701	215.2	01/16/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	08-522	CAPU-08-10315	GELC
R-3i	7701	215.2	07/20/07	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	190068	GU070700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	U, J, R	183956	GU070400G3iR01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64.1	—	—	7.30E-01	mg/L	—	—	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.8	—	—	7.30E-01	mg/L	—	—	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	64.4	—	—	7.30E-01	mg/L	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.9	—	—	7.30E-01	mg/L	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.8	—	—	7.25E-01	mg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	71.4	—	—	7.25E-01	mg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	5.37	—	—	6.60E-02	mg/L	—	—	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.29	—	—	6.60E-02	mg/L	—	—	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.49	—	—	6.60E-02	mg/L	—	—	08-1777	CAPU-08-14799	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.35	—	—	6.60E-02	mg/L	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.15	—	—	6.60E-02	mg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	4.86	—	—	6.60E-02	mg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.699	—	—	3.30E-02	mg/L	—	J-	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.685	—	—	3.30E-02	mg/L	—	J-	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.771	—	—	3.30E-02	mg/L	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.721	—	—	3.30E-02	mg/L	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.701	—	—	3.30E-02	mg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.714	—	—	3.30E-02	mg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.6	—	—	5.00E-02	mg/L	—	J-	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.64	—	—	5.00E-02	mg/L	—	J-	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.05	—	—	5.00E-02	mg/L	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.04	—	—	5.00E-02	mg/L	—	J-	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.76	—	—	5.00E-02	mg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.06	—	—	1.00E-02	mg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	4.26	—	—	5.00E-01	µg/L	—	—	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	4.26	—	—	5.00E-01	µg/L	—	—	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	4.49	—	—	5.00E-01	µg/L	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	4.92	—	—	5.00E-01	µg/L	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	4.31	—	—	2.50E-01	µg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	4	—	—	4.00E+00	µg/L	J	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	2.54	—	—	2.50E-01	µg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	71.1	—	—	3.20E-02	mg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	72.9	—	—	3.20E-02	mg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	174	—	—	1.00E+00	µS/cm	—	—	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	174	—	—	1.00E+00	µS/cm	—	—	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	175	—	—	1.00E+00	µS/cm	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	166	—	—	1.00E+00	µS/cm	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	181	—	—	1.00E+00	µS/cm	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	190	—	—	1.00E+00	µS/cm	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	4.39	—	—	1.00E-01	mg/L	—	—	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.32	—	—	1.00E-01	mg/L	—	—	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.58	—	—	1.00E-01	mg/L	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.62	—	—	1.00E-01	mg/L	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.27	—	—	1.00E-01	mg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.13	—	—	1.00E-01	mg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	156	—	—	2.40E+00	mg/L	—	—	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	159	—	—	2.40E+00	mg/L	—	—	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	166	—	—	2.40E+00	mg/L	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	154	—	—	2.40E+00	mg/L	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	177	—	—	2.38E+00	mg/L	—	—	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	216	—	—	2.38E+00	mg/L	—	—	184483	GF070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	0.997	—	—	3.30E-01	mg/L	J	J	09-714	CAPU-09-1801	GELC
R-4	1721	792.9	01/22/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.804	—	—	3.30E-01	mg/L	J	J	09-714	CAPU-09-1800	GELC
R-4	1721	792.9	08/26/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1776	CAPU-08-14796	GELC
R-4	1721	792.9	01/22/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-562	CAPU-08-9891	GELC
R-4	1721	792.9	07/18/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.52	—	—	3.30E-01	mg/L	J	—	190028	GU070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.764	—	—	3.30E-01	mg/L	J	—	184483	GU070400G04R01	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	8.11	—	—	1.00E-02	SU	H	J-	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.14	—	—	1.00E-02	SU	H	J-	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J-	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J-	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	07/18/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.94	—	—	1.00E-02	SU	H	J	190028	GF070700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J	184483	GF070400G04R01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-4	1721	792.9	01/22/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	76	—	—	3.20E-02	mg/L	—	—	09-714	CAPU-09-1802	GELC
R-4	1721	792.9	01/22/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	74.2	—	—	3.20E-02	mg/L	—	—	09-714	CAPU-09-1799	GELC
R-4	1721	792.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	73.6	—	—	3.20E-02	mg/L	—	—	08-1777	CAPU-08-14799	GELC
R-4	1721	792.9	01/22/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	73.3	—	—	3.20E-02	mg/L	—	—	08-562	CAPU-08-9890	GELC
R-4	1721	792.9	01/22/09	WG	UF	CS	FD	Rad	LLEE	Tritium	—	51.7266	5.32E-01	2.87E-01	—	pCi/L	—	—	09-762	CAPU-09-1801	UMTL
R-4	1721	792.9	01/22/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	52.0459	5.32E-01	2.87E-01	—	pCi/L	—	—	09-762	CAPU-09-1800	UMTL
R-4	1721	792.9	08/26/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	59.0705	6.39E-01	2.87E-01	—	pCi/L	—	—	08-1779	CAPU-08-14796	UMTL
R-4	1721	792.9	07/18/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	53.3231	5.32E-01	2.87E-01	—	pCi/L	—	—	2371	UU070700G04R01	UMTL
R-4	1721	792.9	04/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	43.4248	4.26E-01	2.87E-01	—	pCi/L	—	—	2330	UU070400G04R01	UMTL
R-4	1721	792.9	07/25/06	WG	UF	CS	—	Rad	LLEE	Tritium	—	58.4319	6.39E-01	2.87E-01	—	pCi/L	—	—	2236	UU060700G04R01	UMTL
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	92.4	—	—	7.30E-01	mg/L	—	—	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	94	—	—	7.30E-01	mg/L	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	95	—	—	7.25E-01	mg/L	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.63	—	—	7.30E-01	mg/L	—	—	09-637	CAPU-09-1782	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.092	—	—	6.70E-02	mg/L	J	J	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.088	—	—	6.70E-02	mg/L	J	J	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Bromide	—	0.133	—	—	6.60E-02	mg/L	J	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.94	—	—	6.60E-02	mg/L	—	—	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	6.81	—	—	6.60E-02	mg/L	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.47	—	—	6.60E-02	mg/L	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.05	—	—	3.30E-02	mg/L	—	—	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.1	—	—	3.30E-02	mg/L	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	1.07	—	—	3.30E-02	mg/L	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.6	—	—	1.00E-01	mg/L	—	—	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.78	—	—	5.00E-02	mg/L	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	3.02	—	—	1.00E-01	mg/L	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.24	—	—	1.00E-01	µg/L	—	—	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.27	—	—	1.00E-01	µg/L	—	J	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.38	—	—	1.00E-01	µg/L	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	51.7	—	—	3.20E-02	mg/L	—	J	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	251	—	—	1.00E+00	µS/cm	—	—	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	257	—	—	1.00E+00	µS/cm	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	253	—	—	1.00E+00	µS/cm	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.23	—	—	1.00E+00	µS/cm	—	—	09-637	CAPU-09-1782	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.39	—	—	1.00E-01	mg/L	—	J-	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	7.97	—	—	1.00E-01	mg/L	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.17	—	—	1.00E-01	mg/L	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	179	—	—	2.40E+00	mg/L	—	J	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	203	—	—	2.40E+00	mg/L	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	203	—	—	2.38E+00	mg/L	—	—	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.407	—	—	3.30E-01	mg/L	J	J	09-637	CAPU-09-1781	GELC
R-5	2452	383.9	08/26/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1776	CAPU-08-14776	GELC
R-5	2452	383.9	07/16/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.54	—	—	3.30E-01	mg/L	J	—	189841	GU07070G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.618	—	—	3.30E-01	mg/L	J	—	184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	167998	GU06070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.14	—	—	1.00E-02	SU	H	J-	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.01	—	—	1.00E-02	SU	H	J-	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	07/16/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.95	—	—	1.00E-02	SU	H	J	189841	GF07070G05R201	GELC
R-5	2452	383.9	01/14/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.54	—	—	1.00E-02	SU	H	J-	09-637	CAPU-09-1782	GELC
R-5	2452	383.9	01/14/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	55.3	—	—	3.20E-02	mg/L	—	—	09-637	CAPU-09-1780	GELC
R-5	2452	383.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	51.7	—	—	3.20E-02	mg/L	—	—	08-1777	CAPU-08-14777	GELC
R-5	2452	383.9	01/14/09	WG	UF	CS	EQB	Metals	SW-846:6010B	Silicon Dioxide	—	0.037	—	—	3.20E-02	mg/L	J	J	09-637	CAPU-09-1782	GELC
R-5	2452	383.9	01/14/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.44702	9.58E-02	2.87E-01	—	pCi/L	—	U	09-676	CAPU-09-1781	UMTL
R-5	2452	383.9	08/26/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.22351	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1779	CAPU-08-14776	UMTL

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2452	383.9	01/09/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.67053	9.58E-02	2.87E-01	—	pCi/L	—	U	08-502	CAPU-08-9916	UMTL
R-5	2452	383.9	07/16/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.3193	9.58E-02	2.87E-01	—	pCi/L	—	U	2367	UU07040G05R201	UMTL
R-5	2452	383.9	04/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.19158	9.58E-02	2.87E-01	—	pCi/L	—	U	2330	UU07040G05R201	UMTL
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	95	—	—	7.30E-01	mg/L	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	91.3	—	—	7.30E-01	mg/L	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	87.9	—	—	7.25E-01	mg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.84	—	—	6.60E-02	mg/L	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.38	—	—	6.60E-02	mg/L	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	7.66	—	—	6.60E-02	mg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.686	—	—	3.30E-02	mg/L	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.687	—	—	3.30E-02	mg/L	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.614	—	—	3.30E-02	mg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	1.91	—	—	5.00E-02	mg/L	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.13	—	—	5.00E-02	mg/L	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	2.11	—	—	1.00E-01	mg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.19	—	—	1.00E-01	µg/L	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.36	—	—	1.00E-01	µg/L	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	1.19	—	—	1.00E-01	µg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	49.4	—	—	3.20E-02	mg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	262	—	—	1.00E+00	µS/cm	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	256	—	—	1.00E+00	µS/cm	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	273	—	—	1.00E+00	µS/cm	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	16.7	—	—	1.00E-01	mg/L	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	15.5	—	—	1.00E-01	mg/L	—	J-	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	15.5	—	—	1.00E-01	mg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	187	—	—	2.40E+00	mg/L	—	J	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	195	—	—	2.40E+00	mg/L	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	191	—	—	2.38E+00	mg/L	—	—	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.338	—	—	3.30E-01	mg/L	J	J	09-637	CAPU-09-1795	GELC
R-5	2512	718.6	08/27/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1794	CAPU-08-14801	GELC
R-5	2512	718.6	07/17/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.364	—	—	3.30E-01	mg/L	J	—	190027	GU07070G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.873	—	—	3.30E-01	mg/L	J	—	184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.39	—	—	3.30E-01	mg/L	J	—	168163	GU06070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.19	—	—	1.00E-02	SU	H	J-	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8	—	—	1.00E-02	SU	H	J-	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	07/17/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.01	—	—	1.00E-02	SU	H	J	190027	GF07070G05R301	GELC
R-5	2512	718.6	01/14/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	48	—	—	3.20E-02	mg/L	—	—	09-637	CAPU-09-1794	GELC
R-5	2512	718.6	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	47.4	—	—	3.20E-02	mg/L	—	—	08-1794	CAPU-08-14803	GELC
R-5	2512	718.6	01/14/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.09579	9.58E-02	2.87E-01	—	pCi/L	U	U	09-676	CAPU-09-1795	UMTL
R-5	2512	718.6	08/27/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	3.19E-01	3.25E+00	—	pCi/L	U	U	08-1842	CAPU-08-14801	ARSL
R-5	2512	718.6	01/10/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.57474	9.58E-02	2.87E-01	—	pCi/L	—	U	08-502	CAPU-08-9918	UMTL
R-5	2512	718.6	04/18/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.41509	9.58E-02	2.87E-01	—	pCi/L	—	U	2332	UU07040G05R301	UMTL
R-5	2512	718.6	04/18/07	WG	UF	RE	—	Rad	LLEE	Tritium	<	0.28737	9.58E-02	2.87E-01	—	pCi/L	—	U	2332	UU07040G05R301	UMTL
R-5	2512	718.6	07/26/06	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.06386	9.58E-02	2.87E-01	—	pCi/L	—	U	2238	UU06070G05R301	UMTL
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	119	—	—	7.30E-01	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	117	—	—	7.30E-01	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	107	—	—	1.45E+00	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	108	—	—	1.45E+00	mg/L	—	—	122689	GF0409G05R401	GELC
R-5	2552	860.9	05/03/04	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	103	—	—	1.45E+00	mg/L	—	—	112313	GF0404G05R401	GELC
R-5	2552	860.9	05/03/04	WG	F	DUP	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	105	—	—	1.45E+00	mg/L	—	—	112415	GF0404G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.1	—	—	7.30E-01	mg/L	—	—	09-617	CAPU-09-1806	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	26.8	—	—	3.00E-02	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	26	—	—	3.00E-02	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Geninorg	SW-846:6010B	Calcium	—	25.9	—	—	5.54E-03	mg/L	—	—	122723	GF0409G05R401	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Geninorg	SW-846:6010B	Calcium	—	26.4	—	—	5.54E-03	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	FB	Geninorg	SW-846:6010B	Calcium	—	0.11	—	—	3.00E-02	mg/L	—	—	09-617	CAPU-09-1809	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	26.9	—	—	3.00E-02	mg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	26.7	—	—	3.00E-02	mg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	27.1	—	—	3.60E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Calcium	—	26.1	—	—	5.54E-03	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Calcium	—	26.3	—	—	5.54E-03	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.53	—	—	6.60E-02	mg/L	—	J+	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	5.1	—	—	6.60E-02	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	4.8	—	—	5.30E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.348	—	—	3.30E-02	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.296	—	—	3.30E-02	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.235	—	—	3.00E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	88.2	—	—	3.50E-01	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	SM:A2340B	Hardness	—	86.3	—	—	3.50E-01	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	88.1	—	—	3.50E-01	mg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	88.7	—	—	3.50E-01	mg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	SM:A2340B	Hardness	—	86.8	—	—	8.50E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.16	—	—	8.50E-02	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.17	—	—	8.50E-02	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.39	—	—	5.18E-03	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Geninorg	SW-846:6010B	Magnesium	—	4.47	—	—	5.18E-03	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.09	—	—	8.50E-02	mg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	5.37	—	—	8.50E-02	mg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.61	—	—	8.50E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Magnesium	—	4.45	—	—	5.18E-03	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Magnesium	—	4.48	—	—	5.18E-03	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.273	—	—	5.00E-02	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.0901	—	—	1.00E-02	mg/L	—	J	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	05/04/05	WG	F	CS	—	Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	—	0.116	—	—	3.00E-03	mg/L	—	J-	136031	GF0504G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.272	—	—	5.00E-02	µg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.279	—	—	5.00E-02	µg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	07/16/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.246	—	—	5.00E-02	µg/L	—	—	189777	GF07070G05R401	GELC
R-5	2552	860.9	07/16/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	<	4	—	—	4.00E+00	µg/L	U	—	189777	GF07070G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.66	—	—	5.00E-02	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.54	—	—	5.00E-02	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.78	—	—	1.65E-02	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Geninorg	SW-846:6010B	Potassium	—	3.85	—	—	1.65E-02	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.68	—	—	5.00E-02	mg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.65	—	—	5.00E-02	mg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.97	—	—	5.00E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Potassium	—	3.82	—	—	1.65E-02	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Potassium	—	3.82	—	—	1.65E-02	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	59.1	—	—	3.20E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.4	—	—	4.50E-02	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.1	—	—	4.50E-02	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.7	—	—	1.44E-02	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Geninorg	SW-846:6010B	Sodium	—	19.1	—	—	1.44E-02	mg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	FB	Geninorg	SW-846:6010B	Sodium	—	0.441	—	—	4.50E-02	mg/L	—	—	09-617	CAPU-09-1809	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.6	—	—	4.50E-02	mg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	17.6	—	—	4.50E-02	mg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	18.4	—	—	4.50E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Geninorg	SW-846:6010B	Sodium	—	19	—	—	1.44E-02	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Geninorg	SW-846:6010B	Sodium	—	18.9	—	—	1.44E-02	mg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	256	—	—	1.00E+00	µS/cm	—	—	09-617	CAPU-09-1807	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	253	—	—	1.00E+00	µS/cm	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.45	—	—	1.00E+00	µS/cm	—	—	09-617	CAPU-09-1806	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	5.26	—	—	1.00E-01	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.85	—	—	1.00E-01	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	4.15	—	—	5.70E-02	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	193	—	—	2.40E+00	mg/L	—	J	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	191	—	—	2.40E+00	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	05/04/05	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	180	—	—	2.38E+00	mg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.444	—	—	3.30E-01	mg/L	J	J	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1776	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.822	—	—	7.40E-02	mg/L	—	J-	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.808	—	—	2.50E-02	mg/L	—	J-	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.802	—	—	2.50E-02	mg/L	—	—	122501	GU0409G05R401	GELC
R-5	2552	860.9	05/04/04	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.857	—	—	2.50E-02	mg/L	—	J-	112313	GU0404G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.96	—	—	1.00E-02	SU	H	J-	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.88	—	—	1.00E-02	SU	H	J-	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.8	—	—	1.00E-02	SU	H	J-	09-617	CAPU-09-1806	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	117	—	—	1.00E+00	µg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	119	—	—	1.00E+00	µg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6010B	Barium	—	176	—	—	2.22E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6010B	Barium	—	178	—	—	2.22E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	116	—	—	1.00E+00	µg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	120	—	—	1.00E+00	µg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	144	—	—	1.00E+00	µg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6010B	Barium	—	171	—	—	2.22E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6010B	Barium	—	172	—	—	2.22E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	35.6	—	—	1.00E+01	µg/L	J	J	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	40.4	—	—	1.00E+01	µg/L	J	J	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6010B	Boron	—	53.1	—	—	4.88E+00	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6010B	Boron	—	53.4	—	—	4.88E+00	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	37.4	—	—	1.00E+01	µg/L	J	J	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	39.4	—	—	1.00E+01	µg/L	J	J	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	42.7	—	—	1.00E+01	µg/L	J	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6010B	Boron	—	50.3	—	—	4.88E+00	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6010B	Boron	—	51.9	—	—	4.88E+00	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	11.4	—	—	2.00E+00	µg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Manganese	—	27.4	—	—	2.00E+00	µg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6020	Manganese	—	382	—	—	1.61E+00	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6020	Manganese	—	381	—	—	1.61E+00	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	10.4	—	—	2.00E+00	µg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6010B	Manganese	—	16.7	—	—	2.00E+00	µg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6020	Manganese	—	110	—	—	1.00E+00	µg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6020	Manganese	—	400	—	—	1.61E+00	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6020	Manganese	—	396	—	—	1.61E+00	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	1.8	—	—	1.00E-01	µg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	2.1	—	—	1.00E-01	µg/L	—	J	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6020	Molybdenum	—	5	—	—	2.00E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6020	Molybdenum	—	4.84	—	—	2.00E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	1.9	—	—	1.00E-01	µg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	2.2	—	—	1.00E-01	µg/L	—	J	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	3.9	—	—	1.00E-01	µg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6020	Molybdenum	—	5.6	—	—	2.00E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6020	Molybdenum	—	5.04	—	—	2.00E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	1.8	—	—	5.00E-01	µg/L	J	J	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6020	Nickel	—	2.5	—	—	5.00E-01	µg/L	—	—	08-1777	CAPU-08-14853	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6010B	Nickel	—	12	—	—	6.90E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6010B	Nickel	—	13.9	—	—	6.90E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	2	—	—	5.00E-01	µg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6020	Nickel	—	4.9	—	—	5.00E-01	µg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Nickel	<	5.5	—	—	1.00E+00	µg/L	—	U	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6010B	Nickel	—	11.8	—	—	6.90E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6010B	Nickel	—	13.6	—	—	6.90E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66.4	—	—	3.20E-02	mg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66.5	—	—	3.20E-02	mg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	201	—	—	1.00E+00	µg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	194	—	—	1.00E+00	µg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6010B	Strontium	—	216	—	—	1.78E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6010B	Strontium	—	220	—	—	1.78E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	202	—	—	1.00E+00	µg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	200	—	—	1.00E+00	µg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	213	—	—	1.00E+00	µg/L	—	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6010B	Strontium	—	217	—	—	1.78E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6010B	Strontium	—	218	—	—	1.78E-01	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6020	Thallium	<	0.41	—	—	2.00E-02	µg/L	J	U	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6020	Thallium	—	0.091	—	—	2.00E-02	µg/L	J	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6020	Thallium	—	0.38	—	—	3.00E-01	µg/L	J	J	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	1	—	—	3.00E-01	µg/L	U	U	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.4	—	—	4.00E-01	µg/L	U	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6020	Thallium	<	0.12	—	—	2.00E-02	µg/L	J	U	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6020	Thallium	—	0.061	—	—	2.00E-02	µg/L	J	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.9	—	—	5.00E-02	µg/L	—	—	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	1.7	—	—	2.00E-02	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6020	Uranium	—	1.66	—	—	2.00E-02	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	05/03/04	WG	F	CS	—	Metals	SW-846:6020	Uranium	—	2	—	—	2.00E-02	µg/L	—	—	112313	GF0404G05R401	GELC
R-5	2552	860.9	05/03/04	WG	F	DUP	—	Metals	SW-846:6020	Uranium	—	2.04	—	—	2.00E-02	µg/L	—	—	112313	GF0404G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.8	—	—	5.00E-02	µg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	2	—	—	5.00E-02	µg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	1.6	—	—	2.00E-02	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6020	Uranium	—	1.57	—	—	2.00E-02	µg/L	—	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	05/03/04	WG	UF	CS	—	Metals	SW-846:6020	Uranium	—	2.2	—	—	2.00E-02	µg/L	—	—	112313	GU0404G05R401-A	GELC
R-5	2552	860.9	05/03/04	WG	UF	DUP	—	Metals	SW-846:6020	Uranium	—	2.15	—	—	2.00E-02	µg/L	—	—	112313	GU0404G05R401-A	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	—	8.4	—	—	1.00E+00	µg/L	—	—	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	9	—	—	1.00E+00	µg/L	—	U	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6010B	Vanadium	<	3.6	—	—	6.06E-01	µg/L	J	U	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6010B	Vanadium	—	4.11	—	—	6.06E-01	µg/L	J	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	8.6	—	—	1.00E+00	µg/L	—	—	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	9.7	—	—	1.00E+00	µg/L	—	U	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	—	4.4	—	—	1.00E+00	µg/L	J	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6010B	Vanadium	<	4.2	—	—	6.06E-01	µg/L	J	U	122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	DUP	—	Metals	SW-846:6010B	Vanadium	—	2.83	—	—	6.06E-01	µg/L	J	—	122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	3.5	—	—	2.00E+00	µg/L	J	J	09-617	CAPU-09-1807	GELC
R-5	2552	860.9	08/26/08	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	4.3	—	—	2.00E+00	µg/L	J	J	08-1777	CAPU-08-14853	GELC
R-5	2552	860.9	09/30/04	WG	F	CS	—	Metals	SW-846:6010B	Zinc	—	11.5	—	—	8.83E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	F	DUP	—	Metals	SW-846:6010B	Zinc	—	11.4	—	—	8.83E-01	µg/L	—	—	122723	GF0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	7.2	—	—	2.00E+00	µg/L	J	J	09-617	CAPU-09-1805	GELC
R-5	2552	860.9	08/26/08	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	12.3	—	—	2.00E+00	µg/L	—	—	08-1777	CAPU-08-14851	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	6.6	—	—	2.00E+00	µg/L	J	—	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS	—	Metals	SW-846:6010B	Zinc	—	15.3	—	—	8.83E-01	µg/L	—	—	122723	GU0409G05R401	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2552	860.9	09/30/04	WG	UF	DUP		Metals	SW-846:6010B	Zinc		14.3			8.83E-01	µg/L			122723	GU0409G05R401	GELC
R-5	2552	860.9	01/12/09	WG	UF	CS		Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01		pCi/L	U	U	09-622	CAPU-09-1805	UMTL
R-5	2552	860.9	08/26/08	WG	UF	CS		Rad	LLEE	Tritium	<	0.28737	9.58E-02	2.87E-01		pCi/L	U	U	08-1779	CAPU-08-14851	UMTL
R-5	2552	860.9	01/10/08	WG	UF	CS		Rad	LLEE	Tritium	<	0.12772	9.58E-02	2.87E-01		pCi/L	U	U	08-502	CAPU-08-9919	UMTL
R-5	2552	860.9	07/16/07	WG	UF	CS		Rad	LLEE	Tritium	<	0.28737	9.58E-02	2.87E-01		pCi/L	U	U	2367	UU07070G05R401	UMTL
R-5	2552	860.9	04/17/07	WG	UF	CS		Rad	LLEE	Tritium	<	0.22351	9.58E-02	2.87E-01		pCi/L	U	U	2330	UU07040G05R401	UMTL
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		68.8			7.30E-01	mg/L			09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		69.3			7.30E-01	mg/L			08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		67.8			7.25E-01	mg/L			189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		79.8			7.25E-01	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		71.8			7.25E-01	mg/L	H		168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		72.3			7.25E-01	mg/L	H		168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.06			6.60E-02	mg/L		J+	09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	EPA:300.0	Chloride		1.94			6.60E-02	mg/L			08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.09			6.60E-02	mg/L			189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.24			6.60E-02	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.22			6.60E-02	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		2.19			6.60E-02	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.451			3.30E-02	mg/L			09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.45			3.30E-02	mg/L			08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.428			3.30E-02	mg/L			189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.384			3.30E-02	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.453			3.30E-02	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.445			3.30E-02	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.35			5.00E-02	mg/L		J+	09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	<	0.0897			1.00E-02	mg/L	U		08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.335			5.00E-02	mg/L			189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.35			1.00E-02	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen		0.28			1.40E-02	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen		0.246			1.40E-02	mg/L		J	168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.322			5.00E-02	µg/L			09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.373			5.00E-02	µg/L			08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4.00E+00	µg/L	U		189841	GF070700G06R01	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.349			5.00E-02	µg/L			189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4.00E+00	µg/L	U		184266	GF070400G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.345			5.00E-02	µg/L		J	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.371			5.00E-02	µg/L		J	168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4.00E+00	µg/L	U		168072	GF060700G06R01	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.5			3.20E-02	mg/L		J	189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		77.5			3.20E-02	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.1			3.20E-02	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		71.1			3.20E-02	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		143			1.00E+00	µS/cm			09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		144			1.00E+00	µS/cm			08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		152			1.00E+00	µS/cm			189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		161			1.00E+00	µS/cm			184266	GF070400G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.51			1.00E-01	mg/L			09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.42			1.00E-01	mg/L		J-	08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.71			1.00E-01	mg/L			189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.6			1.00E-01	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.69			1.00E-01	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		2.73			1.00E-01	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		143			2.40E+00	mg/L			09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		145			2.40E+00	mg/L			08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		176			2.38E+00	mg/L			189841	GF070700G06R01	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6	5871	1205	04/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	140	—	—	2.38E+00	mg/L	—	—	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	161	—	—	2.38E+00	mg/L	H	—	168072	GU060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	154	—	—	2.38E+00	mg/L	H	—	168072	GF060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.674	—	—	3.30E-01	mg/L	J	J	09-681	CALA-09-1759	GELC
R-6	5871	1205	08/27/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1796	CALA-08-13902	GELC
R-6	5871	1205	07/17/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	189841	GU070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.617	—	—	3.30E-01	mg/L	J	—	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.0854	—	—	2.40E-02	mg/L	—	—	09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.043	—	—	2.40E-02	mg/L	J	U	189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.042	—	—	2.40E-02	mg/L	J	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.015	—	—	1.00E-02	mg/L	J	J-, JN-	168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.01	—	—	1.00E-02	mg/L	U	UJ, R	168072	GU060700G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.19	—	—	1.00E-02	SU	H	J-	09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.22	—	—	1.00E-02	SU	H	J-	08-1797	CALA-08-13901	GELC
R-6	5871	1205	07/17/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.02	—	—	1.00E-02	SU	H	J	189841	GF070700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.01	—	—	1.00E-02	SU	H	J	184266	GF070400G06R01	GELC
R-6	5871	1205	01/20/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	73.2	—	—	3.20E-02	mg/L	—	—	09-682	CALA-09-1760	GELC
R-6	5871	1205	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	75.5	—	—	3.20E-02	mg/L	—	—	08-1797	CALA-08-13901	GELC
R-6	5871	1205	01/20/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	U	U	09-678	CALA-09-1759	UMTL
R-6	5871	1205	08/27/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-1.210147	3.26E-01	3.35E+00	—	pCi/L	U	U	08-1841	CALA-08-13902	ARSL
R-6	5871	1205	01/17/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.6386	9.58E-02	2.87E-01	—	pCi/L	—	U	08-550	CALA-08-9939	UMTL
R-6	5871	1205	07/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.15965	9.58E-02	2.87E-01	—	pCi/L	—	U	2367	UU070700G06R01	UMTL
R-6	5871	1205	07/17/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	4.02318	9.58E-02	2.87E-01	—	pCi/L	—	—	2367	UU070700G06R01	UMTL
R-6	5871	1205	07/17/07	WG	UF	RE	—	Rad	LLEE	Tritium	<	-0.09579	9.58E-02	2.87E-01	—	pCi/L	—	U	2367	UU070700G06R01	UMTL
R-6	5871	1205	04/12/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.3193	9.58E-02	2.87E-01	—	pCi/L	—	U	2328	UU070400G06R01	UMTL
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	67.7	—	—	7.30E-01	mg/L	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	67.7	—	—	7.30E-01	mg/L	—	—	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.7	—	—	7.30E-01	mg/L	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69.1	—	—	7.30E-01	mg/L	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69.3	—	—	7.25E-01	mg/L	—	—	189841	GF070700G61R01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	55.6	—	—	7.25E-01	mg/L	—	—	184266	GF070400G61R01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride	—	16.7	—	—	6.60E-02	mg/L	—	J+	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	16.8	—	—	6.60E-02	mg/L	—	J+	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	15.7	—	—	6.60E-02	mg/L	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	16.5	—	—	6.60E-02	mg/L	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	17	—	—	6.60E-02	mg/L	—	—	189841	GF070700G61R01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	18	—	—	6.60E-02	mg/L	—	—	184266	GF070400G61R01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride	—	0.713	—	—	3.30E-02	mg/L	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.71	—	—	3.30E-02	mg/L	—	—	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.725	—	—	3.30E-02	mg/L	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.65	—	—	3.30E-02	mg/L	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.611	—	—	3.30E-02	mg/L	—	—	189841	GF070700G61R01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.632	—	—	3.30E-02	mg/L	—	—	184266	GF070400G61R01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.05	—	—	1.00E-01	mg/L	—	J+	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.08	—	—	1.00E-01	mg/L	—	J+	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.44	—	—	5.00E-02	mg/L	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	5.06	—	—	1.00E-01	mg/L	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.78	—	—	1.00E-01	mg/L	—	—	189841	GF070700G61R01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	4.74	—	—	1.00E-01	mg/L	—	—	184266	GF070400G61R01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate	—	6.62	—	—	5.00E-01	µg/L	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.39	—	—	5.00E-01	µg/L	—	—	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.47	—	—	5.00E-01	µg/L	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.47	—	—	5.00E-01	µg/L	—	—	08-571	CALA-08-9858	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	7.07	—	—	4.00E+00	µg/L	J	—	189841	GF070700G6IR01	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	6.87	—	—	5.00E-01	µg/L	—	—	189841	GF070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:314.0	Perchlorate	—	8.6	—	—	4.00E+00	µg/L	J	—	184266	GF070400G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	7.04	—	—	5.00E-01	µg/L	—	J	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	73.6	—	—	3.20E-02	mg/L	—	J	189841	GF070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	SW-846:6010B	Silicon Dioxide	—	70.7	—	—	3.20E-02	mg/L	—	—	184266	GF070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance	—	237	—	—	1.00E+00	µS/cm	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	240	—	—	1.00E+00	µS/cm	—	—	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	243	—	—	1.00E+00	µS/cm	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	243	—	—	1.00E+00	µS/cm	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	255	—	—	1.00E+00	µS/cm	—	—	189841	GF070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	281	—	—	1.00E+00	µS/cm	—	—	184266	GF070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate	—	9.2	—	—	1.00E-01	mg/L	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.21	—	—	1.00E-01	mg/L	—	—	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	8.55	—	—	1.00E-01	mg/L	—	J-	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.08	—	—	1.00E-01	mg/L	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.14	—	—	1.00E-01	mg/L	—	—	189841	GF070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	9.69	—	—	1.00E-01	mg/L	—	—	184266	GF070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids	—	189	—	—	2.40E+00	mg/L	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	202	—	—	2.40E+00	mg/L	—	—	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	203	—	—	2.40E+00	mg/L	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	205	—	—	2.40E+00	mg/L	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	206	—	—	2.38E+00	mg/L	—	—	189841	GF070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	194	—	—	2.38E+00	mg/L	—	—	184266	GF070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon	—	0.997	—	—	3.30E-01	mg/L	J	J	09-681	CALA-09-1743	GELC
R-6i	5881	602	01/20/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.874	—	—	3.30E-01	mg/L	J	J	09-681	CALA-09-1741	GELC
R-6i	5881	602	08/27/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1796	CALA-08-13889	GELC
R-6i	5881	602	01/23/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.585	—	—	3.30E-01	mg/L	J	J	08-571	CALA-08-9860	GELC
R-6i	5881	602	07/17/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.97	—	—	3.30E-01	mg/L	J	U	189841	GU070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	1.07	—	—	3.30E-01	mg/L	—	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.129	—	—	2.40E-02	mg/L	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.0386	—	—	2.40E-02	mg/L	J	J	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	J	U	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.152	—	—	2.40E-02	mg/L	—	J	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.074	—	—	2.40E-02	mg/L	—	U	189841	GF070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.089	—	—	2.40E-02	mg/L	—	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Geninorg	EPA:150.1	pH	—	7.86	—	—	1.00E-02	SU	H	J-	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.83	—	—	1.00E-02	SU	H	J-	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.55	—	—	1.00E-02	SU	H	J-	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.67	—	—	1.00E-02	SU	H	J-	08-571	CALA-08-9858	GELC
R-6i	5881	602	07/17/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.68	—	—	1.00E-02	SU	H	J	189841	GF070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	5.22	—	—	1.00E-02	SU	H	J	184266	GF070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	F	CS	FD	Metals	SW-846:6010B	Silicon Dioxide	—	67.2	—	—	3.20E-02	mg/L	—	—	09-682	CALA-09-1742	GELC
R-6i	5881	602	01/20/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	66.2	—	—	3.20E-02	mg/L	—	—	09-682	CALA-09-1740	GELC
R-6i	5881	602	08/27/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	67.9	—	—	3.20E-02	mg/L	—	—	08-1797	CALA-08-13890	GELC
R-6i	5881	602	01/23/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	69.2	—	—	3.20E-02	mg/L	—	—	08-571	CALA-08-9858	GELC
R-6i	5881	602	01/20/09	WG	UF	CS	FD	Rad	EPA:906.0	Tritium	—	3880	1.37E+02	1.50E+02	—	pCi/L	—	—	09-682	CALA-09-1743	GELC
R-6i	5881	602	01/20/09	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3770	1.33E+02	1.50E+02	—	pCi/L	—	—	09-682	CALA-09-1741	GELC
R-6i	5881	602	08/27/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3079.671	6.04E+01	1.90E+02	—	pCi/L	—	—	08-1841	CALA-08-13889	ARSL
R-6i	5881	602	01/23/08	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	3610	1.23E+02	1.70E+02	—	pCi/L	—	—	08-571	CALA-08-9860	GELC
R-6i	5881	602	07/17/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	4060	1.43E+02	1.45E+02	—	pCi/L	—	—	189841	GU070700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	—	Rad	EPA:906.0	Tritium	—	4230	6.57E+01	3.30E+02	—	pCi/L	—	—	184266	GU070400G6IR01	GELC
R-6i	5881	602	01/20/09	WG	UF	CS	FD	Svoa	SW-846:8270C	Dioxane[1,4-]	—	3.32	—	—	1.10E+00	µg/L	J	J	09-681	CALA-09-1743	GELC
R-6i	5881	602	01/20/09	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	3.42	—	—	1.10E+00	µg/L	J	J	09-681	CALA-09-1741	GELC
R-6i	5881	602	08/27/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	—	3.11	—	—	1.10E+00	µg/L	J	J	08-1796	CALA-08-13889	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	01/23/08	WG	UF	CS	—	Svoa	SW-846:8270C	Dioxane[1,4-]	<	10	—	—	1.00E+00	µg/L	U	U	08-571	CALA-08-9860	GELC
R-6i	5881	602	08/27/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	08-1796	CALA-08-13889	GELC
R-6i	5881	602	01/23/08	WG	UF	CS	—	Voa	SW-846:8260B	Dioxane[1,4-]	<	50	—	—	2.00E+01	µg/L	U	R	08-571	CALA-08-9860	GELC
R-7	1442	915.1	02/21/02	WG	F	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	1.06	—	—	5.70E-02	mg/L	—	—	593S	GW07-02-0004	GEL
R-7	1442	915.1	01/13/09	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.356	—	—	2.90E-02	mg/L	—	J-	09-632	CALA-09-1750	GELC
R-7	1442	915.1	08/26/08	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.1	—	—	2.90E-02	mg/L	U	UJ	08-1781	CALA-08-14854	GELC
R-7	1442	915.1	04/26/05	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.215	—	—	1.00E-02	mg/L	—	JN-	135408	GU0504G07R301	GELC
R-7	1442	915.1	02/20/02	WG	UF	CS	—	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.91	—	—	5.70E-02	mg/L	—	—	593S	GW07-02-0003	GEL
R-7	1442	915.1	01/13/09	WG	UF	CS	—	Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01	—	pCi/L	U	U	09-675	CALA-09-1750	UMTL
R-7	1442	915.1	08/26/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01	—	pCi/L	U	U	08-1784	CALA-08-14854	UMTL
R-7	1442	915.1	01/23/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	17.46571	9.27E-01	3.80E+00	—	pCi/L	—	U	08-580	CALA-08-9933	ARSL
R-7	1442	915.1	07/31/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.19158	9.58E-02	2.87E-01	—	pCi/L	—	U	2376	UU07070G07R301	UMTL
R-7	1442	915.1	04/13/07	WG	UF	CS	—	Rad	LLEE	Tritium	<	0.09579	9.58E-02	2.87E-01	—	pCi/L	—	U	2328	UU07040G07R301	UMTL
R-7	1442	915.1	04/13/07	WG	UF	RE	—	Rad	LLEE	Tritium	<	0.35123	9.58E-02	2.87E-01	—	pCi/L	—	U	2328	UU07040G07R301	UMTL
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	67.7	—	—	7.30E-01	mg/L	—	—	09-599	CALA-09-1762	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.63	—	—	7.30E-01	mg/L	—	—	09-599	CALA-09-1763	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.7	—	—	7.30E-01	mg/L	—	—	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	68.1	—	—	7.30E-01	mg/L	—	—	08-528	CALA-08-9945	GELC
R-8	2302	711.1	07/24/07	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	66.3	—	—	7.25E-01	mg/L	—	—	190192	GF07070G08R101	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.33	—	—	6.60E-02	mg/L	—	—	09-599	CALA-09-1762	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.38	—	—	6.60E-02	mg/L	—	J-	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	1.36	—	—	6.60E-02	mg/L	—	—	08-528	CALA-08-9945	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.542	—	—	3.30E-02	mg/L	—	J-	09-599	CALA-09-1762	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.562	—	—	3.30E-02	mg/L	—	—	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.521	—	—	3.30E-02	mg/L	—	J-	08-528	CALA-08-9945	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.35	—	—	5.00E-02	mg/L	—	—	09-599	CALA-09-1762	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.0925	—	—	1.00E-02	mg/L	—	—	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.426	—	—	1.00E-02	mg/L	—	—	08-528	CALA-08-9945	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	EQB	Geninorg	SW-846:6850	Perchlorate	—	0.0917	—	—	5.00E-02	µg/L	J	J	09-599	CALA-09-1763	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.31	—	—	5.00E-02	µg/L	—	—	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	SW-846:6850	Perchlorate	—	0.316	—	—	5.00E-02	µg/L	—	—	08-528	CALA-08-9945	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	145	—	—	1.00E+00	µS/cm	—	—	09-599	CALA-09-1762	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.31	—	—	1.00E+00	µS/cm	—	—	09-599	CALA-09-1763	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	152	—	—	1.00E+00	µS/cm	—	—	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	143	—	—	1.00E+00	µS/cm	—	—	08-528	CALA-08-9945	GELC
R-8	2302	711.1	07/24/07	WG	F	CS	—	Geninorg	EPA:120.1	Specific Conductance	—	153	—	—	1.00E+00	µS/cm	—	—	190192	GF07070G08R101	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.23	—	—	1.00E-01	mg/L	—	J-	09-599	CALA-09-1762	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	2.09	—	—	1.00E-01	mg/L	—	J-	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	1.94	—	—	1.00E-01	mg/L	—	—	08-528	CALA-08-9945	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	136	—	—	2.40E+00	mg/L	—	—	09-599	CALA-09-1762	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	EQB	Geninorg	EPA:160.1	Total Dissolved Solids	—	5	—	—	2.40E+00	mg/L	J	J	09-599	CALA-09-1763	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	133	—	—	2.40E+00	mg/L	—	—	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	140	—	—	2.40E+00	mg/L	—	—	08-528	CALA-08-9945	GELC
R-8	2302	711.1	07/24/07	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	130	—	—	2.38E+00	mg/L	—	—	190192	GF07070G08R101	GELC
R-8	2302	711.1	01/08/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.821	—	—	3.30E-01	mg/L	J	J	09-599	CALA-09-1761	GELC
R-8	2302	711.1	09/04/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.458	—	—	3.30E-01	mg/L	J	J	08-1854	CALA-08-13906	GELC
R-8	2302	711.1	01/16/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	0.748	—	—	3.30E-01	mg/L	J	J	08-528	CALA-08-9947	GELC
R-8	2302	711.1	07/24/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	190192	GU07070G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	<	0.33	—	—	3.30E-01	mg/L	U	—	184079	GU07040G08R101	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	EQB	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.052	—	—	2.40E-02	mg/L	—	—	09-599	CALA-09-1763	GELC
R-8	2302	711.1	09/04/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-528	CALA-08-9945	GELC
R-8	2302	711.1	07/24/07	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	U	—	190192	GF07070G08R101	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	8.41	—	—	1.00E-02	SU	H	J-	09-599	CALA-09-1762	GELC
R-8	2302	711.1	01/08/09	WG	F	CS	EQB	Geninorg	EPA:150.1	pH	—	6.27	—	—	1.00E-02	SU	H	J-	09-599	CALA-09-1763	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-8	2302	711.1	09/04/08	WG	F	CS		Geninorg	EPA:150.1	pH		8.25			1.00E-02	SU	H	J-	08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS		Geninorg	EPA:150.1	pH		8.44			1.00E-02	SU	H	J-	08-528	CALA-08-9945	GELC
R-8	2302	711.1	07/24/07	WG	F	CS		Geninorg	EPA:150.1	pH		8.31			1.00E-02	SU	H	J	190192	GF07070G08R101	GELC
R-8	2302	711.1	01/08/09	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide		57.7			3.20E-02	mg/L			09-599	CALA-09-1762	GELC
R-8	2302	711.1	09/04/08	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide		57.6			3.20E-02	mg/L			08-1855	CALA-08-13903	GELC
R-8	2302	711.1	01/16/08	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide		59.4			3.20E-02	mg/L			08-528	CALA-08-9945	GELC
R-8	2302	711.1	01/08/09	WG	UF	CS		Rad	LLEE	Tritium	<	0.15965	9.58E-02	2.87E-01		pCi/L	U	U	09-621	CALA-09-1761	UMTL
R-8	2302	711.1	09/04/08	WG	UF	CS		Rad	LLEE	Tritium	<	-0.25544	9.58E-02	2.87E-01		pCi/L	U	U	08-1899	CALA-08-13906	UMTL
R-8	2302	711.1	01/16/08	WG	UF	CS		Rad	LLEE	Tritium	<	0.41509	9.58E-02	2.87E-01		pCi/L		U	08-549	CALA-08-9947	UMTL
R-8	2302	711.1	07/24/07	WG	UF	CS		Rad	LLEE	Tritium	<	-0.12772	9.58E-02	2.87E-01		pCi/L		U	2371	UU07070G08R101	UMTL
R-8	2302	711.1	04/10/07	WG	UF	CS		Rad	LLEE	Tritium	<	0.15965	9.58E-02	2.87E-01		pCi/L		U	2327	UU07040G08R101	UMTL
R-8	2372	825	09/03/08	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		193			1.00E+00	µS/cm			08-1847	CALA-08-13908	GELC
R-8	2372	825	01/15/08	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		182			1.00E+00	µS/cm			08-528	CALA-08-9941	GELC
R-8	2372	825	09/03/08	WG	F	CS		Geninorg	EPA:150.1	pH		8.71			1.00E-02	SU	H	J-	08-1847	CALA-08-13908	GELC
R-8	2372	825	01/15/08	WG	F	CS		Geninorg	EPA:150.1	pH		8.98			1.00E-02	SU	H	J-	08-528	CALA-08-9941	GELC
R-8	2372	825	01/08/09	WG	UF	CS		Rad	LLEE	Tritium	<	0	9.58E-02	2.87E-01		pCi/L	U	U	09-621	CALA-09-1749	UMTL
R-8	2372	825	09/03/08	WG	UF	CS		Rad	LLEE	Tritium	<	1.114357	2.82E-01	2.75E+00		pCi/L	U	U	08-1841	CALA-08-13909	ARSL
R-8	2372	825	01/15/08	WG	UF	CS		Rad	LLEE	Tritium	<	-0.03193	9.58E-02	2.87E-01		pCi/L	U	U	08-549	CALA-08-9940	UMTL
R-8	2372	825	07/25/07	WG	UF	CS		Rad	LLEE	Tritium	<	0.09579	9.58E-02	2.87E-01		pCi/L		U	2371	UU07070G08R201	UMTL
R-8	2372	825	04/10/07	WG	UF	CS		Rad	LLEE	Tritium	<	0.25544	9.58E-02	2.87E-01		pCi/L		U	2327	UU07040G08R201	UMTL
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		110			7.30E-01	mg/L			09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		112			7.30E-01	mg/L			08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		111			7.30E-01	mg/L			08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		107			7.25E-01	mg/L			190028	GF07070G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3		118			7.25E-01	mg/L			184003	GF07040G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:300.0	Chloride		6.04			6.60E-02	mg/L			09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:300.0	Chloride		5.85			6.60E-02	mg/L			08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:300.0	Chloride		6.64			6.60E-02	mg/L			08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		5.72			6.60E-02	mg/L			190028	GF07070G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		6.06			6.60E-02	mg/L			184003	GF07040G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.331			3.30E-02	mg/L			09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.315			3.30E-02	mg/L			08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.308			3.30E-02	mg/L			08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.326			3.30E-02	mg/L			190028	GF07070G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.307			3.30E-02	mg/L			184003	GF07040G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.645			5.00E-02	mg/L			09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.243			1.00E-02	mg/L		J	08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.76			5.00E-02	mg/L			08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.755			5.00E-02	mg/L			190028	GF07070G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen		0.605			1.00E-02	mg/L			184003	GF07040G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.953			5.00E-02	µg/L			09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.926			1.00E-01	µg/L			08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.972			5.00E-02	µg/L		J	08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.986			5.00E-02	µg/L			190028	GF07070G09R01	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4.00E+00	µg/L	U		190028	GF07070G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.886			5.00E-02	µg/L			184003	GF07040G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4.00E+00	µg/L	U		184003	GF07040G09R01	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		71.2			3.20E-02	mg/L			190028	GF07070G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.3			3.20E-02	mg/L		J-	184003	GF07040G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		249			1.00E+00	µS/cm			09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		248			1.00E+00	µS/cm			08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		241			1.00E+00	µS/cm			08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		264			1.00E+00	µS/cm			190028	GF07070G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		250			1.00E+00	µS/cm			184003	GF07040G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:300.0	Sulfate		6.07			1.00E-01	mg/L			09-593	CALA-09-1765	GELC

**Table D-2
Analytical Results**

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:300.0	Sulfate	—	5.9	—	—	1.00E-01	mg/L	—	—	08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:300.0	Sulfate	—	5.75	—	—	1.00E-01	mg/L	—	—	08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate	—	5.58	—	—	1.00E-01	mg/L	—	—	190028	GF070700G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate	—	5.89	—	—	1.00E-01	mg/L	—	—	184003	GF070400G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	189	—	—	2.40E+00	mg/L	—	—	09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	204	—	—	2.40E+00	mg/L	—	—	08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	195	—	—	2.40E+00	mg/L	—	—	08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	206	—	—	2.38E+00	mg/L	—	—	190028	GF070700G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	210	—	—	2.38E+00	mg/L	—	—	184003	GF070400G09R01	GELC
R-9	1731	684	01/08/09	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	—	0.814	—	—	3.30E-01	mg/L	J	J	09-593	CALA-09-1764	GELC
R-9	1731	684	08/26/08	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1781	CALA-08-13913	GELC
R-9	1731	684	01/10/08	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-476	CALA-08-9875	GELC
R-9	1731	684	07/19/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	—	0.437	—	—	3.30E-01	mg/L	J	—	190028	GU070700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	—	0.405	—	—	3.30E-01	mg/L	J	—	184003	GU070400G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.054	—	—	2.40E-02	mg/L	—	—	09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.05	—	—	2.40E-02	mg/L	U	U	08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.049	—	—	2.40E-02	mg/L	J	J	08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	U	—	190028	GF070700G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.024	—	—	2.40E-02	mg/L	U	—	184003	GF070400G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Geninorg	EPA:150.1	pH	—	8.07	—	—	1.00E-02	SU	H	J-	09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Geninorg	EPA:150.1	pH	—	8.1	—	—	1.00E-02	SU	H	J-	08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Geninorg	EPA:150.1	pH	—	8.13	—	—	1.00E-02	SU	H	J-	08-476	CALA-08-9876	GELC
R-9	1731	684	07/19/07	WG	F	CS		Geninorg	EPA:150.1	pH	—	8.11	—	—	1.00E-02	SU	H	J	190028	GF070700G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:150.1	pH	—	7.79	—	—	1.00E-02	SU	H	J	184003	GF070400G09R01	GELC
R-9	1731	684	01/08/09	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide	—	76.3	—	—	3.20E-02	mg/L	—	—	09-593	CALA-09-1765	GELC
R-9	1731	684	08/26/08	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide	—	74.2	—	—	3.20E-02	mg/L	—	—	08-1782	CALA-08-13911	GELC
R-9	1731	684	01/10/08	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide	—	71.7	—	—	3.20E-02	mg/L	—	—	08-476	CALA-08-9876	GELC
R-9	1731	684	01/08/09	WG	UF	CS		Rad	LLEE	Tritium	—	7.88671	9.58E-02	2.87E-01	—	pCi/L	—	—	09-621	CALA-09-1764	UMTL
R-9	1731	684	08/26/08	WG	UF	CS		Rad	LLEE	Tritium	—	9.38742	1.06E-01	2.87E-01	—	pCi/L	—	—	08-1784	CALA-08-13913	UMTL
R-9	1731	684	01/10/08	WG	UF	CS		Rad	LLEE	Tritium	—	7.37583	9.58E-02	2.87E-01	—	pCi/L	—	—	08-503	CALA-08-9875	UMTL
R-9	1731	684	07/19/07	WG	UF	CS		Rad	LLEE	Tritium	—	9.61093	1.06E-01	2.87E-01	—	pCi/L	—	—	2371	UU070700G09R01	UMTL
R-9	1731	684	07/19/07	WG	UF	RE		Rad	LLEE	Tritium	—	9.67479	1.06E-01	2.87E-01	—	pCi/L	—	—	2371	UU070700G09R01	UMTL
R-9	1731	684	04/10/07	WG	UF	CS		Rad	LLEE	Tritium	—	9.19584	9.58E-02	2.87E-01	—	pCi/L	—	—	2327	UU070400G09R01	UMTL
R-9i	552	198.8	01/08/09	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	58.8	—	—	7.30E-01	mg/L	—	—	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.1	—	—	7.30E-01	mg/L	—	—	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.63	—	—	7.30E-01	mg/L	—	—	09-599	CALA-09-1728	GELC
R-9i	552	198.8	04/29/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	63.8	—	—	1.45E+00	mg/L	—	—	135661	GU0504G9iR101	GELC
R-9i	552	198.8	06/02/04	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	78	—	—	1.45E+00	mg/L	—	J	114323	GU0405G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	67.7	—	—	1.45E+00	mg/L	—	—	106760	GU0311G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	DUP		Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	69.7	—	—	1.45E+00	mg/L	—	—	106760	GU0311G9iR101	GELC
R-9i	552	198.8	01/08/09	WG	F	CS		Geninorg	EPA:300.0	Chloride	—	40	—	—	3.30E-01	mg/L	—	—	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS		Geninorg	EPA:300.0	Chloride	—	35.8	—	—	3.30E-01	mg/L	—	—	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	04/29/05	WG	UF	CS		Geninorg	EPA:300.0	Chloride	—	39.2	—	—	2.65E-01	mg/L	—	J	135661	GU0504G9iR101	GELC
R-9i	552	198.8	06/02/04	WG	UF	CS		Geninorg	EPA:300.0	Chloride	—	29.5	—	—	3.22E-02	mg/L	—	J	114323	GU0405G9iR101	GELC
R-9i	552	198.8	01/08/09	WG	F	CS		Geninorg	EPA:300.0	Fluoride	—	0.383	—	—	3.30E-02	mg/L	—	J-	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS		Geninorg	EPA:300.0	Fluoride	—	0.344	—	—	3.30E-02	mg/L	—	—	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	04/29/05	WG	UF	CS		Geninorg	EPA:300.0	Fluoride	—	0.381	—	—	3.00E-02	mg/L	—	—	135661	GU0504G9iR101	GELC
R-9i	552	198.8	06/02/04	WG	UF	CS		Geninorg	EPA:300.0	Fluoride	—	0.588	—	—	5.53E-02	mg/L	—	J	114323	GU0405G9iR101	GELC
R-9i	552	198.8	04/29/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide	—	31.2	—	—	3.20E-02	mg/L	—	—	135661	GU0504G9iR101	GELC
R-9i	552	198.8	06/02/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide	—	31.6	—	—	2.12E-02	mg/L	—	—	114323	GU0405G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide	—	30.8	—	—	2.12E-02	mg/L	—	—	106760	GU0311G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide	—	32	—	—	2.12E-02	mg/L	—	—	106760	GU0311G9iR101	GELC
R-9i	552	198.8	01/08/09	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance	—	286	—	—	1.00E+00	µS/cm	—	—	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance	—	284	—	—	1.00E+00	µS/cm	—	—	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.26	—	—	1.00E+00	µS/cm	—	—	09-599	CALA-09-1728	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9i	552	198.8	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	13	—	—	1.00E-01	mg/L	—	J-	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS	—	Geninorg	EPA:300.0	Sulfate	—	12.1	—	—	1.00E-01	mg/L	—	J-	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	04/29/05	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	17.1	—	—	5.70E-02	mg/L	—	—	135661	GU0504G9iR101	GELC
R-9i	552	198.8	06/02/04	WG	UF	CS	—	Geninorg	EPA:300.0	Sulfate	—	20.6	—	—	1.93E-01	mg/L	—	J	114323	GU0405G9iR101	GELC
R-9i	552	198.8	01/08/09	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	182	—	—	2.40E+00	mg/L	—	—	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	186	—	—	2.40E+00	mg/L	—	J	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	04/29/05	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	191	—	—	2.38E+00	mg/L	—	—	135661	GU0504G9iR101	GELC
R-9i	552	198.8	06/02/04	WG	F	CS	—	Geninorg	EPA:160.1	Total Dissolved Solids	—	159	—	—	3.07E+00	mg/L	—	J	114323	GU0405G9iR101	GELC
R-9i	552	198.8	01/08/09	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	4.09	—	—	3.30E-01	mg/L	—	—	09-599	CALA-09-1727	GELC
R-9i	552	198.8	08/29/08	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	2.66	—	—	3.30E-01	mg/L	—	—	08-1817	CALA-08-13878	GELC
R-9i	552	198.8	04/29/05	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.38	—	—	7.40E-02	mg/L	—	—	135661	GU0504G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.17	—	—	2.50E-02	mg/L	—	—	106760	GU0311G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	DUP	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.15	—	—	2.50E-02	mg/L	—	—	106760	GU0311G9iR101	GELC
R-9i	552	198.8	07/26/02	WG	UF	CS	—	Geninorg	SW-846:9060	Total Organic Carbon	—	3.41	—	—	2.50E-02	mg/L	—	—	64430	GU0207G9iR101	GELC
R-9i	552	198.8	08/29/08	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.096	—	—	2.40E-02	mg/L	—	U	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	04/29/05	WG	F	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.048	—	—	1.00E-02	mg/L	J	U	135661	GF0504G9iR101	GELC
R-9i	552	198.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.048	—	—	2.40E-02	mg/L	J	J	09-599	CALA-09-1728	GELC
R-9i	552	198.8	04/29/05	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.092	—	—	1.00E-02	mg/L	—	—	137100	GU0504G9iR101	GELC
R-9i	552	198.8	06/02/04	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.075	—	—	1.10E-02	mg/L	—	UJ	114323	GU0405G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	CS	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.027	—	—	1.10E-02	mg/L	J	JN-	106760	GU0311G9iR101	GELC
R-9i	552	198.8	02/06/04	WG	UF	DUP	—	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.031	—	—	1.10E-02	mg/L	J	—	106760	GU0311G9iR101	GELC
R-9i	552	198.8	01/08/09	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.7	—	—	1.00E-02	SU	H	J-	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS	—	Geninorg	EPA:150.1	pH	—	7.89	—	—	1.00E-02	SU	H	J-	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.32	—	—	1.00E-02	SU	H	J-	09-599	CALA-09-1728	GELC
R-9i	552	198.8	01/08/09	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	30.1	—	—	3.20E-02	mg/L	—	—	09-599	CALA-09-1726	GELC
R-9i	552	198.8	08/29/08	WG	F	CS	—	Metals	SW-846:6010B	Silicon Dioxide	—	29.8	—	—	3.20E-02	mg/L	—	—	08-1818	CALA-08-13875	GELC
R-9i	552	198.8	01/08/09	WG	UF	CS	EQB	Metals	SW-846:6010B	Silicon Dioxide	—	0.034	—	—	3.20E-02	mg/L	J	J	09-599	CALA-09-1728	GELC
R-9i	552	198.8	01/08/09	WG	UF	CS	—	Rad	LLEE	Tritium	—	112.3936	1.28E+00	2.87E-01	—	pCi/L	—	—	09-621	CALA-09-1727	UMTL
R-9i	552	198.8	08/29/08	WG	UF	CS	—	Rad	LLEE	Tritium	<	61.015037	3.11E+00	3.25E+00	—	pCi/L	—	U	08-1841	CALA-08-13878	ARSL
R-9i	552	198.8	01/22/08	WG	UF	CS	—	Rad	LLEE	Tritium	—	114.6287	1.28E+00	2.87E-01	—	pCi/L	—	—	08-560	CALA-08-9935	UMTL
R-9i	552	198.8	07/27/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	110.4778	1.17E+00	2.87E-01	—	pCi/L	—	—	2376	UU07070G9iR101	UMTL
R-9i	552	198.8	04/09/07	WG	UF	CS	—	Rad	LLEE	Tritium	—	154.5412	1.70E+00	2.87E-01	—	pCi/L	—	—	2327	UU07040G9iR101	UMTL
R-9i	602	278.8	01/08/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	4.2	—	—	7.30E-01	mg/L	—	—	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	—	3.22	—	—	7.30E-01	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	<	1.45	—	—	1.45E+00	mg/L	U	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3	<	1.45	—	—	1.45E+00	mg/L	U	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	60.9	—	—	7.30E-01	mg/L	—	—	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	62.3	—	—	7.30E-01	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	09/06/01	WG	F	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	0.057	—	—	—	mg/L	—	—	9714R	GW9i-01-0012	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	2.63	—	—	7.30E-01	mg/L	—	—	09-599	CALA-09-1731	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	56.4	—	—	1.45E+00	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS	—	Geninorg	EPA:310.1	Alkalinity-CO3+HCO3	—	57.4	—	—	1.45E+00	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	12.4	—	—	6.60E-02	mg/L	—	—	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS	—	Geninorg	EPA:300.0	Chloride	—	12.3	—	—	6.60E-02	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	10.5	—	—	3.22E-02	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	02/06/04	WG	UF	DUP	—	Geninorg	EPA:300.0	Chloride	—	10.6	—	—	3.22E-02	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS	—	Geninorg	EPA:300.0	Chloride	—	12.3	—	—	3.22E-02	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	DUP	—	Geninorg	EPA:300.0	Chloride	—	12.1	—	—	3.22E-02	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.254	—	—	3.30E-02	mg/L	—	J-	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.216	—	—	3.30E-02	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.265	—	—	5.53E-02	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	02/06/04	WG	UF	DUP	—	Geninorg	EPA:300.0	Fluoride	—	0.265	—	—	5.53E-02	mg/L	—	—	106769	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS	—	Geninorg	EPA:300.0	Fluoride	—	0.24	—	—	5.53E-02	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	DUP	—	Geninorg	EPA:300.0	Fluoride	—	0.265	—	—	5.53E-02	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS	—	Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.605	—	—	5.00E-02	mg/L	—	—	09-599	CALA-09-1730	GELC

Table D-2
Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field OC Type	Suite	Method	Analyte	Sym	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9i	602	278.8	09/02/08	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as Nitrogen	—	0.595	—	—	5.00E-02	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as Nitrogen	<	0.01	—	—	1.00E-02	mg/L	U	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS		Geninorg	SW-846:6850	Perchlorate	—	2.07	—	—	2.00E-01	µg/L	—	—	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS		Geninorg	SW-846:6850	Perchlorate	—	2.01	—	—	2.00E-01	µg/L	—	J	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide	—	35.8	—	—	2.12E-02	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide	—	36	—	—	2.12E-02	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance	—	199	—	—	1.00E+00	µS/cm	—	—	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance	—	198	—	—	1.00E+00	µS/cm	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:120.1	Specific Conductance	—	2.37	—	—	1.00E+00	µS/cm	—	—	09-599	CALA-09-1731	GELC
R-9i	602	278.8	01/08/09	WG	F	CS		Geninorg	EPA:300.0	Sulfate	—	14.8	—	—	1.00E-01	mg/L	—	J-	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS		Geninorg	EPA:300.0	Sulfate	—	14.2	—	—	1.00E-01	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS		Geninorg	EPA:300.0	Sulfate	—	9.18	—	—	1.93E-01	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	02/06/04	WG	UF	DUP		Geninorg	EPA:300.0	Sulfate	—	9.16	—	—	1.93E-01	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS		Geninorg	EPA:300.0	Sulfate	—	8.87	—	—	1.93E-01	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	DUP		Geninorg	EPA:300.0	Sulfate	—	8.87	—	—	1.93E-01	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	143	—	—	2.40E+00	mg/L	—	—	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	143	—	—	2.40E+00	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	02/06/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	126	—	—	3.07E+00	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	02/06/04	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids	—	125	—	—	3.07E+00	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids	—	132	—	—	3.07E+00	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids	—	132	—	—	3.07E+00	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:160.1	Total Dissolved Solids	—	5	—	—	2.40E+00	mg/L	J	J	09-599	CALA-09-1731	GELC
R-9i	602	278.8	09/06/01	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.2	—	—	—	mg/L	—	—	9714R	GW9i-01-0012	GELC
R-9i	602	278.8	06/12/01	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.23	—	—	—	mg/L	—	—	8957R	GW9i-01-0008	LVLI
R-9i	602	278.8	02/21/01	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.32	—	—	—	mg/L	—	—	8381R	GW9i-01-0004	LVLI
R-9i	602	278.8	01/08/09	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	—	0.034	—	—	2.90E-02	mg/L	J	J	09-599	CALA-09-1729	GELC
R-9i	602	278.8	09/02/08	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.073	—	—	2.90E-02	mg/L	J	U	08-1825	CALA-08-13881	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	—	1.07	—	—	3.30E-01	mg/L	—	—	09-599	CALA-09-1729	GELC
R-9i	602	278.8	09/02/08	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	1	—	—	3.30E-01	mg/L	U	U	08-1825	CALA-08-13881	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	—	1.41	—	—	2.50E-02	mg/L	—	J-	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	—	1.76	—	—	2.50E-02	mg/L	—	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	09/06/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon	—	2.59	—	—	—	mg/L	—	—	9713R	GW9i-01-0011	GELC
R-9i	602	278.8	09/02/08	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.177	—	—	2.40E-02	mg/L	—	U	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	09/06/01	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.03	—	—	—	mg/L	J	J	9714R	GW9i-01-0012	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.039	—	—	2.40E-02	mg/L	J	J	09-599	CALA-09-1731	GELC
R-9i	602	278.8	02/06/04	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.098	—	—	1.10E-02	mg/L	—	—	106760	GU0311G9iR201	GELC
R-9i	602	278.8	07/29/02	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	—	0.02	—	—	1.10E-02	mg/L	J	—	64510	GU0207G9iR201	GELC
R-9i	602	278.8	01/08/09	WG	F	CS		Geninorg	EPA:150.1	pH	—	8.77	—	—	1.00E-02	SU	H	J-	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS		Geninorg	EPA:150.1	pH	—	8.55	—	—	1.00E-02	SU	H	J-	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS	EQB	Geninorg	EPA:150.1	pH	—	6.28	—	—	1.00E-02	SU	H	J-	09-599	CALA-09-1731	GELC
R-9i	602	278.8	01/08/09	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide	—	37.8	—	—	3.20E-02	mg/L	—	—	09-599	CALA-09-1730	GELC
R-9i	602	278.8	09/02/08	WG	F	CS		Metals	SW-846:6010B	Silicon Dioxide	—	38.3	—	—	3.20E-02	mg/L	—	—	08-1826	CALA-08-13882	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS	EQB	Metals	SW-846:6010B	Silicon Dioxide	—	0.035	—	—	3.20E-02	mg/L	J	J	09-599	CALA-09-1731	GELC
R-9i	602	278.8	01/08/09	WG	UF	CS		Rad	LLEE	Tritium	—	116.8638	1.28E+00	2.87E-01	—	pCi/L	—	—	09-621	CALA-09-1729	UMTL
R-9i	602	278.8	09/02/08	WG	UF	CS		Rad	LLEE	Tritium	<	87.721289	4.45E+00	3.55E+00	—	pCi/L	—	U	08-1841	CALA-08-13881	ARSL
R-9i	602	278.8	01/22/08	WG	UF	CS		Rad	LLEE	Tritium	—	103.4532	1.17E+00	2.87E-01	—	pCi/L	—	—	08-560	CALA-08-9936	UMTL
R-9i	602	278.8	07/27/07	WG	UF	CS		Rad	LLEE	Tritium	—	108.8813	1.17E+00	2.87E-01	—	pCi/L	—	—	2376	UU07070G9iR201	UMTL
R-9i	602	278.8	04/09/07	WG	UF	CS		Rad	LLEE	Tritium	—	111.1164	1.17E+00	2.87E-01	—	pCi/L	—	—	2327	UU07040G9iR201	UMTL

Appendix E

Screening Results

The following pages provide (1) definitions for other codes, (2) laboratory qualifier codes, (3) secondary validation flag codes, and (4) secondary validation reason codes. Refer to each of these sets of codes while reviewing the tables in Appendix E.

Definitions for Other Codes

Field Prep Code	Description
ASHED	Ashed
CRUSH	Crushed
F	Filtered
NA	Not Analyzed
SV	Sieved
UA	Unassigned
UF	Unfiltered
UNK	Unknown
Field QC Type Code	Description
CO	Collocated
EQB	Equipment Blank
FB	Field Blank
FD	Field Duplicate
FPR	Field Prepared Reagent
FPS	Field Prepared Spike
FR	Field Rinsate
FS	Field Split
FTB	Field Trip Blank
FTR	Field Triplicate
INB	Equipment blank taken during installation and not assoc with a sampling event
ITB	Trip blank taken during installation and not assoc with a sampling event
n/a	Not Applicable
PE	Performance Evaluation
PEB	Performance Evaluation Blank
PEK	Performance Evaluation Known
RES	Resample
SS	Special Sampling Event, Data Unique
UA	Unassigned

Definitions for Other Codes (continued)

Suite Code	Description
DIOX/FUR	Dioxins and Furans
DRO	Diesel Range Organics
GENINORG	General Inorganics
HERB	Herbicides
HEXP	High Explosives
METALS	Metal
PEST/PCB	Pesticides and PCBs
RAD	Radionuclides
SVOA	Semivolatile Organics
VOA	Volatile Organics
Lab Sample Type Code	Description
BLIND	Blind QC
BS	Blank Spike
BSD	Blank Spike Duplicate
CS	Client Sample
DL	Dilution
DUP	Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LCST	Laboratory Control Sample Triplicate
MB	Method Blank
MBD	Method Blank Duplicate
MBT	Method Blank Triplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
MSQD	Matrix Spike Quadruplicate
MSQT	Fifth Matrix Spike
MST	Matrix Spike Triplicate
QNT	Fifth Replicate
QUD	Quadruplicate
RE	Reanalysis
REDP	Reanalysis Duplicate
RETRP	Reanalysis Triplicate
RI	Reissue
RID	Reissue Duplicate
SXT	Sixth Replicate
TOTC	Calculated Total
TOTCD	Calculated Total for a Duplicate
TRP	Triplicate

Laboratory Qualifier Codes

Lab Qualifier Code	Laboratory Qualifier Description
*	*(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
**	** (Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
*E	*(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more Contract Laboratory Program (CLP) acceptance criteria as explained in the case narrative.
ABJ	(A) (Organic)—The tentatively Identified compound is an aldol condensate. (B) (Organic).—This analyte was detected in the associated laboratory method blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
AJ	A (Organic)—The tentatively Identified compound is an aldol condensate. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
B	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit.
B*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
B*E	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BEN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
BEN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
BJ	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
BJN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC).
BJP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BN	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
BN*	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BNE	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BP	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
BW	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract-required detection limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
D	(D) (Organic)—The result for this analyte was reported from a dilution.
DJ	(D) (Organic)—The result for this analyte was reported from a dilution. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
DP	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
DPX	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
E	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
E*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
EJ	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
EJ*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
EN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
H	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
I	(I) (DIOXIN)—The laboratory is reporting an interference for the associated congener. The reported concentration is an estimated maximum possible concentration (EMPC) due to the reported interference.
J	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
J*	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
JN	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
JN*	(J) (Organic/Inorganic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
JP	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
JPX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
JX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
L	(L) (Inorganic)—The result for this analyte in the serial dilution sample indicates physical and chemical interferences are present.
LT	(LT) (Rad)—The result for this analyte is affected by spectral interference.
N	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
N*	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
P	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
PJ	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL).
PX	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
Q	(Q)—The result for this analyte was reported at an elevated reporting limit.
SI	(SI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
SQ	(SQ) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
TI	(TI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
U	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit.
U*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UE	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.

Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
UEN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
UH	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UI	(UI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification.
UJ	(UJ) (Organic)—Legacy Chemical Sciences and Technology (CST) laboratory code should not be used.
UL	UL (all suites)—Not detected legacy—This laboratory qualifier code is applied by WQ personnel for CST data and other legacy data that was reported as not detected using the less than symbol without the laboratory assigning a U laboratory code.
UN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria.
UN*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix-spike sample was outside acceptance criteria. *(Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UUI	(UUI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification, and the laboratory assigned these gamma spectroscopy results as not detected.
UW	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
UY2	(UY2) (Rad)—Result should be regarded as an uncertain identification due to spectral interference.
W	(W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
X	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
XB	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected. (B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the instrument detection limit but less than the contract required detection limit.

Secondary Validation Flag Codes

Valid Flag Code	Valid Flag Desc
A	The contractually required supporting documentation for this datum is absent.
GUP	Matrix and units are inconsistent.
IUP	Matrix and units are inconsistent.
J	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual.
J+	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
J-	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
JN+	Presumptive evidence of the presence of the material at an estimated quantity with a suspected positive bias
JN-	Presumptive evidence of the presence of the material at an estimated quantity with a suspected negative bias
JPM	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual. Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
LIMIT	The limit type is uncertain.
MS	Invalid validation flag. MS indicates a laboratory matrix-spike sample.
MSD	Invalid validation flag. MSD indicates a laboratory matrix-spike duplicate sample.
N	Presumptive evidence of the presence of the material
NJ	(Organic)—Analyte has been tentatively identified, and the associated numerical value is estimated based upon 1:1 response factor to the nearest eluting internal standard (IS).
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
NUP	Matrix and units are inconsistent B.
P	Use professional judgment based on data use. A decision must be made by the project manager or a delegate with regard to the need for further review of the data. This review should include some consideration of potential impact that could result from using the P-qualified data.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
R	The reported sample result is classified as rejected due to serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone

May 2009

E-10

EP2009-0261

Secondary Validation Flag Codes (continued)

Valid Flag Code	Valid Flag Description
RPM	The reported sample result is classified as rejected because of serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
RUP	Matrix and units are inconsistent C.
U	The analyte is classified as not detected.
UA	Invalid validation flag of unknown meaning
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.
VUP	Matrix and units are inconsistent D.

Secondary Validation Reason Codes

Valid Reason Code	Valid Reason Description
C12d	VOC_C12d
DR12a	ORGANIC_ODRO12a
DR3b	ORGANIC_ODRO3b
DR9a	ORGANIC_ODRO9a
G165b	GAMMA_GR165b
G165c	GAMMA_GR165c
G16b	GAMMA_G16b
G16bc	GAMMA_GR16bc
G16c	GAMMA_G16c
G3TPU	The sample result is less than or equal to 3 times the 1-sigma total propagated uncertainty.
G9a	GAMMA_G9a
G9ra	GAMMA_G9ra
GADM1	GAMMA_GADMIN1
GADMI	GAMMA_GADMIN1
GCZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
GI16b	GAMMA_GI16b
GI16c	GAMMA_GI16c
GI16d	GAMMA_GI16d
GI4	GAMMA_GI4
GI5	GAMMA_GI5
GIQ	GIQ
GIR16	GAMMA_GIR16c
GJCST	CST validators assigned a J-qualifier to this sample result. The hard copy validation report should be reviewed to determine the reason for applying the J-qualifier.
GJLAB	GJLAB_GAMMA

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GLCS	The percent recovery from the laboratory control sample for this analyte was less than 10%.
GNONE	A reason code is not available in the database for the data qualifier(s) applied to this sample result.
GNPO	The reported result should be regarded as rejected because no peak was observed for this radionuclide in the gamma spectrum.
GNQ	The reported result should be regarded as rejected because the gamma spectrum peak was not quantitated.
GR1	The tracer yield information is missing. Data may not be acceptable for use.
GR10	GAMMA_GR10
GR10a	GAMMA_GR10a
GR11	GAMMA_GR11
GR15b	GAMMA_GR15b
GR15c	GAMMA_GR15c
GR16	GAMMA_GR16
GR165	GAMMA_GR165b
GR166	GAMMA_GR166
GR16a	GAMMA_GR16a
GR16b	GAMMA_GR16b
GR16c	GAMMA_GR16c
GR16d	GAMMA_GR16d
GR16g	GAMMA_GR16g
GR17c	GAMMA_GR17c
GR19	The validator identified quality deficiencies in the reported data that require qualification.
GR1a	The tracer %R value is less than 10%.
GR1c	The minimum detectable concentration (MDC) for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10%, and the result is a nondetect.
GR1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
GR3	The matrix-spike information is missing. Data may not be acceptable for use.
GR3a	ORGANIC_OGRO3a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR3b	ORGANIC_OGRO3b
GR3c	ORGANIC_OGRO3c
GR3d	ORGANIC_OGRO3d
GR3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
GR4	GAMMA_GR4
GR4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5 times the associated sample concentration.
GR5	GAMMA_GR5
GR54	GAMMA_GR54
GR5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
GR5b	GR5b
GR6	GAMMA_GR6
GR6a	GR6a
GR6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
GR6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
GR6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
GR6e	GR6e
GR7	GAMMA_GR7
GR7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
GR7b	GAMMA_GR7b
GR7c	The affected analytes are qualified as rejected because the relative error ratio (RER) was greater than 4.
GR8	GAMMA_GR8
GR9	GAMMA_GR9

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR9a	GAMMA_GR9a
GR9b	GAMMA_GR9b
GRA	GAMMA_GRA
GRLAB	R LAB Gamma
GRNA	GAMMA_GRNA
GRR16	GAMMA_GRR16c
GRR1b	GAMMA_GRR1b
GRR6c	GAMMA_GRR16c
GSI	The reported result for this radionuclide should be regarded as rejected (R) because of spectral interference in the gamma spectrum.
GTI	The reported result should be regarded as rejected because the radionuclide identification based on the gamma spectrum is tentative.
GUJC	This analyte should be regarded as not detected because the analytical laboratory assigned a U laboratory qualifier. CST validators assigned the J-qualifier. The hard copy validation report should be reviewed to determine the reason for applying the J-qualifier.
GULAB	This analyte should be regarded as not detected because the analytical laboratory assigned a U laboratory qualifier.
GUP_R	Gamma: Units and matrix are inconsistent.
GZR	The result for this radionuclide was reported as zero (0); therefore, this analyte should be regarded as not detected.
GZUNC	CST division reported this result with an uncertainty value of zero (0), indicating that this analyte should be regarded as not detected.
G_LIA	The sample was lost in analysis. Results are not available for this sample.
G_MDA	The limit type (e.g., minimum detectable activity [MDA], MDC, or decision-level concentration [DLC]) was not reported by the analytical laboratory; the reported limit value has been saved in the MDA field.
G_NQ	No data qualifier flag has been applied to this sample result.
G_TPU	Result less than or equal to $3 * 1\text{-sigma TPU}$, therefore not detected (U).
H10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
H11	The required retention time information is missing. Data may not be acceptable for use.
H11a	The affected analytes should be regarded as rejected because the associated retention times have shifted by more than 0.05 min from the initial calibration.
H12	Required LCS data are missing. The LCS analyte recoveries could not be evaluated. Data may not be acceptable for use.
H12a	H12a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H12b	HEXP_H12b
H12c	HEXP_H12c
H12d	HEXP_H12d
H14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
H14b	The matrix spike and/or the matrix-spike duplicate analyses were not performed on a sample associated with a LANL request number.
H14c	The matrix spike and/or the matrix-spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
H15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
H16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
H19	The validator identified quality deficiencies in the reported data that require qualification.
H3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results
H3a	The surrogate percent recovery is less than the LAL but greater than 10%R, which indicates the potential for a low bias in the detected results.
H3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
H3c	The reporting limit is approximated for nondetects because a surrogate percent recovery is lower than the LAL but greater than or equal to 10%R, which indicates an increased potential for false negative results.
H3d	The surrogate recovery is less than 10% and the result is a nondetect, which indicates significant potential for false negative results.
H3e	At least one surrogate percent recovery exceeds its upper UAL and at least one surrogate is less than its LAL, which indicates a greater than normal degree of uncertainty in the data.
H3f	At least one surrogate is less than 10%R and the sample result is a detect, which indicates the potential for a severely low bias in the results.
H3g	Required surrogate information is missing. Data may not be acceptable for use.
H4	The sample result is greater than the EQL and less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
H4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times.
H4b	Required method blank information is missing. Data may not be acceptable for use.
H5	The sample result is less than the EQL and less than 5 times the concentration of the analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
H6	The recovery of the LCS analyte is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
H6a	HEXP_H6a
H6b	The of the LCS analyte percent recovery is less than the LAL and greater than or equal to 10%R, which indicates the (1) reporting limit is approximate and probably biased low for nondetected results and (2) detected results likely are biased low.
H6c	H6c
H6d	The result is a nondetect and the %R value of surrogates or the analyte in the LCS is less than 10%R, which indicates a greatly increased potential for false negative results.
H7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.
H7a	HEXP_H7a
H7c	The affected analytes should be regarded as estimated and/or rejected because the associated analyte did not have a standard at the reporting limit.
H8	HEXP_H8
H8a	The required confirmation column analysis data are missing. Data may not be acceptable for use.
H9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the effects of exceeding the holding time. Factors to consider include how long the holding time was exceeded; sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
H9a	H9a
H9b	HEXP_H9b
HEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
HERB	ORGANIC_HERB 3A
HERB1	ORGANIC_HERB12A
HERB3	ORGANIC_HERB3
HERB4	ORGANIC_HERB4
HERB8	ORGANIC_HERB8
HERB9	ORGANIC_HERB9
HHOLD	The result should be regarded as rejected (R) because the holding time was exceeded by more than 2 times.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HJCST	CST assigned the J-qualifier; need hard copy to determine CST's reason.
HNONE	No reason for historic HEXP data
HNQ	HNQ
HQCBL	The J- or R-qualifier should not be accepted because the qualifier was assigned by CST based on a noncertified standard. The J- or R-qualifier should be ignored.
HR12a	ORGANIC_HERB12A
HR12b	ORGANIC_HERB12B
HR12c	ORGANIC_HERB12C
HR12d	ORGANIC_HERB12D
HR3a	ORGANIC_HERB 3A
HR3b	ORGANIC_HERB 3D
HR3d	ORGANIC_HERB3D
HR9	ORGANIC_HERB 9
HRLAB	R LAB HEXP
HSM	HEXP_SPECTRAL MATCH
HUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
HUJL	HUJL
HUJLA	HUJLA_HEXP
HULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
HWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
HWQ10	Calibration verification %D exceeded 60%.
HWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
HWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit (LAL), which indicates a potential low bias in the results.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
HWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
HWQ5	Nonspecified quality control failure; see validation report.
HWQ6	The sample was improperly preserved.
HWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
HWQ8	Calibration %RSD was greater than 60%.
HWQ9	Calibration verification %D exceeded acceptance criteria but was less than 60%.
Hba	HEXP_Hba
I	INORGANIC_I
I1	The sample result was reported as detected between the IDL and the EDL. Reported result may be less precise than results that are reported as being above the EDL.
I10	The duplicate sample RPD is greater than the advisory limit and the sample result is a detect. Manual review is suggested to determine the source of the difference between analyses.
I10a	The duplicate sample RPD is greater than the advisory limit and the sample result is a nondetect. Manual review is suggested to determine the source of the difference between analyses.
I10b	The affected analytes should be regarded as estimated because the duplicate results were not analyzed on a LANL sample.
I10c	The affected analytes should be regarded as estimated because the duplicate results exceeded the RPD requirements.
I10d	The affected analytes should be regarded as estimated because the duplicate results were greater than 2 times the RL and the RPD was greater than 20 for water and 35 for soils.
I110	INORGANIC_I110
I113a	INORGANIC_I113a
I114b	INORGANIC_I114b
I13	INORGANIC_I13
I134b	INORGANIC_I134b
I13a	Insufficient sample volume was received for a duplicate-sample analysis.
I13b	The duplicate-sample analysis was not performed on a sample associated with this request number.
I13d	INORGANIC_I13d

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I14	I14
I14a	Insufficient sample volume was received for a matrix-spike analysis.
I14b	The matrix-spike analysis was not performed on a sample associated with this request number.
I15	The sample was damaged, lost, or there was insufficient quantity and the analytical laboratory was unable to analyze it.
I15a	An ICV was not reported for this sample.
I15b	A CCV was not reported for this sample.
I16	Relative percent difference is greater than 10% in the serial dilution sample.
I16a	The affected analytes should be regarded as rejected because the ICV/CCV recovered high.
I16b	INORGANIC_I16b
I16c	The affected analytes should be regarded as estimated because the ICV/CCV recovered low.
I16d	The affected analytes should be regarded as rejected because the ICV/CCV recovered less than 10%.
I16e	The affected analytes should be regarded as rejected because the initial calibrations correlation coefficient was less than 0.995.
I16z	The affected analytes should be regarded as rejected because the ICV/CCV was not analyzed with the associated samples.
I17d	INORGANIC_I17d
I18	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed.
I18a	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed on a LANL sample.
I18b	The affected analytes should be regarded as estimated because the serial dilution sample RPD exceeded criteria.
I19	INORGANIC_I19
I1a	INORGANIC_I1a
I20	INORGANIC_I20
I24b	INORGANIC_I24b
I2h	INORGANIC_I2h
I3	The spike percent recovery value is greater than or equal to the upper acceptance limit (125%) but less than or equal to 150% and the result is a detect, which indicates a potential high bias in the sample results.
I3a	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a detect, which indicates a potential low bias in the results.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I3b	INORGANIC_I3b
I3c	INORGANIC_I3c
I3d	The spike percent recovery value is less than 30%, and the result is a nondetect, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
I3e	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a nondetect, which indicates a potential for false negatives being reported.
I3e I	INORGANIC_I3e I4
I3eI4	INORGANIC_I3e I4
I3f	The spike percent recovery value is less than 30% and the sample result is a detect, which indicates a potential low bias.
I3g	The sample result is undetected and the spike percent recovery value is greater than 150%, which indicates a potential bias in the sample result.
I3h	The sample result is detected and the spike percent recovery value is greater than 150%, which indicates a potential high bias in the sample result.
I3j	INORGANIC_I3j
I3l	INORGANIC_I3l
I4	INORGANIC_I4
I4a	In comparison with the preparation blank, the sample result is greater than the EDL but less than or equal to 5 times the concentration of the related analyte in the blank.
I4b	Preparation blank data were not reported by the analytical laboratory.
I5	The sample result is less than the estimated detection limit (EDL) and is considered to be not detected.
I6	The percent recovery value of the analyte in the LCS is greater than the upper acceptance limit, which indicates a potential for quantitation problems in the analyses and the potential for false positive results being reported.
I6a	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit, and the analyte is a detect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6b	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit, and the analyte is a nondetect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6c	The corresponding LCS or LCS analyte was not analyzed with the associated batch.
I7	The ICS percent recovery value is greater than 120% and the result is a detect, which indicates potential quantitation problems in the analyses and the potential for false positive results being reported.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I7a	The ICS percent recovery value is greater than or equal to 50% and less than 80% and the result is a detect, which indicates a potential for a low bias.
I7b	The ICS percent recovery value is less than 50%, which indicates a greatly increased potential for false negative sample results being reported.
I7c	The ICS percent recovery value is greater than or equal to 50% and less than 80%, and the result is a nondetect, which indicates a potential for false negative results being reported.
I7d	The ICS data were not provided by the analytical laboratory.
I9	The holding time is exceeded. Positive results may be biased low and nondetected analytes may be false negatives. An evaluation of the data with respect to the technical implications of exceeding the holding time is recommended. Factors to consider include sample preservation; sample storage practices; data use; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
I9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
IADM1	INORGANIC_IADMIN1
IADMI	INORGANIC_IADMIN1
ICSTZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
IDRPD	IDRPD
IEQL	INORGANIC_IEQL/MDL
IEQL/	INORGANIC_IEQL/MDL
IH6a	INORGANIC_IH6a
IHOLD	IHOLD
IICP	IICP
IJCST	CST assigned the J-qualifier; need hard copy to determine CST's reason.
IJLAB	IJLAB
ILCS	ILCS
ILIA	ILIA
ILOWS	VOC_LOWSTD
ILS	VOC_LOW STD
IMS10	IMS10

May 2009

E-22

EP2009-0261

Periodic Monitoring Report for Los Alamos Watershed

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IMS30	IMS30
INONE	No reason for historical inorganic data
INQ	INQ
IPM	INORGANIC_IPM
IQCBL	IQCBL
IR10b	INORGANIC_IR10b
IR14b	INORGANIC_IR14b
IR3	INORGANIC_IR3
IR3a	INORGANIC_IR3a
IR4	INORGANIC_IR4
IR5	INORGANIC_IR5
IR6a	INORGANIC_IR6a
IR7	INORGANIC_IR7
IR9a	INORGANIC_IR9a
IR9b	INORGANIC_IR9b
IRCST	CST assigned the R-qualifier; need hard copy to determine CST's reason.
IU1	INORGANIC_IU1
IU3e	INORGANIC_IU3e
IUA	INORGANIC_IUA
IUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
IUJLA	IUJLA
IULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
IUP_R	Inorganic: Units and matrix are inconsistent.
IUUJ	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
IV3a	INORGANIC_IV3a
IWQ1	The sample temperature was elevated
IWQ2	Negative blank samples results were greater than the MDL
IWQ3	Failed serial dilution RPD
IWQ4	Sample should have been preserved by acidification but was not. Error was not corrected at the laboratory.
IWQ5	Sample should not have been acidified but was. Error could not be corrected at the laboratory.
IWQ6	Nonspecified quality control failure; see validation report.
IWQ7	Reporting limit verification recovery was greater than the acceptance criteria.
IZR	IZR
Id	INORGANIC_Id
Is	INORGANIC_Is
J+	VOC_J+
J-	VOC_J-
J_LAB	The analytical laboratory qualified the detected result as estimated (J) because the result was less than the PQL but greater than the MDL.
LB	Gross contamination exists from a source other than the standard.
LB1	Method-blank data are missing, or method blank was not analyzed at the required frequency.
LB2	ICB/CCB data are missing, or ICB/CCB was not run at the required frequency.
LB9	The sample result is less than 5 times the concentration of the related analyte in the blank.
LC1	The frequency of the CCV did not meet method criteria.
LC2	The CCV %D failed high.
LC3	The CCV %D failed low.
LCO	Suspected carryover. Compound detected in sample at value <5 times PQL. The previous sample had a value > high standard and required dilution.
LDL1	No CRI was analyzed to verify the reporting limit.
LDL2	The CRI recovery failed high.
LDL3	The CRI recovery failed low.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LDS1	An initial dilution was performed and the surrogate recovery was $\geq 10\%$ OR $< 10\%$ but some sample results are $>PQL$.
LDS2	An initial dilution was performed and the surrogate recovery was 0% and sample results are nondetect.
LDS3	The sample result in a diluted sample was nondetect.
LDS4	The instrument response for a diluted sample result was $<$ half the lowest calibration standard and the sample result is a detect.
LH1	The holding time is exceeded for sample analysis.
LH2	The holding time is exceeded for sample extraction.
LH3	The holding time is exceeded by greater than twice the specified holding time.
LI	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
LI2	A second source ICV (or second standard made from the same stock) was not used to verify the calibration
LI3	The initial calibration %RSD or correlation coefficient failed to meet acceptance criteria.
LI4	The initial calibration slope or RF criteria were not met.
LI5	The initial calibration y-intercept criteria were not met.
LI6	An insufficient number of calibration standards were used and/or all standards were not analyzed within a 24-h period. Data may not be acceptable for use.
LI7	Points were removed from the calibration curve and the reporting limits were not adjusted accordingly.
LIR1	Chlorine isotope ratio criteria were not met.
LIS	Required IS information is missing.
LIS1	The IS area count failed high.
LIS2	The IS area count failed low.
LIS4	The IS RT is >30 s from that of the associated standard.
LIV2	The ICV %D failed high.
LIV3	The ICV %D failed low.
LL1	The frequency of the LCS did not meet the specified criteria.
LL2	The LCS %R failed high.
LL3	The LCS %R failed low.
LL4	The LCS %Rs failed both high and low, or the LCS/LSCD RPD failed to meet criteria.

EP2009-0261

E-25

May 2009

Periodic Monitoring Report for Los Alamos Watershed

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LMS1	An applicable MS/MSD analysis was not performed.
LMS2	The MS/MSD %R failed high.
LMS3	The MS/MSD %R failed low.
LMS4	Relative percent difference of the MS/MSD is greater than the acceptance criteria or the recoveries fail both high and low.
LOW S	VOC_LOW STD
LOWST	VOC_LOWSTD
LP1	The sample was improperly preserved.
LP3	Sample was not maintained at required temperature.
LR1	The sample result exceeded the calibration range.
LR2	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
LRP1	There is no measure of precision for the sample, i.e., no replicate, MSD or LCSD was performed.
LRP2	The replicate precision criteria are not met.
LS	Required surrogate information is missing. Data may not be acceptable for use.
LS1	Surrogate failed high.
LS2	Surrogate failed low.
LS4	The surrogate %R in the blank did not meet acceptance criteria.
LWQ1	Specified quality control failure; see report.
MDL	ORGANIC_OEQL/MDL
N3TPU	NONE_<3*TPU result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
NJCST	NONE_J_CST
NJLAB	NONE_J_LAB
NND	NONE_NONDETECT
NNQ	NONE_NQ
NQ	The analytical laboratory did not qualify the analyte as not detected and/or any other standard qualifier. The analyte is detected in the sample.
NS12a	SVOC_SVV12a
NS12c	SVOC_SVV12c

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
NS1a	SVOC_SVVS1a
NUA	NONE_NUA
NULAB	NONE_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
NUP_R	Units and matrix are inconsistent.
O12d	ORGANIC_OSV12d
O5XBL	ORGANIC_O5XBLANK
ODRO1	ORGANIC_ODRO12a
ODRO3	ORGANIC_ODRO3
ODRO4	ORGANIC_ODRO4
ODRO5	ODRO5_ORGANIC
ODRO7	ODRO7_ORGANIC
ODRO9	ORGANIC_ODRO9
OEQL/	ORGANIC_OEQL/MDL
OGR3b	OGR3b_ORGANIC
OGR3c	OGR3c_ORGANIC
OGRO3	ORGANIC_OGRO3
OGRO7	OGRO7_ORGANIC
OGRO9	ORGANIC_OGRO9
OH12b	ORGANIC_OH12b
OH9	ORGANIC_OH9
OI3	ORGANIC_OI3
OI4	ORGANIC_OI4
OI9	ORGANIC_OI9
ONONE	ORGANIC_ONONE
ONQ	ONQ
OP12a	ORGANIC_OP12a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OP12b	ORGANIC_OP12b
OP3	ORGANIC_OP3
OP3a	ORGANIC_OP3a
OP3b	ORGANIC_OP3b
OP3c	ORGANIC_OP3c
OP3d	ORGANIC_OP3d
OP4	ORGANIC_OP4
OP5	ORGANIC_OP5
OP6	ORGANIC_OP6
OP7	ORGANIC_OP7
OP7a	ORGANIC_OP7a
OP9	ORGANIC_OP9
OP9a	OP9a Organic
OPa	ORGANIC_OPa
OR1	INORGANIC_OR1
OSIN	ORGANIC_OSIN
OSV12	ORGANIC_OSV12d
OSV1a	ORGANIC_OSV1a
OSV3	ORGANIC_OSV3
OSV3a	ORGANIC_OSV3a
OSV4	ORGANIC_OSV4
OSV4a	ORGANIC_OSV4a
OSV7	ORGANIC_OSV7
OSV7a	ORGANIC_OSV7a
OSV9	ORGANIC_OSV9
OUJLA	O_UJ_LAB

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
OULAB	O_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
OV3	OV3
OV36	ORGANIC_OV36
OV3a	ORGANIC_OV3a
OV3b	ORGANIC_OV3b
OV3c	ORGANIC_OV3c
OV4	INORGANIC_OV4
OV7	ORGANIC_OV7
OV7a	ORGANIC_OV7a
OV9	ORGANIC_OV9
P10	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a low bias in the reported results and potential the labile compounds Endrin and 4,4'-DDT.
P10a	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a high bias in the reported results and potential false positive results for the breakdown products Endrin ketone, Endrin aldehyde, DDD, and DDE.
P10b	The breakdown recovery data are missing. The analyte breakdown could not be evaluated.
P10c	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
P11	The surrogate retention time has shifted by more than 0.05 min, possibly affecting analyte identification and causing false positives or negatives to be reported.
P11a	The surrogate recovery data are missing. Surrogate recoveries could not be evaluated.
P11b	The affected analytes are considered estimated because the confirmed analytes was outside the retention time windows.
P12	The LCS data are missing. The LCS analyte recoveries could not be evaluated.
P12a	The LCS analyte is less than 10%R, which indicates the potential for a severely low bias in the results.
P12b	The LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for a low bias in the results.
P12c	The result is a nondetect and the LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for false negative results.
P12d	The LCS analyte %R value is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
P13	The Florisil cleanup not conducted; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P13a	The GPC cleanup was not conducted on this soil sample; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.
P13b	The appropriate cleanup was not conducted; interferences may have increased the analytical uncertainty and the potential for both false positives and false negatives. Examples of required cleanups are sulfur contamination (sulfur cleanup required), interferences in PCB samples (sulfuric acid cleanup required), and high molecular weight interferences in water samples (GPC cleanup required).
P14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
P14b	The matrix spike and/or the matrix-spike duplicate analysis were not performed on a sample associated with a LANL request number.
P14c	The matrix spike and/or the matrix-spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
P15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
P16	Required continuing calibration information is missing. Data may not be acceptable for use.
P19	The validator identified quality deficiencies in the reported data that require qualification.
P23B	P23B
P3	The surrogate %R value is greater than the UAL, which indicates the potential for a high bias in the results and a potential for false positive results.
P3a	The surrogate is greater than 10%R but less than the LAL, which indicates the potential for low bias in the results.
P3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
P3c	The result is less than the EQL and the surrogate %R value is greater than 10% but less than the LAL, which indicates a potential for false negative results being reported.
P3d	The result is less than the EQL and the surrogate less than 10%R, which indicates a significant potential for false negative results.
P3e	One surrogate recovery is greater than the UAL and one surrogate recovery is less than the LAL, which indicates increased uncertainty in reported results.
P3f	The surrogate information is missing. Data may not be acceptable for use.
P4	The sample result is a detect but less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
P46	PESTPCB_P46
P4a	The method blank or instrument blank documentation is missing.
P4b	The surrogate information is missing. Data may not be acceptable for use.
P5	PESTPCB_P5

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P6	PESTPCB_P6
P7	The percent relative standard deviation (%RSD) or percent difference (%D) exceeds the applicable acceptance criterion, which indicates potential quantitation problems in the analyses and the potential for false negative results.
P77	The affected analytes are considered estimated because the associated continuing calibration standard was not analyzed within 72 h of the initial analysis. This is for multicomponent analytes.
P7a	The multicomponent analyte standard was not analyzed within 72 h of a multicomponent analyte detection. Quantitation of the multicomponent detection in the sample may not be accurate.
P7b	PESTPCB_P7b
P7c	PESTPCB_P7c
P8	This analyte should be regarded as not detected because it was not confirmed on a second dissimilar column.
P8a	The required confirmation column analysis data are missing. Data may not be acceptable for use.
P9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the impact of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
P913	PESTPCB_P913
P9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
P9b	The results for the affected analytes are rejected because the analytical holding time was exceeded.
PC	PESTPCB_PC
PEQL	P_EQL/MDL The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
PHOLD	P_HOLD_TIME
PJCST	P_J_CST
PJLAB	PJLAB_PESTPCB
PLIA	P_LIA
PNONE	No reason for historic AROCLOR data
PNQ	P_NQ
PQCBL	P_QC_BLIND
PS10	P_Surr < 10%

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
PUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
PUJLA	P_U_LAB
PULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
PV3	PESTPCB_PV3
PV4	PESTPCB_PV4
PWQ1	No MS/MSD data were included in the data package.
PWQ10	Calibration verification %D exceeded acceptance criteria but was less than 60%.
PWQ11	Calibration verification %D exceeded 60%.
PWQ2	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
PWQ3	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
PWQ4	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
PWQ5	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
PWQ6	Nonspecified quality control failure; see validation report.
PWQ7	The sample was improperly preserved.
PWQ8	Calibration %RSD was greater than the acceptance criteria but less than 60%.
PWQ9	Calibration %RSD was greater than 60%.
R 6B	RAD_R 6B
R1	The tracer /carrier %R value is <10%.
R10	RAD_R10
R10a	RAD_R10a
R10b	RAD_R10b
R11	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration was less than 3 times the 1 sigma TPU.
R11a	RAD_R11a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R11b	RAD_R11b
R11c	RAD_R11c
R11d	RAD_R11d
R14	RAD_R14
R14a	Insufficient sample volume was received for a matrix-spike analysis.
R14b	The matrix-spike analysis was not performed on a sample associated with this request number (RN).
R16	RAD_R16
R16a	Result is greater than the MDC for the following fission and activation products with half-lives less than 365 d: Ce-144, Co-57, Mn-54, Pa-233, Se-75, and Zn-65.
R16b	Result is greater than the MDC for the following radionuclides not reliably measured by gamma spectroscopy: Ac-228, Ba-140, Bi-212, I-129, La-140, Np-237, Pa-231, Pa-234, Pb-210, Pb-211, Ra,-223, Ra-224, Ra-226, and Rn-219.
R16c	Result is greater than the MDC for the following naturally occurring radionuclides that are reliably measured by gamma spectroscopy and that can provide an indication of the quality of the gamma spectroscopy measurement: Bi-211, Bi-214, K-40, Pb-212, Pb-214, Th-227, Th-234, Tl-208, and annihilation radiation.
R16d	Result is greater than the MDC for the following six radionuclides typically used by the analytical laboratories in their LCSs for instrument calibration and checks on instrument performance: Cd-109, Ce-139, Hg-203, Sn-113, Sr-85, and Y-88.
R19	The validator identified quality deficiencies in the reported data that require qualification.
R1a	The tracer %R value is 10%–30% inclusive, and the sample result is greater than the MDA.
R1b	The tracer %R value is 10%–30% inclusive, and the sample result is less than the MDA.
R1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10% and the result is a nondetect.
R1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
R1e	The tracer/carrier %R value is not reported.
R1x	The tracer %R value is less than 10%.
R1z	The tracer %R value is less than 30% but greater than 10% and the sample result is a detect.
R3	The matrix-spike %R value is greater than the upper limit and the sample result is greater than the MDA.
R3TPU	P_UJ_LAB

EP2009-0261

E-33

May 2009

Periodic Monitoring Report for Los Alamos Watershed

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R3a	The matrix-spike %R value is less than the lower limit, and the sample result is greater than the MDA.
R3b	The matrix-spike %R value is less than 10%, and the result is not detected.
R3c	The matrix-spike %R value is less than the lower limit, and the sample result is less than the MDA.
R3d	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are detected.
R3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix-spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
R4	The sample result is greater than the MDA but less than 5 times the amount found in the blank.
R4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5 times the associated sample concentration.
R4b	Blank data are either missing from or not reported in the data record package.
R4z	The method blank information is missing. The data may be acceptable for use.
R5	Analyte is not detected because the amount reported is less than the MDC.
R5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
R5b	This analyte should be regarded as rejected because spectral interferences prevent positive identification of the analytes.
R6	Recovery of the analyte in the LCS is greater than the upper limit, and the analyte result is greater than the MDA.
R6a	Recovery of analyte in the LCS is less than the lower limit, and the analyte is greater than the MDA in the sample.
R6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
R6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
R6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
R6e	The LCS data are missing from the data record package.
R7	The duplicate information is missing. Data may not be acceptable for use.
R7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
R7b	The duplicate and sample results have a DER (duplicate error ratio) that is greater than 2.0.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
R7c	The affected analytes are qualified as rejected because the RER was greater than 4.
R8	RAD_R8
R9	The results for the affected analytes should be regarded as estimated because the holding time was exceeded.
R96	RAD_R96
R9a	The results for the affected analytes should be regarded as rejected because the holding time was exceeded by 2 times the method published holding times.
R9b	RAD_R9b
RA	R_Accidentally_
RB7	RAD_RB7
RC0TP	R_CST_ZERO_TPU
RC0UN	R_CST_0_UNC
RI14a	RAD_RI14a
RI14b	RAD_RI14b
RI3	RAD_RI3
RI3a	RAD_RI3a
RI4	RAD_RI4
RI5	RAD_RI5
RI6	RAD_RI6
RIA	RAD_RIA
RIB	RAD_RIB
RJCST	R_J_CST
RJLAB	R_J_LAB
RLIA	R_LIA
RNONE	No reason for historical RAD data
RNQ	R_NQ
RPA	RAD_RPA

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
RQCBL	RQCBL_RAD
RQCMX	R_Samp_QC_Mixed
RRLAB	R LAB RAD
RSQLP	RAD_SQLPLUR9B
RT30	R_Tracer < 30%
RUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
RUJLA	RUJLA_RAD
RULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
RUP_R	RAD: Units and matrix are inconsistent.
RWQ1	Planchets were flamed
RWQ2	Result values are less than 3 times the MDC.
RWQ3	Less than the negative MDC
RWQ4	Planchets were not flamed.
RWQ5	The tracer %R value is greater than 105% but less than 125%.
RWQ6	The tracer %R value is greater than 125%.
RWQ7	Nonspecified quality control failure; see validation report.
RZUNC	R_ZERO_UNCERT
R_MDA	R_MDA
Rb	RAD_Rb
SEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
SHOLD	SHOLD
SJCST	SJCST
SJLAB	SJLAB
SNQ	SNQ
SPECT	HEXP_SPECTRAL MATCH

May 2009

E-36

EP2009-0261

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SQCBL	SQCBL
SQLPL	RAD_SQLPLUR9B
SRO9	ORGANIC_SRO9
SSU10	SSU10
SUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.
SUJLA	SUJLA
SULAB	SULAB
SV0	The IS retention time has shifted by more than 30 s, which could affect compound identification and result in false positives or negatives.
SV1	The IS area count for the quantitating IS is outside the $-50\% \pm 100\%$ window in relation to the previous continuing calibration, which could affect the quantitation accuracy of the associated analytes and the correct quantitation of surrogate %R values.
SV10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
SV11	TICs are not reported but were requested by ER Project. The validator contacted the laboratory that had not provided TICs.
SV12	The LCS documentation is missing. Data may not be acceptable for use.
SV12a	The LCS percent recovery was less than 10%.
SV12b	The LCS percent recovery was less than the LAL but greater than 10%, and the result is detected.
SV12c	The LCS percent recovery was less than the LAL but greater than 10% and the result is not detected.
SV12d	The affected analytes should be regarded as estimated and biased high because the LCS percent recovery was greater than the UAL.
SV13c	SVOC_SV13c
SV15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
SV16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
SV16a	The results for the affected analytes are rejected because the instrument performance sample (DFTPP) did not pass method acceptance criteria.
SV19	The affected analytes are qualified because the data validator identified quality deficiencies in the reported data.
SV1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
SV1b	The area count for the quantitating IS is greater than 200% of the area count for the previous continuing calibration.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV2	The quantitating IS area count is less than 10% of the expected value, which indicates increased potential for false negative results and other possible problems with sample quantitation.
SV2a	Required IS information is missing. Data may not be acceptable for use.
SV2c	SVOC_SV2c
SV3	The %R values for two or more surrogates in either SV fraction is greater than the UAL, which indicates the potential for high bias in the results and the potential for false positive results.
SV3a	Two or more surrogates in either SV fraction are greater than or equal to 10%R but less than the LAL, which indicates the potential for low bias in the results.
SV3b	A surrogate in the related fraction is less than 10%R, and the result is a detect, which indicates the potential for severely low bias in the results.
SV3c	The result is a nondetect and two or more surrogates are greater than or equal to 10%R but less than the LAL, which indicates increased potential for false negative results.
SV3d	The result is a nondetect and a surrogate in the related fraction is less than 10%R, which indicates a greatly increased potential for false negative results.
SV3e	The %R value of one surrogate in a fraction is greater than the UAL, and one is less than the LAL but greater than or equal to 10%R, which indicates a greater than normal uncertainty in the results.
SV3f	Required surrogate information is missing. Data may not be acceptable for use.
SV4	The sample result is greater than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the related analyte in the blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
SV4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times (10 times for common laboratory contaminants).
SV4b	Required method blank information is missing. Data may not be acceptable for use.
SV5	The sample result is less than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the analyte in the blank, which indicates the detected result was indistinguishable from contamination in the blank.
SV5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
SV5v7	SVOC_SV5v7a
SV6	SVOC_SV6
SV6b	SVOC_SV6b
SV7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SV7a	The affected analytes were analyzed with an initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
SV7b	The affected analytes were analyzed with an RRF of less than 0.05.
SV8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
SV8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
SV9	The extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effect of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
SV9a	The affected analytes are regarded as rejected because the extraction holding time was exceeded by 2 times the method published holding time requirements.
SV9b	The affected analytes are regarded as rejected because the analytical holding time was exceeded.
SVA	SVOC_SVA
SVC	SVOC_SVC
SVD	SVOC_SVD
SVI	SVOC_SVI
SVIA	SVOC_SVIA
SVNON	No reason for historic SVOC data
SVPM	SVOC_SVPM
SVS	SVOC_SVS
SVV12	SVOC_SVV12a
SVV1a	SVOC_SVV1a
SVV3	SVOC_SVV3
SVV4	SVOC_SVV4
SVV5	SVOC_SVV5
SVV7a	SVOC_SVV7a
SVV9	SVOC_SVV9
SVVS1	SVOC_SVVS1a

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
SWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
SWQ10	Calibration verification %D exceeded 60%.
SWQ11	The LCS recovery was greater than the acceptance criteria.
SWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
SWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
SWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
SWQ5	Nonspecified quality control failure; see validation report.
SWQ6	The sample was improperly preserved.
SWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
SWQ8	Calibration %RSD exceeded 60%.
SWQ9	Calibration verification %D was greater than the acceptance criteria but less than 60%.
UNK	Unknown
U_LAB	The analytical laboratory qualified the analyte as not detected.
V	VOC_V
V+	VOC_V+
V0	The IS retention time has shifted by more than 30 s, which could affect compound identification and cause false positives or negatives to be reported.
V1	The IS area count for the quantitating IS is outside the $-50\% \pm 100\%$ window in relation to the previous continuing calibration. This condition could affect the quantitation accuracy of the associated analytes.
V10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified because of matrix interference.
V11	TICs are not reported by the analytical laboratory but were requested by the ER Project. The analytical laboratory was contacted and TICs were not provided.
V12	The LCS documentation is missing. The data may not be acceptable for use.
V126	VOC_V126
V12a	The LCS percent recovery was less than 10%.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V12b	The LCS percent recovery was less than the LAL but greater than 10%. The result is biased low and is detected.
V12c	The LCS percent recovery was less than the LAL but greater than 10%. The result was not detected.
V12d	The LCS percent recovery was greater than the UAL. The result is detected and biased high.
V14a	Insufficient sample volume was received for a matrix spike and/or a matrix-spike duplicate analysis.
V14b	The matrix spike and/or the matrix-spike duplicate analysis was not performed on a sample associated with a LANL request number.
V14c	The matrix spike and/or the matrix-spike duplicate was analyzed on a sample associated with a different LANL request number but no summary was included.
V15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
V16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
V16a	The results should be regarded as rejected because the BFB instrument performance sample did not pass method acceptance criteria.
V19	The validator identified quality deficiencies in the reported data that require qualification.
V1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
V1b	This analyte should be regarded as estimated because the IS failed high.
V1c	VOC_V1c
V1s	VOC_V1s
V2	The quantitating IS area is less than 10% of the expected value, which indicates an increased potential for false negative results and possibly other problems with sample quantitation.
V2a	Required IS information is missing. Data may not be acceptable for use.
V3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results.
V3a	The surrogate is less than the LAL but greater than or equal to 10%R, which indicates the potential for a low bias in the results.
V3b	The surrogate is less than 10%R and the result is a detect, which indicates the potential for a severely low bias in the results.
V3c	The surrogate is less than LAL and the result is a nondetect, which indicates the potential for a low bias in the results.
V3d	The surrogate is less than 10%R and the result is a nondetect, which indicates a greatly increased potential for false negative results.
V3e	At least one surrogate is greater than the UAL and one surrogate is less than the LAL, which indicates a greater than normal degree of uncertainty in the result.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V3f	Required surrogate information is missing. Data may not be acceptable for use.
V4	The sample result is less than or equal to 5 times (10 times for acetone, methylene chloride, and 2-butanone) the concentration of the related analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
V4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5 times (10 times for common laboratory contaminants).
V4b	Required method blank information is missing. Data may not be acceptable for use.
V5	VOC_V5
V5a	Method-blank data are missing, or method blank was not analyzed. Data may not be acceptable for use.
V5c	VOC_V5c
V6b	VOC_V6b
V7	The affected results were not analyzed with a valid 5-point calibration curve and/or a standard at the reporting limit.
V76	VOC_V76
V78	VOC_V78
V7a	The affected analytes were analyzed with an initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
V7b	The affected analytes were analyzed with an RRF of less than 0.05.
V8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
V8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
V9	The analytical and/or extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effects of exceeding the holding time. Factors to consider include sample preservation; sample storage practices; use of the data; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
V9a	The affected analytes are regarded as rejected because the analytical/extraction holding time was exceeded by 2 times the method published holding time requirements.
VC4	VOC_VC4
VEQL	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
VI1	VOC_VI1
VI4	VOC_VI4

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VI45	VOC_VI45
VIA	VOC_VIA
VIC	VOC_VIC
VJCST	VJCST
VJLAB	VJLAB
VLA	VOC_VLA
VNONE	No reason for historic VOC data
VNQ	VNQ
VO	VOC_VO
VP	VOC_VP
VQCBL	VQCBL
VR5	VOC_VR5
VR7b	VOC_VR7b
VS	VOC_SPECTRUM
VSV1	VOC_VSV1
VSV1a	VOC_VSV1a
VSV3b	VOC_VSV3b
VSV3c	VOC_VSV3c
VSV4	VOC_VSV4
VSV5	VOC_VSV5
VSV7	VOC_VSV7
VSV7a	VOC_VSV7a
VU7a	VOC_VU7a
VUCST	VUCST
VUJCS	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier. CST assigned the J-qualifier; need hard copy to determine CST's reason.

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VUJLA	VUJLA
VULAB	This analyte should be regarded as not detected because the laboratory assigned a U laboratory qualifier.
VUP_R	VOC: Units and matrix are inconsistent.
VWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
VWQ10	Calibration verification %D exceeded 60%.
VWQ11	The LCS recovery was greater than the acceptance criteria.
VWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit but and the result is a detect, which indicates a potential high bias in the sample results.
VWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
VWQ4	The spike percent recovery value is less than 10%, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
VWQ5	Nonspecified quality control failure; see validation report.
VWQ6	The sample was improperly preserved.
VWQ7	Calibration %RSD was greater than the acceptance criteria but less than 60%.
VWQ8	Calibration %RSD exceeded 60%.
VWQ9	Calibration verification %D was greater than the acceptance criteria but less than 60%.

**Table E-1
Previously Unreported Surface-Water Metals**

Field Matrix Code	Location	Date	Field Prep Code	Analytical Suite Code	Analyte	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	NM Human Health	Ratio (Result/Scr Level)
WS	DP above TA-21 (E038)	09/02/08	UF	DRO	Total Petroleum Hydrocarbons Diesel Range Organics	90.6	47	µg/L	1	J	J	DR12e	SW-846:8015M_EXTRACTABLE	GELC	—*	—
WS	DP above TA-21 (E038)	09/02/08	UF	VOA	Chloroform	0.411	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	4700	—

* — = None.

**Table E-2
Previously Unreported Surface-Water Tritium**

Field Matrix Code	Location	Date	Field Prep Code	Symbol	Result	Uncertainty	MDA	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
WS	Los Alamos Canyon near Otowi Bridge	09/02/08	UF	<	7.08	1.55	3.368615	pCi/L	Generic:Low-Level_Tritium	ARSL	—*	U	R4

* — = None.

**Table E-3
Previously Unreported Groundwater Metals**

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Prep Code	Result	MDL	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	EPA MCL	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
Alluvial	PAO-5s	SINGLE	8.05	09/04/08	As	F	6.7	1.5	µg/L	GELC	—*	—	—	SW-846:6020	10	0.67	—	—
Alluvial	PAO-5s	SINGLE	8.05	09/04/08	As	UF	5.4	1.5	µg/L	GELC	—	—	—	SW-846:6020	10	0.54	—	—
Alluvial	PAO-5s	SINGLE	8.05	09/04/08	B	F	638	10	µg/L	GELC	—	—	—	SW-846:6010B	—	—	750	0.85

* — = None.

Table E-4
Previously Unreported Groundwater Organics

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Suite Code	Analyte	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Scr Level)	EPA Tap Screening Level (C)	Ratio (Result/Scr Level)	EPA Tap Screening Level (N)	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
Alluvial	LAO-0.3	SINGLE	5.9	09/02/08	FTB	UF	VOA	Methylene Chloride	2.13	2	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.43	89.4	0.02	—*	—	100	0.02
Alluvial	LAO-1	SINGLE	8	09/02/08	FTB	UF	VOA	Acetone	1.36	1.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Alluvial	LAO-3a	SINGLE	4.7	09/02/08	FD	UF	VOA	Acetone	1.37	1.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	—	—	5480	—	—	—
Intermediate	R-9i	MULTI	278.8	09/02/08	FTB	UF	VOA	Methylene Chloride	2.06	2	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	5	0.41	89.4	0.02	—	—	100	0.02

* — = None.

Table E-5
Previously Unreported Groundwater Inorganics

Analyte	Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Result	MDL	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	EPA MCL	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
NO3+NO2-N	Alluvial	PAO-5s	SINGLE	8.05	09/04/08	F	8.14	0.1	mg/L	GELC	—*	—	—	10	0.81	10	0.81
TDS	Alluvial	PAO-5s	SINGLE	8.05	09/04/08	F	553	2.4	mg/L	GELC	—	—	—	—	—	1000	0.55

* — = None.

Table E-6
Previously Unreported Groundwater Perchlorate

Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Lab Sample Type Code	Analytical Method Code	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Alluvial	PAO-5s	SINGLE	8	09/04/08	F	CS	SW-846:6850	0.0677	0.05	µg/L	1	J	J	J_LAB	GELC

**Table E-7
Previously Unreported Groundwater Tritium**

Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Field QC Type Code	Symbol	Result	Uncertainty	MDA	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Alluvial	PAO-1	SINGLE	5.89	09/03/08	UF	—*	<	22.60	3.67	3.48037	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	PAO-2	SINGLE	6.06	09/03/08	UF	—	<	23.47	3.79	3.454826	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	PAO-4	SINGLE	1.97	09/04/08	UF	FD	—	6.67	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Alluvial	PAO-4	SINGLE	1.97	09/04/08	UF	—	—	6.96	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Alluvial	PAO-5s	SINGLE	8.05	09/04/08	UF	—	—	8.84	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate	POI-4	SINGLE	159	09/04/08	UF	—	—	22.41	0.73	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate	R-5	MULTI	383.9	08/26/08	UF	—	<	0.22	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Intermediate	R-3i	SINGLE	215.2	09/03/08	UF	—	<	40.95	6.34	3.272825	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Regional	R-2	SINGLE	918	08/29/08	UF	—	<	-0.45	0.96	3.298369	pCi/L	Generic: Low-Level Tritium	ARSL	U	U	R5
Regional	R-4	SINGLE	792.9	08/26/08	UF	FD	—	55.88	1.92	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-4	SINGLE	792.9	08/26/08	UF	—	—	59.07	1.92	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-5	MULTI	718.6	08/27/08	UF	—	<	—	0.96	3.253667	pCi/L	Generic: Low-Level Tritium	ARSL	U	U	R5
Regional	R-5	MULTI	860.9	08/26/08	UF	—	<	0.29	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	U	R11
Alluvial Spring	DP Spring	SPRING	—	09/03/08	UF	—	<	27.05	4.30	3.32072	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAO-B	SINGLE	11.84	08/26/08	UF	FD	—	44.70	1.60	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Alluvial	LAO-B	SINGLE	11.84	08/26/08	UF	—	—	46.62	1.60	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Alluvial	LAO-0.3	SINGLE	5.9	09/02/08	UF	—	<	29.12	4.61	3.38458	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAO-0.6	SINGLE	8	08/29/08	UF	—	<	27.06	4.30	3.323913	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAO-1	SINGLE	8	09/02/08	UF	—	<	38.30	5.97	3.470791	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAO-1.6g	SINGLE	10.47	08/27/08	UF	—	<	21.52	3.50	3.375001	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAUZ-1	SINGLE	5.35	08/25/08	UF	—	—	47.26	1.60	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Alluvial	LAO-2	SINGLE	7	08/28/08	UF	—	<	17.53	2.93	3.362229	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAO-3a	SINGLE	4.7	09/02/08	UF	FD	<	21.99	3.56	3.298369	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAO-3a	SINGLE	4.7	09/02/08	UF	—	<	24.67	3.94	3.231316	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Alluvial	LAO-4.5c	SINGLE	13.3	8/29/2008	UF	—	<	34.615313	5.437679	3.595318	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Intermediate	LAOI(a)-1.1	SINGLE	295.2	9/3/2008	UF	—	<	0.769513	0.986637	3.276018	pCi/L	Generic: Low-Level Tritium	ARSL	U	U	R5
Intermediate	R-6i	SINGLE	602	8/27/2008	UF	FD	—	3175.836	185.994	189.809	pCi/L	EPA:906.0	ARSL	—	—	—
Intermediate	R-6i	SINGLE	602	8/27/2008	UF	—	—	3079.671	181.231	190.008	pCi/L	EPA:906.0	ARSL	—	—	—
Intermediate	LAOI-3.2	SINGLE	153.3	08/28/08	UF	—	—	3100.89	182.25	189.718	pCi/L	EPA:906.0	ARSL	—	—	—
Intermediate	R-9i	MULTI	198.8	08/29/08	UF	—	<	61.02	9.33	3.253667	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Intermediate	R-9i	MULTI	278.8	09/02/08	UF	—	<	87.72	13.34	3.550616	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Regional	R-7	MULTI	915.1	08/26/08	UF	—	<	-0.03	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Regional	R-8	MULTI	711.1	09/04/08	UF	—	<	-0.26	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Regional	R-8	MULTI	825	9/3/2008	UF	—	<	1.114357	0.846145	2.74598	pCi/L	Generic: Low-Level Tritium	ARSL	U	U	R5
Regional	R-6	SINGLE	1205	8/27/2008	UF	—	<	-1.210147	0.977058	3.349457	pCi/L	Generic: Low-Level Tritium	ARSL	U	U	R5
Regional	R-9	SINGLE	684	8/26/2008	UF	FD	—	9.51514	0.3193	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-9	SINGLE	684	8/26/2008	UF	—	—	9.38742	0.3193	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Alluvial	LLAO-4	SINGLE	5.24	8/27/2008	UF	—	<	11.347922	2.10738	3.505914	pCi/L	Generic: Low-Level Tritium	ARSL	—	U	R4
Intermediate Spring	Basalt Spring	SPRING	—	08/25/08	UF	—	—	63.54	2.24	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate Spring	Los Alamos Spring	SPRING	—	08/25/08	UF	—	—	1.28	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-24	SINGLE	825	08/26/08	UF	—	<	-0.26	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5

*— = None.

**Table E-8
Surface-Water Metals**

Field Matrix Code	Location	Date	Analyte	Field Prep Code	Result	MDL	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	NM Aquatic Acute 100 mg (F)	Ratio (Result/Scr Level)	NM Aquatic Chronic 100 mg (F)	Ratio (Result/Scr Level)
WS	Pueblo above SR-502 (E060)	01/21/09	Al	F	122	68	µg/L	GELC	J	J	J_LAB	SW-846:6010B	—*	—	87	1.4
WS	Pueblo above SR-502 (E060)	01/21/09	Cd	F	0.22	0.11	µg/L	GELC	J	J	J_LAB	SW-846:6020	—	—	0.2	1.1
WS	Pueblo above SR-502 (E060)	01/21/09	Cu	F	7.8	3	µg/L	GELC	J	J	J_LAB	SW-846:6010B	13.4	0.58	9	0.87

* — = None.

**Table E-9
Surface-Water Organics**

Field Matrix Code	Location	Date	Field Prep Code	Analytical Suite Code	Analyte	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code
WS	Pueblo above SR-502 (E060)	01/21/09	UF	DIOX/FUR	Heptachlorodibenzodioxins (Total)	0.00000235	0.00000235	µg/L	1	—*	—	—	SW-846:8290	ALTC

* — = None.

**Table E-10
Surface-Water Perchlorate**

Field Matrix Code	Location	Date	Field QC Type Code	Field Prep Code	Analytical Method Code	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
WS	Pueblo above SR-502 (E060)	01/21/09	—*	F	SW-846:6850	0.179	0.05	µg/L	1	J	J	J_LAB	GELC
WS	Los Alamos Canyon near Otowi Bridge (E110)	01/15/09	—	F	SW-846:6850	0.291	0.05	µg/L	1	—	—	—	GELC
WS	Los Alamos Canyon near Otowi Bridge	01/15/09	FD	F	SW-846:6850	0.29	0.05	µg/L	1	—	—	—	GELC

* — = None.

**Table E-11
Surface-Water Radionuclides**

Field Matrix Code	Location	Date	Analyte	Field Prep Code	Lab Sample Type Code	Result	Uncertainty	MDA	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE BCG Water	Ratio (Result/Scr Level)	NMIED Radiation Protection	Ratio (Result/Scr Level)
WS	Pueblo above SR-502 (E060)	01/21/09	Pu-239/240	UF	CS	0.0371	0.01	0.033	pCi/L	GELC	HASL-300:ISOPU	—*	—	—	200	—	20	—

* — = None.

**Table E-12
Groundwater Organics**

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Suite Code	Analyte	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA MCL	Ratio (Result/Scr Level)	EPA Tap Screening Level (C)	Ratio (Result/Scr Level)	EPA Tap Screening Level (N)	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
Alluvial	APCO-1	SINGLE	4.7	01/09/09	—*	UF	DIOX/FUR	Heptachlorodibenzodioxins (Total)	0.00000258	0.00000258	µg/L	1	—	—	—	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Alluvial	APCO-1	SINGLE	4.7	01/09/09	—	UF	DIOX/FUR	Octachlorodibenzofuran[1,2,3,4,6,7,8,9-]	0.00000257	0.00000257	µg/L	1	J	J	J_LAB	SW-846:8290	ALTC	—	—	—	—	—	—	—	—
Intermediate	R-3i	SINGLE	215.2	01/20/09	—	UF	SVOA	Dioxane[1,4-]	1.29	1.2	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	—	—	61.1	0.02	—	—	—	—
Intermediate	R-6i	SINGLE	602	01/20/09	FD	UF	SVOA	Dioxane[1,4-]	3.32	1.1	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	—	—	61.1	0.05	—	—	—	—
Intermediate	R-6i	SINGLE	602	01/20/09	—	UF	SVOA	Dioxane[1,4-]	3.42	1.1	µg/L	1	J	J	J_LAB	SW-846:8270C	GELC	—	—	61.1	0.06	—	—	—	—
Intermediate	LAOI-3.2a	SINGLE	181.4	01/12/09	—	UF	VOA	Chloroform	0.408	0.25	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	80	0.01	1.67	0.24	—	—	100	—
Intermediate Spring	Basalt Spring	SPRING	—	01/13/09	—	UF	VOA	Butanone[2-]	5.21	1.3	µg/L	1	—	J	V7c	SW-846:8260B	GELC	—	—	—	—	7060	—	—	—
Intermediate Spring	Los Alamos Spring	SPRING	—	01/13/09	—	UF	VOA	Chloromethane	0.341	0.3	µg/L	1	J	J	J_LAB	SW-846:8260B	GELC	—	—	21.3	0.02	—	—	—	—

* — = None.

**Table E-13
Groundwater Inorganics**

Analyte	Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Result	MDL	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	NMWQCC GW STD	Ratio (Result/Scr Level)
F(-1)	Intermediate	R-5	MULTI	383.9	01/14/09	F	1.05	0.033	mg/L	GELC	—*	—	—	1.6	0.66
F(-1)	Intermediate Spring	Los Alamos Spring	SPRING	—	01/13/09	F	0.922	0.033	mg/L	GELC	—	—	—	1.6	0.58

* — = None.

Table E-14
Groundwater Perchlorate

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Prep Code	Analytical Method Code	Symbol	Result	MDL	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Alluvial	PAO-4	SINGLE	2	01/07/09	—*	F	SW-846:6850	—	0.157	0.05	µg/L	1	J	J	J_LAB	GELC
Alluvial	PAO-4	SINGLE	2	01/07/09	FD	F	SW-846:6850	—	0.149	0.05	µg/L	1	J	J	J_LAB	GELC
Alluvial	APCO-1	SINGLE	5	01/09/09	—	F	SW-846:6850	—	0.207	0.05	µg/L	1	—	—	—	GELC
Intermediate	POI-4	SINGLE	159	01/22/09	—	F	SW-846:6850	—	0.313	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-5	MULTI	384	01/14/09	—	F	SW-846:6850	—	1.24	0.1	µg/L	2	—	—	—	GELC
Intermediate	R-5	MULTI	384	01/14/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate	R-3i	SINGLE	215	01/20/09	—	F	SW-846:6850	—	2.69	0.2	µg/L	4	—	—	—	GELC
Intermediate	R-3i	SINGLE	215	01/20/09	FD	F	SW-846:6850	—	2.82	0.2	µg/L	4	—	—	—	GELC
Regional	R-2	SINGLE	918	01/14/09	—	F	SW-846:6850	—	0.397	0.05	µg/L	1	—	—	—	GELC
Regional	R-4	SINGLE	793	01/22/09	—	F	SW-846:6850	—	4.26	0.5	µg/L	10	—	—	—	GELC
Regional	R-4	SINGLE	793	01/22/09	FD	F	SW-846:6850	—	4.26	0.5	µg/L	10	—	—	—	GELC
Regional	R-5	MULTI	719	01/14/09	—	F	SW-846:6850	—	1.19	0.1	µg/L	2	—	—	—	GELC
Regional	R-5	MULTI	861	01/12/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-5	MULTI	861	01/12/09	—	F	SW-846:6850	—	0.272	0.05	µg/L	1	—	—	—	GELC
Intermediate	LAOI(a)-1.1	SINGLE	295	01/13/09	—	F	SW-846:6850	—	0.197	0.05	µg/L	1	J	J	J_LAB	GELC
Intermediate	LADP-3	SINGLE	316	01/09/09	—	F	SW-846:6850	—	0.13	0.05	µg/L	1	J	J	J_LAB	GELC
Intermediate	R-6i	SINGLE	602	01/20/09	—	F	SW-846:6850	—	6.39	0.5	µg/L	10	—	—	—	GELC
Intermediate	R-6i	SINGLE	602	01/20/09	FD	F	SW-846:6850	—	6.62	0.5	µg/L	10	—	—	—	GELC
Intermediate	LAOI-3.2	SINGLE	153	01/12/09	—	F	SW-846:6850	—	4.62	0.5	µg/L	10	—	—	—	GELC
Intermediate	LAOI-3.2a	SINGLE	181	01/12/09	—	F	SW-846:6850	—	3.01	0.25	µg/L	5	—	—	—	GELC
Intermediate	LAOI-7	SINGLE	240	01/07/09	—	F	SW-846:6850	—	0.522	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-9i	MULTI	199	01/08/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate	R-9i	MULTI	199	01/08/09	—	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate	R-9i	MULTI	279	01/08/09	EQB	UF	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Intermediate	R-9i	MULTI	279	01/08/09	—	F	SW-846:6850	—	2.07	0.2	µg/L	4	—	—	—	GELC
Regional	R-7	MULTI	915	01/13/09	EQB	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-7	MULTI	915	01/13/09	—	F	SW-846:6850	<	0.2	0.05	µg/L	1	U	U	U_LAB	GELC
Regional	R-8	MULTI	711	01/08/09	EQB	F	SW-846:6850	—	0.0917	0.05	µg/L	1	J	J	J_LAB	GELC
Regional	R-8	MULTI	711	01/08/09	—	F	SW-846:6850	<	0.313	0.05	µg/L	1	—	U	PE4d	GELC
Regional	R-6	SINGLE	1205	01/20/09	—	F	SW-846:6850	—	0.322	0.05	µg/L	1	—	—	—	GELC
Regional	R-9	SINGLE	684	01/08/09	—	F	SW-846:6850	—	0.953	0.05	µg/L	1	—	—	—	GELC
Alluvial	LLAO-4	SINGLE	5	01/08/09	—	F	SW-846:6850	—	0.092	0.05	µg/L	1	J	J	J_LAB	GELC
Intermediate Spring	Basalt Spring	SPRING	—	01/13/09	—	F	SW-846:6850	—	4.39	0.5	µg/L	10	—	—	—	GELC
Intermediate Spring	Los Alamos Spring	SPRING	—	01/13/09	—	F	SW-846:6850	—	1.6	0.2	µg/L	4	—	—	—	GELC
Regional	R-24	SINGLE	825	01/15/09	—	F	SW-846:6850	—	0.356	0.05	µg/L	1	—	—	—	GELC

* — = None.

**Table E-15
Groundwater Radionuclides**

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Prep Code	Field QC Type Code	Result	Uncertainty	MDA	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	DOE DCG	Ratio (Result/Scr Level)	DOE DW DCG	Ratio (Result/Scr Level)	EPA MCL	Ratio (Result/Scr Level)	NMED Radiation Protection	Ratio (Result/Scr Level)
Intermediate	R-6i	SINGLE	602	01/20/09	H-3	UF	FD	3880	410	150	pCi/L	GELC	EPA:906.0	—*	—	—	—	—	80000	0.05	20000	0.19	1000000	—
Intermediate	R-6i	SINGLE	602	01/20/09	H-3	UF	—	3770	400	150	pCi/L	GELC	EPA:906.0	—	—	—	—	—	80000	0.05	20000	0.19	1000000	—
Intermediate	LAOI-3.2	SINGLE	153.3	01/12/09	H-3	UF	—	2580	270	150	pCi/L	GELC	EPA:906.0	—	—	—	—	—	80000	0.03	20000	0.13	1000000	—
Intermediate	LAOI-3.2a	SINGLE	181.4	01/12/09	H-3	UF	—	1840	190	150	pCi/L	GELC	EPA:906.0	—	—	—	—	—	80000	0.02	20000	0.09	1000000	—
Intermediate	LAOI-7	SINGLE	240	01/07/09	H-3	UF	—	710	89	150	pCi/L	GELC	EPA:906.0	—	—	—	—	—	80000	0.01	20000	0.04	1000000	—

* — = None.

**Table E-16
Groundwater Tritium**

Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Field QC Type Code	Symbol	Result	Uncertainty	MDA	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Intermediate	POI-4	SINGLE	159	01/22/09	UF	—*	—	20.82	0.57	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate	R-5	MULTI	383.9	01/14/09	UF	—	<	0.45	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	U	R11
Intermediate	R-3i	SINGLE	215.2	01/20/09	UF	FD	—	68.01	2.24	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate	R-3i	SINGLE	215.2	01/20/09	UF	—	—	68.01	2.24	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-2	SINGLE	918	01/14/09	UF	—	<	0.38	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	U	R11
Regional	R-4	SINGLE	792.9	01/22/09	UF	FD	—	51.73	1.60	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-4	SINGLE	792.9	01/22/09	UF	—	—	52.05	1.60	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-5	MULTI	718.6	01/14/09	UF	—	<	0.10	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Regional	R-5	MULTI	860.9	01/12/09	UF	—	<	0.13	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Intermediate	LAOI(a)-1.1	SINGLE	295.2	01/13/09	UF	—	<	-0.10	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Intermediate	LADP-3	SINGLE	316	01/09/09	UF	—	—	106.01	3.51	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate	R-9i	MULTI	198.8	01/08/09	UF	—	—	112.39	3.83	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate	R-9i	MULTI	278.8	01/08/09	UF	—	—	116.86	3.83	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-7	MULTI	915.1	01/13/09	UF	—	<	—	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Regional	R-8	MULTI	711.1	01/08/09	UF	—	<	0.16	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Regional	R-8	MULTI	825	01/08/09	UF	—	<	—	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Regional	R-6	SINGLE	1205	01/20/09	UF	—	<	-0.03	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5
Regional	R-9	SINGLE	684	01/08/09	UF	—	—	7.89	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—

Table E-16 (continued)

Zone	Location	Well Class	Port Depth (ft)	Date	Field Prep Code	Field QC Type Code	Symbol	Result	Uncertainty	MDA	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Alluvial	LLAO-4	SINGLE	5.24	01/08/09	UF	—	—	17.34	0.57	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate Spring	Basalt Spring	SPRING	—	01/13/09	UF	—	—	66.73	2.24	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Intermediate Spring	Los Alamos Spring	SPRING	—	01/13/09	UF	—	—	1.25	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	—	—	—
Regional	R-24	SINGLE	825	01/15/09	UF	—	<	—	0.29	0.28737	pCi/L	Generic: Low-Level Tritium	UMTL	U	U	R5

* — = None.

Appendix F

Investigation-Derived Waste Management

F-1.0 INTRODUCTION

This appendix describes the storage and disposal of investigation-derived waste (IDW) generated during this periodic groundwater monitoring event conducted in the Los Alamos/Pueblo Watershed under the Los Alamos National Laboratory (LANL or the Laboratory) "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 2008, 101897). IDW is waste generated as a result of field investigation activities and may include, but is not limited to, purge water; contact waste, consisting of contaminated personal protective equipment (PPE), sampling supplies, plastic, and paper; fluids from the decontamination of PPE and sampling equipment; and all other wastes potentially contacting contaminants. IDW generated during implementation of the IFGMP is managed to protect human health and the environment, comply with applicable regulatory requirements, and adhere to Laboratory waste minimization goals. The wastes are managed in accordance with the Los Alamos/Pueblo Watershed groundwater monitoring waste characterization strategy form (WCSF), submitted in the January 2007 periodic monitoring report (PMR) (LANL 2007, 095819). The WCSF provides information on IDW characterization, management, containerization, analytical methods and estimated waste volumes. The most recent version of the "Los Alamos National Laboratory Hazardous Waste Minimization Report" (LANL 2008, 104174) is being implemented during groundwater monitoring to minimize waste generation. The plan is updated annually as a requirement of Module VIII of the Laboratory's Hazardous Waste Facility Permit.

F-2.0 WASTE DETERMINATION

IDW characterization is completed through review of existing data and/or documentation and sampling of the media being investigated (i.e., groundwater). The groundwater analyses are augmented, as needed, by direct sampling of containerized purge waters to fulfill a treatment or disposal of facility's waste acceptance criteria (WAC). Under the 2008 IFGMP, the wastes from each sampling event were initially managed as hazardous wastes until the analytical data for that event were available. However, multiple analyses showed that the groundwater (and therefore the wastes) for a number of the wells were not hazardous. The 2008 IFGMP recognized this and allowed the number of sampling events used to make Resource Conservation and Recovery Act (RCRA) waste determinations to be based on acceptable knowledge (AK) of groundwater conditions within a watershed in the area of a well. AK includes reviews of existing analytical data and may also include source term/process identification performed to identify whether listed hazardous waste may be present (i.e., due diligence reviews). If low levels of listed hazardous waste are identified, a "contained-in" request may be submitted for approval to New Mexico Environment Department (NMED).

F-3.0 WASTE MANAGEMENT

All IDW generated during this periodic monitoring event is being managed in accordance with applicable standard operating procedures (SOPs). These SOPs incorporate the requirements of all applicable U.S. Environmental Protection Agency (EPA) and NMED regulations, U.S. Department of Energy (DOE) orders, and Laboratory procedures.

The SOP applicable to the characterization and management of IDW is

EP-ERSS-SOP-5022, Characterization and Management of Environmental Restoration Project Waste (<http://www.lanl.gov/environment/all/qa/adept.shtml>).

The IDW streams associated with groundwater monitoring are identified in Table F-3.0-1 and are briefly described below. Table F-3.0-1 summarizes the waste types, volumes, characterization methods, methods of on-site management, and disposition path for each of the waste streams. Only the wastes generated during this particular monitoring event are detailed in this section and in Table F-3.0-1. The number of samples used to make the waste determination varies by well, depending on the classifications described in section F-2.0, Waste Determination. If the waste has not yet been land-applied, or shipped to the destination where it will be treated and/or disposed of, "Pending" appears in the Disposition Status column of Table F-3.0-1. Waste that has not yet been characterized is managed conservatively or based on previous analytical data. Existing waste disposal documentation (waste profile forms, manifests, etc.) that are in use and have been submitted in a previous report (see bullets below) are not attached.

If a waste stream from a previous monitoring event was reported as pending land application or disposal and has since been land applied or disposed, the waste types, volumes, characterization methods are updated in a table included in this appendix. However, no waste streams from previous monitoring events have been disposed of during this reporting period. If new disposal documents have been used since a previous reporting period, any new waste disposal documents are included in this appendix.

Purge water: The purge water waste stream consists of groundwater purged from wells in the Los Alamos/Pueblo Watershed before sampling to ensure that representative samples are collected. Purge water is being managed and characterized in accordance with the WCSF and ENV-RCRA-SOP-010.1, Land Application of Groundwater. ENV-RCRA-SOP-010.1 implements the NMED-approved Notice of Intent (NOI) Decision Tree for land application of drilling, development, rehabilitation, and sampling purge water.

During the monitoring activity, purge water was collected and containerized as it was removed from the wells. If purge water at a specific well has met the requirements for land application, it may have been directly land-applied, or it may have been containerized before land application. The type of storage container used depends on the volume of purge water expected and includes 5-gal. carboys, 55-gal. drums, and other containers. For transport U.S. Department of Transportation- (DOT-) approved containers are used, as appropriate. The containers of purge water are managed in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste, as follows.

- If purge water is hazardous or mixed waste, it is placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in or investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the waste is treated or disposed of at a permitted off-site treatment, storage, and disposal (TSD) facility.
- Purge water that has been determined to be nonhazardous, including those for which NMED has granted a contained-in determination, are evaluated using ENV-RCRA-SOP-010.1 for land disposal. If land application criteria are met, the purge water is land-applied as specified in the NOI decision tree. If land application criteria cannot be met, the purge water is transported and treated and/or disposed of at on-site facilities, if possible, or treated and/or disposed of at an authorized off-site facility if the WACs of on-site facilities cannot be met.

Contact waste: The contact waste stream consists of solid wastes generated during sampling that "contacted" potentially contaminated environmental media (i.e., purge water) and cannot be decontaminated. It consists primarily of contaminated PPE (primarily gloves); disposable sampling supplies; and dry decontamination wastes, such as paper items. Contact waste is stored in containers (e.g., 55-gal. drums) at monitoring sites or at waste accumulation areas appropriate for the regulatory status of the waste. DOT-approved containers are used, as appropriate, for transport. Characterization of this waste stream is being performed through AK from analytical results for the environmental media that

it came into contact or through direct sampling of the containerized waste. The contact waste is managed in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste, as follows.

- Contact waste that has been in contact with nonhazardous, nonradioactive groundwater is disposed of at a New Mexico solid waste landfill using Waste Profile Form (WPF) (39268, a copy of which was included in a previous PMR (LANL 2008, 103737).
- If the contact wastes are hazardous or mixed wastes, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless a contained-in is granted by NMED or a due diligence investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated and/or disposed of at a permitted off-site TSD facility.
- If the contact wastes are nonhazardous but contain elevated radioactivity, the contact wastes may be designated as low-level radioactive waste and disposed of at Technical Area 54 (TA-54) Area G. Radioactive contact waste must be placed in registered radioactive waste staging or storage areas that may be at the location of the wells or may be at other locations at the Laboratory. If the LANL Green Is Clean program verifies that the contact waste is nonradioactive, it is disposed of at a New Mexico solid waste landfill.

Decontamination fluids: Consistent with waste minimization practices, the Laboratory employs dry decontamination methods to the extent possible. However, if dry decontamination cannot be performed, liquid decontamination is used. The decontamination fluids waste stream consists of decontamination solutions and rinse waters, such as deionized water and Alconox. Liquid decontamination wastes are collected in containers at the point of generation. The decontamination fluids waste stream are characterized through AK of the environmental media or direct sampling of the containerized waste. These wastes receive the same designation as the associated purge water. The containers of decontamination fluids are managed in accordance with their classification as nonhazardous/nonradioactive, hazardous, mixed, or radioactive waste, as follows.

- Nonhazardous/nonradioactive decontamination fluids may be sent to the Sanitary Waste System or the Sanitary Effluent Reclamation Facility.
- The Radioactive Liquid Waste Treatment Facility or the TA-53 evaporation basins treat radioactive wastewaters. Radioactive wastewaters must be placed in registered radioactive staging or storage areas that may be at the location of the wells or may be at other locations at the Laboratory. If the decontamination fluids do not meet the WAC for these facilities, they are sent off-site for treatment and/or disposal.
- If the wastes are hazardous or mixed waste, they are placed in registered hazardous waste accumulation areas that may be at the location of the wells or may be at other locations at the Laboratory. Unless NMED grants a contained-in or a due diligence investigation of the sources of the contamination determines that the waste is not listed hazardous waste, the waste will be managed appropriately for its regulatory classification. If it is determined to be hazardous or mixed waste, it will be treated and/or disposed of at a permitted off-site TSD facility.

F-4.0 REFERENCES

The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID. This information is also included in text citations. ER IDs are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

LANL (Los Alamos National Laboratory), January 2007. "Periodic Monitoring Report for Los Alamos Watershed Sampled July 24 through August 10, 2006," Los Alamos National Laboratory document LA-UR-06-8092, Los Alamos, New Mexico. (LANL 2007, 095819)

LANL (Los Alamos National Laboratory), May 2008. "2008 Interim Facility-Wide Groundwater Monitoring Plan," Los Alamos National Laboratory document LA-UR-08-3273, Los Alamos, New Mexico. (LANL 2008, 101897)

LANL (Los Alamos National Laboratory), September 2008. "Periodic Monitoring Report for White Rock Watershed, April 23–April 30, 2008," Los Alamos National Laboratory document LA-UR-08-5847, Los Alamos, New Mexico. (LANL 2008, 103737)

LANL (Los Alamos National Laboratory), November 2008. "Los Alamos National Laboratory Hazardous Waste Minimization Report," Los Alamos National Laboratory document LA-UR-08-7274, Los Alamos, New Mexico. (LANL 2008, 104174)

**Table F-3.0-1
Summary of IDW Generation and Management**

Waste Stream	Waste Type	Volume	Characterization Method	On-Site Management	Disposition Status
Purge Water	Nonhazardous, Nonradioactive	1371 gal.	Analytical results from groundwater-monitoring samples and AK	Originally managed conservatively and collected in containers, stored at satellite accumulation areas, or at less-than-90-day accumulation areas. These wastes have been determined to be nonhazardous based on date review or due diligence. The containers and accumulation areas have been downgraded to nonhazardous.	Pending land application review and approval
Purge Water	Nonhazardous, Suspect radioactive	741 gal.	Same as above	Managed as described above	Pending analytical data, land application review or WPF approval ^a
Contact Waste	Nonhazardous, Nonradioactive	0.05 yd ³ (9 gal.)	AK of the waste materials	Managed as described above	Disposed of at New Mexico solid waste landfill; WPF #39268 ^b
Contact Waste	Nonhazardous, Suspect Radioactive	0.03 yd ³ (6.5 gal.)	AK of the waste materials	Managed as described above	Pending Green Is Clean screening, segregation, or WPF approval ^a
Decontamination Fluids	Nonhazardous, Nonradioactive	10 gal.	Analytical results from groundwater-monitoring samples and AK	Managed as described above	Pending WPF approval and disposal ^a

^a Disposal documentation is pending completion of transport.

^b The existing WPF was submitted in Appendix F of the September 2008 PMR (LANL 2008, 103737).

Appendix G

Analytical Reports
(on CD included with this document)

DVD Table of Contents

Request	Suite	Lab	Sample	Date	Location
09-589	GENINORG	GELC	CALA-09-1734	1/7/2009	LAOI-7
09-589	GENINORG	GELC	CALA-09-1735	1/7/2009	LAOI-7
09-589	METALS	GELC	CALA-09-1735	1/7/2009	LAOI-7
09-589	RAD	GELC	CALA-09-1734	1/7/2009	LAOI-7
09-590	GENINORG	GELC	CAPU-09-1772	1/7/2009	PAO-4
09-590	GENINORG	GELC	CAPU-09-1773	1/7/2009	PAO-4
09-590	GENINORG	GELC	CAPU-09-1774	1/7/2009	PAO-4
09-590	GENINORG	GELC	CAPU-09-1775	1/7/2009	PAO-4
09-590	METALS	GELC	CAPU-09-1772	1/7/2009	PAO-4
09-590	METALS	GELC	CAPU-09-1774	1/7/2009	PAO-4
09-592	GENINORG	GELC	CALA-09-1714	1/8/2009	LLAO-4
09-592	GENINORG	GELC	CALA-09-1715	1/8/2009	LLAO-4
09-592	METALS	GELC	CALA-09-1714	1/8/2009	LLAO-4
09-592	METALS	GELC	CALA-09-1715	1/8/2009	LLAO-4
09-592	RAD	GELC	CALA-09-1714	1/8/2009	LLAO-4
09-592	RAD	GELC	CALA-09-1715	1/8/2009	LLAO-4
09-592	SVOA	GELC	CALA-09-1715	1/8/2009	LLAO-4
09-592	VOA	GELC	CALA-09-1715	1/8/2009	LLAO-4
09-592	VOA	GELC	CALA-09-1815	1/8/2009	LLAO-4
09-593	GENINORG	GELC	CALA-09-1764	1/8/2009	R-9
09-593	GENINORG	GELC	CALA-09-1765	1/8/2009	R-9
09-593	METALS	GELC	CALA-09-1765	1/8/2009	R-9
09-596	GENINORG	GELC	CAPU-09-1776	1/9/2009	APCO-1
09-596	GENINORG	GELC	CAPU-09-1777	1/9/2009	APCO-1
09-596	METALS	GELC	CAPU-09-1776	1/9/2009	APCO-1
09-596	PEST/PCB	GELC	CAPU-09-1777	1/9/2009	APCO-1
09-596	RAD	GELC	CAPU-09-1776	1/9/2009	APCO-1
09-596	RAD	GELC	CAPU-09-1777	1/9/2009	APCO-1
09-596	SVOA	GELC	CAPU-09-1777	1/9/2009	APCO-1
09-598	GENINORG	GELC	CALA-09-1746	1/9/2009	LADP-3
09-598	GENINORG	GELC	CALA-09-1747	1/9/2009	LADP-3
09-598	METALS	GELC	CALA-09-1746	1/9/2009	LADP-3
09-598	METALS	GELC	CALA-09-1747	1/9/2009	LADP-3
09-598	RAD	GELC	CALA-09-1746	1/9/2009	LADP-3
09-598	RAD	GELC	CALA-09-1747	1/9/2009	LADP-3
09-599	GENINORG	GELC	CALA-09-1726	1/8/2009	R-9i
09-599	GENINORG	GELC	CALA-09-1727	1/8/2009	R-9i
09-599	GENINORG	GELC	CALA-09-1728	1/8/2009	R-9i
09-599	GENINORG	GELC	CALA-09-1729	1/8/2009	R-9i

Periodic Monitoring Report for Los Alamos Watershed

Request	Suite	Lab	Sample	Date	Location
09-599	GENINORG	GELC	CALA-09-1730	1/8/2009	R-9i
09-599	GENINORG	GELC	CALA-09-1731	1/8/2009	R-9i
09-599	GENINORG	GELC	CALA-09-1761	1/8/2009	R-8
09-599	GENINORG	GELC	CALA-09-1762	1/8/2009	R-8
09-599	GENINORG	GELC	CALA-09-1763	1/8/2009	R-8
09-599	METALS	GELC	CALA-09-1726	1/8/2009	R-9i
09-599	METALS	GELC	CALA-09-1728	1/8/2009	R-9i
09-599	METALS	GELC	CALA-09-1730	1/8/2009	R-9i
09-599	METALS	GELC	CALA-09-1731	1/8/2009	R-9i
09-599	METALS	GELC	CALA-09-1762	1/8/2009	R-8
09-599	METALS	GELC	CALA-09-1763	1/8/2009	R-8
09-611	GENINORG	GELC	CALA-09-1732	1/12/2009	LAOI-3.2
09-611	GENINORG	GELC	CALA-09-1733	1/12/2009	LAOI-3.2
09-611	GENINORG	GELC	CALA-09-1736	1/12/2009	LAOI-3.2a
09-611	GENINORG	GELC	CALA-09-1737	1/12/2009	LAOI-3.2a
09-611	METALS	GELC	CALA-09-1733	1/12/2009	LAOI-3.2
09-611	METALS	GELC	CALA-09-1736	1/12/2009	LAOI-3.2a
09-611	RAD	GELC	CALA-09-1732	1/12/2009	LAOI-3.2
09-611	RAD	GELC	CALA-09-1737	1/12/2009	LAOI-3.2a
09-611	SVOA	GELC	CALA-09-1737	1/12/2009	LAOI-3.2a
09-611	VOA	GELC	CALA-09-1737	1/12/2009	LAOI-3.2a
09-611	VOA	GELC	CALA-09-1738	1/12/2009	LAOI-3.2a
09-612	DIOX/FUR	ALTC	CAPU-09-1777	1/9/2009	APCO-1
09-617	GENINORG	GELC	CAPU-09-1805	1/12/2009	R-5
09-617	GENINORG	GELC	CAPU-09-1806	1/12/2009	R-5
09-617	GENINORG	GELC	CAPU-09-1807	1/12/2009	R-5
09-617	GENINORG	GELC	CAPU-09-1809	1/12/2009	R-5
09-617	GENINORG	GELC	CAPU-09-1810	1/12/2009	R-5
09-617	METALS	GELC	CAPU-09-1805	1/12/2009	R-5
09-617	METALS	GELC	CAPU-09-1806	1/12/2009	R-5
09-617	METALS	GELC	CAPU-09-1807	1/12/2009	R-5
09-617	METALS	GELC	CAPU-09-1809	1/12/2009	R-5
09-617	METALS	GELC	CAPU-09-1810	1/12/2009	R-5
09-617	VOA	GELC	CAPU-09-1805	1/12/2009	R-5
09-617	VOA	GELC	CAPU-09-1806	1/12/2009	R-5
09-617	VOA	GELC	CAPU-09-1808	1/12/2009	R-5
09-617	VOA	GELC	CAPU-09-1809	1/12/2009	R-5
09-617	VOA	GELC	CAPU-09-1810	1/12/2009	R-5
09-621	RAD	UMTL	CALA-09-1727	1/8/2009	R-9i
09-621	RAD	UMTL	CALA-09-1729	1/8/2009	R-9i
09-621	RAD	UMTL	CALA-09-1747	1/9/2009	LADP-3

Request	Suite	Lab	Sample	Date	Location
09-621	RAD	UMTL	CALA-09-1749	1/8/2009	R-8
09-621	RAD	UMTL	CALA-09-1761	1/8/2009	R-8
09-621	RAD	UMTL	CALA-09-1764	1/8/2009	R-9
09-622	RAD	UMTL	CAPU-09-1805	1/12/2009	R-5
09-628	HEXP	STSL	CALA-09-1811	1/13/2009	Los Alamos Spring
09-629	RAD	UMTL	CALA-09-1697	1/13/2009	Basalt Spring
09-629	RAD	UMTL	CALA-09-1725	1/13/2009	LAOI(a)-1.1
09-629	RAD	UMTL	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	GENINORG	GELC	CALA-09-1697	1/13/2009	Basalt Spring
09-630	GENINORG	GELC	CALA-09-1698	1/13/2009	Basalt Spring
09-630	GENINORG	GELC	CALA-09-1724	1/13/2009	LAOI(a)-1.1
09-630	GENINORG	GELC	CALA-09-1725	1/13/2009	LAOI(a)-1.1
09-630	GENINORG	GELC	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	GENINORG	GELC	CALA-09-1812	1/13/2009	Los Alamos Spring
09-630	HEXP	GELC	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	METALS	GELC	CALA-09-1697	1/13/2009	Basalt Spring
09-630	METALS	GELC	CALA-09-1698	1/13/2009	Basalt Spring
09-630	METALS	GELC	CALA-09-1724	1/13/2009	LAOI(a)-1.1
09-630	METALS	GELC	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	METALS	GELC	CALA-09-1812	1/13/2009	Los Alamos Spring
09-630	PEST/PCB	GELC	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	RAD	GELC	CALA-09-1697	1/13/2009	Basalt Spring
09-630	RAD	GELC	CALA-09-1698	1/13/2009	Basalt Spring
09-630	RAD	GELC	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	RAD	GELC	CALA-09-1812	1/13/2009	Los Alamos Spring
09-630	SVOA	GELC	CALA-09-1697	1/13/2009	Basalt Spring
09-630	SVOA	GELC	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	VOA	GELC	CALA-09-1697	1/13/2009	Basalt Spring
09-630	VOA	GELC	CALA-09-1811	1/13/2009	Los Alamos Spring
09-630	VOA	GELC	CALA-09-1813	1/13/2009	Los Alamos Spring
09-630	VOA	GELC	CALA-09-1814	1/13/2009	Basalt Spring
09-632	GENINORG	GELC	CALA-09-1750	1/13/2009	R-7
09-632	GENINORG	GELC	CALA-09-1751	1/13/2009	R-7
09-632	GENINORG	GELC	CALA-09-1752	1/13/2009	R-7
09-637	GENINORG	GELC	CAPU-09-1780	1/14/2009	R-5
09-637	GENINORG	GELC	CAPU-09-1781	1/14/2009	R-5
09-637	GENINORG	GELC	CAPU-09-1782	1/14/2009	R-5
09-637	GENINORG	GELC	CAPU-09-1794	1/14/2009	R-5
09-637	GENINORG	GELC	CAPU-09-1795	1/14/2009	R-5
09-637	METALS	GELC	CAPU-09-1780	1/14/2009	R-5
09-637	METALS	GELC	CAPU-09-1782	1/14/2009	R-5

Periodic Monitoring Report for Los Alamos Watershed

Request	Suite	Lab	Sample	Date	Location
09-637	METALS	GELC	CAPU-09-1794	1/14/2009	R-5
09-638	GENINORG	GELC	CAPU-09-1797	1/14/2009	R-2
09-638	GENINORG	GELC	CAPU-09-1798	1/14/2009	R-2
09-638	METALS	GELC	CAPU-09-1798	1/14/2009	R-2
09-652	GENINORG	GELC	CALA-09-1691	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	GENINORG	GELC	CALA-09-1692	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	GENINORG	GELC	CALA-09-1693	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	GENINORG	GELC	CALA-09-1694	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	GENINORG	GELC	CALA-09-1695	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	GENINORG	GELC	CALA-09-1696	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	METALS	GELC	CALA-09-1691	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	METALS	GELC	CALA-09-1692	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	METALS	GELC	CALA-09-1693	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	METALS	GELC	CALA-09-1694	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	METALS	GELC	CALA-09-1695	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-652	METALS	GELC	CALA-09-1696	1/15/2009	Los Alamos Canyon near Otowi Bridge
09-655	GENINORG	GELC	CAPU-09-1803	1/15/2009	R-24
09-655	GENINORG	GELC	CAPU-09-1804	1/15/2009	R-24
09-655	METALS	GELC	CAPU-09-1803	1/15/2009	R-24
09-675	RAD	UMTL	CALA-09-1750	1/13/2009	R-7
09-676	RAD	UMTL	CAPU-09-1781	1/14/2009	R-5
09-676	RAD	UMTL	CAPU-09-1795	1/14/2009	R-5
09-676	RAD	UMTL	CAPU-09-1797	1/14/2009	R-2
09-676	RAD	UMTL	CAPU-09-1804	1/15/2009	R-24
09-678	RAD	UMTL	CALA-09-1759	1/20/2009	R-6
09-681	GENINORG	GELC	CALA-09-1741	1/20/2009	R-6i
09-681	GENINORG	GELC	CALA-09-1743	1/20/2009	R-6i
09-681	GENINORG	GELC	CALA-09-1759	1/20/2009	R-6
09-681	SVOA	GELC	CALA-09-1741	1/20/2009	R-6i
09-681	SVOA	GELC	CALA-09-1743	1/20/2009	R-6i
09-681	SVOA	GELC	CALA-09-1744	1/20/2009	R-6i
09-681	SVOA	GELC	CALA-09-1745	1/20/2009	R-6i
09-681	VOA	GELC	CALA-09-1739	1/20/2009	R-6i
09-681	VOA	GELC	CALA-09-1741	1/20/2009	R-6i
09-681	VOA	GELC	CALA-09-1743	1/20/2009	R-6i
09-681	VOA	GELC	CALA-09-1744	1/20/2009	R-6i
09-681	VOA	GELC	CALA-09-1745	1/20/2009	R-6i
09-682	GENINORG	GELC	CALA-09-1740	1/20/2009	R-6i
09-682	GENINORG	GELC	CALA-09-1742	1/20/2009	R-6i
09-682	GENINORG	GELC	CALA-09-1760	1/20/2009	R-6
09-682	METALS	GELC	CALA-09-1740	1/20/2009	R-6i

Request	Suite	Lab	Sample	Date	Location
09-682	METALS	GELC	CALA-09-1742	1/20/2009	R-6i
09-682	METALS	GELC	CALA-09-1760	1/20/2009	R-6
09-682	RAD	GELC	CALA-09-1741	1/20/2009	R-6i
09-682	RAD	GELC	CALA-09-1743	1/20/2009	R-6i
09-683	GENINORG	GELC	CAPU-09-1784	1/20/2009	R-3i
09-683	GENINORG	GELC	CAPU-09-1786	1/20/2009	R-3i
09-683	SVOA	GELC	CAPU-09-1784	1/20/2009	R-3i
09-683	SVOA	GELC	CAPU-09-1786	1/20/2009	R-3i
09-683	SVOA	GELC	CAPU-09-1788	1/20/2009	R-3i
09-683	SVOA	GELC	CAPU-09-1789	1/20/2009	R-3i
09-683	VOA	GELC	CAPU-09-1784	1/20/2009	R-3i
09-683	VOA	GELC	CAPU-09-1785	1/20/2009	R-3i
09-683	VOA	GELC	CAPU-09-1786	1/20/2009	R-3i
09-683	VOA	GELC	CAPU-09-1788	1/20/2009	R-3i
09-683	VOA	GELC	CAPU-09-1789	1/20/2009	R-3i
09-684	GENINORG	GELC	CAPU-09-1783	1/20/2009	R-3i
09-684	GENINORG	GELC	CAPU-09-1787	1/20/2009	R-3i
09-684	METALS	GELC	CAPU-09-1783	1/20/2009	R-3i
09-684	METALS	GELC	CAPU-09-1787	1/20/2009	R-3i
09-685	RAD	UMTL	CAPU-09-1784	1/20/2009	R-3i
09-685	RAD	UMTL	CAPU-09-1786	1/20/2009	R-3i
09-697	RAD	UMTL	CALA-09-1715	1/8/2009	LLAO-4
09-702	GENINORG	GELC	CALA-09-1688	1/21/2009	DP below Meadow at TA-21
09-702	PEST/PCB	GELC	CALA-09-1688	1/21/2009	DP below Meadow at TA-21
09-702	PEST/PCB	GELC	CALA-09-1689	1/21/2009	DP below Meadow at TA-21
09-702	PEST/PCB	GELC	CALA-09-1690	1/21/2009	DP below Meadow at TA-21
09-703	DIOX/FUR	ALTC	CAPU-09-1766	1/21/2009	Pueblo above SR-502
09-704	GENINORG	GELC	CAPU-09-1766	1/21/2009	Pueblo above SR-502
09-704	GENINORG	GELC	CAPU-09-1767	1/21/2009	Pueblo above SR-502
09-704	METALS	GELC	CAPU-09-1766	1/21/2009	Pueblo above SR-502
09-704	METALS	GELC	CAPU-09-1767	1/21/2009	Pueblo above SR-502
09-704	PEST/PCB	GELC	CAPU-09-1766	1/21/2009	Pueblo above SR-502
09-704	RAD	GELC	CAPU-09-1766	1/21/2009	Pueblo above SR-502
09-704	RAD	GELC	CAPU-09-1767	1/21/2009	Pueblo above SR-502
09-704	SVOA	GELC	CAPU-09-1766	1/21/2009	Pueblo above SR-502
09-704	VOA	GELC	CAPU-09-1766	1/21/2009	Pueblo above SR-502
09-704	VOA	GELC	CAPU-09-1768	1/21/2009	Pueblo above SR-502
09-714	GENINORG	GELC	CAPU-09-1778	1/22/2009	POI-4
09-714	GENINORG	GELC	CAPU-09-1779	1/22/2009	POI-4
09-714	GENINORG	GELC	CAPU-09-1799	1/22/2009	R-4
09-714	GENINORG	GELC	CAPU-09-1800	1/22/2009	R-4

Request	Suite	Lab	Sample	Date	Location
09-714	GENINORG	GELC	CAPU-09-1801	1/22/2009	R-4
09-714	GENINORG	GELC	CAPU-09-1802	1/22/2009	R-4
09-714	METALS	GELC	CAPU-09-1778	1/22/2009	POI-4
09-714	METALS	GELC	CAPU-09-1799	1/22/2009	R-4
09-714	METALS	GELC	CAPU-09-1802	1/22/2009	R-4
09-762	RAD	UMTL	CAPU-09-1779	1/22/2009	POI-4
09-762	RAD	UMTL	CAPU-09-1800	1/22/2009	R-4
09-762	RAD	UMTL	CAPU-09-1801	1/22/2009	R-4

DIOX/FUR = Dioxins and furans.

GENINORG = General inorganics.

HEXP = High explosives.

PEST/PCB = Pesticides/polychlorinated biphenyls.

RAD = Radionuclides.

SVOA = Semivolatile organic analysis.

VOA = Volatile organic analysis.