

LA-UR-10-3952
July 2010
EP2010-0291

**Periodic Monitoring Report for
Vapor-Sampling Activities at
Material Disposal Area T,
Consolidated Unit 21-016(a)-99,
at Technical Area 21,
January to March 2010**

Prepared by the Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

Periodic Monitoring Report for Vapor-Sampling Activities at Material Disposal Area T, Consolidated Unit 21-016(a)-99, at Technical Area 21, January to March 2010

July 2010

Responsible project manager:

Bruce Wedgeworth		Project Manager	Environmental Programs	7/14/10
Printed Name	Signature	Title	Organization	Date

Responsible LANS representative:

Michael J. Graham		Associate Director	Environmental Programs	7/16/10
Printed Name	Signature	Title	Organization	Date

Responsible DOE representative:

George J. Rael		Manager	DOE-LASO	7/19/10
Printed Name	Signature	Title	Organization	Date

EXECUTIVE SUMMARY

This periodic monitoring report summarizes the latest results of the vapor-monitoring activities (January–March 2010) conducted at Material Disposal Area (MDA) T, Consolidated Unit 21-016(a)-99, within Technical Area 21 at Los Alamos National Laboratory. The objectives of vapor monitoring at MDA T are (1) to collect additional samples from vapor-monitoring wells at MDA T and (2) to compare the results with previously detected volatile organic compound (VOC) concentrations and tritium activities in pore gas beneath MDA T.

Samples for the current quarter were collected in January, February, and March 2010 from vapor-monitoring wells 21-25262, 21-25264, 21-603058, 21-603059 and 21-607955, all located outside the MDA T nuclear facility boundary. Vapor-monitoring wells 21-25262 and 21-603059 are located immediately south of MDA T. Vapor-monitoring wells 21-25264, 21-603058, and 21-607955 are located immediately north of MDA T along North Perimeter Road.

Pore-gas data collected from all locations sampled from January to March of 2010 are presented and discussed in this report. Pore-gas data from the previous three quarters of vapor monitoring at MDA T (April and June 2009, July to September 2009, and October to December 2009) are also presented and are compared with the current quarter data, as appropriate, to help determine trends over time.

A total of 31 VOCs were detected in MDA T pore gas during the January–March 2010 sampling activities, and the results are consistent with previous sampling results for permanent vapor-monitoring wells 21-25262, 21-25264, 21-603058, and 21-603059. Pore-gas analytical results obtained from samples collected during the initial rounds of sampling at vapor-monitoring well 21-607955 also reflect the VOC trends observed at the other MDA T vapor-monitoring wells, with the exception of acetone and toluene. Acetone and toluene were detected the first time in November 2009 at concentrations of 30,000 $\mu\text{g}/\text{m}^3$ and 690 $\mu\text{g}/\text{m}^3$, respectively, at total depth (TD). In subsequent sampling rounds acetone and toluene concentrations were consistently lower (e.g., 99 $\mu\text{g}/\text{m}^3$ for acetone and 430 $\mu\text{g}/\text{m}^3$ for toluene for the March 2010 sampling round).

A VOC screening evaluation identified two VOCs, methylene chloride and 1,1,2-trichloroethane, in MDA T pore gas at concentrations resulting in screening values greater than 1.0. However, the screening levels were not exceeded for any VOCs for samples collected from the deepest sampling ports; therefore, the current VOC concentrations detected at MDA T are not high enough to result in groundwater contamination above applicable regulatory criteria.

Tritium activities in vapor-monitoring wells 21-25262, 21-25264, 21-603058 and 21-607955 were consistently low at TD but showed multiple peaks at varying depths in the shallow to middle ports. In intermediate-depth vapor-monitoring well 21-603059, tritium activities generally increase with depth to TD.

CONTENTS

1.0 INTRODUCTION 1
 1.1 Site Location and Description 1

2.0 SCOPE OF ACTIVITIES 2
 2.1 Deviations 3

3.0 REGULATORY CRITERIA 3

4.0 FIELD-SCREENING RESULTS 4

5.0 ANALYTICAL DATA RESULTS 5
 5.1 VOC Pore-Gas Results 5
 5.2 VOC Screening Evaluation 7
 5.3 Pore-Vapor Tritium Results 7

6.0 SUMMARY 8

7.0 REFERENCES AND MAP DATA SOURCES 9
 7.1 References 9
 7.2 Map Data Sources 11

Figures

Figure 1.1-1 Location of MDA T at TA-21 13

Figure 1.1-2 Locations of MDA T vapor-monitoring wells and associated structures and features 14

Figure 5.1-1 Vertical profile of detected VOCs in vapor-monitoring well 21-603058, January 2010 15

Figure 5.1-2 Vertical profile of detected VOCs in vapor-monitoring well 21-603059, January 2010 16

Figure 5.1-3 Vertical profile of detected VOCs in vapor-monitoring well 21-25264, January 2010 17

Figure 5.1-4 Vertical profile of detected VOCs in vapor-monitoring well 21-25262, January 2010 18

Figure 5.1-5 Vertical profile of detected VOCs in vapor-monitoring well 21-607955, January 2010 19

Figure 5.1-6 Vertical profile of detected VOCs in vapor-monitoring well 21-603058, February 2010... 20

Figure 5.1-7 Vertical profile of detected VOCs in vapor-monitoring well 21-603059, February 2010... 21

Figure 5.1-8 Vertical profile of detected VOCs in vapor-monitoring well 21-25264, February 2010..... 22

Figure 5.1-9 Vertical profile of detected VOCs in vapor-monitoring well 21-25262, February 2010..... 23

Figure 5.1-10 Vertical profile of detected VOCs in vapor-monitoring well 21-607955, February 2010... 24

Figure 5.1-11 Vertical profile of detected VOCs in vapor-monitoring well 21-603058, March 2010 25

Figure 5.1-12 Vertical profile of detected VOCs in vapor-monitoring well 21-603059, March 2010 26

Figure 5.1-13 Vertical profile of detected VOCs in vapor-monitoring well 21-25264, March 2010 27

Figure 5.1-14 Vertical profile of detected VOCs in vapor-monitoring well 21-25262, March 2010 28

Figure 5.1-15 Vertical profile of detected VOCs in vapor-monitoring well 21-607955, March 2010 29

Figure 5.1-16 Vertical profile of methylene chloride in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010..... 31

Figure 5.1-17 Vertical profile of carbon tetrachloride in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010..... 32

Figure 5.1-18	Vertical profile of chloroform in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010	33
Figure 5.1-19	Vertical profile of TCE in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010	34
Figure 5.1-20	Vertical profile of PCE in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010	35
Figure 5.2-1	Groundwater screening of methylene chloride and 1,1,2-trichloroethane, January–March 2010	36
Figure 5.3-1	Vertical profile of tritium in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010	37

Tables

Table 1.0-1	History of MDA T Periodic Monitoring Events.....	39
Table 2.0-1	MDA T Pore-Gas Sampling Depths and Collection Dates, April 2009–March 2010	39
Table 2.0-2	Summary of Pore-Gas Samples Collected at MDA T Vapor-Monitoring Well 21-25262, June 2009–March 2010	41
Table 2.0-3	Summary of Pore-Gas Samples Collected at MDA T Vapor-Monitoring Well 21-25264, April 2009–March 2010	44
Table 2.0-4	Summary of Pore-Gas Samples Collected at MDA T Vapor-Monitoring Well 21-603058, April 2009–March 2010	47
Table 2.0-5	Summary of Pore-Gas Samples Collected at MDA T Vapor-Monitoring Well 21-603059, April 2009–March 2010	49
Table 2.0-6	Summary of Pore-Gas Samples Collected at MDA T Vapor-Monitoring Well 21-607955, November 2009–March 2010	51
Table 3.0-1	Henry’s Law Constants, Groundwater SLs, and Calculated Concentrations Corresponding to Groundwater SLs for Detected VOCs in Pore Gas.....	53
Table 4.0-1	Summary of Pore-Gas Field-Screening Results, January–March 2010.....	54
Table 4.0-2	Barometric Pressure, Relative Humidity, and Temperature at Los Alamos Airport during Sample Collection, January–March 2010	57
Table 5.1-1	Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-25262, June 2009–March 2010	61
Table 5.1-2	Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-25264, April 2009–March 2010	65
Table 5.1-3	Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-603058, April 2009–March 2010	68
Table 5.1-4	Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-603059, April 2009–March 2010	70
Table 5.1-5	Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-607955, November 2009–March 2010	73
Table 5.2-1	Screening of VOCs Detected in Pore Gas at MDA T, January–March 2010	77
Table 5.3-1	Summary of Detected Tritium Results in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-25262, June 2009–March 2010	78

Table 5.3-2	Summary of Detected Tritium Results in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-25264, April 2009–March 2010.....	80
Table 5.3-3	Summary of Detected Tritium Results in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-603058, April 2009–March 2010.....	82
Table 5.3-4	Summary of Detected Tritium Results in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-603059, April 2009–March 2010.....	83
Table 5.3-5	Summary of Detected Tritium Results in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-607955, November 2009–March 2010	85

Appendixes

Appendix A	Acronyms and Abbreviations, Metric Conversion Table, and Data Qualifier Definitions	
Appendix B	Field Methods	
Appendix C	Quality Assurance/Quality Control Program	
Appendix D	Analytical Suites and Results and Analytical Reports (on CD included with this document)	

1.0 INTRODUCTION

This report presents the results of vapor-monitoring activities conducted during January–March 2010 at Material Disposal Area (MDA) T, Consolidated Unit 21-016(a)-99, in Technical Area 21 (TA-21) at Los Alamos National Laboratory (LANL or the Laboratory). These activities are being conducted per the requirements outlined in the MDA T vapor-monitoring plan and the associated New Mexico Environment Department (NMED) approval with modifications (LANL 2007, 098944; NMED 2007, 098946) and the approved MDA T Phase III investigation work plan and associated NMED correspondence (LANL 2009, 105645; NMED 2009, 105691; NMED 2009, 106455). Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to NMED in accordance with U.S. Department of Energy (DOE) policy.

The objectives of the MDA T vapor-monitoring activities are (1) to collect additional vapor samples from vapor-monitoring wells at MDA T and (2) to compare the results with previously detected volatile organic compound (VOC) concentrations and tritium activities beneath MDA T. In addition, this report presents the results of a screening evaluation of the pore-gas VOC data, which compares maximum concentrations of VOCs in pore gas to pore-gas screening levels (SLs). This conservative screening process evaluates the potential for the detected VOC concentrations to result in contamination of groundwater above applicable regulatory criteria.

To date, intermediate vapor-monitoring wells 21-25264, 21-603058, and 21-603059 have been sampled for 16 rounds, from October 2007 to March 2010; vapor-monitoring well 21-25262 has been sampled for 10 rounds, from June 2009 to March 2010; and the newest vapor-monitoring well 21-607955 has been sampled for 5 rounds from December 2009 to March 2010. Table 1.0-1 summarizes the MDA T vapor-monitoring sampling quarters, events, rounds and dates. All pore-gas samples were submitted for off-site laboratory analysis of VOCs and tritium.

This report primarily presents and discusses results of the most recent quarter of monitoring activities at MDA T; however, vapor data presented in the three consecutive quarterly periodic monitoring reports immediately before the current quarter for MDA T (April and June 2009, July to September 2009, and October to December 2009) are included in the data evaluation section of this report to determine trends over time.

Beginning in June 2009, the frequency of sample collection at all MDA T vapor-monitoring wells was changed from quarterly to monthly to collect additional data points more rapidly and to allow for improved trend comparisons of VOCs and tritium over time. As a result, the quarterly sampling became offset from the schedule presented in the letter from NMED dated May 26, 2009. The quarterly schedule was placed back on track in the previously submitted quarterly report (LANL 2010, 109254).

Data collected during the months of April and June of 2010 will be presented and evaluated in the next periodic monitoring report. Monthly sampling was discontinued after April 2010 and was changed back to quarterly sampling. Table 1.0-1 summarizes all sampling events presented in this report as well as all other sampling events completed since the beginning of permanent vapor-monitoring well installation at TA-21.

1.1 Site Location and Description

MDA T is located within TA-21 on DP Mesa (Figure 1.1-1) and contains the following waste storage and disposal sites (Figure 1.1-2):

- four absorption beds (subsurface);
- multiple buried shafts (subsurface); and
- a former retrievable waste storage area (subsurface).

Current vegetation at MDA T includes grasses, chamisa bushes, and two young ponderosa pines. The top of the regional aquifer occurs approximately 1300 ft below MDA T, based on water-level information from regional monitoring well R-6 (Kleinfelder 2005, 091693). The MDA T investigation report (LANL 2006, 094151) presents further details regarding MDA T waste storage and disposal sites, operations, and historical investigation activities.

2.0 SCOPE OF ACTIVITIES

As directed by the approved MDA T vapor-monitoring plan (LANL 2007, 098944; NMED 2007, 098946) and the approved MDA T Phase III investigation work plan (LANL 2009, 105645; NMED 2009, 105691; NMED 2009, 106455), 16 rounds of pore-gas field-screening and sampling activities have been completed at intermediate-depth vapor-monitoring wells 21-603058, 21-603059, and 21-25264; 10 rounds have been completed at deep vapor-monitoring well 21-25262; and 5 rounds have been completed at deep vapor-monitoring well 21-607955 (Figure 1.1-2 and Table 2.0-1). The as-built well constructions as applicable to the five MDA T vapor-monitoring wells are described below.

Per the approved MDA T vapor-monitoring plan (LANL 2007, 098944; NMED 2007, 098946), five vapor-sampling ports were installed at wells 21-603058 and 21-25264, and six vapor-sampling ports were installed at well 21-603059 at the following intervals:

- base elevation of the nearby disposal unit (69–81 ft below ground surface [bgs]);
- intermediate depths correlated to the 2005–2006 packer sampling depths at locations 21-25262 and 21-25263; and
- borehole total depth (TD) (342–375 ft bgs).

Per the approved MDA T Phase III investigation work plan (LANL 2009, 105645; NMED 2009, 105691; NMED 2009, 106455), nine vapor-sampling ports were installed at well 21-25262 at the following intervals:

- depths correlated to the sampling port depths at well 21-603059 (sampling ports 1–4); and
- depths correlated to different lithologic units encountered beneath MDA T (i.e., Cerro Toledo interval of the Bandelier Tuff [sampling port 5]; Otowi Member of the Bandelier Tuff [sampling ports 6–8]; and the Guaje Pumice Bed [TD, sampling port 9]).

Per the approved MDA T Phase III investigation work plan (LANL 2009, 105645; NMED 2009, 105691; NMED 2009, 106455), 11 vapor-sampling ports were installed at well 21-607955 at the following intervals:

- depths correlated to the intermediate vapor-monitoring wells (sampling ports 1–6); and
- depths within different lithologic units encountered beneath MDA T (e.g., Otowi Member) (sampling ports 7 and 8); Guaje Pumice Bed (sampling port 9); and the Puye Formation (sampling ports 10 and 11).

During the most recent quarter of sampling activities (January–March 2010), a total of 126 pore-gas samples (102 characterization and 24 quality assurance/quality control [QA/QC]) were collected for VOC analysis, and 115 samples (102 characterization and 13 QA/QC) were collected for tritium analysis from (1) all five ports in well 21-25264; (2) five out of six ports in well 21-603059; (3) four out of five ports in well 21-603058; (4) all nine ports in well 21-25262; and (5) all 11 ports in well 21-607955. Samples were not collected at port 2 in either well 21-603058 or 21-603059 for reasons discussed in section 2.1. Field duplicate (FD) and field blank (FB) samples were collected at a minimum frequency of 1 for every 10 samples.

Table 2.0-1 summarizes the MDA T pore-gas sampling depths and sample collection dates for the current and previous three quarters (April 2009 to March 2010) by well location. Tables 2.0-2 through 2.0-6 summarize, by well location, the April 2009 to March 2010 samples collected at MDA T monitoring wells 21-25262, 21-25264, 21-603058, 21-603059, and 21-607955 and their respective analyses.

All samples were collected in accordance with the current version of Standard Operating Procedure (SOP) EP-ERSS-SOP-5074, Sampling for Sub-Atmospheric Air, and submitted to off-site analytical laboratories for VOC analysis using U.S. Environmental Protection Agency (EPA) Method TO-15 and for tritium analysis using EPA Method 906.0. Further discussion of the field methods used for pore-gas field-screening and sample collection are presented in Appendix B. Field chain-of-custody forms and sample collection logs are provided on CD (Appendix D). No investigation-derived waste was generated during vapor-monitoring activities conducted at MDA T.

Pore-gas field-screening results are presented in section 4, and pore-gas analytical results are presented in section 5. Any deviations from the scope of activities presented in the approved MDA T vapor-monitoring plan (LANL 2007, 098944; NMED 2007, 098946) and/or the approved MDA T Phase III investigation work plan (LANL 2009, 105645; NMED 2009, 105691; NMED 2009, 106455) that relate to periodic monitoring activities are described in the following section.

2.1 Deviations

Pore-gas samples were not collected from port 2 in either vapor-monitoring well 21-603058 or 21-603059 during the January–March 2010 sampling activities at MDA T. As previously reported, sampling port 2 (160.5–165.5 ft bgs) in vapor-monitoring well 21-603058 stopped producing pore gas after February 2008 (round 2) either because of a mechanical failure or because it was installed within unit 2 of the Bandelier Tuff, a densely welded unit, which may inhibit vapor flow (LANL 2009, 105187). Sampling port 2 (112.5–117.5 ft bgs) in vapor-monitoring well 21-603059 has never produced pore gas since it was installed, possibly because of its location within the same densely welded unit (unit 2) (LANL 2009, 105187). During every sampling round, the inoperability of these ports is verified during field screening.

3.0 REGULATORY CRITERIA

The Compliance Order on Consent does not identify any cleanup standards, risk-based SLs, risk-based cleanup goals, or other regulatory criteria for pore gas at MDA T. Because the primary objective of the 2010 investigation is to characterize the nature and extent of VOCs and tritium in subsurface vapor, a screening evaluation is provided comparing maximum concentrations of VOCs in pore gas with SLs. These SLs are based on equilibrium partitioning using the appropriate Henry's law constant with groundwater cleanup levels. This screening process evaluates the potential for the reported VOC concentrations to result in contamination of groundwater above applicable regulatory criteria. Details regarding pore-gas screening evaluation criteria are presented in the following section. Results of the pore-gas screening evaluation are presented in section 5. There are no applicable standards for tritium in pore vapor.

The analysis evaluated the groundwater concentration that would be in equilibrium with the maximum concentrations of VOCs detected at MDA T during the current vapor-monitoring quarter (January to March 2010). The equilibrium relationship between air and water concentrations is described by the following equation.

$$C_{water} = C_{air} / H' \quad \text{Equation 3.0-1}$$

Where C_{water} = the volumetric concentration of contaminant in water,
 C_{air} = the volumetric concentration of contaminant in air, and
 H' = dimensionless form of Henry's law constant.

If the predicted concentration of a particular VOC in groundwater is less than the SL, then no potential exists for an exceedance of the groundwater cleanup level at the contaminant/groundwater interface.

Because no SLs for pore gas address the potential for groundwater contamination, the screening evaluation was based on groundwater standards or tap water SLs and Henry's law constants that describe the equilibrium relationship between vapor and water concentrations. The source of the Henry's law constants is the NMED technical background document (NMED 2009, 106420) or the EPA regional screening tables (<http://www.epa.gov/region09/superfund/prg/>). The following dimensionless form of Henry's law constant was used:

$$H' = \frac{C_{air}}{C_{water}} \quad \text{Equation 3.0-2}$$

Equation 3.0-3 can be used to calculate the screening value (SV):

$$SV = \frac{C_{air}}{1000 \times H' \times SL} \quad \text{Equation 3.0-3}$$

Where C_{air} = the concentration of a particular VOC in the pore-gas sample ($\mu\text{g}/\text{m}^3$),
 H' = the dimensionless Henry's law constant,
 SL = the groundwater screening level ($\mu\text{g}/\text{L}$), and
1000 is a conversion factor from L to m^3 .

The SLs are the groundwater standards or tap water SLs. The groundwater standards are the EPA maximum contaminant level (MCL) or New Mexico Water Quality Control Commission (NMWQCC) groundwater standard, whichever is lower. If there is no MCL or NMWQCC standard, the NMED tap water SL is used. If there is no NMED SL, the EPA regional tap water SL (<http://www.epa.gov/region09/superfund/prg/>) is used and adjusted to 10^{-5} risk for carcinogens. The numerator in Equation 3.0-3 is the actual concentration of the VOC in pore gas, and the denominator represents the pore-gas concentration needed to exceed the SL. Therefore, if the SV is less than 1, the concentration of the VOC in pore gas does not exceed the SL, even if the VOC plume were to come in contact with groundwater. Table 3.0-1 presents the calculated concentrations of contaminants in pore gas corresponding to groundwater SLs.

4.0 FIELD-SCREENING RESULTS

Before each sampling event, field screening was performed in each vapor-monitoring well and targeted sampling interval to ensure percent carbon dioxide ($\%\text{CO}_2$) and percent oxygen ($\%\text{O}_2$) levels at each sampling port had stabilized at values representative of subsurface pore-gas conditions. Table 4.0-1 presents a summary of all field-screening results from the current quarter. The CO_2 and O_2 field-screening results are presented in Appendix B.

On each day of sampling, atmospheric information was obtained from the automated weather station closest to MDA T (Los Alamos Airport, latitude 35.88° , longitude 106.28° , available at <http://www.srh.noaa.gov/data/obhistory/KLAM.html>). Table 4.0-2 summarizes the barometric pressure, temperature, and relative humidity for the sampling dates.

5.0 ANALYTICAL DATA RESULTS

All analytical data were subject to extensive QA/QC and data validation reviews in accordance with Laboratory guidance and procedures. The QA/QC and data validation review for January to March 2010 for MDA T pore-gas data is presented in Appendix C. All validated analytical results from January–March 2010 pore-gas sampling and from the three previous sampling quarters (April 2009 to December 2010) are presented on a CD in Appendix D. Similar detail regarding vapor data collected during April to December 2009 is presented in previous periodic monitoring reports (LANL 2009, 105187; LANL 2009, 107448; LANL 2009, 106665; LANL 2010, 108529; LANL 2010, 109254).

Vapor analytical sampling data are also available at the Risk Analysis, Communication, Evaluation, and Reduction (RACER) website (<http://www.racernm.com/>).

5.1 VOC Pore-Gas Results

VOC results from the current and previous three vapor-monitoring quarters (April 2009 to March 2010) are summarized by well location in Tables 5.1-1 through 5.1-5. Concentrations with depth profiles for detected VOCs from each well sample collected from January to March 2010 are presented by sampling round in Figures 5.1-1 through 5.1-15. The results show several general spatial trends. These trends are for the most part consistent with results obtained during earlier sampling rounds (LANL 2009, 105187; LANL 2009, 106665; LANL 2009, 107448; LANL 2010, 108529; LANL 2010, 109254). Data associated with the April to December 2009 sampling round have been presented previously and are included for comparison.

A total of 31 VOCs were detected in MDA T pore gas during the current quarter sampling activities, and the results are consistent with previous sampling results. Five VOCs, methylene chloride, carbon tetrachloride, chloroform, trichloroethene (TCE), and tetrachloroethene (PCE), were consistently detected at the greatest concentrations relative to other detected VOCs during the MDA T monitoring period. Concentration with depth profiles for these five VOCs for all samples collected during the current quarter and the previous three quarters are presented by well for comparison in Figures 5.1-16 through 5.1-20. These five VOCs and other VOCs of interest (e.g., acetone, toluene, 1,1,2-trichloroethane) are discussed below.

- Methylene chloride pore-gas concentrations consistently increased with depth to TD in intermediate-depth vapor-monitoring wells 21-25264, 21-603058, and 21-603059. In deep vapor-monitoring well 21-25262, methylene chloride concentrations increased with depth to a maximum at approximately 475–575 ft bgs before decreasing with depth to TD (Figure 5.1-16). In deep vapor-monitoring well 21-607955, methylene chloride concentrations generally increased to a maximum at approximately 375–475 ft bgs and then decreased to nondetections below approximately 800 ft bgs.
- Carbon tetrachloride pore-gas concentrations also increased with depth in vapor-monitoring wells 21-25264, 21-603058, 21-603059, and 21-25262 to approximately 250–300 ft bgs; below approximately 300 ft bgs, carbon tetrachloride decreased with depth to TD (Figure 5.1-17). In vapor-monitoring well 21-607955, carbon tetrachloride concentrations show an increase in concentration to approximately 350 ft bgs, followed by a decrease in concentration to nondetect values below approximately 575 ft bgs.

- Chloroform pore-gas concentrations displayed an S-shaped profile in vapor-monitoring well 21-25262, where the concentrations were higher near the surface, lower at the lower-middle ports and lowest in the upper-middle ports and at TD (Figure 5.1-18). In vapor-monitoring well 21-603059, chloroform concentrations decreased from a maximum near the surface (port 1, 80 ft bgs) to fairly constant concentrations from approximately 190 ft to TD. Chloroform results obtained from vapor-monitoring wells 21-25264 and 21-603058 were less consistent between sampling rounds, but on average, the concentrations increased slightly with depth to TD in both wells, and this trend is consistent with results from the current quarter. In vapor-monitoring well 21-607955, chloroform concentrations were generally consistent to approximately 325 bgs, some showed a slight increase at middle depths (350–500 ft bgs), and then they decreased to nondetect values below approximately 650 ft bgs.
- TCE pore-gas concentrations displayed an S-shaped profile in both vapor-monitoring wells 21-25262 and 21-603059 but not in wells 21-25264 or 21-603058 (Figure 5.1-19). In vapor-monitoring well 21-25264, TCE concentrations decreased from a maximum near the surface port to approximately 190 ft bgs and increased with depth to approximately 300 ft bgs. Below 300 ft bgs, TCE concentrations generally remained constant to TD. In vapor-monitoring well 21-603058, the TCE concentration increased to a maximum detected concentration at approximately 250 ft bgs and decreased slightly at TD. In vapor-monitoring well 21-607955, TCE concentrations increased to approximately 350 ft bgs and decreased to nondetect values below approximately 575 ft bgs.
- PCE concentrations consistently decreased with depth to TD in all five vapor-monitoring wells (Figure 5.1-20).
- Acetone and toluene were detected at their maximum concentrations at TD (approximately 950 ft bgs) during the initial round (early December 2009) of pore-gas sampling in vapor-monitoring well 21-607955 (concentrations of 30,000 $\mu\text{g}/\text{m}^3$ and 690 $\mu\text{g}/\text{m}^3$, respectively), as shown in Figure 5.1-15. These samples were collected under expedited sampling conditions, and similar concentrations were not detected in any pore-gas data collected from the other MDA T wells. In subsequent rounds of pore-gas sampling at vapor-monitoring well 21-607955 (January to March 2010), acetone concentrations at TD were again elevated relative to shallower depths (maximum concentration of 99 $\mu\text{g}/\text{m}^3$ for the March 2010 sampling round) but at concentrations considerably below the first round (Figure 5.1-15). Toluene was detected at TD at elevated concentrations relative to shallower depths in the January to March 2010 rounds (maximum concentration of 430 $\mu\text{g}/\text{m}^3$ for the March 2010 sampling round).
- Detected concentrations of benzene, bromodichloromethane, bromomethane; 2-butanone; carbon disulfide; cyclohexane; 1,4-dichlorobenzene; dichlorodifluoromethane; 1,2-dichloroethane; 1,2-cis-dichloroethene; ethanol; hexane; n-heptane; 2-propanol; propylene; 1,1,2-trichloro-1,2,2-trifluoroethane; 1,1,1-trichloroethane; and 1,3-xylene+1,4-xylene concentrations showed no trends. These VOCs were either detected infrequently or were detected at very low concentrations (at or near the standard quantitation limits [SQLs]).
- The analyte 1,1,2-trichloroethane was consistently detected in four of the five vapor-monitoring wells at MDA T. Its concentration increased with depth to approximately 475 ft bgs (sampling port 6) in vapor-monitoring well 21-25262, and then decreased to TD at 690 ft bgs (sampling port 9). Trichloroethane(1,1,2-) was also detected at lower concentrations in vapor-monitoring wells 21-603058, 21-603059, and 21-607955.

- Ten VOCs detected during all previous quarters of vapor-monitoring (October 2007 to December 2009) (bromoform; 1,3-butadiene; chlorodibromomethane; 1,2-dichlorobenzene; ethylbenzene; 2-hexanone; methanol; tetrahydrofuran; 1,3,5-trimethylbenzene; and 1,2-xylene) were not detected during the current quarter (January–March 2010). In previous rounds, these VOCs were detected infrequently and at very low concentrations (at or near the SQL).
- One VOC was detected for the first time during the January to March 2010 sampling event. Chlorodifluoromethane was detected in January 2010 at a concentration of 30 $\mu\text{g}/\text{m}^3$ in a single sample collected at approximately 152 ft bgs (port 2) in vapor-monitoring well 21-25264.

5.2 VOC Screening Evaluation

The VOC results from the January to March 2010 sampling rounds were screened to evaluate whether the concentrations of VOCs pose a potential source of groundwater contamination. The evaluation included the 26 VOCs detected in samples collected at MDA T for which there are MCLs, NMWQCC standards, or NMED or EPA regional tap water SLs (Table 5.2-1). Ethanol, 4-ethyltoluene, n-heptane, 2-propanol, and propylene were detected but do not have MCLs, NMWQCC standards, or tap water SLs and were not evaluated.

The results of the January to March 2010 VOC screening evaluation are presented in Table 5.2-1. The SVs were less than 1.0 for all detected VOCs, except for methylene chloride and 1,1,2-trichloroethane. The concentrations of methylene chloride in 41 out of 102 samples collected resulted in SVs greater than 1.0, with a maximum SV of 4.15. The concentration of 1,1,2-trichloroethane in 3 out of 102 samples collected resulted in SVs greater than 1.0, with a maximum SV of 1.29 (Figure 5.2-1). SLs were not exceeded for any VOCs for samples collected from the deepest sampling port; therefore, the current VOC concentrations detected at MDA T are not high enough to result in groundwater contamination above applicable regulatory criteria.

5.3 Pore-Vapor Tritium Results

The results of the current and previous three quarters (April 2009 to March 2010) of sampling for tritium are summarized by vapor-monitoring well location in Tables 5.3-1 through 5.3-5. Figure 5.3-1 presents tritium activity profiles for all samples collected during January to March 2010. Tritium results for the previous three quarters (April and June 2009, July to September 2009, and October to December 2009) are also presented in Figure 5.3-1 for comparison with the current quarter data. Trends observed during the January to March 2010 sampling period in vapor-monitoring wells 21-25262, 21-25264, 21-603058, and 21-603059 are similar to those reported during previous sampling rounds.

- Tritium activities were higher in samples collected from vapor-monitoring well 21-25264 than in samples collected from the other vapor-monitoring wells. The maximum tritium activity (173,113 pCi/L) was collected at port 2 (at a depth of 155.5 ft bgs) in July 2009.
- Maximum detected tritium activities in vapor-monitoring wells 21-25264 and 21-603058 occur at intermediate-depth ports, followed by a marked decrease to TD. Tritium activities in vapor-monitoring well 21-603058 showed an increase to 116,521 pCi/L at port 4 (~250 ft bgs) in November 2009. The January to March 2010 sampling period shows similar or lower tritium activities as those reported from previous sampling rounds for each of these vapor-monitoring wells.
- Tritium activities in vapor-monitoring well 21-603059 generally increased with depth to TD. This trend is consistent with all tritium data reported from the January to March 2010 sampling period but not data from December 2009. In December 2009, tritium activities reached a maximum (23,765 pCi/L) at approximately 250 ft bgs, followed by a decrease to TD.

- The maximum detected tritium activity in vapor-monitoring well 21-25262 was near 375 ft bgs, followed by an immediate decrease to nondetect values below approximately 600 ft bgs.
- Tritium activities in vapor-monitoring well 21-607955 were consistently low (<7710 pCi/L), with maximum detected activities from two depths, approximately 160 ft bgs and approximately 230 ft bgs, followed by a decrease to lower or nondetect values at ports 9 and 10 (654 and 800 ft bgs, respectively). The exception was an increase at approximately 330 ft bgs from the January 2010 sampling round at port 5, with a reported activity of 24,955 pCi/L. Tritium was detected in vapor-monitoring well 21-607955 at TD at consistently low activity levels of less than 850 pCi/L.

6.0 SUMMARY

The objectives of the MDA T vapor-monitoring activities are (1) to collect additional vapor samples from vapor-monitoring wells at MDA T and (2) to compare the results with previously detected VOC concentrations and tritium activities beneath MDA T. The results of the current quarter of monitoring activities (January to March 2010) indicate similar trends to those reported during previous monitoring activities (October 2007 to December 2009) (LANL 2010, 109254).

A total of 31 VOCs and tritium were detected in the pore gas beneath MDA T. Concentrations for most VOCs detected in MDA T pore gas decreased with depth, were consistently detected at or near the SQL, or were infrequently detected. Methylene chloride, carbon tetrachloride, chloroform, TCE, and PCE were consistently detected throughout the MDA T monitoring period at the greatest concentrations relative to the other detected VOCs. Methylene chloride and 1,1,2-trichloroethane had SVs greater than 1.0; however, all TD samples that resulted in SVs greater than 1.0 were from intermediate-depth wells (21-25264, 21-603058, and 21-603059) and not from the two deeper wells (21-25262 and 21-607955). Therefore, the current VOC concentrations detected at MDA T are not high enough to result in groundwater contamination above applicable regulatory criteria. The five VOCs and other VOCs of interest (e.g., acetone, toluene, 1,1,2-trichloroethane) are summarized below.

- Methylene chloride pore-gas concentrations consistently increased with depth to TD in vapor-monitoring wells 21-25264, 21-603058, and 21-603059. In vapor-monitoring wells 21-25262 and 21-607955, methylene chloride concentrations increased with depth to a maximum at approximately 350–575 ft bgs before decreasing with depth to TD.
- Carbon tetrachloride pore-gas concentrations increased with depth in vapor-monitoring wells 21-25262, 21-25264, 21-603058, 21-603059 and 21-607955 at approximately 250–350 ft bgs; below 300–350 ft bgs, carbon tetrachloride decreased with depth to TD, except at vapor-monitoring well 21-603058 where TD concentrations decreased only slightly or remained constant.
- Chloroform and TCE pore-gas concentrations generally showed an S-shaped profile in vapor-monitoring well 21-25262 where the concentrations were highest near the surface, lower at the lower-middle ports, and lowest in the upper-middle ports and at TD. Chloroform concentrations in vapor-monitoring well 21-25264 generally increased with depth, and TCE concentrations showed a decrease at approximately 150 ft bgs and then a small increase to TD. At vapor-monitoring-well 21-603058, TCE concentrations increased with depth to 250 ft bgs and then remain constant to TD. At vapor-monitoring well 21-603059, TCE concentrations generally increased with depth. At vapor-monitoring-well 21-603058, chloroform concentrations increase with depth to TD, and at vapor-monitoring well 21-603059, chloroform concentrations generally decreased with depth, but the results were less consistent between rounds. In deep vapor-monitoring well 21-607955, chloroform, and TCE concentrations increased with depth to approximately 350 ft bgs and decreased to low concentrations or nondetections from approximately 700 ft bgs to TD.

- PCE concentrations consistently decreased with depth to TD in all five vapor-monitoring wells.
- Acetone and toluene were detected at their maximum concentrations at TD (~950 ft bgs) during the initial round of pore-gas sampling in vapor-monitoring well 21-607955 in early December 2009 (concentrations of 30,000 $\mu\text{g}/\text{m}^3$ and 690 $\mu\text{g}/\text{m}^3$, respectively). In subsequent rounds of pore-gas sampling at vapor-monitoring well 21-607955 (January to March 2010), acetone concentrations at TD were again elevated relative to shallower depths but at a considerably lower concentration than the first round (99 $\mu\text{g}/\text{m}^3$ in the March 2010 sampling round). Toluene was also detected at TD at elevated concentrations relative to shallower depths in the January to March sampling rounds (430 $\mu\text{g}/\text{m}^3$ in the March 2010 sample round). Acetone and toluene were present at TD but at concentrations well below SVs. The higher concentration of acetone from the first sampling round is likely an anomaly.
- Trichloroethane(1,1,2-) concentrations increased with depth from approximately 225 ft bgs to TD (375 ft bgs) in vapor-monitoring well 21-603059 and to approximately 475 ft bgs(sampling port 7) in vapor-monitoring well 21-25262, then decreased to TD (690 ft bgs); 1,1,2-trichloroethane was detected at low concentrations in vapor-monitoring wells 21-25264, 21-603058, and 21-607955.

Consistent with previous results, tritium activities were substantially higher in samples collected from vapor-monitoring well 21-25264 than in samples from vapor-monitoring wells 21-25262, 21-603058, 21-603059, and 21-607955 (except during the November 2009 sampling period when vapor-monitoring well 21-603058 showed an increase at approximately 250 ft bgs (116,521 pCi/L). Tritium activities in vapor-monitoring wells 21-25264, 21-603058, and 21-25262 have one or two maximum detected activities at intermediate depths, followed by a marked decrease to TD. Vapor-monitoring well 21-603059 showed an increase in tritium activities to TD. In vapor-monitoring well 21-607955, tritium activities show a maximum at shallow to intermediate depths with consistently lower detections at TD (all <850 pCi/L).

Quarterly vapor-monitoring activities are scheduled to continue at MDA T per the requirements outlined in the approved MDA T Phase III investigation work plan (LANL 2009, 105645; NMED 2009, 106455; NMED 2009, 105691) and the NMED approval with modifications (NMED 2010, 109021).

7.0 REFERENCES AND MAP DATA SOURCES

7.1 References

The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID. This information is also included in text citations. ER IDs are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

Kleinfelder, April 2005. "Final Completion Report, Characterization Wells R-6/R-6i," report prepared for Los Alamos National Laboratory, Project No. 37151, Albuquerque, New Mexico. (Kleinfelder 2005, 091693)

LANL (Los Alamos National Laboratory), September 2006. "Investigation Report for Material Disposal Area T, Consolidated Unit 21-016(a)-99, at Technical Area 21," Los Alamos National Laboratory document LA-UR-06-6506, Los Alamos, New Mexico. (LANL 2006, 094151)

- LANL (Los Alamos National Laboratory), October 2007. "Subsurface Vapor-Monitoring Plan for Material Disposal Area T at Technical Area 21," Los Alamos National Laboratory document LA-UR-07-7037, Los Alamos, New Mexico. (LANL 2007, 098944)
- LANL (Los Alamos National Laboratory), February 2009. "Periodic Monitoring Report for Vapor-Sampling Activities at Material Disposal Area T, Consolidated Unit 21-016(a)-99, Technical Area 21, Fiscal Year 2008," Los Alamos National Laboratory document LA-UR-09-0791, Los Alamos, New Mexico. (LANL 2009, 105187)
- LANL (Los Alamos National Laboratory), April 2009. "Phase III Investigation Work Plan for Material Disposal Area T, Consolidated Unit 21-016(a)-99," Los Alamos National Laboratory document LA-UR-09-2140, Los Alamos, New Mexico. (LANL 2009, 105645)
- LANL (Los Alamos National Laboratory), July 2009. "Periodic Monitoring Report for Vapor-Sampling Activities at Material Disposal Area T, Consolidated Unit 21-016(a)-99, at Technical Area 21, February and April 2009," Los Alamos National Laboratory document LA-UR-09-4674, Los Alamos, New Mexico. (LANL 2009, 106665)
- LANL (Los Alamos National Laboratory), October 2009. "Periodic Monitoring Report for Vapor-Sampling Activities at Material Disposal Area T, Consolidated Unit 21-016(a)-99, at Technical Area 21, June to August 2009," Los Alamos National Laboratory document LA-UR-09-6878, Los Alamos, New Mexico. (LANL 2009, 107448)
- LANL (Los Alamos National Laboratory), January 2010. "Periodic Monitoring Report for Vapor-Sampling Activities at Material Disposal Area T, Consolidated Unit 21-016(a)-99, at Technical Area 21, September to November 2009," Los Alamos National Laboratory document LA-UR-10-0409, Los Alamos, New Mexico. (LANL 2010, 108529)
- LANL (Los Alamos National Laboratory), April 2010. "Periodic Monitoring Report for Vapor-Sampling Activities at Material Disposal Area T, Consolidated Unit 21-016(a)-99, at Technical Area 21, October to December 2009," Los Alamos National Laboratory document LA-UR-10-2421, Los Alamos, New Mexico. (LANL 2010, 109254)
- NMED (New Mexico Environment Department), October 31, 2007. "Approval with Modifications, Subsurface Vapor-Monitoring Plan for MDA T," New Mexico Environment Department letter to D. Gregory (DOE LASO) and D. McInroy (LANL) from J.P. Bearzi (NMED HWB), Santa Fe, New Mexico. (NMED 2007, 098946)
- NMED (New Mexico Environment Department), May 4, 2009. "Approval with Modifications, Phase III Work Plan for Material Disposal Area T, Consolidated Unit 21-016(a)-99," New Mexico Environment Department letter to D. Gregory (DOE-LASO) and D. McInroy (LANL) from J.P. Bearzi (NMED-HWB), Santa Fe, New Mexico. (NMED 2009, 105691)
- NMED (New Mexico Environment Department), May 26, 2009. "Correction, Approval with Modifications, Phase III Work Plan for Material Disposal Area T, Consolidated Unit 21-016(a)-99," New Mexico Environment Department letter to D. Gregory (DOE-LASO) and D. McInroy (LANL) from J.P. Bearzi (NMED-HWB), Santa Fe, New Mexico. (NMED 2009, 106455)
- NMED (New Mexico Environment Department), August 2009. "Technical Background Document for Development of Soil Screening Levels, Revision 5.0," New Mexico Environment Department, Hazardous Waste Bureau and Ground Water Quality Bureau Voluntary Remediation Program, Santa Fe, New Mexico. (NMED 2009, 106420)

NMED (New Mexico Environment Department), February 17, 2010. "Approval with Modifications, Periodic Monitoring Report for Vapor-Sampling Activities at Material Disposal Area T, Consolidated Unit 21-016(a)-99, at Technical Area 21, June to August 2009," New Mexico Environment Department letter to M.J. Graham (LANL) and G.J. Rael (DOE-LASO) from J.P. Bearzi (NMED-HWB), Santa Fe, New Mexico. (NMED 2010, 109021)

7.2 Map Data Sources

Data sources used in original figures created for this report are described below and identified by legend title.

Legend Item/Type	Data Source
Rio Grande	Drainage Arcs; Los Alamos National Laboratory; Water Quality and Hydrology Group; 03 June 2003
LANL boundary	LANL Areas Used and Occupied; Los Alamos National Laboratory, Site Planning & Project Initiation Group, Infrastructure Planning Division; 19 September 2007.
TA boundary	Technical Area Boundaries; Los Alamos National Laboratory, Site Planning & Project Initiation Group, Infrastructure Planning Division; 19 September 2007.
NES boundary	Nuclear Environmental Sites; Los Alamos National Laboratory, EP Environment and Remediation Support Services Division, EP2006-1092; 1:2,500 Scale Data; 11 January 2007.
Major paved road	New Mexico Roads; Earth Data Analysis Center, Albuquerque, NM; 01 December 1995.
Paved road	Paved Road Arcs; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 04 January 2008.
Dirt road	Dirt Road Arcs; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 04 January 2008.
Structure	Structures; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 04 January 2008.
Former structure	Former Structures; Los Alamos National Laboratory, Waste and Environmental Services Division, EP2008-0441; 1:2,500 Scale Data; 08 August 2008.
Waste storage features	Waste Storage Features; Los Alamos National Laboratory, Environment and Remediation Support Services Division, GIS/Geotechnical Services Group, EP2007-0032; 1:2,500 Scale Data; 13 April 2007.
Contours	Hypsography, 100-, 20-, and 10-Ft Contour Intervals; Los Alamos National Laboratory, ENV Environmental Remediation and Surveillance Program; 1991.
Fence	Security and Industrial Fences and Gates; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 28 May 2009.
Revised MDA T fence	Revised MDA T Fencing; Los Alamos National Laboratory, Waste and Environmental Services Division, unpublished data, personal communication with N. Plannerer.
Gas line	Primary Gas Distribution Lines; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 28 May 2009.
Water line	Water Lines; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 28 May 2009.
Electric line	Primary Electric Grid; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 28 May 2009.
Sewer line	Sewer Line System; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 28 May 2009.
Steam line	Steam Line Distribution System; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 28 May 2009.
Communication line	Communication Lines; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 08 August 2002; as published 28 May 2009.

Legend Item/Type	Data Source
Building-associated features /structures	Primary Landscape Features; Los Alamos National Laboratory, KSL Site Support Services, Planning, Locating and Mapping Section; 06 January 2004; as published 28 May 2009.
Sampling locations	Point Feature Locations of the Environmental Restoration Project Database; Los Alamos National Laboratory, Waste and Environmental Services Division, EP2008-0109; 4 June 2009.




Figure 1.1-1 Location of MDA T at TA-21




Figure 1.1-2 Locations of MDA T vapor-monitoring wells and associated structures and features




Figure 5.1-1 Vertical profile of detected VOCs in vapor-monitoring well 21-603058, January 2010




Figure 5.1-2 Vertical profile of detected VOCs in vapor-monitoring well 21-603059, January 2010




Figure 5.1-3 Vertical profile of detected VOCs in vapor-monitoring well 21-25264, January 2010




Figure 5.1-4 Vertical profile of detected VOCs in vapor-monitoring well 21-25262, January 2010




Figure 5.1-5 Vertical profile of detected VOCs in vapor-monitoring well 21-607955, January 2010




Figure 5.1-6 Vertical profile of detected VOCs in vapor-monitoring well 21-603058, February 2010




Figure 5.1-7 Vertical profile of detected VOCs in vapor-monitoring well 21-603059, February 2010




Figure 5.1-8 Vertical profile of detected VOCs in vapor-monitoring well 21-25264, February 2010




Figure 5.1-9 Vertical profile of detected VOCs in vapor-monitoring well 21-25262, February 2010




Figure 5.1-10 Vertical profile of detected VOCs in vapor-monitoring well 21-607955, February 2010




Figure 5.1-11 Vertical profile of detected VOCs in vapor-monitoring well 21-603058, March 2010




Figure 5.1-12 Vertical profile of detected VOCs in vapor-monitoring well 21-603059, March 2010




Figure 5.1-13 Vertical profile of detected VOCs in vapor-monitoring well 21-25264, March 2010




Figure 5.1-14 Vertical profile of detected VOCs in vapor-monitoring well 21-25262, March 2010




Figure 5.1-15 Vertical profile of detected VOCs in vapor-monitoring well 21-607955, March 2010




Figure 5.1-16 Vertical profile of methylene chloride in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010




Figure 5.1-17 Vertical profile of carbon tetrachloride in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010




Figure 5.1-18 Vertical profile of chloroform in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010




Figure 5.1-19 Vertical profile of TCE in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010




Figure 5.1-20 Vertical profile of PCE in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010





Figure 5.2-1 Groundwater screening of methylene chloride and 1,1,2-trichloroethane, January–March 2010




Figure 5.3-1 Vertical profile of tritium in vapor-monitoring wells 21-607955, 21-25262, 21-25264, 21-603058, and 21-603059, April 2009–March 2010

**Table 1.0-1
History of MDA T Periodic Monitoring Events**

Quarter	Sampling Event Date	Round	Event ID	Vapor-Monitoring Wells Sampled	Associated Report Title
9 th Quarter	March 2010	16	2689	21-25262, 21-25264, 21-603058, 21-603059, 21-607955 ^a	January to March 2010 MDA T periodic monitoring report
	February 2010	15	2624		
	January 2010	14	2589		
8 th Quarter	December 2009	13	2502/2512	21-25262, 21-25264, 21-603058, 21-603059, 21-607955 ^a	October to December 2009 MDA T periodic monitoring report (LANL 2010, 109254)
	November 2009	12	2434/2487		
	October 2009	11	2280		
	November 2009	12	2434/2487	21-25262, 21-25264, 21-603058, 21-603059, 21-607955 ^a	September to November 2009 MDA T periodic monitoring report (LANL 2009, 108529)
	October 2009	11	2280		
7 th Quarter	September 2009	10	2235	21-25264, 21-603058, 21-603059, 21-25262	June to August 2009 MDA T periodic monitoring report (LANL 2009, 107448)
	August 2009	9	2192		
	July 2009	8	912		
6 th Quarter ^b	June 2009	7	877	21-25264, 21-603058, 21-603059	February and April 2009 MDA T periodic monitoring report (LANL 2009, 106665)
	April 2009	6	751		
5 th Quarter	February 2009 ^c	5	649		
4 th Quarter	September 2008 ^c	4	487	21-25264, 21-603058, 21-603059	Fiscal year 2008 MDA T periodic monitoring report (LANL 2009, 105187)
3 rd Quarter	May 2008 ^c	3	407	21-25264, 21-603058, 21-603059	
2 nd Quarter	February 2008 ^c	2	340	21-25264, 21-603058, 21-603059	
1 st Quarter	October 2007 ^c	1	236	21-25264, 21-603058, 21-603059	

^a Previous quarters were adjusted to match the current monitoring period.

^b Sampling frequency increased from quarterly to monthly in June 2009.

^c Vapor-monitoring data are not included in this report.

**Table 2.0-1
MDA T Pore-Gas Sampling Depths and Collection Dates, April 2009–March 2010**

Vapor-Monitoring Well ID	Sampling Port	Beginning Depth (ft bgs)	Ending Depth (ft bgs)	Round 6 Collection Date (Event IDs 751)	Round 7 Collection Date (Event ID 877)	Round 8 Collection Date (Event ID 912)	Round 9 Collection Date (Event ID 2192)	Round 10 Collection Date (Event ID 2235)	Round 11 Collection Date (Event ID 2280)	Round 12 Collection Date (Event IDs 2434 and 2487)	Round 13 Collection Date (Event IDs 2502 and 2512)	Round 14 Collection Date (Event ID 2589)	Round 15 Collection Date (Event ID 2624)	Round 16 Collection Date (Event ID 2689)
21-25262	1	80	85	n/a ^a	6/12/2009	7/14/2009	8/11/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	2	115	120	n/a	6/12/2009	7/14/2009	8/11/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	3	232	237	n/a	6/12/2009	7/14/2009	8/11/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	4	295	300	n/a	6/12/2009	7/14/2009	8/13/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	5	329.5	334.5	n/a	6/12/2009	7/14/2009	8/13/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	6	375	380	n/a	6/12/2009	7/14/2009	8/11/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	7	472	478	n/a	6/12/2009	7/14/2009	8/13/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	8	572	577	n/a	6/12/2009	7/14/2009	8/14/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010
21-25262	9	686	691	n/a	6/15/2009	7/14/2009	8/14/2009	9/17/2009	10/19/2009	11/17/2009	12/15/2009	1/21/2010	2/10/2010	3/17/2010

Table 2.0-1 (continued)

Vapor-Monitoring Well ID	Sampling Port	Beginning Depth (ft bgs)	Ending Depth (ft bgs)	Round 6 Collection Date (Event IDs 677 and 751)	Round 7 Collection Date (Event ID 877)	Round 8 Collection Date (Event ID 912)	Round 9 Collection Date (Event ID 2192)	Round 10 Collection Date (Event ID 2235)	Round 11 Collection Date (Event ID 2280)	Round 12 Collection Date (Event IDs 2434 and 2487)	Round 13 Collection Date (Event IDs 2502 and 2512)	Round 14 Collection Date (Event ID 2589)	Round 15 Collection Date (Event ID 2624)	Round 16 Collection Date (Event ID 2689)
21-25264	1	67.5	72.5	4/16/2009	6/17/2009	7/17/2009	8/19/2009	9/16/2009	10/16/2009	11/19/2009	12/22/2009	1/28/2010	2/16/2010	3/23/2010
21-25264	2	150.5	155.5	4/17/2009	6/17/2009	7/17/2009	8/19/2009	9/16/2009	10/16/2009	11/19/2009	12/22/2009	1/28/2010	2/16/2010	3/23/2010
21-25264	3	222.5	227.5	4/17/2009	6/17/2009	7/17/2009	8/19/2009	9/16/2009	10/16/2009	11/19/2009	12/22/2009	1/28/2010	2/16/2010	3/23/2010
21-25264	4	323	328	4/17/2009	6/17/2009	7/17/2009	8/19/2009	9/16/2009	10/16/2009	11/19/2009	12/22/2009	1/28/2010	2/16/2010	3/23/2010
21-25264	5	349.5	354.5	4/16/2009	6/17/2009	7/17/2009	8/19/2009	9/16/2009	10/16/2009	11/19/2009	12/22/2009	1/28/2010	2/16/2010	3/23/2010
21-603058	1	67.5	72.5	4/14/2009	6/18/2009	7/16/2009	8/18/2009	9/15/2009	10/14/2009	11/20/2009	12/21/2009	1/27/2010	2/17/2010	3/22/2010
21-603058	2	160.5	165.5	— ^b	—	—	—	—	—	—	—	1/27/2010	2/17/2010	3/22/2010
21-603058	3	217	222	4/14/2009	6/18/2009	7/16/2009	8/18/2009	9/15/2009	10/14/2009	11/20/2009	12/21/2009	1/27/2010	2/17/2010	3/22/2010
21-603058	4	242.5	247.5	4/15/2009	6/18/2009	7/16/2009	8/18/2009	9/15/2009	10/14/2009	11/20/2009	12/21/2009	1/27/2010	2/17/2010	3/22/2010
21-603058	5	339.5	344.5	4/15/2009	6/18/2009	7/16/2009	8/18/2009	9/15/2009	10/14/2009	11/20/2009	12/21/2009	1/27/2010	2/17/2010	3/22/2010
21-603059	1	77.5	82.5	4/13/2009	6/16/2009	7/15/2009	8/14/2009	9/18/2009	10/20/2009	11/18/2009	12/16/2009	1/20/2010	2/11/2010	3/16/2010
21-603059	2	112.5	117.5	—	—	—	—	—	—	—	—	1/20/2010	2/11/2010	3/16/2010
21-603059	3	187.5	192.5	4/10/2009	6/16/2009	7/15/2009	8/14/2009	9/18/2009	10/20/2009	11/18/2009	12/16/2009	1/20/2010	2/11/2010	3/16/2010
21-603059	4	229.5	234.5	4/20/2009	6/16/2009	7/15/2009	8/14/2009	9/18/2009	10/20/2009	11/18/2009	12/16/2009	1/20/2010	2/11/2010	3/16/2010
21-603059	5	292.5	297.5	4/10/2009	6/16/2009	7/15/2009	8/14/2009	9/18/2009	10/20/2009	11/18/2009	12/16/2009	1/20/2010	2/11/2010	3/16/2010
21-603059	6	372.5	377.5	4/13/2009	6/16/2009	7/15/2009	8/14/2009	9/18/2009	10/20/2009	11/18/2009	12/16/2009	1/20/2010	2/11/2010	3/16/2010
21-607955	1	71.1	76.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/2/2009	12/18/2009	1/25/2010	2/12/2010
21-607955	2	153.8	159.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/3/2009	12/18/2009	1/25/2010	2/12/2010
21-607955	3	173.4	179	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/2/2009	12/18/2009	1/25/2010	2/12/2010
21-607955	4	225.9	232.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/2/2009	12/17/2009	1/25/2010	2/12/2010
21-607955	5	326.6	333.4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/3/2009	12/17/2009	1/25/2010	2/12/2010
21-607955	6	353.3	359.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/2/2009	12/17/2009	1/25/2010	2/12/2010
21-607955	7	459.4	464.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/2/2009	12/17/2009	1/25/2010	2/12/2010
21-607955	8	559	565	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/2/2009	12/17/2009	1/25/2010	2/12/2010
21-607955	9	651.3	657.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/2/2009	12/18/2009	1/26/2010	2/12/2010
21-607955	10	797.2	803.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/3/2009	12/17/2009	1/26/2010	2/15/2010
21-607955	11	946.2	952.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	12/3/2009	12/17/2009	1/26/2010	2/15/2010

Note: Event IDs refer to the sample collection log and chain of custody packages provided in Appendix D.

^a n/a = Not applicable.

^b — = Sample not collected.

Table 2.0-2
Summary of Pore-Gas Samples Collected at MDA T
Vapor-Monitoring Well 21-25262, June 2009–March 2010

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
June 2009					
MD21-09-10355	80–85	6/12/2009	n/a ^a	09-2321	09-2320
MD21-09-10356	115–120	6/12/2009	n/a	09-2321	09-2320
MD21-09-10357	232–237	6/12/2009	n/a	09-2321	09-2320
MD21-09-10358	295–300	6/12/2009	n/a	09-2321	09-2320
MD21-09-10359	329.5–334.5	6/12/2009	n/a	09-2334	09-2333
MD21-09-10360	375–380	6/12/2009	n/a	09-2334	09-2333
MD21-09-10361	472–478	6/12/2009	n/a	09-2334	09-2333
MD21-09-10362	572–577	6/12/2009	n/a	09-2334	09-2333
MD21-09-10363	686–691	6/15/2009	n/a	09-2334	09-2333
MD21-09-10364	686–691	6/15/2009	FD	09-2334	09-2333
July 2009					
MD21-09-11294	80–85	7/14/2009	n/a	09-2636	09-2635
MD21-09-11295	115–120	7/14/2009	n/a	09-2636	09-2635
MD21-09-11296	232–237	7/14/2009	n/a	09-2636	09-2635
MD21-09-11297	295–300	7/14/2009	n/a	09-2636	09-2635
MD21-09-11298	329.5–334.5	7/14/2009	n/a	09-2636	09-2635
MD21-09-11299	375–380	7/14/2009	n/a	09-2636	09-2635
MD21-09-11300	472–478	7/14/2009	n/a	09-2636	09-2635
MD21-09-11301	572–577	7/14/2009	n/a	09-2636	09-2635
MD21-09-11302	686–691	7/14/2009	n/a	09-2636	09-2635
MD21-09-11303	686–691	7/14/2009	FB	— ^b	09-2635
MD21-09-11304	686–691	7/14/2009	FD	09-2636	09-2635
August 2009					
MD21-09-11488	80–85	8/11/2009	n/a	09-2853	09-2852
MD21-09-11489	115–120	8/11/2009	n/a	09-2853	09-2852
MD21-09-11490	232–237	8/11/2009	n/a	09-2853	09-2852
MD21-09-11491	295–300	8/13/2009	n/a	09-2882	09-2881
MD21-09-11492	329.5–334.5	8/13/2009	n/a	09-2882	09-2881
MD21-09-11493	375–380	8/11/2009	n/a	09-2853	09-2852
MD21-09-11498	375–380	8/11/2009	FB	—	09-2852
MD21-09-11494	472–478	8/13/2009	n/a	09-2882	09-2881
MD21-09-11495	572–577	8/14/2009	n/a	09-2885	09-2884
MD21-09-11496	686–691	8/14/2009	n/a	09-2885	09-2884
MD21-09-11497	686–691	8/14/2009	FD	09-2885	09-2884

Table 2.0-2 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
September 2009					
MD21-09-12622	0–0	9/17/2009	FB	—	09-3282
MD21-09-12612	80–85	9/17/2009	n/a	09-3283	09-3282
MD21-09-12613	115–120	9/17/2009	n/a	09-3283	09-3282
MD21-09-12614	232–237	9/17/2009	n/a	09-3283	09-3282
MD21-09-12615	295–300	9/17/2009	n/a	09-3283	09-3282
MD21-09-12616	329.5–334.5	9/17/2009	n/a	09-3283	09-3282
MD21-09-12621	329.5–334.5	9/17/2009	FD	09-3283	09-3282
MD21-09-12617	375–380	9/17/2009	n/a	09-3283	09-3282
MD21-09-12618	472–478	9/17/2009	n/a	09-3283	09-3282
MD21-09-12619	572–577	9/17/2009	n/a	09-3283	09-3282
MD21-09-12620	686–691	9/17/2009	n/a	09-3283	09-3282
October 2009					
MD21-10-9	0–0	10/19/2009	FB	—	10-181
MD21-10-32	80–85	10/19/2009	n/a	10-182	10-181
MD21-10-33	115–120	10/19/2009	n/a	10-182	10-181
MD21-10-34	232–237	10/19/2009	n/a	10-182	10-181
MD21-10-35	295–300	10/19/2009	n/a	10-182	10-181
MD21-10-36	329.5–334.5	10/19/2009	n/a	10-182	10-181
MD21-10-41	329.5–334.5	10/19/2009	FD	10-182	10-181
MD21-10-37	375–380	10/19/2009	n/a	10-182	10-181
MD21-10-38	472–478	10/19/2009	n/a	10-182	10-181
MD21-10-39	572–577	10/19/2009	n/a	10-182	10-181
MD21-10-40	686–691	10/19/2009	n/a	10-182	10-181
November 2009					
MD21-10-5023	0–0	11/17/2009	FB	—	10-555
MD21-10-5007	80–85	11/17/2009	n/a	10-556	10-555
MD21-10-5008	115–120	11/17/2009	n/a	10-556	10-555
MD21-10-5009	232–237	11/17/2009	n/a	10-556	10-555
MD21-10-5010	295–300	11/17/2009	n/a	10-556	10-555
MD21-10-5011	329.5–334.5	11/17/2009	n/a	10-556	10-555
MD21-10-5022	329.5–334.5	11/17/2009	FD	10-556	10-555
MD21-10-5012	375–380	11/17/2009	n/a	10-556	10-555
MD21-10-5013	472–478	11/17/2009	n/a	10-556	10-555
MD21-10-5014	572–577	11/17/2009	n/a	10-556	10-555
MD21-10-5015	686–691	11/17/2009	n/a	10-556	10-555

Table 2.0-2 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
December 2009					
MD21-10-8530	0–0	12/15/2009	FB	—	10-1002
MD21-10-8520	80–85	12/15/2009	n/a	10-1001	10-1002
MD21-10-8521	115–120	12/15/2009	n/a	10-1001	10-1002
MD21-10-8522	232–237	12/15/2009	n/a	10-1001	10-1002
MD21-10-8523	295–300	12/15/2009	n/a	10-1001	10-1002
MD21-10-8524	329.5–334.5	12/15/2009	n/a	10-1001	10-1002
MD21-10-8529	329.5–334.5	12/15/2009	FD	10-1001	10-1002
MD21-10-8525	375–380	12/15/2009	n/a	10-1001	10-1002
MD21-10-8526	472–478	12/15/2009	n/a	10-1001	10-1002
MD21-10-8527	572–577	12/15/2009	n/a	10-1001	10-1002
MD21-10-8528	686–691	12/15/2009	n/a	10-1001	10-1002
January 2010					
MD21-10-11413	80–85	1/21/2010	n/a	10-1402	10-1401
MD21-10-11414	115–120	1/21/2010	n/a	10-1402	10-1401
MD21-10-11415	232–237	1/21/2010	n/a	10-1402	10-1401
MD21-10-11416	295–300	1/21/2010	n/a	10-1402	10-1401
MD21-10-11417	329.5–334.5	1/21/2010	n/a	10-1402	10-1401
MD21-10-11418	375–380	1/21/2010	n/a	10-1402	10-1401
MD21-10-11419	472–478	1/21/2010	n/a	10-1402	10-1401
MD21-10-11420	572–577	1/21/2010	n/a	10-1402	10-1401
MD21-10-11421	686–691	1/21/2010	n/a	10-1402	10-1401
February 2010					
MD21-10-12288	0–0	2/10/2010	FB	—	10-1814
MD21-10-12278	80–85	2/10/2010	n/a	10-1790	10-1789
MD21-10-12279	115–120	2/10/2010	n/a	10-1790	10-1789
MD21-10-12280	232–237	2/10/2010	n/a	10-1790	10-1789
MD21-10-12281	295–300	2/10/2010	n/a	10-1790	10-1789
MD21-10-12282	329.5–334.5	2/10/2010	n/a	10-1790	10-1789
MD21-10-12287	329.5–334.5	2/10/2010	FD	10-1790	10-1789
MD21-10-12283	375–380	2/10/2010	n/a	10-1790	10-1789
MD21-10-12284	472–478	2/10/2010	n/a	10-1790	10-1789
MD21-10-12285	572–577	2/10/2010	n/a	10-1790	10-1789
MD21-10-12286	686–691	2/10/2010	n/a	10-1790	10-1789

Table 2.0-2 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
March 2010					
MD21-10-13999	0–0	3/17/2010	FB	—	10-2494
MD21-10-13989	80–85	3/17/2010	n/a	10-2495	10-2494
MD21-10-13990	115–120	3/17/2010	n/a	10-2495	10-2494
MD21-10-13991	232–237	3/17/2010	n/a	10-2495	10-2494
MD21-10-13992	295–300	3/17/2010	n/a	10-2495	10-2494
MD21-10-13993	329.5–334.5	3/17/2010	n/a	10-2495	10-2494
MD21-10-13998	329.5–334.5	3/17/2010	FD	10-2495	10-2494
MD21-10-13994	375–380	3/17/2010	n/a	10-2495	10-2494
MD21-10-13995	472–478	3/17/2010	n/a	10-2495	10-2494
MD21-10-13996	572–577	3/17/2010	n/a	10-2495	10-2494
MD21-10-13997	686–691	3/17/2010	n/a	10-2495	10-2494

^a n/a = Not applicable.

^b — = Sample not collected.

Table 2.0-3
Summary of Pore-Gas Samples Collected at MDA T
Vapor-Monitoring Well 21-25264, April 2009–March 2010

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
April 2009					
MD21-09-7164	67.5–72.5	4/16/2009	n/a ^a	09-1505	09-1504
MD21-09-7166	150.5–155.5	4/17/2009	n/a	09-1510	09-1509
MD21-09-7168	222.5–227.5	4/17/2009	n/a	09-1510	09-1509
MD21-09-7167	323–328	4/17/2009	n/a	09-1510	09-1509
MD21-09-7165	349.5–354.5	4/16/2009	n/a	09-1505	09-1504
MD21-09-7174	349.5–354.5	4/16/2009	FD	09-1505	09-1504
June 2009					
MD21-09-10354	n/a	6/18/2009	FB	— ^b	09-2406
MD21-09-10344	67.5–72.5	6/17/2009	n/a	09-2363	09-2362
MD21-09-10345	150.5–155.5	6/17/2009	n/a	09-2363	09-2362
MD21-09-10353	150.5–155.5	6/17/2009	FD	09-2363	09-2362
MD21-09-10346	222.5–227.5	6/17/2009	n/a	09-2363	09-2362
MD21-09-10347	323–328	6/17/2009	n/a	09-2363	09-2362
MD21-09-10348	349.5–354.5	6/17/2009	n/a	09-2363	09-2362

Table 2.0-3 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
July 2009					
MD21-09-11292	n/a	7/17/2009	FB	—	09-2683
MD21-09-11283	67.5–72.5	7/17/2009	n/a	09-2684	09-2683
MD21-09-11284	150.5–155.5	7/17/2009	n/a	09-2684	09-2683
MD21-09-11293	150.5–155.5	7/17/2009	FD	09-2684	09-2683
MD21-09-11285	222.5–227.5	7/17/2009	n/a	09-2684	09-2683
MD21-09-11286	323–328	7/17/2009	n/a	09-2684	09-2683
MD21-09-11287	349.5–354.5	7/17/2009	n/a	09-2684	09-2683
August 2009					
MD21-09-11477	67.5–72.5	8/19/2009	n/a	09-2947	09-2946
MD21-09-11478	150.5–155.5	8/19/2009	n/a	09-2947	09-2946
MD21-09-11486	150.5–155.5	8/19/2009	FD	09-2947	09-2946
MD21-09-11479	222.5–227.5	8/19/2009	n/a	09-2947	09-2946
MD21-09-11480	323–328	8/19/2009	n/a	09-2947	09-2946
MD21-09-11481	349.5–354.5	8/19/2009	n/a	09-2947	09-2946
MD21-09-11483	349.5–354.5	8/19/2009	FB	—	09-2946
September 2009					
MD21-09-12611	0–0	9/16/2009	FB	—	09-3260
MD21-09-12605	67.5–72.5	9/16/2009	n/a	09-3261	09-3260
MD21-09-12606	150.5–155.5	9/16/2009	n/a	09-3261	09-3260
MD21-09-12610	150.5–155.5	9/16/2009	FD	09-3261	09-3260
MD21-09-12607	222.5–227.5	9/16/2009	n/a	09-3261	09-3260
MD21-09-12608	323–328	9/16/2009	n/a	09-3261	09-3260
MD21-09-12609	349.5–354.5	9/16/2009	n/a	09-3261	09-3260
October 2009					
MD21-10-31	0–0	10/16/2009	FB	—	10-157
MD21-10-25	67.5–72.5	10/16/2009	n/a	10-158	10-157
MD21-10-26	150.5–155.5	10/16/2009	n/a	10-158	10-157
MD21-10-30	150.5–155.5	10/16/2009	FD	10-158	10-157
MD21-10-27	222.5–227.5	10/16/2009	n/a	10-158	10-157
MD21-10-28	323–328	10/16/2009	n/a	10-158	10-157
MD21-10-29	349.5–354.5	10/16/2009	n/a	10-158	10-157
November 2009					
MD21-10-5021	0–0	11/19/2009	FB	—	10-627
MD21-10-5002	67.5–72.5	11/19/2009	n/a	10-628	10-627
MD21-10-5003	150.5–155.5	11/19/2009	n/a	10-628	10-627
MD21-10-5020	150.5–155.5	11/19/2009	FD	10-628	10-627
MD21-10-5004	222.5–227.5	11/19/2009	n/a	10-628	10-627
MD21-10-5005	323–328	11/19/2009	n/a	10-628	10-627
MD21-10-5006	349.5–354.5	11/19/2009	n/a	10-628	10-627

Table 2.0-3 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
December 2009					
MD21-10-8519	0–0	12/22/2009	FB	—	10-1061
MD21-10-8509	67.5–72.5	12/22/2009	n/a	10-1062	10-1061
MD21-10-8510	150.5–155.5	12/22/2009	n/a	10-1062	10-1061
MD21-10-8518	150.5–155.5	12/22/2009	FD	10-1062	—
MD21-10-8511	222.5–227.5	12/22/2009	n/a	10-1062	10-1061
MD21-10-8512	323–328	12/22/2009	n/a	10-1062	10-1061
MD21-10-8513	349.5–354.5	12/22/2009	n/a	10-1062	10-1061
January 2010					
MD21-10-11412	0–0	1/28/2010	FB	—	10-1481
MD21-10-11406	67.5–72.5	1/28/2010	n/a	10-1482	10-1481
MD21-10-11407	150.5–155.5	1/28/2010	n/a	10-1482	10-1481
MD21-10-11411	150.5–155.5	1/28/2010	FD	10-1482	10-1481
MD21-10-11408	222.5–227.5	1/28/2010	n/a	10-1482	10-1481
MD21-10-11409	323–328	1/28/2010	n/a	10-1482	10-1481
MD21-10-11410	349.5–354.5	1/28/2010	n/a	10-1482	10-1481
February 2010					
MD21-10-12271	67.5–72.5	2/16/2010	n/a	10-1887	10-1888
MD21-10-12272	150.5–155.5	2/16/2010	n/a	10-1887	10-1888
MD21-10-12273	222.5–227.5	2/16/2010	n/a	10-1887	10-1888
MD21-10-12274	323–328	2/16/2010	n/a	10-1887	10-1888
MD21-10-12275	349.5–354.5	2/16/2010	n/a	10-1887	10-1888
March 2010					
MD21-10-13984	67.5–72.5	3/23/2010	n/a	10-2581	10-2580
MD21-10-13985	150.5–155.5	3/23/2010	n/a	10-2581	10-2580
MD21-10-14015	150.5–155.5	3/23/2010	FD	10-2581	10-2580
MD21-10-13986	222.5–227.5	3/23/2010	n/a	10-2581	10-2580
MD21-10-13987	323–328	3/23/2010	n/a	10-2581	10-2580
MD21-10-13988	349.5–354.5	3/23/2010	n/a	10-2581	10-2580

^a n/a = Not applicable.

^b — = Sample not collected.

Table 2.0-4
Summary of Pore-Gas Samples Collected at MDA T
Vapor-Monitoring Well 21-603058, April 2009–March 2010

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
April 2009					
MD21-09-7169	n/a ^a	4/15/2009	FB	— ^b	09-1494
MD21-09-7159	67.5–72.5	4/14/2009	n/a	09-1491	09-1476
MD21-09-7160	217–222	4/14/2009	n/a	09-1491	09-1476
MD21-09-7162	242.5–247.5	4/15/2009	n/a	09-1495	09-1494
MD21-09-7161	339.5–344.5	4/15/2009	n/a	09-1495	09-1494
MD21-09-7172	339.5–344.5	4/15/2009	FD	09-1495	09-1494
June 2009					
MD21-09-10352	n/a	6/18/2009	FB	—	09-2406
MD21-09-10339	67.5–72.5	6/18/2009	n/a	09-2407	09-2406
MD21-09-10341	217–222	6/18/2009	n/a	09-2407	09-2406
MD21-09-10351	217–222	6/18/2009	FD	09-2407	09-2406
MD21-09-10342	242.5–247.5	6/18/2009	n/a	09-2407	09-2406
MD21-09-10343	339.5–344.5	6/18/2009	n/a	09-2407	09-2406
July 2009					
MD21-09-11290	n/a	7/16/2009	FB	—	09-2669
MD21-09-11278	67.5–72.5	7/16/2009	n/a	09-2670	09-2669
MD21-09-11280	217–222	7/16/2009	n/a	09-2670	09-2669
MD21-09-11291	217–222	7/16/2009	FD	09-2670	09-2669
MD21-09-11281	242.5–247.5	7/16/2009	n/a	09-2670	09-2669
MD21-09-11282	339.5–344.5	7/16/2009	n/a	09-2670	09-2669
August 2009					
MD21-09-11472	67.5–72.5	8/18/2009	n/a	09-2920	09-2919
MD21-09-11484	217–222	8/18/2009	FD	09-2920	09-2919
MD21-09-11473	217–222	8/18/2009	n/a	09-2920	09-2919
MD21-09-11474	242.5–247.5	8/18/2009	n/a	09-2920	09-2919
MD21-09-11485	339.5–344.5	8/18/2009	FB	—	09-2919
MD21-09-11475	339.5–344.5	8/18/2009	n/a	09-2920	09-2919
September 2009					
MD21-09-12598	67.5–72.5	9/15/2009	n/a	09-3228	09-3227
MD21-09-12600	217–222	9/15/2009	n/a	09-3228	09-3227
MD21-09-12603	242.5–247.5	9/15/2009	FD	09-3228	09-3227
MD21-09-12601	242.5–247.5	9/15/2009	n/a	09-3228	09-3227
MD21-09-12602	339.5–344.5	9/15/2009	n/a	09-3228	09-3227
October 2009					
MD21-10-18	67.5–72.5	10/14/2009	n/a	10-139	10-138
MD21-10-20	217–222	10/14/2009	n/a	10-139	10-138
MD21-10-21	242.5–247.5	10/14/2009	n/a	10-139	10-138
MD21-10-23	242.5–247.5	10/14/2009	FD	10-139	10-138
MD21-10-22	339.5–344.5	10/14/2009	n/a	10-139	10-138

Table 2.0-4 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
November 2009					
MD21-10-5019	0–0	11/20/2009	FB	—	10-651
MD21-10-4997	67.5–72.5	11/20/2009	n/a	10-652	10-651
MD21-10-4998	217–222	11/20/2009	n/a	10-652	10-651
MD21-10-4999	242.5–247.5	11/20/2009	n/a	10-652	10-651
MD21-10-5018	242.5–247.5	11/20/2009	FD	10-652	10-651
MD21-10-5000	339.5–344.5	11/20/2009	n/a	10-652	10-651
December 2009					
MD21-10-8517	0–0	12/21/2009	FB	—	10-1034
MD21-10-8504	67.5–72.5	12/21/2009	n/a	10-1033	10-1034
MD21-10-8506	217–222	12/21/2009	n/a	10-1033	10-1034
MD21-10-8507	242.5–247.5	12/21/2009	n/a	10-1033	10-1034
MD21-10-8516	242.5–247.5	12/21/2009	FD	10-1033	10-1034
MD21-10-8508	339.5–344.5	12/21/2009	n/a	10-1033	10-1034
January 2010					
MD21-10-11405	0–0	1/27/2010	FB	—	10-1454
MD21-10-11399	67.5–72.5	1/27/2010	n/a	10-1455	10-1454
MD21-10-11401	217–222	1/27/2010	n/a	10-1455	10-1454
MD21-10-11402	242.5–247.5	1/27/2010	n/a	10-1455	10-1454
MD21-10-11404	242.5–247.5	1/27/2010	FD	10-1455	10-1454
MD21-10-11403	339.5–344.5	1/27/2010	n/a	10-1455	10-1454
February 2010					
MD21-10-12270	0–0	2/17/2010	FB	—	10-1917
MD21-10-12264	67.5–72.5	2/17/2010	n/a	10-1901	10-1900
MD21-10-12266	217–222	2/17/2010	n/a	10-1901	10-1900
MD21-10-12267	242.5–247.5	2/17/2010	n/a	10-1901	10-1900
MD21-10-12269	242.5–247.5	2/17/2010	FD	10-1901	10-1900
MD21-10-12268	339.5–344.5	2/17/2010	n/a	10-1901	10-1900
March 2010					
MD21-10-13978	67.5–72.5	3/22/2010	n/a	10-2557	10-2556
MD21-10-13979	217–222	3/22/2010	n/a	10-2557	10-2556
MD21-10-13980	242.5–247.5	3/22/2010	n/a	10-2557	10-2556
MD21-10-13982	242.5–247.5	3/22/2010	FD	10-2557	10-2556
MD21-10-14014	339.5–344.5	3/22/2010	n/a	10-2557	10-2556

^a n/a = Not applicable.

^b — = Sample not collected.

Table 2.0-5
Summary of Pore-Gas Samples Collected at MDA T
Vapor-Monitoring Well 21-603059, April 2009–March 2010

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
April 2009					
MD21-09-7170	n/a ^a	4/20/2009	FB	— ^b	09-1513
MD21-09-7155	77.5–82.5	4/13/2009	n/a	09-1455	09-1454
MD21-09-7154	187.5–192.5	4/10/2009	n/a	09-1453	09-1452
MD21-09-7157	229.5–234.5	4/13/2009	n/a	09-1455	09-1454
MD21-09-7163	229.5–234.5	4/20/2009	n/a	09-1514	09-1513
MD21-09-7153	292.5–297.5	4/10/2009	n/a	09-1453	09-1452
MD21-09-7156	372.5–377.5	4/13/2009	n/a	09-1455	09-1454
June 2009					
MD21-09-10350	n/a	6/18/2009	FB	—	09-2406
MD21-09-10333	77.5–82.5	6/16/2009	n/a	09-2343	09-2342
MD21-09-10334	187.5–192.5	6/16/2009	n/a	09-2343	09-2342
MD21-09-10335	229.5–234.5	6/16/2009	n/a	09-2343	09-2342
MD21-09-10336	292.5–297.5	6/16/2009	n/a	09-2343	09-2342
MD21-09-10349	292.5–297.5	6/16/2009	FD	09-2343	09-2342
MD21-09-10337	372.5–377.5	6/16/2009	n/a	09-2343	09-2342
July 2009					
MD21-09-11272	77.5–82.5	7/15/2009	n/a	09-2655	09-2654
MD21-09-11273	187.5–192.5	7/15/2009	n/a	09-2655	09-2654
MD21-09-11274	229.5–234.5	7/15/2009	n/a	09-2655	09-2654
MD21-09-11275	292.5–297.5	7/15/2009	n/a	09-2655	09-2654
MD21-09-11276	372.5–377.5	7/15/2009	n/a	09-2655	09-2654
MD21-09-11289	372.5–377.5	7/15/2009	FD	09-2655	09-2654
August 2009					
MD21-09-11469	77.5–82.5	8/14/2009	n/a	09-2901	09-2900
MD21-09-11470	187.5–192.5	8/14/2009	n/a	09-2901	09-2900
MD21-09-11471	229.5–234.5	8/14/2009	n/a	09-2901	09-2900
MD21-09-11468	292.5–297.5	8/14/2009	n/a	09-2901	09-2900
MD21-09-11467	372.5–377.5	8/14/2009	n/a	09-2901	09-2900
MD21-09-11482	372.5–377.5	8/14/2009	FD	09-2901	09-2900
September 2009					
MD21-09-12630	0–0	9/18/2009	FB	—	09-3289
MD21-09-12623	77.5–82.5	9/18/2009	n/a	09-3290	09-3289
MD21-09-12624	187.5–192.5	9/18/2009	n/a	09-3290	09-3289
MD21-09-12625	229.5–234.5	9/18/2009	n/a	09-3290	09-3289
MD21-09-12626	292.5–297.5	9/18/2009	n/a	09-3290	09-3289
MD21-09-12627	372.5–377.5	9/18/2009	n/a	09-3290	09-3289
MD21-09-12629	372.5–377.5	9/18/2009	FD	09-3290	09-3289

Table 2.0-5 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
October 2009					
MD21-10-17	0-0	10/20/2009	FB	—	10-195
MD21-10-10	77.5-82.5	10/20/2009	n/a	10-196	10-195
MD21-10-11	187.5-192.5	10/20/2009	n/a	10-196	10-195
MD21-10-12	229.5-234.5	10/20/2009	n/a	10-196	10-195
MD21-10-13	292.5-297.5	10/20/2009	n/a	10-196	10-195
MD21-10-14	372.5-377.5	10/20/2009	n/a	10-196	10-195
MD21-10-16	372.5-377.5	10/20/2009	FD	10-196	10-195
November 2009					
MD21-10-5017	0-0	11/18/2009	FB	—	10-586
MD21-10-4991	77.5-82.5	11/18/2009	n/a	10-587	10-586
MD21-10-4993	187.5-192.5	11/18/2009	n/a	10-587	10-586
MD21-10-4994	229.5-234.5	11/18/2009	n/a	10-587	10-586
MD21-10-4995	292.5-297.5	11/18/2009	n/a	10-587	10-586
MD21-10-4996	372.5-377.5	11/18/2009	n/a	10-587	10-586
MD21-10-5016	372.5-377.5	11/18/2009	FD	10-587	10-586
December 2009					
MD21-10-8515	0-0	12/16/2009	FB	—	10-1006
MD21-10-8498	77.5-82.5	12/16/2009	n/a	10-980	10-981
MD21-10-8499	187.5-192.5	12/16/2009	n/a	10-980	10-981
MD21-10-8500	229.5-234.5	12/16/2009	n/a	10-980	10-981
MD21-10-8501	292.5-297.5	12/16/2009	n/a	10-980	10-981
MD21-10-8502	372.5-377.5	12/16/2009	n/a	10-980	10-981
MD21-10-8514	372.5-377.5	12/16/2009	FD	10-980	10-981
January 2010					
MD21-10-11398	0-0	1/20/2010	FB	—	10-1361
MD21-10-11391	77.5-82.5	1/20/2010	n/a	10-1362	10-1361
MD21-10-11393	187.5-192.5	1/20/2010	n/a	10-1362	10-1361
MD21-10-11394	229.5-234.5	1/20/2010	n/a	10-1362	10-1361
MD21-10-11395	292.5-297.5	1/20/2010	n/a	10-1362	10-1361
MD21-10-11396	372.5-377.5	1/20/2010	n/a	10-1362	10-1361
MD21-10-11397	372.5-377.5	1/20/2010	FD	10-1362	10-1361
February 2010					
MD21-10-12263	0-0	2/11/2010	FB	—	10-1842
MD21-10-12256	77.5-82.5	2/11/2010	n/a	10-1815	10-1814
MD21-10-12258	187.5-192.5	2/11/2010	n/a	10-1815	10-1814
MD21-10-12259	229.5-234.5	2/11/2010	n/a	10-1815	10-1814
MD21-10-12260	292.5-297.5	2/11/2010	n/a	10-1815	10-1814
MD21-10-12261	372.5-377.5	2/11/2010	n/a	10-1815	10-1814
MD21-10-12262	372.5-377.5	2/11/2010	FD	10-1815	10-1814

Table 2.0-5 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
March 2010					
MD21-10-13977	0–0	3/16/2010	FB	—	10-2484
MD21-10-13971	77.5–82.5	3/16/2010	n/a	10-2485	10-2484
MD21-10-13972	187.5–192.5	3/16/2010	n/a	10-2485	10-2484
MD21-10-13973	229.5–234.5	3/16/2010	n/a	10-2485	10-2484
MD21-10-13974	292.5–297.5	3/16/2010	n/a	10-2485	10-2484
MD21-10-13975	372.5–377.5	3/16/2010	n/a	10-2485	10-2484
MD21-10-13976	372.5–377.5	3/16/2010	FD	10-2485	10-2484

^a n/a = Not applicable.

^b — = Sample not collected.

Table 2.0-6
Summary of Pore-Gas Samples Collected at MDA T
Vapor-Monitoring Well 21-607955, November 2009–March 2010

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
November/December 2009					
MD21-10-7578	0–0	12/3/2009	FB	— ^a	10-793
MD21-10-7567	71.1–76.4	12/2/2009	n/a ^b	10-765	10-764
MD21-10-7568	153.8–159.7	12/3/2009	n/a	10-794	10-793
MD21-10-7569	173.4–179	12/2/2009	n/a	10-765	10-764
MD21-10-7570	225.9–232.1	12/2/2009	n/a	10-765	10-764
MD21-10-7571	326.6–333.4	12/3/2009	n/a	10-794	10-793
MD21-10-7579	326.6–333.4	12/3/2009	FD	10-794	10-793
MD21-10-7572	353.3–359.6	12/2/2009	n/a	10-765	10-764
MD21-10-7573	459.4–464.8	12/2/2009	n/a	10-765	10-764
MD21-10-7574	559–565	12/2/2009	n/a	10-765	10-764
MD21-10-7575	651.3–657.3	12/2/2009	n/a	10-765	10-764
MD21-10-7576	797.2–803.1	12/3/2009	n/a	10-794	10-793
MD21-10-7577	946.2–952.1	12/3/2009	n/a	10-794	10-793
December 2009					
MD21-10-8111	0–0	12/18/2009	FB	—	10-1008
MD21-10-8099	71.1–76.4	12/18/2009	n/a	10-1007	10-1008
MD21-10-8100	153.8–159.7	12/18/2009	n/a	10-1007	10-1008
MD21-10-8101	173.4–179	12/18/2009	n/a	10-1007	10-1008
MD21-10-8102	225.9–232.1	12/17/2009	n/a	10-1003	10-1004
MD21-10-8103	326.6–333.4	12/17/2009	n/a	10-1003	10-1004
MD21-10-8110	326.6–333.4	12/17/2009	FD	10-1003	10-1004
MD21-10-8104	353.3–359.6	12/17/2009	n/a	10-1003	10-1004
MD21-10-8105	459.4–464.8	12/17/2009	n/a	10-1003	10-1004

Table 2.0-6 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
MD21-10-8106	559–565	12/17/2009	n/a	10-1003	10-1004
MD21-10-8107	651.3–657.3	12/18/2009	n/a	10-1007	10-1008
MD21-10-8108	797.2–803.1	12/17/2009	n/a	10-1003	10-1004
MD21-10-8109	946.2–952.1	12/17/2009	n/a	10-1003	10-1004
January 2010					
MD21-10-11436	0–0	1/26/2010	FB	—	10-1420
MD21-10-11424	71.1–76.4	1/25/2010	n/a	10-1405	10-1420
MD21-10-11425	153.8–159.7	1/25/2010	n/a	10-1405	10-1404
MD21-10-11426	173.4–179	1/25/2010	n/a	10-1405	10-1404
MD21-10-11427	225.9–232.1	1/25/2010	n/a	10-1405	10-1404
MD21-10-11428	326.6–333.4	1/25/2010	n/a	10-1405	10-1404
MD21-10-11435	326.6–333.4	1/25/2010	FD	10-1405	10-1404
MD21-10-11429	353.3–359.6	1/25/2010	n/a	10-1405	10-1404
MD21-10-11430	459.4–464.8	1/25/2010	n/a	10-1405	10-1404
MD21-10-11431	559–565	1/25/2010	n/a	10-1405	10-1404
MD21-10-11432	651.3–657.3	1/26/2010	n/a	10-1405	10-1404
MD21-10-11433	797.2–803.1	1/26/2010	n/a	10-1421	10-1420
MD21-10-11434	946.2–952.1	1/26/2010	n/a	10-1421	10-1420
February 2010					
MD21-10-12301	0–0	2/15/2010	FB	—	10-1888
MD21-10-12289	71.1–76.4	2/12/2010	n/a	10-1843	10-1842
MD21-10-12290	153.8–159.7	2/12/2010	n/a	10-1843	10-1842
MD21-10-12291	173.4–179	2/12/2010	n/a	10-1843	10-1842
MD21-10-12292	225.9–232.1	2/12/2010	n/a	10-1843	10-1842
MD21-10-12293	326.6–333.4	2/12/2010	n/a	10-1843	10-1842
MD21-10-12300	326.6–333.4	2/12/2010	FD	10-1843	10-1842
MD21-10-12294	353.3–359.6	2/12/2010	n/a	10-1843	10-1842
MD21-10-12295	459.4–464.8	2/12/2010	n/a	10-1843	10-1842
MD21-10-12296	559–565	2/12/2010	n/a	10-1843	10-1842
MD21-10-12297	651.3–657.3	2/12/2010	n/a	10-1843	10-1842
MD21-10-12298	797.2–803.1	2/15/2010	n/a	10-1946	10-1945
MD21-10-12299	946.2–952.1	2/15/2010	n/a	10-1887	10-1888
March 2010					
MD21-10-14012	0–0	3/19/2010	FB	—	10-2538
MD21-10-14000	71.1–76.4	3/18/2010	n/a	10-2516	10-2515
MD21-10-14001	153.8–159.7	3/18/2010	n/a	10-2516	10-2515
MD21-10-14002	173.4–179	3/18/2010	n/a	10-2516	10-2515
MD21-10-14003	225.9–232.1	3/18/2010	n/a	10-2516	10-2515
MD21-10-14004	326.6–333.4	3/18/2010	n/a	10-2516	10-2515
MD21-10-14011	326.6–333.4	3/18/2010	FD	10-2516	10-2515
MD21-10-14005	353.3–359.6	3/18/2010	n/a	10-2516	10-2515

Table 2.0-6 (continued)

Sample ID	Depth (ft bgs)	Collection Date	Field QC Type	Request Number	
				Tritium	VOCs
MD21-10-14006	459.4–464.8	3/18/2010	n/a	10-2516	10-2515
MD21-10-14007	559–565	3/18/2010	n/a	10-2516	10-2515
MD21-10-14008	651.3–657.3	3/18/2010	n/a	10-2516	10-2515
MD21-10-14009	797.2–803.1	3/19/2010	n/a	10-2539	10-2538
MD21-10-14010	946.2–952.1	3/19/2010	n/a	10-2539	10-2538

^a — = Sample not collected.

^b n/a = Not applicable.

Table 3.0-1
Henry's Law Constants, Groundwater SLs, and
Calculated Concentrations Corresponding to Groundwater SLs for Detected VOCs in Pore Gas

VOC	Henry's Law Constant ^a (dimensionless)	Groundwater SL ($\mu\text{g/L}$) ^a	Calculated Concentrations in Pore Gas Corresponding to Groundwater Standard ($\mu\text{g/m}^3$) ^b
Acetone	0.0016	21,800	34,880
Benzene	0.23	5 ^c	1150
Bromodichloromethane	0.087	1.17	102
1-Butanol	0.00036 ^d	3700 ^d	1332
2-Butanone	0.0023	7060	16,238
Carbon Disulfide	0.59	1040	613,600
Carbon Tetrachloride	1.1	5 ^c	5500
Chlorodifluoromethane	1.7	104,000	176,800,000
Chloroform	0.15	100 ^e	15,000
Cyclohexane	6.1 ^d	13,000 ^d	79,300,000
1,4-Dichlorobenzene	0.1	75 ^c	7500
Dichlorodifluoromethane	14	395	5,530,000
1,2-Dichloroethane	0.048	5 ^c	240
1,1-Dichloroethene	1.1	5 ^e	5500
cis-1,2-Dichloroethene	0.17	70 ^c	11,900
Ethanol	na ^f	na	na
4-Ethyltoluene	na	na	na
Hexane	74	876	65,120,000
4-Methyl-2-pentanone	0.0056	1990	11,144
Methylene chloride	0.13	5 ^c	650
n-Heptane	na	na	na
2-Propanol	na	na	na
Propylene	na	na	na
Tetrachloroethene	0.72	5 ^c	3600

Table 3.0-1 (continued)

VOC	Henry's Law Constant ^a (dimensionless)	Groundwater SL (µg/L) ^a	Calculated Concentrations in Pore Gas Corresponding to Groundwater Standard (µg/m ³) ^b
Toluene	0.27	750 ^e	202,500
1,1,2-Trichloro-1,2,2-trifluoroethane	22	59,200	1,298,000,000
1,1,1-Trichloroethane	0.71	60 ^e	42,600
1,1,2-Trichloroethane	0.034	5 ^c	170
Trichloroethene	0.4	5 ^c	2000
1,2,4-Trimethylbenzene	0.25 ^d	15 ^d	3750
1,3-Xylene+1,4-Xylene	0.28	203	56,800

^a Henry's law constants and SLs from NMED (2009, 106420) unless otherwise noted.

^b Derived from denominator of Equation 3.0-3.

^c SL is EPA MCL (40 Code of Federal Regulations 141.61).

^d Henry's law constant and SL from EPA regional screening tables (<http://www.epa.gov/region09/superfund/prg>).

^e NMWQCC groundwater standard (20.6.2.3103 New Mexico Administrative Code).

^f na = Not available.

**Table 4.0-1
Summary of Pore-Gas Field-Screening Results, January–March 2010**

Event ID	Collection Date	Sampling Round	Location ID	Sampling Port Number	Top Depth (ft bgs)	Bottom Depth (ft bgs)	% CO ₂	% O ₂
2589	1/21/2010	14	21-25262	1	80.00	85.00	0.9	20.4
2624	2/10/2010	15	21-25262	1	80.00	85.00	0.9	21.3
2689	3/17/2010	16	21-25262	1	80.00	85.00	1.0	19.7
2589	1/21/2010	14	21-25262	2	115.00	120.00	0.6	21.0
2624	2/10/2010	15	21-25262	2	115.00	120.00	0.6	21.8
2689	3/17/2010	16	21-25262	2	115.00	120.00	0.7	20.1
2589	1/21/2010	14	21-25262	3	232.00	237.00	1.0	20.9
2624	2/10/2010	15	21-25262	3	232.00	237.00	1.0	21.6
2689	3/17/2010	16	21-25262	3	232.00	237.00	1.1	19.7
2589	1/21/2010	14	21-25262	4	295.00	300.00	1.1	20.9
2624	2/10/2010	15	21-25262	4	295.00	300.00	1.0	21.6
2689	3/17/2010	16	21-25262	4	295.00	300.00	1.2	19.7
2589	1/21/2010	14	21-25262	5	329.50	334.50	0.9	20.8
2624	2/10/2010	15	21-25262	5	329.50	334.50	0.9	21.5
2689	3/17/2010	16	21-25262	5	329.50	334.50	0.9	19.5
2589	1/21/2010	14	21-25262	6	375.00	380.00	0.5	21.1
2624	2/10/2010	15	21-25262	6	375.00	380.00	0.5	21.5
2689	3/17/2010	16	21-25262	6	375.00	380.00	0.7	19.9
2589	1/21/2010	14	21-25262	7	472.00	478.00	0.3	21.2
2624	2/10/2010	15	21-25262	7	472.25	478.00	0.4	21.6

Table 4.0-1 (continued)

Event ID	Collection Date	Sampling Round	Location ID	Sampling Port Number	Top Depth (ft bgs)	Bottom Depth (ft bgs)	% CO ₂	% O ₂
2689	3/17/2010	16	21-25262	7	472.25	478.00	0.4	20.4
2589	1/21/2010	14	21-25262	8	572.00	577.00	0.2	21.2
2624	2/10/2010	15	21-25262	8	572.00	577.00	0.3	21.7
2689	3/17/2010	16	21-25262	8	572.00	577.00	0.3	20.1
2589	1/21/2010	14	21-25262	9	686.00	691.00	0.1	21.3
2624	2/10/2010	15	21-25262	9	686.00	691.00	0.2	21.9
2689	3/17/2010	16	21-25262	9	686.00	691.00	0.2	20.1
2589	1/28/2010	14	21-25264	1	67.5	72.5	0.7	20.6
2624	2/16/2010	15	21-25264	1	67.5	72.5	0.4	20.9
2689	3/23/2010	16	21-25264	1	67.5	72.5	1.1	18.1
2589	1/28/2010	14	21-25264	2	150.5	155.5	1.0	20.8
2624	2/16/2010	15	21-25264	2	150.5	155.5	1.0	20.5
2689	3/23/2010	16	21-25264	2	150.5	155.5	1.1	19.1
2589	1/28/2010	14	21-25264	3	222.5	227.5	1.0	21.0
2624	2/16/2010	15	21-25264	3	222.5	227.5	1.0	20.7
2689	3/23/2010	16	21-25264	3	222.5	227.5	1.1	19.4
2589	1/28/2010	14	21-25264	4	323	328	0.7	21.2
2624	2/16/2010	15	21-25264	4	323	328	0.6	20.8
2689	3/23/2010	16	21-25264	4	323	328	0.8	19.5
2589	1/28/2010	14	21-25264	5	349.5	354.5	0.5	21.3
2624	2/16/2010	15	21-25264	5	349.5	354.5	0.4	21.1
2689	3/23/2010	16	21-25264	5	349.5	354.5	0.6	19.6
2589	1/27/2010	14	21-603058	1	67.5	72.5	1.1	20.6
2624	2/17/2010	15	21-603058	1	67.5	72.5	1.1	20.5
2689	3/22/2010	16	21-603058	1	67.5	72.5	1.1	18.9
2589	1/27/2010	14	21-603058	3	217	222	0.9	21.2
2624	2/17/2010	15	21-603058	3	217	222	0.9	20.8
2689	3/22/2010	16	21-603058	3	217	222	0.9	19.2
2589	1/27/2010	14	21-603058	4	242.5	247.5	0.8	21.3
2624	2/17/2010	15	21-603058	4	242.5	247.5	0.8	20.7
2689	3/22/2010	16	21-603058	4	242.5	247.5	0.9	19.1
2589	1/27/2010	14	21-603058	5	339.5	344.5	0.6	21.4
2624	2/17/2010	15	21-603058	5	339.5	344.5	0.6	20.8
2689	3/22/2010	16	21-603058	5	339.5	344.5	0.7	19.2
2589	1/20/2010	14	21-603059	1	77.5	82.5	0.0	20.8
2624	2/11/2010	15	21-603059	1	77.5	82.5	1.1	20.5
2689	3/16/2010	16	21-603059	1	77.5	82.5	0.9	20.0
2589	1/20/2010	14	21-603059	3	187.5	192.5	0.7	20.7
2624	2/11/2010	15	21-603059	3	187.5	192.5	1.0	20.9
2689	3/16/2010	16	21-603059	3	187.5	192.5	0.8	20.0
2589	1/20/2010	14	21-603059	4	229.5	234.5	1.1	20.5
2624	2/11/2010	15	21-603059	4	229.5	234.5	1.3	20.8

Table 4.0-1 (continued)

Event ID	Collection Date	Sampling Round	Location ID	Sampling Port Number	Top Depth (ft bgs)	Bottom Depth (ft bgs)	% CO ₂	% O ₂
2689	3/16/2010	16	21-603059	4	229.5	234.5	1.1	20.0
2589	1/20/2010	14	21-603059	5	292.5	297.5	1.0	21.0
2624	2/11/2010	15	21-603059	5	292.5	297.5	1.3	20.8
2689	3/16/2010	16	21-603059	5	292.5	297.5	1.2	19.9
2589	1/20/2010	14	21-603059	6	372.5	377.5	0.4	21.3
2624	2/11/2010	15	21-603059	6	372.5	377.5	0.6	21.0
2689	3/16/2010	16	21-603059	6	372.5	377.5	0.5	20.2
2589	1/25/2010	14	21-607955	1	71.1	76.4	0.9	20.6
2624	2/12/2010	15	21-607955	1	71.1	76.4	0.9	20.0
2689	3/18/2010	16	21-607955	1	71.1	76.4	1.0	19.2
2589	1/25/2010	14	21-607955	2	153.8	159.7	0.7	21.0
2624	2/12/2010	15	21-607955	2	153.8	159.7	0.8	20.5
2689	3/18/2010	16	21-607955	2	153.8	159.7	0.9	19.3
2589	1/25/2010	14	21-607955	3	173.4	179	0.8	21.1
2624	2/12/2010	15	21-607955	3	173.4	179	0.8	20.8
2689	3/18/2010	16	21-607955	3	173.4	179	0.9	19.4
2589	1/25/2010	14	21-607955	4	225.9	232.1	0.7	21.2
2624	2/12/2010	15	21-607955	4	225.9	232.1	0.6	21.2
2689	3/18/2010	16	21-607955	4	225.9	232.1	0.8	19.4
2589	1/25/2010	14	21-607955	5	326.3	333.4	0.6	21.2
2624	2/12/2010	15	21-607955	5	326.3	333.4	0.6	21.1
2689	3/18/2010	16	21-607955	5	326.3	333.4	0.6	19.5
2589	1/25/2010	14	21-607955	6	353.3	359.6	0.5	21.1
2624	2/12/2010	15	21-607955	6	353.3	359.6	0.4	21.1
2689	3/18/2010	16	21-607955	6	353.3	359.6	0.5	19.6
2589	1/25/2010	14	21-607955	7	459.4	464.8	0.3	20.9
2624	2/12/2010	15	21-607955	7	459.4	464.8	0.3	20.8
2689	3/18/2010	16	21-607955	7	459.4	464.8	0.4	19.5
2589	1/25/2010	14	21-607955	8	559	565	0.3	20.7
2624	2/12/2010	15	21-607955	8	559	565	0.2	20.8
2689	3/18/2010	16	21-607955	8	559	565	0.3	19.5
2589	1/26/2010	14	21-607955	9	651.3	657.3	0.1	21.4
2624	2/12/2010	15	21-607955	9	651.3	657.3	0.1	20.8
2689	3/18/2010	16	21-607955	9	651.3	657.3	0.2	19.6
2589	1/26/2010	14	21-607955	10	797.2	803.1	0.1	20.7
2624	2/18/2010	15	21-607955	10	797.2	803.1	0.1	20.3
2689	3/19/2010	16	21-607955	10	797.2	803.1	0.3	19.2
2589	1/26/2010	14	21-607955	11	946.2	952.1	0.1	21.5
2624	2/15/2010	15	21-607955	11	946.2	952.1	0.0	21.5
2689	3/19/2010	16	21-607955	11	946.2	952.1	0.1	20.0

Note: Percent CO₂ and O₂ readings are within acceptable limits based on LANDTEC calibration procedures described in Appendix B.

Table 4.0-2
Barometric Pressure, Relative Humidity, and Temperature at
Los Alamos Airport during Sample Collection, January–March 2010

Sampling Round	Date/Time of Measurement	Barometric Pressure (in. Hg)	Relative Humidity (%)	Temperature (°F)
January 2010	1/19/2010 at 11:10	29.84	100	32
	1/20/2010 at 09:30	29.61	87	32
	1/20/2010 at 12:30	29.59	60	34
	1/20/2010 at 12:30	29.59	60	34
	1/21/2010 at 08:30	29.73	86	27
	1/21/2010 at 08:50	29.73	86	27
	1/21/2010 at 09:10	29.74	93	28
	1/21/2010 at 09:50	29.74	100	28
	1/21/2010 at 10:10	29.74	93	28
	1/21/2010 at 10:30	29.73	100	28
	1/22/2010 at 11:30	29.5	100	32
	1/25/2010 at 09:10	30.03	79	19
	1/25/2010 at 09:30	30.03	74	21
	1/25/2010 at 09:50	30.04	74	21
	1/25/2010 at 10:10	30.05	68	23
	1/25/2010 at 10:30	30.05	63	25
	1/25/2010 at 10:50	30.05	59	27
	1/26/2010 at 08:50	30.10	59	27
	1/26/2010 at 09:10	30.11	51	28
	1/26/2010 at 09:30	30.11	69	27
	1/26/2010 at 10:10	30.11	64	28
	1/26/2010 at 10:10	30.11	64	28
	1/26/2010 at 10:30	30.11	59	30
	1/27/2010 at 08:30	30.1	75	30
	1/27/2010 at 08:50	30.11	80	27
	1/27/2010 at 09:10	30.11	80	28
	1/27/2010 at 10:50	30.1	75	32
	1/27/2010 at 10:50	30.1	75	32
	1/28/2010 at 07:30	30	80	32
	1/28/2010 at 07:50	30	80	32
	1/28/2010 at 08:10	30	80	32
	1/28/2010 at 08:30	30.01	75	34
	1/28/2010 at 09:30	30	87	32

Table 4.0-2 (continued)

Sampling Round	Date/Time of Measurement	Barometric Pressure (in. Hg)	Relative Humidity (%)	Temperature (°F)
February 2010	2/10/2010 at 08:50	30.06	93	29.6
	2/10/2010 at 09:07	30.07	93	30.6
	2/10/2010 at 09:12	30.08	91	30.8
	2/10/2010 at 09:30	30.06	91	31.2
	2/10/2010 at 09:50	30.04	88	31.7
	2/10/2010 at 10:07	30.05	85	31.9
	2/10/2010 at 10:17	30.05	85	32.4
	2/10/2010 at 10:27	30.05	83	32.4
	2/10/2010 at 10:37	30.05	82	33
	2/10/2010 at 11:50	29.97	76	37.7
	2/10/2010 at 17:10	29.90	93	34
	2/11/2010 at 08:10	29.91	80	27
	2/11/2010 at 08:30	29.92	80	27
	2/11/2010 at 08:50	29.93	80	27
	2/11/2010 at 09:10	29.93	74	28
	2/11/2010 at 11:30	29.93	62	32
	2/12/2010 at 09:10	30.10	55	28
	2/12/2010 at 09:30	30.10	55	30
	2/12/2010 at 09:50	30.10	55	30
	2/12/2010 at 10:10	30.10	55	32
	2/12/2010 at 10:30	30.10	55	32
	2/12/2010 at 10:50	30.10	55	32
	2/12/2010 at 11:10	30.10	55	32
	2/15/2010 at 08:50	30.21	76	23
	2/15/2010 at 10:10	30.21	74	27
	2/15/2010 at 11:50	30.19	59	30
	2/16/2010 at 09:30	30.21	93	28
	2/16/2010 at 09:50	30.21	93	30
	2/16/2010 at 10:10	30.21	93	30
	2/16/2010 at 10:30	30.21	93	30
	2/17/2010 at 08:10	30.17	74	28
	2/17/2010 at 08:30	30.17	74	28
	2/17/2010 at 08:50	30.18	69	30
2/17/2010 at 09:10	30.18	69	30	
2/18/2010 at 07:10	30.01	55	30	

Table 4.0-2 (continued)

Sampling Round	Date/Time of Measurement	Barometric Pressure (in. Hg)	Relative Humidity (%)	Temperature (°F)
March 2010	3/15/2010 at 13:10	30.35	56	37
	3/16/2010 at 11:10	30.50	57	41
	3/16/2010 at 11:30	30.50	61	41
	3/16/2010 at 11:50	30.49	61	41
	3/16/2010 at 12:10	30.49	53	43
	3/16/2010 at 13:30	30.46	49	45
	3/16/2010 at 14:30	30.43	46	48
	3/17/2010 at 08:50	30.39	65	37
	3/17/2010 at 09:10	30.39	65	37
	3/17/2010 at 09:30	30.39	57	41
	3/17/2010 at 09:50	30.39	66	41
	3/17/2010 at 10:10	30.39	61	43
	3/17/2010 at 10:30	30.40	61	43
	3/17/2010 at 12:30	30.37	50	50
	3/17/2010 at 12:30	30.37	50	50
	3/18/2010 at 09:30	30.15	57	43
	3/18/2010 at 10:10	30.14	61	43
	3/18/2010 at 10:30	30.14	53	45
	3/18/2010 at 11:10	30.13	50	48
	3/18/2010 at 11:30	30.11	43	50
	3/19/2010 at 09:10	29.83	53	43
	3/19/2010 at 09:10	29.83	53	43
	3/19/2010 at 10:10	29.83	53	45
	3/22/2010 at 10:50	30.13	37	45
	3/22/2010 at 11:10	30.13	29	45
	3/22/2010 at 12:30	30.09	24	50
	3/23/2010 at 09:30	29.92	39	41
	3/23/2010 at 09:50	29.92	49	41
	3/23/2010 at 10:10	29.92	42	41

Note: Data obtained from <http://www.srh.noaa.gov/data/obhistory/KLAM.html>.

**Table 5.1-1
Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-25262, June 2009–March 2010**

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Bromomethane	Butadiene[1,3-]	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Hexane	Methanol	Methylene Chloride	n-Heptane	Propano[2-]	Propylene	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene
June 2009																																	
MD21-09-10355	80–85	6/12/09	—	—	—	—	—	—	3.2	57	930	—	—	—	4.7	—	—	—	—	—	—	3.8	—	—	—	1500	—	—	—	17	—	580	
MD21-09-10356	115–120	6/12/09	—	—	—	—	—	—	—	41	330	—	—	—	4.5	—	—	—	—	—	—	5.1	—	—	—	360	—	—	—	11	—	240	
MD21-09-10357	232–237	6/12/09	37	—	—	—	—	4.4	—	56	160	—	—	—	—	—	—	—	—	—	—	8.1	—	—	—	57	—	—	—	5.8	—	100	
MD21-09-10358	295–300	6/12/09	26	—	—	—	—	2.8	—	170	160	—	—	—	—	—	5.7	—	—	—	—	67	—	—	—	39	—	—	10	6.3	—	280	
MD21-09-10359	329.5–334.5	6/12/09	12	—	7.8	—	—	—	6.2	490	450	—	—	—	6	6	20	3.6	—	—	—	320	—	—	—	97	—	—	27	16	24	820	
MD21-09-10360	375–380	6/12/09	24	—	7.9	—	—	4.1	—	410	570	—	—	—	—	9.4	36	—	—	—	—	680	—	—	—	63	—	3.9	14	8.3	55	880	
MD21-09-10361	472–478	6/12/09	14	—	—	—	—	—	4.9	340	830	—	—	—	—	16	61	—	—	—	—	1300	—	—	—	41	—	4.5	9.3	—	110	880	
MD21-09-10362	572–577	6/12/09	—	—	—	—	—	—	5.2	160	910	—	—	—	—	15	63	—	—	—	—	1500	—	—	—	17	—	—	—	—	66	670	
MD21-09-10363	686–691	6/15/09	22	—	—	—	—	6	3.5	—	74	—	—	—	—	—	—	—	—	—	—	77	—	—	9.2	—	—	—	—	—	14	19	
July 2009																																	
MD21-09-11294	80–85	7/14/09	—	—	—	—	—	—	3.6	45	730	—	—	—	4.9	—	—	—	—	—	—	—	—	—	—	1300	—	—	—	12	—	450	
MD21-09-11295	115–120	7/14/09	—	—	—	—	—	—	—	44	380	—	—	—	4.9	—	—	—	—	—	—	5.8	—	—	—	430	—	—	—	12	—	270	
MD21-09-11296	232–237	7/14/09	—	—	6.3	—	—	—	3.2	220	520	—	—	—	7.4	—	6	—	—	—	—	30	—	—	—	240	—	—	21	21	—	390	
MD21-09-11297	295–300	7/14/09	—	—	11	—	—	—	8.2	830	740	—	—	—	11	5.1	29	4.5	—	—	—	310	—	—	—	210	—	—	56	31	16	1300	
MD21-09-11298	329.5–334.5	7/14/09	—	—	14	—	—	—	4.6	780	720	—	—	—	8.4	9.4	35	4.8	—	—	—	520	—	—	—	180	—	—	50	25	44	1400	
MD21-09-11299	375–380	7/14/09	—	3.9	15	—	—	—	5.1	700	930	—	—	7.4	5.1	17	62	5.5	—	—	—	1200	—	—	—	120	3.7	—	26	14	100	1500	
MD21-09-11300	472–478	7/14/09	—	—	—	—	36	—	19	600	1400	—	—	—	—	27	100	—	—	—	—	2100	—	—	—	74	—	—	18	—	200	1500	
MD21-09-11301	572–577	7/14/09	—	—	—	—	—	—	—	190	1000	—	—	—	—	17	71	—	—	—	—	1700	—	—	13	23	—	—	—	—	85	780	
MD21-09-11302	686–691	7/14/09	—	13	—	—	7.4	—	4.8	—	120	—	—	—	—	—	7.1	—	—	5.6	—	140	—	—	120	—	—	—	—	—	21	34	
August 2009																																	
MD21-09-11488	80–85	8/11/09	20	—	—	—	12 (J)	—	3.9	53	880	—	—	—	4.5	—	—	—	—	—	—	3.1	—	—	—	1600	—	8.9	—	14	—	560	
MD21-09-11489	115–120	8/11/09	20	—	—	—	—	3.6	—	38	350	—	—	—	—	—	—	—	—	—	—	4.4	—	—	—	400	—	5.9	—	10	—	240	
MD21-09-11490	232–237	8/11/09	16	—	—	—	—	—	—	17	110	—	—	—	—	—	—	—	—	—	—	7.2	—	—	—	29	—	12	—	—	—	52	
MD21-09-11491	295–300	8/13/09	13	—	8.5	—	—	3	11	680	600	—	—	—	9	—	22	—	—	—	—	210	—	—	—	180	—	8.8	54	24	14	1200	
MD21-09-11492	329.5–334.5	8/13/09	8.9	—	9.6	—	—	—	12	640	590	—	—	—	6.5	7.1	28	4.2	—	—	—	400	—	—	—	160	—	4.9	50	20	40	1200	
MD21-09-11493	375–380	8/11/09	37	—	—	—	—	3.4	4.6	190	310	—	—	—	—	5.6	18	—	—	—	—	400	—	—	—	33	—	18	8.6	—	35	470	
MD21-09-11494	472–478	8/13/09	—	4.8	9.1	—	62 (J)	4.9	14	460	1100	—	—	9.3	—	—	78	—	—	—	—	1500	—	—	—	70	—	8	16	—	170	1300	
MD21-09-11495	572–577	8/14/09	—	—	—	—	—	—	—	260	1400	—	—	—	—	20	94	—	—	—	—	2100	—	—	—	30	—	7.6	—	—	120	1100	
MD21-09-11496	686–691	8/14/09	18	—	—	—	—	3.9	3.6	8.6	220	—	—	—	—	—	17	—	—	—	—	260	—	—	—	—	—	—	—	—	37	70	

Table 5.1-1 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Bromomethane	Butadiene[1,3-]	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Hexane	Methanol	Methylene Chloride	n-Heptane	Propanol[2-]	Propylene	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene
September 2009																																	
MD21-09-12612	80-85	9/17/09	—	—	—	—	—	—	3.3	64	1000	—	3.4	—	4.9	—	—	—	—	—	—	3	—	—	—	2200	—	—	—	18	—	680	
MD21-09-12613	115-120	9/17/09	22	—	—	—	—	—	—	46	400	—	—	—	4.3	—	—	—	—	—	—	6.3	—	—	—	510	—	18	—	13	—	290	
MD21-09-12614	232-237	9/17/09	43	—	—	—	—	4.2	—	170	430	—	—	—	6.2	—	4.4	—	—	—	—	22	—	—	—	210	—	—	18	17	—	310	
MD21-09-12615	295-300	9/17/09	27	—	6	—	—	6	—	390	410	—	—	—	6.3	—	14	—	—	—	—	140	—	—	—	110	—	—	28	14	10	730	
MD21-09-12616	329.5-334.5	9/17/09	—	—	7	—	—	—	13	380	400	—	—	—	5	5.2	17	—	—	—	—	280	—	—	—	100	—	3.4	26	12	30	760	
MD21-09-12617	375-380	9/17/09	28	—	8.9	—	—	3.6	—	410	590	—	—	—	—	10	38	4	—	—	120 (J)	710	—	—	—	80	—	5	18	8.3	73	1000	
MD21-09-12618	472-478	9/17/09	—	3.4	6.1	—	—	—	5.3	300	740	—	—	5.7	—	14	55	—	—	—	—	1100	—	—	—	46	—	4.2	9.6	—	120	840	
MD21-09-12619	572-577	9/17/09	36	—	—	—	—	7.5	—	160	950	—	—	—	—	15	63	—	—	—	—	1600	—	—	—	20	—	—	—	—	88	720	
MD21-09-12620	686-691	9/17/09	24	—	—	—	—	3	—	—	120	—	—	—	—	—	11	—	—	—	—	140	—	—	—	—	—	—	—	21	44		
October 2009																																	
MD21-10-32	80-85	10/19/09	13	—	—	—	—	—	5.4	64	1300	—	—	—	6.8	—	—	—	—	—	NA ^b	5.2	—	—	—	2800	—	—	11	17	—	890	
MD21-10-33	115-120	10/19/09	31	—	—	—	—	4.6	—	54	620	—	—	—	6.1	—	—	—	—	—	NA	9.6	—	—	—	780	—	—	9.9	15	—	460	
MD21-10-34	232-237	10/19/09	37	—	7	—	—	3.5	4.2	280	710	—	—	—	9.8	—	13	—	—	—	NA	55	—	—	—	350	—	—	44	25	—	620	
MD21-10-35	295-300	10/19/09	46	—	12	—	—	5.9	7.3	770	790	—	—	—	14	4.5	39	4.6 (J+)	—	—	NA	350	—	—	—	230	—	—	88	28	18	1600	
MD21-10-36	329.5-334.5	10/19/09	76	3.1	14	—	—	7.2	3.5	760	770	—	—	—	10	9	44	5.5 (J+)	—	—	NA	660	—	—	—	190	—	5.2	76	22	54	1600	
MD21-10-37	375-380	10/19/09	45	—	15	—	—	—	—	600	890	—	—	—	—	16	75	—	—	—	NA	1300	—	—	—	120	—	6.9	42	12	120	1700	
MD21-10-38	472-478	10/19/09	23	6.7	13	—	—	—	6.9	510	1400	—	—	11	—	27	130	—	—	—	NA	2400	—	—	—	84	—	7.4	27	—	240	1700	
MD21-10-39	572-577	10/19/09	—	—	—	—	—	—	—	230	1200	—	—	13	—	21	65 (J)	—	—	—	NA	1800 (J-)	—	—	—	32	—	—	—	—	130	1000	
MD21-10-40	686-691	10/19/09	31	—	—	6.7	—	6.4	—	16	290	—	—	—	—	—	20 (J)	—	—	—	NA	190 (J-)	—	—	—	—	—	—	—	—	43	98	
November 2009																																	
MD21-10-5007	80-85	11/17/09	—	—	—	—	—	—	—	61	1100	—	3.2 (J)	—	5.5	—	—	—	—	—	5.5	NA	—	—	—	2200	—	4.6	—	17	—	600	
MD21-10-5008	115-120	11/17/09	—	—	—	—	—	—	—	48	470	—	—	—	5	—	—	—	—	—	NA	7.2	—	—	—	510	—	—	—	14	—	290	
MD21-10-5009	232-237	11/17/09	—	—	—	—	—	—	—	140	380	—	—	—	5.7	—	4.5	—	—	—	NA	24	—	—	—	170	—	—	14 (J-)	14	—	270	
MD21-10-5010	295-300	11/17/09	—	—	—	—	—	—	—	320	360	—	—	—	5.8	—	12	—	—	—	NA	110	—	—	—	92	—	—	21 (J-)	12	—	590	
MD21-10-5011	329.5-334.5	11/17/09	9.7	—	8.2	—	—	—	—	410	430	—	—	—	6.3	5.6	19	—	—	—	NA	320	—	—	—	100	—	3.3	26 (J-)	12	31	760	
MD21-10-5012	375-380	11/17/09	9.2	—	7.4	—	—	—	—	310	490	—	—	—	—	7.9	32	—	—	—	NA	630	—	—	—	55	—	3.7	13 (J-)	6.2	55	740	
MD21-10-5013	472-478	11/17/09	—	—	—	—	—	—	9.7	360	960	—	—	—	—	16	73	—	—	—	NA	1600	—	—	—	51	—	—	—	—	140	1000	
MD21-10-5014	572-577	11/17/09	—	—	—	—	—	—	—	100	740	—	—	—	—	12	48	—	—	—	NA	1400	—	—	—	13	—	—	—	—	66	500	
MD21-10-5015	686-691	11/17/09	25	—	—	—	—	3.8	—	6.4	120	—	—	—	—	—	10	—	—	—	NA	160	—	—	—	—	—	—	—	—	20	43	

Table 5.1-1 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Bromomethane	Butadiene[1,3-]	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Hexane	Methanol	Methylene Chloride	n-Heptane	Propanol[2-]	Propylene	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene
December 2009																																	
MD21-10-8520	80-85	12/15/09	100	—	—	—	—	5.1	15	54	950	—	2.8	—	4.7	—	—	—	—	—	NA	3.1	—	—	—	2000	—	3.8	—	15	—	560	
MD21-10-8521	115-120	12/15/09	—	—	—	—	—	—	—	47	450	—	—	—	4.8	—	—	—	—	—	NA	6.7	—	170	—	520	—	—	—	13	—	300	
MD21-10-8522	232-237	12/15/09	—	—	—	—	—	2.7	2.7	200	500	—	—	—	6.4	—	4.1	—	—	—	NA	29	—	—	—	250	—	—	18	20	—	370	
MD21-10-8523	295-300	12/15/09	—	—	8.7	—	—	—	—	640	610	—	—	—	8.9	3.5	20	—	—	9.2	NA	130	—	—	—	190	—	—	44	24	15	1100	
MD21-10-8524	329.5-334.5	12/15/09	—	—	11	—	—	6.1	3	540	550	14	—	—	5.5	7.9	20	4.1	—	9.8	NA	210	4.7	—	—	160	—	—	25	17	41	1100	
MD21-10-8525	375-380	12/15/09	—	3.1	12	—	—	3.2	—	550	760	—	—	6.4	—	14	44	4.3	—	—	NA	930	—	—	—	100	—	5.3	22	11	90	1200	
MD21-10-8526	472-478	12/15/09	—	—	—	—	—	—	—	500	1200	—	—	—	—	26	75	—	—	11	NA	1800	—	—	—	72	—	—	15	—	200	1400	
MD21-10-8527	572-577	12/15/09	—	5.6 (J)	—	—	—	—	—	270	1400	—	—	10	—	23	87	—	—	—	NA	2300	—	—	—	33	—	—	—	—	110	1200	
MD21-10-8528	686-691	12/15/09	—	—	—	—	—	—	6.4	24	360	—	—	—	—	—	31	—	—	—	NA	290	—	—	10	—	—	—	—	—	54	150	
January 2010																																	
MD21-10-11413	80-85	1/21/10	—	—	—	—	—	—	—	57	1100	—	3.7	—	4.9	—	—	—	—	—	NA	3.2	—	—	—	2300	—	—	7.1	16	—	700	
MD21-10-11414	115-120	1/21/10	—	—	—	—	—	—	—	56	570	—	—	—	4.9	—	—	—	—	—	NA	8.2	—	—	—	710	—	—	7.9	15	—	400	
MD21-10-11415	232-237	1/21/10	7.8	—	—	—	—	—	—	230	540	—	—	—	7	—	8.2	—	—	—	NA	31	—	—	—	260	—	—	28	20	—	440	
MD21-10-11416	295-300	1/21/10	—	—	6.9	—	—	—	—	490	510	—	—	—	7	—	20	3.3	—	—	NA	120	—	—	—	150	—	—	43	18	12	980	
MD21-10-11417	329.5-334.5	1/21/10	210	—	8.8	—	—	3.8	—	570	560	—	—	—	6.4	6	28	4.4	130	8.7	NA	380	27	—	—	150	—	—	39	18	37	1100	
MD21-10-11418	375-380	1/21/10	—	2.7	9.6	—	—	—	—	430	650	—	—	5.6	—	9.3	45	4.2	—	—	NA	750	—	—	—	84	—	4.9	22	8.7	75	1100	
MD21-10-11419	472-478	1/21/10	—	—	12	—	—	—	—	500	1300	—	—	11	—	23	95	—	—	—	NA	1900	—	—	—	79	—	7	18	—	220	1500	
MD21-10-11420	572-577	1/21/10	—	—	—	—	—	—	—	240	1400	—	—	—	—	21	100	—	—	—	NA	2200	—	—	—	32	—	—	—	—	130	1100	
MD21-10-11421	686-691	1/21/10	15	2.7	—	—	—	—	5.4	25	440	—	—	—	—	—	49	—	—	—	NA	520	—	—	—	6.1	—	—	—	—	61	200	
February 2010																																	
MD21-10-12278	80-85	2/10/10	—	—	—	—	—	—	—	72	1200	—	—	—	—	—	—	—	—	—	NA	—	—	—	—	2400	—	—	—	19	—	720	
MD21-10-12279	115-120	2/10/10	8.6	—	—	—	—	—	—	60	560	—	—	—	6.2	—	—	—	—	—	NA	7.8	—	—	—	610	—	—	—	16	—	380	
MD21-10-12280	232-237	2/10/10	—	—	6.6	—	—	—	—	320	660	—	—	—	9	—	8.7	—	—	—	NA	36	—	—	—	280	—	—	29	26	—	520	
MD21-10-12281	295-300	2/10/10	—	—	11	—	—	—	—	800	700	—	—	—	11	3.7	24	4.1	—	—	NA	160	—	—	—	190	—	—	55	28	16	1300	
MD21-10-12282	329.5-334.5	2/10/10	—	—	13	—	—	—	—	840	720	—	—	5.2	9.5	8.6	32	4.9	—	—	NA	460	—	—	—	170	—	4.5	49	24	41	1400	
MD21-10-12283	375-380	2/10/10	—	3.7	15	—	—	—	—	670	920	—	—	8	5.4	16	58	4.9	—	—	NA	1000	—	—	—	110	—	6.6	28	14	100	1500	
MD21-10-12284	472-478	2/10/10	—	—	12	—	—	—	—	550	1300	—	—	12	—	25	87	—	—	—	NA	1800	—	—	—	75	—	8	18	—	190	1400	
MD21-10-12285	572-577	2/10/10	—	—	—	—	—	—	—	310	1600	—	—	14	—	26	98	—	—	—	NA	2300	—	—	—	40	—	—	—	—	130	1200	
MD21-10-12286	686-691	2/10/10	—	2.8	—	—	—	—	—	43	550	—	—	5.3	—	—	56	—	—	—	NA	600	—	—	—	5.9 (J)	—	—	—	—	63	220	

Table 5.1-1 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Bromomethane	Butadiene[1,3-]	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Hexane	Methanol	Methylene Chloride	n-Heptane	Propanol[2-]	Propylene	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene
March 2010																																	
MD21-10-13989	80-85	3/17/10	—	—	—	—	—	—	—	63	1300	—	—	—	5.6	—	—	—	—	—	NA	3.9	—	—	—	2100	—	—	—	18	—	660	
MD21-10-13990	115-120	3/17/10	—	—	—	—	—	—	—	44	560	—	—	—	4.8	—	—	—	—	—	NA	8.4	—	—	6.7	500	—	—	—	12	—	320	
MD21-10-13991	232-237	3/17/10	—	—	—	—	—	—	—	260	680	—	—	—	7.8	—	7	—	—	—	NA	39	—	—	—	290	—	—	22	25	—	480	
MD21-10-13992	295-300	3/17/10	—	—	8.5	—	—	—	—	670	720	—	—	—	9.4	—	20	4.4	—	—	NA	150	—	—	—	180	—	—	42	26	15	1100	
MD21-10-13993	329.5-334.5	3/17/10	—	—	10	—	—	—	2.9	620	660	—	—	—	6.7	6.3	24	4.8	—	—	NA	410	—	—	—	150	—	4.8	32	20	39	1100	
MD21-10-13994	375-380	3/17/10	—	4	12	—	—	—	—	490	800	—	—	7.2	—	12	39	5	—	—	NA	880	—	—	—	100	—	6.7	18	10	96	1300	
MD21-10-13995	472-478	3/17/10	12	5.5	10	—	—	—	6.4	34	410	1200	—	—	12	—	21	62	4.7	—	NA	1600	—	—	—	73	—	11	12	—	210	1300	
MD21-10-13996	572-577	3/17/10	29	6.6	—	—	—	—	5.7	—	240	1500	—	—	13	—	21	80	—	—	NA	2200	—	—	—	35	—	—	—	—	140	1200	
MD21-10-13997	686-691	3/17/10	12	2.9	—	—	—	—	3.2	4	34	500	—	—	—	—	41	—	—	—	NA	520	—	—	—	—	—	4	—	—	57	190	

Notes: Results are in µg/m³. See Appendix A for data qualifier definitions.

^a — = Not detected.

^b NA = Not analyzed.

**Table 5.1-2
Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-25264, April 2009–March 2010**

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chlorodifluoromethane	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Ethanol	Hexane	Methylene Chloride	n-Heptane	Propanol[2-]	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	
April 2009																											
MD21-09-7164	67.5–72.5	4/16/09	—*	—	—	—	—	150	—	490	—	—	19	—	—	—	—	21	—	—	3500	—	—	24	—	—	1200
MD21-09-7166	150.5–155.5	4/17/09	—	—	—	—	—	170	—	430	6.1	—	11	—	8.5	—	—	190	—	—	480	—	7.8	19	—	—	580
MD21-09-7168	222.5–227.5	4/17/09	—	—	6.8	—	—	320	—	570	7.3	—	9	10	11	—	—	690	—	—	230	—	13	18	—	—	710
MD21-09-7167	323–328	4/17/09	—	—	—	—	—	410	—	760	—	—	—	18	12	—	—	1500	—	—	78	—	14	—	—	—	810
MD21-09-7165	349.5–354.5	4/16/09	22	—	—	6.4	—	410	—	1000	—	11	—	28	14	—	—	2200	—	—	39	—	—	—	—	—	880
June 2009																											
MD21-09-10344	67.5–72.5	6/17/09	11	—	—	—	—	77	—	230	—	—	8.4	—	—	—	—	9.5	—	—	1500	—	—	15	—	—	590
MD21-09-10345	150.5–155.5	6/17/09	10	—	—	—	—	95	—	230	—	—	7.1	—	—	—	—	110	—	—	270	7.3	—	15	—	—	320
MD21-09-10346	222.5–227.5	6/17/09	10	—	—	—	—	140	—	250	—	—	5.9	5.4	—	—	—	350	—	—	94	8	—	11	—	—	310
MD21-09-10347	323–328	6/17/09	12	—	—	—	—	140	—	260	—	—	4.4	6.6	—	—	—	540	—	—	23	6.8	—	—	—	—	260
MD21-09-10348	349.5–354.5	6/17/09	34	—	—	5	—	130	—	330	—	—	—	9.6	4.4	—	—	740	—	—	10	5.9	—	—	—	—	270
July 2009																											
MD21-09-11283	67.5–72.5	7/17/09	—	—	—	—	—	180	—	500	—	—	17	—	—	—	—	18	—	—	3600	—	—	32	—	—	1300
MD21-09-11284	150.5–155.5	7/17/09	—	—	—	—	—	210	—	470	—	—	14	3.9	—	—	—	210	—	—	570	—	8.3	30	—	—	650
MD21-09-11285	222.5–227.5	7/17/09	—	—	—	—	—	230	—	420	—	—	8.6	9.1	3.8	—	—	570	—	—	160	—	—	17	—	—	510
MD21-09-11286	323–328	7/17/09	—	—	—	9.6	—	310	—	570	—	5.2 (J)	7.1	16	7.8	—	—	1100	—	—	50	—	8.3	7.1	—	—	570
MD21-09-11287	349.5–354.5	7/17/09	—	—	—	—	—	180	—	460	—	—	—	17	6.1	—	—	1000	—	—	18	—	—	—	—	—	370
August 2009																											
MD21-09-11477	67.5–72.5	8/19/09	—	11	—	—	8.2	140	—	380	—	—	12	—	—	—	—	14	—	—	3400	16	—	24	—	—	1000
MD21-09-11478	150.5–155.5	8/19/09	45	—	—	5.4	—	160	—	370	4.8	—	9.9	—	—	—	—	150	—	—	500	—	8.2	23	—	—	540
MD21-09-11479	222.5–227.5	8/19/09	—	—	5.9	—	4.3	340	—	510	6.3	—	9.2	10	5.7	—	—	630	—	—	230	—	12	23	—	—	690
MD21-09-11480	323–328	8/19/09	—	—	—	—	—	460	—	730	—	—	—	18	8.7	—	—	1300	—	—	76	—	15	10	—	—	800
MD21-09-11481	349.5–354.5	8/19/09	—	—	—	—	—	430	—	950	—	—	—	26	13	—	—	1900	—	—	36	—	—	—	—	—	840

Table 5.1-2 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromochloromethane	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chlorodifluoromethane	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Ethanol	Hexane	Methylene Chloride	n-Heptane	Propanol[2-]	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	
September 2009																											
MD21-09-12605	67.5–72.5	9/16/09	—	—	—	4.3	41	100	—	310	—	—	11	—	—	—	—	11	—	—	2600	—	—	19	—	840	
MD21-09-12606	150.5–155.5	9/16/09	12	—	—	2.9	—	140	—	330	4.3	—	8.6	—	—	—	—	140	—	—	460	—	7.4	22	—	500	
MD21-09-12607	222.5–227.5	9/16/09	17	—	—	2.9	—	210	—	360	3.9	—	6.8	7.7	3.9	—	—	480	—	—	160	—	8.2	16	—	480	
MD21-09-12608	323–328	9/16/09	10	—	—	—	—	230	—	420	—	—	5.1	11	5.6	—	—	800	—	—	42	—	7.9	5.7	—	440	
MD21-09-12609	349.5–354.5	9/16/09	—	—	—	—	—	200	—	520	—	—	—	16	7.2	—	—	1100	—	—	19	—	—	—	—	440	
October 2009																											
MD21-10-25	67.5–72.5	10/16/09	9	—	—	—	—	87	—	320	—	—	9.3	—	—	—	—	16	—	—	2400	—	8.1	16	—	910	
MD21-10-26	150.5–155.5	10/16/09	57	—	—	5	—	140	—	390	4.4	—	11	—	5.1	—	—	210	—	—	500	—	10	21	—	600	
MD21-10-27	222.5–227.5	10/16/09	48	—	—	5.3	—	130	—	320	—	—	5.8	7.2	4.3	21	—	560	—	—	110	—	—	9.9	—	380	
MD21-10-28	323–328	10/16/09	12	—	—	—	—	110	—	280	—	—	—	8.2	4.6	25	—	720	—	—	22	—	—	—	—	290	
MD21-10-29	349.5–354.5	10/16/09	11	—	—	—	—	73	—	280	—	—	—	11	4.2	23	—	860	—	—	9.1	—	—	—	—	240	
November 2009																											
MD21-10-5002	67.5–72.5	11/19/09	—	—	—	—	—	120	—	350	—	—	12	—	—	—	—	13	—	—	3000	—	—	21	—	900	
MD21-10-5003	150.5–155.5	11/19/09	12	—	—	—	—	150	—	370	4.2	—	11	—	—	—	—	160	—	—	460	—	—	21	—	480	
MD21-10-5004	222.5–227.5	11/19/09	15	—	—	3.5	—	310	—	520	5.1	—	11	9.5	5.6	—	—	700	—	—	200	—	12	22	5.6	650	
MD21-10-5005	323–328	11/19/09	17	—	—	—	—	400	—	750	—	—	8.3	17	10	—	—	1500	—	—	65	—	13	9.4	—	750	
MD21-10-5006	349.5–354.5	11/19/09	—	—	—	—	—	370	—	950	—	—	—	24	13	—	—	2200	—	—	32	—	—	—	—	770	
December 2009																											
MD21-10-8509	67.5–72.5	12/22/09	—	—	—	—	—	120	—	380	—	—	12	—	—	—	—	15	—	—	3300	—	—	22	—	990	
MD21-10-8510	150.5–155.5	12/22/09	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
MD21-10-8511	222.5–227.5	12/22/09	—	—	5.8	—	—	300	—	500	5.7	—	10	10	5.6	—	11	690	4.1	—	220	—	10	22	—	650	
MD21-10-8512	323–328	12/22/09	—	—	—	—	—	400	—	720	—	—	—	20	8.9	—	—	1300	—	—	74	—	—	9.8	—	760	
MD21-10-8513	349.5–354.5	12/22/09	—	—	—	—	—	88	—	220	—	—	—	6.6	—	—	8.9	500	3.6	—	53	—	—	—	—	190	
January 2010																											
MD21-10-11406	67.5–72.5	1/28/10	—	—	—	—	—	120	—	390	—	—	14	—	—	—	—	15	—	—	2700	—	—	22	—	1000	
MD21-10-11407	150.5–155.5	1/28/10	8.9	—	—	—	—	180	30	450	5.4	—	12	—	—	—	—	180	—	14	490	6.3	8.6	25	—	620	
MD21-10-11408	222.5–227.5	1/28/10	—	—	7.9	—	—	390	—	610	6.1	—	12	14	6	11	—	770	—	—	210	—	12	27	5	820	
MD21-10-11409	323–328	1/28/10	—	—	—	—	—	540	—	980	—	—	9.8	27	11	—	—	1800	—	—	76	—	17	13	—	1000	
MD21-10-11410	349.5–354.5	1/28/10	—	—	—	—	—	510	—	1200	—	—	—	40	15	—	—	2700	—	—	36	—	—	—	—	1100	

Table 5.1-2 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chlorodifluoromethane	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Ethanol	Hexane	Methylene Chloride	n-Heptane	Propanol[2-]	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	
February 2010																											
MD21-10-12271	67.5-72.5	2/16/10	14	—	—	—	—	83	—	250	—	—	11	—	—	—	—	8.6	—	—	2000	—	—	16	—	—	710
MD21-10-12272	150.5-155.5	2/16/10	—	—	—	—	—	190	—	410	3.7	—	13	3.7	—	—	—	140	—	—	500	—	7.9	26	—	—	600
MD21-10-12273	222.5-227.5	2/16/10	—	—	8.2	—	—	350	—	520	4.7	—	11	12	4.4	—	—	620	—	—	200	—	11	25	—	—	720
MD21-10-12274	323-328	2/16/10	—	—	—	—	—	450	—	750	—	—	8.6	21	10	—	—	1200	—	—	62	—	13	10	—	—	860
MD21-10-12275	349.5-354.5	2/16/10	—	—	—	—	—	440	—	1000	—	—	—	34	11	—	—	1900	—	—	34	—	—	—	—	—	920
March 2010																											
MD21-10-13984	67.5-72.5	3/23/10	—	—	—	—	—	110	—	420	—	—	12	—	—	—	—	14	—	—	3000	—	—	23	—	—	1000
MD21-10-13985	150.5-155.5	3/23/10	—	—	—	—	—	150	—	430	5.7	—	11	—	—	—	—	150	—	—	500	—	—	23	—	—	530
MD21-10-13986	222.5-227.5	3/23/10	—	—	6.1	—	—	300	—	560	7.1	—	9.5	9.3	4.8	8.5	—	650	—	—	220	—	9	22	5.3	—	670
MD21-10-13987	323-328	3/23/10	9.6	—	—	—	—	390	—	780	—	7.8	7	17	8.1	—	—	1200	—	—	72	3.8	10	9.5	—	—	800
MD21-10-13988	349.5-354.8	3/23/10	—	—	—	—	—	330	—	940	—	10	—	24	10	—	—	1800	—	—	34	—	—	—	—	—	830

Notes: Results are in µg/m³. See Appendix A for data qualifier definitions.

* — = Not detected.

**Table 5.1-3
Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-603058, April 2009–March 2010**

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Dichlorobenzene[1,2-]	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Hexane	Methylene Chloride	n-Heptane	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	
April 2009																											
MD21-09-7159	67.5–72.5	4/14/09	—*	—	—	—	—	74	630	—	—	7	—	5.6	—	—	—	5.6	—	—	810	—	7.5	17	—	350	
MD21-09-7160	217–222	4/14/09	—	—	—	—	—	500	1100	—	5.8	11	6.9	21	—	—	—	470	—	—	310	—	32	32	17	1000	
MD21-09-7162	242.5–247.5	4/15/09	—	—	—	—	—	520	950	—	12	—	15	18	—	—	—	1100	—	—	140	—	31	25	35	1000	
MD21-09-7161	339.5–344.5	4/15/09	—	—	—	—	—	660	1400	—	20	—	23	21	—	—	—	2100	—	—	74	—	36	13	23	1300	
June 2009																											
MD21-09-10339	67.5–72.5	6/18/09	—	—	—	—	—	58	430	—	—	5	—	—	—	—	—	4.2	—	—	570	—	—	17	—	270	
MD21-09-10341	217–222	6/18/09	—	—	—	—	—	210	400	—	—	5.3	—	5.2	—	—	—	230	—	—	120	—	12	19	6.8	440	
MD21-09-10342	242.5–247.5	6/18/09	—	—	—	—	—	470	810	—	8.6	6.7	14	12	3.6	—	—	960	—	—	130	—	22	26	29	950	
MD21-09-10343	339.5–344.5	6/18/09	—	—	—	5.8	—	390	830	—	14	—	18	14	—	—	—	1600	—	—	57	—	23	—	23	810	
July 2009																											
MD21-09-11278	67.5–72.5	7/16/09	29	—	—	4.8	—	68	520	—	—	5.8	—	—	—	—	—	5.6	—	—	740	14	—	20	—	330	
MD21-09-11280	217–222	7/16/09	—	3.1	—	—	—	310	670	—	—	6.7	7.8	8	—	—	—	420	—	—	210	3.7	17	27	14	720	
MD21-09-11281	242.5–247.5	7/16/09	15	—	—	5.4	29	200	460	83	16	5.2	8.9	6.2	—	—	—	620	—	—	68	4.8	9.5	12	17	1200	
MD21-09-11282	339.5–344.5	7/16/09	22	—	—	—	—	350	730	—	8.9	5	17	11	—	—	—	1300	—	—	44	—	16	7.7	18	700	
August 2009																											
MD21-09-11472	67.5–72.5	8/18/09	—	—	—	—	—	58	440	—	—	4.9	—	—	—	—	—	3.6	—	—	710	6.7	—	17	—	290	
MD21-09-11473	217–222	8/18/09	16	—	—	—	—	340	670	—	—	6.6	5.3	8.5	—	—	—	380	—	—	250	—	24	30	13	770	
MD21-09-11474	242.5–247.5	8/18/09	—	3.2	—	—	3.4	560	950	—	13	7.8	16	15	6	—	—	1100	—	—	180	—	34	29	40	1200	
MD21-09-11475	339.5–344.5	8/18/09	—	—	—	—	—	560	1100	—	19	—	25	17	—	—	—	1800	—	—	85	—	29	12	33	1200	
September 2009																											
MD21-09-12598	67.5–72.5	9/15/09	—	—	—	—	—	48	390	—	—	4.4	—	—	—	—	—	4	—	—	570	—	—	15	—	240	
MD21-09-12600	217–222	9/15/09	—	—	—	—	—	400	800	—	—	7.4	6.1	9.4	—	—	—	460	—	—	280	—	26	33	16	880	
MD21-09-12601	242.5–247.5	9/15/09	15	2.8	—	3.9	—	530	960	—	9.7	7.1	16	14	5.4	—	—	1100	—	—	160	—	31	29	39	1100	
MD21-09-12602	339.5–344.5	9/15/09	—	—	—	—	7.9	670	1300	—	20	—	29	19	—	—	—	2200	—	—	94	—	35	16	38	1300	

Table 5.1-3 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromochloromethane	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Dichlorobenzene[1,2-]	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethane[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Hexane	Methylene Chloride	n-Heptane	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	
October 2009																											
MD21-10-18	67.5–72.5	10/14/09	93	—	—	14	—	68	600	—	—	6.1	—	—	—	—	—	6.5	—	—	980	—	11	20	—	400	
MD21-10-20	217–222	10/14/09	20	—	—	—	—	400	900	—	—	8.1	7.3	17	—	—	—	610	—	13	330	—	39	34	20	1100	
MD21-10-21	242.5–247.5	10/14/09	43	—	—	6	—	480	1000	—	11	7.6	17	21	6 (J+)	—	—	1400	—	23	180	—	43	26	45	1300	
MD21-10-22	339.5–344.5	10/14/09	32	—	—	—	—	460	1000	—	—	—	25	20	—	—	—	2200	—	—	79	—	37	—	32	1100	
November 2009																											
MD21-10-4997	67.5–72.5	11/20/09	—	—	—	—	—	56	440	—	—	5.1	—	—	—	—	—	5.4	—	—	640	—	—	16	—	260	
MD21-10-4998	217–222	11/20/09	13	—	—	—	—	200	500	—	—	4.8	4.1	5.4	—	—	—	310	—	—	160	—	12	18	10	520	
MD21-10-4999	242.5–247.5	11/20/09	—	—	—	—	4.3	160	400	—	—	—	6.5	5.4	—	—	—	550	—	—	56	—	8.5	8.8	17	400	
MD21-10-5000	339.5–344.5	11/20/09	—	—	—	—	—	340	750	—	—	—	14	11	—	58 (J)	—	1400	—	—	44	—	17	—	18	690	
December 2009																											
MD21-10-8504	67.5–72.5	12/21/09	9.5	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	4.3	—	—	—	—	—	—	—	
MD21-10-8507	242.5–247.5	12/21/09	—	—	—	—	—	400	780	—	8.6	7	13	11	3.5 (J)	—	—	960	—	—	130	—	22	22	34	920	
MD21-10-8508	339.5–344.5	12/21/09	—	—	—	—	—	6.5	—	—	—	—	—	—	—	—	—	4.7	—	—	—	—	—	—	—	—	
January 2010																											
MD21-10-11399	67.5–72.5	1/27/10	—	—	—	—	—	59	490	—	—	5.6	—	—	—	—	—	5.6	—	—	900	—	—	17	—	330	
MD21-10-11401	217–222	1/27/10	—	—	—	—	—	380	800	—	5 (J)	8.4	7.3	10	—	—	—	580	—	—	310	—	25	33	18	940	
MD21-10-11402	242.5–247.5	1/27/10	—	—	—	—	—	540	1000	—	12	8.8	20	16	—	—	—	1400	—	—	200	—	33	30	48	1300	
MD21-10-11403	339.5–344.5	1/27/10	—	—	—	—	—	420	970	—	15	—	26	14	—	—	—	2000	—	—	73	9.5	23	10	32	970	
February 2010																											
MD21-10-12264	67.5–72.5	2/17/10	—	—	—	—	—	80	620	—	—	7	—	—	—	—	—	5	—	—	860	—	7.2	22	—	380	
MD21-10-12266	217–222	2/17/10	—	—	6.1	—	—	510	1000	—	—	9.8	7.7	12	3.7	—	—	560	—	—	330	—	30	43	18	1100	
MD21-10-12267	242.5–247.5	2/17/10	—	—	—	—	—	700	1200	—	13	10	20	18	—	—	—	1400	—	—	200	—	38	36	48	1400	
MD21-10-12268	339.5–344.5	2/17/10	—	—	—	—	—	640	1400	—	22	—	31	20	—	—	—	2300	—	—	86	—	33	15	39	1300	
March 2010																											
MD21-10-13978	67.5–72.5	3/22/10	—	—	—	—	—	70	510	—	—	6.6	—	—	—	—	—	5.1	—	—	780	—	7.2	19	—	350	
MD21-10-13979	217–222	3/22/10	—	—	6	—	—	440	810	—	6.9	8.6	6.9	11	—	—	—	510	—	—	270	—	28	37	15	900	
MD21-10-13980	242.5–247.5	3/22/10	—	—	—	—	—	590	990	—	15	8.8	18	15	4.7	—	—	1100	—	—	170	—	32	31	39	1200	
MD21-10-14014	339.5–344.5	3/22/10	—	—	—	—	—	610	1200	—	25	—	29	19	—	—	—	1800	—	—	73	—	30	14	36	1200	

Notes: Results are in $\mu\text{g}/\text{m}^3$. See Appendix A for data qualifier definitions.

* — = Not detected.

**Table 5.1-4
Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-603059, April 2009–March 2010**

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Ethyltoluene[4-]	Hexane	Methanol	Methyl-2-pentanone[4-]	Methylene Chloride	Propano[2-]	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	Trimethylbenzene[1,2,4-]	Xylene[1,3-]+Xylene[1,4-]
April 2009																																
MD21-09-7155	77.5–82.5	4/13/09	— ^a	—	—	—	—	—	560	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	920	—	—	—	—	380	—	—
MD21-09-7154	187.5–192.5	4/10/09	—	—	—	—	—	120	620	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	310	—	—	—	—	460	—	—
MD21-09-7157	229.5–234.5	4/13/09	—	—	—	—	—	130	400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130	—	—	—	—	320	—	—
MD21-09-7163	229.5–234.5	4/20/09	37	—	7.6	—	10	—	320	710	—	—	8.3	—	19	—	—	—	—	—	—	—	—	—	270	—	34	22	—	670	—	—
MD21-09-7153	292.5–297.5	4/10/09	—	—	—	—	—	—	480	610	—	—	—	—	—	—	—	—	—	—	—	—	—	—	170	—	—	—	—	980	—	—
MD21-09-7156	372.5–377.5	4/13/09	—	—	—	—	—	—	—	94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	91	—	—
June 2009																																
MD21-09-10333	77.5–82.5	6/16/09	—	—	—	—	—	50	850	—	—	5.1	—	—	—	—	—	—	—	—	—	—	—	—	1200	—	—	16	—	560	—	—
MD21-09-10334	187.5–192.5	6/16/09	—	—	—	—	3.3	110	480	—	—	6.1	—	4.3	—	—	—	—	—	—	—	—	—	—	260	—	9.7	20	—	360	—	—
MD21-09-10335	229.5–234.5	6/16/09	—	—	—	—	2.7	—	220	440	—	—	6.2	—	8.8	—	—	—	—	—	—	—	—	—	170	—	20	19	—	410	—	—
MD21-09-10336	292.5–297.5	6/16/09	—	—	—	—	—	440	450	—	—	7.1	—	17	—	—	—	—	—	—	—	—	—	—	120	—	32	18	13	740	—	—
MD21-09-10337	372.5–377.5	6/16/09	—	—	7.6	—	2.6	—	400	520	—	—	—	11	35	—	—	—	—	—	—	—	—	—	67	4.6	15	8.8	67	820	—	—
July 2009																																
MD21-09-11272	77.5–82.5	7/15/09	44	—	6.2	12	5.4	—	64	1100	—	—	5.9	—	—	—	—	—	—	—	—	—	—	—	1600	200	—	18	—	720	—	—
MD21-09-11273	187.5–192.5	7/15/09	43	—	6.2	—	5.4	—	120	530	—	—	7	—	5.5	—	—	—	5.5	—	—	—	—	—	310	21	14	22	—	400	—	—
MD21-09-11274	229.5–234.5	7/15/09	13	—	—	—	—	—	210	480	—	—	6.8	—	8.4	—	—	—	—	—	—	—	—	—	190	—	18	18	—	440	—	—
MD21-09-11275	292.5–297.5	7/15/09	15	—	11	—	—	4.2	690	690	—	—	11	5.3	26	7	—	—	—	—	—	—	—	—	200	6.1	51	28	23	1200	—	—
MD21-09-11276	372.5–377.5	7/15/09	12	—	10	—	—	4.6	380	600	—	6	—	13	35	—	—	—	—	—	—	—	—	—	72	9.5	14	8.2	85	850	—	4.6
August 2009																																
MD21-09-11469	77.5–82.5	8/14/09	22	—	—	—	4.6	18	61	1000	—	—	5.1	—	—	—	—	—	—	—	—	—	—	—	1800	—	—	17	—	700	—	—
MD21-09-11470	187.5–192.5	8/14/09	8.7	—	6.8	—	3.1	38	140	580	—	—	7	—	5.6	—	—	—	—	—	—	—	—	—	380	—	17	24	—	470	—	—
MD21-09-11471	229.5–234.5	8/14/09	28	—	—	—	5	—	170	320	4.1	30	5.2	—	6.4	—	—	—	—	—	—	—	—	—	140	40	18	13	—	320	—	—
MD21-09-11468	292.5–297.5	8/14/09	51	—	9.1	—	9	—	640	630	—	—	9.3	4.6	22	—	—	—	—	—	—	—	—	—	190	3.7	52	25	21	1100	—	—
MD21-09-11467	372.5–377.5	8/14/09	40	3.1	11	—	7.2	—	530	700	—	7	—	13	48	4.4	—	—	—	—	—	—	—	—	100	6.5	27	11	100	1200	—	—

Table 5.1-4 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Ethyltoluene[4-]	Hexane	Methanol	Methyl-2-pentanone[4-]	Methylene Chloride	Propanol[2-]	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	Trimethylbenzene[1,2,4-]	Xylene[1,3-]+Xylene[1,4-]
September 2009																																
MD21-09-12623	77.5–82.5	9/18/09	12	—	—	—	—	59	1000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1800	—	—	18	—	700	—	—	
MD21-09-12624	187.5–192.5	9/18/09	11	—	6	—	—	26	140	580	—	—	6.4	—	5.6	—	—	—	—	—	—	—	—	360	—	16	24	—	460	—	—	
MD21-09-12625	229.5–234.5	9/18/09	—	—	6.9	—	—	—	340	660	—	—	8.3	—	13	—	—	—	—	—	—	—	—	280	—	35	28	—	660	—	—	
MD21-09-12626	292.5–297.5	9/18/09	10	—	9.2	—	—	—	670	670	—	—	11	5.2	31	—	—	—	—	—	—	—	—	190	3.6	67	26	20	1200	—	—	
MD21-09-12627	372.5–377.5	9/18/09	19	2.8	11	—	—	—	520	700	—	5.8	—	14	54	4.5	—	—	—	140 (J)	—	—	—	94	5.9	27	11	95	1100	—	—	
October 2009																																
MD21-10-10	77.5–82.5	10/20/09	—	—	—	—	3.5	—	58	1000	—	—	5.2	—	—	—	—	—	—	NA ^b	—	—	—	—	1500	—	—	17	—	630	—	—
MD21-10-11	187.5–192.5	10/20/09	—	—	6.4	—	4.5	—	130	580	—	—	6.2	—	4.6 (J)	—	—	—	—	NA	—	—	—	8.4	340	—	12 (J)	24	—	430	—	—
MD21-10-12	229.5–234.5	10/20/09	—	—	7.1	—	—	—	390	700	—	—	8.8	—	12 (J)	—	—	—	—	NA	—	54 (J-)	—	14	260	—	28 (J)	28	—	660	—	—
MD21-10-13	292.5–297.5	10/20/09	—	—	8.8	—	—	—	580	630	—	—	9	4.2	17 (J)	3.8	—	—	—	NA	—	140 (J-)	—	18	180	—	35 (J)	24	22	960	—	—
MD21-10-14	372.5–377.5	10/20/09	—	2.8 (J)	11	—	2.6	—	480	670	—	8.2	—	12	33 (J)	3.9	—	—	—	NA	—	730 (J-)	—	12	99	5.6	17 (J)	10	100	1000	—	—
November 2009																																
MD21-10-4991	77.5–82.5	11/18/09	20	—	—	—	3.3	—	52	1000	—	—	5.4	—	—	—	—	—	—	NA	—	3.3 (J-)	—	—	1700	—	—	15	—	600	—	—
MD21-10-4993	187.5–192.5	11/18/09	—	—	6.1	—	—	—	120	560	—	—	6.4	—	5.4 (J-)	—	—	—	—	NA	—	24 (J-)	—	7.4	320	—	14	21	—	410	—	—
MD21-10-4994	229.5–234.5	11/18/09	13	—	6.9	—	3.3	—	290	640	—	—	8.4	—	13 (J-)	—	—	—	—	NA	—	40 (J-)	—	13	240	—	30	24	—	570	—	—
MD21-10-4995	292.5–297.5	11/18/09	—	—	7.8	—	—	—	560	610	—	—	9.4	4	23 (J-)	—	—	—	—	NA	—	270 (J-)	—	18	170	4.1	47	22	20	980	—	—
MD21-10-4996	372.5–377.5	11/18/09	—	2.7	10	—	—	—	500	700	—	7	4.4	12	51 (J-)	4.2	—	—	—	NA	—	880 (J-)	—	13	91	5.3	24	10	96	1100	—	—
December 2009																																
MD21-10-8498	77.5–82.5	12/16/09	—	—	—	—	—	53	940	—	—	4.7	—	—	—	—	—	—	—	NA	—	3.1	—	—	1700	—	—	16	—	600	—	—
MD21-10-8499	187.5–192.5	12/16/09	—	—	6.3	—	—	—	120	550	—	—	5.9	—	5.5	—	—	—	—	NA	—	24	—	—	370	—	15	22	—	420	—	—
MD21-10-8500	229.5–234.5	12/16/09	—	—	—	—	—	—	200	520	—	—	6.4	—	8.9	—	—	—	—	NA	—	33	—	—	240	3.4	20	20	—	440	6.3	4.4
MD21-10-8501	292.5–297.5	12/16/09	—	—	8.3	—	—	—	550	610	—	—	8.8	4.4	23	3.5	—	—	—	NA	—	280	—	—	180	3.3	44	23	20	970	—	—
MD21-10-8502	372.5–377.5	12/16/09	13	—	7.2	—	—	—	330	490	—	5.4	—	9.2	34	—	—	—	—	NA	—	600	—	—	78	4.2	15	7.7	70	780	—	—

Table 5.1-4 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Ethanol	Ethyltoluene[4-]	Hexane	Methanol	Methyl-2-pentanone[4-]	Methylene Chloride	Propanol[2-]	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	Trimethylbenzene[1,2,4-]	Xylene[1,3-]+Xylene[1,4-]
January 2010																																
MD21-10-11391	77.5–82.5	1/20/10	—	—	—	—	—	29	400	—	—	—	—	—	—	—	120	—	—	NA	—	4.3	—	—	910	—	—	8.4	—	280	—	—
MD21-10-11393	187.5–192.5	1/20/10	—	—	6.5	—	—	130	560	—	—	6.2	—	6.5	—	—	24	—	—	NA	—	25	—	—	340	—	16	22	—	430	—	—
MD21-10-11394	229.5–234.5	1/20/10	—	—	6.7	—	—	380	660	—	—	8.7	—	18	—	—	7	—	—	NA	—	57	—	—	250	—	40	25	—	760	—	—
MD21-10-11395	292.5–297.5	1/20/10	—	—	8.4	—	—	560	630	—	—	8.9	4.1	26	3.5	26	—	—	—	NA	—	280	—	—	180	—	50	23	20	1100	—	—
MD21-10-11396	372.5–377.5	1/20/10	—	3	11	—	—	510	730	—	7	—	13	56	4.1	70	—	—	—	NA	—	880	—	—	110	5.5	25	11	100	1200	—	—
February 2010																																
MD21-10-12256	77.5–82.5	2/10/10	—	—	6.2	—	—	69	1300	—	—	6.7	—	—	—	—	—	—	—	NA	—	—	—	—	2000	—	7.1	20	—	810	—	—
MD21-10-12258	187.5–192.5	2/10/10	—	—	8	—	—	160	700	—	—	8.6	—	7	—	—	—	—	—	NA	—	—	—	—	430	—	20	27	—	560	—	—
MD21-10-12259	229.5–234.5	2/10/10	—	—	8.6	—	—	460	810	3.1	—	11	—	17	—	—	—	—	—	NA	—	64	—	—	300	—	43	31	—	840	—	—
MD21-10-12260	292.5–297.5	2/10/10	—	—	11	—	—	760	800	3	—	12	5.6	30	4.5	—	—	—	—	NA	—	360	—	—	210	4	61	30	25	1400	—	—
MD21-10-12261	372.5–377.5	2/10/10	—	4	14	—	—	670	890	—	7.6	5.5	16	63	4.9	—	—	—	—	NA	—	1100	—	—	120	8.4	29	14	120	1500	—	—
March 2010																																
MD21-10-13971	77.5–82.5	3/16/10	—	—	5.9 (J)	—	—	63	1100	—	—	6.2	—	—	—	—	—	—	—	NA	—	—	—	—	1800	—	7.3	17	—	700	—	—
MD21-10-13972	187.5–192.5	3/16/10	—	—	6.7	—	—	140	570	—	—	7.4	—	6	—	—	—	—	—	NA	—	23	—	—	370	—	16	24	—	450	—	—
MD21-10-13973	229.5–234.5	3/16/10	—	—	8.1	—	—	360	680	3	—	9.6	—	15	—	—	—	—	—	NA	—	48	—	—	280	—	35	28	—	680	—	—
MD21-10-13974	292.5–297.5	3/16/10	—	—	11	—	—	8.3	680	670	—	—	11	4.8	28	3.8	—	—	—	NA	—	280	—	—	180	3.8	55	27	21	1100	—	—
MD21-10-13975	372.5–377.5	3/16/10	11	3.2	12	—	2.5 (J)	5.2	590	750	—	17	5	14	58	4.5	—	4.6	—	NA	7.5	840	—	—	100	10	28	13	100	1200	11	7.5

Notes: Results are in µg/m³. See Appendix A for data qualifier definitions.

* — = Not detected.

**Table 5.1-5
Summary of VOCs Detected in Pore-Gas Samples at MDA T Vapor-Monitoring Well 21-607955, November 2009–March 2010**

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Hexane	Methylene Chloride	n-Heptane	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	
November/December 2009																											
MD21-10-7567	71.1–76.4	12/2/09	—*	—	—	—	—	9.4	89	680	—	—	—	—	—	—	—	66	—	—	2000	29	—	16	—	430	
MD21-10-7568	153.8–159.7	12/3/09	—	—	—	—	—	4.6	190	560	—	—	8	4.4	—	—	—	290	—	—	390	22	9.8	18	6.3	490	
MD21-10-7569	173.4–179	12/2/09	31	—	—	—	—	—	—	19	—	—	—	—	—	—	—	25	—	—	—	—	—	—	—	20	
MD21-10-7570	225.9–232.1	12/2/09	100	3	5.5	—	2.6	20	340	680	3.6	—	7.4	11	8	—	2.9	880	—	—	220	90	16	17	16	710	
MD21-10-7571	326.6–333.4	12/3/09	18	—	—	—	—	4.5	130	350	—	—	4.6	7.5	4	—	—	660	—	—	110	9.4	—	9.4	6.6	290	
MD21-10-7572	353.3–359.6	12/2/09	16	—	—	—	—	5.6	360	1000	—	—	—	21	15	—	—	2100	—	—	29	83	13	—	15	760	
MD21-10-7573	459.4–464.8	12/2/09	—	—	—	—	—	—	26	91	—	—	—	—	—	—	—	180	—	—	—	12	—	—	—	57	
MD21-10-7574	559–565	12/2/09	8.9	3.4	—	—	—	4.5	100	540	—	—	—	—	24	—	5.2	710	—	—	—	100	—	—	—	320	
MD21-10-7575	651.3–657.3	12/2/09	—	—	—	—	—	6.1	—	29	—	—	—	—	3.8	—	3.9	17	—	—	—	100	—	—	—	18	
MD21-10-7576	797.2–803.1	12/3/09	17	—	—	—	—	3.3	—	—	—	—	—	—	—	—	—	—	—	8.6	—	11	—	—	—	—	
MD21-10-7577	946.2–952.1	12/3/09	30000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	690	—	—	—	—	
December 2009																											
MD21-10-8099	71.1–76.4	12/18/09	—	—	—	—	—	—	65	520	—	—	—	—	—	—	—	33	—	—	1800	22	—	—	—	350	
MD21-10-8100	153.8–159.7	12/18/09	9.1	—	—	—	—	6.1	170	610	—	—	9.2	3.9	—	—	—	220	—	—	430	18	9.6	19	5.3	500	
MD21-10-8101	173.4–179	12/18/09	16	—	—	—	—	7.2	220	680	—	—	9.2	5.2	4.1	—	—	370	—	—	420	42	11	22	9.2	580	
MD21-10-8102	225.9–232.1	12/17/09	14	2.9	—	—	—	12	340	730	—	—	7.9	12	8.1	—	—	870	—	—	230	74	15	19	17	760	
MD21-10-8103	326.6–333.4	12/17/09	8.4	—	—	—	—	7.6	180	450	—	—	4.7	9.7	5	—	—	850	—	—	100	13	8.3	5.4	8.7	390	
MD21-10-8104	353.3–359.6	12/17/09	—	—	—	—	—	—	100	260	—	—	—	5	4.9	—	—	530	—	—	8.9	18	—	—	—	210	
MD21-10-8105	459.4–464.8	12/17/09	—	—	—	—	—	—	160	560	—	—	—	9.5	8.7	—	—	950	—	—	10	22	—	—	—	390	
MD21-10-8106	559–565	12/17/09	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
MD21-10-8107	651.3–657.3	12/18/09	—	—	—	—	—	3.4	—	48	—	—	—	—	6.5	—	—	24	—	8.3	—	39	—	—	—	29	
MD21-10-8108	797.2–803.1	12/17/09	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
MD21-10-8109	946.2–952.1	12/17/09	1400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Table 5.1-5 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Hexane	Methylene Chloride	n-Heptane	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane [1,1,1-]	Trichloroethane [1,1,2-]	Trichloroethene	
January 2010																											
MD21-10-11424	71.1–76.4	1/25/10	—	—	—	—	—	8.2	70	710	—	—	—	—	—	—	—	27	—	—	3200	6.7	—	15	—	520	
MD21-10-11425	153.8–159.7	1/25/10	—	—	—	—	—	5	130	540	—	—	7.4	3.1	—	—	—	150	—	—	540	6.3	8.3	17	5.6	490	
MD21-10-11426	173.4–179	1/25/10	—	—	—	—	—	5.8	150	520	—	—	6.4	4.5	—	—	—	260	—	—	450	16	8.3	16	8.4	500	
MD21-10-11427	225.9–232.1	1/25/10	—	—	—	—	—	16	400	880	—	—	9.2	18	9.8	—	—	1300	—	—	290	33	21	22	28	1000	
MD21-10-11428	326.6–333.4	1/25/10	—	—	—	—	—	—	360	820	—	—	—	20	11	—	—	1800	—	—	140	14	17	—	17	840	
MD21-10-11429	353.3–359.6	1/25/10	—	—	—	—	—	—	410	1300	—	—	—	34	20	—	—	2700	—	—	47	42	—	—	26	1100	
MD21-10-11430	459.4–464.8	1/25/10	—	—	—	—	—	6.7	320	1300	—	—	—	25	23	—	—	2200	—	—	23	39	—	—	11	910	
MD21-10-11431	559–565	1/25/10	—	2.6	—	—	—	3.1	110	600	—	—	—	23	—	—	—	800	—	—	6.2	40	—	—	—	430	
MD21-10-11432	651.3–657.3	1/26/10	—	—	—	—	—	—	10	83	—	—	—	—	13	—	—	48	—	—	—	17	—	14	—	57	
MD21-10-11434	946.2–952.1	1/26/10	2500	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	330	—	—	—	—	
February 2010																											
MD21-10-12289	71.1–76.4	2/12/10	—	—	—	—	—	6.9	80	730	—	—	—	—	—	—	—	17	—	—	2600	—	—	16	—	500	
MD21-10-12290	153.8–159.7	2/12/10	—	—	—	—	—	4.5	190	680	2.9	—	9.5	3.6	—	—	—	140	—	—	590	7.8	10	24	6.4	570	
MD21-10-12291	173.4–175	2/12/10	—	—	—	—	—	5.9	240	730	2.9	—	9.4	5.5	4.9	—	—	280	—	—	520	19	12	26	9.8	650	
MD21-10-12292	225.9–232.1	2/12/10	—	3	7.4	—	—	8	480	900	3.4	6.5	10	16	9.4	3.5	—	960	—	—	260	35	20	26	22	950	
MD21-10-12293	326.6–333.9	2/12/10	—	—	—	—	—	—	450	880	—	—	—	21	10	—	—	1500	—	—	120	19	17	11	16	870	
MD21-10-12294	353.3–359.6	2/12/10	—	—	—	—	—	—	470	1300	—	—	—	32	20	—	—	2200	—	—	41	41	—	—	20	1100	
MD21-10-12295	459.4–464.8	2/12/10	—	—	—	—	—	—	370	1300	—	—	—	22	24	—	—	1800	—	—	20	33	—	—	9.5	900	
MD21-10-12296	559–565	2/12/10	—	2.8	—	—	—	3.1	180	850	—	—	—	—	31	—	—	820	—	—	7.8	60	—	—	—	560	
MD21-10-12297	651.3–657.3	2/12/10	—	—	—	—	—	—	24	150	—	—	—	—	21	—	—	64	—	—	—	24	—	—	—	100	
MD21-10-12298	797.2–803.1	2/15/10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4.7	—	—	—	—	
MD21-10-12299	946.2–952.1	2/15/10	620	—	—	—	—	—	—	—	—	—	—	—	—	—	3.4	—	6.9	—	—	500	—	—	—	—	

Table 5.1-5 (continued)

Sample ID	Depth (ft)	Collection Date	Acetone	Benzene	Bromodichloromethane	Butanol[1-]	Butanone[2-]	Carbon Disulfide	Carbon Tetrachloride	Chloroform	Cyclohexane	Dichlorobenzene[1,4-]	Dichlorodifluoromethane	Dichloroethane[1,2-]	Dichloroethene[1,1-]	Dichloroethene[cis-1,2-]	Hexane	Methylene Chloride	n-Heptane	Propylene	Tetrachloroethene	Toluene	Trichloro-1,2,2-trifluoroethane[1,1,2-]	Trichloroethane[1,1,1-]	Trichloroethane[1,1,2-]	Trichloroethene	
March 2010																											
MD21-10-14000	71.1–76.4	3/18/10	—	—	—	—	—	—	85	740	—	—	7.6	—	—	—	—	13	—	—	2600	—	—	18	—	540	
MD21-10-14001	153.8–159.7	3/18/10	—	—	—	—	—	—	180	610	—	—	—	—	—	—	—	140	—	—	550	4.7	11	22	5.8	560	
MD21-10-14002	173.4–179	3/18/10	—	—	—	—	—	30	240	670	—	—	9.1	5.1	4.4	—	—	260	—	—	480	11	13	25	—	650	
MD21-10-14003	225.9–232.1	3/18/10	26	—	—	—	—	—	470	860	—	7.5	9.6	16	11	—	—	910	—	—	260	24	19	25	22	980	
MD21-10-14004	326.6–333.4	3/18/10	—	—	—	24	—	—	460	920	—	13	7.2	21	14	—	—	1600	—	—	100	13	18	11	17	1000	
MD21-10-14005	353.3–359.6	3/18/10	—	—	—	—	—	—	470	1200	—	17	—	32	22	—	—	2100	—	—	42	28	16	—	21	1100	
MD21-10-14006	459.4–464.8	3/18/10	—	—	—	—	—	—	380	1300	—	—	—	22	23	—	—	1700	—	—	22	20	—	—	—	990	
MD21-10-14007	559–565	3/18/10	—	3.1	—	—	—	—	180	840	—	—	—	—	35	—	—	840	—	—	8.1	43	—	—	—	590	
MD21-10-14008	651.3–657.3	3/18/10	—	—	—	—	—	—	33	200	—	—	—	—	31	—	—	81	—	—	—	20	—	—	—	160	
MD21-10-14009	797.2–803.1	3/19/10	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3.6	—	—	—	—	
MD21-10-14010	946.2–952.1	3/19/10	99	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	6.8	6.1	—	430	—	—	—	—	

Note: Results are in µg/m³.

* — = Not detected.

Table 5.2-1
Screening of VOCs Detected in Pore Gas at MDA T, January–March 2010

VOC	Maximum Pore Gas Concentration ($\mu\text{g}/\text{m}^3$)	Groundwater SL ($\mu\text{g}/\text{L}$) ^a	Calculated Concentrations in Pore Gas Corresponding to Groundwater Standard ($\mu\text{g}/\text{m}^3$) ^b	SV (unitless)
Acetone	2500	21,800	34,880	7.17E-02
Benzene	6.6	5 ^c	1150	5.74E-03
Bromodichloromethane	15	1.17	102	1.47E-01
1-Butanol	24	3700 ^d	1332	1.80E-02
2-Butanone	6.4	7060	16,238	3.94E-04
Carbon Disulfide	34	1040	613,600	5.54E-05
Carbon Tetrachloride	840	5 ^c	5500	1.53E-01
Chlorodifluoromethane	30	104,000	176,800,000	1.70E-07
Chloroform	1600	100 ^e	15,000	1.07E-01
Cyclohexane	7.1	13,000 ^d	79,300,000	8.95E-08
1,4-Dichlorobenzene	25	75 ^c	7500	3.33E-03
Dichlorodifluoromethane	14	395	5,530,000	2.53E-06
1,2-Dichloroethane	40	5 ^c	240	1.67E-01
1,1-Dichloroethene	100	5 ^e	5500	1.82E-02
cis-1,2-Dichloroethene	5	70 ^c	11,900	4.20E-04
Hexane	8.7	876	65,120,000	1.34E-07
4-Methyl-2-pentanone	7.5	1990	11,144	6.73E-04
Methylene chloride	2700	5 ^c	650	4.15E+00
Tetrachloroethene	3200	5 ^c	3600	8.89E-01
Toluene	500	750 ^e	202,500	2.47E-03
1,1,2-Trichloro-1,2,2-trifluoroethane	61	59,200	1,298,000,000	4.70E-08
1,1,1-Trichloroethane	43	60 ^e	42,600	1.01E-03
1,1,2-Trichloroethane	220	5 ^c	170	1.29E+00
Trichloroethene	1500	5 ^c	2000	7.50E-01
1,2,4-Trimethylbenzene	11	15 ^d	3750	2.93E-03
1,3-Xylene+1,4-Xylene	7.5	203	56,800	1.32E-04

^a SLs from NMED (2009, 106420) unless otherwise noted.

^b Calculated using Equation 3.0-3. Values in bold are greater than 1.0.

^c SL is EPA MCL (40 Code of Federal Regulations 141.61).

^d SL from EPA regional screening tables (<http://www.epa.gov/region09/superfund/prg>).

^e NMWQCC groundwater standard (20.6.2.3103 New Mexico Administrative Code).

**Table 5.3-1
Summary of Detected Tritium Results in Pore-Gas Samples at
MDA T Vapor-Monitoring Well 21-25262, June 2009–March 2010**

Sample ID	Depth (ft)	Collection Date	Tritium (pCi/L)
June 2009			
MD21-09-10357	232–237	6/12/09	19,570.9
MD21-09-10358	295–300	6/12/09	901.051
MD21-09-10359	329.5–334.5	6/12/09	3062.27
MD21-09-10360	375–380	6/12/09	13,958.3
July 2009			
MD21-09-11294	80–85	7/14/09	1041.73
MD21-09-11295	115–120	7/14/09	441.102
MD21-09-11296	232–237	7/14/09	556.992
MD21-09-11297	295–300	7/14/09	3199.46
MD21-09-11298	329.5–334.5	7/14/09	6803.85
MD21-09-11299	375–380	7/14/09	37,413.2
MD21-09-11301	572–577	7/14/09	321.425
MD21-09-11302	686–691	7/14/09	420.838
August 2009			
MD21-09-11488	80–85	8/11/09	1129.79
MD21-09-11489	115–120	8/11/09	516.154
MD21-09-11490	232–237	8/11/09	930.317
MD21-09-11491	295–300	8/13/09	3885.76
MD21-09-11493	375–380	8/11/09	40,119.3
MD21-09-11492	329.5–334.5	8/13/09	5167.16
MD21-09-11494	472–478	8/13/09	1401.18
MD21-09-11495	572–577	8/14/09	33,963.9
MD21-09-11496	686–691	8/14/09	721.544
September 2009			
MD21-09-12612	80–85	9/17/09	950.746
MD21-09-12613	115–120	9/17/09	1566.48
MD21-09-12614	232–237	9/17/09	638.959
MD21-09-12615	295–300	9/17/09	3571.87
MD21-09-12616	329.5–334.5	9/17/09	6374.78
MD21-09-12617	375–380	9/17/09	58,756.5
MD21-09-12618	472–478	9/17/09	397.554
October 2009			
MD21-10-35	295–300	10/19/09	5711.58 (J)
MD21-10-36	329.5–334.5	10/19/09	7315.18 (J)
MD21-10-37	375–380	10/19/09	73,332.4

Table 5.3-1 (continued)

Sample ID	Depth (ft)	Collection Date	Tritium
November 2009			
MD21-10-5010	295–300	11/17/09	3194.14
MD21-10-5011	329.5–334.5	11/17/09	4274.57
MD21-10-5012	375–380	11/17/09	32,455
December 2009			
MD21-10-8520	80–85	12/15/09	708.364
MD21-10-8521	115–120	12/15/09	637.912
MD21-10-8523	295–300	12/15/09	2905.18
MD21-10-8524	329.5–334.5	12/15/09	3352.27
MD21-10-8525	375–380	12/15/09	31,335.5
MD21-10-8526	472–478	12/15/09	593.241
MD21-10-8527	572–577	12/15/09	251.682
January 2010			
MD21-10-11413	80–85	1/21/10	666.957
MD21-10-11414	115–120	1/21/10	578.64
MD21-10-11415	232–237	1/21/10	6810.37
MD21-10-11416	295–300	1/21/10	3608.86
MD21-10-11417	329.5–334.5	1/21/10	4614.16
MD21-10-11418	375–380	1/21/10	50,511.2
MD21-10-11419	472–478	1/21/10	448.292
February 2010			
MD21-10-12278	80–85	2/10/10	497.31
MD21-10-12279	115–120	2/10/10	376.898
MD21-10-12280	232–237	2/10/10	628.359
MD21-10-12281	295–300	2/10/10	3065.5
MD21-10-12282	329.5–334.5	2/10/10	3742.27
MD21-10-12283	375–380	2/10/10	37,300.1
MD21-10-12284	472–478	2/10/10	17,788.4
March 2010			
MD21-10-13989	80–85	3/17/10	773.446
MD21-10-13990	115–120	3/17/10	623.036
MD21-10-13991	232–237	3/17/10	477.933
MD21-10-13992	295–300	3/17/10	3716.16
MD21-10-13993	329.5–334.5	3/17/10	4605.93
MD21-10-13994	375–380	3/17/10	55,517.2

Notes: Units are in pCi/L. See Appendix A for data qualifier definitions.

**Table 5.3-2
Summary of Detected Tritium Results in Pore-Gas Samples at
MDA T Vapor-Monitoring Well 21-25264, April 2009–March 2010**

Sample ID	Depth (ft)	Collection Date	Tritium
April 2009			
MD21-09-7164	67.5–72.5	04/16/09	5647
MD21-09-7166	150.5–155.5	04/17/09	12,0741
MD21-09-7168	222.5–227.5	04/17/09	80,587.5
MD21-09-7167	323–328	04/17/09	1421.08
MD21-09-7165	349.5–354.5	04/16/09	1557.89
June 2009			
MD21-09-10344	67.5–72.5	06/17/09	142,818
MD21-09-10345	150.5–155.5	06/17/09	133,254
MD21-09-10346	222.5–227.5	06/17/09	2093.28
MD21-09-10347	323–328	06/17/09	3952.86
MD21-09-10348	349.5–354.5	06/17/09	2873.74
July 2009			
MD21-09-11283	67.5–72.5	07/17/09	10,560.3
MD21-09-11284	150.5–155.5	07/17/09	173,113
MD21-09-11285	222.5–227.5	07/17/09	123,530
MD21-09-11286	323–328	07/17/09	2323.85
MD21-09-11287	349.5–354.5	07/17/09	7802.76
August 2009			
MD21-09-11477	67.5–72.5	08/19/09	12.3201
MD21-09-11478	150.5–155.5	08/19/09	198.29
MD21-09-11479	222.5–227.5	08/19/09	143.559
MD21-09-11480	323–328	08/19/09	2.95949
MD21-09-11481	349.5–354.5	08/19/09	3.10597
September 2009			
MD21-09-12605	67.5–72.5	09/16/09	8471.59
MD21-09-12606	150.5–155.5	09/16/09	128,286
MD21-09-12607	222.5–227.5	09/16/09	98,443.1
MD21-09-12608	323–328	09/16/09	1847.38
MD21-09-12609	349.5–354.5	09/16/09	2511.64

Table 5.3-2 (continued)

Sample ID	Depth (ft)	Collection Date	Tritium
October 2009			
MD21-10-25	67.5–72.5	10/16/09	7391.34 (J)
MD21-10-26	150.5–155.5	10/16/09	127,242
MD21-10-27	222.5–227.5	10/16/09	88,576.4
MD21-10-29	349.5–354.5	10/16/09	2091.07 (J)
November 2009			
MD21-10-5002	67.5–72.5	11/19/09	6934.95
MD21-10-5003	150.5–155.5	11/19/09	129,340
MD21-10-5004	222.5–227.5	11/19/09	87,464.5
MD21-10-5005	323–328	11/19/09	2339.12
MD21-10-5006	349.5–354.5	11/19/09	2621.98
December 2009			
MD21-10-8509	67.5–72.5	12/22/09	6826.61
MD21-10-8510	150.5–155.5	12/22/09	83,723
MD21-10-8511	222.5–227.5	12/22/09	57,334
MD21-10-8512	323–328	12/22/09	2319.62
MD21-10-8513	349.5–354.5	12/22/09	1744.05
January 2010			
MD21-10-11406	67.5–72.5	1/28/10	7905.69
MD21-10-11407	150.5–155.5	1/28/10	110471
MD21-10-11408	222.5–227.5	1/28/10	81,035.2
MD21-10-11409	323–328	1/28/10	1367.84
MD21-10-11410	349.5–354.5	1/28/10	1928.84
February 2010			
MD21-10-12271	67.5–72.5	2/16/10	7098.53
MD21-10-12272	150.5–155.5	2/16/10	125,555
MD21-10-12273	222.5–227.5	2/16/10	77,988.9
MD21-10-12274	323–328	2/16/10	1968.92
MD21-10-12275	349.5–354.5	2/16/10	1549.69
March 2010			
MD21-10-13984	67.5–72.5	3/23/10	8021.56
MD21-10-13985	150.5–155.5	3/23/10	112,468
MD21-10-13986	222.5–227.5	3/23/10	94,845.8
MD21-10-13987	323–328	3/23/10	1972.37
MD21-10-13988	349.5–354.5	3/23/10	2108.49

Notes: Units are in pCi/L. See Appendix A for data qualifier definitions.

Table 5.3-3
Summary of Detected Tritium Results in Pore-Gas Samples at
MDA T Vapor-Monitoring Well 21-603058, April 2009–March 2010

Sample ID	Depth (ft)	Collection Date	Tritium
April 2009			
MD21-09-7159	67.5–72.5	4/14/09	812.322
MD21-09-7160	217–222	4/14/09	390.326
MD21-09-7162	242.5–247.5	4/15/09	1172.45
MD21-09-7161	339.5–344.5	4/15/09	997.037
June 2009			
MD21-09-10339	67.5–72.5	6/18/09	545.965
MD21-09-10341	217–222	6/18/09	2627.8
MD21-09-10342	242.5–247.5	6/18/09	3203.44
MD21-09-10343	339.5–344.5	6/18/09	530.518
July 2009			
MD21-09-11280	217–222	7/16/09	980.78
MD21-09-11281	242.5–247.5	7/16/09	3253.15
August 2009			
MD21-09-11472	67.5–72.5	8/18/09	258.446
MD21-09-11473	217–222	8/18/09	991.636
MD21-09-11474	242.5–247.5	8/18/09	2949.12
September 2009			
MD21-09-12598	67.5–72.5	9/15/09	1706.59
MD21-09-12600	217–222	9/15/09	1936.29
MD21-09-12601	242.5–247.5	9/15/09	1787.14
November 2009			
MD21-10-4997	67.5–72.5	11/20/09	1394.73
MD21-10-4998	217–222	11/20/09	1380.68
MD21-10-4999	242.5–247.5	11/20/09	116,521
MD21-10-5000	339.5–344.5	11/20/09	368.266
December 2009			
MD21-10-8504	67.5–72.5	12/21/09	482.944
MD21-10-8506	217–222	12/21/09	1101.48
MD21-10-8507	242.5–247.5	12/21/09	1591.23
January 2010			
MD21-10-11401	217–222	1/27/10	822.176
MD21-10-11402	242.5–247.5	1/27/10	1892.62
February 2010			
MD21-10-12266	217–222	2/17/10	4700.82
MD21-10-12267	242.5–247.5	2/17/10	5631.82
MD21-10-12268	339.5–344.5	2/17/10	573.583
March 2010			
MD21-10-13979	217–222	3/22/10	1037.35
MD21-10-13980	242.5–247.5	3/22/10	431.92

Note: Units are in pCi/L.

Table 5.3-4
Summary of Detected Tritium Results in Pore-Gas Samples at
MDA T Vapor-Monitoring Well 21-603059, April 2009–March 2010

Sample ID	Depth (ft)	Collection Date	Tritium
April 2009			
MD21-09-7155	77.5–82.5	4/13/09	353.451
MD21-09-7157	229.5–234.5	4/13/09	756.393
MD21-09-7163	229.5–234.5	4/20/09	1332.55
MD21-09-7153	292.5–297.5	4/10/09	1284.11
MD21-09-7156	372.5–377.5	4/13/09	1420.85
June 2009			
MD21-09-10333	77.5–82.5	6/16/09	334.831
MD21-09-10334	187.5–192.5	6/16/09	628.593
MD21-09-10335	229.5–234.5	6/16/09	1660.84
MD21-09-10336	292.5–297.5	6/16/09	4605.51
MD21-09-10337	372.5–377.5	6/16/09	6449.81
July 2009			
MD21-09-11273	187.5–192.5	7/15/09	601.61
MD21-09-11274	229.5–234.5	7/15/09	1428.52
MD21-09-11275	292.5–297.5	7/15/09	4776.39
MD21-09-11276	372.5–377.5	7/15/09	6527.3
August 2009			
MD21-09-11469	77.5–82.5	8/14/09	501.312
MD21-09-11470	187.5–192.5	8/14/09	538.605
MD21-09-11471	229.5–234.5	8/14/09	1529.32
MD21-09-11468	292.5–297.5	8/14/09	6175.57
MD21-09-11467	372.5–377.5	8/14/09	6520.03
September 2009			
MD21-09-12623	77.5–82.5	9/18/09	889.354
MD21-09-12624	187.5–192.5	9/18/09	376.235
MD21-09-12625	229.5–234.5	9/18/09	1400.04
MD21-09-12626	292.5–297.5	9/18/09	5764.99
MD21-09-12627	372.5–377.5	9/18/09	1279.39

Table 5.3-4 (continued)

Sample ID	Depth (ft)	Collection Date	Tritium
October 2009			
MD21-10-13	292.5–297.5	10/20/09	2720.89 (J)
MD21-10-14	372.5–377.5	10/20/09	4812.58 (J)
November 2009			
MD21-10-4991	77.5–82.5	11/18/09	569.51
MD21-10-4993	187.5–192.5	11/18/09	835.233
MD21-10-4994	229.5–234.5	11/18/09	2006.55
MD21-10-4995	292.5–297.5	11/18/09	3811.4
MD21-10-4996	372.5–377.5	11/18/09	5400.51
December 2009			
MD21-10-8498	77.5–82.5	12/16/09	412.571
MD21-10-8499	187.5–192.5	12/16/09	904.787
MD21-10-8500	229.5–234.5	12/16/09	23,765.4
MD21-10-8501	292.5–297.5	12/16/09	2450.99
MD21-10-8502	372.5–377.5	12/16/09	6361.8
January 2010			
MD21-10-11394	229.5–234.5	1/20/10	903.819
MD21-10-11395	292.5–297.5	1/20/10	4559.34
MD21-10-11396	372.5–377.5	1/20/10	6145.92
February 2010			
MD21-10-12256	77.5–82.5	2/10/10	259.625
MD21-10-12258	187.5–192.5	2/10/10	517.941
MD21-10-12259	229.5–234.5	2/10/10	1501.71
MD21-10-12260	292.5–297.5	2/10/10	4071.49
MD21-10-12261	372.5–377.5	2/10/10	4866.67
March 2010			
MD21-10-13972	187.5–192.5	3/16/10	1102.95
MD21-10-13973	229.5–234.5	3/16/10	884.006
MD21-10-13974	292.5–297.5	3/16/10	3606.05
MD21-10-13975	372.5–377.5	3/16/10	4007.93

Notes: Units are in pCi/L. See Appendix A for data qualifier definitions.

Table 5.3-5
Summary of Detected Tritium Results in Pore-Gas Samples at
MDA T Vapor-Monitoring Well 21-607955, November 2009–March 2010

Sample ID	Depth (ft)	Collection Date	Tritium
November/December 2009			
MD21-10-7567	71.1–76.4	12/2/2009	1005.55
MD21-10-7568	153.8–159.7	12/3/2009	3022.43
MD21-10-7569	173.4–179	12/2/2009	1350.52
MD21-10-7570	225.9–232.1	12/2/2009	4580.07
MD21-10-7571	326.6–333.4	12/3/2009	1201.62
MD21-10-7572	353.3–359.6	12/2/2009	694.773
MD21-10-7573	459.4–464.8	12/2/2009	424.773
MD21-10-7574	559–565	12/2/2009	1143.6
MD21-10-7577	946.2–952.1	12/3/2009	844.549
December 2009			
MD21-10-8099	71.1–76.4	12/18/09	1699.46
MD21-10-8100	153.8–159.7	12/18/09	20,563
MD21-10-8101	173.4–179	12/18/09	1280.33
MD21-10-8102	225.9–232.1	12/17/09	5367.56
MD21-10-8103	326.6–333.4	12/17/09	551.331
MD21-10-8106	559–565	12/17/09	626.66
MD21-10-8107	651–657	12/18/09	504.147
January 2010			
MD21-10-11424	71.1–76.4	1/25/10	2794.02
MD21-10-11425	153.8–159.7	1/25/10	26,367.4
MD21-10-11426	173.4–179	1/25/10	951.95
MD21-10-11427	225.9–232.1	1/25/10	3654.21
MD21-10-11428	326.6–333.4	1/25/10	24,955.1
MD21-10-11429	353.3–359.6	1/25/10	444.253
MD21-10-11430	459.4–464.8	1/25/10	681.335
MD21-10-11432	651.3–657.3	1/26/10	661.971
MD21-10-11433	797.2–803.1	1/26/10	852.999
MD21-10-11434	946.2–952.1	1/26/10	444.672
February 2010			
MD21-10-12289	71.1–76.4	2/12/10	1619
MD21-10-12290	153.8–159.7	2/12/10	21,115.3
MD21-10-12291	173.4–175	2/12/10	1478.55
MD21-10-12292	225.9–232.1	2/12/10	7708.75
MD21-10-12293	326.6–333.9	2/12/10	482.873
MD21-10-12294	353.3–359.6	2/12/10	1207.58
MD21-10-12295	459.4–464.8	2/12/10	382.637
MD21-10-12296	559–565	2/12/10	651.75
MD21-10-12299	946.2–952.1	2/15/10	346.154

Table 5.3-5 (continued)

Sample ID	Depth (ft)	Collection Date	Tritium
March 2010			
MD21-10-14000	71.1–76.4	3/18/10	2640.15
MD21-10-14001	153.8–159.7	3/18/10	31,031.8
MD21-10-14002	173.4–179	3/18/10	1251.55
MD21-10-14003	225.9–232.1	3/18/10	6979.23
MD21-10-14005	353.3–359.6	3/18/10	1067.42
MD21-10-14008	651.3–657.3	3/18/10	888.596
MD21-10-14010	946.2–952.1	3/19/10	712.071

Note: Units are in pCi/L.

Appendix A

*Acronyms and Abbreviations,
Metric Conversion Table, and Data Qualifier Definitions*

A-1.0 ACRONYMS AND ABBREVIATIONS

%CO ₂	percent carbon dioxide
%O ₂	percent oxygen
%R	percent recovery
bgs	below ground surface
CCV	continuing calibration verification
COC	chain of custody
DER	duplicate error ratio
DOE	Department of Energy (U.S.)
EPA	Environmental Protection Agency (U.S.)
FB	field blank
FD	field duplicate
ICV	initial calibration verification
LAL	lower acceptance limit
LANL	Los Alamos National Laboratory
LCS	laboratory control sample
MCL	maximum contaminant level
MDA	material disposal area
MDC	minimum detectable concentration
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
MS	matrix spike
PB	performance blank
PCE	tetrachloroethene
QA	quality assurance
QC	quality control
RACER	Risk Analysis, Communication, Evaluation, and Reduction
RPF	Records Processing Facility
SCL	sample collection log
SL	screening level
SMO	Sample Management Office
SOP	standard operating procedure
SOW	statement of work
SQL	standard quantitation limit
SV	screening value

TA	technical area
TCE	trichloroethene
TD	total depth
VOC	volatile organic compound

A-2.0 METRIC CONVERSION TABLE

Multiply SI (Metric) Unit	by	To Obtain U.S. Customary Unit
kilometers (km)	0.622	miles (mi)
kilometers (km)	3281	feet (ft)
meters (m)	3.281	feet (ft)
meters (m)	39.37	inches (in.)
centimeters (cm)	0.03281	feet (ft)
centimeters (cm)	0.394	inches (in.)
millimeters (mm)	0.0394	inches (in.)
micrometers or microns (μm)	0.0000394	inches (in.)
square kilometers (km^2)	0.3861	square miles (mi^2)
hectares (ha)	2.5	acres
square meters (m^2)	10.764	square feet (ft^2)
cubic meters (m^3)	35.31	cubic feet (ft^3)
kilograms (kg)	2.2046	pounds (lb)
grams (g)	0.0353	ounces (oz)
grams per cubic centimeter (g/cm^3)	62.422	pounds per cubic foot (lb/ft^3)
milligrams per kilogram (mg/kg)	1	parts per million (ppm)
micrograms per gram ($\mu\text{g/g}$)	1	parts per million (ppm)
liters (L)	0.26	gallons (gal.)
milligrams per liter (mg/L)	1	parts per million (ppm)
degrees Celsius ($^{\circ}\text{C}$)	$9/5 + 32$	degrees Fahrenheit ($^{\circ}\text{F}$)

A-3.0 DATA QUALIFIER DEFINITIONS

Data Qualifier	Definition
U	The analyte was analyzed for but not detected.
J	The analyte was positively identified, and the associated numerical value is estimated to be more uncertain than would normally be expected for that analysis.
J+	The analyte was positively identified, and the result is likely to be biased high.
J-	The analyte was positively identified, and the result is likely to be biased low.
UJ	The analyte was not positively identified in the sample, and the associated value is an estimate of the sample-specific detection or quantitation limit.
R	The data are rejected as a result of major problems with quality assurance/quality control parameters.

Appendix B

Field Methods

B-1.0 INTRODUCTION

This appendix summarizes the field methods used during the January to March 2010 quarterly sampling activities at Material Disposal Area (MDA) T, Consolidated Unit 21-016(a)-99, in Technical Area 21 at Los Alamos National Laboratory (LANL or the Laboratory). All activities were conducted in accordance with the applicable standard operating procedures (SOPs), quality procedures, Laboratory implementation requirements, and Laboratory procedural requirements. Table B-1.0-1 summarizes the field methods used, and Table B-1.0-2 lists the applicable procedures.

B-2.0 FIELD METHODS

All work was conducted per a site-specific health and safety plan and an integrated work document. Field activities conducted according to SOPs are discussed below.

B-2.1 Volatile Organic Compound Pore-Gas Field-Screening and Sample Collection

All volatile organic compound (VOC) samples were collected and screened in accordance with the current version of the EP-ERSS-SOP-5074, Sampling for Sub-Atmospheric Air.

Before each sampling event, each sample port was purged and monitored with a LANDTEC GEM 2000 instrument (or equivalent) until the percent carbon dioxide (%CO₂) and percent oxygen (%O₂) levels stabilized at values representative of subsurface pore-gas conditions. Each instrument rental was shipped factory calibrated to the Laboratory and then returned to a LANDTEC authorized service facility for service/calibration as needed. As described in the LANDTEC documentation, accuracies for percent oxygen and carbon dioxide for Landtec instrumentation are +/- 1.0% and +/- 3.0%, respectively. Air was drawn from the sampling interval through the line to purge vapor-sample tubing of stagnant air. To ensure the sample collected was representative of the subsurface air at depth, every sampling activity included a purge cycle. Once purging and field screening were complete, vapor samples for VOC analysis were collected with the use of SUMMA canisters, and the sample information was recorded in the appropriate sample collection log (SCL). Field-screening results were also recorded in the appropriate SCL and/or in the field logbook. Field chains of custody (COCs) and SCLs are provided in Appendix D (on CD).

The screening %CO₂ and %O₂ levels are presented in Table 4.0-1 of the monitoring report. The calibrations of CO₂ and O₂ levels were within the manufacturer's acceptable calibration limits. The January to March %CO₂ levels ranged from 0.0% to 1.3%, which are within acceptable limits, and are representative of subsurface pore-gas conditions. The January to March %O₂ levels ranged from 18.1% to 21.9%, are within acceptable limits, and are representative of subsurface pore-gas conditions. In addition to the characterization samples, two types of quality assurance/quality control (QA/QC) samples were collected and analyzed for VOCs with the use of SUMMA canisters: field duplicate (FD) samples and field blanks (FB) of ultra-pure nitrogen. The FD and FB samples were collected at a frequency greater than or equal to 10% per sampling event in accordance with the current version of EP-ERSS-SOP-5059, Field Quality Control Samples. Summaries of all January to March 2010 analytical and QA/QC samples collected from vapor-monitoring wells 21-603058, 21-603059, 21-25264, 21-25262, 21-607955, and their requested analyses, are presented in Tables 2.0-2 through 2.0-6 of the monitoring report.

All samples were submitted to the Sample Management Office (SMO) for processing and transport to off-site contract analytical laboratories.

B-2.2 Tritium Pore-Gas Sample Collection

All tritium samples were collected in accordance with the current version of EP-ERSS-SOP-5074. Water vapor intended for tritium analysis was collected from pore gas by means of pulling a pore-gas sample through a canister of silica gel and the sample information recorded on the appropriate SCL (Appendix D [on CD]). Silica gel column FD samples were also collected at a frequency greater than or equal to 10% per sampling event in accordance with the current version of EP-ERSS-SOP-5059.

Following delivery of the canister and silica gel sample to the analytical laboratory, the silica gel was heated and the moisture driven off was collected for liquid scintillation counting. Silica gel was prepared for sampling by drying at a temperature above 100°C. Before sample collection, the amount of silica gel used in each sample was weighed (typically about 135 g), as well as the sample canister with silica gel. EP-ERSS-SOP-5074 requires that at least 5 g of moisture be collected. After sampling, sample canister with silica gel was weighed again.

The sample (canister plus silica gel) was shipped to the analytical laboratory where the canister with silica gel was weighed again. The silica gel was emptied into a distillation apparatus and heated to 110°C, driving moisture off the silica gel. This moisture was collected and analyzed for tritium by liquid scintillation. The analytical laboratory also weighed the empty canister and calculated the percent moisture of the sample, as the amount of moisture collected divided by the calculated weight of the wet silica gel. The value of the tritium concentration and the calculated percent moisture were reported to the Laboratory in the analytical data package and the electronic data deliverable.

**Table B-1.0-1
Summary of Field Methods**

Method	Summary
General Instructions for Field Investigations	This procedure provides an overview of instructions regarding activities performed before, during, and after field investigations. It is assumed field investigations involved standard sampling equipment, personal protective equipment, waste management, and site-control equipment/materials. The procedure covers pre-mobilization activities, mobilization to the site, documentation and sample collection activities, sample media evaluation, surveillance, and completion of lessons learned.
Sample Containers and Preservation	Specific requirements/processes for sample containers, preservation techniques, and holding times are based on the U.S. Environmental Protection Agency guidance for environmental sampling, preservation, and QA. Specific requirements were met for each sample and were printed in the sample collection logs provided by the Laboratory's SMO (size and type of container, preservatives, etc.). All samples were preserved by placement in insulated containers with ice to maintain a temperature of 4°C.
Handling, Packaging, and Transporting Field Samples	Field team members sealed and labeled samples before packing to ensure sample and transport containers were free of external contamination. All environmental samples were collected, preserved, packaged, and transported to the SMO under COC. The SMO arranged for shipping of the samples to analytical laboratories. Any levels of radioactivity (i.e., action-level or limited-quantity ranges) were documented in SCLs submitted to the SMO.
Sample Control and Field Documentation	The collection, screening, and transport of samples were documented in standard forms generated by the SMO. These forms include SCLs, COC forms, sample container labels, and custody seals. Collection logs were completed at the time of sample collection and were signed by the sampler and a reviewer who verified the logs for completeness and accuracy. Corresponding labels were initialed and applied to each sample container, and custody seals were placed around container lids or openings. COC forms were completed and signed to verify that the samples were not left unattended.
Field QC Samples	Field QC samples were collected as follows: FDs were collected at a frequency of 10% at the same time as a regular sample and submitted for the same analyses. FBs required for all field events that include collecting samples for VOC analyses were collected. Field blanks were kept with the other sample containers during the sampling process and were submitted for laboratory analyses.
Sampling of Sub-Atmospheric Air	Vapor sampling was performed on three monitoring wells in accordance with the current version of EP-ERSS-SOP-5074 and analyzed for VOCs and tritium. This SOP describes the process of sampling subatmospheric air from vapor ports in monitoring wells and boreholes. The vapor-sampling procedure covers presampling activities, sampling to detect and quantify gaseous organic concentration in air, SUMMA sampling (a passive collection and containment system of laboratory-quality air samples), adsorbent column sampling, and sampling through the packer system (a sampling system that uses inflatable bladders to seal off a desired interval in an open borehole or at the end of drill casing to obtain a sample from a discrete section), and postsampling activities.

Table B-1.0-2
List of Applicable General Procedures for MDA T Pore-Gas Monitoring Activities

Document Number	LANL Procedure Title
EP-ERSS-SOP-5055	General Instructions for Field Investigations
EP-ERSS-SOP-5056	Sample Containers and Preservation
EP-ERSS-SOP-5057	Handling, Packaging, and Transporting Field Samples
EP-ERSS-SOP-5058	Sample Control and Field Documentation
EP-ERSS-SOP-5059	Field Quality Control Samples
EP-ERSS-SOP-5061	Field Decontamination of Equipment
EP-ERSS-SOP-5074	Sampling for Sub-Atmospheric Air
P 101-6	Personal Protective Equipment
SOP-01.12	Field Site Closeout Checklist
SOP-01.13	Initiating and Managing Data Set Requests
SOP-5181	Notebook Documentation for Environmental Restoration Technical Activities
SOP-5228	ADEP Reporting Requirements for Abnormal Events

Appendix C

Quality Assurance/Quality Control Program

C-1.0 INTRODUCTION

This appendix presents the analytical methods and summarizes the data quality review for the January, February, and March 2010 pore gas samples collected at Material Disposal Area (MDA) T, Consolidated Unit 21-016(a)-99, in Technical Area 21 at Los Alamos National Laboratory (LANL or the Laboratory).

Quality assurance (QA), quality control (QC), and data validation procedures were implemented in accordance with the "Quality Assurance Project Plan Requirements for Sampling and Analysis" (LANL 1996, 054609), and the Laboratory's statement of work (SOW) for analytical services (LANL 2000, 071233). The results of the QA/QC activities were used to estimate the accuracy, bias, and precision of the analytical measurements. QC samples, including method blanks, matrix spikes (MSs), laboratory control samples (LCSs), internal standards, initial calibration verifications (ICVs) and continuing calibration verifications (CCVs), surrogates, and tracers, were used to assess analytical laboratory accuracy and bias.

The type and frequency of QC analyses are described in the analytical services SOW (LANL 2000, 071233). Other QC factors such as sample preservation and holding times were also assessed. The requirements for sample preservation and holding times are presented in the standard operating procedure (SOP) EP-ERSS-SOP-5056, Sample Containers and Preservation. Evaluating these QC indicators allows estimates to be made of the accuracy, bias, and precision of the analytical suites. A focused data validation was also performed for all the data packages (identified by request number) that included a more detailed review of the raw data results. The SOPs used for data validation are presented in Table C-1.0-1. Copies of the analytical data, laboratory logbooks, and instrument printouts are provided in Appendix D (on CD).

Analytical data were reviewed and evaluated based on U.S. Environmental Protection Agency (EPA) national functional guidelines for organic chemical data review, where applicable (EPA 1994, 048639; EPA 1999, 066649). Data have also been assessed using guidelines established in SW-846 (EPA 1997, 057589). As a result of the data validation and assessment efforts, qualifiers have been assigned to the appropriate analytical records. Definitions of the data qualifiers are presented in Appendix A.

C-2.0 ANALYTICAL DATA ORGANIZATION AND VINTAGE

The January-March 2010 pore-gas analytical data were obtained from 126 samples (102 characterization and 24 QA/QC) collected during three sampling events (January, February, and March 2010) from vapor-monitoring well locations 21-25262, 21-25264, 21-603058, 21-603059 and 21-607955. Complete data packages and sample documentation for the 2010 samples are provided in Appendix D (on CD).

C-3.0 ORGANIC CHEMICAL ANALYSIS METHODS

Pore-gas samples were submitted for analysis of volatile organic compounds (VOCs) using EPA Method TO-15 (Table C-3.0-1). Tables 2.0-2 through 2.0-6 of the periodic monitoring report summarize all January to March 2010 pore-gas samples collected at MDA T and the requested analyses, in addition to February to December 2009 data, which are included for comparison purposes. All VOC results are provided on CD in Appendix D.

C-3.1 Organic Chemical QA/QC Samples

The QC samples are designed to produce a qualitative measure of the reliability of a specific part of an analytical procedure. The methods for validating organic chemical results on the basis of the various QA/QC sample types are specified in the SOPs. The validation of organic chemical data using QA/QC samples and other methods may have resulted in the rejection of the data or the assignment of various qualifiers to individual sample results.

Calibration verifications, LCSs, method blanks, surrogates, and internal standards were analyzed to assess the accuracy and precision of organic chemical analyses. Each of these QA/QC sample types is defined in the analytical services SOW (LANL 2000, 071233), described in the applicable validation SOPs, and summarized below.

Calibration verification is the establishment of a quantitative relationship between the response of the analytical instrument and the concentration of the target analyte. There are two aspects of calibration verification: initial and continuing. The initial calibration verifies the linearity of the calibration curve as well as the individual calibration standards used to perform the calibration. The continuing calibration verifies the initial calibration is still linear and valid. The continuing calibration also serves to determine that analyte identification criteria, such as retention times and spectral matching, are being met.

The LCS is a sample of the same matrix spiked with the target analytes and serves to monitor the overall performance. Following Laboratory SOP guidance, analytical results were qualified if the individual LCS recoveries were not within method-specific acceptance criteria.

A method blank is an analyte-free matrix to which reagents are added in the same volumes or proportions as those used in the environmental sample processing and is extracted and analyzed in the same manner as the corresponding environmental samples. Method blanks are used to assess the potential for sample contamination during extraction and analysis.

A surrogate compound (surrogate) is an organic chemical used in the analyses of target analytes. The surrogate is similar in composition and behavior to the target analytes but is not normally found in environmental samples. Surrogates are added to every blank, sample, and spike to evaluate the efficiency with which analytes are recovered during extraction and analysis. The recovery percentage of the surrogates must be within specified ranges, or the sample may be rejected or assigned a qualifier.

Internal standards are chemical compounds added to every blank, sample, and standard extract at a known concentration. Internal standards are used as the basis for quantitation of target analytes. The percent recovery (%R) for internal standards should be within the range of 50% to 200%.

The data quality of the January to March 2010 MDA T VOC pore-gas data is summarized below.

C-3.1.1 MDA T Pore-Gas VOC Data

During the January–March 2010 monitoring period, 102 characterization samples and 24 QA/QC samples were collected and submitted for VOC analysis.

No VOC data were rejected.

Five VOC results (one bromodichloromethane; one 2-butanone; one 1,4-dichlorobenzene; one cis-1,2-dichloroethene; and one tetrachloroethene) were qualified as J because the analytical laboratory qualified the result as estimated and requalification of the data via data validation did not occur because of QC requirements.

A total of 5860 VOC results were qualified as U or UJ for one of the following reasons.

- The analytical laboratory qualified the result as a nondetect, and requalification of the data via data validation did not occur because of QC requirements.
- The LCS %R was less than the lower acceptance limit (LAL) but greater than 10%.
- The result was less than or equal to 5 times the concentration of the related analyte in the trip, rinsate, or equipment blank, indicating that the reported detection was indistinguishable from contamination in the blank.
- The VOCs were analyzed with an ICV that exceeded the %R standard deviation criteria and/or the associated multipoint calibration correlation coefficient was less than 0.995.
- The ICV and/or CCV were recovered outside the method-specific limits.
- The mass spectrum did not meet specifications.

C-4.0 RADIONUCLIDE ANALYSIS METHODS

The vapor samples collected in January to March 2010 were analyzed by EPA Method 906.0 for tritium (Table C-3.0-1). Tables 2.0-2 through 2.0-6 of the periodic monitoring report summarize all January to March 2010 pore-gas samples collected at MDA T and the requested analyses, in addition to February to December 2009 data, which are included for comparison purposes. All tritium results are provided on CD in Appendix D.

C-4.1 Radionuclide QA/QC Samples

The minimum detectable concentration (MDC) for tritium in performance blanks (PBs), method blanks, laboratory duplicates, tracer/carrier recovery, LCSs, and MS samples was analyzed to assess the accuracy and precision of the radionuclide analysis. The qualifiers and sample types for radionuclides are defined in the analytical services SOW (LANL 1995, 049738; LANL 2000, 071233), described in the applicable validation SOPs, and discussed briefly below. The validation of radionuclide data using QA/QC samples and other methods may have resulted in the rejection of data or the assignment of various qualifiers to individual sample results.

The MDC for each radionuclide is defined as the minimum activity concentration the analytical laboratory equipment can detect in 95% of the analyzed samples and is used to assess analytical performance.

Uncertainty and MDC results for tritium have been modified in the same manner as the analytical results to account for the bound water found in silica gel used for sample collection.

The PBs and method blanks are used to measure bias and assess potential cross-contamination of samples during preparation and analysis. Blank results should be less than the MDC for each radionuclide.

Laboratory duplicates are used to assess or demonstrate acceptable laboratory method precision at the time of analysis, as well as to assess the long-term precision of an analytical method on various matrices. Duplicate results are used to calculate a duplicate error ratio (DER). The DER is based on 1 standard deviation of the sample and the duplicate sample and should be less than 4.

The LCS serves as a monitor of the overall performance of each step during the analysis, and the acceptance criteria for LCSs are method-specific. For radionuclide methods, LCS %Rs should fall within the control limits of 80% to 120%.

The accuracy of radionuclide analyses is also assessed using MS samples. These samples are designed to provide information about the effect of the sample matrix on the sample preparation procedures and analytical technique. The MS %Rs should be within the acceptance range of 75% to 125%; however, if the sampling result is more than 4 times the amount of the spike added, these acceptance criteria do not apply.

The data quality of the January to March MDA T tritium data is summarized below.

C-4.1.1 MDA T Pore-Gas Tritium Data

During the January to March 2010 monitoring period, 102 characterization samples and 13 QA/QC samples were collected and submitted for tritium analysis.

A total of 29 tritium results were qualified as U because the associated sample concentration was less than or equal to the MDC.

All tritium data collected in January to March 2010 from MDA T pore gas were used to evaluate tritium trends over the monitoring period.

C-5.0 REFERENCES

The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID. This information is also included in text citations. ER IDs are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.

Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.

EPA (U.S. Environmental Protection Agency), February 1994. "USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review," EPA-540/R-94/013, Office of Emergency and Remedial Response, Washington, D.C. (EPA 1994, 048639)

EPA (U.S. Environmental Protection Agency), 1997. "Test Methods for Evaluating Solid Waste, Laboratory Manual, Physical/Chemical Methods," SW-846, 3rd ed., Update III, Office of Solid Waste and Emergency Response, Washington, D.C. (EPA 1997, 057589)

EPA (U.S. Environmental Protection Agency), October 1999. "USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review," EPA540/R-99/008, Office of Emergency and Remedial Response, Washington, D.C. (EPA 1999, 066649)

LANL (Los Alamos National Laboratory), July 1995. "Statement of Work (Formerly Called "Requirements Document") - Analytical Support, (RFP number 9-XS1-Q4257), (Revision 2 - July, 1995)," Los Alamos National Laboratory, Los Alamos, New Mexico. (LANL 1995, 049738)

LANL (Los Alamos National Laboratory), March 1996. "Quality Assurance Project Plan Requirements for Sampling and Analysis," Los Alamos National Laboratory document LA-UR-96-441, Los Alamos, New Mexico. (LANL 1996, 054609)

LANL (Los Alamos National Laboratory), December 2000. "University of California, Los Alamos National Laboratory (LANL), I8980SOW0-8S, Statement of Work for Analytical Laboratories," Rev. 1, Los Alamos National Laboratory, Los Alamos, New Mexico. (LANL 2000, 071233)

**Table C-1.0-1
Data Validation Procedures**

Procedure	Title	Effective Date
SOP-5161, Rev. 0	Routine Validation of Volatile Organic Compound Analytical Data	6/10/2008
SOP-5166, Rev. 0	Routine Validation of Gamma Spectroscopy, Chemical Separation Alpha Spectrometry, Gas Proportional Counting, and Liquid Scintillation Analytical Data	6/30/2008

**Table C-3.0-1
Analytical Methods for MDA T Pore-Gas Samples**

Analytical Method	Analytical Description	Analytical Suite
EPA Method TO-15	Gas Chromatography/Mass Spectrometry	VOC
EPA Method 906	Liquid Scintillation	Tritium

Appendix D

*Analytical Suites and Results and Analytical Reports
(on CD included with this document)*

