

LA-UR-21-31047

Approved for public release; distribution is unlimited.

Title: Emissions Inventory Report Summary for Los Alamos National Laboratory
for Calendar Year 2020

Author(s): Whetham, Walter Wiley

Intended for: Environmental Regulatory Document

Issued: 2021-11-19 (rev.1)

Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA000001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

LA-UR-21-31047

November 2021

Emissions Inventory Report Summary for Los Alamos National Laboratory for Calendar Year 2020

Prepared by the Environmental Protection Division

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Triad National Security, LLC, for the National Nuclear Security Administration of the U.S. Department of Energy. By acceptance of this article, the publisher recognizes that the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

CONTENTS

ABSTRACT.....	1
1.1 Regulatory Basis.....	1
1.2 Contents of Annual Emissions Inventory Submittal.....	2
1.3 Contents of the Semi-annual Title V Operating Permit Emissions Reports.....	3
2.0 REPORTED EMISSION SOURCES.....	3
2.1 Power Plant.....	4
2.2 Small Boilers and Heaters	5
2.3 Asphalt Plant.....	6
2.4 Data Disintegrator.....	6
2.5 Degreasers	6
2.6 Permitted Beryllium-Machining Operations	7
2.7 Generators.....	7
2.8 Combustion Turbine	8
2.9 Emissions from Chemical Use Activities	8
2.9.1 VOC Emissions.....	8
2.9.2 HAP Emissions	10
2.10 Evaporative Sprayers	
2.11 Emissions Summary by Source	10
3.0 REPORTING EXEMPTIONS.....	12
3.1 Boilers.....	12
3.2 Generators.....	13
3.3 VOC Emissions	14
3.4 HAP Emissions.....	15
3.5 Paint.....	15
4.0 EMISSIONS SUMMARY	15
4.1 2020 Emissions Summary	15
REFERENCES.....	20
ATTACHMENT A: <i>Emission Calculation Worksheets for Individual Emission Units</i>	22
ATTACHMENT B: <i>2020 Annual Emissions Inventory Submittal to NMED</i>.....	35
ATTACHMENT C: <i>2020 Semi-annual Emissions Reports Submitted Under Title V Operating Permit Requirements</i>.....	91

Figures

Figure 2.1-1. TA-3 power plant..... 5
Figure 2.9-1. Example of a laboratory fume hood at LANL 8
Figure 4.1-1. Emissions of criteria pollutants by source in 2020 17
Figure 4.1-2. Comparison of facility-wide annual reported emissions from 2007 to 2020..... 18
Figure 4.1-3. VOC and HAP emissions from chemical use from 2007 to 2020 19

Tables

Table 2.0-1. Sources Included in LANL’s 2020 Annual Emissions Inventory and Semi-annual Emissions Reports..... 4
Table 2.10-1. Summary of LANL 2020 Reported Emissions for Annual Emissions Inventory..... 11
Table 2.10-2. Summary of LANL 2020 Semi-annual Emissions as Reported Under Title V Operating Permit Requirements..... 12
Table 4.1-1. LANL Facility-Wide Criteria Pollutant Emissions for 2020 16
Table 4.1-2. LANL HAP Emissions from Top Five Chemicals Used in 2020 16

Acronyms and Terms

AIRS	Aerometric Information Retrieval System
AQB	Air Quality Bureau
CAS	Chemical Abstracts Service
CFR	Code of Federal Regulations
CMRR	Chemistry and Metallurgy Research Replacement (Facility)
CO	carbon monoxide
EPA	United States Environmental Protection Agency
FGR	flue gas recirculation
gal.	gallon
HAP	hazardous air pollutant
LANL	Los Alamos National Laboratory
lb	pound
MMBTU/hr	1,000,000 British thermal units per hour
mmHg	millimeter of mercury
MSDS	material safety data sheet
NMAC	New Mexico Administrative Code
NMED	New Mexico Environment Department
NO _x	nitrogen oxides
oz.	ounce
PM	particulate matter
PM _{2.5}	particulate matter with diameter less than 2.5 micrometers
PM ₁₀	particulate matter with diameter less than 10 micrometers
PSD	Prevention of Significant Deterioration
R&D	research and development
RLUOB	Radiological Laboratory/Utility/Office Building
SO _x	sulfur oxides
SO ₂	sulfur dioxide
TA	Technical Area
TSP	total suspended particulates
µm	micrometer
VOC	volatile organic compound
yr	year

This page intentionally left blank.

EMISSIONS INVENTORY REPORT SUMMARY FOR LOS ALAMOS NATIONAL LABORATORY FOR CALENDAR YEAR 2020

by
Environmental Protection and Compliance Group

ABSTRACT

Los Alamos National Laboratory (LANL) is subject to annual emissions reporting requirements for regulated air pollutants under Title 20 of the New Mexico Administrative Code, Chapter 2, Part 73 (20.2.73 NMAC), Notice of Intent and Emissions Inventory Requirements. The applicability of the requirements is based on LANL's potential to emit 100 tons per year of suspended particulate matter, nitrogen oxides, carbon monoxide, sulfur oxides, or volatile organic compounds. Additionally, on April 30, 2004, LANL was issued a Title V Operating Permit from the New Mexico Environment Department/Air Quality Bureau, under 20.2.70 NMAC and the permit was revised on July 18, 2019. This Title V Operating Permit (Permit No. P100-R2M4) includes emission limits and operating limits for all regulated sources of air pollution at LANL. The Title V Operating Permit also requires semi-annual emissions reporting for all sources included in the permit. This report summarizes both the annual emissions inventory reporting and the semi-annual emissions reporting for LANL for calendar year 2020. LANL's 2020 emissions are well below the emission limits in the Title V Operating Permit.

1.0 INTRODUCTION

1.1 Regulatory Basis

Los Alamos National Laboratory (LANL or the Laboratory) has reported on air pollutants generated from its operations since the 1970s when Air Quality Control Regulation 703, Registration of Air Contaminant Sources, was promulgated. According to the regulation, the Laboratory was required to register air pollutant sources that emitted more than 2,000 lbs per year of any air contaminant. This regulatory requirement later evolved into Title 20 of the New Mexico Administrative Code, Chapter 2, Part 73 (20.2.73 NMAC), Notice of Intent and Emissions Inventory Requirements. The objective of the reporting requirement is to provide emissions data to the New Mexico Environment Department (NMED)/Air Quality Bureau (AQB) so its staff can determine whether LANL meets state and federal air pollutant standards.

Annual emissions inventory reporting requirements under 20.2.73 NMAC apply to any stationary source that

- has been issued a construction permit under 20.2.72 NMAC;
- has been required to file a Notice of Intent under 20.2.73.200 NMAC; or
- emits in excess of
 - 1 ton per year of lead or
 - 10 tons per year of

- total suspended particulates (TSP),
- particulate matter (PM) with diameter less than 10 micrometers (PM₁₀),
- PM with diameter less than 2.5 micrometers (PM_{2.5}),
- sulfur dioxide (SO₂),
- nitrogen oxides (NO_x),
- carbon monoxide (CO), or
- volatile organic compounds (VOCs).

The annual emissions inventory must be submitted to NMED/AQB by April 1 of each year. The NMED/AQB enters the data into the Aerometric Information Retrieval System (AIRS). This nationwide system, administered by the United States Environmental Protection Agency (EPA), is used to help ensure that ambient air quality standards are maintained and to track the state's air pollutant emissions. AIRS is a large air pollution database that contains information, requirements, and data on air pollution and air quality in the United States and various World Health Organization member countries. The program is operated by the EPA and state/local air pollution control agencies. The AIRS database tracks each state's progress towards achieving and maintaining National Ambient Air Quality Standards for criteria pollutants. The database is also used as a tool to help improve each state's air quality programs by enabling program members to access and compare past data and view data from other states.

Additionally, on April 30, 2004, LANL was issued a Title V Operating Permit from the NMED/AQB, under 20.2.70 NMAC. The NMED/ABQ issued a revised permit (P100-R2M4; NMED 2019) on July 18, 2019 (NMED 2019 a). A condition of the Title V Operating Permit is that LANL must submit semi-annual emissions reports to NMED documenting that emissions from all permitted sources are below permitted emission levels. Section A109.B of the permit states:

“A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emissions estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.”

In 2004, the Laboratory began submitting the semi-annual emissions reports as well as the annual emissions inventory. There are a few differences in which sources are included in the two emissions reports. These differences are explained in the following sections.

1.2 Contents of Annual Emissions Inventory Submittal

NMED requested that LANL submit annual emissions inventory data for 2020 via online reporting tool, AEIR, for entry into AIRS. The information required for submittal includes the following:

- facility name, organization name, and agency ID;
- facility contact information;
- signed certification statement by a responsible facility official; and
- specific information for each emission unit such as fuel type, materials processed, materials consumed, fuel heating value, percent sulfur of fuel, percent ash of fuel, percent carbon content, and details of operating schedule.

This annual emissions inventory submittal includes air pollutant data for PM, PM₁₀, PM_{2.5}, CO, NO_x, sulfur oxides (SO_x), VOCs, hazardous air pollutants (HAPs), and greenhouse gases (GHG).

1.3 Contents of the Semi-annual Title V Operating Permit Emissions Reports

The Semi-Annual Title V Operating Permit Emissions Reports include actual estimated emissions for the reporting period for each emission source or source category included in the Title V Operating Permit. For each source category, the actual emissions are compared with emission limits listed in the permit.

The emissions are calculated using operating data from logbooks and records maintained on site.

All emission calculations are consistent with calculation methods used for the annual emissions inventory.

For the first Title V permit, the Laboratory requested emission limits in their Title V Operating Permit for two source categories that are considered insignificant sources for the annual emissions inventory. These source categories are 1) small boilers and heaters and 2) stationary standby generators. LANL requested emission limits for these source categories to obtain federally enforceable limits that would keep the Laboratory under the major source threshold for Prevention of Significant Deterioration (PSD) applicability (20.2.74 NMAC). LANL's actual emissions from these insignificant sources have historically been very low; however, without federally enforceable limits on their operation, the potential to emit from these sources was quite high. To demonstrate that LANL is below the PSD applicability and is in compliance with the emission limits placed on these emission sources for the original Title V Operating Permit, LANL included these emissions in the semi-annual emissions reports. NMED removed the stationary standby generators starting with the P100-R2 permit.

2.0 REPORTED EMISSION SOURCES

Table 2.0-1 shows the emission sources included in the Laboratory's 2020 annual emissions inventory (LANL 2020a) and the 2020 semi-annual emissions reports (LANL 2020b and 2020c). The source categories and the methodology used to calculate emissions are described in the following sections.

The following subsections describe emission sources included in the 2020 emissions inventory and semi-annual emissions reports and emission calculation methodology for each source type. A summary table of actual reported emissions by source is included in Section 2.12. Attachment A includes worksheets showing detailed emission calculations for individual emissions sources. A copy of the 2020 emissions inventory as submitted to NMED is presented in Attachment B. The 2020 semi-annual emissions reports are included as Attachment C.

Table 2.0-1. Sources Included in LANL’s 2020 Annual Emissions Inventory and Semi-annual Emissions Reports

Included in Annual Emissions Inventory	Included in Semi-annual Emissions Reports	Comment
Power Plant (TA-3)	Power Plant (TA-3)	n/a ^a
Boilers greater than 5 MMBTU/hr ^b (15 units)	All small and large boilers and heaters (approximately 200 units)	Small boilers less than 5 MMBTU/hr are exempt from annual emissions inventory requirements (see Section 3.1).
Asphalt Plant	Asphalt Plant	n/a
n/a	Degreasers	The degreasers were removed from the Annual Emissions Inventory source list starting in 2018.
Data Disintegrator	Data Disintegrator	n/a
Permitted Beryllium Sources	Permitted Beryllium Sources	n/a
Facility-wide Chemical Use	Facility-wide Chemical Use	The Semi-Annual Emissions Reports also include separate emission data for the CMRR-RLUOB building.
Process Generators	Process Generators	n/a
Stationary Standby Generators	n/a	The stationary Standby Generators were removed from the Title V permit in 2015.
TA-3 Turbine	TA-3 Turbine	n/a
Evaporative Sprayers	Evaporative Sprayers	n/a

^a n/a = not applicable.

^b one million British thermals units per hour.

2.1 Power Plant

The Laboratory operates a power plant at Technical Area (TA) 3. The power plant produces steam for heating and electricity for much of the Laboratory when sufficient power from outside sources is not available. The heat produced from the power plant is used for comfort heat and hot water and to support facility processes. The power plant has three boilers that are fueled primarily with natural gas with No. 2 fuel oil as a backup.

For the 2020 emissions inventory, NMED requested that emissions from natural gas and No. 2 fuel oil be reported separately for the boilers located at each boiler located at the power plant. The TA-3 power plant was originally included in LANL’s emissions inventory as a single unit. When a modification to the plant was made in 2001, the TA-3 power plant was separated into three separate units for emissions reporting purposes. Because each of the three boilers has the capability of burning either natural gas or No. 2 fuel oil, the TA-3 power plant is now reported as six units (EQPT-24, EQPT-25, and EQPT-26 for the natural gas and EQPT-137, EQPT-138, and EQPT-141 for the No. 2 fuel oil).

Actual estimated emissions are calculated on the basis of metered fuel consumption and emission factors. The primary source of emission factors is AP-42, the EPA’s Compilation of Air Pollutant Emission

Factors (EPA 1998). However, emission factors from stack tests conducted at the TA-3 power plant when burning natural gas were also used, as appropriate.

The TA-3 power plant has historically been the largest source of NO_x emissions at the Laboratory. In 2002, a voluntary project to install pollution control equipment on the three boilers at the TA-3 power plant was completed. The three boilers were fitted with flue gas recirculation (FGR) equipment to reduce NO_x emissions. Stack testing for NO_x and CO was conducted before FGR equipment was installed and again after it was operational. Based on these stack test results, FGR reduced NO_x emissions by approximately 64%. Figure 2.1-1 shows a picture of the TA-3 power plant building and stacks.



Figure 2.1-1. TA-3 power plant

2.2 Small Boilers and Heaters

The Laboratory operates approximately 200 small boilers and heaters, used primarily for seasonal comfort heat. Most of the boilers are exempt from permitting requirements because of their small size and use as comfort boilers and are not included in the annual emissions inventory. The exemption analysis applied to boilers is discussed in Section 3.1 of this report.

The boilers that are not exempt and reported in the 2020 annual emissions inventory include:

- two boilers at TA-53 (EQPT-11 and EQPT-12),
- two boilers at TA-55 (EQPT-29 and EQPT-30),
- five boilers at the Chemistry and Metallurgy Research Replacement (CMRR) Facility (EQPT-90, EQPT-104, EQPT-105, EQPT-106, and EQPT-107), and
- two boilers at TA-16 (EQPT-53 and EQPT-134).

All of the reported boilers burn natural gas. Operating logs of actual fuel used for the TA-55 and the CMRR boilers were used to quantify emissions from these units. Fuel use for all other boilers was estimated based on the total amount of natural gas used by the Laboratory minus the amount supplied to metered sources. The amount of natural gas left after subtracting out metered sources was apportioned to the various boilers based on their size. Since virtually all of the small boilers are seasonal boilers used for building heating, it was assumed they would all operate approximately the same amount of time over the

course of the year. Some emission factors were available from stack tests (TA-55), some were provided by the boiler manufacturer (Sellers Engineering Company), and the rest were taken from AP-42 (EPA 1998). Copies of spreadsheets showing fuel use and emission factors for each boiler are included in Attachment A.

For the semi-annual emissions reports, emissions from small boilers are included as a source category. These boilers include TA-16-1484-BS-1, TA-16-1484-BS-2, TA-53-365-BHW-1, TA-53-365-BHW-2, TA-55-6-BHW-1, TA-55-6-BHW-2, CMRR-BWH-1, CMRR-BWH-2, CMRR-BWH-3, and CMRR-BWH-4. Additionally, emissions from each of the CMRR boilers are included as separate source categories. To estimate emissions, all unmeted fuel use was multiplied by AP-42 emission factors for small boilers burning natural gas (EPA 1998). Total emissions of each pollutant from all boilers and heaters in this source category were then summed and reported on the semi-annual emissions reports.

2.3 Asphalt Plant

The TA-60 asphalt plant (EQPT-116) began operations in July 2005. This unit replaced the TA-3 asphalt plant, which was dismantled and removed in September 2003. Information on the amount of asphalt produced and the duration of daily operation at the TA-60 asphalt plant was provided as part of a monthly site support contractor data deliverable. The total asphalt produced in 2020 was 136 tons.

The emissions from the asphalt plant include criteria pollutants, NO_x, and CO. None of the emissions were significant in regard to the overall Laboratory emissions. The largest pollutant emitted from the asphalt plant was CO at 0.03 tons per year.

2.4 Data Disintegrator

The data disintegrator is included in the 2020 emissions inventory as EQPT-89. Operation of this source started in August 2004. Emissions are calculated using the methodology described in the original permit application dated June 23, 2003. Emissions of PM, PM₁₀, and PM_{2.5} are calculated based on the number of boxes shredded, the amount of dust estimated to enter the exhaust (provided by the manufacturer), and the control efficiency of the cyclone and baghouse (also provided by the manufacturer). The permit application included PM_{2.5} emission estimates. Therefore, an emission methodology had to be developed for the emission inventory reporting. No specific PM size distribution data were available. However, the manufacturer reported that dust into the exhaust would be in the size range of 5 to 20 μm. Based on visual observation and engineering judgment, a particle size distribution in the exhaust was estimated as follows:

- PM_{2.5} 15%
- PM₁₀ 90%
- TSP 100%

The number of boxes of material shredded is provided in a monthly data deliverable from the site support contractor. The total number of boxes shredded at the data disintegrator in 2020 was 6,504.

2.5 Degreasers

The halogenated solvent cleaning machine at TA-55 has a capacity of 18 liters and is registered with NMED/AQB as required under the National Emissions Standards for Hazardous Air Pollutants, 40 Code

of Federal Regulations (CFR) 63 Subpart T, Halogenated Solvent Cleaning. The solvent used in the machine, trichloroethylene (Chemical Abstracts Service [CAS] No. 79-01-6), is a VOC and a HAP. LANL uses a mass balance approach to estimate emissions. Logbooks are kept on the amount of solvent added and removed from the machine. Additionally, solvent levels in the machine are logged monthly. LANL has two additional halogenated solvent cleaning machines registered with NMED which were not operational in 2020. The emissions from the TA-55 degreaser for this reporting period are 113.53 lbs or 0.057 tons per year. This source category is reported only in the semi-annual emissions reports.

2.6 Permitted Beryllium-Machining Operations

The Laboratory operates five permitted beryllium-machining operations that are subject to 40 CFR 61, Subpart C, and National Emission Standards for Beryllium. Emissions reported for the Beryllium Test Facility (ACT-3) are from actual stack emissions measurements. Emissions for the Target Fabrication Facility (ACT-2) are from initial compliance stack testing and are reported as permitted emission levels. In addition, emissions from the Plutonium Facility (ACT-6) are reported at permitted emission levels. Foundry operations within the Plutonium Facility did not occur during this reporting period. The Sigma Facility (ACT-41) includes emissions from electroplating, chemical milling, and metallographic operations. Total emissions from all permitted beryllium operations are included in the semi-annual emissions reports.

2.7 Generators

LANL has 11 permitted internal combustion engines including: four generators located at TA-33, three generators located at CMRR Radiological Laboratory/Utility/Office Building (RLUOB), three generators located at TA-55, and one generator located at TA-48. The original TA-33 generator was installed in May 2006 and replaced in December 2014 by a Cummins Portable Diesel Generator. The Cummins generator (EQPT-146) operated for 303.3 hours in 2020. Permit No. 2195-P was issued in August 2007 for three more units at TA-33 (EQPT-119, EQPT-120, EQPT-135); the three units operated for a total of 181 hours in 2020.

LANL has three permitted generators (EQPT-128, EQPT-153, EQPT-154) located at the RLUOB facility, which began operating in 2012. The generators were added to the newest Title V Operating Permit and included in both the semi-annual emissions report and emissions inventory report. The three generators operated for a total of 71.7 hours in 2020.

The other four permitted generators at LANL are located at TA-55 (EQPT-143, EQPT-155, EQPT-156) and TA-48 (EQPT-147). The TA-55 generators operated for a total of 25.8 hours in 2020 and the TA-48 generator did not operate.

The Laboratory maintains approximately 30 stationary standby generators that are considered exempt sources under the Construction Permit regulations (20.2.72.202.b NMAC). These sources are included in LANL's annual emissions inventory report, but not in the semi-annual emissions report. All stationary standby generators at LANL are tested on a routine schedule to ensure they are operational and will function properly if needed. All units are equipped with hour meters to document how many hours they are used. The Laboratory maintains records on a semi-annual basis to document hour meter readings. The number of hours each generator is used in a reporting period is multiplied by AP-42 emission factors for diesel-fired internal combustion engines or natural-gas-fired internal combustion engines (EPA 1996).

Emissions are then summed for each pollutant and reported on the semi-annual emissions reports for this source category.

2.8 Combustion Turbine

LANL has one combustion turbine located at the TA-3 power plant (EQPT-112). A revised construction permit was issued by NMED July 2004 to add the TA-3 combustion turbine as a new permitted source. This unit started operations in September 2007. Emission calculations are based on the initial stack compliance tests performed in 2007, AP-42 Tables 3.1-2a and 3.1-3, and information provided by the manufacturer. In 2020, this combustion turbine operated for 920.5 hours.

2.9 Emissions from Chemical Use Activities

A significant amount of the Laboratory's work is devoted to research and development (R&D) activities. Varying operating parameters, as well as amounts and types of chemicals, are used in these activities. R&D activities occur at virtually all technical areas within the Laboratory, typically in small quantities in laboratory settings. Figure 2.9-1 shows a typical laboratory at LANL where chemicals are used.



Figure 2.9-1. Example of a laboratory fume hood at LANL

For the purposes of annual emissions inventory reporting, one equipment number has been assigned for all R&D chemical use (ACT-7). Facility-wide chemical use emissions are reported on both the annual emissions inventory and the semi-annual emissions reports. The methods used to quantify emissions of VOC and HAPs from R&D activities are discussed below.

2.9.1 VOC Emissions

The Laboratory tracks chemical purchases through a facility-wide chemical tracking system called ChemDB. A download from the ChemDB inventory system was created that included all chemical containers added to LANL's inventory between January 1, 2020, and December 31, 2020. This dataset included 49,579 separate line items of chemicals purchased.

The dataset was reviewed electronically to identify all VOCs purchased and received at LANL in 2020. With the exception of specific listed chemicals, VOCs are any compounds of carbon that participate in atmospheric photochemical reactions. VOCs include commonly used chemicals such as ethanol, methanol, trichloroethylene, and isopropanol. The general assumption used in estimating VOC emissions from chemical use is

$$\text{Purchasing} = \text{Use} = \text{Emissions}$$

From the dataset of chemicals purchased in 2020, certain categories of chemicals were separated and eliminated from the analysis. The classifications assigned and corresponding reasons (noted in parentheses) for exclusion of chemicals from inventory records are noted below.

- Solid materials (not a significant source of air emissions based on their low vapor pressure)
- Non-VOC materials as defined by 40 CFR 51.100 (specific chemicals in 40 CFR 51.100 are listed as having negligible photochemical reactivity and are exempt from the definition of VOC)
- Paints (paints were evaluated separately—see Section 3.5)
- Inorganic chemicals (inorganics are not compounds of carbon)
- Oils (not a significant source of air emissions based on low vapor pressure and primarily used for maintenance)
- Fuels used for combustion purposes (emissions from fuel combustion are reported for each combustion unit)

The following categories of chemicals were eliminated based on guidance from NMED (NMED 2001).

- Container sizes of 1 lb or less
- Chemicals with vapor pressures less than 10 mmHg
- Chemicals used to calibrate equipment
- Maintenance chemicals
- Use of office equipment and products
- Chemicals used for boiler water treatment operations
- Chemicals used for oxygen scavenging (deaeration) of water
- Chemicals used in bench-scale chemical analysis¹

After the elimination of chemicals and categories of chemicals listed above, the remaining chemical inventory records were matched with a list of known VOCs by CAS number. For mixtures (chemicals without CAS numbers), material safety data sheets (MSDSs) were reviewed to determine if any VOCs were present and, if so, to determine the associated percent volatile. As a conservative estimate, VOCs identified in ChemDB records were assumed to be 100% emitted to air. Estimated emissions of VOCs from chemical use in 2020 totaled 6.10 tons.

¹ This exemption was applied only to biological research solutions. Otherwise, this exemption was not applied (see Table 3.3-1).

2.9.2 HAP Emissions

Section 112(b) of the 1990 Clean Air Act Amendments listed 188 unique HAPs identified for potential regulation by the EPA. In 1995, caprolactam was delisted as a HAP, and methyl ethyl ketone was delisted in 2005. Of the remaining 187 listed HAPs, 17 are classes of compounds (e.g., nickel compounds). Use of the 187 listed chemicals in activities at the Laboratory was evaluated and quantified for the annual emissions inventory submittal to NMED.

The ChemDB inventory system 2020 dataset was analyzed to identify HAPs. The identification process was similar to that used for VOCs. Pure chemicals (i.e., chemicals with CAS numbers), classes of compounds, and mixtures were evaluated to determine if the chemicals themselves were HAPs or if they contained HAP constituents. For mixtures, MSDSs were reviewed to determine if any HAPs were present and, if so, to determine the associated HAP percentages. Listed below are certain chemical types or categories that were identified and removed from this analysis (refer to Section 2.9.1 and Table 3.3-1 for explanations on removal of these chemicals).

- Paints
- Oils
- Maintenance chemicals
- Chemicals used to calibrate equipment
- Container sizes of 1 lb or less
- Chemicals used in bench-scale chemical analysis
- Use of office equipment and products
- Chemicals used for boiler water treatment operations
- Chemicals used for oxygen scavenging (deaeration) of water

Total HAP emissions were estimated by summing 1) pure HAP chemicals, 2) classes of compounds that are HAPs, and 3) the HAP constituents from mixtures. The resulting total amount of HAPs from chemical use reported for 2020 was 4.42 tons.

The HAP emissions reported generally reflect quantities procured in the calendar year. In a few cases, procurement values and operational processes were further evaluated so that actual air emissions could be reported instead of procurement quantities. Additional analyses for certain metals and acids were performed and are described below.

2.10 Evaporative Sprayers

The Laboratory is permitted to operate six spray evaporators at the Sanitary Effluent Treatment Facility or SERF. The spray evaporators are intended to reduce water volume in the existing Sigma Mesa evaporation basins. These synthetically-lined evaporation basins are located within TA-60. The basins are intended for use to evaporate a specific treated waste water discharge from SERF which processes treated sanitary wastewater effluent for beneficial reuse, and is intended to conserve potable water and reduce wastewater discharges to the environment. The stored treated waste water is a concentrated salt solution from reverse osmosis treatment at the SERF facility. Operation of the SERF facility is crucial in reducing water usage at LANL,

achieving compliance with discharges to an NPDES outfall, and providing clean water for cooling tower use at LANL.

Actual estimated emissions are calculated from hours of operation and emission factors based on analytical results from sampling the basin water.

2.11 Emissions Summary by Source

Table 2.10-1 provides a summary of LANL's 2020 actual emissions, as submitted for the annual emissions inventory. The table presents emissions by pollutant and by source, with a facility total at the bottom of the table. Attachment A provides detailed information on how emissions were calculated for each emission unit.

Table 2.10-1. Summary of LANL 2020 Reported Emissions for Annual Emissions Inventory

	NO _x (tons/yr)	SO _x (tons/yr)	TSP (tons/yr)	PM ₁₀ (tons/yr)	PM _{2.5} (tons/yr)	CO (tons/yr)	VOC (tons/yr)	HAPs (tons/yr)
TA-3 Power Plant Boilers	9.86	0.10	1.29	1.29	1.29	6.80	0.93	0.32
TA-55-6 Boilers	1.42	0.006	0.15	0.15	0.15	0.39	0.06	0.02
TA-53 Boilers	0.95	0.006	0.07	0.07	0.07	0.80	0.05	0.02
TA-16 Boilers	0.32	0.005	0.06	0.06	0.06	0.32	0.047	0.02
RLUOB Boilers	0.040	0.001	0.007	0.007	0.007	0.051	0.034	0.003
Asphalt Plant	0.0008	0.0003	0.0005	0.0004	n/a	0.0295	0.0006	0.0005
Data Disintegrator	n/a	n/a	0.27	0.25	0.16	n/a	n/a	n/a
R&D Chemical Use	n/a	n/a	n/a	n/a	n/a	n/a	6.10	4.42
TA-33 Generators	4.45	0.16	0.18	0.18	n/a	0.98	0.33	0.001
RLUOB Generators	1.20	0.03	0.07	0.06	n/a	1.49	0.17	0.0003
TA-55 Generators	0.42	0.007	0.013	0.013	n/a	0.09	0.013	0.0001
TA-48 Generator	0	0	0	0	n/a	0	0	0
Stationary Standby Generators	7.50	0.20	0.29	0.29	n/a	1.67	0.29	0.004
TA-3 Turbine	5.54	0.38	0.75	0.75	0.75	1.15	0.24	0.15
Evaporative Sprayers	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0004
TOTAL	31.7	0.9	3.2	3.1	2.5	13.8	8.2	5.0

* n/a = not applicable.

Table 2.10-2 provides a summary of 2020 emissions as reported on the semi-annual emissions reports required by the Title V Operating Permit. Attachment A provides detailed information on how emissions were calculated for each emission source category.

Table 2.10-2. Summary of LANL 2020 Semi-annual Emissions as Reported Under Title V Operating Permit Requirements

	NO _x (tons/yr)	SO _x (tons/yr)	TSP (tons/yr)	PM ₁₀ (tons/yr)	PM _{2.5} (tons/yr)	CO (tons/yr)	VOC (tons/yr)	HAPs (tons/yr)
TA-3 Power Plant Boilers	9.86	0.10	1.29	1.29	1.29	6.80	0.93	0.32
Small Boilers	19.62	0.12	1.57	1.57	n/a	15.75	1.12	0.38
RLUOB Boilers	0.040	0.001	0.007	0.007	0.007	0.051	0.034	0.003
Asphalt Plant	0.0008	0.0003	0.0005	0.0004	n/a	0.0295	0.0006	0.0005
Data Disintegrator	n/a	n/a	0.27	0.25	n/a	n/a	n/a	n/a
Degreaser	n/a	n/a	n/a	n/a	n/a	n/a	0.057	0.057
R&D Chemical Use	n/a	n/a	n/a	n/a	n/a	n/a	6.10	4.42
TA-33 Generators	4.45	0.16	0.18	0.18	n/a	0.98	0.33	0.001
RLUOB Generators	1.20	0.03	0.07	0.06	n/a	1.49	0.17	3.46E-04
TA-55 Generators	0.42	0.007	0.013	0.013	n/a	0.09	0.013	0.001
TA-48 Generator	0	0	0	0	n/a	0	0	0
TA-3 Turbine	5.54	0.38	0.75	0.75	0.75	1.15	0.24	0.15
Evaporative Sprayers	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0004
TOTAL	41.1	0.8	4.2	4.1	2.0	26.3	9.0	5.3

* n/a = not applicable.

3.0 REPORTING EXEMPTIONS

Specific activities that are determined to be insignificant under NMED's Operating Permit program (20.2.70 NMAC) are exempt from reporting under the emissions inventory requirements (20.2.73.300 NMAC). NMED has designated exempt sources, activities, or thresholds in the following lists:

- List of Insignificant Activities, March 25, 2005 (NMED 2005)
- List of Trivial Activities, January 10, 1996 (NMED 1996).

Laboratory sources and activities that qualify as insignificant or trivial as specified in these lists are not included in the annual emissions inventory. The following subsections of this report provide information and examples of the Laboratory's exempt activities as well as analyses performed to determine exempt status.

3.1 Boilers

The Laboratory's boiler inventory was evaluated against the List of Insignificant Activities (NMED 2005). Specifically, boilers were exempted from emissions inventory reporting requirements if they met one of the following requirements:

- Fuel-burning equipment that uses gaseous fuel has a design rate less than or equal to 5 MMBTU/hr, and is used solely for heating buildings for personal comfort or for producing hot water for personal use, or

- Any emissions unit . . . that has the potential to emit no more than 1 ton/yr of any regulated pollutant .

Any boiler that was not used exclusively for comfort heating or hot water was evaluated for the 1 ton per year exemption. For purposes of determining exemptions, boiler design ratings were used to estimate potential to emit. Any boiler not qualifying for one of these two exemptions is included in the annual emissions inventory with its own unique equipment number.

For the semi-annual emissions reports, emissions from all boilers and heaters were summed and reported for the entire source category.

3.2 Generators

The Laboratory maintains an inventory of approximately 73 portable generators. Portable generators are used at the Laboratory for temporary operations requiring remote power or to provide emergency backup power during power outages at various sites. The portable generators are fueled by gasoline and/or diesel fuel.

In addition to portable generators, the Laboratory maintains and operates approximately 30 stationary standby generators. Stationary generators are used on standby (emergency) status to provide power to critical systems at the Laboratory during power outages. The stationary generators are fueled by natural gas, propane, gasoline, or diesel.

The insignificant activity exemptions applicable to the Laboratory's generators are for:

- Portable engines and portable turbines that have a design capacity less than or equal to a
 - 200-horsepower engine if fueled by diesel or natural gas and a
 - 500-horsepower engine if fueled by gasoline.
- Emergency generators that on a temporary basis replace equipment used in normal operation, and which either have an allowable emission rate or potential to emit for each pollutant that is equal to or less than the equipment replaced, or which do not operate for a period exceeding 500 hours per calendar year.

On the basis of size, portable generators used for temporary power at remote locations are exempt from emissions inventory reporting requirements. Further, LANL's small portable generators are considered trivial activities and are not included in the Title V Operating Permit or semi-annual emissions reports. All stationary generators are designated as standby equipment under the Operating Permit Program and are used solely to provide emergency backup power for less than 500 hours per year. Therefore, they are considered insignificant sources and are also exempt from annual emissions inventory reporting requirements. However, the stationary standby generators were voluntarily included as a source category in the Title V Operating Permit and are included in the semi-annual emissions reports.

3.3 VOC Emissions

A number of insignificant and trivial activities were applicable for exempting materials from the VOC chemical use total in the emissions inventory. The basis of the exemptions and corresponding insignificant or trivial activities are explained in Table 3.3-1.

Fuels such as propane, kerosene, and acetylene were analyzed separately and are not listed in Table 3.3-1. When fuels are burned in an open flame, almost all of the fuels are consumed and VOC emissions are minimal. Emissions from fuel combustion are accounted for by using emission factors for each fuel-burning unit.

Table 3.3-1. Exemptions Applied for Chemical Use Activities

Basis of Exemption	Activity Type	Activity
Container sizes of 1 lb or less	Trivial	Paint or nonpaint materials dispensed from prepackaged aerosol cans of 16-oz. capacity or less.
Chemicals with vapor pressures less than 10 mmHg	Insignificant	Any emissions unit, operation, or activity that handles or stores a liquid with vapor pressure less than 10 mmHg or in quantities less than 500 gal.
Calibration chemicals	Trivial	Routine calibration and maintenance of laboratory equipment or other analytical instruments, including gases used as part of those processes.
Maintenance chemicals and oils	Trivial	Activities that occur strictly for maintenance of grounds or buildings, including lawn care; pest control; grinding; cutting; welding; painting; woodworking; sweeping; general repairs; janitorial activities; plumbing; re-tarring roofs; installing insulation; steam-cleaning and water-washing activities; and paving of roads, parking lots, and other areas. Activities for maintenance and repair of equipment, pollution-control equipment, or motor vehicles either inside or outside of a building.
Use of office equipment and products	Trivial	Use of office equipment and products, not including printers or businesses primarily involved in photographic reproduction.
Chemicals used for boiler water treatment	Trivial	Boiler water treatment operations, not including cooling towers.
Chemicals used for oxygen scavenging	Trivial	Oxygen scavenging (deaeration of water).
Chemicals used in bench-scale chemical analysis	Trivial	Bench-scale laboratory equipment used for physical or chemical analysis but not lab fume hoods or vents. Note: This exemption was applied only to biological research solutions. Otherwise, this exemption was not applied.

3.4 HAP Emissions

The HAP chemical use exemption analysis, similar to the VOC chemical use exemption analysis, resulted in application of several of the same exemptions from NMED/AQB List of Insignificant Activities (NMED 2005) and List of Trivial Activities (NMED 1996) (refer to Table 3.3-1).

3.5 Paints

An analysis of VOC and HAP emissions resulting from painting activities at the Laboratory was performed to determine if certain exemptions apply. Paint information for 2020 was gathered from the ChemDB chemical inventory system. These records were evaluated for applicability of exemptions for trivial and insignificant activities.

The following exemptions from NMED/AQB Operating Permit Program List of Trivial Activities (NMED 1996) were used in the paint analysis:

- Activities that occur strictly for maintenance of grounds or buildings, including the following: lawn care; pest control; grinding; cutting; welding; painting; woodworking; sweeping; general repairs; janitorial activities; plumbing; re-tarring roofs; installing insulation; steam-cleaning and water-washing activities; and paving of roads, parking lots, and other areas.
- Activities for maintenance and repair of equipment, pollution control equipment, or motor vehicles either inside or outside of a building.
- Paint or nonpaint materials dispensed from prepackaged aerosol cans of 16 oz. or less capacity. The amount of paint that did not qualify for a Trivial Activity totaled to 2,909.1 lbs (1.45 tons), which is less than the 2-ton emission limit for insignificant activities.
- Surface coating of equipment, including spray painting and roll coating, for sources with facility-wide total cleanup solvent and coating actual emissions of less than 2 tons per year.

4.0 EMISSIONS SUMMARY

4.1 2020 Emissions Summary

Table 4.1-1 presents facility-wide estimated actual emissions of criteria pollutants for 2020 as reported in the annual emissions inventory and the semi-annual emissions reports. In addition, the Title V Operating Permit emissions limits are included. Table 4.1-2 presents estimated actual emissions for HAPs from chemical use. Emission unit information and detailed emissions calculations are included in Attachment A. The 2020 emissions inventory report as submitted to NMED is presented in Attachment B. Attachment C includes semi-annual emissions reports for 2020.

Table 4.1-1. LANL Facility-Wide Criteria Pollutant Emissions for 2020

Pollutant	Estimated actual Emissions for Annual Emissions Inventory Reporting (tons/yr)	Estimated actual Emissions for Semi-annual Title V Operating Permit Reporting (tons/yr)	Title V Operating Permit Facility-Wide Emission Limits (tons/yr)
NO _x	31.7	41.1	245
SO _x	0.9	0.8	150
CO	13.8	26.3	225
PM	3.2	4.2	120
PM ₁₀	3.1	4.1	120
PM _{2.5}	2.5	2.0	120
VOC	8.2	9.0	200

Table 4.1-2. LANL HAP Emissions from Top Five Chemicals Used in 2020

Pollutant	Chemical Use HAP Emissions (tons/yr)
Ethylene Glycol	0.92
Methylene Chloride	0.61
Hydrochloric Acid	0.60
Methanol	0.43
Toluene	0.37
All other HAPs from Chemical Use	1.49
Total HAPs	4.42

HAP emissions from combustion sources are included in the emissions reports; however, they are negligible and do not contribute significantly to facility-wide HAP emissions.

Figure 4.1-1 shows criteria air pollutant emissions by source for 2020, excluding the very small emissions sources such as the data disintegrator, asphalt plant, degreasers, and evaporative sprayers. As the figure shows, the TA-3 power plant and the sum of emissions from small boilers and were the largest sources of CO and NO_x emissions in 2020. R&D chemical use was the largest source of VOC emissions.




Figure 4.1-1. Emissions of criteria pollutants by source in 2020

Emission Trends and Title V Permit Limits

A comparison of historical emissions to the facility-wide emission limits in the Title V Operating Permit is provided in this section. It should be noted that the facility-wide emission limits in the Operating Permit include emissions from some sources that are not included in the annual emissions inventory, most notably small (insignificant) boilers and emergency standby generators. However, historical data are only available for emission sources that were included in the annual emissions inventory submittals.

Figure 4.1-2 provides a comparison of the past 10 years' facility-wide emissions for criteria air pollutants as reported to NMED in the annual emissions inventory submittal. The facility-wide emission limits included in LANL's Title V Operating Permit are also shown on the graph.




Figure 4.1-2. Comparison of facility-wide annual reported emissions from 2011 to 2020

Figure 4.1-3 presents VOC and HAP emissions from chemical use activities for the last 10 years. The continued fluctuation in both VOC and HAP emissions is due to both variations in actual chemical purchases and improvements the Laboratory has made to the chemical tracking system.




Figure 4.1-3. VOC and HAP emissions from chemical use from 2011 to 2020

REFERENCES

- EPA (U.S. Environmental Protection Agency), 1998. "Compilation of Air Pollutant Emission Factors," AP-42, Fifth Edition, Section 1.4–Natural Gas Combustion, July 1998, and Section 1.3–Fuel Oil Combustion, <http://www.epa.gov/ttn/chief/ap42/> (September 1998).
- EPA (U.S. Environmental Protection Agency), 1996. "Compilation of Air Pollutant Emission Factors," AP-42, Fifth Edition, Section 3.3–Gasoline and Diesel Industrial Engines, and Section 3.4–Large Stationary Diesel and All Stationary Dual-Fuel Engines, <http://www.epa.gov/ttn/chief/ap42/> (October 1996).
- LANL (Los Alamos National Laboratory), 2020a. "2020 Emissions Inventory Report Submittal to the New Mexico Environment Department," Los Alamos National Laboratory document LA-UR-21-22101 (March 2020).
- LANL (Los Alamos National Laboratory), 2020b. "Semi-Annual Emissions Report, July–December 2020," submitted to the New Mexico Environment Department, Los Alamos National Laboratory document LA-UR-21-22102 (March 2020).
- LANL (Los Alamos National Laboratory), 2020c. "Semi-Annual Emissions Report, January–June 2020," submitted to the New Mexico Environment Department, Los Alamos National Laboratory document LA-UR-20-26255 (September 2020).
- NMED (New Mexico Environment Department, Air Quality Bureau, Operating Permit Program), 2005. "List of Insignificant Activities under Title V Operating Permits," <http://www.nmenv.state.nm.us/aqb/forms/InsignificantListTitleV.pdf> (March 2005).
- NMED (New Mexico Environment Department, Air Quality Bureau), 2001. Letter from Mary Uhl, NMED/AQB to LANL, dated January 30, 2001.
- NMED (New Mexico Environment Department, Air Quality Bureau, Operating Permit Program), 1996. "List of Trivial Activities under Title V Operating Permits," <http://www.nmenv.state.nm.us/aqb/forms/TrivialListTitleV.pdf> (January 1996).

This page intentionally left blank.

ATTACHMENT A:

Emission Calculation Worksheets for Individual Emission Units

2020 Emission Inventory | AI856 LANL - Asphalt Batch Plant Emissions Calculations

Year 2020
Type Asphalt Drum/Burner
NMED ID EQPT-116
Title V Designation TA-60-BDM
Description Asphalt Plant Dryer

Equations for Emissions Calculations

Criteria Pollutant and HAP Emissions (ton/yr) = Emission Factor (lb/ton) * Annual Asphalt Production (tons/yr) * (1 ton/2000 lb)
 Greenhouse Gas Emissions (metric tons/yr) = Emission Factor (kg/mmbtu) * Fuel (scf/yr) * HHV (mmbTU/scf) * metric ton/1000 kg

Pollutant	Emission Factor (lb/ton)	Annual Emissions (tons/year)	Calculation Basis
NOx	0.012	0.0008	(b)
CO	0.434	0.0295	(b)
PM	0.007	0.0005	(b)
PM-10	0.006	0.0004	(c)
PM-2.5	0.006	0.0004	(c)
SOx	0.0046	0.0003	(a)
VOC	0.0082	0.0006	(a)
EthylBenzene	0.0022	0.0001	(d)
Formaldehyde	0.00074	0.0001	(d)
Xylene	0.0027	0.0002	(d)
Greenhouse Gases	Emission Factor (kg/mmbtu)	Annual Emissions (metric tons/year)	Calculation Basis
Carbon Dioxide	53.06	90.43	(e)
Methane	0.001	0.002	(e)
Nitrous Oxide	0.0001	0.000	(e)

High Heat Value
0.0010533 mmbTU/scf

Fuel Use
1,618,000 scf/yr

Asphalt Production
136.0 ton/year

References for Emission Factors

- (a) AP-42, Sec. 11.1, *Hot Mix Asphalt Plants*, Table 11.1-5 & 11.1-6, Updated 4/2004
- (b) Calculated using stack test results performed on May 18, 2009 by TRC Air Measurements.
- (c) PM-10 emission factor is calculated as 64% of the PM emission factor (from stack test), using the same ratio of PM to PM-10 as provided in AP-42 Table 11.1-1. No data provided for PM-2.5, assume same as PM-10.
- (d) AP-42, Table 11.1-9, *Hot Mix Asphalt Plants*, Updated 4/2004
- (e) 40 CFR Part 98, Subpart C

2020 Emission Inventory | AI856 LANL - Beryllium Emissions Calculations

Year 2020
Type Beryllium Work
NMED ID ACT-2
Title V Designation TA-35-213
Description Be Target Fabrication Facility - Machining TA-35-213

Emission Calculation Description - Emissions for the Target Fabrication Facility are from initial compliance testing of that source and calculated based on a conservative assumption of 8 hour work days. Log books were checked to verify that work days were much less than 8 hours.

2020 Emissions =	< 0.018 grams
-------------------------	---------------

Year 2020
Type Beryllium Work
NMED ID ACT-3
Title V Designation TA-3-141
Description Be Test Facility - Machining TA-3-141

Emission Calculation Description - Emission values shown for the Beryllium Test Facility are from actual stack emission measurements which are submitted to NMED quarterly.

2020 Emissions =	0.0048 grams
-------------------------	--------------

Year 2020
Type Beryllium Work
NMED ID ACT-6
Title V Designation TA-55-PF-4
Description Plutonium Facility Beryllium machining, weld cutting/dressing and metallography

Emission Calculation Description - Emissions for the Plutonium Facility are calculated based on permitted throughputs. Log books were checked to verify that throughputs were much less than permitted values. The Plutonium Facility foundry operations did not operate during 2020.

2020 Emissions =	< 2.91 grams
-------------------------	--------------

Year 2020
Type Beryllium Work
NMED ID ACT-41
Title V Designation TA-3-66
Description Sigma Facility - electroplating, metallography, and chemical milling

Emission Calculation Description - Emission Factors for the Sigma Facility are based on currently permitted similar processes (see Sections 4 and 6 of Sep 1997 application for permit 634-M2, and permit 1081-M1-R3).

2020 Emissions =	0 grams
-------------------------	---------

2020 Emission Inventory | AI856 LANL - Boilers Emissions Calculations

Year	2020
Type	Boilers except those at the power plant
NMED ID	multiple (see emission table below)
Title V Designation	EQPT 11, EQPT 12, EQPT 29, EQPT 30, EQPT 53, EQPT 90, EQPT 104, EQPT 105, EQPT 134
Description	Boilers located at various locations not including the power plant

Emission Factors (lb/MMscf)

Pollutant	Small Uncontrolled Boilers ^a	TA-16 Low NOx Boilers ^d	TA-55-6 Boilers ^c	RLUOB Boilers
NOx	100	37.08	138	29.9
SOx	0.6	0.6	0.6	0.6
PM ^b	7.6	7.6	14.2	4.9
PM-10 ^b	7.6	7.6	14.2	4.9
PM-2.5 ^b	7.6	7.6	14.2	4.9
CO	84	37.08	38.2	38.1
VOC	5.5	5.5	5.98	25.8
Formaldehyde ^e	0.075	0.075	0.075	0.075
Hexane ^e	1.8	1.8	1.8	1.8
Greenhouse Gases^f	(kg/mmbtu)			
Carbon Dioxide	53.06			
Methane	0.001			
Nitrous Oxide	0.0001			

High Heat Value (mmbTU/scf)
0.0010533

References for Emission Factors
(a) AP-42, 7/98, Section 1.4, Natural Gas Combustion, Small Boilers.
(b) Emission factors for natural gas of PM-10 and PM-2.5 are roughly equal to those of PM, Natural Gas Combustion, Table 1.4-2.
(c) AP-42, 7/98, Section 1.4, Natural Gas Combustion, Small Boilers for SOx. Stack test on 3/00 for NOx. Otherwise, Emission factors from Sellers Engineering Co.
(d) AP-42, 7/98, Section 1.4, Natural Gas Combustion, Small Boilers; Emission factors for NOx and CO from Sellers Engineering Co (low-NOx boilers).
(e) All HAP emission factors from AP-42 7/98, Section 1.4, Natural Gas Combustion, Tables 1.4-3, 1.4-4.
(f) 40 CFR Part 98, Subpart C

2020 Natural Gas Use

Boiler ID	TA-16-1484 BS-1	TA-16-1484 BS-2	TA-53-365 BHW-1	TA-53-365 BHW-2	TA-55-6 BHW-1	TA-55-6 BHW-2	B-1 CMRR	B-2 CMRR	B-3 CMRR
NG Use (MMscf/yr)	8.518	8.518	9.544	9.544	3.079	17.551	0.885	0.885	0.885

Equations for Emissions Calculations

Annual Emissions (tons/year) = Emission Factor (lb/MMscf) * Annual natural gas consumption (MMscf/year) * (1 ton/2000 lb)

Greenhouse Gas Emissions (metric tons/yr) = Emission Factor (kg/mmbtu) * Fuel (scf/yr) * HHV (mmbTU/scf) * metric ton/1000 kg

2020 Boiler Emissions for Annual EI Reporting

Pollutant	134 TA-16-1484-BS-1 (tons/yr)	53 TA-16-1484-BS-2 (tons/yr)	11 TA-53-365-BHW-1 (tons/yr)	12 TA-53-365-BHW-2 (tons/yr)	29 TA-55-6-BHW-1 (tons/yr)	30 TA-55-6-BHW-2 (tons/yr)	90 RLUOB-BHW-1 (tons/yr)	104 RLUOB-BHW-2 (tons/yr)	105 RLUOB-BHW-3 (tons/yr)
NOx	0.158	0.158	0.477	0.477	0.212	1.211	0.013	0.013	0.013
SOx	0.003	0.003	0.003	0.003	0.001	0.005	0.000	0.000	0.000
PM	0.032	0.032	0.036	0.036	0.022	0.125	0.002	0.002	0.002
PM-10	0.032	0.032	0.036	0.036	0.022	0.125	0.002	0.002	0.002
PM-2.5	0.032	0.032	0.036	0.036	0.022	0.125	0.002	0.002	0.002
CO	0.158	0.158	0.401	0.401	0.059	0.335	0.017	0.017	0.017
VOC	0.023	0.023	0.026	0.026	0.009	0.052	0.011	0.011	0.011
Formaldehyde	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000
Hexane	0.008	0.008	0.009	0.009	0.003	0.016	0.001	0.001	0.001
Greenhouse Gases	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)
Carbon Dioxide	476.05	476.05	533.40	533.40	172.08	980.89	49.46	49.46	49.46
Methane	0.0090	0.0090	0.0101	0.0101	0.0032	0.0185	0.0009	0.0009	0.0009
Nitrous Oxide	8.97E-04	8.97E-04	1.01E-03	1.01E-03	3.24E-04	1.85E-03	9.32E-05	9.32E-05	9.32E-05

2020 Emission Inventory | AI856 LANL - Degreaser

Year 2020
Type Parts Washer
NMED ID EQPT-21
Title V Designation TA-55-DG-1
Description Degreaser - Ultrasonic Cold batch TA-55-4

Solvent Trichloroethylene

Degreaser Emissions January-June 2020 (lbs)	
Jan-20	22.15
Feb-20	13.84
Mar-20	11.08
Apr-20	11.08
May-20	0.00
Jun-20	11.08
Total lbs:	69.22
Total tons:	0.035

Degreaser Emissions July-December 2020 (lbs)	
Jul-20	19.38
Aug-20	5.54
Sep-20	0.00
Oct-20	13.84
Nov-20	5.54
Dec-20	0.00
Total lbs:	44.30
Total tons:	0.022

Total lbs 2020:	113.53
Total tons 2020:	0.057

2020 Emission Inventory | AI856 LANL - Internal Combustion Engine

Year 2020
Type Internal Combustion Engine
NMED ID EQPT-119, EQPT-120, EQPT-128, EQPT-135, EQPT-143, EQPT-146, EQPT-147, EQPT-153, EQPT-154, EQPT-155, EQPT-156, EQPT-160, EQPT-161, EQPT-162, EQPT-171
Title V Designation Four TA-33-Generators; Three RLUOB Generators; Three TA-55 Generators; One TA-48 Generator
Description Multiple genertors located at TA-33; 3 generators located at TA-55 CMRR; 5 generators TA-55, 1 at TA-50, 1 at TA-48, and 1 at TA-63-177

EMISSION FACTORS (EF)	NOx lb/kw-hr	CO lb/kw-hr	SOx lb/kw-hr	PM lb/kw-hr	PM ₁₀ lb/kw-hr	VOC lb/kw-hr	Calculation Basis
TA-33-G-1P	2.01E-02	2.01E-03	5.36E-04	6.17E-04	6.17E-04	1.48E-03	(a)
TA-33-G-2	4.17E-02	1.21E-02	2.87E-03	2.87E-03	2.87E-03	3.31E-03	(b)
TA-33-G-3	4.17E-02	1.21E-02	2.87E-03	2.87E-03	2.87E-03	3.31E-03	(b)
TA-33-G-4	4.17E-02	2.51E-02	2.87E-03	2.87E-03	2.87E-03	3.31E-03	(b)
RLUOB-GEN-1	2.03E-02	2.51E-02	5.29E-04	1.19E-03	9.92E-04	2.87E-03	(c)
RLUOB-GEN-2	2.03E-02	2.51E-02	5.29E-04	1.19E-03	9.92E-04	2.87E-03	(c)
RLUOB-GEN-3	2.03E-02	2.51E-02	5.29E-04	1.19E-03	9.92E-04	2.87E-03	(c)
TA-48-GEN-1	8.82E-03	7.72E-03	6.61E-06	4.41E-04	3.00E-03	8.82E-03	(d)
TA-55-GEN-1	4.20E-02	9.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	(e)
TA-55-GEN-2	4.20E-02	9.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	(e)
TA-55-GEN-3	3.20E-02	7.00E-03	5.40E-04	1.00E-03	1.00E-03	1.00E-03	(e)
TA-50-184-GEN-1	3.20E-02	7.00E-03	5.40E-04	1.00E-03	1.00E-03	1.00E-03	(e)
TA-55-GEN-4	3.20E-02	7.00E-03	5.40E-04	1.00E-03	1.00E-03	1.00E-03	(e)
TA-55-GEN-5	3.20E-02	7.00E-03	5.40E-04	1.00E-03	1.00E-03	1.00E-03	(e)
TA-63-177	4.20E-02	9.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	(e)

Greenhouse Gases Emission Factors ^(f)	(kg/mmBTU)
Carbon Dioxide (CO2)	73.96
Methane (CH4)	0.003
Nitrous Oxide (N2O)	0.0006

High Heat Value
0.138 (mmBTU/gal)

The size limit for determining large vs. small diesel fired generator. This information was taken from the operating permit application.

447 kw

References for Emission Factors
(a) TA-33-G-1P NOx, CO, PM, VOC emission rates are from manufacturer's data; the values were given in gm/HP-hr; The following conversion factors were used to obtain lb/kw-hr; 453.6 g/lb and 1.341 hp-hr/kWh to convert emission factor units to lb/kWh; total HC was used as VOC; actual VOC would be much lower; SO2 from Table 3.4-1 AP-42 based on 0.05% S in fuel
(b) TA-33 G2, G3, G4 CO emission rate are from EPA Tier 1 nonroad standards; all others from AP-42, Section 3.3 (see TV permit renewal app calcs from 2013)
(c) RLUOB-GEN-1, GEN-2, GEN-3 emission rates for NOx, CO, PM and VOC from applicable Tier 1 standards (see TV renewal app 2013); Emission factors for SOx and PM10 from AP-42
(d) TA-48 NOx, CO, VOC and PM factors from Tier 3 engine standards (see TV renewal app); EF for SOx, PM10 and HAPs from AP-42.
(e) Emission factors for generators at TA-55 are from AP-42. Emission factors for small diesel fired engines were taken from AP-42 (fifth edition) Tables 3.3-1 and 3.3-2. Large generators emission factors were taken from AP-42 (fifth edition) Tables 3.4-1, 3.4-2, 3.4-3, and 3.4-4.
(f) 40 CFR Part 98, Subpart C

Equations for Emissions Calculations

Emission Rate in tons/year = EF (lb/kw-hour) * Equip. Rating (kw-hr) * Number of hours (hour/year) / (1 ton/2000 lb)
 GHG Emissions for FO Use (metric tons/yr) = EF (kg/mmBtu) * Fuel (gal/yr) * HHV (mmBTU/gal) * metric ton/1000 kg

2020 Generator Emissions for Annual EI Reporting

Permit ID	NMED ID	kW rating	Total (hrs/year)	Fuel Use (gal/yr)	NOx (tons/yr)	CO (tons/yr)	SOx (tons/yr)	PM (tons/yr)	PM ₁₀ (tons/yr)	VOC (tons/yr)	CO2 (metric tons/yr)	CH4 (metric tons/yr)	N2O (metric tons/yr)
TA-33-G-1P	EQPT-146	1111.5	303.3	5762.70	3.391	0.339	0.090	0.104	0.104	0.249	58.82	2.39E-03	4.77E-04
TA-33-G-2	EQPT-119	25	0.0	0.00	0.000	0.000	0.000	0.000	0.000	0.000	0.00	0.00E+00	0.00E+00
TA-33-G-3	EQPT-120	25	0.0	0.00	0.000	0.000	0.000	0.000	0.000	0.000	0.00	0.00E+00	0.00E+00
TA-33-G-4	EQPT-135	281.25	181.0	2859.80	1.061	0.640	0.073	0.073	0.073	0.084	29.19	1.18E-03	2.37E-04
RLUOB-Gen-1	EQPT-128	1656.1	0.0	0.00	0.000	0.000	0.000	0.000	0.000	0.000	0.00	0.00E+00	0.00E+00
RLUOB-Gen-2	EQPT-153	1656.1	39.8	4123.28	0.668	0.828	0.017	0.039	0.033	0.094	42.08	1.71E-03	3.41E-04
RLUOB-Gen-3	EQPT-154	1656.1	31.9	3304.84	0.536	0.664	0.014	0.031	0.026	0.076	33.73	1.37E-03	2.74E-04
TA-48-Gen-1	EQPT-147	186	0.0	0.00	0.000	0.000	0.000	0.000	0.000	0.000	0.00	0.00E+00	0.00E+00
TA-55-Gen-1	EQPT-156	40.2	0.0	0.00	0.000	0.000	0.000	0.000	0.000	0.000	0.00	0.00E+00	0.00E+00
TA-55-Gen-2	EQPT-155	40.2	6.6	11.22	0.006	0.001	0.000	0.000	0.000	0.000	0.11	4.65E-06	9.29E-07
TA-55-Gen-3	EQPT-143	1335	19.2	303.36	0.410	0.090	0.007	0.013	0.013	0.013	3.10	1.26E-04	2.51E-05
TA-50-184-GEN-1	EQPT-160	563	11.5	127.65	0.104	0.023	0.002	0.003	0.003	0.003	1.30	5.28E-05	1.06E-05
TA-55-GEN-4	EQPT-161	563	40.7	1225.07	0.367	0.080	0.006	0.011	0.011	0.011	12.50	5.07E-04	1.01E-04
TA-55-GEN-5	EQPT-162	563	44.7	1345.47	0.403	0.088	0.007	0.013	0.013	0.013	13.73	5.57E-04	1.11E-04
TA-63-177	EQPT-171	242	44.0	655.60	0.224	0.048	0.016	0.016	0.016	0.016	6.69	2.71E-04	5.43E-05

2020 Emission Inventory | AI856 LANL - Data Disintegrator

Year 2020
Type Shredder
NMED ID 89
Title V Designation TA-52-11
Description Data Disintegrator/Industrial Shredder

Emission Factors

Pollutant	Percent Material in Exhaust ^(b)	Percent in Exhaust ^(e)	Control ^(d) Efficiency (Cyclone)	Control ^(d) Efficiency (Baghouse)
PM 2.5	15%	15%	0%	95.0%
PM 10	15%	90%	75%	95.0%
TSP	15%	100%	75%	95.0%

Total Boxes Shredded^(c)
6,504

Average Box Weight^(a)
45 lb

References for Emission Factors				
(a) Estimated maximum box weight is 45 pounds. Information provided by shredding operations. Full box weight of tightly packed paper.	(b) Emission Factor (percentage of material shredded that will enter into the exhaust) obtained from the manufacturer of the air handling system, AGET Manufacturing Co. 15% is also listed in the construction permit application.	(c) Information provided by the shredding operations personnel.	(d) Information on control equipment efficiencies was provided by the manufacturer (SEM) of the Data Disintegrator. Those values not given were extrapolated using manufacturer data. Efficiencies of 75% for the Cyclone and 95% for the bag house are listed in the construction permit application. (see cyclone efficiency tab for more info.)	(e) Manufacturer provided info that the dust into the exhaust would be in the size range of 5-20 um. Conservative assumption that 15% is PM2.5, and 90% is PM10.

Equation for Emissions Calculations

Emission Rate = Boxes Shredded * Average Box Weight * Percent Material in Exhaust * Percent in Exhaust * (1 - Cyclone Control Efficiency) * (1 - Baghouse Control Efficiency)

2020 TA-52-11 Data Disintegrator Emissions for Annual EI Reporting

Pollutant	Amount Processed (pounds)	PM-2.5 Emissions (pounds)	PM-2.5 Emissions (tons)	PM-10 Emissions (pounds)	PM-10 Emissions (tons)	TSP Emissions (pounds)	TSP Emissions (tons)
CY Annual Total	292,680	329.3	0.165	493.9	0.247	548.8	0.274

2020 Emission Inventory | AI856 LANL - Power Plant Boilers

Year 2020
Type Boilers - Power Plant
NMED ID EQPT-24; EQPT-25; EQPT-26 (pph, Natural Gas); EQPT-137, EQPT-138, EQPT-141 (pph; No. 2 fuel oil)
Designation TA-3-22-1; TA3-22-2; TA-3-22-3
Description Power Plant Boiler (pph, Natural Gas), Power Plant Boiler (pph, No. 2 fuel oil)

Pollutant	Emission Factor (EF)	
	Natural ^(a) Gas (lb/MMscf)	Fuel Oil ^(f) (lbs/ 1000 gal)
NO _x ^(c)	58	8.64
SO _x ^(g)	0.6	7.4
PM ^(d)	7.6	3.3
PM-10 ^(d)	7.6	2.3
PM-2.5 ^(d)	7.6	1.55
CO ^(e)	40	5.0
VOC	5.5	0.2
Formaldehyde	0.075	0.048
Hexane	1.8	-
Greenhouse Gases ^(h)	(kg/mmbtu)	(kg/gal)
Carbon Dioxide	53.06	73.96
Methane	0.001	0.003
Nitrous Oxide	0.0001	0.0006
High Heat Values		
Natural Gas	0.0010533 mmbtu/scf	
Fuel Oil	0.138 mmbtu/gal	

References for Emission Factors
(a) AP-42, 7/98, Section. 1.4, <i>Natural Gas Combustion</i> , Tables 1.4-1, 1.4-2
(b) Fuel usage obtained from utilities on a monthly basis
(c) Average of source tests conducted on all 3 boilers September 2002 burning natural gas after FGR installed. Assumed FGR resulted in similar Nox reduction for oil.
(d) All PM from natural gas is assumed <1μ, so PM-10, PM-2.5 and total PM have equal EFs, AP-42, <i>Natural Gas Combustion</i> , Table 1.4-2. The PM emission factor for fuel oil is the sum of filterable and condensable PM.
(e) AP-42, 1/95, Section. 1.4, <i>Natural Gas Combustion</i> , Table 1.4-2. Consistent with previous stack tests.
(f) AP-42, 9/98, Section. 1.3, <i>Fuel Oil Combustion</i> , Table 1.3-1 with Errata, Table 1.3-3, and Table 1.3-6.
(g) Boilers>100 MMBtu/hr: SO _x Emission Factor (SO ₂ {142S} + SO ₃ {5.7S}) = 147.7 * S (from AP-42, Table 1.3-1 w/Errata) (S = weight % sulfur in oil)(Sulfur content per analysis on oil in tanks in August 01', no new oil delivered in 02'/03')
(h) 40 CFR Part 98, Subpart C

Boiler ID	Boiler TA-3-22-1		Boiler TA-3-22-2		Boiler TA-3-22-3	
	EQPT-24	EQPT-141	EQPT-25	EQPT-137	EQPT-26	EQPT-138
Type of fuel	Natural Gas	#2 Fuel oil	Natural Gas	#2 Fuel oil	Natural Gas	#2 Fuel oil
Units	mcsf	gallons	mcsf	gallons	mcsf	gallons
Annual Use	1,154	0	62,125	0	276,664	0

Equations for Emissions Calculations

Criteria Pollutants Emissions for NG Use (ton/year) = Fuel (MSCF/year) / 1 MMscf/1000 Mscf * EF (lb/MMscf) * (1 ton/2000 lb)

Criteria Pollutants Emissions for FO Use (ton/year) = Fuel (gal/year) * EF (lb/1000 gal) * (1 ton/2000 lb)

GHG Emissions for NG Use (metric tons/yr) = EF (kg/mmbtu) * Fuel (Mscf/yr)/1 MMscf/1000 Mscf * HHV (mmbtu/scf) * metric ton/1000 kg

GHG Emissions for FO Use (metric tons/yr) = EF (kg/mmbtu) * Fuel (gal/yr) * HHV (mmbtu/gal) * metric ton/1000 kg

2020 Boiler Emissions for Annual EI Reporting

Pollutant	Boiler TA-3-22-1		Boiler TA-3-22-2		Boiler TA-3-22-3	
	EQPT-24	EQPT-141	EQPT-25	EQPT-137	EQPT-26	EQPT-138
	Annual Emissions (NG) (tons/yr)	Annual Emissions Fuel Oil (tons/yr)	Annual Emissions (NG) (tons/yr)	Annual Emissions Fuel Oil (tons/yr)	Annual Emissions (NG) (tons/yr)	Annual Emissions Fuel Oil (tons/yr)
NO _x ^(c)	0.033	0.000	1.802	0.000	8.023	0.000
SO _x ^(g)	0.000	0.000	0.019	0.000	0.083	0.000
PM ^(d)	0.004	0.000	0.236	0.000	1.051	0.000
PM-10 ^(d)	0.004	0.000	0.236	0.000	1.051	0.000
PM-2.5 ^(d)	0.004	0.000	0.236	0.000	1.051	0.000
CO ^(e)	0.023	0.000	1.243	0.000	5.533	0.000
VOC	0.003	0.000	0.171	0.000	0.761	0.000
Formaldehyde	0.000	0.000	0.002	0.000	0.010	0.000
Hexane	0.001	0.000	0.056	0.000	0.249	0.000
Greenhouse Gases ^(h)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)	(metric tons/year)
Carbon Dioxide	64.49	0.00	3,472.05	0.00	15,462.22	0.00
Methane	0.00	0.00	0.07	0.00	0.29	0.00
Nitrous Oxide	0.00	0.00	0.01	0.00	0.03	0.00

2020 Emission Inventory | AI856 LANL - Power Plant Combustion Turbine

Year 2020
 Type Turbine
 NMED ID EQPT-112
 Title V Designation TA-3-22-CT-1
 Description Combustion Turbine

Equations for Emissions Calculations

Annual Emissions (tons/year) = Annual Gas Use (MMscf) * EF (lb/MMscf) * (1 ton/2000 lb)

Greenhouse Gas Emissions (metric tons/yr) = EF (kg/mmbtu) * Fuel (MMscf/yr) * (1,000,000 scf/1 MMscf) * HHV (mmBTU/scf) * metric ton/1000 kg

Pollutant	Emission Factors (lb/MMscf)	Annual Emissions (tons/year)	Calculation Basis
NOx	50.5	5.541	a
SOx	3.5	0.384	b
PM	6.8	0.746	c
PM ₁₀	6.8	0.746	c
PM _{2.5}	6.8	0.746	c
CO	10.5	1.152	a
VOC	2.2	0.241	d
Acetaldehyde	4.12E-02	0.005	e
Copper	7.11E-02	0.008	f
Ethylbenzene	3.30E-02	0.004	e
Formaldehyde	7.31E-01	0.080	e
Manganese	8.24E-02	0.009	f
Nickel	1.18E-01	0.013	f
Propylene Oxide	2.99E-02	0.003	e
Toluene	1.34E-01	0.015	e
Xylenes (isomers)	6.59E-02	0.007	e
Greenhouse Gases	Emission Factor (kg/mmbtu)	Annual Emissions (metric tons/year)	Calculation Basis
Carbon Dioxide	53.06	12,264.766	g
Methane	0.001	0.2311	g
Nitrous Oxide	0.0001	0.0231	g

Annual Gas Use
219.452 MMscf

High Heat Value
0.0010533 mmBTU/scf

References for Emission Factors
(a) Values are from the initial compliance test (TRC - October 22, 2007). Test shows average NOx as 11.29 lbs/hr and CO as 2.35 lbs/hr. These were divided by the gas flow rate of 0.223620 MMscf/hr to get 50.48 lb/MMscf (rounded to 50.5) for NOx and 10.5 lb/MMscf for CO. The SCFH value (fuel flow rate) from the compliance test report (223620 SCFH or 223.6 MSCFH).
(b) The SOx emission factor was taken from AP-42 Table 3.1-2a. The default value is used when percent sulfur is unknown (0.0034 lb/mmbtu). This is equivalent to converting the 2 grains per 100 scf to percent. The 0.0034 lb/mmbtu was converted to lb/mmscf by multiplying by 1030 btu/scf (the heat value of natural gas), to provide 3.5 lb/mmscf.
(c) PM and PM10 were calculated by taking the AP-42, Table 3.1-2a, EF of 6.6E-3 lb/MMBtu and multiplying it by 1030 BTU/scf to get 6.8 lb/MMscf.
(d) The VOC emission factor was taken from AP-42 Table 3.1-2a. The factor, 2.1 E-03 lb/mmbtu, was converted to lb/mmscf by multiplying by 1030 giving 2.2 lbs/mmscf.
(e) Emission factor from AP-42, table 3.1-3 (lb/mmbtu). This was multiplied by 1030 Btu/scf to provide the lb./mmscf factor.
(f) Emission factors from EPA FIRE database (SCC: 20300202 & 20200201). These values were also converted from lb/mmbtu to lb/mmscf.
(g) 40 CFR Part 98, Subpart C

2020 Emission Inventory | A1856 LANL - Evaporative Sprayers

Year 2020
Type Fugitives
NMED ID RPNT-35, RPNT-36, RPNT-37, RPNT-38, RPNT-39, RPNT-41
Title V Designation TA-60-EVAP-1, TA-60-EVAP-2, TA-60-EVAP-3, TA-60-EVAP-4, TA-60-EVAP-5, TA-60-EVAP-6
Description Water Spray Evaporators

Emission Factors

HAPs	January - June EFs		July - December EFs	
	PPM ^a	Weight Fraction	PPM ^a	Weight Fraction
Total PCB	3.94E-07	3.94E-13	3.94E-07	3.94E-13
Chloroform	0.0024	2.40E-09	0.0007	6.95E-10
Chloromethane	0.0044	4.40E-09	0.0044	4.43E-09
Bromoform	0.0005	5.00E-10	0.0005	5.10E-10
Cyanide	0.0216	2.16E-08	0.0054	5.37E-09
Manganese	0.0094	9.40E-09	0.0025	2.49E-09
Mercury	Not Detected	N/A	0.00014	1.37E-10
Nickel	0.0157	1.57E-08	0.021	2.05E-08
Antimony Compounds	0.00629	6.29E-09	Not Detected	N/A
Arsenic Compounds	0.0258	2.58E-08	Not Detected	N/A
Selenium Compounds	0.0270	2.70E-08	Not Detected	N/A
Cobalt Compounds	0.0017	1.70E-09	Not Detected	N/A

References for Emission Factors		
(a) Values from pond sampling laboratory results for GC Semivolatile Herbicide, GC Semivolatile Pesticide, GC/MS Semivolatile, GC/MS Volatile, General Chemistry, Metals and Radiochemistry, GEL Laboratories. Emission factors from either the 2015, 2018 or 2020 analysis were used depending on what HAP was sampled for and what HAP was detected.		
(b) Water Density = 8.34 lb/gallon		
(c) Max Pump Rate Per Sprayer = 7.51 gallons/min.		
(d) Evaporation Rate = 42.5 Percent		
Particulate Analytical Data		
	PPM	Weight Fraction
Pond TDS	120450.00	0.12
SMI Model 120F (Sprayers 1-5)	PM10	0%
	PM2.5	0%
SMI Model 420B (Sprayer 6)	PM10	0.44%
	PM2.5	0%

(a) Values from pond sampling laboratory results for GC Semivolatile Herbicide, GC Semivolatile Pesticide, GC/MS Semivolatile, GC/MS Volatile, General Chemistry, Metals and Radiochemistry, GEL Laboratories. Emission factors from 2020 sampling event.

2020 Hours of Operation

Source ID	TA-60-EVAP-1	TA-60-EVAP-2	TA-60-EVAP-3	TA-60-EVAP-4	TA-60-EVAP-5	TA-60-EVAP-6
January - June Hours	2,177	637	0	10	424	0
July - December Hours	28	2803	0	0	1875	0

Equation for Emissions Calculations

$$\text{Annual Emissions (tons/yr)} = \frac{\text{Water Density (lb/gal)} * \text{Max Pump Rate (g/min)} * (60 \text{ min/hr}) * \text{Hours of Operation (hr)} * \text{Evaporation Rate}/100 * \text{Weight Fraction} * (1 \text{ ton}/2000 \text{ lb})}{1}$$

$$\text{Particulate Matter (lbs/hr)} = \text{Annual Emissions (tons/yr)} * (1 \text{ ton}/2000 \text{ lb}) * (8760 \text{ hrs/yr})$$

2020 Evaporative Sprayers Emissions for Annual EI Reporting

Pollutant	RPNT-35 TA-60-EVAP-1 (tons/yr)		RPNT-36 TA-60-EVAP-2 (tons/yr)		RPNT-37 TA-60-EVAP-3 (tons/yr)		RPNT-38 TA-60-EVAP-4 (tons/yr)		RPNT-39 TA-60-EVAP-5 (tons/yr)		RPNT-41 TA-60-EVAP-6 (tons/yr)	
	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)
Total PCB	6.94E-10		1.08E-09		0		3.15E-12		7.23E-10		0	
Chloroform	4.19E-06		2.78E-06		0		1.92E-08		1.85E-06		0	
Chloromethane	7.75E-06		1.22E-05		0		3.51E-08		8.12E-06		0	
Bromoform	8.81E-07		1.40E-06		0		3.99E-09		9.33E-07		0	
Cyanide	3.77E-05		2.30E-05		0		1.72E-07		1.53E-05		0	
Manganese	1.64E-05		1.04E-05		0		7.51E-08		6.91E-06		0	
Mercury	3.07E-09		3.07E-07		0		0.E+00		2.05E-07		0	
Nickel	2.78E-05		5.39E-05		0		1.25E-07		3.60E-05		0	
Antimony Compounds	1.09E-05		3.20E-06		0		5.02E-08		2.13E-06		0	
Arsenic Compounds	4.49E-05		1.31E-05		0		2.06E-07		8.74E-06		0	
Selenium Compounds	4.69E-05		1.37E-05		0		2.16E-07		9.14E-06		0	
Cobalt Compounds	2.96E-06		8.65E-07		0		1.36E-08		5.76E-07		0	
Total HAPs	2.00E-04		1.35E-04		0		9.17E-07		9.00E-05		0	
Particulate Matter	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)	(tons/yr)	(lbs/hr)
TSP	212.10	48.42	330.89	75.55	0	0	0.96	0.22	221.14	50.49	0	0
PM10	0	0	0	0	0	0	0	0	0	0	0	0
PM2.5	0	0	0	0	0	0	0	0	0	0	0	0

ATTACHMENT B:
2020 Annual Emissions Inventory Submittal to NMED



Memorandum

**Environmental Protection & Compliance Division
Compliance Programs Group**

To: File
Thru: Margie Stockton, EPC-CP, MSJ798
From: Walt Whetham, EPC-CP, MS J798
Phone: 505-695-8056
Symbol: EPC-DO: 21-081
LA-UR: 21-22101
Date: **MAR 29 2021**

Subject: 2020 Emissions Inventory Electronic Submittal

Triad National Security, LLC submitted the 2020 Emissions Inventory Report for Los Alamos National Laboratory (LANL) to New Mexico Environmental Department (NMED) via online reporting tool, AEIR. This report is required by Title 20, Chapter 2, Part 73 of the New Mexico Administrative Code (20.2.73 NMAC), Notice of Intent and Emissions Inventory Requirements. The report was submitted on March 24, 2021, and meets New Mexico Environmental Department's deadline of April 1st.

Should you have any questions or comments regarding the information provided in this report, please contact Walt Whetham at (505) 695-8056 or walt@lanl.gov.

Attachment(s): Attachment 1 2020 Emissions Inventory Report Electronic Submittal

Copy: Adrienne L. Nash, NA-LA, adrienne.nash@nnsa.doe.gov
Silas DeRoma, NA-LA, silas.deroma@nnsa.doe.gov
Stephen Jochem, NA-LA, stephen.jochem@nnsa.doe.gov
Darlene S. Rodriguez, NA-LA, darlene.rodriguez@nnsa.doe.gov
Kirk Lachman, EM-LA, kirk.lachman@em.doe.gov
M. Lee Bishop, EM-LA, lee.bishop@em.doe.gov
David Nickless, EM-LA, david.nickless@em.doe.gov
Hai Shen, EM-LA, hai.shen@em.doe.gov
Kelly J. Beierschmitt, DDOPS, Triad, beierschmitt@lanl.gov
Michael W. Hazen, ALDESHQSS, Triad, mhazen@lanl.gov
William R. Mairson, ALDESHQSS, Triad, wrmairson@lanl.gov
Maxine M. McReynolds, GC-ESH, Triad, mcreynolds@lanl.gov
Enrique Torres, EWP, Triad, etorres@lanl.gov
Jennifer E. Payne, EPC-DO, Triad, jpayne@lanl.gov
Taunia S. Van Valkenburg, EPC-CP, Triad, tauniav@lanl.gov
Marjorie B. Stockton, EPC-CP, Triad, mstockton@lanl.gov
Walter W. Whetham, EPC-CP, Triad, walt@lanl.gov
Taylor A. Valdez, PCM-DO, Triad, tvaldez@lanl.gov
Christian Maupin, N3B, christian.maupin@em-la.doe.gov
Dana Lindsay, N3B, dana.lindsay@em-la.doe.gov
Triad, EPC-CP Emissions Inventory Report File
Triad, EPC-CP Correspondence File
lasomailbox@nnsa.doe.gov
aldeshqsscorrespondence@lanl.gov
epccorrespondence@lanl.gov
adesh-records@lanl.gov
interface@lanl.gov

ATTACHMENT 1
2020 Emissions Inventory Report
Electronic Submittal

EPC-DO: 21-081

LA-UR-21-22101

Date: **MAR 29 2021**

Type	ID	Designation	Description	Status	Complete
<input type="radio"/> Federal Agency	AI -856	2195R76	Los Alamos National Security, LLC	Active 06/12/2017	
<input type="radio"/> Asphalt Drum/Burner	EQPT-116	TA-60-BDM	Asphalt Plant Dryer - Natural Gas	Active 07/19/2005	✓
<input type="radio"/> Beryllium Work	ACT -2	TA-35-213	Beryllium Activity-Be Target Fabrication Facility - Machining TA-35-213	Active 05/10/2000	✓
<input type="radio"/> Beryllium Work	ACT -3	TA-3-141	Beryllium Activity-Be Test Facility - Machining TA-3-141	Active 05/10/2000	✓
<input type="radio"/> Beryllium Work	ACT -6	TA-55-PF4 (a)	Beryllium Activity-Plutonium Facility Beryllium machining, weld cutting / dressing and metallography	Active 04/14/2006	✓
<input type="radio"/> Beryllium Work	ACT -41	TA-3-66	Beryllium Activity-Sigma Facility-electroplating/metallography	Active 05/24/2010	✓
<input type="radio"/> Boiler	EQPT-11	TA-53-365-BHW-1	Boiler TA-53-365-BHW-1	Active 05/31/2001	✓
<input type="radio"/> Boiler	EQPT-12	TA-53-365-BHW-2	Boiler TA-53-365-BHW-2	Active 05/31/2001	✓
<input type="radio"/> Boiler	EQPT-24	TA-3-22-1 (gas)	Power Plant Boiler (pph, Natural Gas)	Active 07/26/2018	✓
<input type="radio"/> Boiler	EQPT-25	TA-3-22-2 (gas)	Power Plant Boiler (pph, Natural Gas)	Active 07/26/2018	✓
<input type="radio"/> Boiler	EQPT-26	TA-3-22-3 (gas)	Power Plant Boiler (pph, Natural Gas)	Active 07/26/2018	✓
<input type="radio"/> Boiler	EQPT-29	TA-55-6-BHW-1	Sellers Boiler TA-55-6-BHW-1	Active 12/17/2001	✓
<input type="radio"/> Boiler	EQPT-30	TA-55-6-BHW-2	Sellers Boiler TA-55-6-BHW-2	Active 12/17/2001	✓
<input type="radio"/> Boiler	EQPT-53	TA-16-1484-BS-2	Low NOx Boiler TA-16-1484-BS-2	Active 11/27/1996	✓
<input type="radio"/> Boiler	EQPT-90	RLUOB-BHW-1 (gas)	Boiler-CMRR-BHW-1	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-104	RLUOB-BHW-2 (gas)	Boiler-CMRR-BHW-2	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-105	RLUOB-BHW-3 (gas)	Boiler-CMRR-BHW-3	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-106	RLUOB-BHW-4 (gas)	Boiler-CMRR-BHW-4	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-107	B-5	Boiler-CMRR	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-134	TA-16-1484-BS-1	Low NOx Boiler TA-16-1484-BS-1	Active 11/27/1996	✓
<input type="radio"/> Boiler	EQPT-137	TA-3-22-2	Power Plant Boiler (pph, No. 2 fuel oil)	Active 07/26/2018	✓
<input type="radio"/> Boiler	EQPT-138	TA-3-22-3	Power Plant Boiler (pph, No. 2 fuel oil)	Active 07/26/2018	✓
<input type="radio"/> Boiler	EQPT-141	TA-3-22-1	Power Plant Boiler (pph, No. 2 fuel oil)	Active 07/26/2018	✓
<input type="radio"/> Boiler	EQPT-144	Boiler combined emissions	TA-16-1484-Bs-1,2; TA -53-365-BHW-1,2; TA-55-6-BHW-1,2; RLUOB-BHW-1,2,3,4	Active 03/05/2009	✓
<input type="radio"/> Boiler	EQPT-149	RLUOB-BHW-1 (oil)	Boiler-CMRR-BHW-1	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-150	RLUOB-BHW-2 (oil)	Boiler-CMRR-BHW-2	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-151	RLUOB-BHW-3 (oil)	Boiler-CMRR-BHW-3	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-152	RLUOB-BHW-4 (oil)	Boiler-CMRR-BHW-4	Active 03/01/2005	✓
<input type="radio"/> Boiler	EQPT-169	TA-3-22-4&5 (Oil TPY)	Power Plant Boiler (pph, No. 2 fuel oil)	Active 07/26/2018	✓
<input type="radio"/> Boiler	EQPT-170	TA-3-22-4&5 (gas TPY)	Power Plant Boiler (pph, Natural Gas)	Active 07/26/2018	✓
<input type="radio"/> Fugitives	RPNT-34	Facilitywide Open Burning	Fugitives - Open Burning	Active 02/27/2015	✓
<input type="radio"/> Fugitives	RPNT-35	TA-60-EVAP-1	Evaporative Sprayer for basin water	Active 02/03/2017	✓

<input type="radio"/>	Fugitives	RPNT-36	TA-60-EVAP-2	Evaporative Sprayer for basin water	Active 02/03/2017	✓
<input type="radio"/>	Fugitives	RPNT-37	TA-60-EVAP-3	Evaporative Sprayer for basin water	Active 02/03/2017	✓
<input type="radio"/>	Fugitives	RPNT-38	TA-60-EVAP-4	Evaporative Sprayer for basin water	Active 02/03/2017	✓
<input type="radio"/>	Fugitives	RPNT-39	TA-60-EVAP-5	Evaporative Sprayer for basin water	Active 02/03/2017	✓
<input type="radio"/>	Fugitives	RPNT-41	TA-60-EVAP-6	Evaporative Sprayer for basin water	Active 05/13/2019	✓
<input type="radio"/>	Internal combustion engine	EQPT-96	Standby-Generators	Diesel Generators	Active 03/01/2005	✓
<input type="radio"/>	Internal combustion engine	EQPT-119	TA-33-G-2	Kohler Diesel Generator TA-33, TA-36, TA-39	Active 04/22/2008	✓
<input type="radio"/>	Internal combustion engine	EQPT-120	TA-33-G-3	Kohler Diesel Generator TA-33, TA-36, TA-39	Active 09/18/2006	✓
<input type="radio"/>	Internal combustion engine	EQPT-128	RLUOB-GEN 1	Cummins Diesel Powered Generator and Engine - CMRR	Active 12/11/2007	✓
<input type="radio"/>	Internal combustion engine	EQPT-135	TA-33-G-4	Caterpillar Diesel Generator TA-33, TA-36, TA-39	Active 04/22/2008	✓
<input type="radio"/>	Internal combustion engine	EQPT-143	TA-55-GEN-3	CI-RICE Stationary Generator - Caterpillar 1335 hp	Active 11/30/2010	✓
<input type="radio"/>	Internal combustion engine	EQPT-146	TA-33-G-1P	Cummins Portable Diesel Generator	Active 12/12/2013	✓
<input type="radio"/>	Internal combustion engine	EQPT-147	TA-48-GEN-1	Cummins Diesel Powered Generator and Engine	Active 02/27/2015	✓
<input type="radio"/>	Internal combustion engine	EQPT-153	RLUOB-GEN 2	Cummins Diesel Powered Generator and Engine - CMRR	Active 12/11/2007	✓
<input type="radio"/>	Internal combustion engine	EQPT-154	RLUOB-GEN 3	Cummins Diesel Powered Generator and Engine - CMRR	Active 12/11/2007	✓
<input type="radio"/>	Internal combustion engine	EQPT-155	TA-55-GEN-2	CI-RICE Stationary Generator - Whisper Watt 40.2 hp	Active 02/27/2015	✓
<input type="radio"/>	Internal combustion engine	EQPT-156	TA-55-GEN-1	CI-RICE Stationary Generator - Whisper Watt 40.2 hp	Active 02/27/2015	✓
<input type="radio"/>	Internal combustion engine	EQPT-160	TA-50-184-GEN-1	Cummins Diesel Generator and Engine, exempt	Active 07/18/2018	✓
<input type="radio"/>	Internal combustion engine	EQPT-161	TA-55-GEN-4	Cummins Diesel Generator and Engine, exempt	Active 07/18/2018	✓
<input type="radio"/>	Internal combustion engine	EQPT-162	TA-55-GEN-5	Cummins Diesel Generator and Engine, exempt	Active 07/18/2018	✓
<input type="radio"/>	Research/Testing	ACT -7	LANL-FW-CHEM	R & D Activities - Labwide (031)	Active 05/31/2001	✓
<input type="radio"/>	Research/Testing	ACT -42	RLUOB-CHEM	Chemical Usage, Bldg. TA-55-400 (lab portion of RLUOB Bldg.)	Active 05/31/2001	✓
<input type="radio"/>	Shredder	EQPT-89	TA-52-11	Data Disintegrator/industrial Shredder	Active 10/22/2003	✓
<input type="radio"/>	Stack/Vent	RPNT-40	SSM from TA-3-22-CHP-1	Routine Start up Shut down Maintenance	Active 07/26/2018	✓
<input type="radio"/>	Turbine	EQPT-112	TA-3-22-CT-1	Combustion Turbine	Active 07/29/2006	✓
<input type="radio"/>	Turbine	EQPT-166	TA-3-22-CHP-1	Combustion Turbine + Heat recovery steam generator (HRSG)	Active 07/29/2006	✓

Submittal Comments

2000 character maximum

File Attachments

Please attach calculations following the requirements in the Emissions Inventory Guidance Document.

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-116

Designation: TA-60-BDM

Description: Asphalt Plant Dryer - Natural Gas

Type: Asphalt Drum/Burner

SCC: Industrial Processes, Mineral Products, Asphalt Concrete, Drum Mix Plant: Rotary Drum Dryer / Mixer, Natural Gas-Fired

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Asphalt (INPUT)	
Materials Consumed:	1.62	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent

Operating Detail

	Value
Operating Time in Hours per Day:	8
Operating Time in Days per Week:	5
Operating Time in Weeks per Year:	26
Operating Time in Hours per Year:	23
Percent of Operation During Winter:	10
Percent of Operation During Spring:	30
Percent of Operation During Summer:	30
Percent of Operation During Fall:	30

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	90.43	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.03	tons/y	EPA emission factors (e.g., AP-42)
Ethylbenzene:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Lead:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.002	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.0	tons/y	Manufacturer Specification
Particulate Matter (2.5 microns or less):	0.0	tons/y	Manufacturer Specification
Sulfur Dioxide:	0.0	tons/y	EPA emission factors (e.g., AP-42)

Volatile Organic Compounds (VOC): 0.001 tons/y EPA emission factors (e.g., AP-42)

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: ACT -2

Designation: TA-35-213

Beryllium Activity-Be Target

Description: Fabrication Facility - Machining
TA-35-213

Type: Beryllium Work

SCC: Industrial Processes, Fabricated
Metal Products, Machining
Operations, Specify Material

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Input Materials Processed:	Metal (INPUT)	
Materials Consumed:	0.0	tons

Operating Detail

	Value
Operating Time in Hours per Day:	5
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	1820
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Beryllium:	0.0	tons/y	Estimate

Subject Item Comments

Print
Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: ACT -3

Designation: TA-3-141

Description: Beryllium Activity-Be Test
Facility - Machining TA-3-141

Type: Beryllium Work

SCC: Industrial Processes, Fabricated
Metal Products, Machining
Operations, Specify Material

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Input Materials Processed:	Metal (INPUT)	
Materials Consumed:	0.0	tons

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Beryllium:	0.0	tons/y	Field measurement

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: ACT -6

Designation: TA-55-PF4 (a)

Description: Beryllium Activity-Plutonium
Facility Beryllium machining,
weld cutting / dressing and
metallography

Type: Beryllium Work

SCC: Industrial Processes, Fabricated
Metal Products, Machining
Operations, Specify Material

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Input Materials Processed:		
Materials Consumed:		

Operating Detail

	Value
Operating Time in Hours per Day:	5
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: ACT -6

Designation: TA-55-PF4 (a)

Description: Beryllium Activity-Plutonium
Facility Beryllium machining,
weld cutting / dressing and
metallography

Type: Beryllium Work

SCC: Industrial Processes, Fabricated
Metal Products, Machining
Operations, Specify Material

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Input Materials Processed:		
Materials Consumed:		

Operating Detail

	Value
Operating Time in Hours per Day:	5
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-11

Designation: TA-53-365-BHW-1

Description: Boiler TA-53-365-BHW-1

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler < 100 Million BTU, except tangential

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	9.544	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	15
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	33
Operating Time in Hours per Year:	3465
Percent of Operation During Winter:	40
Percent of Operation During Spring:	20
Percent of Operation During Summer:	0
Percent of Operation During Fall:	40

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	533.373	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.401	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.009	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.01	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.477	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.036	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.036	tons/y	EPA emission factors (e.g., AP-42)

Sulfur Dioxide:	0.003	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.009	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.026	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-12

Designation: TA-53-365-BHW-2

Description: Boiler TA-53-365-BHW-2

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler < 100 Million BTU, except tangential

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	9.544	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	15
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	33
Operating Time in Hours per Year:	3465
Percent of Operation During Winter:	40
Percent of Operation During Spring:	20
Percent of Operation During Summer:	0
Percent of Operation During Fall:	40

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	533.373	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.401	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.009	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.01	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.477	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.036	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.036	tons/y	EPA emission factors (e.g., AP-42)

Sulfur Dioxide:	0.003	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.009	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.026	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-24

Designation: TA-3-22-1 (gas)

Description: Power Plant Boiler (pph, Natural Gas)

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler, >= 100 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	1.154	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	64.478	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.023	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.033	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.004	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.004	tons/y	EPA emission factors (e.g., AP-42)

Sulfur Dioxide:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Toluene; (Methyl benzene):	0.0	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.003	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-25

Designation: TA-3-22-2 (gas)

Description: Power Plant Boiler (pph, Natural Gas)

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler, >= 100 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	40.979	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	3472.037	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	1.242	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.002	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.056	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.065	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	1.802	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.007	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.236	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.236	tons/y	EPA emission factors (e.g., AP-42)

Sulfur Dioxide:	0.019	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.059	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.171	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-26

Designation: TA-3-22-3 (gas)

Description: Power Plant Boiler (pph, Natural Gas)

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler, >= 100 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	110.921	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	15462.225	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	5.533	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.01	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.249	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.291	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	8.023	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.029	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	1.051	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	1.051	tons/y	EPA emission factors (e.g., AP-42)

Sulfur Dioxide:	0.083	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.261	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.761	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-29

Designation: TA-55-6-BHW-1

Description: Sellers Boiler TA-55-6-BHW-1

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler < 100 Million BTU, except tangential

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	3.079	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	15
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	33
Operating Time in Hours per Year:	3465
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	172.106	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.059	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.003	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.003	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.212	tons/y	Actual stack test
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.022	tons/y	Manufacturer Specification
Particulate Matter (2.5 microns or less):	0.022	tons/y	Manufacturer Specification

Sulfur Dioxide: 0.001 tons/y EPA emission factors (e.g., AP-42)

Total HAP: 0.003 tons/y EPA emission factors (e.g., AP-42)

Volatile Organic Compounds (VOC): 0.009 tons/y Manufacturer Specification

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-30

Designation: TA-55-6-BHW-2

Description: Sellers Boiler TA-55-6-BHW-2

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler < 100 Million BTU, except tangential

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	17.551	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	15
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	33
Operating Time in Hours per Year:	3465
Percent of Operation During Winter:	40
Percent of Operation During Spring:	10
Percent of Operation During Summer:	10
Percent of Operation During Fall:	40

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	980.892	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.335	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.016	tons/y	EPA emission factors (e.g., AP-42)
Lead:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.019	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	1.211	tons/y	Actual stack test
Nitrous Oxide (combustion):	0.002	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.125	tons/y	Manufacturer Specification

Particulate Matter (2.5 microns or less):	0.125	tons/y	Manufacturer Specification
Sulfur Dioxide:	0.005	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.017	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.052	tons/y	Manufacturer Specification

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-53

Designation: TA-16-1484-BS-2

Description: Low NOx Boiler TA-16-1484-BS-2

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	8.518	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	476.059	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.158	tons/y	Design calculation
Hexane:	0.008	tons/y	Design calculation
Lead:	0.0	tons/y	Design calculation
Methane (combustion):	0.009	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.158	tons/y	Design calculation
Nitrous Oxide (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.032	tons/y	Design calculation
Particulate Matter (2.5 microns or less):	0.032	tons/y	Design calculation

Sulfur Dioxide: 0.003 tons/y Design calculation

Total HAP: 0.008 tons/y EPA emission factors (e.g., AP-42)

Volatile Organic Compounds (VOC): 0.023 tons/y Design calculation

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-90

Designation: RLUOB-BHW-1 (gas)

Description: Boiler-CMRR-BHW-1

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	0.885	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	49.461	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.017	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.013	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.002	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.002	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.001	tons/y	EPA emission factors (e.g., AP-42)

Volatile Organic Compounds (VOC): 0.011 tons/y EPA emission factors (e.g., AP-42)

Subject Item Comments

Print

Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-104

Designation: RLUOB-BHW-2 (gas)

Description: Boiler-CMRR-BHW-2

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	0.885	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	49.461	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.017	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.013	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.002	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.002	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.001	tons/y	EPA emission factors (e.g., AP-42)

Volatile Organic Compounds (VOC): 0.011 tons/y EPA emission factors (e.g., AP-42)

Subject Item Comments

Print

Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-105

Designation: RLUOB-BHW-3 (gas)

Description: Boiler-CMRR-BHW-3

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	0.885	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	49.461	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.017	tons/y	EPA emission factors (e.g., AP-42)
Hexane:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.013	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.002	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.002	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.001	tons/y	EPA emission factors (e.g., AP-42)

Volatile Organic Compounds (VOC): 0.011 tons/y EPA emission factors (e.g., AP-42)

Subject Item Comments

Print

Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-106

Designation: RLUOB-BHW-4 (gas)

Description: Boiler-CMRR-BHW-4

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

This unit has not been built.

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-107

Designation: B-5

Description: Boiler-CMRR

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

This unit has not been built.

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-134

Designation: TA-16-1484-BS-1

Description: Low NOx Boiler TA-16-1484-BS-1

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	8.518	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	476.059	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.158	tons/y	Design calculation
Hexane:	0.008	tons/y	Design calculation
Lead:	0.0	tons/y	Design calculation
Methane (combustion):	0.009	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.158	tons/y	Design calculation
Nitrous Oxide (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.032	tons/y	Design calculation
Particulate Matter (2.5 microns or less):	0.032	tons/y	Design calculation

Sulfur Dioxide: 0.003 tons/y Design calculation

Total HAP: 0.008 tons/y EPA emission factors (e.g., AP-42)

Volatile Organic Compounds (VOC): 0.023 tons/y Design calculation

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-137

Designation: TA-3-22-2

Description: Power Plant Boiler (pph, No. 2 fuel oil)

Type: Boiler

SCC: External Combustion, Electric Generation, Distillate Oil, Grade 1 and 2 Oil: Boiler

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

This unit did not operate on fuel oil in 2020.

Print
Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-138

Designation: TA-3-22-3

Description: Power Plant Boiler (pph, No. 2 fuel oil)

Type: Boiler

SCC: External Combustion, Electric Generation, Distillate Oil, Grade 1 and 2 Oil: Boiler

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	8
Operating Time in Days per Week:	2
Operating Time in Weeks per Year:	5
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

This unit did not operate on fuel oil in 2020.

Print
Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-141

Designation: TA-3-22-1

Description: Power Plant Boiler (pph, No. 2 fuel oil)

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler, >= 100 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

This unit did not operate on fuel oil in 2020.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-144

Designation: Boiler combined emissions

TA-16-1484-Bs-1,2; TA -53-365-

Description: BHW-1,2; TA-55-6-BHW-1,2;
RLUOB-BHW-1,2,3,4

Type: Boiler

SCC: External Combustion, Electric
Generation, Natural Gas, Boiler,
>= 100 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Input Materials Processed:	Natural Gas (INPUT)	
Materials Consumed:	0.0	MM SCF
Fuel Heating Value:	0.0	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.0	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	0.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Monoxide:	0	tons/y	null
Nitrogen Dioxide:	0	tons/y	null
Particulate Matter (10 microns or less):	0	tons/y	null
Particulate Matter (2.5 microns or less):	0	tons/y	null
Sulfur Dioxide:	0	tons/y	null
Volatile Organic Compounds (VOC):	0	tons/y	null

Subject Item Comments

This Facility ID represents the total from the two TA-16 boilers, the two TA-53 boilers, the two TA-55 boilers, and the four RLUOB boilers. However, these emissions are already captured in other other facility IDs. In order to avoid counting the emissions twice, NMED asked us to enter zeros for this facility ID.

[Print](#)[Close](#)

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-149

Designation: RLUOB-BHW-1 (oil)

Description: Boiler-CMRR-BHW-1

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

The unit did not operate on fuel oil in 2020.

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-150

Designation: RLUOB-BHW-2 (oil)

Description: Boiler-CMRR-BHW-2

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

The unit did not operate on fuel oil in 2020.

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-151

Designation: RLUOB-BHW-3 (oil)

Description: Boiler-CMRR-BHW-3

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

The unit did not operate on fuel oil in 2020.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-152

Designation: RLUOB-BHW-4 (oil)

Description: Boiler-CMRR-BHW-4

Type: Boiler

SCC: External Combustion,
Commercial/Institutional,
Natural Gas, < 10 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

The unit did not operate on fuel oil in 2020.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-169

Designation: TA-3-22-4&5 (Oil TPY)

Description: Power Plant Boiler (pph, No. 2 fuel oil)

Type: Boiler

SCC: External Combustion, Electric Generation, Distillate Oil, Grade 1 and 2 Oil: Boiler

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

Boilers 4 and 5 have not been built.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-170

Designation: TA-3-22-4&5 (gas TPY)

Description: Power Plant Boiler (pph, Natural Gas)

Type: Boiler

SCC: External Combustion, Electric Generation, Natural Gas, Boiler, >= 100 Million BTU/hr

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Input Materials Processed:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Boilers 4 and 5 have not been built.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-34

Designation: Facilitywide Open Burning

Description: Fugitives - Open Burning

Type: Fugitives

SCC: Industrial Processes, Oil and Gas
Production, Fugitive Emissions,
Fugitive Emissions

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------------	-----------------------

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-35

Designation: TA-60-EVAP-1

Description: Evaporative Sprayer for basin water

Type: Fugitives

SCC: Industrial Processes, Oil and Gas Production, Fugitive Emissions, Fugitive Emissions

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Particulate Matter (10 microns or less):	0.0	tons/y	Design calculation
Particulate Matter (2.5 microns or less):	0.0	tons/y	Design calculation
Total HAP:	0.0	tons/y	Design calculation

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-36

Designation: TA-60-EVAP-2

Description: Evaporative Sprayer for basin water

Type: Fugitives

SCC: Industrial Processes, Oil and Gas Production, Fugitive Emissions, Fugitive Emissions

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Particulate Matter (10 microns or less):	0.0	tons/y	Design calculation
Particulate Matter (2.5 microns or less):	0.0	tons/y	Design calculation
Total HAP:	0.0	tons/y	Design calculation

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-37

Designation: TA-60-EVAP-3

Description: Evaporative Sprayer for basin water

Type: Fugitives

SCC: Industrial Processes, Oil and Gas Production, Fugitive Emissions, Fugitive Emissions

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-38

Designation: TA-60-EVAP-4

Description: Evaporative Sprayer for basin water

Type: Fugitives

SCC: Industrial Processes, Oil and Gas Production, Fugitive Emissions, Fugitive Emissions

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Particulate Matter (10 microns or less):	0.0	tons/y	Design calculation
Particulate Matter (2.5 microns or less):	0.0	tons/y	Design calculation
Total HAP:	0.0	tons/y	Design calculation

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-39

Designation: TA-60-EVAP-5

Description: Evaporative Sprayer for basin water

Type: Fugitives

SCC: Industrial Processes, Oil and Gas Production, Fugitive Emissions, Fugitive Emissions

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Particulate Matter (10 microns or less):	0.0	tons/y	Design calculation
Particulate Matter (2.5 microns or less):	0.0	tons/y	Design calculation
Total HAP:	0.0	tons/y	Design calculation

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-41

Designation: TA-60-EVAP-6

Description: Evaporative Sprayer for basin water

Type: Fugitives

SCC: Industrial Processes, Oil and Gas Production, Fugitive Emissions, Fugitive Emissions

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-96

Designation: Standby-Generators

Description: Diesel Generators

Type: Internal combustion engine

SCC: Internal Combustion Engines,
Industrial, Natural Gas,
Reciprocating

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	28000.0	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	612
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	288.886	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	1.478	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.012	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	6.645	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.002	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.256	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.178	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.002	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.256	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-119

Designation: TA-33-G-2

Description: Kohler Diesel Generator TA-33, TA-36, TA-39

Type: Internal combustion engine

SCC: Internal Combustion Engines, Electric Generation, Distillate Oil (Diesel), Reciprocating

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	2
Operating Time in Days per Week:	1
Operating Time in Weeks per Year:	2
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	50
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	50

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-120

Designation: TA-33-G-3

Description: Kohler Diesel Generator TA-33,
TA-36, TA-39

Type: Internal combustion engine

SCC: Internal Combustion Engines,
Industrial, Natural Gas,
Reciprocating

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	0
Percent of Operation During Fall:	0

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-128

Designation: RLUOB-GEN 1

Description: Cummins Diesel Powered
Generator and Engine - CMRR

Type: Internal combustion engine

SCC: Internal Combustion Engines,
Industrial, Distillate Oil (Diesel),
Reciprocating: Cogeneration

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-135

Designation: TA-33-G-4

Description: Caterpillar Diesel Generator
TA-33, TA-36, TA-39

Type: Internal combustion engine

SCC: Internal Combustion Engines,
Industrial, Natural Gas, 4-cycle
Rich Burn

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	2859.8	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	181
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	29.188	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.64	tons/y	Design calculation
Methane (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	1.061	tons/y	Design calculation
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.073	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.073	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.084	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-143

Designation: TA-55-GEN-3

Description: CI-RICE Stationary Generator - Caterpillar 1335 hp

Type: Internal combustion engine

SCC: Internal Combustion Engines, Industrial, Natural Gas, Reciprocating

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	303.4	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	8
Operating Time in Days per Week:	5
Operating Time in Weeks per Year:	20
Operating Time in Hours per Year:	19
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	3.096	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.09	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.41	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.013	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.007	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.013	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-146

Designation: TA-33-G-1P

Description: Cummins Portable Diesel Generator

Type: Internal combustion engine

SCC: Internal Combustion Engines, Electric Generation, Distillate Oil (Diesel), Reciprocating

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	5762.7	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	2
Operating Time in Days per Week:	2
Operating Time in Weeks per Year:	26
Operating Time in Hours per Year:	303
Percent of Operation During Winter:	0
Percent of Operation During Spring:	0
Percent of Operation During Summer:	50
Percent of Operation During Fall:	50

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	58.817	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.339	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.002	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	3.391	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.104	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.104	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.09	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.249	tons/y	EPA emission factors (e.g., AP-42)

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-147

Designation: TA-48-GEN-1

Description: Cummins Diesel Powered Generator and Engine

Type: Internal combustion engine

SCC: Internal Combustion Engines, Industrial, Natural Gas, Reciprocating

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-153

Designation: RLUOB-GEN 2

Description: Cummins Diesel Powered Generator and Engine - CMRR

Type: Internal combustion engine

SCC: Internal Combustion Engines, Industrial, Distillate Oil (Diesel), Reciprocating: Cogeneration

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	4123.28	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	40
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	42.084	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.828	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.002	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.668	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.033	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.017	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.095	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-154

Designation: RLUOB-GEN 3

Description: Cummins Diesel Powered Generator and Engine - CMRR

Type: Internal combustion engine

SCC: Internal Combustion Engines, Industrial, Distillate Oil (Diesel), Reciprocating: Cogeneration

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	3304.84	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	32
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	33.731	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.664	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.001	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.536	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.026	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.014	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.076	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-155

Designation: TA-55-GEN-2

Description: CI-RICE Stationary Generator -
Whisper Watt 40.2 hp

Type: Internal combustion engine

SCC: Internal Combustion Engines,
Industrial, Natural Gas,
Reciprocating

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	11.22	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	2
Operating Time in Days per Week:	5
Operating Time in Weeks per Year:	12
Operating Time in Hours per Year:	7
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	0.115	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.001	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.006	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.0	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.0	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-156

Designation: TA-55-GEN-1

Description: CI-RICE Stationary Generator -
Whisper Watt 40.2 hp

Type: Internal combustion engine

SCC: Internal Combustion Engines,
Industrial, Natural Gas,
Reciprocating

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	0
Operating Time in Days per Week:	0
Operating Time in Weeks per Year:	0
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	0
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-160

Designation: TA-50-184-GEN-1

Description: Cummins Diesel Generator and Engine, exempt

Type: Internal combustion engine

SCC: Internal Combustion Engines, Industrial, Distillate Oil (Diesel), Reciprocating

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Diesel	
Materials Consumed:	127.65	gal
Fuel Heating Value:	138.0	MM BTU/M gal
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.01	percent
Percent Carbon Content:	83.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	8
Operating Time in Days per Week:	5
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	12
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Carbon Dioxide (combustion):	1.303	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	0.023	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Nitrogen Dioxide:	0.104	tons/y	EPA emission factors (e.g., AP-42)
Nitrous Oxide (combustion):	0.0	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.003	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.002	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.003	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-161

Designation: TA-55-GEN-4

Description: Cummins Diesel Generator and Engine, exempt

Type: Internal combustion engine

SCC: Internal Combustion Engines, Industrial, Distillate Oil (Diesel), Reciprocating

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Unit has not been installed.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-162

Designation: TA-55-GEN-5

Description: Cummins Diesel Generator and Engine, exempt

Type: Internal combustion engine

SCC: Internal Combustion Engines, Industrial, Distillate Oil (Diesel), Reciprocating

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	------------------------	---------------------------

Subject Item Comments

Unit has not been installed.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: ACT -7

Designation: LANL-FW-CHEM

Description: R & D Activities - Labwide (031)

Type: Research/Testing

SCC: Industrial Processes, Photo Equip/Health Care/Labs/Air Condit/SwimPools, Laboratories, Bench Scale Reagents: Research

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

Fuel Type: Diesel

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Acetaldehyde; (Ethyl aldehyde):	0.0	tons/y	Material balance
Acetonitrile; (Methyl cyanide):	0.243	tons/y	Material balance
Acetophenone:	0.0	tons/y	Material balance
Acrylamide:	0.0	tons/y	Material balance
Acrylic acid:	0.006	tons/y	Material balance
Acrylonitrile:	0.0	tons/y	Material balance
Ammonia:	0.0	tons/y	Material balance
Aniline:	0.001	tons/y	Material balance
Antimony:	0.0	tons/y	Material balance
Antimony compounds:	0.001	tons/y	Material balance
Arsenic Compounds:	0.0	tons/y	Material balance
Benzene:	0.013	tons/y	Material balance
Benzyl Chloride:	0.0	tons/y	Material balance
Beryllium Compounds:	0.0	tons/y	Material balance
Biphenyl:	0.0	tons/y	Material balance
Bromoform; (Tribromomethane):	0.0	tons/y	Material balance

Butadiene(1,3-):	0.0	tons/y	Material balance
Cadmium:	0.0	tons/y	Material balance
Cadmium compounds:	0.003	tons/y	Material balance
Carbon Disulfide:	0.0	tons/y	Material balance
Carbon tetrachloride; (Tetrachloromethane):	0.005	tons/y	Material balance
Carbonyl sulfide:	0.0	tons/y	Material balance
Catechol (Pyrocatechol):	0.0	tons/y	Material balance
Chlorine:	0.0	tons/y	Material balance
Chloroacetic Acid:	0.0	tons/y	Material balance
Chlorobenzene(Phenyl Chloride):	0.003	tons/y	Material balance
Chloroform; (Trichloromethane):	0.176	tons/y	Material balance
Chromium:	0.0	tons/y	Material balance
Chromium VI compounds:	0.008	tons/y	Material balance
Cobalt Compounds:	0.002	tons/y	Material balance
Cresol(m-); (Methylphenol, 3-):	0.0	tons/y	Material balance
Cumene:	0.0	tons/y	Material balance
Cyanide compounds:	0.086	tons/y	Material balance
Dibutylphthalate; (Di-n-butyl phthalate):	0.003	tons/y	Material balance
Dichloroethane (1,2-); (EDC); (Ethylene dichloride):	0.003	tons/y	Material balance
Dichlorofluoromethane:	0.0	tons/y	Material balance
Diethanolamine:	0.001	tons/y	Material balance
Diethyl Aniline(n,n-):	0.001	tons/y	Material balance
Dimethyl Sulfate:	0.0	tons/y	Material balance
Dimethyl formamide:	0.207	tons/y	Material balance
Dimethylhydrazine(1,1-):	0.001	tons/y	Material balance
Dioxane(1,4-) (1,4-Diethyleneoxide):	0.01	tons/y	Material balance
Epichlorohydrin; (1-Chloro-2,3-epoxypropane):	0.001	tons/y	Material balance
Epoxybutane(1,2-) (1,2-Butylene oxide):	0.0	tons/y	Material balance
Ethyl Acrylate:	0.0	tons/y	Material balance
Ethyl chloride; (Chloroethane):	0.0	tons/y	Material balance
Ethylbenzene:	0.0	tons/y	Material balance
Ethylene Glycol:	0.917	tons/y	Material balance
Ethylene dibromide; (EDB); (1,2-Dibromoethane):	0.0	tons/y	Material balance
Formaldehyde:	0.001	tons/y	Material balance
Glycol Ethers:	0.023	tons/y	Material balance
Hexachlorocyclopentadiene:	0.0	tons/y	Material balance
Hexamethylphosphoramide:	0.0	tons/y	Material balance
Hexane:	0.202	tons/y	Material balance
Hydrazine:	0.0	tons/y	Material balance
Hydrochloric acid (HCl):	0.597	tons/y	Material balance
Hydrofluoric Acid; (Hydrogen fluoride):	0.068	tons/y	Material balance
Hydroquinone:	0.04	tons/y	Material balance
Iodomethane (Methyl iodide):	0.001	tons/y	Material balance
Isophorone:	0.0	tons/y	Material balance
Lead Compounds:	0.004	tons/y	Material balance
Maleic anhydride:	0.0	tons/y	Material balance
Manganese:	0.0	tons/y	Material balance
Manganese compounds:	0.004	tons/y	Material balance
Mercury compounds:	0.001	tons/y	Material balance

Methanol; (Methyl alcohol):	0.429	tons/y	Material balance
Methyl Ethyl Ketone; (MEK); (2-Butanone):	0.0	tons/y	Material balance
Methyl Methacrylate:	0.002	tons/y	Material balance
Methyl bromide; (Bromomethane):	0.0	tons/y	Material balance
Methyl chloride; (Chloromethane):	0.0	tons/y	Material balance
Methyl isobutyl ketone; (Hexone); (4-Methyl-2-pentanone):	0.0	tons/y	Material balance
Methyl tert butyl ether:	0.007	tons/y	Material balance
Methylene chloride; (Dichloromethane):	0.608	tons/y	Material balance
Methylenebiphenyl isocyanate; (MDI); (Diphenylmethane diisocyanate):	0.18	tons/y	Material balance
Mineral Fibers:	0.02	tons/y	Material balance
Naphthalene:	0.0	tons/y	Material balance
Nickel:	0.0	tons/y	Material balance
Nickel compounds:	0.012	tons/y	Material balance
Nitrobenzene; (nitro-Benzene):	0.001	tons/y	Material balance
Nitrophenol(4-); (p-Nitrophenol):	0.0	tons/y	Material balance
PCE; (Perchloroethylene); (Tetrachloroethylene); (Tetrachloroethene):	0.002	tons/y	Material balance
Phenol:	0.0	tons/y	Material balance
Phenylenediamine(p-); (Phenylenediamine):	0.0	tons/y	Material balance
Phosphine:	0.0	tons/y	Material balance
Phosphorus:	0.0	tons/y	Material balance
Phthalic anhydride:	0.0	tons/y	Material balance
Polycyclic Organic Matter:	0.027	tons/y	Material balance
Propylene Dichloride (1,2-Dichloropropane):	0.0	tons/y	Material balance
Propylene oxide:	0.0	tons/y	Material balance
Selenium:	0.0	tons/y	Material balance
Selenium compounds:	0.001	tons/y	Material balance
Styrene:	0.0	tons/y	Material balance
TCE; (Trichloroethylene); (Trichloroethene):	0.013	tons/y	Material balance
Tetrachloroethane(1,1,2,2-):	0.0	tons/y	Material balance
Titanium tetrachloride:	0.0	tons/y	Material balance
Toluene diisocyanate(2,4-):	0.0	tons/y	Material balance
Toluene; (Methyl benzene):	0.365	tons/y	Material balance
Total HAP:	4.421	tons/y	Material balance
Trichloroethane(1,1,1-) (Methyl Chloroform):	0.0	tons/y	Material balance
Trichloroethane(1,1,2-):	0.0	tons/y	Material balance
Triethylamine:	0.006	tons/y	Material balance
Trimethylpentane(2,2,4-):	0.0	tons/y	Material balance
Urethane; (Ethyl carbamate):	0.0	tons/y	Material balance
Vinyl acetate; (Vinyl acetate monomer):	0.0	tons/y	Material balance
Volatile Organic Compounds (VOC):	6.1	tons/y	Material balance
Xylene(m-); (1,3-Dimethylbenzene); (meta-Xylene):	0.0	tons/y	Material balance
Xylene(o-); (1,2-Dimethylbenzene); (ortho-Xylene):	0.001	tons/y	Material balance
Xylene(p-); (1,4-Dimethylbenzene); (para-Xylene):	0.095	tons/y	Material balance
Xylenes (total); (Xylol):	0.021	tons/y	Material balance
bis(2-ethylhexyl) phthalate; (Di-2-ethylhexyl phthalate); (DEHP):	0.0	tons/y	Material balance

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: ACT -42

Designation: RLUOB-CHEM

Chemical Usage, Bldg.

Description: TA-55-400 (lab portion of RLUOB Bldg.)

Type: Research/Testing

SCC: Industrial Processes, Photo Equip/Health Care/Labs/Air Condit/SwimPools, Laboratories, Bench Scale Reagents: Research

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

Fuel Type: Diesel

Operating Detail

	Value
Operating Time in Hours per Day:	24
Operating Time in Days per Week:	7
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	8760
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Total HAP:	0.022	tons/y	Material balance
Volatile Organic Compounds (VOC):	0.19	tons/y	Material balance

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-89

Designation: TA-52-11

Description: Data Disintegrator/industrial Shredder

Type: Shredder

SCC: Industrial Processes, Pulp and Paper and Wood Products, Miscellaneous Paper Products, Other Not Classified

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

Input Materials Processed: Paper (INPUT)

Operating Detail

	Value
Operating Time in Hours per Day:	7
Operating Time in Days per Week:	5
Operating Time in Weeks per Year:	52
Operating Time in Hours per Year:	1820
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Particulate Matter (10 microns or less):	0.247	tons/y	Manufacturer Specification
Particulate Matter (2.5 microns or less):	0.165	tons/y	Manufacturer Specification

Subject Item Comments

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: RPNT-40

Designation: SSM from TA-3-22-CHP-1

Description: Routine Start up Shut down
Maintenance

Type: Stack/Vent

SCC: Industrial Processes, Oil and Gas
Production, Fugitive Emissions,
Fugitive Emissions

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
------------------	---------------	--------------------------------	-------------------------------

Subject Item Comments

Unit has not been installed.

Print Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-112

Designation: TA-3-22-CT-1

Description: Combustion Turbine

Type: Turbine

SCC: Internal Combustion Engines,
Electric Generation, Natural Gas,
Turbine

General Information

Was this equipment active at any time during the year? Yes

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:	Natural Gas	
Materials Consumed:	0.0	MM SCF
Fuel Heating Value:	1053.3	MM BTU/MM SCF
Percent Sulfur of Fuel:	0.001	percent
Percent Ash of Fuel:	0.0	percent
Percent Carbon Content:	65.0	percent

Operating Detail

	Value
Operating Time in Hours per Day:	7
Operating Time in Days per Week:	4
Operating Time in Weeks per Year:	12
Operating Time in Hours per Year:	900
Percent of Operation During Winter:	25
Percent of Operation During Spring:	25
Percent of Operation During Summer:	25
Percent of Operation During Fall:	25

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
Acetaldehyde; (Ethyl aldehyde):	0.005	tons/y	EPA emission factors (e.g., AP-42)
Carbon Dioxide (combustion):	12264.766	metric tons/y	40 CFR 98 Subpart C
Carbon Monoxide:	1.152	tons/y	EPA emission factors (e.g., AP-42)
Copper:	0.008	tons/y	EPA emission factors (e.g., AP-42)
Ethylbenzene:	0.004	tons/y	EPA emission factors (e.g., AP-42)
Formaldehyde:	0.08	tons/y	EPA emission factors (e.g., AP-42)
Lead:	0.0	tons/y	EPA emission factors (e.g., AP-42)
Manganese:	0.009	tons/y	EPA emission factors (e.g., AP-42)
Methane (combustion):	0.231	metric tons/y	40 CFR 98 Subpart C
Nickel:	0.013	tons/y	EPA emission factors (e.g., AP-42)
Nitrogen Dioxide:	5.541	tons/y	EPA emission factors (e.g., AP-42)

Nitrous Oxide (combustion):	0.023	metric tons/y	40 CFR 98 Subpart C
Particulate Matter (10 microns or less):	0.746	tons/y	EPA emission factors (e.g., AP-42)
Particulate Matter (2.5 microns or less):	0.746	tons/y	EPA emission factors (e.g., AP-42)
Propylene oxide:	0.003	tons/y	EPA emission factors (e.g., AP-42)
Sulfur Dioxide:	0.384	tons/y	EPA emission factors (e.g., AP-42)
Toluene; (Methyl benzene):	0.015	tons/y	EPA emission factors (e.g., AP-42)
Total HAP:	0.151	tons/y	EPA emission factors (e.g., AP-42)
Volatile Organic Compounds (VOC):	0.241	tons/y	EPA emission factors (e.g., AP-42)
Xylenes (total); (Xylol):	0.007	tons/y	EPA emission factors (e.g., AP-42)

Subject Item Comments

Print
Close

Facility Annual Emissions - Subject Item Submittal Review

Tuesday, February 23, 2021

Agency ID: 856

Facility Name: Los Alamos National Security, LLC

Organization Name: U.S. Department of Energy National Nuclear Security Administration

Submittal Status: 2020 Submittal (In Process)

Subject Item ID: EQPT-166

Designation: TA-3-22-CHP-1

Description: Combustion Turbine + Heat recovery steam generator (HRSG)

Type: Turbine

SCC: Internal Combustion Engines, Electric Generation, Natural Gas, Turbine

General Information

Was this equipment active at any time during the year? No

Supplemental Parameters

	Amount	Unit of Measure
Fuel Type:		
Materials Consumed:		
Fuel Heating Value:		
Percent Sulfur of Fuel:		percent
Percent Ash of Fuel:		percent
Percent Carbon Content:		percent

Operating Detail

	Value
Operating Time in Hours per Day:	
Operating Time in Days per Week:	
Operating Time in Weeks per Year:	
Operating Time in Hours per Year:	0
Percent of Operation During Winter:	
Percent of Operation During Spring:	
Percent of Operation During Summer:	
Percent of Operation During Fall:	

Actual Pollutants

Pollutant	Amount	Unit of Measure	Calculation Method
-----------	--------	-----------------	--------------------

Subject Item Comments

Unit has not been installed.

Print Close

ATTACHMENT C:

2020 Semi-annual Emissions Reports

Submitted Under Title V Operating Permit Requirements



***Environment, Safety, Health, Quality, Safeguards,
and Security***

PO Box 1663, K491
Los Alamos, New Mexico 87545
(505) 667-4218

***National Nuclear Security Administration
Los Alamos Field Office***

3747 West Jemez Road, A316
Los Alamos, New Mexico, 87544
(505) 665-7314/Fax (505) 667-5948

Symbol: ESHQSS: 20-049
LA-UR: 20-26255
Locates Action No.: N/A
Date: **SEP 08 2020**

Compliance Reports Unit
Compliance Reporting Manager
New Mexico Environment Department, Air Quality Bureau
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505-1816

**Subject: Semi-Annual Emissions Report for Los Alamos National Laboratory, AI No. 856,
Title V Operating Permit P100-R2M4 for January 1 – June 30, 2020**


To Whom It May Concern:

Enclosed is Los Alamos National Laboratory's (LANL) Semi-Annual Emissions Report for the first half of 2020 for Operating Permit P100-R2M4, effective July 18, 2019. This Semi-Annual Emissions Report covers the January 1 – June 30, 2020 reporting period.

This submission is required by permit condition A109.B. of the Title V Operating Permit P100-R2M4, and is submitted within 90 days following June 30, 2020, the end of the six month reporting period. The Semi-Annual Emissions report includes actual emissions from permitted sources included in LANL's Operating Permit. In this report, the actual emissions are listed along with the emission limits for ease in comparing and verifying compliance. No annual emission limits were exceeded during this reporting period.

If you have questions or comments regarding this submittal or would like to discuss this submittal in greater detail, please contact Aaron M. Dailey at (505) 667-7276 or Adrienne Nash, NA-LA at (505) 665-5026.

Sincerely,



Jennifer E. Payne
Division Leader
Environmental Protection and
Compliance Division
Triad National Security, LLC

Sincerely,



Michael J. Weis
Manager, Los Alamos Field Office
National Nuclear Security Administration
U.S. Department of Energy
Los Alamos Field Office

JEP/MJW/AMD/WWW:jdm

Attachment(s): Attachment 1 Semi-Annual Emissions Report for Los Alamos National Laboratory,
AI No. 856, Title V Operating Permit P100-R2M4 for January 1 – June 30, 2020

Copy: Adrienne L. Nash, NA-LA, adrienne.nash@nnsa.doe.gov
Silas DeRoma, NA-LA, silas.deroma@nnsa.doe.gov
Kirk Lachman, EM-LA, kirk.lachman@em.doe.gov
P. Benjamin Underwood, EM-LA, ben.underwood@em.doe.gov
David Nickless, EM-LA, david.nickless@nnsa.doe.gov
Hai Shen, EM-LA, hai.shen@em.doe.gov
Kelly J. Beierschmitt, Triad, DDOPS, beierschmitt@lanl.gov
Michael W. Hazen, Triad, ALDESHQSS, mhazen@lanl.gov
William R. Mairson, Triad, ALDESHQSS, wrmairson@lanl.gov
Enrique Torres, Triad, EWP, etorres@lanl.gov
Timothy A. Dolan, Triad, GC-ESH, tdolan@lanl.gov
Jennifer E. Payne, Triad, EPC-DO, jpayne@lanl.gov
Taunia S. Van Valkenburg, Triad, EPC-CP, tauniav@lanl.gov
Aaron M. Dailey, Triad, EPC-CP, adailey@lanl.gov
Walter W. Whetham, Triad, EPC-CP, vcarretti@lanl.gov
Taylor A. Valdez, Triad, PCM-DO, tvaldez@lanl.gov
Jeffrey A. Holland, N3B, jeff.holland@em.la.doe.gov
Christian T. Maupin, N3B, christian.maupin@em.la.doe.gov
Joseph C. Murdock, N3B, joseph.murdock@em.la.doe.gov
Dana C. Lindsay, N3B, dana.lindsay@em.la.doe.gov
Peter G. Stilwell, N3B, peter.stilwell@em.la.doe.gov
Triad, EPC-CP Title V Permit File
Triad, EPC-CP Correspondence File
lasomailbox@nnsa.doe.gov
aldeshqsscorrespondence@lanl.gov
epccorrespondence@lanl.gov
adesh-records@lanl.gov
interface@lanl.gov



Version 07.20.18

New Mexico Environment Department
Air Quality Bureau
Compliance and Enforcement Section
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505
Phone (505) 476-4300



NMED USE ONLY
TEMPO

REPORTING SUBMITTAL FORM

NMED USE ONLY
Staff
Admin

PLEASE NOTE: ® - Indicates required field

SECTION I - GENERAL COMPANY AND FACILITY INFORMATION
A. Company Name: Department of Energy, National Nuclear Security Administration
D. Facility Name: Los Alamos National Laboratory
B.1 Company Address: 3747 West Jemez Road
E.1 Facility Address: P.O. Box 1663, MS J978
B.2 City: Los Alamos
B.3 State: NM
B.4 Zip: 87544
E.2 City: Los Alamos
E.3 State: NM
E.4 Zip: 87545
C.1 Company Environmental Contact: Adrienne L. Nash
C.2 Title: Program Manager
F.1 Facility Contact: Aaron M. Dailey
F.2 Title: Meteorology & Air Quality Team Leader
C.3 Phone Number: (505) 665-5026
C.4 Fax Number: (505) 667-9998
F.3 Phone Number: (505) 667-7276
F.4 Fax Number: NA
C.5 Email Address: adrienne.nash@nnsa.doe.gov
F.5 Email Address: adailey@lanl.gov
G. Responsible Official: Michael J. Weis
H. Title: Manager
I. Phone Number: (505) 667-5105
J. Fax Number: NA
K. AI Number: 856
L. Title V Permit Number: P100-R2M4
M. Title V Permit Issue Date: July 18, 2019
N. NSR Permit Number: 2195
O. NSR Permit Issue Date: Various
P. Reporting Period: From: January 1, 2020 To: June 30, 2020

Do NOT submit NSPS OOOO or OOOOa well completion or flowback notifications to the Air Quality Bureau. See https://www.env.nm.gov/air-quality/notices-and-faqs-for-compliance-and-enforcement/ for explanation.

SECTION II - TYPE OF SUBMITTAL (check one that applies)
A. Title V Annual Compliance Certification
B. Title V Semi-Annual Monitoring Report
C. NSPS Requirement (40CFR60)
D. MACT Requirement (40CFR63)
E. NMAC Requirement (20.2.xx) or NESHAP Requirement (40CFR61)
F. Permit or Notice of Intent (NOI) Requirement
G. Requirement of an Enforcement Action

SECTION III - CERTIFICATION
After reasonable inquiry, I Michael J. Weis certify that the information in this submittal is true, accurate and complete.
Signature of Certifier: [Signature] Title: Manager Date: 9/8/2020 Responsible Official for Title V? [X] Yes [] No

Reviewed By: _____

Date Reviewed: _____

Title V Report Certification Form

I. Report Type

- Annual Compliance Certification
- Semi-Annual Monitoring Report
- Other Specify: Semi-Annual Emissions Report

II. Identifying Information

Facility Name: Los Alamos National Laboratory

Facility Address: P.O. Box 1663, MS J978

State: NM

Zip: 87545

Responsible Official (RO): Michael J. Weis

Phone: (505) 667-5105

Fax: NA

RO Title: Manager

RO e-mail: michael.weis@nnsa.doe.gov

Permit No.: P100-R2M4

Date Permit Issued: 7/18/2019

Report Due Date (as required by the permit): 9/28/2020

Permit AI number: 856

Time period covered by this Report: From: 1/1/2020

To: 6/30/2020

III. Certification of Truth, Accuracy, and Completeness

I am the Responsible Official indicated above. I, (Michael J. Weis) certify that I meet the requirements of 20.2.70.7.AE NMAC. I certify that, based on information and belief formed after reasonable inquiry, the statements and information contained in the attached Title V report are true, accurate, and complete.

Signature



Date:

9/10/2020

Attachment 1

**Semi-Annual Emissions Report
Los Alamos National Laboratory, AI No. 856
Title V Operating Permit P100-R2M4
January 1 – June 30, 2020**

ESHQSS-20-049

LA-UR-20-26255

Date: SEP 08 2020

**Semi-Annual Emissions Report for Los Alamos National Laboratory
AI 856, Title V Operating Permit P100-R2M4
January 1, 2020 - June 30, 2020**

Emission Reporting Requirements

A109 Facility: Reporting Schedules

- A. A Semi-Annual Report of monitoring activities is due within 45 days following the end of every 6-month reporting period. The six month reporting periods start on January 1st and July 1st of each year.

- B. A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Specific Emissions Reports:

A600 Asphalt Production

A602 Emission Limits - Asphalt Production

Unit No.	Nox tpy	SO ₂ tpy	PM tpy	CO tpy	VOC tpy
TA-60-BDM	50.0	50.0	50.0	30.0	50.0

Reporting Requirement

A607 F The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Asphalt Plant TA-60-BDM	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A602 A) (tons per year)
NOx	0.0004			50.0
SO ₂	0.0002			50.0
PM	0.0003			50.0
CO	0.0154			30.0
VOC	0.0003			50.0
HAPs	0.0003			No Source Permit Limit

A700 Beryllium Activities

A702 Emission Limits - Beryllium Activities

Source	Beryllium Particulate Matter	Aluminum Particulate Matter
Sigma Facility TA-3-66	10 gm/24 hr	N/A
Beryllium Technology Facility TA-3-141	3.5 gm/yr	N/A
Target Fabrication Facility TA-35-213	0.36 gm/yr	N/A
Plutonium Facility TA-55-PF-4 Machining Operation	2.99 gm/yr	2.99 gm/yr
Plutonium Facility TA-55-PF-4 Foundry Operation	8.73X10 ⁻⁰⁴ gm/yr	8.73X10 ⁻⁰⁴ gm/yr

Reporting Requirement

A707 D The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments: To meet condition of 5.f in NSR permit #634-M2, LANL submitted the following quarterly beryllium emissions reports for the Beryllium Technology Facility: first quarter report, May 6, 2020 (000856-05062020-01) and second quarter report, August 4, 2020 (000856-08042020-01).

A700 Beryllium Activities - continued

Comments:

Source	Pollutant	January - June Emissions	July - December Emissions	Annual Emissions	Permit Limits (Condition A702 A)
Sigma Facility TA-3-66 ⁽¹⁾	Beryllium (grams)	0.00E+00			10 gm/24 hr
Beryllium Technology Facility TA-3-141 ⁽²⁾	Beryllium (grams)	0.0025			3.5 gm/yr
Target Fabrication Facility TA-35-213 ⁽³⁾	Beryllium (grams)	< 0.00944			0.35 gm/yr
Plutonium Facility TA-55-PF4 Machining Operation ⁽⁴⁾	Beryllium (grams)	< 1.495			2.99 gm/yr
	Aluminum (grams)	< 1.495			2.28 gm/yr
Plutonium Facility TA-55-PF4 Foundry Operation ⁽⁵⁾	Beryllium (grams)	0			8.73 x 10 ⁻⁴ gm/yr
	Aluminum (grams)	0			8.73 x 10 ⁻⁴ gm/yr
Beryllium Total⁽⁵⁾ (tons) =		< 1.66E-06			
Aluminum Total (tons) =		< 1.65E-06			

Notes: (1) Emissions from the Sigma Facility are from electroplating, chemical milling, and metallographic operations. (2) Emission values shown for the Beryllium Technology Facility are from actual stack emission measurements which are submitted to NMED quarterly. (3) Emissions for the Target Fabrication Facility are from initial compliance testing of that source and calculated based on a conservative assumption of 8 hour work days. Log books were checked to verify that work days were much less than 8 hours. (4) Emissions for the Plutonium Facility are calculated based on permitted throughputs. Log books were checked to verify that throughputs were much less than permitted values. (5) The Plutonium Facility foundry operations did not operate during the first 6 months of 2020.

A800 External Combustion

A802 Emission Limits - External Combustion

Unit No.	NOx tpy	CO tpy	VOC tpy	SO ₂ tpy	TSP tpy	PM ₁₀ tpy
All Boilers	80.0	80.0	50.0	50.0	50.0	50.0

Unit No.	NOx tpy	CO tpy	SO ₂ tpy	TSP tpy	PM ₁₀ tpy	PM _{2.5} tpy
RLUOB-BHW-1 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB-BHW-2 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB-BHW-3 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB-BHW-4 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB Boilers (oil)	2.9	0.9	10.4	0.5	0.3	0.3
RLUOB Boilers Total	14.5	20.1	11.6	2.1	1.9	1.9

Reporting Requirement

A807 B The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Boilers	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 A) (tons per year)
NOx	11.17			80
SO ₂	0.07			50
TSP	0.89			50
PM-10	0.89			50
CO	8.98			80
VOCs	0.64			50
HAPs	0.21			No Source Limit

Note: The emissions shown in this table includes all exempt, non-exempt, metered, and non-metered boilers at LANL except for the TA-3-22 Power Plant boilers. The Power Plant boilers can be found under Section A1300 of this report.

Continued on the next page

A800 External Combustion - continued

RLUOB-BHW-1 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0067			2.9
SO ₂	0.0001			0.3
TSP	0.0011			0.4
PM-10	0.0011			0.4
PM-2.5	0.0011			0.4
CO	0.0085			4.8
VOCs	0.0058			No Source Limit
HAPs	4.23E-04			No Source Limit

RLUOB-BHW-2 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0067			2.9
SO ₂	0.0001			0.3
TSP	0.0011			0.4
PM-10	0.0011			0.4
PM-2.5	0.0011			0.4
CO	0.0085			4.8
VOCs	0.0058			No Source Limit
HAPs	4.23E-04			No Source Limit

RLUOB-BHW-3 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0067			2.9
SO ₂	0.0001			0.3
TSP	0.0011			0.4
PM-10	0.0011			0.4
PM-2.5	0.0011			0.4
CO	0.0085			4.8
VOCs	0.0058			No Source Limit
HAPs	4.23E-04			No Source Limit

RLUOB-BHW-4 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0			2.9
SO ₂	0			0.3
TSP	0			0.4
PM-10	0			0.4
PM-2.5	0			0.4
CO	0			4.8
VOCs	0			No Source Limit
HAPs	0			No Source Limit

Note: The RLUOB-BHW-4 boiler has not been installed.

Continued on the next page.

A800 External Combustion - continued

RLUOB Boilers Totals (Oil)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0			2.9
SO ₂	0			10.4
TSP	0			0.5
PM-10	0			0.3
PM-2.5	0			0.3
CO	0			0.9
VOCs	0			No Source Limit
HAPs	0			No Source Limit

Note: The RLUOB boilers did not operate on fuel oil during the first 6 months of 2020.

RLUOB Boilers Totals (Gas and Oil)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0201			14.5
SO ₂	0.0004			11.8
TSP	0.0033			2.1
PM-10	0.0033			1.9
PM-2.5	0.0033			1.9
CO	0.0256			20.1
VOCs	0.0173			No Source Limit
HAPs	1.27E-03			No Source Limit

A900 Chemical Usage

A902 Emission Limits - Chemical Usage

Unit No.	VOC/HAPs tpy
LANL-FW-CHEM	-- ¹
CMRR-CHEM	3.75 ¹

¹ The VOC emissions from this source category are included in the facility-wide allowable emissions limit established in Table 106.B: 200 tpy VOC, 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs. Any VHAPs that are also defined as a VOC shall be included in the VOC total.

Reporting Requirement

A907 A The permittee shall submit reports described in Section A109 and in accordance with B110. With respect to individual HAPs, reports shall include any HAP emitted in quantity greater than 0.5 tons per year.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO2, VOC, TSP, PM10, and PM2.5 shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments:

Chemical Usage LANL-FW-CHEM		January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A902 B)
VOCs		2.62			Source limits refer to facility-wide limits.
HAPs		0.99			
Individual HAPs greater than 0.5 tons	N/A				

Note: For the first 6 months of 2020, no individual HAP exceeded 0.5 tons.

Chemical Usage CMRR-CHEM		January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A902 B)
HAPs		0			3.75
VOCs		0			3.75
TAPs		0.0104			No Source Limit

A1000 Degreasers

A1002 Emission Limits - Degreasers

Unit No.	VOC/HAPs tpy
TA-55-DG-1	..1

1 The VOC emissions from this source category are included in the facility-wide allowable emissions limit established in Table 106.B: 200 tpy VOC, 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs. Any VHAPs that are also defined as a VOC shall be included in the VOC total.

Reporting Requirement

A1007 A The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO2, VOC, TSP, PM10, and PM2.5 shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area I shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Degreaser TA-55-DG-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1002 A) (tons per year)
VOCs	0.035			Source limits refer to facility-wide limits.
HAPs	0.035			

A1100 Internal Combustion

A1102 Emission Limits - Internal Combustion

Unit No.	NOx tpy	CO tpy	VOC tpy	SO ₂ tpy	TSP tpy	PM ₁₀ tpy
TA-33-G-1P	18.1	15.2	0.3	2.5	0.6	0.6
TA-33-G-2	0.21	0.1	-- ¹	--	--	--
TA-33-G-3	0.21	0.1	-- ¹	--	--	--
TA-33-G-4	2.33	1.4	0.2	0.16	--	--

¹ The VOC emissions from this source category are included in the facility-wide allowable emissions limit established in condition 106.B. 200 tpy VOC, 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs

Reporting Requirement

A1107 A The permittee shall comply with all applicable reporting requirements of 40 CFR 60, Subpart A as required in 60.4218 and in accordance with Section B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Generator TA-33-G-1P	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102.A) (tons per year)
NOx	0			18.1
SO ₂	0			2.5
TSP	0			0.6
PM ₁₀	0			0.6
CO	0			15.2
VOC	0			0.3
HAPs	0			No Source Limit

Note: The TA-33-G-1P generator did not operate during the first 6 months of 2020.

Generator TA-33-G-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102.A) (tons per year)
NOx	0			0.21
SO ₂	0			Not Required
TSP	0			Not Required
PM ₁₀	0			Not Required
CO	0			0.1
VOC	0			Not Required
HAPs	0			No Source Limit

Note: The TA-33-G-2 generator did not operate during the first 6 months of 2020.

Continued on the next page.

A1100 Internal Combustion- continued

Generator TA-33-G-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102 A) (tons per year)
NOx	0			0.21
SO ₂	0			Not Required
TSP	0			Not Required
PM ₁₀	0			Not Required
CO	0			0.1
VOC	0			Not Required
HAPs	0			No Source Limit

Note: The TA-33-G-3 generator did not operate during the first 6 months of 2020.

Generator TA-33-G-4	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102 A) (tons per year)
NOx	0.223			2.38
SO ₂	0.015			0.16
TSP	0.015			Not Required
PM ₁₀	0.015			Not Required
CO	0.134			1.4
VOC	0.018			0.2
HAPs	7.22E-05			No Source Limit

Generator RLUOB-GEN-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0			No-Source Specific Emission Limits for the CMRR Generators
SO ₂	0			
TSP	0			
PM ₁₀	0			
CO	0			
VOC	0			
HAPs	0			

Note: The TA-RLUOB-GEN-1 generator did not operate during the first 6 months of 2020.

Generator RLUOB-GEN-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.356			No Source Specific Emission Limits for the CMRR Generators
SO ₂	0.009			
TSP	0.021			
PM ₁₀	0.017			
CO	0.441			
VOC	0.050			
HAPs	1.02E-04			

Continued on the next page.

A1100 Internal Combustion- continued

Generator RLUOB-GEN-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.282			No Source Specific Emission Limits for the CMRR Generators
SO ₂	0.007			
TSP	0.017			
PM ₁₀	0.014			
CO	0.350			
VOC	0.040			
HAPs	8.10E-05			

Generator TA-48-GEN-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0			No Source Specific Emission Limits for the TA-48 Generator
SO ₂	0			
TSP	0			
PM ₁₀	0			
CO	0			
VOC	0			
HAPs	0			

Note: The TA-48-GEN-1 generator did not operate during the first 6 months of 2020.

Generator TA-55-GEN-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0			No Source Specific Emission Limits for the TA-55 Generators
SO ₂	0			
TSP	0			
PM ₁₀	0			
CO	0			
VOC	0			
HAPs	0			

Note: The TA-55-GEN-1 generator did not operate during the first 6 months of 2020.

Generator TA-55-GEN-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.0056			No Source Specific Emission Limits for the TA-55 Generators
SO ₂	0.0004			
TSP	0.0004			
PM ₁₀	0.0004			
CO	0.0012			
VOC	0.0004			
HAPs	1.79E-06			

Continued on the next page.

A1100 Internal Combustion- continued

Generator TA-55-GEN-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.241			No Source Specific Emission Limits for the TA-55 Generators
SO ₂	0.004			
TSP	0.008			
PM ₁₀	0.008			
CO	0.053			
VOC	0.008			
HAPs	4.39E-05			

A1200 Data Disintegrator

A1202 Emission Limits - Data Disintegrator

Unit No.	TSP tpy	PM10 tpy
TA-52-11	9.9	9.9

Reporting Requirement

A1207 A The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO2, VOC, TSP, PM10, and PM2.5 shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Data Disintegrator TA-52-11	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1202 A) (tons per year)
TSP	0.150			9.9
PM10	0.135			9.9

A1300 TA-3 Power Plant

A1302 Emission Limits - TA-3 Power Plant

All TA-3 Power Plant Boilers Combined (TA-33-1, TA-33-2, TA-33-3)

NOx tpy	CO tpy	VOC tpy	SOx tpy	TSP tpy	PM ₁₀ tpy	PM2.5 tpy
31.5	21.5	2.8	4.9	4.7	4.4	4.2

TA-3 Power Plant Turbine (TA-3-22-CT-1)

NOx tpy	CO tpy	VOC tpy	SOx tpy	TSP tpy	PM ₁₀ tpy	PM2.5 tpy
59.4	72.3	1.5	4.2	4.8	4.8	4.8

Reporting Requirement

A1307 A The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments:

Boilers TA-3-22-1, TA-3-22-2, TA-3-22-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limit (Condition A1302 A) (tons per year)
NOx	5.45			31.5
SOx	0.06			4.9
TSP	0.71			4.7
PM ₁₀	0.71			4.4
PM _{2.5}	0.71			4.2
CO	3.76			21.5
VOC	0.52			2.8
HAPs	0.18			No Source Limit

Combustion Turbine TA-3-22 CT-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limit (Condition A1302 A) (tons per year)
NOx	0			59.4
SOx	0			4.2
TSP	0			4.8
PM ₁₀	0			4.8
PM _{2.5}	0			4.8
CO	0			72.3
VOC	0			1.5
HAPs	0			No Source Limit

Note: The TA-3-22 CT-1 turbine did not operate during the first 6 months of 2020.

A1400 Open Burning

A1402 Emission Limits - Open Burning

Unit No.	Individual HAP ¹ (tpy)	Total HAPs ¹ (tpy)
Facility-Wide Open Burning	8.0	24.0

¹ Individual and Total HAPs emitted by Open Burning are included in facility-wide HAP emission limits at Table 106.B

Reporting Requirement

A1407 A The permittee shall submit reports as outlined in the Condition 1407.A Requirements, as described in Section A109, and in accordance with Section B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

No open burning activities took place during the first 6 months of 2020.

A1500 Evaporative Sprayers

A1502 Emission Limits - Evaporative Sprayers

Unit No.	HAPs tpy
TA-60-EVAP-1	-- ¹
TA-60-EVAP-2	-- ¹
TA-60-EVAP-3	-- ¹
TA-60-EVAP-4	-- ¹
TA-60-EVAP-5	-- ¹

¹ Hazardous air pollutants (HAPs) from the evaporative coolers are included in and subject to the individual and total HAP facility-wide emission limits in Table 106 B: 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs.

Reporting Requirement

A1507 A The permittee shall submit reports described in Section A109 and in accordance with B111.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO2, VOC, TSP, PM10, and PM2.5 shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments:

Evaporative Sprayer TA-60-EVAP-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	6.85E-10			Source limits refer to facility-wide limits.
Chloroform	4.17E-06			
Chloromethane	7.70E-06			
Bromoform	8.87E-07			
Cyanide Compounds	3.76E-05			
Manganese Compounds	1.63E-05			
Antimony Compounds	1.09E-05			
TOTAL HAPs	1.99E-04			

Evaporative Sprayer TA-60-EVAP-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	2.00E-10			Source limits refer to facility-wide limits.
Chloroform	1.22E-06			
Chloromethane	2.25E-06			
Bromoform	2.59E-07			
Cyanide Compounds	1.10E-05			
Manganese Compounds	4.77E-06			
Antimony Compounds	3.20E-06			
TOTAL HAPs	5.84E-05			

Continued on the next page.

A1500 Evaporative Sprayers - continued

Evaporative Sprayer TA-60-EVAP-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	0			Source limits refer to facility-wide limits.
Chloroform	0			
Chloromethane	0			
Bromoform	0			
Cyanide Compounds	0			
Manganese Compounds	0			
Antimony Compounds	0			
TOTAL HAPs	0			

Note: The TA-60-EVAP-3 evaporative sprayer did not operate during the first six months of 2020.

Evaporative Sprayer TA-60-EVAP-4	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	3.15E-12			Source limits refer to facility-wide limits.
Chloroform	1.92E-08			
Chloromethane	3.54E-08			
Bromoform	4.07E-09			
Cyanide Compounds	1.72E-07			
Manganese Compounds	7.49E-08			
Antimony Compounds	5.02E-08			
TOTAL HAPs	9.16E-07			

Evaporative Sprayer TA-60-EVAP-5	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	1.33E-10			Source limits refer to facility-wide limits.
Chloroform	8.13E-07			
Chloromethane	1.50E-06			
Bromoform	1.73E-07			
Cyanide Compounds	7.31E-06			
Manganese Compounds	3.18E-06			
Antimony Compounds	2.13E-06			
TOTAL HAPs	3.89E-05			

Evaporative Sprayer TA-60-EVAP-6	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	0			Source limits refer to facility-wide limits.
Chloroform	0			
Chloromethane	0			
Bromoform	0			
Cyanide Compounds	0			
Manganese Compounds	0			
Antimony Compounds	0			
TOTAL HAPs	0			

A102 Facility Wide Emission Limits

Table 102.A: Total Potential Criteria Pollutant Emissions from Entire Facility

Pollutant	Emissions (tons per year)
Nitrogen Oxides (NO _x)	245.0
Carbon Monoxide (CO)	225.0
Volatile Organic Carbons (VOC)	200.0
Sulfur Dioxide (SO ₂)	150.0
Total Particulate Matter (TSP)	120.0
Particulate Mater less than 10 microns (PM ₁₀)	120.0
Particulate Mater less than 2.5 microns (PM _{2.5})	120.0

Table 102.B: Total Potential HAPs that exceed 1.0 tons per year

Pollutant	Emissions (tons per year)
Individual HAP	8.0
Total HAPs	24.0

Reporting Requirement

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments:

Pollutant	January - June Emissions (tons)	July - December Emissions (tons)	2020 Annual Emissions (tons)
Nitrogen Oxides	17.73		
Carbon Monoxide	13.74		
Volatile Organic Carbons	3.93		
Sulfur Dioxide	0.16		
Total Particulate Matter	1.82		
Particulate Matter less than 10 microns	1.80		
Particulate Matter less than 2.5 microns	0.72		
Hazardous Air Pollutants	1.42		



**Environment, Safety, Health, Quality, Safeguards,
and Security (ESHQSS)**
PO Box 1663, MS K491
Los Alamos, New Mexico 87545
(505) 667-4218

**National Nuclear Security Administration
Los Alamos Field Office**
3747 West Jemez Road, A316
Los Alamos, New Mexico 87544
(505) 665-7314/Fax (505) 667-5948

Symbol: ESHQSS: 21-010
LA-UR: 21-22102
Locates Action No.: N/A
Date: **MAR 29 2021**

Mr. David Feather
Compliance Reporting Manager
New Mexico Environment Department, Air Quality Bureau
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505-1816

**Subject: Semi-Annual Emissions Report, Los Alamos National Laboratory, AI No. 856,
Title V Operating Permit P100-R2M4, July 1 – December 31, 2020**

Dear Mr. Feather:

Enclosed please find the Triad National Security, LLC Semi-Annual Emissions report for Operating Permit P100-R2M4 for Los Alamos National Laboratory (LANL) for the period of July 1, 2020 through December 31, 2020 (*Attachment 1*). This report is required by permit condition A109.B and is submitted within 90 days from the end of the reporting period as required by that condition.

The Semi-Annual Emissions report includes actual emissions from permitted sources included in the LANL Operating Permit. In this report, actual emissions are listed along with emission limits for ease in comparing and verifying compliance. No emission limits were exceeded during this reporting period.

An Equal Opportunity Employer / Managed by Triad National Security, LLC for the U.S. Department of Energy's NNSA



If you have any questions or comments regarding this submittal or would like to discuss the submittal in greater detail, please contact Adrienne Nash at (505) 665-5026 or Walt Whetham at (505) 695-8056.

Sincerely,

JENNIFER
PAYNE (Affiliate)

Digitally signed by
JENNIFER PAYNE (Affiliate)
Date: 2021.03.18 08:57:09
-06'00'

Jennifer E. Payne
Division Leader
Environmental Protection and Compliance
Triad National Security, LLC

Sincerely,



Michael J. Weis
Manager, Los Alamos Field Office
National Nuclear Security Administration
U.S. Department of Energy

Attachment(s): Attachment 1 Semi-Annual Emissions Report, Los Alamos National Laboratory, AI No. 856, Title V Operating Permit P100-R2M4, July 1 – December 31, 2020

Copy: Michael J. Weis, NA-LA,
Darlene S. Rodriguez, NA-LA, darlene.rodriguez@nnsa.doe.gov
Adrienne L. Nash, NA-LA, adrienne.nash@nnsa.doe.gov
Silas DeRoma, NA-LA, silas.deroma@nnsa.doe.gov
Stephen Jochem, NA-LA, stephen.jochem@nnsa.doe.gov
Kirk Lachman, EM-LA, kirk.lachman@em.doe.gov
M. Lee Bishop, EM-LA, lee.bishop@em.doe.gov
David Nickless, EM-LA, david.nickless@em.doe.gov
Hai Shen, EM-LA, hai.shen@em.doe.gov
Kelly J. Beierschmitt, Triad, DDOPS, beierschmitt@lanl.gov
Michael W. Hazen, Triad, ALDESHQSS, mhazen@lanl.gov
William R. Mairson, Triad, ALDESHQSS, wrmairson@lanl.gov
Maxine M. McReynolds, Triad, GC-ESH, mcreynolds@lanl.gov
Enrique Torres, Triad, EWP, etorres@lanl.gov
Jennifer E. Payne, Triad, EPC-DO, jpayne@lanl.gov
Taunia S. Van Valkenburg, Triad, EPC-CP, tauniav@lanl.gov
Marjorie B. Stockton, Triad, EPC-CP, mstockton@lanl.gov
Walter W. Whetham, Triad, EPC-CP, vcarretti@lanl.gov
Taylor A. Valdez, Triad, PCM-DO, tvaldez@lanl.gov
Christian Maupin, N3B, christian.maupin@em-la.doe.gov
Dana Lindsay, N3B, dana.lindsay@em-la.doe.gov
Triad, EPC-CP Title V Permit File
Triad, EPC-CP Correspondence File
lasomailbox@nnsa.doe.gov
aldeshqsscorrespondence@lanl.gov
epccorrespondence@lanl.gov
adesh-records@lanl.gov
interface@lanl.gov



**New Mexico Environment Department
Air Quality Bureau
Compliance and Enforcement Section
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505
Phone (505) 476-4300**



Version 07.20.18

NMED USE ONLY	
TEMPO	

REPORTING SUBMITTAL FORM

NMED USE ONLY	
Staff	
Admin	

PLEASE NOTE: ® - Indicates required field

SECTION I - GENERAL COMPANY AND FACILITY INFORMATION					
A. ® Company Name: Department of Energy, National Nuclear Security Administration			D. ® Facility Name: Los Alamos National Laboratory		
B.1 ® Company Address: 3747 West Jemez Road			E.1 ® Facility Address: P.O. Box 1663 MS J978		
B.2 ® City: Los Alamos	B.3 ® State: NM	B.4 ® Zip: 8 7 5 4 4	E.2 ® City: Los Alamos	E.3 ® State: NM	E.4 ® Zip: 87545
C.1 ® Company Environmental Contact: Adrienne L. Nash	C.2 ® Title: Program Manager		F.1 ® Facility Contact: Marjorie B. Stockton	F.2 ® Title: Acting Meteorology & Air Quality Team Leader	
C.3 ® Phone Number: (505) 665-5026	C.4 ® Fax Number: (505) 667-9998		F.3 ® Phone Number: (505) 695-4508	F.4 ® Fax Number: NA	
C.5 ® Email Address: adrienne.nash@nnsa.doe.gov			F.5 ® Email Address: mstockton@lanl.gov		
G. Responsible Official: (Title V only): Michael J. Weis		H. Title: Manager	I. Phone Number: (505) 665-3289	J. Fax Number: NA	
K. ® AI Number: 856	L. Title V Permit Number: P100-R2M4	M. Title V Permit Issue Date: July 18, 2019	N. NSR Permit Number: 2195	O. NSR Permit Issue Date: Various	
P. Reporting Period: From: July 1, 2020 To: December 31, 2020					

Do NOT submit NSPS OOOO or OOOOa well completion or flowback notifications to the Air Quality Bureau. See <https://www.env.nm.gov/air-quality/notices-and-faqs-for-compliance-and-enforcement/> for explanation.


SECTION II - TYPE OF SUBMITTAL (check one that applies)				
A. <input type="checkbox"/>	Title V Annual Compliance Certification	Permit Condition(s):	Description:	
B. <input type="checkbox"/>	Title V Semi-Annual Monitoring Report	Permit Condition(s):	Description:	
C. <input type="checkbox"/>	NSPS Requirement (40CFR60)	Regulation:	Section(s):	Description:
D. <input type="checkbox"/>	MACT Requirement (40CFR63)	Regulation:	Section(s):	Description:
E. <input type="checkbox"/>	NMAC Requirement (20.2.xx) or NESHAP Requirement (40CFR61)	Regulation:	Section(s):	Description:
F. <input checked="" type="checkbox"/>	Permit or Notice of Intent (NOI) Requirement	Permit No. <input checked="" type="checkbox"/> : or NOI No. <input type="checkbox"/> P100R2M4	Condition(s): A109 B	Description: Title V Semi-Annual Emissions Report 7/1/2020-12/31/2020
G. <input type="checkbox"/>	Requirement of an Enforcement Action	NOV No. <input type="checkbox"/> : or SFO No. <input type="checkbox"/> or CD No. <input type="checkbox"/> : or Other <input type="checkbox"/>	Section(s):	Description:

SECTION III - CERTIFICATION			
After reasonable inquiry, I <u>Michael J. Weis</u> certify that the information in this submittal is true, accurate and complete. (Name of Certifier)			
® Signature of Certifier: 	® Title: Manager	® Date: 03/24/2021	® Responsible Official for Title V? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Reviewed By: _____

Date Reviewed: _____

Title V Report Certification Form

I. Report Type		
<input type="checkbox"/> Annual Compliance Certification		
<input type="checkbox"/> Semi-Annual Monitoring Report		
<input checked="" type="checkbox"/> Other Specify: Semi-Annual Emissions Report		
II. Identifying Information		
Facility Name: Los Alamos National Laboratory		
Facility Address: P.O. Box 1663, MS J978	State: NM	Zip: 87545
Responsible Official (RO): Michael J. Weis	Phone: (505) 667-5105	Fax: NA
RO Title: Manager	RO e-mail: michael.weis@nnsa.doe.gov	
Permit No.: P100-R2M4	Date Permit Issued: 7/18/2019	
Report Due Date (as required by the permit): 3/30/2021	Permit AI number: 856	
Time period covered by this Report: From: 7/1/2020		To: 12/31/2020
III. Certification of Truth, Accuracy, and Completeness		
<p>I am the Responsible Official indicated above. I, <u>(Michael J. Weis)</u> certify that I meet the requirements of 20.2.70.7.AE NMAC. I certify that, based on information and belief formed after reasonable inquiry, the statements and information contained in the attached Title V report are true, accurate, and complete.</p>		
Signature: 		Date: <u>03/24/2021</u>

Attachment 1
Semi-Annual Emissions Report
Los Alamos National Laboratory, AI No. 856
Title V Operating Permit P100-R2M4
July 1 – December 31, 2020

ESHQSS: 21-010

LA-UR-21-22102

Date: **MAR 29 2021**

Semi-Annual Emissions Report, Los Alamos National Laboratory
AI 856, Title V Operating Permit P100-R2M4
July 1, 2020 - December 31, 2020

Emission Reporting Requirements

A109 Facility: Reporting Schedules

- A. A Semi-Annual Report of monitoring activities is due within 45 days following the end of every 6-month reporting period. The six month reporting periods start on January 1st and July 1st of each year.

- B. A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Specific Emissions Reports:

A600 Asphalt Production

A602 Emission Limits - Asphalt Production

Unit No.	Nox tpy	SO ₂ tpy	PM tpy	CO tpy	VOC tpy
TA-60-BDM	50.0	50.0	50.0	30.0	50.0

Reporting Requirement

A607 F The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM10, and PM2.5 shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Asphalt Plant TA-60-BDM	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A602 A) (tons per year)
NOx	0.0004	0.0004	0.0008	50.0
SO ₂	0.0002	0.0001	0.0003	50.0
PM	0.0003	0.0002	0.0005	50.0
CO	0.0154	0.0141	0.0295	30.0
VOC	0.0003	0.0003	0.0006	50.0
HAPs	0.0003	0.0002	0.0005	No Source Permit Limit

A700 Beryllium Activities

A702 Emission Limits - Beryllium Activities

Source	Beryllium Particulate Matter	Aluminum Particulate Matter
Sigma Facility TA-3-66	10 gm/24 hr	N/A
Beryllium Technology Facility TA-3-141	3.5 gm/yr	N/A
Target Fabrication Facility TA-35-213	0.36 gm/yr	N/A
Plutonium Facility TA-55-PF-4 Machining Operation	2.99 gm/yr	2.99 gm/yr
Plutonium Facility TA-55-PF-4 Foundry Operation	8.73X10 ⁻⁰⁴ gm/yr	8.73X10 ⁻⁰⁴ gm/yr

Reporting Requirement

A707 D The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments: To meet condition of 5.f in NSR permit #634-M2, LANL submitted the following quarterly beryllium emissions reports for the Beryllium Technology Facility: first quarter report, May 6, 2020 (000856-05062020-01) and second quarter report, August 4, 2020 (000856-08042020-01), third quarter, October 28, 2020 (000856-10282020-01), and fourth quarter, February 2, 2021, (000856-02022021-01).

A700 Beryllium Activities - continued

Comments:

Source	Pollutant	January - June Emissions	July - December Emissions	Annual Emissions	Permit Limits (Condition A702 A)
Sigma Facility TA-3-66 ⁽¹⁾	Beryllium (grams)	0	0	0	10 gm/24 hr
Beryllium Technology Facility TA-3-141 ⁽²⁾	Beryllium (grams)	0.0025	0.0023	0.0048	3.5 gm/yr
Target Fabrication Facility TA-35-213 ⁽³⁾	Beryllium (grams)	< 0.00944	< 0.009	< 0.018	0.36 gm/yr
Plutonium Facility TA-55-PF4 Machining Operation ⁽⁴⁾	Beryllium (grams)	< 1.495	< 1.41	< 2.91	2.99 gm/yr
	Aluminum (grams)	< 1.495	< 1.41	< 2.91	2.99 gm/yr
Plutonium Facility TA-55-PF4 Foundry Operation ⁽⁵⁾	Beryllium (grams)	0	0	0.00	8.73 x 10 ⁻⁴ gm/yr
	Aluminum (grams)	0	0	0.00	8.73 x 10 ⁻⁴ gm/yr
Beryllium Total⁽⁶⁾ (tons) =		< 1.66E-06	< 1.57E-06	< 3.23E-06	
Aluminum Total (tons) =		< 1.65E-06	< 1.55E-06	< 3.20E-06	

Notes: (1) Emissions from the Sigma Facility are from electroplating, chemical milling, and metallographic operations. (2) Emission values shown for the Beryllium Technology Facility are from actual stack emission measurements which are submitted to NMED quarterly. (3) Emissions for the Target Fabrication Facility are from initial compliance testing of that source and calculated based on a conservative assumption of 8 hour work days. Log books were checked to verify that work days were much less than 8 hours. (4) Emissions for the Plutonium Facility are calculated based on permitted throughputs. Log books were checked to verify that throughputs were much less than permitted values. (5) The Plutonium Facility foundry operations did not operate during 2020.

A800 External Combustion

A802 Emission Limits - External Combustion

Unit No.	NOx tpy	CO tpy	VOC tpy	SO ₂ tpy	TSP tpy	PM ₁₀ tpy
All Boilers	80.0	80.0	50.0	50.0	50.0	50.0

Unit No.	NOx tpy	CO tpy	SO ₂ tpy	TSP tpy	PM ₁₀ tpy	PM _{2.5} tpy
RLUOB-BHW-1 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB-BHW-2 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB-BHW-3 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB-BHW-4 (gas)	2.9	4.8	0.3	0.4	0.4	0.4
RLUOB Boilers (oil)	2.9	0.9	10.4	0.5	0.3	0.3
RLUOB Boilers Total	14.5	20.1	11.6	2.1	1.9	1.9

Reporting Requirement

A807 B The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments:

Boilers	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 A) (tons per year)
NOx	11.17	8.45	19.6	80
SO ₂	0.07	0.05	0.1	50
TSP	0.89	0.68	1.6	50
PM-10	0.89	0.68	1.6	50
CO	8.98	6.76	15.7	80
VOCs	0.64	0.49	1.1	50
HAPs	0.21	0.16	0.4	No Source Limit

Note: The emissions shown in this table includes all exempt, non-exempt, metered, and non-metered boilers at LANL except for the TA-3-22 Power Plant boilers. The Power Plant boilers can be found under Section A1300 of this report.

Continued on the next page

A800 External Combustion - continued

RLUOB-BHW-1 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0067	0.0065	0.013	2.9
SO ₂	0.00013	0.00013	0.0003	0.3
TSP	0.0011	0.0011	0.002	0.4
PM-10	0.0011	0.0011	0.002	0.4
PM-2.5	0.0011	0.0011	0.002	0.4
CO	0.0085	0.0083	0.017	4.8
VOCs	0.0058	0.0056	0.011	No Source Limit
HAPs	4.23E-04	4.13E-04	0.001	No Source Limit

RLUOB-BHW-2 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0067	0.0065	0.013	2.9
SO ₂	0.00013	0.00013	0.0003	0.3
TSP	0.0011	0.0011	0.002	0.4
PM-10	0.0011	0.0011	0.002	0.4
PM-2.5	0.0011	0.0011	0.002	0.4
CO	0.0085	0.0083	0.017	4.8
VOCs	0.0058	0.0056	0.011	No Source Limit
HAPs	4.23E-04	4.13E-04	0.001	No Source Limit

RLUOB-BHW-3 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0067	0.0065	0.013	2.9
SO ₂	0.00013	0.00013	0.0003	0.3
TSP	0.0011	0.0011	0.002	0.4
PM-10	0.0011	0.0011	0.002	0.4
PM-2.5	0.0011	0.0011	0.002	0.4
CO	0.0085	0.0083	0.017	4.8
VOCs	0.0058	0.0056	0.011	No Source Limit
HAPs	4.23E-04	4.13E-04	0.001	No Source Limit

RLUOB-BHW-4 (Gas)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0	0	0	2.9
SO ₂	0	0	0	0.3
TSP	0	0	0	0.4
PM-10	0	0	0	0.4
PM-2.5	0	0	0	0.4
CO	0	0	0	4.8
VOCs	0	0	0	No Source Limit
HAPs	0	0	0	No Source Limit

Note: The RLUOB-BHW-4 boiler has not been installed.

Continued on the next page.

A800 External Combustion - continued

RLUOB Boilers Totals (Oil)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0	0	0	2.9
SO ₂	0	0	0	10.4
TSP	0	0	0	0.5
PM-10	0	0	0	0.3
PM-2.5	0	0	0	0.3
CO	0	0	0	0.9
VOCs	0	0	0	No Source Limit
HAPs	0	0	0	No Source Limit

Note: The RLUOB boilers did not operate on fuel oil during 2020.

RLUOB Boilers Totals (Gas and Oil)	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A802 B) (tons per year)
NOx	0.0201	0.0196	0.040	14.5
SO ₂	0.0004	0.0004	0.001	11.6
TSP	0.0033	0.0032	0.007	2.1
PM-10	0.0033	0.0032	0.007	1.9
PM-2.5	0.0033	0.0032	0.007	1.9
CO	0.0256	0.0250	0.051	20.1
VOCs	0.0173	0.0169	0.034	No Source Limit
HAPs	1.27E-03	1.24E-03	0.003	No Source Limit

A900 Chemical Usage

A902 Emission Limits - Chemical Usage

Unit No.	VOC/HAPs tpy
LANL-FW-CHEM	-- ¹
CMRR-CHEM	3.75 ¹

¹ The VOC emissions from this source category are included in the facility-wide allowable emissions limit established in Table 106.B: 200 tpy VOC, 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs. Any VHAPs that are also defined as a VOC shall be included in the VOC total.

Reporting Requirement

A907 A The permittee shall submit reports described in Section A109 and in accordance with B110. With respect to individual HAPs, reports shall include any HAP emitted in quantity greater than 0.5 tons per year.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO2, VOC, TSP, PM10, and PM2.5 shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Chemical Usage LANL-FW-CHEM		January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A902 B)
VOCs		2.62	3.48	6.10	Source limits refer to facility-wide limits.
HAPs		0.99	3.43	4.42	
Individual HAPs greater than 0.5 tons	Ethylene Glycol	0.08	0.84	0.92	
	Methylene Chloride	0.02	0.59	0.61	
	Hydrochloric Acid	0.15	0.44	0.59	

Chemical Usage CMRR-CHEM		January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A902 B)
HAPs		0	0.0222	0.0222	3.75
VOCs		0	0.0194	0.0194	3.75
TAPs		0.0104	0.0065	0.0169	No Source Limit

A1000 Degreasers

A1002 Emission Limits - Degreasers

Unit No.	VOC/HAPs tpy
TA-55-DG-1	-- ¹

¹ The VOC emissions from this source category are included in the facility-wide allowable emissions limit established in Table 106.B: 200 tpy VOC, 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs. Any VHAPs that are also defined as a VOC shall be included in the VOC total.

Reporting Requirement

A1007 A The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Degreaser TA-55-DG-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1002 A) (tons per year)
VOCs	0.035	0.022	0.057	Source limits refer to facility-wide limits.
HAPs	0.035	0.022	0.057	

A1100 Internal Combustion

A1102 Emission Limits - Internal Combustion

Unit No.	NOx tpy	CO tpy	VOC tpy	SO ₂ tpy	TSP tpy	PM ₁₀ tpy
TA-33-G-1P	18.1	15.2	0.3	2.5	0.6	0.6
TA-33-G-2	0.21	0.1	-- ¹	--	--	--
TA-33-G-3	0.21	0.1	-- ¹	--	--	--
TA-33-G-4	2.33	1.4	0.2	0.16	--	--

¹ The VOC emissions from this source category are included in the facility-wide allowable emissions limit established in condition 106.B: 200 tpy VOC, 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs.

Reporting Requirement

A1107 A The permittee shall comply with all applicable reporting requirements of 40 CFR 60, Subpart A as required in 60.4218 and in accordance with Section B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments:

Generator TA-33-G-1P	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102 A) (tons per year)
NOx	0	3.39	3.39	18.1
SO ₂	0	0.09	0.09	2.5
TSP	0	0.10	0.10	0.6
PM ₁₀	0	0.10	0.10	0.6
CO	0	0.34	0.34	15.2
VOC	0	0.25	0.25	0.3
HAPs	0	9.81E-04	9.81E-04	No Source Limit

Generator TA-33-G-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102 A) (tons per year)
NOx	0	0	0	0.21
SO ₂	0	0	0	Not Required
TSP	0	0	0	Not Required
PM ₁₀	0	0	0	Not Required
CO	0	0	0	0.1
VOC	0	0	0	Not Required
HAPs	0	0	0	No Source Limit

Note: The TA-33-G-2 generator did not operate during 2020.

Continued on the next page.

A1100 Internal Combustion- continued

Generator TA-33-G-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102 A) (tons per year)
NOx	0	0	0	0.21
SO ₂	0	0	0	Not Required
TSP	0	0	0	Not Required
PM ₁₀	0	0	0	Not Required
CO	0	0	0	0.1
VOC	0	0	0	Not Required
HAPs	0	0	0	No Source Limit

Note: The TA-33-G-3 generator did not operate during 2020.

Generator TA-33-G-4	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1102 A) (tons per year)
NOx	0.223	0.838	1.06	2.33
SO ₂	0.015	0.058	0.07	0.16
TSP	0.015	0.058	0.07	Not Required
PM ₁₀	0.015	0.058	0.07	Not Required
CO	0.134	0.505	0.64	1.4
VOC	0.018	0.066	0.08	0.2
HAPs	7.22E-05	2.72E-04	3.44E-04	No Source Limit

Generator RLUOB-GEN-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0	0	0	No Source Specific Emission Limits for the CMRR Generators
SO ₂	0	0	0	
TSP	0	0	0	
PM ₁₀	0	0	0	
CO	0	0	0	
VOC	0	0	0	
HAPs	0	0	0	

Note: The RLUOB-GEN-1 generator did not operate during 2020.

Generator RLUOB-GEN-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.356	0.312	0.67	No Source Specific Emission Limits for the CMRR Generators
SO ₂	0.009	0.008	0.02	
TSP	0.021	0.018	0.04	
PM ₁₀	0.017	0.015	0.03	
CO	0.441	0.387	0.83	
VOC	0.050	0.044	0.09	
HAPs	1.02E-04	8.96E-05	1.92E-04	

Continued on the next page.

A1100 Internal Combustion- continued

Generator RLUOB-GEN-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.282	0.254	0.54	No Source Specific Emission Limits for the CMRR Generators
SO ₂	0.007	0.007	0.01	
TSP	0.017	0.015	0.03	
PM ₁₀	0.014	0.012	0.03	
CO	0.350	0.314	0.66	
VOC	0.040	0.036	0.08	
HAPs	8.10E-05	7.28E-05	1.54E-04	

Generator TA-48-GEN-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0	0	0	No Source Specific Emission Limits for the TA-48 Generator
SO ₂	0	0	0	
TSP	0	0	0	
PM ₁₀	0	0	0	
CO	0	0	0	
VOC	0	0	0	
HAPs	0	0	0	

Note: The TA-48-GEN-1 generator did not operate during 2020.

Generator TA-55-GEN-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0	0	0	No Source Specific Emission Limits for the TA-55 Generators
SO ₂	0	0	0	
TSP	0	0	0	
PM ₁₀	0	0	0	
CO	0	0	0	
VOC	0	0	0	
HAPs	0	0	0	

Note: The TA-55-GEN-1 generator did not operate during 2020.

Generator TA-55-GEN-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.0056	0	0.0056	No Source Specific Emission Limits for the TA-55 Generators
SO ₂	0.0004	0	0.0004	
TSP	0.0004	0	0.0004	
PM ₁₀	0.0004	0	0.0004	
CO	0.0012	0	0.0012	
VOC	0.0004	0	0.0004	
HAPs	1.79E-06	0	1.79E-06	

Note: The TA-55-GEN-2 generator did not operate during the second 6 months of 2020.

Continued on the next page.

A1100 Internal Combustion- continued

Generator TA-55-GEN-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits
NOx	0.241	0.169	0.41	No Source Specific Emission Limits for the TA-55 Generators
SO ₂	0.0041	0.0028	0.007	
TSP	0.008	0.005	0.01	
PM ₁₀	0.008	0.005	0.01	
CO	0.053	0.037	0.09	
VOC	0.008	0.005	0.01	
HAPs	4.39E-05	3.07E-05	7.46E-05	

A1200 Data Disintegrator

A1202 Emission Limits - Data Disintegrator

Unit No.	TSP tpy	PM10 tpy
TA-52-11	9.9	9.9

Reporting Requirement

A1207 A The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO2, VOC, TSP, PM10, and PM2.5 shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Data Disintegrator TA-52-11	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1202 A) (tons per year)
TSP	0.150	0.124	0.27	9.9
PM10	0.135	0.112	0.25	9.9

A1300 TA-3 Power Plant

A1302 Emission Limits - TA-3 Power Plant

All TA-3 Power Plant Boilers Combined (TA-33-1, TA-33-2, TA-33-3)						
NOx tpy	CO tpy	VOC tpy	SOx tpy	TSP tpy	PM ₁₀ tpy	PM2.5 tpy
31.5	21.5	2.8	4.9	4.7	4.4	4.2

TA-3 Power Plant Turbine (TA-3-22-CT-1)						
NOx tpy	CO tpy	VOC tpy	SOx tpy	TSP tpy	PM ₁₀ tpy	PM2.5 tpy
59.4	72.3	1.5	4.2	4.8	4.8	4.8

Reporting Requirement

A1307 A The permittee shall submit reports described in Section A109 and in accordance with B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No Provide comments and identify any supporting documentation as an attachment.

Comments:

Boilers TA-3-22-1, TA-3-22-2, TA-3-22-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limit (Condition A1302 A) (tons per year)
NOx	5.453	4.405	9.86	31.5
SO ₂	0.056	0.046	0.10	4.9
TSP	0.715	0.577	1.29	4.7
PM ₁₀	0.715	0.577	1.29	4.4
PM _{2.5}	0.715	0.577	1.29	4.2
CO	3.761	3.038	6.80	21.5
VOC	0.517	0.418	0.93	2.8
HAPs	0.178	0.143	0.32	No Source Limit

Combustion Turbine TA-3-22 CT-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limit (Condition A1302 A) (tons per year)
NOx	0	5.54	5.54	59.4
SOx	0	0.38	0.38	4.2
TSP	0	0.75	0.75	4.8
PM ₁₀	0	0.75	0.75	4.8
PM _{2.5}	0	0.75	0.75	4.8
CO	0	1.15	1.15	72.3
VOC	0	0.24	0.24	1.5
HAPs	0	0.15	0.15	No Source Limit

A1400 Open Burning

A1402 Emission Limits - Open Burning

Unit No.	Individual HAP ¹ (tpy)	Total HAPs ¹ (tpy)
Facility-Wide Open Burning	8.0	24.0

¹ Individual and Total HAPs emitted by Open Burning are included in facility-wide HAP emission limits at Table 106.B.

Reporting Requirement

A1407 A The permittee shall submit reports as outlined in the Condition 1407.A Requirements, as described in Section A109, and in accordance with Section B110.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources and the Soil Vapor Extraction equipment at Material Disposal Area L shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

No open burning activities took place during 2020.

A1500 Evaporative Sprayers

A1502 Emission Limits - Evaporative Sprayers

Unit No.	HAPs tpy
TA-60-EVAP-1	-- ¹
TA-60-EVAP-2	-- ¹
TA-60-EVAP-3	-- ¹
TA-60-EVAP-4	-- ¹
TA-60-EVAP-5	-- ¹

¹ Hazardous air pollutants (HAPs) from the evaporative coolers are included in and subject to the individual and total HAP facility-wide emission limits in Table 106.B: 8.0 tpy per individual HAP, and 24.0 tpy of combined total HAPs.

Reporting Requirement

A1507 A The permittee shall submit reports described in Section A109 and in accordance with B111.

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NO_x, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Evaporative Sprayer TA-60-EVAP-1	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	6.85E-10	8.81E-12	6.94E-10	Source limits refer to facility-wide limits.
Chloroform	4.17E-06	1.55E-08	4.19E-06	
Chloromethane	7.65E-06	9.91E-08	7.75E-06	
Bromoform	8.69E-07	1.14E-08	8.81E-07	
Cyanide Compounds	3.76E-05	1.20E-07	3.77E-05	
Manganese Compounds	1.63E-05	5.57E-08	1.64E-05	
Mercury Compounds	-	3.07E-09	3.07E-09	
Nickel Compounds	2.73E-05	4.58E-07	2.78E-05	
Antimony Compounds	1.09E-05	-	1.09E-05	
Arsenic Compounds	4.49E-05	-	4.49E-05	
Selenium Compounds	4.69E-05	-	4.69E-05	
Cobalt Compounds	2.96E-06	-	2.96E-06	
Total HAPs	2.00E-04	7.63E-07	2.00E-04	

Note: Antimony Compounds, Arsenic Compounds, Selenium Compounds, and Cobalt Compounds were not detected in the latest sampling event that took place in December 2020 and therefore, emissions from these chemicals were not calculated for July - December. Furthermore, Mercury was added to the July - December emissions because it was detected in the December 2020 sampling event, but not in the previous one.

Continued on the next page.

A1500 Evaporative Sprayers - continued

Evaporative Sprayer TA-60-EVAP-2	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	2.00E-10	8.82E-10	1.08E-09	Source limits refer to facility-wide limits.
Chloroform	1.22E-06	1.56E-06	2.78E-06	
Chloromethane	2.24E-06	9.92E-06	1.22E-05	
Bromoform	2.54E-07	1.14E-06	1.40E-06	
Cyanide Compounds	1.10E-05	1.20E-05	2.30E-05	
Manganese Compounds	4.78E-06	5.57E-06	1.04E-05	
Mercury Compounds	-	3.07E-07	3.07E-07	
Nickel Compounds	7.99E-06	4.59E-05	5.39E-05	
Antimony Compounds	3.20E-06	-	3.20E-06	
Arsenic Compounds	1.31E-05	-	1.31E-05	
Selenium Compounds	1.37E-05	-	1.37E-05	
Cobalt Compounds	8.65E-07	-	8.65E-07	
Total HAPs	5.84E-05	7.64E-05	1.35E-04	

Note: Antimony Compounds, Arsenic Compounds, Selenium Compounds, and Cobalt Compounds were not detected in the latest sampling event that took place in December 2020 and therefore, emissions from these chemicals were not calculated for July - December. Furthermore, Mercury was added to the July December emissions because it was detected in the December 2020 sampling event, but not in the previous one.

Evaporative Sprayer TA-60-EVAP-3	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	0	0	0	Source limits refer to facility-wide limits.
Chloroform	0	0	0	
Chloromethane	0	0	0	
Bromoform	0	0	0	
Cyanide Compounds	0	0	0	
Manganese Compounds	0	0	0	
Mercury Compounds	-	0	0	
Nickel Compounds	0	0	0	
Antimony Compounds	0	-	0	
Arsenic Compounds	0	-	0	
Selenium Compounds	0	-	0	
Cobalt Compounds	0	-	0	
Total HAPs	0	0	0	

Note: The TA-60-EVAP-3 evaporative sprayer did not operate during 2020.

Evaporative Sprayer TA-60-EVAP-4	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	3.15E-12	0	3.15E-12	Source limits refer to facility-wide limits.
Chloroform	1.92E-08	0	1.92E-08	
Chloromethane	3.51E-08	0	3.51E-08	
Bromoform	3.99E-09	0	3.99E-09	
Cyanide Compounds	1.72E-07	0	1.72E-07	
Manganese Compounds	7.51E-08	0	7.51E-08	
Mercury Compounds	-	0	0.00E+00	
Nickel Compounds	1.25E-07	0	1.25E-07	
Antimony Compounds	5.02E-08	-	5.02E-08	
Arsenic Compounds	2.06E-07	-	2.06E-07	
Selenium Compounds	2.16E-07	-	2.16E-07	
Cobalt Compounds	1.36E-08	-	1.36E-08	
Total HAPs	9.17E-07	0	9.17E-07	

Note: Antimony Compounds, Arsenic Compounds, Selenium Compounds, and Cobalt Compounds were not detected in the latest sampling event that took place in December 2020 and therefore, emissions from these chemicals were not calculated for July - December. Furthermore, Mercury was added to the July December emissions because it was detected in the December 2020 sampling event, but not in the previous one. The TA-60-EVAP-4 did not operate during the second six months of 2020.

Continued on the next page.

A1500 Evaporative Sprayers - continued

Evaporative Sprayer TA-60-EVAP-5	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	1.33E-10	5.90E-10	7.23E-10	Source limits refer to facility-wide limits.
Chloroform	8.13E-07	1.04E-06	1.85E-06	
Chloromethane	1.49E-06	6.63E-06	8.12E-06	
Bromoform	1.69E-07	7.64E-07	9.33E-07	
Cyanide Compounds	7.31E-06	8.03E-06	1.53E-05	
Manganese Compounds	3.18E-06	3.73E-06	6.91E-06	
Mercury Compounds	-	2.05E-07	2.05E-07	
Nickel Compounds	5.32E-06	3.07E-05	3.60E-05	
Antimony Compounds	2.13E-06	-	2.13E-06	
Arsenic Compounds	8.74E-06	-	8.74E-06	
Selenium Compounds	9.14E-06	-	9.14E-06	
Cobalt Compounds	5.76E-07	-	5.76E-07	
Total HAPs	3.89E-05	5.11E-05	9.00E-05	

Note: Antimony Compounds, Arsenic Compounds, Selenium Compounds, and Cobalt Compounds were not detected in the latest sampling event that took place in December 2020 and therefore, emissions from these chemicals were not calculated for July - December. Furthermore, Mercury was added to the July December emissions because it was detected in the December 2020 sampling event, but not in the previous one.

Evaporative Sprayer TA-60-EVAP-6	January - June Emissions (tons)	July - December Emissions (tons)	Annual Emissions (tons)	Permit Limits (Condition A1502 A) (tons per year)
Polychlorinated biphenyls	0	0	0	Source limits refer to facility-wide limits.
Chloroform	0	0	0	
Chloromethane	0	0	0	
Bromoform	0	0	0	
Cyanide Compounds	0	0	0	
Manganese Compounds	0	0	0	
Mercury Compounds	-	0	0	
Nickel Compounds	0	0	0	
Antimony Compounds	0	-	0	
Arsenic Compounds	0	-	0	
Selenium Compounds	0	-	0	
Cobalt Compounds	0	-	0	
TOTAL HAPs	0	0	0	

Note: The TA-60-EVAP-6 did not operate during 2020.

A102 Facility Wide Emission Limits

Table 102.A: Total Potential Criteria Pollutant Emissions from Entire Facility

Pollutant	Emissions (tons per year)
Nitrogen Oxides (NOx)	245.0
Carbon Monoxide (CO)	225.0
Volatile Organic Carbons (VOC)	200.0
Sulfur Dioxide (SO ₂)	150.0
Total Particulate Matter (TSP)	120.0
Particulate Mater less than 10 microns (PM ₁₀)	120.0
Particulate Mater less than 2.5 microns (PM _{2.5})	120.0

Table 102.B: Total Potential HAPs that exceed 1.0 tons per year

Pollutant	Emissions (tons per year)
Individual HAP	8.0
Total HAPs	24.0

Reporting Requirement

A109 B A Semi-Annual Report of actual emissions from all permitted sources unless otherwise specified in this permit is due within 90 days following the end of every 6-month reporting period as defined at Condition A109.A. Emission estimates of criteria pollutants NOx, CO, SO₂, VOC, TSP, PM₁₀, and PM_{2.5} shall not include fugitive emissions. Emission estimates of HAPs shall include fugitive emissions. Emission estimates shall not include Insignificant or Trivial Activities, except that facility-wide emissions from all natural gas combustion sources shall be estimated. The reports shall include a comparison of actual emissions that occurred during the reporting period with the facility-wide allowable emission limits at Table 106.B.

Has this reporting requirement been met during this reporting period with a separate reporting submittal? Answer Yes or No below.

Yes

Date report submitted:

Tracking Number:

No

Provide comments and identify any supporting documentation as an attachment.

Comments:

Pollutant	January - June Emissions (tons)	July - December Emissions (tons)	2020 Annual Emissions (tons)	Facility Wide Permit Limits (Condition A102) (tons per year)
Nitrogen Oxides	17.73	23.36	41.09	245
Carbon Monoxide	13.74	12.55	26.29	225
Volatile Organic Carbons	3.93	5.05	8.98	200
Sulfur Dioxide	0.16	0.65	0.81	150
Total Particulate Matter	1.82	2.33	4.15	120
Particulate Matter less than 10 microns	1.80	2.31	4.11	120
Particulate Matter less than 2.5 microns	0.72	1.33	2.05	120
Hazardous Air Pollutants	1.42	3.91	5.33	24